
INDEX

A

- abstract privileges, 343–345
- Accept-Charset header, 75
- Accept-Encoding header, 75
- Accept-Language header, 48, 75, 226
- Accept-Ranges header, 73, 74, 109
- access control entries (ACEs), 335, 338, 349
- access control lists (ACLs), 335
 - current user permissions, 346–347, 353–355
 - dynamic inheritance of, 349–350
 - owner identification, 339–340
 - parsing of ACEs and, 349
 - principal URLs and, 339, 350–351
 - retrieving, 340–341
 - setting, 347–349
- access control for buddy lists, 381–382
- access control, WebDAV, 10, 251, 335–359, 399
 - denial of privileges, 349
 - development of standardized, 335–336, 357–359
 - LDAP servers and, 357–358
 - locks vs., 101–102, 337
 - Microsoft Exchange and, 256
 - multiple protocol support and, 358–359
 - pre-standardization approaches to, 336
 - principal resources and, 338, 339, 350–357
 - privileges and, 338, 341–346
 - protection of ACEs and, 349
 - retrieval and interpretation of ACLs, 339–347
 - setting ACL information, 347–349
- acl-principal-prop-set report, 352–353
- acl-semantic property, 349
- activities, DeltaV, 314–316
 - atomicity and, 318
 - branches and, 316–317
 - merges and, 322
 - subactivities, 318
 - switching, 317–318
- activity-checkout-set property, 314
- activity-collection-set element, 306
- activity-set property, 314–315
- administer privilege, 345, 346
- Adobe products, 19, 26, 248, 252
- Advanced Client Workspace Package, DeltaV, 332
- Advanced Server Workspace Package, DeltaV, 332
- AFS. *See* Andrew File System (AFS)
- all privilege, 342, 345
- Allaire's ColdFusion, 3
- Allow header, 74, 109
- allprop element, 159–160, 220, 307, 396
- alternate-URI-set property, 351
- Amaya browser, 27, 31
- AND logic, token lists and, 186, 191, 196
- Andrew File System (AFS), 24, 37
- AOL, 4
 - AOLPress, 27
 - AOLPress Extensions, 29–30
 - AOLServer, 27–28

- Apache, 6
 - mod_dav module, 254–255, 359
 - multiple access protocols and, 358
 - APIs. *See* Application Programming Interfaces (APIs)
 - Apple iCal, 373
 - Apple iDisk, 258, 393
 - application design, WebDAV, 391–407
 - authentication, 398–399
 - authorization and access control, 399
 - connections, keeping alive, 396–397
 - global information, 393–394
 - libraries and APIs, 401–402
 - multiple connections, 397–398
 - multiple document schemas, 394–395
 - namespace selection, 391–392
 - property location, 392–393
 - property name selection, 392
 - property values, 392
 - repository migration, 404–406
 - resource grouping, 393
 - server load, minimizing, 398
 - software selection, 399–401
 - synchronization of sites and collections, 406
 - transport security features, 399
 - unnecessary requests, minimizing, 396
 - XML parser selection, 401
 - XML stylesheets and transformations, 402–403
 - XMLHTTP and, 403
 - Application Programming Interfaces (APIs), 17, 399, 401–402
 - apply-to-version element, 296–298
 - ASCII, 30, 31, 91
 - atomicity
 - of branch checkins, 318
 - of DELETE, 124
 - of MOVE, 138
 - of PROPPATCH, 161–162
 - attachments, e-mail, 38–39
 - authentication, 68, 69–71, 337
 - Basic, 69, 71, 220–221, 398
 - caching information on, 396
 - Digest, 70–71, 220–221, 399
 - NTLM, 71
 - in WebDAV scenario, 216, 217–218
 - Authentication header, 70
 - Authorization header, 69, 71, 74, 218, 221, 222, 242, 245
 - autoversioning, 283–284, 287–289, 328
- B**
- backup systems, versioning vs., 264
 - backward slashes, URLs and, 86
 - baseline collection, 323
 - BASELINE-CONTROL method, 330
 - baseline-controlled collections, 323, 324
 - baseline history resource, 324, 325
 - baselines, 323–325, 326, 328
 - Basic authentication, 69, 71, 220–221, 398
 - Basic Client Workspace Package, DeltaV, 331–332
 - Basic Server Workspace Package, DeltaV, 332
 - Berners-Lee, Tim, 1, 6, 7, 8, 9, 24, 31
 - bindings proposals, 126
 - Birds Of a Feather (BOF) meetings, 7
 - branches, 316–317
 - atomic checkin with named, 318
 - switching activities and, 317–318
 - BROWSE method, 29
 - browsing, early Web clients and, 1–2, 7
 - buddy lists, 378, 381–382
 - bugs
 - supportedlock, 199
 - unauthenticated request, 216
- C**
- Cache-Control header, 50, 79
 - caching
 - of authentication information, 396
 - cache control headers, 79–80
 - ETags and, 65
 - HTTP requests and, 50
 - Cadaver, 214, 240–246, 247, 253
 - calendar, WebDAV applications for, 368–373
 - Carter, Steve, 10
 - CDATA section, XML and, 148–149
 - CERN (European Particle Physics Laboratory), 1, 6
 - certificates, 337
 - CGI. *See* Common Gateway Interface (CGI)
 - character coding systems, 30, 31, 91, 151
 - character escaping, XML and, 148–149
 - characters, reserved and excluded URI, 44–45
 - checked-in property, 266, 269, 296
 - checked-out property, 266, 269, 274, 275, 303
 - checkin-fork property, 293, 294, 295–296, 303
 - CHECKIN method, 271–272, 275–277, 329, 330
 - activities and, 314
 - determining when allowed, 302–303
 - UPDATE on non-DeltaV clients and, 287
 - working resources and, 299–301

- checkout-fork property, 293, 294, 295–296, 303
- checkout-in-place feature, DeltaV, 329
- CHECKOUT method, 271–275, 329, 330
 - checkout to an activity, 314–315
 - determining when allowed, 302–303
 - UPDATE on non-DeltaV clients and, 287
 - working resource creation, 296–298, 301–302
- checkout-set property, 303
- checkpoints, version history and, 322–323
- checksum, 70
- chunked transfer encoding, 54, 160
- client failure status codes, 425–429.
 - See also specific codes*
- client-managed merges, 319–320
- client-side scripting, custom
 - applications and, 361–362
- client software, WebDAV.
 - See WebDAV software*
- client workspace packages, DeltaV, 331–332
- CM systems. *See* Configuration Management (CM) systems
- Cohen, Josh, 9
- ColdFusion, 3
- collections, 14, 83, 84
 - baseline, 323, 324
 - baseline-controlled, 323, 324–325
 - copying, 142
 - creating, 130–132, 225–226
 - deleting, 120
 - depth of, 88–90
 - GET requests to, 114
 - grouping into workspaces, 310
 - hierarchy of, 84, 87
 - HTTP's inability to create, 32
 - locked, adding resources to, 195, 205
 - locked, moving of, 188–190
 - locking, 104–105, 177–179, 180
 - moving, 134, 136–137, 188–190
 - name changes, 227–228
 - PUT requests and, 120
 - URL addresses and, 86–87, 109–110
 - version-controlled, 326
 - WebDAV scenario creating and opening, 215–228
 - working, 326–328
- comment property, 267, 274–275
- Common Gateway Interface (CGI), 55
- compare-baseline report, 304
- compliance tests, 259
- Concurrent Versioning System (CVS), 3–4
- Conditional headers, 74–77
- confidentiality, HTTP and, 68
- configuration information, WebDAV properties and, 92, 95
- Configuration Management (CM) systems, 3–4, 19–20, 19–21
- configuration resources, 323, 324, 325, 326, 328
- CONNECT method, 64, 73, 130, 375
- Connection header, 66, 78, 217, 226
- connections
 - closing at end of HTTP message, 51, 53–55
 - keeping alive after server's response, 66, 396–397
 - multiple, 397–398
 - pipelining, 66–67, 119, 397
- Content-Encoding header, 76
- Content-Language header, 76
- Content-Length header, 49, 50, 51, 53, 54, 74, 76, 160, 216, 226
- Content-Location header, 76
- Content-MD5 header, 76
- Content-Range header, 76
- Content-Type header, 49, 50, 51, 53, 54, 74, 76, 216
- cookies, 219, 220–221, 222
- copy features, HTTP, 32
- COPY method, 14, 32, 141–143
 - in WebDAV scenario, 237–238
 - locked resources and, 204, 205
 - UPDATE and non-DeltaV clients and, 287
 - versioning and, 283–284
- CORBA, 17
- Core Versioning Package, DeltaV, 268, 331
- corrupt files, detection of, 114–115
- CoVia, 258
- creationdate property, 92, 93, 94, 152, 164, 165, 266, 267, 322
- creator-displayname property, 267
- current-user-privilege-set property, 347
- custom privileges, 342–346
- custom WebDAV applications, 16, 361–390
 - design considerations, 391–407
 - email and calendaring, 368–378
 - instant messaging, 378–383
 - online photo albums, 362–368
 - Pacific National Laboratories, 384–389
- CVS. *See* Concurrent Versioning System (CVS)
- CyberTeams, 258

D

DASL header, 242–243
 data typing, 98, 256
 Date header, 50, 80
 DAV Explorer, 183, 253
 DAV header, 108–109, 242–243
 DAV: namespace, 96, 97, 222, 245
 DAV4J, 257
 DAVe, 253–254
 DAVfs file system driver, 253, 409
 Davis, Jim, 10
 dead properties, 91, 92, 94, 307, 321–322
 debugging, 388, 392
 DELETE method, 24, 29, 58–59, 120–126, 142
 deletion of working copy with, 238–239
 on locked resources, 187–188, 204–205, 206
 versioning and, 281–282
 DeltaV standard, 10–11, 251, 262, 264–286
 COPY and, 283–284
 core versioning package, 268, 331
 data model, 264–265
 DELETE and, 281–282
 error reporting and, 305
 feature dependencies, 332–333
 feature discovery, 306–307
 features of, 328–331
 live property requirements, 265, 307
 MOVE and, 284–286
 non-DeltaV clients and, 286–291
 packages, 329, 331–332
 postcondition identifiers, 265–266
 precondition identifiers, 265–266
 reports, 269, 304–305, 329, 330
 resource types, 265
 “safe save” algorithms and, 290–291
 status codes, 305
 vendor support, 262. *See also* versioning, multifile; versioning, single file
 DeltaV Working Group, 262, 264
 Depth header
 applying operations based on, 88–90
 COPY and, 141, 143
 extension of by Microsoft, 134–135
 lock depth on collections and, 177–179
 MOVE and, 133–134
 opening of Web Folder and, 216, 217
 depth locks, 104–105, 177–179
 depth, WebDAV data model, 88–90
 Destination header, 133, 141

Destroy header, 238–239
 Digest authentication, 70–71, 220–221, 399
 directories
 HTTP requests to, 45–46, 57
 requests to in WebDAV scenario, 221–224
 WebDAV analogy, 84
 displayname property, 93, 164, 165–166, 351
 distributed Web authoring, 13, 14–15
 Document Management Alliance (DMA), 17
 document management systems, 18
 Domain Name System (DNS), 42
 domain names, 42
 Dreamweaver. *See* Macromedia Dreamweaver
 drive-mapping tools, 253, 409
 dynamic resources, 55, 56, 57, 59, 115

E

Ecce, Pacific National Laboratory’s, 384
emacs, 24
 email attachments, 38–39
 email, custom WebDAV applications for, 368–378
 Exchange Server 2000 and, 368–373
 Hotmail and, 373–374
 integration challenges, 376
 Internet Explorer (IE) and, 371–373
 lessons learned from developing, 377–378
 Outlook Web Access (OWA) and, 371–373
 scalability of Exchange Server and, 375–376
 empty bodies, 47, 54
 empty properties, 147–148, 150
 encapsulation, XML and, 148
 encryption, 398
 entity, 64
 Entity tag. *See* ETags
 ETag header, 65
 ETags, 33–34, 64–66
 caching and, 65
 conditional headers and, 75–77
 generating, 65
 getetag property and, 93, 165, 168–169
 in If header, 185, 187–188, 201
 locks and, 99, 185, 187–188
 lost update problem and, 66, 117–118
 upload of Word file in scenario and, 232–233
 European Particle Physics Laboratory (CERN), 1, 6
 Exchange Server 2000. *See* Microsoft Exchange Server 2000
 exclusive locks, 100
 expand-property report, 304

- expat XML parser library, 401
 - Expect header, 67–68, 79
 - Expires header, 50, 79
 - Extensible Markup Language (XML). *See* XML (Extensible Markup Language)
- F**
- Faizi, Asad, 9, 10
 - Fielding, Roy, 8–9
 - figure conventions, 84, 85
 - File Transfer Protocol (FTP), 3, 4–5, 18, 27, 34–36
 - firewalls, 130, 375
 - Folders, Web. *See* Web Folders
 - forks, version tree, 292–296, 301
 - FrontPage, Microsoft, 3
 - Frystyk, Henrik, 8–9
 - FTP. *See* File Transfer Protocol (FTP)
- G**
- GeoCities, 4
 - GET method, 29, 32, 55–57, 114–115
 - no body in requests, 47, 54
 - publishing of files in example scenario, 239–240
 - responses, 50
 - Request-URI and, 47
 - requests to collections, 45–46, 57, 114
 - resource integrity and, 114–115
 - source code retrieval with, 115
 - on working resources, 298
 - getcontentlanguage property, 93, 164, 166–167
 - getcontentlength property, 93, 164, 167
 - getcontenttype property, 93, 168
 - getetag property, 93, 165, 168–169
 - getlastmodified property, 93, 147, 153, 164, 169, 266, 267, 274
 - GNNPress, 27
 - Goland, Yaron, 9, 10
 - Goliath, 183, 253
 - GoLive, 15, 19, 26, 252
 - granted, privileges, 338
 - group-member-set property, 339, 351–352
 - group-membership property, 339, 352
 - group, principal, 338, 339
 - group principal resources, 338, 339, 351–352
- H**
- HEAD method, 62, 233–234
 - headers, HTTP. *See* HTTP headers
 - hidden pages, 57
 - hierarchy, resource-collection, 84, 88–90
 - history, multiple resource, 322–328
 - Hopmann, Alex, 9
 - Host header, 48, 51, 226
 - Hotmail, 368, 373–374
 - href element, 122–123, 311
 - HTML. *See* HyperText Markup Language (HTML)
 - HTML editors, 3, 25–26
 - HTML forms, 4, 59–62
 - HTTP. *See* HyperText Transfer Protocol (HTTP)
 - HTTP ETags. *See* ETags
 - HTTP headers, 73–81
 - case-insensitive nature of, 47
 - combining, 48
 - in HTTP requests, 46, 47, 48–49
 - in HTTP responses, 50
 - syntax rules, 48
 - WebDAV properties and, 94. *See also specific headers*
 - HTTP messages, 46–55
 - body of, 46, 53, 54
 - closing of connection at end of, 51, 53–55
 - error responses, 51
 - header syntax, 48
 - HTTP requests and, 46–47
 - HTTP responses and, 49–51
 - length of, 53–54
 - required headers in, 48–49
 - status codes, 46, 50, 51–53
 - HTTP methods, 55–64. *See also specific methods*
 - HTTP requests, 46–47
 - pipelining, 66–67
 - predicting success of, 67–68
 - required headers, 48–49
 - HTTP responses, 49–51
 - caching of body of, 50
 - keeping connection alive after, 66, 396–397
 - required headers, 50
 - HyperText Markup Language (HTML), 1, 146
 - HyperText Transfer Protocol (HTTP), 1, 41–82
 - authoring features, lack of, 2–3, 6–7, 24, 32–34
 - collections, inability to create, 32
 - copy operations and, 32
 - data model of, 83
 - DELETE and, 24
 - early attempts to edit with, 24
 - ETags and. *See* ETags
 - extension of by WebDAV, 6, 17
 - GET and, 29

- HyperText Transfer Protocol (HTTP) (*Continued*)
- HTTP/1.1, 41
 - URLs and, 42–46
 - lost update problem and, 33–34
 - message structure and, 46–55
 - metadata and, 146
 - moving and renaming files with, 32–33
 - security and. *See* security, HTTP
 - as stateless protocol, 75
 - as transport protocol, 17
- I**
- IANA, 222
 - IBackup, 258
 - iCal, Apple's, 373
 - idempotent requests, 67
 - iDisk, Apple's, 258, 393
 - IETF. *See* Internet Engineering Task Force (IETF)
 - If headers, 184–197
 - adding resources to locked collections, 195
 - checking for not matching tokens, 185, 192–193
 - ETags in, 185, 187–188, 201
 - features supported by, 185–186
 - If-Match, 34, 65–66, 75, 77, 117–118
 - If-Modified-Since, 77
 - If-None-Match, 65–66, 75, 77, 118
 - If-Range, 75, 77
 - If-Unmodified-Since, 77
 - lock tokens in, 184–185, 201
 - indirectly locked resources and, 193–194
 - no-tag-list examples, 185
 - parentheses, grouping of tokens and lists with, 186
 - problems presented by, 196–197
 - refreshing a lock and, 180
 - tagged token lists and, 186, 190–192
 - untagged token lists and, 185, 186–190
 - Illustrator 10, Adobe, 252
 - ImageReady 3.0, Adobe, 252
 - IMAP. *See* Internet Message Access Protocol (IMAP)
 - InContext Spider 1.1, 26
 - InDesign 2.0, Adobe, 252
 - infinity, depth, 89, 133, 177–178
 - Informational RFCs, 8
 - informational status codes, 421–424. *See also specific codes*
 - InScope, Adobe, 252
 - instant messaging, WebDAV and, 378–383
 - intermediaries, HTTP requests and, 50
 - international character coding systems, 31
 - internationalization, properties and, 98–99, 150–151
 - Internet Engineering Steering Group (IESG), 10
 - Internet Engineering Task Force (IETF), 6, 7–8, 9–11, 18, 19
 - Internet Explorer (IE), 6, 410–416
 - opening Web Folders with a link, 410–411
 - opening Web Folders with a script, 411–412
 - Outlook Web Access (OWA) and, 371–373
 - resource creation and, 119
 - XMLHTTP and, 403, 412–416
 - Internet file sharing. *See* Web-based file sharing
 - Internet File System, Oracle's, 21
 - Internet Information Server (IIS), 254, 358–359
 - Internet Message Access Protocol (IMAP), 375
 - Intraspect, 258
 - IP addresses, 42
 - ISO 8601, 152–153
- J**
- Jakarta Slide, 401
 - Java API, 401–402
 - Java Remote Method Invocation (RMI), 401
 - Java servlets, 111
 - JavaScript, 416
 - Jensen, Del, 10
 - Jigsaw server, 27, 31
- K**
- Keep-Alive header, 242
 - kStore Explorer, kCura's, 252
- L**
- Label header, 280–281
 - LABEL method, 279–280, 330
 - label-name-set property, 278
 - labels, version, 277–281, 330
 - resource history and, 322–323
 - selecting, 279
 - language identifiers, 98–99, 166–167
 - language tags, 166
 - latency costs, minimizing, 66–67, 395–396
 - latest-activity-version report, 304
 - latest version, 267
 - libraries, WebDAV, 401–402
 - Lightweight Directory Access Protocol (LDAP), 351, 357–358

- links
 - HTTP URLs and, 43–44
 - opening Web Folders with, 410–411
 - Litmus compliance test, 259
 - live properties, 91–94, 307
 - DeltaV standard and, 266, 307
 - MOVE and COPY methods and, 94–95
 - locate-by-history report, 304
 - Location header, 80–81
 - LOCK method, 29, 173–182
 - creation of locked file in scenario, 229–232
 - lock depth on collections and, 177–179
 - lock-null resources and. *See* lock-null resources
 - lock refreshment, 180, 235–236
 - owner information and, 181–182
 - status codes, 176, 182
 - versioning on non-DeltaV clients and, 289–290
 - lock-null resources, 179–180, 202–203, 207–211
 - adding, 205–206
 - cannot copy to, 209
 - deleting, 206, 210–211
 - detecting creation of, 208–209
 - disappearance of in collection moves, 209
 - locked-empty resources and, 211
 - name collisions and, 208
 - poor support of by servers, 207–208
 - LOCK-TOKEN header, 176
 - lock tokens, 100, 174
 - inclusion of in If header, 184–185, 201
 - matching to unmapped URLs, 194–195
 - matching with indirectly locked resources, 193–194
 - multiple in If header, 185, 186
 - multiple on specific resources, 190–192
 - storage of by client software, 199–200
 - tagged token lists and, 186, 190–192
 - unlocking of locks and, 182–183
 - untagged token lists and, 185, 186–190
 - lockdiscovery property, 92, 94, 165, 175, 178, 181–184, 197–198, 199
 - locked empty resources, 211
 - locked resources, 173–211
 - collections of, 177–179
 - COPY and, 204, 205
 - creating, 174–176
 - DELETE and, 187–188, 204–205, 206
 - If header and, 184–197
 - modifying existing, 185, 206
 - MOVE and, 188–190, 204–205, 206–207
 - overwriting single, 185, 186–188
 - owner information on, 181–182
 - refreshing lock on, 103, 180, 184–185
 - unlocking, 182–184
 - locks, 14, 15, 84, 99–104, 173–212
 - access control vs., 101–102, 337
 - checkouts and, 272
 - on collections, 177–179, 180
 - COPY and, 204, 205
 - creating, 174–176
 - deadlock situations, 201–202
 - DELETE and, 120, 187–188, 204–205, 206
 - depth, 104–105
 - exclusive, 100
 - expiration of, 103
 - hijacking of, 200
 - If header and, 184–197
 - lost update problem and, 100
 - MKCOL and, 205
 - MOVE and, 204–205
 - owner information on, 181–182
 - ownership of, 102–103
 - permissions and, 101
 - persistence of, 201, 231
 - properties of, 197–199
 - read operations and, 101, 203
 - refreshment of, 103, 180, 184–185
 - removal of, 104, 183–184
 - shared, 100, 105, 203–204
 - timeout of, 103, 181, 200–201
 - transactions vs., 103
 - unlocking, 182–184
 - auto-versioning and, 289–290
 - write, 99, 100
 - lost update problem, 33–34, 35, 66, 100, 117–118, 179–180
 - Lotus Notes, 19
- ## M
- Mac OS WebDAV-FS, 251
 - Macromedia Dreamweaver, 3, 253
 - MagiDAV, 258
 - man-in-the-middle attacks, 70
 - MERGE method, 294–295, 318–322, 330
 - merge-preview report, 304
 - merge source, 319
 - merge target, 319
 - merges, version tree, 318–322
 - message integrity, HTTP and, 68, 70

- Messaging API (MAPI), 368, 375
 - metadata
 - HTML, 146
 - HTTP, 146
 - PNG, 146
 - WebDAV, 90–99, 391–395
 - Microsoft
 - Depth header and, 134–135
 - generation of unique URLs by POST, 119
 - influence on WebDAV development, 9, 18–19
 - supporting legacy applications, 409
 - MS-Auth-Via header and, 109
 - Translate header and, 116, 217
 - WebDAV extensions by, 18–19, 134–135, 255–256, 417–419. *See also specific products*
 - Microsoft Exchange Server 2000, 255–256
 - access control lists (ACLs) and, 336
 - custom email/calendaring applications for, 371–373
 - Hotmail and, 373–374
 - integration of WebDAV into, 368–370
 - Internet Explorer (IE) and, 371–373
 - Outlook Express and, 374–375
 - Outlook Web Access (OWA) and, 371–373
 - scalability issues, 375–376
 - XMLHTTP and, 371, 372, 403
 - Microsoft FrontPage, 26, 27
 - Microsoft FrontPage Server Extensions (FPSE), 27, 28, 28–29
 - Microsoft Office, 215, 249
 - Microsoft OLE DB Provider for Internet Publishing, 417–418
 - Microsoft SharePoint Portal Server, 19, 258
 - Microsoft SourceSafe, 3
 - Microsoft Web Folders, 214, 249–251
 - closing of file and exiting program, 236–237
 - copying of files to publishing directory, 237–239
 - creation of new file, 228–234
 - creation of new folder, 224–228
 - editing of Word files, 234–236
 - navigation of, 224
 - opening of folder, 215–224
 - opening with a link in Internet Explorer, 410–411
 - opening with a script in Internet Explorer, 411–412
 - pinging of server by, 396
 - saving of file, 236
 - unnecessary requests and, 396, 397
 - Microsoft Web Storage System, 255
 - Microsoft Windows Explorer, 215
 - creation of new folder, 224–228
 - viewing of Web Folders with, 215, 216–224
 - Microsoft Word, 214
 - Web Folders and, 236–237
 - Microsoft XML parser, 401
 - MKACTIVITY method, 316
 - MKCOL WebDAV method, 130–132
 - creation of Web Folder with, 225–226
 - extension of by Microsoft Exchange, 256
 - locks and, 205
 - MKWORKSPACE method, 312, 330
 - mod_dav Apache module, 254, 359
 - mounted drive, WebDAV client as, 248
 - MOVE method, 14, 132–141
 - compared with COPY + DELETE operations, 142
 - locked resources and, 189–190, 204–205, 206–207
 - properties and, 94–95
 - renaming of Web Folders collection and, 227–228
 - versioning and, 284–286
 - Mozilla, 412
 - MS-Auth-Via header, 109, 243
 - MSDAIPP, 417–418
 - MSN mail, 368
 - multiple document schemas, 394–395
 - multi-status (207) response body, 113, 423–424
 - to COPY requests, 143
 - to DELETE requests, 120, 121–122
 - to MOVE requests, 136, 137–139
 - to PROPFIND requests, 154–155
 - to PROPPATCH requests, 162
 - multiple authors, Web site creation by, 2, 27
 - multiple checkouts, working resources and, 296–302
 - multiple successors, 292
 - multiple URLs to same resources, 87–88
 - My Docs Online, 259
- N**
- namespaces, 84, 85, 96–97, 151–152
 - choosing, 97, 391–392
 - concatenation of, 417–418
 - DAV: namespace, 96, 97, 222, 245
 - NaviPress, 27
 - Netscape, 3, 9, 27–28, 30–31

- Network File System (NFS), 24, 27, 336
 - networked file systems, 20–21, 37–38
 - Andrew File System (AFS), 24, 38
 - Network File System (NFS), 24, 27, 37
 - Server Message Block (SMB), 38, 39
 - NFS. *See* Network File System (NFS)
 - nonce values in Digest authentication, 70
 - noroot, Depth header and, 134–135
 - NOT syntax, token matching and, 192–193, 196
 - NOTIFY method, 256
 - NTLM authentication, 71
- O**
- Object-Oriented Database (OODB), 384
 - OLEDDB, 417–418
 - online photo albums, 362–368
 - open-source security toolkits, 72
 - OpenSSL, 72
 - Opentext LiveLink gateway, 258
 - operations, applying based on depth, 88–90
 - options element, 306
 - OPTIONS method, 62–64
 - activity creation, 316
 - browsing workspaces with, 312
 - DeltaV feature discovery with, 306–307
 - locating WebDAV root repository with, 112–113
 - publishing of files in example scenario, 241–244
 - recognition of WebDAV URLs and, 108, 110
 - responses to non-WebDAV resources, 111–112
 - OR logic in If header, 186, 196
 - Orton, Joe, 10
 - Outlook Express, 135, 374–375
 - Outlook Web Access (OWA), 371–373, 376
 - Overwrite header, 135–136, 141, 238
 - OWA. *See* Outlook Web Access (OWA)
 - owner information, locked resources and, 181–182
 - owner property, resources and, 339–340
 - ownership, access control and, 337, 338, 339–340
- P**
- Pacific National Laboratories, custom WebDAV application, 384–389
 - PageWizards, GeoCities and, 4
 - parentheses, grouping tokens/lists with, 186
 - partial URLs, 43
 - path, HTTP URL address, 42, 86–87
 - performance, custom application, 395–398
 - keeping connections alive and, 396–397
 - location of WebDAV properties and, 392–393
 - minimizing server load, 398
 - minimizing unnecessary requests, 396, 397
 - multiple connections and, 397–398
 - Perl, 402
 - permissions. *See* access control; privileges
 - photo albums, online. *See* online photo albums
 - Photoshop 6.0, Adobe, 252
 - PICS. *See* Platform for Internet Content Selection (PICS)
 - pipelining, 66–67, 119, 397
 - Platform for Internet Content Selection (PICS), 7
 - PNG. *See* Portable Network Graphics (PNG)
 - POLL method, 256
 - port number, URL address, 42
 - Portable Network Graphics (PNG), 7, 146
 - POST method, 28, 29, 59–62
 - resource creation and, 255–256
 - working around filters with, 130
 - postcondition identifiers, DeltaV and, 265–266
 - Pragma header, 79
 - precondition identifiers, DeltaV and, 265–266
 - predecessor, 267
 - predecessor-set property, 267, 294, 299
 - presence information, custom WebDAV applications and, 380–381
 - principal, access control entry (ACE), 338
 - principal ID, 338, 339
 - principal-match reports, 353–355
 - principal resources, 338, 339, 350–357
 - principal URL, 339, 350–351
 - principal-URL property, 351
 - privileges, access control list (ACL), 338, 341–346
 - custom lists of, 342–346
 - denial of, 349
 - standard, 341–342
 - problem-solving environments, 384–389
 - properties, 14, 84
 - basic name/value representation, 146
 - changing, 160–164
 - custom with Microsoft Exchange 2000, 255
 - date and time, 152–153
 - dead, 91, 92, 94, 307, 321–322
 - deleting, 161
 - empty, 147–148, 150
 - HTTP headers and, 94
 - internationalization and, 98–99, 150–151
 - live, 91–94, 94–95, 266, 307
 - location of, 392–393
 - maximum size of, 164

- properties (*Continued*)
 - required, 92–94, 164–171
 - retrieving, 153–160, 219–224
 - setting in publishing scenario, 240–246
 - storing of, 146, 149–150, 164
 - Web applications and, 365
 - whitespace in XML text element values and, 150
 - write-properties permissions and, 342
 - XML-valued, 151–152
 - property names, 95–96, 146
 - concatenation of, 417–418
 - finding, 157–158
 - maximum size of, 164
 - namespaces and, 96–97, 146
 - selecting, 392
 - syntax for, 95–96
 - transformations of illegal characters, 96
 - property namespaces, 96–97
 - choosing, 97
 - concatenation of, 417–418
 - as extension of XML, 96
 - property values, 91, 98, 392
 - empty, 147–148, 150
 - internationalization and, 150–151
 - making safe for XML, 148–149
 - maximum size of, 164
 - preservation in MOVE/COPY requests, 140–141
 - storing of, 149–150
 - using human-readable, 392
 - propertybehavior element, 140–141
 - propfind element, 154, 159
 - PROPFIND method, 91, 114, 153–160
 - allprop and, 159–160, 220, 307, 396
 - display of results in XML stylesheets, 403
 - failed retrieval requests and, 156–157
 - finding properties, 153–158, 221–224
 - multi-status responses to, 154–155, 160
 - opening of Web Folder in scenario, 217–218, 219–220, 221–224
 - UPDATE method and, 287
 - PROPPATCH method, 91, 160–164
 - resource creation with, 256
 - setting ACLs with, 347–349
 - setting of properties with, 244–246
 - propstat element, 154, 157, 162
 - protected properties, 92
 - proxy servers, 50, 64, 130
 - public folders, Exchange Server 2000 and, 369–370
 - publishing processes, 13, 15–16, 237–246
 - PureTLS, 72
 - PUT method, 24, 29, 32, 57–58, 115–120
 - custom e-mail applications and, 255
 - editing of checked out resources and, 274–275
 - locks and, 205
 - MKCOL method vs., 131
 - pipelining and, 67, 119
 - predicting success of requests, 67
 - responses to, 51
 - uploading of Word file in scenario, 232
 - Python, 402
- Q**
- qop, Digest authentication and, 70
 - Quarterdeck WebAuthor 2.0, 26
- R**
- Range header, 80, 117, 256, 417
 - ranged row requests, 256
 - RDF. *See* Resource Description Framework (RDF)
 - read-acl privilege, 342, 346
 - read-current-user-privilege-set privilege, 342
 - read operations, 101, 203, 286–287
 - read privileges, 338, 341, 345, 346
 - realm, Digest authentication and, 70
 - redirect status codes, 424–425. *See also specific codes*
 - relative HTTP Uniform Resource Locators (URLs), 43
 - remove elements, 161
 - rename features, 14
 - replay attacks, 70
 - REPORT method, 269, 304–305, 329, 352–353
 - reports, DeltaV, 269, 304–305, 329, 330
 - repositories, 85
 - migrating existing, 404–406
 - root URL for, 86–87, 112–113
 - synchronization of, 406
 - wrapping of, 405–406
 - Request for Comments (RFCs), 6, 8
 - request line, HTTP requests, 46
 - Request-URI, 46, 47
 - requests, minimizing unnecessary, 66–67, 395–396
 - Resource Description Framework (RDF), 9
 - resource integrity, 114–115
 - resources, 14, 84
 - access control list (ACL) for, 338
 - adding to locked collections, 195, 205

- arrangement of in collections, 393
 - changing, 57–58
 - collections of. *See* collections
 - configuration, 323, 324, 325, 326, 328
 - copying, 141–143
 - corruption in downloads, 114–115
 - creating, 118–119, 228–234
 - deleting, 58–59, 120, 121, 124, 125–126
 - dynamic vs. static, 56
 - editing of, 234–236, 271–277
 - finding information on, 62, 62–64
 - generation of unique URLs for, 119
 - getting with GET method, 55–57
 - group principal, 338, 339, 351–352
 - in HTTP data model, 83
 - listing of properties on, 157–158
 - lock-null. *See* lock-null resources
 - locks on. *See* locks
 - moving and renaming, 132–141
 - properties on. *See* properties
 - PROPPATCH to nonexistent, 164
 - publishing processes and, 239–246
 - required live properties on, 92–94
 - source code retrieval and, 115, 116
 - synchronization of, 406
 - uploading, 59–62, 117, 232–234
 - URLs for, 85, 86–88
 - resourcetype property, 92, 94, 164, 169–170, 266, 297, 351
 - response element, 154, 157, 162, 222–223
 - responses, HTTP. *See* HTTP responses
 - RFCs (Requests for Comments), 6, 8
 - RFC 2068, 16
 - RFC 2518, 2, 10, 11, 19, 107–108
 - RFC 3010, 37
 - rlogin Unix command, 24
 - roles, shared file systems and, 337
 - root repository, URL of, 86–87, 112–113
 - root version, 267
 - roundtrips, reducing number of, 66–67, 395–398
 - row extension, Range header and, 417
- S**
- “safe save” algorithms, 290–291
 - Samba, 37
 - sandboxes, 103–104
 - scenarios, WebDAV, 11–16, 213–246
 - authentication and, 216, 217–218, 220–221
 - closing of file and exiting program, 236–237
 - copying file to publishing directory, 237–239
 - creation of new Web Folder, 224–228
 - creation of new Word file, 228–234
 - editing of Word file, 234–236
 - opening of Web Folder, 215–224
 - renaming a collection, 227–228
 - requests for directory contents, 221–224
 - response to PROPFIND, 219–221
 - saving of file, 236
 - session cookies and, 219, 220–221
 - structure of collections on repository, 214
 - unauthenticated request bug, 216. *See also* custom WebDAV applications
 - schemas, multiple document, 394–395
 - scheme, HTTP URL address, 42
 - scope, XML namespace declaration, 151–152
 - SEARCH method, 256, 417–418
 - security, HTTP, 68–73
 - authentication and, 68, 69–71, 72, 398–399
 - transport security mechanisms, 68, 71–73, 399
 - user identification and, 68, 69–71, 72, 399.
See also access control; locks
 - security toolkits, 72
 - server address, HTTP URL, 42
 - server failure status codes, 429–430. *See also specific codes*
 - Server HTTP header, 81
 - server identification, HTTP and, 68
 - server load, minimizing, 398
 - server-managed merges, 320–321
 - Server Message Block (SMB), 37
 - server-side workspaces, 310–314. *See also* workspaces
 - server-to-server protocols, 18
 - server workspace packages, DeltaV, 332
 - session cookies, 219, 220–221
 - Set-Cookie header, 219, 223
 - set element, 161
 - shared locks, 100, 105, 203–204
 - Shutterfly, 363
 - Sitecopy client, 10
 - SMB. *See* Server Message Block (SMB)
 - SoftQuad HotMetal Pro 2.0, 26
 - software
 - proprietary Web-authoring, 3–5, 27–28
 - WebDAV client/server, 247–254, 399–401
 - source code retrieval, 115, 116
 - source control systems, 21
 - source property, 94, 164, 170–171

- SQL searches, 256, 418–419
 - SSL connections, 66, 71, 72–73, 375, 397, 399
 - SSL/TLS toolkit, 72
 - stale directive, Digest authentication and, 71
 - stateless protocols, 75
 - static resources, 55, 56, 57, 59
 - status codes, 51–53, 113–114, 421–430
 - 100 Continue, 67, 421–422
 - 101 Switching Protocols, 422
 - 102 Processing, 113, 114, 120, 136, 137, 422
 - 200 OK, 46, 50, 51, 52, 422
 - 201 Created, 52, 132, 136, 422
 - 202 Accepted, 423
 - 203 Non-Authoritative Information, 423
 - 204 No Content, 51, 52, 136, 184, 423
 - 205 Reset Content, 423
 - 206 Partial Content, 423
 - 207 Multi-Status, 113, 120, 121–122, 136, 137–139, 143, 423–424
 - 300 Multiple Choices, 424
 - 301 Moved Permanently, 424
 - 302 Found, 424
 - 302 Moved Temporarily, 424
 - 303 See Other, 424
 - 304 Not Modified, 425
 - 305 Use Proxy, 425
 - 306 (Unused), 425
 - 307 Temporary Redirect, 425
 - 400 Bad Request, 53, 184, 305, 425
 - 401 Unauthorized, 53, 116, 157, 184, 217–218, 425–426
 - 402 Payment Required, 426
 - 403 Forbidden, 53, 132, 136, 143, 157, 163, 305, 426
 - 404 Not Found, 53, 157, 426
 - 405 Method Not Allowed, 132, 426
 - 406 Not Acceptable, 426–427
 - 407 Proxy Authentication Required, 427
 - 408 Request Time-out, 427
 - 409 Conflict, 53, 132, 136, 143, 305, 427
 - 410 Gone, 427
 - 411 Length Required, 428
 - 412 Precondition Failed, 53, 136, 143, 184, 428
 - 413 Request Entity Too Large, 428
 - 414 Request-URI Too Large, 428
 - 415 Unsupported Media Type, 53, 132, 428
 - 416 Requested Range Not Satisfiable, 428
 - 417 Expectation Failed, 68, 429
 - 418 through 421, 429
 - 422 Unprocessable Entity, 113, 429
 - 423 Locked, 67, 113, 116, 120, 182, 184, 429
 - 424 Failed Dependency, 113–114, 116, 139, 163
 - 500 Internal Server Error, 53, 429
 - 501 Not Supported (Implemented), 51, 53, 430
 - 502 Bad Gateway, 136, 143, 430
 - 503 Service Unavailable, 430
 - 504 Gateway Timeout, 430
 - 505 HTTP Version Not Supported, 430
 - 507 Insufficient Storage, 114, 116, 120, 430
 - WebDAV-specific, 113–114
 - status elements, XML bodies and, 123
 - Stein, Greg, 10
 - string escaping, 227
 - stylesheets, XML, 402–403
 - subactivities, 318
 - subconfigurations, 325
 - SUBSCRIBE method, 256
 - successor, 267
 - successor-set property, 267, 294
 - supported-live-property-set element, 306
 - supported-method-set property, 306
 - supported-privilege-set property, 343, 344–345
 - supported-report-set element, 306
 - supportedlock property, 94, 165, 198–199
 - synchronization, site and collection, 406
- T**
- tagged token lists, 186, 190–192
 - Tamino WebDAV Server, 257
 - target version, 266
 - TCP connections
 - closing at end of HTTP message, 51, 53–55
 - FTP and, 35
 - keeping alive after server’s response, 66, 396–397
 - pipelining and, 66–67, 397
 - TE header, 242
 - Telnet, 24, 25, 26
 - text editors, 3, 25–26
 - TextEdit, “safe save” algorithms and, 290–291
 - Timeout header, 180
 - timeout, lock, 103, 181, 200–201
 - timestamps, 152–153, 322
 - TLS connections, 66, 71, 72–73, 375, 397, 399
 - TRACE method, 64
 - trailing slashes, URLs and, 109–110
 - transactions, locks vs., 103

transfer encoding, chunked. *See* chunked transfer encoding
Transfer-Encoding header, 53, 54
transformations, XML, 402–403
Translate header, 116, 216, 217, 226
transport security mechanisms, HTTP, 68, 71–73, 399
truncation attacks, prevention of, 54

U

unauthenticated request bug, 216
UNCHECKOUT method, 277, 329, 330
Unicode Standard, 31, 91, 151
Uniform Resource Identifier (URI), 44–45, 122–123, 174
Uniform Resource Locator (URL), 14, 15, 42–46, 85–88, 108–113
 backward slashes in, 86
 to collections, 109–110
 creation of new with PUT, 118–119
 deletion of with DELETE method, 125, 126
 generation of unique, 119
 links and, 43–44
 in Multi-Status response body, 122
 multiple to single resources, 87–88
 namespaces and, 96
 parsing of to determine other URLs, 110–111
 partial, 43
 path hierarchy based on structure of, 87
 to non-WebDAV collections, 111–112
 principal, 339, 350–351
 recognition of WebDAV, 108–109
 relative, 43
 requests to directories and, 45–46, 57
 reserved and excluded characters, 44–45
 root repository, 86–87, 112–113
 single to multiple resources, 88
 structure of, 42, 86
 XML bodies and, 122–123
Unix, 24–25, 26, 37
UNLOCK method, 29, 182–184, 237
unlock privilege, 342
UNSUBSCRIBE method, 256
untagged token lists, 185, 186–190
update feature, DeltaV, 330
UPDATE method, 286–287, 293, 330
Upgrade header, 81
uploads, 59–62
 of partial files, 117
 of Word file in scenario, 232–234

URI. *See* Uniform Resource Identifier (URI)
URL. *See* Uniform Resource Locator (URL)
User-Agent header, 78–79, 78–79, 226
user identification, 68, 69–71, 72, 399
user principle resources, 338, 339, 351–352
UTF-16, 30, 31, 91, 151
UTF-8, 30, 31, 91, 151

V

VBScript, XMLHTTP and, 412–416
VCR. *See* version-controlled resources (VCRs)
Vermeer FrontPage, 3, 27
VERSION-CONTROL method, 270–271, 313, 329
version-controlled-binding-set property, 326
version-controlled collections, 326, 328
version-controlled resources (VCRs), 266
 autoversioning and, 283–284, 287–289
 checking in, 266, 275–277
 checking out, 266, 272–274, 314–315
 COPY and, 283–284
 DELETE and, 281–282
 editing of, 271–277
 grouping of into workspaces, 310–312, 313
 history of, 266, 281–283, 322–328
 MOVE operations and, 284–286
 multiple checkouts and (working resources). *See* working resources
 properties of, 266
 restoring with UNCHECKOUT, 277
 turning a resource into a, 270–271
 UPDATE and non-DeltaV clients, 286–287
 working on in workspaces, 313–314
version history, 266, 281–283, 322–328, 329
version-history-collection-set element, 306
version-history resources (VHRs), 281, 282–283, 311
 creation of, 281, 282
 discovery of URL of, 281–282
 grouping of VCRs into workspaces and, 311, 313
version-name property, 267
version resources, 266
version-tree report, 269, 304
version trees, 291–296, 328
 branches of, 316–317
 fork creation and, 293–294
 fork permissions in, 295–296
 merging of forks in, 294–295
 merging of multiple, 318–322

- versioning, multifile, 309–334
 - activities and, 314
 - baselines and, 323–325
 - branching and, 316–318
 - change sets and, 314
 - checking out to an activity, 314–315
 - configurations and, 323, 324, 325, 326, 328
 - creating an activity, 316
 - feature interactions and, 328, 332–333
 - merging of version trees, 318–322
 - switching activities, 317–318
 - version-controlled collections and, 325–326
 - version history and, 322–328
 - working collections and, 326–328
 - workspaces and, 310–314. *See also* DeltaV standard; versioning, single file
 - versioning, single file, 261–308
 - accessing versions, 269
 - AOLPress Extensions and, 29
 - autoversioning and, 283–284, 287–289
 - backup systems vs., 264
 - checking in resources, 266, 271–272, 275–277
 - checking out resources, 266, 271–275, 272–274
 - checkout privileges, determining, 302–303
 - COPY operations and, 142, 283–284
 - DELETE operations and, 281–282
 - DeltaV standard and, 10–11, 262, 264–286
 - document recovery through, 263
 - editing of resources, 273, 274–275
 - labeling and, 277–281
 - locks and non-DeltaV clients and, 289–290
 - MOVE operations and, 284–286
 - of multiple related files. *See* versioning, multifile
 - with non-DeltaV clients, 286–291
 - “safe save” algorithms and, 290–291
 - storing of versions, 267
 - VERSION-CONTROL method and, 270–271
 - version trees and forks and, 291–296
 - viewing all versions, 269–270
 - working resources and, 296–302. *See also* DeltaV standard; version-controlled resources (VCRs); versioning, multifile; versions
 - versions, 266–268
 - accessing, 269
 - body and properties of, 267
 - history of, 322–328
 - labeling of, 277–281
 - linking of to other versions, 267
 - merging of, 318–322
 - properties of, 267
 - storing of, 267
 - viewing all, 269–270
 - working resource creation on checkout of, 296–298, 301–302
 - vi user interface, 24, 25
 - virtual servers, 49
 - Virtuoso, 258
- W**
- Web authoring, 2–3
 - FTP and, 3, 27, 34–36
 - history of, 23–40
 - with HTML editors (first-generation tools), 3, 25–26
 - by multiple authors, 2, 27
 - with networked-enabled tools, 26–28
 - with proprietary software and forms (second-generation tools), 3–5
 - remote nature of, 2, 24–25
 - tools for. *See* Web authoring tools
 - with WebDAV (third-generation tool). *See* WebDAV (Web-based Distributed Authoring and Versioning)
 - Web authoring tools
 - development of standards from proprietary, 28–31
 - HTML editors (first-generation tools), 3, 25–26
 - networked-enabled, 26–28
 - proprietary software and forms (second-generation tools), 3–5, 27–28
 - WebDAV (third-generation tool). *See* WebDAV (Web-based Distributed Authoring and Versioning)
 - Web-based authoring interfaces, 4
 - Web-based Distributed Authoring and Versioning. *See* WebDAV (Web-based Distributed Authoring and Versioning)
 - Web-based file sharing, 37–39
 - Web browsers
 - caching of Web pages, 50
 - development of first by Berners-Lee, 1
 - early emphasis on browsing by, 1–2, 7
 - links on and HTTP URLs, 43–44
 - recognition of WebDAV URLs by, 108–109
 - Web Folders. *See* Microsoft Web Folders
 - Web forms, 4, 59–62
 - Web page scripts, XMLHTTP and, 412
 - Web Services, 19
 - WebDAV client software, 247–254

- WebDAV compliance tests, 259
- WebDAV data model, 83–106
 - hierarchy of resources, 87, 88–90
 - locks and, 84, 99–104
 - metadata and properties, 90–99
 - URLs and WebDAV resources, 85–88
- WebDAV-FS, Mac OS, 251
- WebDAV gateway, 366
 - WebDAV methods, need for new, 129–130.
See also specific methods
- WebDAV services, 258–259
- WebDAV software, 247–258
 - Adobe products, 248, 252
 - Apache mod_dav, 254–255, 359
 - Cadaver, 214, 240–246, 247, 253
 - DAV Explorer, 183, 253
 - DAV4J, 257
 - DAVe, 253–254
 - Davfs, 253
 - different approaches of, 247–249
 - Dreamweaver 4, 253
 - Goliath for Macintosh, 253
 - kStore Explorer, kCura's, 252
 - Mac OS WebDAV-FS, 251
 - Microsoft Exchange 2000. *See* Exchange Server 2000
 - Microsoft Internet Information Server (IIS), 254, 358–359
 - Microsoft SharePoint Portal Server, 258
 - Microsoft Web Folders and. *See* Web Folders
 - Tamino WebDAV Server, 257
 - WebDrive, 253
 - Windows XP WebDAV Redirector, 251
 - XML Spy, 253
 - Xythos WebFile Client, 252
 - Xythos WebFile Server, 214, 240, 256–257, 336, 359, 393, 402
- WebDAV (Web-based Distributed Authoring and Versioning)
 - access control and. *See* access control
 - advantages of FTP over, 36
 - basic terminology of, 14–15
 - Class 1 features, support of, 108–109, 173
 - Class 2 features, support of, 108–109, 173
 - current state of development, 11
 - custom applications. *See* custom WebDAV applications
 - data model of, 83–106
 - early implementations of, 10
 - extension of HTTP by, 6, 16
 - as first protocol to address Web authoring, 2
 - future roles of, 19–21
 - history of development of, 6–11
 - influence of proprietary tools on development of, 28–31
 - integration of into Exchange Server 2000, 368–370
 - interoperability events for, 11
 - Microsoft extensions of, 18–19, 255–256, 417–419
 - misconceptions about, 16–21
 - as open standard, 5
 - requirements that it had to meet, 11–13
 - scenarios demonstrating.
See scenarios, WebDAV
 - software selection for, 399–401
 - standardization of by IETF, 6
 - status codes specific to, 113–114
 - versioning and, 5–6, 10–11
 - XML parser selection for, 401
- WebDAV Working Group, 7, 8, 9, 10–11. *See also* Internet Engineering Task Force (IETF)
- WebDrive, 253, 409
- WFS. *See* Xythos
- Whitehead, Jim, 8–9, 10
- whitespace
 - HTTP header syntax and, 48
 - XML text element values and, 150
- Windows-based systems
 - remote login to edit files and, 25
 - shift to from Unix, 26
- Windows NT File System (NTFS), 336
- Windows XP WebDAV Redirector, 251
- working collections, 326–328
- working resources, 296–302, 330
 - checking in, 299–301
 - checking out of versions, 301–302
 - creation of, 296–298
 - editing of, 298–299
 - forks created by, 301
 - grouping into workspaces, 310–312, 313
- workspace-collection-set element, 306
- workspace property, 311–312
- workspaces, 310–314, 328, 330, 333
 - browsing of existing, 312
 - creation of new, 312
 - linking resources into, 311–312, 313
 - merging and, 322

- World Wide Web Consortium (W3C), 7, 8–9
 - write-acl privilege, 342
 - write-content privilege, 342, 345
 - write locks, 99, 100. *See also* locks
 - write operations, auto-version property and, 287–289
 - write privileges, 338, 342, 345, 346
 - write-properties privilege, 341, 342, 345
 - WWW-Authenticate header, 70, 71, 81, 217, 218
 - WYSIWYG Web authoring tools, 26
- X**
- XML bodies, 122–124
 - XML (Extensible Markup Language), 7, 83
 - additional information on, 83
 - character escaping and, 148–149
 - element names, 85, 95, 96
 - elements, 85
 - encapsulation of text and, 148
 - internationalization and, 98–99
 - making WebDAV properties safe for, 148–149
 - namespaces, 84, 85
 - prefixes, 85, 123
 - qualified names, 84, 85
 - stylesheets, 402–403
 - Unicode support, 151
 - WebDAV properties formatted as, 151–152
 - whitespace in text element values, 150
 - XML parser selection, 401
 - XML Path Language, 402
 - XML Spy, 253
 - XML stylesheets, 402–403
 - XMLHTTP, 371, 372, 403
 - JavaScript and Internet Explorer and, 416
 - VBScript and Internet Explorer and, 412–416
 - XP Redirector, 251
 - XSL transformations, 402, 403
 - Xythos
 - namespaces and, 391–392
 - WebFile Client, 252
 - WebFile Server, 214, 240, 256–257, 336, 359, 393, 402
- Y**
- Yahoo!, 4