

Index

A

Abietic acid data, 430
 Absorbers, 521–526, 526–528
 Absorption
 chemical, 385
 co-current absorbers, 526–528
 column diameter calculation, 396–397
 column failure, 345
 computer simulations, 421–423
 concentrated, 406–409
 cross-flow, 416
 definition, 385
 dilute multisolute, 403–406
 equilibria, 387–389
 graphical analysis, 392–394
 irreversible, 410–411
 Kremser equation, 397–403
 matrix solution, 406–409
 McCabe-Thiele diagrams, 389–392
 operating lines, 389–392
 physical, 385
 Absorption factor, 400
 Acetic acid data, 430, 461, 484, 499, 619, 700
 Acetonaphthalene data, 619, 704, 705
 Acetone data, 148, 241, 414, 418, 462, 469, 701
 Acetylene data, 618
 Activated alumina, 615
 data, 614, 619, 628, 656
 Activated carbon, 613
 data, 614, 616, 618–619, 621, 700–702
 Adsorption. *See also* Sorption processes.
 definition, 609
 example, 620–621, 622
 materials. *See* Sorbents.
 processes. *See* Pressure swing adsorption,
 Simulated moving bed, Temperature
 swing adsorption.

Alanine, 627
 Alcohol. *See* Ethanol.
 Alcohol dehydrogenase data, 440
 Almost-ideal separations, 370–375
 Ammonia data, 389, 417, 471
 Aniline data, 494
 Anthracene data, 619, 628, 656
 Aspartic acid, 627
 Aspen Chromatography, 708–712
 Aspen Plus. *See also* Computer simulations.
 absorption, 421–423
 azeotropic distillation, 270–275
 decanters, 272
 drawing flowcharts, 59–60
 error messages, 61–62
 extractive distillation, 273–275
 flash drum setup, 63–64
 multicomponent distillation, 200–204
 simulating input data, 60–61, 62
 simulations for binary distillation, 157–160
 start-up, 59
 stripping, 421–423
 troubleshooting guide, 713–714
 two-pressure distillation, 270–273
 VLE data analysis, 61–62
 Argon data, 417
 Azeotrope, 19–20, 227, 230
 Azeotropic distillation, 245, 251–254

B

Balances. *See specific balances.*
 Batch distillation
 binary
 Rayleigh equations, 277–278
 simple, 279–283
 constant reflux ratio, 286–290

- Batch distillation (*continued*)
 constant-level, 283–284
versus continuous operation, 278–279
 energy requirements, 291
 examples
 multistage distillation, 286–290
 Rayleigh equations binary distillation, 281–283
 simple binary distillation, 281–283
 history of, 276–278
 inverted, 278, 294
 multistage, 285–290
 operating time, 291–292
 schematic, 277
 solvent-switching, 283
 steam, 284–285
 variable reflux ratio, 290
 Batch extraction, 444–445
 Benzene data, 157, 209, 221, 232, 241–242, 245, 265, 430–431
 Bibliography, 8–9
 Binary batch distillation
 Rayleigh equations, 277–278
 simple, 279–283
 Binary co-current permeation, 592–593, 605–606
 Binary countercurrent flow, 594–595, 606–608
 Binary cross-flow permeation, 590–592, 603–605
 Binary distillation. *See also* Column distillation.
 computer simulation, 157–160
 equilibrium relationships, 90–97
 McCabe-Thiele method, 97–101
 profiles, 112–114
 solution methods, 90–97
 stage-by-stage methods, 90–97
 Binary flash distillation. *See* Flash distillation, binary.
 Binary heterogeneous azeotropes, 227–230
 Binary VLE. *See* Vapor-liquid equilibrium (VLE), binary.
 Boiling point. *See* Bubble-point temperature.
 Boilup
 column distillation, 67–70
 definition, 67
 versus recycling, 69
 superheated, 138–140
 Bolles-Fair correlation, 513–515
 Books of reference. *See* Publications.
 Bovine serum albumin data, 619
 Breaking azeotropes, 225–234
 Bubble regime, 72
 Bubble-cap trays, 303
 Bubble-caps, illustration, 303
 Bubble-point procedure, 177–178
 Bubble-point temperature, 181–184
 Bulk density, 612
 Butadiene-butylene separation process, 251–252
 Butane data, 30–32, 56
 Butanol data, 227, 262, 374, 430
- ### C
- Capital costs
 design variables, 363
 estimating, 354–359
 Carbon dioxide data, 388, 417, 454–455, 545–546
 Carbon molecular sieves (CMS), 613
 Carbon monoxide data, 388, 545–546
 Carbon tetrachloride data, 388, 499
 Cascading flash separators, 65–70
 Cation-exchange resins, 664–665
 Checklist for sorption system design, 692–693
 Chemical absorption, 385
 Chemical reaction distillation, 254–258
 Chemical plants, typical layout, 2
 Chemical potential equilibrium, 3
 Chimney trays, 307
 Chlorinated compound data, 388
 Chlorobenzene data, 496
 Chloroform data, 242, 388, 461–462, 469
 Chromatography. *See also* Solute movement analysis.
 computer simulation, 708–712
 definition, 609
 elution
 costs, 630
 displacement chromatography, 631
 example, 628–630
 flow programming, 630–631
 Gaussian solution, 683–687
 purge cycles, 626–628
 resolution, 685–686
 simulated moving bed (SMB) systems, 649–654

- solute movement, 626–628
- solvent gradients, 630–631
- temperature gradient method, 630–631
- temperature programming, 630–631
- examples
 - elution chromatography, 628–630
 - linear chromatography, 686–687
 - solute movement analysis, 628–630
- CMO (constant molal overflow). *See* Constant molal overflow (CMO).
- CMS (carbon molecular sieves), 613
- Co-current absorbers, 526–528
- Column distillation. *See also* Binary distillation.
 - boilup, 67–70
 - bubble regime, 72
 - cascading flash separators, 65–70
 - concurrent cascades, 66–67
 - countercurrent cascade, 66
 - debottlenecking, 136–138
 - design problems, 74
 - diameter too large, 137–138
 - enriching section
 - balance envelope schematic, 87
 - definition, 69–70
 - entrainment, 72
 - equipment, 62–74
 - example, external balances, 79–81
 - external balances, 76–81
 - feed lines, 101–109
 - feeds
 - distillation with multiple feeds, 120–125
 - internal stage-by-stage balances, 101–109
 - phase and temperature effects, 92–94
 - subcooled reflux, 138–140
 - superheated boilup, 138–140
 - flow regime, 72
 - flowcharts, 141–142
 - foam regime, 72
 - froth regime, 72
 - increasing capacity, 136–138
 - isothermal distillation, 66–67
 - liquid carry-over between stages, 72
 - optimum feed stage, 74–76, 100–101
 - passing streams, 67–70
 - photograph, 71
 - purity levels, 137
 - rectifying section, 69–70
 - recycling *versus* reflux and boilup, 69
 - reflux, 67–70
 - reflux ratio, 74
 - reusing columns, 136–138
 - schematics, 68–69
 - sieve trays, photograph, 73
 - simulation problems, 74–76
 - specifications, 74–76
 - spray regime, 72
 - stages, calculating number of
 - Lewis method, 90–97
 - McCabe-Thiele method, 97–101, 117–118
 - stripping section, 69–70
 - variable pressure distillation, 66–67
 - variables, 74–76
- Column distillation, internal stage-by-stage balances
 - analytical methods *versus* graphical, 140–142
 - binary distillation profiles, 112–114
 - binary solution methods, 90–97
 - column sections, 118–119
 - composition profiles, 112–114
 - condensers
 - intermediate, 128–129
 - partial, 125–126
 - constant flow rates, 91
 - constant molal overflow (CMO), 91, 140–142
 - efficiencies, 133–134
 - enriching columns, 129–130
 - equilibrium relationships, 86–90
 - examples
 - distillation with multiple feeds, 120–125
 - feed line calculations, 106–109
 - Lewis method, 94–97
 - McCabe-Thiele method, 109–112, 114–118, 120–125
 - open steam heating, 114–118
 - feed, phase and temperature effects, 92–94
 - feed lines, 101–109
 - flow rate profiles, 112–114
 - Lewis method
 - constant molal overflow (CMO), 91–92
 - example, 94–97
 - versus* McCabe-Thiele method, 140–142
 - stage-by-stage calculations, 140–142
 - limiting conditions, 130–132
 - McCabe-Thiele method
 - description, 97–101

- Column distillation, internal stage-by-stage balances (*continued*)
 - McCabe-Thiele method (*continued*)
 - distillation with multiple feeds, 120–125
 - examples, 109–112, 114–118, 120–125
 - general analysis procedure, 118–125
 - versus* Lewis method, 140–142
 - open steam heating, 114–118
 - problem algorithm, 119
 - minimum reflux, 130–132
 - Murphree efficiency, 133–134
 - open steam heating, 114–118
 - operating equation, 92
 - pinch points, 131
 - reboilers
 - intermediate, 128–129
 - total, 126
 - sidestreams, 126–128
 - simulation problems, 135–136
 - Sorel's method, 91
 - stripping columns, 129–130
 - subcooled reflux, 138–140
 - superheated boilup, 138–140
 - temperature profiles, 112–114
 - total reflux, 130–132
 - withdrawal lines, 126–128
- Column mass balances, sorption processes, 674–675
- Columns
 - coupling, 370–375
 - diameter calculation
 - absorption, 396–397
 - description, 314–318, 333–338
 - examples, 318–320, 338–341
 - packed column flooding, 333–338
 - sieve trays, 314–318
 - stripping, 396–397
 - valve trays, 328–329
 - packed. *See* Packed columns.
 - pressure, cost effects, 362
 - sections, 118–119
 - staged. *See* Staged columns.
- Complex distillation processes
 - azeotropic distillation, 245, 251–254
 - binary heterogeneous azeotropes, 227–230
 - breaking azeotropes, 225–234
 - chemical distillation, 254–258
 - computer simulation, 270–275
 - distillation boundary curves, 242
 - distillation curves, 240–243
 - drying organic compounds, 230–234
 - examples
 - drying organic compounds, 232–234
 - steam distillation, 235–238
 - extractive distillation, 246–251, 273–275
 - polarities of compounds, 250–251
 - residue curves, 243–246
 - schematic, 226
 - solvents
 - adding, 251–254
 - selecting, 250–251
 - steam distillation, 234–238
 - ternary distillation, 240–246
 - two-pressure distillation, 238–239, 270–273
- Component mass balance, 34–40
- Composition profiles
 - column distillation, 112–114
 - multicomponent distillation, 167–172
- Computer simulations. *See also* Aspen Plus.
 - absorption, 421–423
 - azeotropic distillation, 270–275
 - binary distillation, 157–160
 - chromatography, 708–712
 - error messages, 62
 - extraction, 488–489, 499–500
 - extraction, partially miscible, 488–489, 499–500
 - flash drum setup, 63–64
 - flowsheets, drawing, 59–60
 - input data, 60–61, 62
 - multicomponent distillation, 200–204
 - multicomponent distillation, matrix method, 200–204
 - multicomponent flash distillation, 59–63
 - stripping, 421–423
 - VLE data analysis, 61–62
- Concentrated absorption, 406–409
- Concentration polarization, 560–564, 566–573, 576–578, 602
- Concentration profile, 169–172
- Concurrent cascades, 66–67
- Condensers
 - intermediate, 128–129
 - partial, 125–126
- Conjugate lines, 470
- Constant flow rates, 91
- Constant molal overflow (CMO)
 - column distillation, 91, 140–142
 - definition, 91
 - validity, 118, 140–142

Constant pattern waves, 654–655, 663
 Constant reflux ratio, 286–290
 Constant-level batch distillation, 283–284
 Continuous column distillation. *See* Column distillation.
 Convergence, 176–178, 184–191
 Costs of distillation

- almost-ideal separations, 370–375
- capital costs
 - design variables, 363
 - estimating, 354–359
- coupling columns, 370–375
- elution chromatography, 630
- equipment costs. *See* Capital costs.
- estimating, example, 364–366
- factors effecting
 - column pressure, 362
 - energy costs, 366–370
 - feed rate, 366
 - operating effects, 359–366
 - reflux ratio, 359, 362, 364, 367
 - state of the economy, 355
- heat exchange, 367–370
- heat exchangers, 355–361
- heuristics, 373–375
- long-term trends, 366–367
- Marshall and Stevens equipment cost index, 355–359
- nonideal separations, 376–380
- packed columns, 341–345
- packings, 358
- synthesizing column sequences
 - almost-ideal separations, 370–375
 - nonideal separations, 376–380

Countercurrent extraction

- difference points, 479–483
- dilute systems, 428–435
- equilibrium stages, 477–479, 482–483
- external mass balances, 477–479
- Kremser method, 434–435
- McCabe-Thiele diagrams, 428–434
- stage-by-stage calculation, 479–483

Counterflow, 626–628
 Coupling columns, 370–375
 Cresol data, 149
 Cross-flow extraction, 439–442, 474–477
 Cross-flow pattern, 304
 Cumene data, 209, 241
 Cyclohexane data, 656
 Cymene data, 299

D

Debottlenecking, 136–138
 Decane data, 30–32, 236–237
 Decanters, 272
 DePriester charts, 29–33
 Dew point temperature, 196
 Dextran data, 440, 702
 Diagrams. *See* Enthalpy-composition diagrams; Temperature-composition diagrams; Y-x diagrams.
 Dialysis, 536–537
 Diameter calculation, columns. *See* Columns, diameter calculation.
 Dichloroethane data, 221
 Diethyl ether data, 496
 Difference points, 479–483
 Diffuse waves, 655–658
 Diisopropyl ether data, 263
 Dilute fractional extraction, 435–439
 Dilute multisoluble absorption, 403–406
 Dilute multisoluble stripping, 403–406
 Dinitronaphthalene data, 619, 704–705
 Displacement chromatography, 631
 Dispersion coefficient, 676, 679
 Distillation. *See also specific types of distillation.*

- boundary curves, 242
- costs. *See* Costs of distillation.
- curves, 240–243
- equilibrium stages, 1–2
- stage-by-stage methods, 2
- unit operation, 2

Distillation columns. *See also* Column distillation.

- as chemical reactors, 254–258
- configurations. *See* Complex distillation processes; Extractive distillation; Two-pressure distillation.
- sequencing. *See* Synthesizing column sequences.

Divalent-monovalent ion exchange, 668–672
 Documentation. *See* Publications.
 Double-pass trays, 304
 Downcomers, 304–306
 Driving force, 542
 Dry tray pressure, 302–303
 Drying organic compounds, 230–234

E

- Economics of distillation. *See* Costs of distillation.
- Efficiencies
 - column distillation, 133–134
 - Murphree, 133–134
 - trays
 - determining, 311
 - estimating, example, 312–314
 - Murphree, 309–310
 - O'Connell correlation for distillation, 311–312
 - O'Connell correlation for absorption, 395–396
 - scaling up, 312
 - valve trays, 329
 - and vapor velocity, 310–311
- Electrodialysis (ED), 536–537
- Elution chromatography. *See* Chromatography, elution.
- Energy balances
 - binary flash distillation
 - sequential solution, 21–27
 - simultaneous solution, 27–29
 - column distillation. *See* Column distillation, external balances; Column distillation, internal stage-by-stage balances.
 - multicomponent distillation, 191–194
 - multicomponent flash distillation, 34–40
 - pervaporation, 585–588
 - prerequisite skills, 7
 - sequential solutions, 21–27
 - sign convention, 78
 - sorption processes, 677
- Energy costs, 366–370
- Enriching columns, 129–130
- Enriching section, 69–70, 87
- Enthalpy equations, 21–27
- Enthalpy-composition diagrams
 - graphing binary VLE, 16–20
 - isotherms, 19–20
- Entrainment
 - bubble-cap trays, 303
 - definition, 72
 - inlet ports, 306–309
 - outlet ports, 308–309
 - sieve trays
 - column diameter, 314–320
 - example, 324–327
 - hydraulics, 320–327
 - tray layout, 320–327
 - vapor velocity, 310–311
- Equilibrium
 - adsorption, 615–619
 - chemical potential, 3
 - description, 2–4
 - distillation stages, 1–2
 - K values. *See* K values.
 - ion exchange, 666–667
 - mechanical, 3
 - phase, 3
 - plotting, 23–24, 468–471
 - relationships, column distillation, 86–90
 - stages, applicability, 1–2
 - thermal, 3
- Equilibrium equations
 - binary flash distillation
 - sequential solution, 21–27
 - simultaneous solution, 27–29
 - sequential solutions, 21–27
- Error function, 680
- Error messages, Aspen Plus, 61–62
- Esterification in distillation column, 254–258
- Ethane data, 30–32, 57, 616
- Ethanol data, 14–19, 55, 222, 245, 247, 265, 374, 431, 517–518, 583–584
- Ethanol-water separation processes, 109–112, 245–247, 252–255
- Ethyl acetate production, 254–258
- Ethyl benzene data, 430
- Ethylene data, 30–32, 616
- Ethylene dichloride data, 150, 221
- Ethylene glycol data, 247
- Evaporation. *See* Batch distillation.
- External mass balances
 - binary distillation, 76–81
 - column distillation, 76–81
- Extract, 428
- Extraction
 - solid-liquid. *See* Leaching; Washing.
 - solutes, separating. *See* Dilute fractional extraction.
- Extraction, immiscible. *See also* Extraction, partially miscible.
 - batch, 444–445
 - concentrated solutions, 443–444
 - countercurrent, 428–435
 - cross-flow, 439–442

definition, 424
 diffusion coefficients, 430
 dilute fractional, 435–439
 equilibrium data, 430–431
 equipment used, 425–427
 examples
 countercurrent immiscible extraction,
 432–434
 cross-flow extraction, 440–442
 single-stage extraction, 440–442
 extract, 428
 food industry, 454–547
 Kremser analysis
 countercurrent extraction, 434–435
 dilute systems, 434–435
 McCabe-Thiele diagrams
 concentrated immiscible extraction,
 443–444
 countercurrent extraction, 428–434
 cross-flow extraction, 439–442
 fractional extraction, 437–439
 nomenclature, 429
 pharmaceutical industry, 454–547
 raffinate, 428
 single-stage, 439–442
 solvent selection, 431
 supercritical fluids (SCFs), 454–457
 Extraction, partially miscible. *See also*
 Extraction, immiscible.
 computer simulation, 488–489,
 499–500
 conjugate lines, 470
 countercurrent
 difference points, 479–483
 equilibrium stages, 477–479, 482–483
 external mass balances, 477–479
 stage-by-stage calculation, 479–483
 cross-flow, 474–477
 equilibria, plotting, 468–471
 examples
 countercurrent extraction, 483–485
 cross-flow extraction, 474–477
 single-stage extraction, 474–477
 minimum solvent rate, 486–488
 mixing point, 473
 plait points, 469
 saturated extract, 471
 saturated raffinate, 470–471
 single-stage, 474–477
 solubility envelope, 469
 Extractive distillation, 246–251, 273–275

F

Fair method for column diameter
 calculation, 314–318
 Feed lines
 calculating line slope, 106–109
 column distillation, 101–109
 distillation with multiple feeds, 120–125
 effect on flow rates, 92–97
 internal stage-by-stage balances, 101–109
 intersection of operating lines, 102–106
 multiple, 120–125
 optimum location, 74–76
 phase and temperature effects, 92–94
 plotting, 101–109
 q value (feed quality), 103–109
 subcooled reflux, 138–140
 superheated boilup, 138–140
 Feed plate, optimum location, 216–219
 Feed rate, cost effects, 366
 Feed stage, optimum, 100–101
 Fenske equations, 205–210
 Finite reflux ratios, 215–219
 Fire prevention, packed columns, 343–345
 Fish liver oil data, 498
 Flash distillation. *See also* Flash drums.
 basic processes, 12–13
 degrees of freedom, 12–13
 equipment required, 12–13
 examples
 flash drums, sizing, 47–49
 multicomponent flash distillation,
 37–40
 simultaneous multicomponent
 convergence, 40–45
 multicomponent
 component mass balance, 34–40
 description, 34–40
 energy balance, 34–40
 example, 37–40
 Newtonian convergence, 36–37, 41–43
 overall mass balance, 34–40
 Rachford Rice equations, 36–37, 37–40
 simultaneous convergence, 40–45
 simultaneous solutions, 34–40
 wide-boiling feeds, 40–41
 simulating. *See* Computer simulations.
 Flash distillation, binary
 energy balance
 sequential solution, 21–27
 simultaneous solution, 27–29

- Flash distillation, binary (*continued*)
 - equilibrium equations
 - sequential solution, 21–27
 - simultaneous solution, 27–29
 - mass balance
 - sequential solution, 21–27
 - simultaneous solution, 27–29
 - sequential solution
 - energy balance, 21–27
 - enthalpy equations, 21–27
 - equilibrium data, plotting, 23–24
 - equilibrium equations, 21–27
 - examples, 24–27
 - fraction vaporized (V/F), 22
 - mass balance, 21–27
 - operating equations, 22
 - relative volatility, 26–27
 - simultaneous solution, 27–29
 - Flash drums. *See also* Flash distillation.
 - example, 47–49
 - requirements, 12
 - reusing, 49–50
 - setup, computer simulation, 63–64
 - sizing, 45–49
 - Flood regime, 72
 - Flooding
 - packed columns, 333–338
 - sieve trays, 314–320, 322–323
 - valve trays, 328–329
 - Flow patterns
 - membrane separation
 - binary co-current permeation, 592–593, 605–606
 - binary countercurrent flow, 594–595, 606–608
 - binary cross-flow permeation, 590–592, 603–605
 - example, 589–590
 - overview, 588–589
 - spreadsheet calculations, 603–608
 - trays, 304
 - Flow profiles
 - column distillation, 112–114
 - multicomponent distillation, 167–172
 - Flow programming in chromatography, 630–631
 - Flow rates
 - multicomponent distillation
 - correcting, 191–194
 - initial guess, 181
 - theta (τ) method convergence, 184–191
 - Flowcharts
 - column distillation, 141–142
 - drawing, 59–60
 - Foam regime, 72
 - Fouling, 574
 - Fraction vaporized (V/F), 22
 - Froth regime, 72
 - Fructose data, 619, 702, 704
 - Furfural data, 430
- G**
- Gas permeation
 - binary mixtures, 544–547
 - concentration polarization, 602
 - examples, 549–550, 550–555, 556–557
 - membrane types, 546
 - overview, 544
 - perfectly mixed systems, binary
 - permeation, 547–555
 - perfectly mixed systems, multicomponent
 - permeation, 555–557
 - permanence, 544
 - rate-transfer (RT) equation, 547–548
 - Gas treatment plants, 386
 - Gaussian solution for linear elution
 - chromatography, 683–687
 - Gel formation, 575–579
 - Gilliland correlation, 215–219
 - Glucose data, 619
- H**
- Heat exchange, 367–370
 - Heat exchangers, 355–361
 - Heat transfer coefficients, 361
 - Heat transfer, sorption processes, 677
 - Heavy key (HK) components, 162
 - Heavy non-key (HNK) components, 162
 - Height of packings, 331–333
 - Helium data, 545–546
 - Hemodialysis, 537
 - Henry's law, 387–389
 - Heptane data, 30–32, 313–314, 338, 350, 384, 430, 494, 635, 699
 - Heptane-toluene separation process, 246–250
 - Heptanol data, 461
 - Hexane data, 30–32, 44, 48, 56, 84, 313–314, 319, 338, 430

HETP measurement, 332–333
 Heuristics for distillation, 373–376
 Hollow-fiber system, 539
 HTU-NTU (mass transfer analysis). *See*
 Mass transfer analysis (HTU-NTU).
 HTUs, 502
 Human serum albumin data, 619
 Hydraulics, sieve trays
 description, 320–324
 example, 324–327
 Hydrochloric acid data, 416
 Hydrogen data, 545–546, 616
 Hydrogen sulfide data, 388, 414
 Hydrophilic membranes, 581
 Hydrophobic membranes, 581

I

Immiscible extraction. *See* Extraction,
 immiscible.
 Inlet ports, 306–309
 Intermediate components, multicomponent
 distillation, 171
 Intermediate condensers, 128–129
 Intermediate reboilers, 128–129
 Internal stage-by-stage balances. *See*
 Column distillation, internal stage-
 by-stage balances.
 Interstitial velocity in sorption columns,
 611–612
 Inverted batch distillation, 278, 294
 Inverting tridiagonal matrices, 180
 Ion exchange
 calcium-form resin, 619, 652
 cation-exchange resins, 664–665
 definition, 609
 divalent-monovalent, 668–672
 equilibrium, 666–667
 example, 668–672
 ion movement, 667–672
 monovalent, 666–668
 overview, 663–664
 resin data, 665, 667
 strong resins, 664
 Ion movement, 667–672
 Irreversible absorption, 410–411
 Isobutane data, 30–32
 Isopentane data, 30–32
 Isopropanol data, 262, 374
 Isopropyl ether data, 484

Isothermal distillation, 66–67
 Isotherms, 19–20, 615–619

K

K values
 activity coefficient, 32–33
 constants, 32
 DePriester charts, 29–33
 equilibrium equation, 29
 mole fractions in liquid, 30
 multicomponent VLE, 29–33
 Raoult's law, 31
 selection guide, 33
 vapor phases, 30
 Knudsen diffusion, 674
 Kremser analysis
 absorption, 397–403, 434–435
 extraction, 434–435
 generalized process, 445–447
 stripping, 402–403
 summary of applications, 447
 washing, 451–452

L

Labs. *See* Computer simulations.
 Lang factor, 354
 Langmuir isotherms, 616–617
 Lapidus and Amundson solution, 679–681
 Leaching, 452–454, 489–492
 Length of Unused Bed (LUB) approach,
 687–691
 Lever-arm rule, 27–29, 471–474
 Lewis method
 calculating number of stages, 90–97
 constant molal overflow (CMO), 91–92
 example, 94–97
versus McCabe-Thiele method, 140–142
 stage-by-stage calculations, 140–142
 Light key (LK) components, 162
 Light non-key (LNK) components, 162
 Linear chromatography, 683–687
 Linear isotherms, 625–626
 Linoleic acid data, 430
 Liquid carry-over between stages, 72
 Liquid membranes, 536–537
 Liquid-liquid extraction (LLE). *See*
 Extraction, immiscible; Extraction,
 partially miscible.

LUB. *See* Length of Unused Bed (LUB).
Lumped parameter mass transfer, 675–676

M

Marshall and Stevens equipment cost index, 355–359

Mass balances

binary flash distillation

sequential solution, 21–27

simultaneous solution, 27–29

column distillation. *See* Column

distillation, external balances;

Column distillation, internal stage-by-stage balances.

multicomponent distillation, 178–180

prerequisite skills, 7

sequential solutions, 21–27

Mass transfer, 4–5

correlations, 567, 676

Mass transfer analysis (HTU-NTU)

absorbers, 521–526, 526–528

basic equation, 501–502

Bolles-Fair correlation, 513–515

co-current absorbers, 526–528

coefficients, 502

examples

absorbers, 525–526

H_G estimation, 515–520

H_L estimation, 515–520

packed column distillation, 508–511

stage efficiency, 530–531

HTUs, 502

McCabe-Thiele diagrams, 506–507

overview, 501–504

packed columns, 504–511

packed tower correlation, 513–521

random packings correlation, 513–515

strippers, 521–526

sum-of-resistances model, 503–504

tray efficiency, 528–531

Matrix solution, 176–180, 191–194,

406–409, 488–489

McCabe-Thiele diagrams

absorption, 389–392

bottom operating lines, 99

calculating number of stages, 97–101,

117–118

CMO validity, 118

column distillation, 97–101

concentrated immiscible extraction, 443–444

countercurrent extraction, 428–434

cross-flow extraction, 439–442

description, 97–101

dilute multisolute absorbers, 405

dilute systems, 397–403, 428–434

distillation with multiple feeds, 120–125

equilibrium relationships, plotting, 23–24,

97–101

examples, 109–112, 114–118, 120–125

fractional extraction, 437–439

general distillation analysis procedure,

118–125

generalized extraction process, 445–447

internal stage-by-stage balances, 97–101

leaching, 452–454

versus Lewis method, 140–142

mass transfer analysis (HTU-NTU),

506–507

open steam heating, 114–118

operating lines, 97

optimum feed stage, 100–101

problem algorithm, 119

stepping off stages, 98–101

stripping, 395

summary of applications, 447

top operating lines, 98

triangular diagram relationship, 485–486

washing, 450–452

Mechanical equilibrium, 3

Membrane separation

concentration polarization. *See*

Concentration polarization.

dialysis, 536–537

driving force, 542

electrodialysis (ED), 536–537

energy balances, 585–587

equipment, 537–541

examples

pervaporation, 586–588

ultrafiltration (UF) with gel formation,

577–579

flow patterns

binary co-current permeation, 592–593,

605–606

binary countercurrent flow, 594–595,

606–608

binary cross-flow permeation, 590–592,

603–605

example, 589–590

- overview, 588–589
 - spreadsheet calculations, 603–608
 - fouling, 574
 - gas permeation
 - binary mixtures, 544–547
 - examples, 549–550, 550–555, 556–557
 - membrane types, 546
 - overview, 544
 - perfectly mixed systems, binary
 - permeation, 547–555
 - perfectly mixed systems,
 - multicomponent permeation, 555–557
 - permanence, 544
 - rate-transfer (RT) equation, 547–548
 - gel formation, 575–579
 - hemodialysis, 537
 - hollow-fiber system, 539
 - liquid membranes, 536–537
 - microfiltration, 536–537
 - nanofiltration, 536–537
 - osmosis, 558–564
 - overview, 535–537
 - passed fluid, 537
 - performance prediction, 569–573
 - permeability, 541–543
 - permeance, 542
 - permeate, 537
 - permeate-in-series system, 539
 - pervaporation, 579–588
 - plate-and-frame system, 537–538
 - polymer membranes, 541
 - purifying liquids. *See* Ultrafiltration (UF).
 - retained fluid, 537
 - retentate, 537
 - retentate-in-series system, 539
 - retentate-recycle mode, 539–540
 - reverse osmosis (RO)
 - with concentrated solutions, 573
 - concentration polarization, 566–573
 - examples, 562–564, 564–566, 567–569, 569–573
 - membrane properties, determining, 564–566
 - versus* osmosis, 558–564
 - overview, 558
 - spiral-wound system, 539
 - system properties, 536
 - thickness, 542
 - tube-in-shell system, 537–538
 - ultrafiltration (UF), 573–579
 - vapor permeation, 537
- Membranes
- definition, 537
 - for gas permeation, 546
 - hydrophilic, 581
 - hydrophobic, 581
 - liquid, 536–537
 - material, 541
 - polymer, 541
 - properties, determining, 564–566
 - semipermeable, 559
 - strength, 543
- Methane data, 30–32, 44, 417, 545–546, 616, 618, 621, 701
- Methanol data, 54, 84–85, 114
- Methylcellosolve data, 430
- Methylcyclohexane data, 471, 494
- Methylisobutyl ketone data, 430
- Microfiltration, 536–537
- Minimum reflux
 - definition, 131
 - limiting condition, 130–132
- Minimum reflux ratio, 210–215
- Minimum solvent rate, 486–488
- Mixing calculations, 471–474
- Mixing point, 473
- Monovalent ion exchange, 666–668
- Multicomponent distillation
 - calculational difficulties, 161–167
 - complex methods. *See* Complex distillation processes.
 - composition profile, 167–172
 - computer simulation, 200–204
 - concentration profile, 169–172
 - examples
 - bubble-point calculation, 183–184
 - external mass balances, 164–167
 - matrix method, 186–191
 - theta (τ) method convergence, 186–191
 - external balance equations, 162–167
 - flow profile, 167–172
 - heavy key (HK) components, 162
 - heavy non-key (HNK) components, 162
 - intermediate components, 171
 - key components, 162
 - light key (LK) components, 162
 - light non-key (LNK) components, 162
 - non-key (NK) components, 162
 - profiles, 167–172
 - sandwich components, 171
 - schematic, 162
 - temperature profile, 167–172

- Multicomponent distillation (*continued*)
 total flow rates, 167–172
 trial-and-error, 163
 vapor-liquid equilibrium (VLE),
 171–172
- Multicomponent distillation, approximate
 methods
 examples
 Fenske equations, 209–210
 Gilliland correlation, 217–219
 minimum reflux, 214–215
 number of stages, 217–219
 optimum feed plate location, 217–219
 total reflux, 209–210
 Underwood equations, 214–215
 feed plate, optimum location, 216–217
 Fenske equations, 205–210
 finite reflux ratios, 215–219
 Gilliland correlation, 215–219
 minimum reflux ratio, 210–215
 stages, determining number of, 215–219
 total reflux, 205–210
 Underwood equations, 210–215
- Multicomponent distillation, matrix
 method
 boiling point. *See* Bubble-point;
 Temperature.
 bubble-point procedure, 177–178
 bubble-point temperature, 181–184. *See*
also Temperature.
 computer simulation, 200–204
 convergence, 176–178, 184–191
 energy balances, 191–194
 examples
 matrix solution, 186–191
 theta (τ) method convergence, 186–191
 flow rates
 correcting, 191–194
 initial guess, 181
 inverting tridiagonal matrices, 180
 mass balances, 178–180
 narrow-boiling procedure, 177–178
 temperature calculations, 177–178. *See*
also Bubble-point.
 temperature estimation, 181–184
 theta (τ) method convergence, 184–191
 Thomas algorithm, 180
- Multicomponent flash distillation
 example, 37–40
 Rachford Rice equations, 36–37, 37–40
 sequential solutions, 34–40
- Multicomponent VLE. *See* Vapor-liquid
 equilibrium (VLE), multicomponent.
- Multiple-pass trays, 304
- Multistage batch distillation, 285–290
- Murphree efficiencies, 133–134, 309–310
- ## N
- Nanofiltration, 536–537
- Naphthalene data, 455, 628
- Narrow-boiling procedure, 177–178
- Newtonian convergence
 determining V/F, 22
 multicomponent flash distillation, 36–37,
 41–43
- Nitrobenzene data, 415
- Nitrogen data, 545–546, 618
- Nitromethane data, 267
- Nonane data, 30–32
- Nonideal separations, 376–380
- Non-key (NK) components, 162
- Nonlinear isotherms, 654–658
- ## O
- O'Connell correlation, 311–312,
 395–396
- Octane data, 30–32, 48
- Octanol data, 264
- Oldershaw design, 305, 312–314
- Oleic acid data, 430
- Open steam heating, 114–118
- Operating cost effects, 359–366
- Operating equations, 22
- Optimum feed location, 74–76
- Osmotic pressure, 559–560, 563
- Outlet concentration profiles
 chromatography, 628–630, 683–685
 linear systems, 635–638, 644–649
 nonlinear systems, 656–664, 687–690
- Outlet ports, 308–309
- Oxygen data, 545–546
- ## P
- Packed columns
 diameter calculation
 absorption, 396–397

- description, 333–338
- example, 338–341
- stripping, 396–397
- economic trade-offs, 341–345
- fire prevention, 343–345
- flooding, 333–338
- internal parts, 329–331
- mass transfer analysis (HTU-NTU), 504–511
- overview, 329
- packings
 - costs, 358
 - data, 332, 336–338, 514, 516
 - description, 329–331
 - height of, 331–333
 - HETP measurement, 332–333
 - illustration, 329–331
 - random, 329–331, 334, 344
 - structured, 329–331, 334, 344
- pressure drop per foot, 342
- reflux ratio, 342
- safety, 343–345
- turndown capabilities, 330–331
- Packed tower correlation, 513–521
- Packed-bed column, 610–611
- Packings
 - costs, 358
 - data, 332, 336–338, 514, 516
 - description, 329–331
 - height of, 331–333
 - HETP measurement, 332–333
 - illustration, 329–331
 - mass transfer analysis (HTU-NTU), 513–515
 - random, 329–331, 334, 344
 - structured, 329–331, 334, 344
- Partial condensers, 125–126
- Partially miscible extraction. *See* Extraction, partially miscible.
- Particle pellet density, 612
- Passing streams, 67–70
- Pentane data, 30–32, 44, 57, 84
- Perforated plates, 303–304
- Permeability, 541–543
- Permeance, 542, 544
- Permeate, 537
- Permeate-in-series system, 539
- Pervaporation, 579–588
 - selectivity data, 583–584
- Phase, effect on feeds, 92–94
- Phase equilibrium, definition, 3
- Phenol data, 149
- Phenylalanine data, 626, 703
- Physical absorption, 385
- Pinch points
 - definition, 131
 - minimum reflux ratio, 210–215
- Plait points, 469
- Plate-and-frame system, 537–538
- Polarities of compounds, 250–251
- Poly(ethylene glycol) data, 440
- Polymer membranes, 541
- Polystyrene resins, 664–665
- Ponchon-Savarit diagrams. *See* Enthalpy-composition diagrams.
- Pressure drop per foot, 342
- Pressure swing adsorption (PSA), 641–649
- Problem-solving
 - checking answers, 5–6
 - defining the problem, 5
 - exploring the problem, 5
 - generalizing to other problems, 6
 - heuristics, 6
 - How to Model It: Problem Solving for the Computer Age*, 6
 - motivation, 5
 - planning an attack, 5
 - prerequisite skills, 5–6
 - reaching an answer, 5
 - rules of thumb, 6
 - steps involved, 5–6
- Profiles. *See* Composition profiles; Flow profiles; Temperature profiles.
- Propane data, 30–32, 454, 616
- Propanol data, 57, 222, 374
- Proportional pattern waves, 654–655
- Propylene data, 30–32
- Publications
 - annotated bibliography, 8–9
 - batch distillation, 276
 - Chemical Engineering* magazine, 355
 - Das New gross Destiller Buch*, 276
 - How to Model It: Problem Solving for the Computer Age*, 6
 - Index of Learning Styles, 8
 - Liber de arte distillandi*, 276
 - VLE data sources, 15
- Punched hole pattern, sieve trays, 320
- Purge cycles, 626–628
- Purity levels, 137
- Pyridine data, 496

Q

- q (feed quality), 103–105
 - examples, 106–109
- q-line. *See* feed lines.

R

- Rachford Rice equations, 36–37, 37–40
- RADFRAC, 200–204
- Raffinate, 428, 470–471
- Random packings, 329–331, 334, 344
- Raoult's law, 31
- Rate-transfer (RT) equation, 547–548
- Rayleigh equations, 277–278
- Reboilers
 - intermediate, 128–129
 - total, 126
- Rectifying section, 69–70
- Recycling *versus* reflux and boilup, 69
- Reference books. *See* Publications.
- Reflux
 - class distillation, 67–70
 - definition, 67
 - minimum, 130–132
 - versus* recycling, 69
 - subcooled, 138–140
 - total, 130–132
- Reflux ratio
 - batch distillation, 286–290
 - constant, 286–290
 - cost effects, 359, 362, 364, 367
 - determining, 74
 - finite, 215–219
 - packed columns, 342
 - Underwood equations, 210–215
 - variable, 290
- Regeneration steps, 623
- Relative volatility, 26–27, 182, 207
- Residue curves, 243–246
 - example, 376–380
- Resins, 664–665
- Resources. *See* Publications.
- Retentate, 537
- Retentate-in-series system, 539
- Retentate-recycle mode, 539–540
- Reusing distillation columns, 136–138
- Reverse osmosis (RO)
 - with concentrated solutions, 573
 - concentration polarization, 566–573

- examples, 562–564, 564–566, 567–569, 569–573
- membrane properties, determining, 564–566
- versus* osmosis, 558–564
- overview, 558
- RO (reverse osmosis). *See* Reverse osmosis (RO).
- RT (rate-transfer) equation, 547–548, 561–562, 575, 583

S

- Safety hazards
 - absorption column failure, 345
 - activated carbon solvent recovery, 639
 - bed fires, 693
 - fire prevention, packed columns, 343–345
 - respirators in adsorbers, 693
 - total reflux distillation, 131
- Salt data. *See* sodium chloride data.
- Sandwich components, 171
- Saturated extract, 471
- Saturated raffinate, 470–471
- Scaling up tray efficiencies, 312
- SCFs (supercritical fluids), 454–547
- Selectivity, membrane
 - gas permeation, 546–547
 - pervaporation, 583–584
 - RO, 561, 564
- Self-sharpening waves, 659–663
- Semipermeable membranes, 559
- Separation methods. *See* Absorption, Adsorption, Chromatography, Distillation, Extraction, Ion exchange, Membrane separations, Stripping, and Washing.
- Sephadex, 619
- Sequencing distillation columns. *See* Synthesizing column sequences.
- Sequential solutions
 - flash distillation, binary
 - energy balance, 21–27
 - enthalpy equations, 21–27
 - equilibrium data, plotting, 23–24
 - equilibrium equations, 21–27
 - examples, 24–27
 - fraction vaporized (V/F), 22
 - mass balance, 21–27

- operating equations, 22
- relative volatility, 26–27
- flash distillation, multicomponent, 34–40
- Shock waves, 654–655, 658–663
- Sidestreams, 126–128
- Sieve trays. *See* Trays, sieve.
- Silica gel, 615
 - data, 614, 619, 635, 699–700, 702, 704
- Simpson's rule, 279–283, 289, 508–511
- Simulated moving bed (SMB) systems, 649–654
- Simulations. *See* Aspen Plus; Computer simulations.
- Simultaneous convergence, 40–45
- Simultaneous solutions
 - flash distillation, binary, 27–29
 - multicomponent flash distillation, 34–40
- Single-stage extraction, 439–442, 474–477
- Skarstrom cycle, 641
- Sodium chloride data, 498, 563, 599
- Solid-liquid extraction (SLE). *See* Leaching.
- Solubility envelope, 469
- Solute movement analysis. *See also* Mass energy transfers, linear systems.
 - basic chromatography
 - analysis of, 628–630
 - in a column, 623–625
 - counterflow, 626–628
 - elution chromatography, 626–630
 - for linear isotherms, 625–626
 - overview, 621, 623
 - purge cycles, 626–628
 - regeneration steps, 623
 - derivation (mathematical) of solute movement theory, 677–678
 - derivation (physical) of solute movement theory, 623–625, 633–634
 - examples
 - diffuse waves, 655–658
 - pressure swing adsorption (PSA), 644–649
 - self-sharpening waves, 659–663
 - shock waves, 659–663
 - simulated moving bed (SMB) systems, 652–654
 - temperature swing adsorption (TSA), 635–638
 - thermal regeneration with linear isotherm, 635–638
 - linear systems
 - concentrated systems, 640
 - pressure swing adsorption (PSA), 641–649
 - safety hazards, 639
 - simulated moving bed (SMB) systems, 649–654
 - Skarstrom cycle, 641
 - temperature swing adsorption (TSA), 631–640
 - true moving bed (TMB) systems, 650–652
 - nonlinear systems
 - constant pattern waves, 654–655, 663
 - diffuse waves, 655–658
 - nonlinear isotherms, 654–658
 - overview, 654–655
 - proportional pattern waves, 654–655
 - self-sharpening waves, 659–663
 - shock waves, 654–655, 658–662
- Solvent gradients, 630–631
- Solvents
 - adding, 251–254
 - selecting, 250–251, 431
- Solvent-switching, batch distillation, 283–284
 - batch extraction, 444–445
- Sorbents. *See also* Sorption processes.
 - activated alumina, 615
 - activated carbon, 613
 - bulk density, 612
 - carbon molecular sieves (CMS), 613
 - definition, 610
 - equilibrium behavior, 615–619
 - equilibrium constants, 618–619
 - equipment, 610–611
 - example, 620–621
 - interstitial velocity, 611–612
 - isotherms, 615–619
 - Langmuir isotherms, 616–617
 - packed-bed column, 610–611
 - particle pellet density, 612
 - properties of, 614
 - silica gel, 615
 - structural density, 612
 - superficial velocity, 611
 - tortuosity. *See* tortuosity.
 - types of, 612–615
 - zeolite molecular sieves, 613
- Sorel's method, 91
- Sorption processes. *See also* Adsorption; Chromatography; Ion exchange; Sorbents.
 - column mass balances, 674–675

- Sorption processes (*continued*)
 design checklist, 692–693
 energy balances, heat transfer, 677
 equipment, 630
 Knudsen diffusion, 674
 mass transfer
 detailed simulators, 678
 and diffusion, 672–674
 lumped parameter, 675–676
 surface diffusion, 674
 thermal regeneration with linear
 isotherm, 635–638
- Soybean oil data, 467
- Spacing trays, 303, 315–316
- Spiral-wound system, 539
- Spray regime, 72
- Stage-by-stage balances. *See* Column
 distillation, internal stage-by-stage
 balances.
- Stage-by-stage distillation, 2
- Staged columns. *See also* Trays.
 bubble-caps, illustration, 303
 diameter calculation
 absorption, 396–397
 stripping, 396–397
 downcomers, 304–306
 entrainment
 bubble-cap trays, 303
 inlet ports, 306–309
 outlet ports, 308–309
 vapor velocity, 310–311
 equipment description, 301–309
 inlets, 306–309
 outlets, 306–309
 perforated plates, 303–304
 performance issues, 301–303
 turndown, 301–303
 valve assemblies, illustration, 302
 weeping
 inlet ports, 306–309
 valve trays, 303
 weirs, 306
 weirs, 304–306
- Stages, calculating number of for distillation
 Gilliland correlation, 215–219
 Lewis method, 90–97
 McCabe-Thiele method, 97–101,
 117–118
- Steam batch distillation, 284–285
- Steam distillation, 234–238
- Steam heating, 114–118
- Strippers, mass transfer analysis (HTU-
 NTU), 521–526
- Stripping
 analysis, 394–396
 column diameter calculation, 396–397
 computer simulations, 421–423
 concentrated, 406–409
 definition, 385
 dilute multisolute, 403–406
 equilibria, 387–389
 matrix solution, 406–409
 McCabe-Thiele diagrams, 395
 O’Connell correlation, 395
- Stripping distillation columns, 129–130
- Stripping section in distillation, 69–70
- Strong resins, 664
- Structural density, 612
- Structured packings, 329–331, 334, 344
- Subcooled reflux, 138–140
- Sucrose data, 600
- Sugar data, 466
- Sulfur dioxide data, 525
- Sum-of-resistances model, 503–504
- Supercritical fluids (SCFs), 454–457
- Superficial velocity, 611
- Superheated boilup, 138–140
- Superposition, 680–681
- Surface diffusion, 674
- Synthesizing column sequences
 almost-ideal separations, 370–375
 nonideal separations, 376–380

T

- Temperature
 calculating, 177–178
 effect on distillation feeds, 92–94
 estimating, 181–184
- Temperature gradient method, 630–631
- Temperature profiles
 column distillation, 112–114
 multicomponent distillation, 167–172
- Temperature programming in
 chromatography, 630–631
- Temperature swing adsorption (TSA),
 631–640
- Temperature-composition diagrams,
 19–20
- Ternary distillation, 240–246
- Thermal equilibrium, 3

- Thermal regeneration with linear isotherm, 635–638
 - Theta (τ) method convergence, 184–191
 - Thiodipropionitrile data, 430
 - Thomas algorithm, 180
 - TMB (true moving bed) systems, 650–652
 - Toluene data, 157, 209, 241, 471, 699, 702
 - Tortuosity, 612
 - typical values, 614
 - Total flow rates, 167–172
 - Total reboilers, 126
 - Total reflux, 130–132, 205–210
 - Trays. *See also* Staged columns.
 - bubble-cap, 303
 - chimney, 307
 - column diameter calculation
 - description, 314–318
 - example, 318–320
 - cross-flow pattern, 304
 - double-pass, 304
 - efficiencies
 - determining, 311
 - estimating, example, 312–314
 - mass transfer, 528–531
 - Murphree, 309–310
 - O'Connell correlation, 311–312, 395–396
 - scaling up, 312
 - and vapor velocity, 310–311
 - flow patterns, 304
 - layout
 - description, 320–324
 - example, 324–327
 - mass transfer analysis (HTU-NTU), 528–531
 - multiple-pass, 304
 - selecting, 304–306
 - spacing, 303, 315–316
 - valve
 - column diameter calculation, 328–329
 - costs, 358
 - description, 302–303
 - design, 327–329
 - dry tray pressure drop, 302–303
 - efficiencies, 329
 - flooding, 328–329
 - turndown properties, 302–303
 - Trays, sieve
 - column diameter calculation, 314–320
 - costs, 358
 - description, 301–302
 - entrainment
 - column diameter, 314–320
 - example, 324–327
 - hydraulics, 320–327
 - tray layout, 320–327
 - examples
 - entrainment, 324–327
 - hydraulics, 324–327
 - layout, 324–327
 - flooding, 314–320, 322–323
 - hydraulics
 - description, 320–324
 - example, 324–327
 - illustration, 73, 307
 - layout
 - description, 320–324
 - example, 324–327
 - mechanical supports, 307
 - operational limits, 324
 - punched hole pattern, 320
 - weeping, 324
- Triangular diagrams
 - conjugate lines, 470
 - lever-arm rule, 471–474
 - McCabe-Thiele diagram relationship to, 485–486
 - mixing calculations, 471–474
 - mixing point, 473
 - plotting extraction equilibria, 468–471
 - saturated extract, 471
 - saturated raffinate, 470–471
 - Tributyl phosphate in kerosene data, 464
 - Trichloroethane data, 150, 221
 - Triethylamine data, 499
 - True moving bed (TMB) systems, 650–652
 - TSA (temperature swing adsorption), 631–640
 - Tube-in-shell membrane systems, 537–538
 - Turndown
 - packed columns, 330–331
 - staged columns, 301–303
 - valve trays, 302–303
 - Two-pressure distillation, 238–239, 270–273
- U**
- Ultrafiltration (UF), 573–579
 - gel formation, 575–579
 - retention data, 574
 - Underwood equations, 210–215

Unit operation, 2
 UOP (Universal Oil Products), 649–650

V

Valve assemblies, illustration, 302
 Valve trays. *See* Trays, valve.
 van't Hoff equation, 560
 Vapor permeation, 536–537
 Vapor velocity
 entrainment, 310–311
 tray efficiencies, 310–311
 Vapor-liquid equilibrium (VLE)
 absorption and stripping, 387–389
 analysis simulation, 61–62
 binary
 enthalpy-composition diagrams, 18–19
 graphical representations, 16–20
 heterogeneous azeotrope, 227
 maximum boiling azeotropes, 19–20
 minimum boiling azeotropes, 19–20
 saturated liquid curves, 17–18
 saturated vapor lines, 17–18
 temperature diagrams, 17–18
 y-x diagrams, 17
 data, forms and sources, 14–16
 description, 14–16
 extensive variables, 16
 Gibbs phase rule, 16
 Henry's law, 387–389
 intensive variables, 16
 multicomponent
 basic equipment, 29–30
 DePriester charts, 29–33
 K values, 29–33
 Raoult's law, 31–33
 multicomponent distillation, 171–172
 resource bibliography, 15
 Variable pressure distillation, 66–67

Variable reflux ratio, batch distillation, 290
 V/F (fraction vaporized), 22

W

Washing, 448–452, 497–498
 Water data, 14–19, 54–55, 84–85, 114, 148,
 151, 227, 232, 239, 245, 247, 262–264,
 267, 299, 388–389, 414–418,
 430–431, 454, 461–462, 469, 484, 496,
 498, 517–518, 563, 583–584, 599, 619
 Water desalination, 558
 Water softening, 663–664, 672
 Weeping
 inlet ports, 306–309
 sieve trays, 324
 valve trays, 303
 weirs, 306
 Weirs, 304–306
 Wide-boiling feeds, 40–41, 406–407
 Withdrawal lines, 126–128

X

Xylene data, 430, 635, 700

Y

y-x diagrams
 equilibrium data, plotting, 23–24
 isotherms, 19–20

Z

Zeolite molecular sieves, 613
 data, 614, 616, 618
 Zirconium nitrate data, 464