
INDEX

- “Put That There” system, 466
- 6-point algorithm, 77
- 7-point algorithm, 76
- 8-point algorithm, 76
- absolute conic, 8, 54
- Action Unit (AU), 490
- Active Appearance Model (AAM), 405, 408, 410, 498
- Active Shape Model (ASM), 405, 406, 494
- AdaBoost algorithm, 390, 394, 396, 398, 401, 498
- affine piece, definition, 54
- affine piece, standard, 54
- affine tensor, 55
- albedo map, 288
- algebraic distance, 130
- analysis by synthesis, 501
- ancillary constraint, 113
- ANN k-d tree, 233
- architectural style, 588
- aspect ratio, 59
- asymptotic mean integrated error (AMISE), 144, 176
- autocalibration, 39, 87
- autocorrelogram, 356
- auxiliary geometry, 295
- back-propagation algorithm, 437
- background modeling, 498
- basin of attraction, 149
- basis functions, 112
- between-class scatter, 430
- bias, 121
- Bidirectional Reflectance Distribution Function (BRDF), 313, 319
- brain-computer interfaces, 506
- breakdown point, 123, 124
- bundle adjustment, 86
- camera calibration, 560
- camera calibration, 1D objects, 27
- camera calibration, 2D objects, 18
- camera calibration, 3D objects, 10
- camera constant, 59
- camera equation, 58
- camera matrix, 58
- camera tracking, 327
- camera, normalized, 61
- camera, pinhole, 57, 62
- Canny edge detector, 549
- carriers, 112
- category search, 334, 340, 343
- cells, 597
- central perspective transformation, 46
- Ch, 571

- Ch OpenCV package, 571
- classifier, cascade of strong, 400
- classifier, strong, 396, 397
- classifier, weak, 396
- cluster analysis, 139
- clustering using separability criterion, 429
- color constancy, 347
- color histogram, 349
- color space, HSV, 346, 355, 391, 495
- color space, $L^*a^*b^*$, 346, 355
- color space, $L^*u^*v^*$, 355, 359
- color space, Munsell, 346, 355, 356
- color space, RGB, 346, 355, 356, 361, 391
- color systems, 345
- conic, absolute, 8, 54
- conic, definition, 53
- conic, degenerate, 53
- conic, proper, 53
- connectors, cell-to-cell, 598
- connectors, cell-to-source, 598
- constraint, 112
- contravariant indices, 56
- correlogram, 356, 358
- covariant indices, 56
- Cramer-Rao bound, 124
- critical motion sequences, 88
- curve extraction, 2D, 218
- curve extraction, 3D, 229

- data correction, 118
- data integration, 307
- dependent variables, 113
- dichromatic reflection model, 359
- Direct Appearance Model (DAM), 405, 410, 415
- discontinuities, 196
- discontinuity preserving filtering, 151
- discrete densification, 235, 242, 246
- distance from face space, 423
- distance in face space, 423
- distance, average color, 366
- distance, cosine, 365
- distance, Euclidean, 365, 387
- distance, histogram intersection, 365
- distance, Mahalanobis, 118, 139, 143, 148, 369, 393, 434
- distance, Minkowski, 365
- distortion, decentering, 16
- distortion, lens, 15
- distortion, radial, 16
- dual eigenfaces, 422
- duality, points and lines, 52
- duality, self-, 52

- Edge Detection and Image Segmentation (EDISON) system, 154
- effector cells, 616
- eigenface, 433
- eigenfaces, 438
- eight-point algorithm, 76
- EIV model, 126
- Elastic Graph Matching (EGM), 429
- elastic matching, 360
- elemental subset, 133
- empirical risk minimization, 438
- environment mapping, 266, 308
- Epanechnikov kernel, 144, 146, 165
- epipolar constraint, 66
- epipolar line, 66
- epipole, 63
- errors-in-variables model, 126
- estimator, 120
- estimator bias, 121

- estimator, breakdown point, 123, 124
- estimator, global robustness, 121
- estimator, local robustness, 123
- expectation maximization, 358, 359, 429
- expectation maximization (EM), 139
- eye tracking, 489

- Facade modeling system, 285, 290
- face alignment, 385
- face classification, 385
- face detection, 385, 388, 489
- face recognition, 419, 562
- face tracking, 488
- face-driven animation, 490
- Facial Action Coding System (FACS), 490
- factorization method, 78
- Fast Scheduling Framework (FSF), 589, 618, 624, 625
- feature extraction, 11, 385, 420
- feature fusion, 469
- feature tracking, 320, 328
- feedforward neural network, 437
- FERET database, 420, 442, 445
- filtering, 600
- filters, 591
- fixed-bandwidth mean shift, 150
- FloatBoost algorithm, 391, 399, 400, 404
- floodfill, 549
- focal length, 57, 59
- focal point, 57
- frame interpolation, 323
- frame rate and latency, difference, 502
- Fresnel reflection effect, 279
- functional model, 118

- fundamental 2nd-order stick voting field, 213
- fundamental matrix, 65

- Gabor filters, 428, 491
- Gabor jets, 429
- Gabor wavelet, 498
- Generalized Discriminant Analysis (GDA), 431, 432
- geometric hashing, 369
- geometric histogram, 356
- Gestalt principles, 193, 196, 197
- gross error sensitivity, 123
- guided sampling, 135

- Haar features, 390, 391, 395, 401
- hand structure, 485
- Hausdorff metric, 367
- heteroscedasticity, 117
- Hidden Markov Model (HMM), 500, 558, 562
- high dynamic range photography, 275, 290, 310
- histogram intersection, 366
- histogram matching, 366
- homogeneous coordinates, 49–51
- homography, 18, 40, 53
- horizon, 46
- Hough transform, 110, 131, 173, 176, 549
- human-computer interaction, 458

- ideal line, 47
- ideal plane, 48
- ideal point, 46
- illusory contour, 195
- image domain, broad, 335, 341
- image domain, narrow, 335, 341
- image feature extraction, 337
- image interpolation, 323

- image primitives, 192
- image-based rendering, 98
- IMSC Communicator, 612
- incident light field, 294
- Independent Component Analysis (ICA), 387, 423, 491
- independent variables, 113
- infinity homography, 69
- initial matching, 246
- inlier, 115
- inlier/outlier dichotomy, 120
- Integrated Performance Primitives (IPP), 531
- intersection problem, 75
- ippCV, 531
- irradiance, 288

- join of point, 47
- junction extraction, 2D, 219
- junction extraction, 3D, 229

- k-mean clustering, 393, 429
- Kalman filtering, 499, 501
- Karhunen-Loeve transform, 386, 497
- kernel density approach, 141
- kernel PCA, 431
- kernel Support Vector Machines (SVMs), 390, 394
- kinematic models, 482
- Kronecker delta, 57

- latent semantic indexing, 372
- least median of squares, 110, 122, 134, 136, 169
- least squares, 162
- least squares, ordinary, 162
- least squares, orthogonal, 160
- least squares, total, 159
- lens distortion, 327
- Levi-Cevita epsilon, 57

- LIght Detection And Ranging (LIDAR) device, 317
- light probe image, 259, 265
- light stage device, 297, 302
- line at infinity, 47
- line, intersection form, 53
- line, parametric form, 53
- Linear Discriminant Analysis (LDA), 387, 424, 434
- linear errors-in-variables (EIV) regression model, 127, 129, 157
- LMedS, 110, 122, 134, 136, 169
- local shape, 349
- loss function, 119
- Lush programming language, 578

- M-estimator, 110, 120, 163
- M-estimator, redescending, 164
- M-kernel function, 174
- matte extraction, 326
- maximally separable clusters, 431
- mean shift, 110, 139, 146, 148, 156, 556
- mean shift vector, 147
- measurement equation, 114
- median absolute deviation, 167
- minimum volume ellipsoid (MVE), 141
- model-based clustering, 429
- Modular Flow Scheduling Middleware (MFSM), 589, 623
- Moore’s law, 457, 475
- motion blur, 324, 329
- motion capture, 245, 481
- motion-control camera rig, 310
- multi-Gaussian clustering, 393
- multimodal interfaces, 465

- multimodal interfaces, advantages, 467
- multimodal interfaces, channel, 466
- multimodal interfaces, characteristics, 467
- multimodal interfaces, modality, 466
- multiresolution shapes, 360

- nearest feature line, 433
- nearest neighbors approach, 141, 432
- neural network classifier, 394, 493
- normalized camera, 61
- nuisance parameter, 118

- OpenCV, 522, 585
- OpenCV code, read AVIs or video from camera, 569
- OpenCV code, read images, 567
- OpenCV demos, CamShiftDemo/cvcsdemo, 544
- OpenCV demos, HaarFaceDetect/HaarTraining, 544
- OpenCV demos, Hawk, 545
- OpenCV demos, HMMDemo, 545
- OpenCV demos, LKDemo/cvltkdemo, 544
- OpenCV demos, StereoDemo, 545
- OpenCV demos, Tracker3dDemo, 545
- OpenCV demos, VMDemo/vmdemotk, 546
- OpenCV tasks, background subtraction, learning, and segmentation, 539
- OpenCV tasks, camera calibration, 539
- OpenCV tasks, connected components, 540
- OpenCV tasks, face finding and recognition, 542
- OpenCV tasks, flying a plane, 543
- OpenCV tasks, gesture recognition, 542
- OpenCV tasks, image retrieval, 542
- OpenCV tasks, Optical Character Recognition (OCR), 544
- OpenCV tasks, part localization, 543
- OpenCV tasks, people tracking, 541
- OpenCV tasks, stereo, 539
- OpenCV tasks, stereo background subtraction, 541
- OpenCV, functional groups, 546
- OpenCV, installation, 523
- OpenCV, MATLAB interface, 576
- OpenCV, organization, 528
- OpenCV, overview of manual, 535
- OpenCV, sample code, 546
- OpenCV, tasks, 539
- optical flow, 322, 496, 562
- outlier, 115
- Oviatt’s myths of multimodal interaction, 468

- parameter, extrinsic, 59
- parameter, intrinsic, 59
- parameters, extrinsic, 8
- parameters, intrinsic, 8
- partitioning, 354
- partitioning, fixed, 358
- partitioning, region-based, 358
- pbM-estimator, 175, 177, 178
- pencil of lines, 52
- perceptual interfaces, 460
- Pfinder system, 483
- pinhole camera, 57, 62
- pipes, 591

- Pipes-and-Filters model, 590, 592
- plane at infinity, 48, 54
- point at infinity, 46
- point of points, 48
- polarity, 211
- polarity vector, 196, 210, 211, 225
- post-WIMP interfaces, 460
- Principal Component Analysis (PCA), 372, 386, 387, 389, 407, 415, 421, 491, 493, 497
- principal point, 59
- probabilistic PCA, 423
- projection index, 175
- projection-based M-estimator, 175, 177, 178
- projective geometry, 45
- projective line, 47
- projective plane, 47
- projective space, 48
- projective space, 1D, 49
- projective space, 2D, 50
- projective space, 3D, 51
- projective space, nD, 51
- projective transformation, 53
- pulse, 599
- pulse, active, 599
- pulse, passive, 599
- QBIC system, 355, 366
- quadratic discriminant analysis, 435
- QuickSet system, 467
- radial basis function neural classifier, 438
- radiance, 288
- RADIANCE lighting simulation package, 262
- Random Sample Consensus (RANSAC), 123, 134, 171
- randomized Hough transform, 173
- RANSAC, 81
- RD-QDA, 435, 436
- rectification, 90
- reflectance, 288
- region extraction, 2D, 219
- relevance feedback, 371
- renderers, 617
- rendering cells, 617
- rendering streams, 617
- resection problem, 75
- saliency, 193, 195, 359
- saliency decay function, 206, 225
- saliency maps, 218, 228
- sample point density estimator, 145
- scale ambiguity, 61
- scale space matching, 367
- scale space theory, 349
- search by association, 334, 339, 343
- segmentation, strong, 338, 353
- segmentation, weak, 338, 353, 358, 362
- self-calibration, 39, 87
- semantic features, 363
- semantic fusion, 469
- semantic gap, 342
- sensory gap, 342
- seven-point algorithm, 76
- sign languages, 487
- sign localization, 354
- simplex-based direct search, 136
- six-point algorithm, 77
- skew, 59
- skin color, 391
- small sample size problem, 425, 435
- snakes, 494, 556
- software architecture, 587
- Software Architecture for Immersipresence (SAI), 589, 590

- sources, 597
- structural model, 118
- structure and motion problem, 63
- Support Vector Machines (SVMs), 439
- surface extraction, 3D, 229
- target search, 334, 340, 343
- temporal filtering, 499
- tensor calculus, 55
- tensor voting, 197
- tensor, *ND*, 231
- tensor, 2D, 205
- tensor, 2nd order, 56
- tensor, 2nd-order symmetric, 196
- tensor, 3D, 223
- tensor, ball, 205, 223
- tensor, bifocal, 71
- tensor, compatibility rule, 56
- tensor, contravariant indices, 56
- tensor, covariant indices, 56
- tensor, degree, 56
- tensor, index rule, 56
- tensor, maximum rule, 56
- tensor, monofocal, 70
- tensor, plate, 223
- tensor, quadrifocal, 74
- tensor, stick, 205, 223
- tensor, summation convention, 56
- tensor, trifocal, 72
- tensorial transfer, 73
- textons, 351
- texture, 350
- Texture-Constrained Active Shape Model (TC-ASM), 412, 414
- tokens, 192, 193, 197
- total station, 316
- tracking kit, 313
- truncated normal kernel, 145
- Tukey function, 164
- user interface paradigms, 459
- Vapnik-Chervonenkis (VC) bound, 439
- video analysis, 602
- Video Painting project, 605
- view sphere, 480
- Virtual Mirror project, 608
- Virtual Reality Modeling Language (VRML), 618
- vision-based interfaces, 473
- vision-based interfaces, techniques, 480
- volume extraction, 3D, 229
- vote generation, 2D, 205
- vote generation, 3D, 225
- voting field, ball, 213
- voting field, stick, 213
- voting fields, 206, 213, 216, 226, 232, 233
- voting fields, 1st-order, 215
- voting, 1st-order, 211, 226
- voting, dense, 203, 207, 218, 225, 228
- voting, scale, 206, 207
- voting, sparse, 203, 207, 225, 237
- W4 system, 483
- wavelets, 351
- weak semantics, 363, 370
- WIMP, 459
- Wold features, 352