

Index

Numerics

1.5 features, *see* JDK 5.0

A

A Guide to the SQL Standard, 189

AbstractTableModel, 389

access:

- conditions for safety, 42
- random access to collection, 99
- ReentrantLock, 27
- synchronization, 22
- thread safe, 55

Activatable, 296

ActivationDesc, 297

ActivationGroup, 297

ActivationGroupDesc, 297

ActivationSystem, 297

Active Directory, 243

ActiveX security issues, 767

add method, 88

add operations and areas, 472

addresses:

- e-mail program, 153
- Internet addresses, 180
- local loopback address, 149
- see also* URLs

Adleman, Rivest, and Shamir, 747

Advanced CORBA Programming with C++, 298

affine transformation, 490, 531

AffineTransform, 495

AffineTransformOp, 538

algorithms:

- collections, 130
- simple, 134
- writing, 135

compiler benchmark, 140

DES, 772

DSA, 748

encryption, 772

generating key pair, 748

MD5, 742

message digest, 742, 743

page layout, 549

random number, 750

RSA, 747, 778

SHA1, 741

signing message, 748

sorting, 131

verifying signature, 748

AllPermission, 713

alpha value, 501

alphabetization, *see* collation

AlphaComposite, 507

angles:

- AWT arc angles, 462
- AWT arc angles and degrees, 460

animated GIFs, 517

AnnotatedElement, 949

Annotation, 952

annotations, 943–972

annotation factories, 957

annotation interface, 944, 949, 953

apt tool, 944, 956–962

bytecode engineering, 962–972

bytecodes, modifying at load time, 970

documented, 955

element types, 954

example, event handlers, 945–949

Javadoc, 944

JUnit tool, 944

marker, 950

Index



- image readers and writers, 513–523
 - images:
 - blurring, 532
 - creating, 524
 - edge detection, 532
 - file types, 514
 - filtering, 530
 - reading and writing from files, 514
 - reading and writing multiple, 515
 - rotating, 531
 - lines, antialiasing, 508
 - paint, 483–488
 - pens, 476
 - pixels, 488
 - affine transformation, 531
 - antialiasing, 508
 - images, creating, 524
 - Porter-Duff rules, 502
 - setPixels method, 525
 - setting to a color, 526
 - transparent, 500
 - print services document flavor, 559
 - printing, 539–575
 - banners, 549
 - cross-platform print dialog, 540
 - graphics, 539
 - multi-page, 549
 - native print dialogs, 544
 - preview, 550, 551
 - print job page count, 541
 - print service attribute reference, 572
 - print service attributes, 569
 - print services, 559
 - stream print services, 564
 - Windows page setup dialog, 545
 - Windows print dialog, 544
 - rendering, 455–513
 - antialiasing, 508
 - hints, 508
 - shape makers, 463
 - shapes:
 - boundary style, 475
 - class relationships, 459
 - classes, 458, 459
 - complex, 472
 - intersection and subtraction, 472
 - points, moving all, 489
 - rotation, 489
 - scaling, 489
 - shear, 489
 - translation, 489
 - strokes, 475–483
 - dash pattern, 477
 - example, 477
 - join style, 476
 - transformations, 490
 - transparency, 500–508
 - user interface, internationalizing, 811
 - AWTPermission, 713
- B**
- bank account transfer example:
 - bytecode, 26
 - deadlocks, 43
 - Java code, 24
 - lock, giving up, 31
 - overview, 22
 - banners, printing, 549
 - barriers, 65
 - BasicAttributes, 256
 - BasicStroke, 477, 482
 - batch updates, 240
 - BeanDescriptor, 665
 - BeanInfo, 641, 650, 665
 - beans:
 - defined, 617
 - EJBs versus JavaBeans, 617
 - see also JavaBeans
 - benchmarks for bit sets, 139
 - BER encoding format, 756
 - bevel join, 476
 - bilinear interpolation, 531
 - binary search, 133
 - binarySearch method, 133
 - binding:
 - IDL to Java translation, 299
 - names, 270
 - bit sets:
 - benchmark, 139
 - using, 139
 - BitSet, 139
 - BLOB data type, 194, 201
 - blocked threads, 16
 - blocking:
 - lock testing and timeouts, 44
 - on input/output, 16
 - put and take, 49
 - queues, 48
 - BlockingQueue, 53
 - blocks, synchronized, 40
 - thread safe, 55
 - blurring images, 532
 - Book, 558
 - BOOKS table, 190
 - BOOKSAUTHORS table, 190
 - Boolean renderer, 390
 - BOOLEAN data type, 194
 - bootstrap class loader, 694
 - bootstrap registry service, 266
 - bouncing ball:
 - multithreaded, 7
 - single-threaded, 2
 - bound properties, 632
 - bounding rectangle, 458



- buckets, 102
 - BufferedImage, 529
 - BufferedImageOp, 537
 - bulk operations, 126
 - bundle classes, 813
 - butt cap, 476
 - bytecode:
 - annotations, 962–972
 - class loaders, 696
 - interpreter, separate process, 269
 - modifying at load time, 970
 - modifying with hex editor, 703
 - verification, 701–705
 - bytecode verifier:
 - checks performed by, 701
 - corrupted class file, 704
 - ByteLookupTable, 538
- C**
- C:
- C types and Java types, 835
 - calling C function from Java, 831
 - Java strings, accessing, 838
 - native methods, 829
 - complete example, 864
 - error handling, 861
 - exceptions, 857
 - executing Java methods from C, 851
 - invocation API, 861
 - invocation API functions, 864
 - numeric parameters and return values, 835
 - sprint function, 840
 - see also* native methods
- C++:
- CORBA program, 303
 - CORBA server program, compiling, 304
 - forbidden words, 722
 - JNI and, 837
 - native methods, 829
 - complete example, 864
 - invocation API, 861
 - invocation API functions, 864
 - numeric values and return values, 835
 - see also* native methods
 - cached row sets, 231
 - CachedRowSet, 230, 238
 - Caesar cipher, 696
 - calculator, retirement, 815
 - calendars and internationalization, 794
 - call stack during permission checking, 709
 - Callable, 58
 - CallbackHandler, 740
 - canonical decomposition, 802
 - cascading:
 - internal frames, 441
 - windows, 440
 - catch clause, 15
 - CDATA sections, 883
 - CellEditor, 401
 - cells:
 - custom editors, 394
 - editing, 391
 - renderers, 354
 - rendering, 333, 390
 - rendering default actions, 390
 - selecting, 403
 - Certificate, 765
 - CertificateFactory, 765
 - certificates:
 - certificate fingerprints, 759
 - code source and, 707
 - generating, 758
 - keytool, 758
 - root certificate, 760
 - signing, 760
 - software developer, 770
 - X.509, 756
 - chain of trust, 754
 - Channels, 183
 - CHARACTER data type, 194
 - character encoding:
 - source files, 811
 - strings and native methods, 838
 - types, 811
 - character sets, internationalizing, 810–811
 - CharacterData, 893
 - checked views, 124
 - child nodes:
 - adding new, 348
 - concatenating values, 937
 - defined, 338
 - text strings, 886
 - traversing, 887
 - tree components, 338
 - tree paths, 346
 - choice formats, 809
 - Chromaticity, 572
 - Cipher, 775
 - CipherInputStream, 777
 - CipherOutputStream, 778
 - ciphers:
 - cipher streams, 777
 - public key, 778
 - speed issues, 778
 - symmetric, 772
 - circles:
 - classes, 458
 - half-circle stroke, 476
 - Class, 700, 709
 - class files:
 - annotations, 943
 - character encodings, 811
 - corrupted, 704
 - class loaders, 694–701

Index



- custom, 695
 - full name of class, 696
 - loading issues, 695
 - main and, 694
 - namespaces and, 696
 - policy files, 710
 - security managers and, 706
 - test program, 697
 - testing class loading, 276
 - types, 694
 - writing your own, 696
- classes:
 - dynamic class loading, 263
 - full name, 696
 - permission classes, 708
 - protection domain, 708
- ClassLoader, 696, 700
- client.policy file, 275
- client/server:
 - additional references (JDBC), 189
 - client implementation options, 258
 - database installation, 194
 - objects, transmitting between, 258
 - overview, 257
 - proxies, 259
 - traditional model (JDBC), 188
- Client/Server Databases*, 189
- Client/Server Programming with Java and CORBA*, 298, 311
- clients:
 - client object, defined, 260
 - CORBA client program example, 304
 - proxies, 259
 - RMI:
 - running, 271
 - running from scratch, 272
 - sample program, 270
 - serving multiple, 150
 - see also servers*
- Clipboard, 580, 582, 594
- clipboard:
 - AWT, 576–598
 - copying between Java and native program, 584
 - data transfer classes, 577
 - flavor listeners, 581
 - images, 583
 - Java data transfer capabilities, 576
 - Java objects, 594
 - local clipboard, 588
 - system clipboard, 594
 - text, 577
 - transferring Java objects, 594
 - transferring object references, 588
 - unsupported data types, 588
 - copying between Java and native program, 584
 - data transfer classes, 577
 - ClipboardOwner, 581
 - clipping, 496–500
 - CLOB data type, 194, 201
 - CloneNotSupportedException, 292
 - code blocks:
 - ReentrantLock, 27
 - synchronization, 22, 40
 - code files, *see* source files
 - code location, 707
 - code signing, 766–771
 - code sources:
 - call stack during permission checking, 709
 - properties, 707
 - security policies and, 707
 - code, native, *see* native methods
 - CodeSource, 710
 - collation:
 - collation key, 802
 - internationalizing, 801–807
 - test program, 802
 - CollationKey, 807
 - Collator, 806
 - Collection, 88, 92, 93, 111, 127
 - Collections, 125, 133, 134, 135
 - collections:
 - algorithms, 130
 - simple, 134
 - writing, 135
 - bulk operations, 126
 - checked views, 124
 - Collection, 88
 - collection interfaces, 131
 - collections framework, 118
 - classes, 121
 - extending, 128
 - interfaces, 119
 - concrete, 93
 - converting between arrays and, 127
 - generic utility methods, 91
 - generic versus linked lists, 95
 - interfaces, 85
 - versus implementation, 86
 - Iterable, 89
 - iterator traversing during modification, 97
 - legacy, 137
 - lightweight collection wrappers, 122
 - lists, modifiable or resizable, 132
 - ordered, 118
 - random access to, 99
 - reference, holding, 88
 - sorted, 104
 - subranges, 122
 - synchronized views, 124
 - views and wrappers, 120
 - views, unmodifiable, 123
 - Color, 483, 530



- ColorModel, 530
- colors:
 - color cell editor, 394
 - JavaBeans property editors, 644
 - Mandelbrot set, 526
 - pixel, setting to a color, 526
 - RGB standards, 525
 - transparency and composition, 500
 - see also* paint
- ColorSupported, 572
- columns:
 - databases:
 - result sets, 229
 - retrieving data, 222
 - table joins, 190
 - tables overview, 189
 - Swing:
 - hiding, 404
 - manipulating, 374
 - resizing, 402
 - selecting, 403
- COM interobject communication, 259
- comments:
 - annotation, 944
 - XML, 884
- commit and rollback, *see* transactions
- Comparable, 106, 109
- Comparator, 106, 109
- comparing hash maps and tree maps, 110
- compiler and annotations, 943
- component organizers, Swing, 429–453
- components:
 - frame, arranging in, 208
 - name components, 304
 - realized, 74
 - Swing and threads, 74
 - user interface, *see* AWT; Swing
- composition:
 - AWT, 500–508
 - Porter-Duff composition rules, 501
- Compression, 572
- Computer Graphics, Principles and Practice, Second Edition in C*, 462
- concrete collections, 93, 120
- concurrency, *see* access; synchronization
- Concurrent Programming in Java*, 2
- concurrent.locks.Condition, 35, 45
- ConcurrentHashMap, 54
- ConcurrentLinkedQueue, 54
- Condition, 35, 45
- condition objects:
 - implicit lock, 35
 - managing locked threads, 30
 - monitors, 40
 - newCondition method, 31
 - synchronized methods versus, 36
- conditions:
 - condition objects, 30
 - error conditions, 857
 - locks and, 27
 - race, *see* race conditions
 - termination conditions, 421
 - thread, waiting for, 17
 - validation conditions, 895
- connect method, 159, 161
- Connection, 196, 199, 201, 215, 219, 229, 241
- connections:
 - advanced database connections, 241
 - closing, 203
 - data source syntax, 195
 - database connection syntax, 195, 196
 - JDBC connection sample code, 196
 - overview, 202
 - pooling, 242
 - row sets, 230
 - syntax, 203
- constrained properties, 634
- constructors:
 - arc, 462
 - bulk operations, 126
 - EnumSet, 116
 - Java, calling, 849
 - messages, viewing, 294
 - object array, 373
 - server object activation, 292
 - thread groups, 20
 - tree models, 339
 - vectors and lists, 332
- Content-Encoding, 162
- ContentHandler, 926
- Content-Length, 162
- Content-Type, 162
- Context, 255, 273
- converting:
 - angles for arcs, 462
 - characters to ASCII, 811
 - characters to Unicode, 816
 - collections and arrays, 127
 - dates, 795
 - header types to numeric types, 161
 - host names and Internet addresses, 180
 - IDL files to Java, 301
 - Java images and native clipboard images, 583
 - parameters for remote invocation, 261
 - SQL and Java data types, 200
 - see also* data types; internationalization
- ConvolveOp, 538
- coordinates:
 - device coordinates, 488
 - moveTo method, 462
 - transformations, 488–496
- Copies, 572
- copying:
 - between Java program and native program, 584

Index



local parameters and result objects, 280
see also clipboard
 CopyOnWriteArrayList, 55
 CopyOnWriteArraySet, 55
 CORBA, 297–314
 additional references, 311
 C++ program, 303
 client program example, 304
 example program, 302
 name components, 304
 naming service, 298
 objects, locating through IOR, 309
 overview, 259
 RMI versus, 297
 servers, implementing, 309
 writing objects, 297
 CORBA.ORB, 309, 314
Core Java Foundation Classes, 347
Core JavaServer Faces, 242
Core Swing, Advanced Programming, 609
 Cormen, Thomas, 105
 CountdownLatch, 65, 66, 71
 countries:
 ISO country codes, 786
 retirement calculator internationalization
 example, 815
 see also internationalization
 createStatement method, 199
 cryptographic techniques:
 digital signatures, *see* digital signatures
 encryption, *see* encryption
 cryptography:
 additional references, 748
 public key, 747
Cryptography and Network Security, 742
 cubic curves, 460, 461, 463
 CubicCurve2D.Double, 471
 Currency, 794
 currency:
 formatting, 793
 identifiers, 794
 see also numbers
 currentThread method, 13
 cursors, 599
 result sets and, 217
 row number, setting to, 217
 curves:
 additional references, 462
 antialiasing, 508
 cubic, 460
 quadratic, 460
 Customizer, 671
 customizers:
 classes, 665
 property editors versus, 663
 writing, 663–671
 CyclicBarrier, 65, 71

D

daemon threads, 19
 Darwen, Hugh, 189
 dash pattern, 477
 DATA data type, 194
 data sources:
 document flavor, 559
 JDBC, connecting to database, 195
 JNDI, 241
 non-XML to XML, 925
 pooled connections, 242
 data structures:
 array lists, 101
 collection interfaces and implementations,
 86
 collections, 88
 collections and arrays, converting, 127
 elements, sorting, 105
 extending collections framework, 128
 hash sets, 101–104
 iterators, 88
 linked lists, 94
 maps, 110
 priority queues, 109
 sorting, 131
 view, 120
 wrappers, 120
 data transfer:
 classes, 577
 Java data transfer capabilities, 576
 see also clipboard
 data types, 835
 Java objects, copying, 594
 print services, 559
 SQL, 193
 advanced types, 201
 Java and, 200
 type conversions, 200
 unsupported, copying, 588
 Data Workshop, 703
 DatabaseMetaData, 221, 229, 241
 databases:
 connecting, 195–206
 connections, 230
 advanced, 241
 JNDI and, 242
 pooling, 242
 sample code, 196
 data source syntax, 195
 database connection syntax, 195, 196
 database programming, 185–241
 defined, 189
 hierarchical, 242–256
 JDBC communication with, 187
 LDAP, 242–256
 McKoi:
 connection syntax, 195, 196



- databases, McKoi (*continued*):
 - data source syntax, 195
 - default values, 197
 - web site, 194
 - metadata:
 - overview, 221
 - requesting, 222
 - sample program, 223
 - optimizing, 230
 - populating, 203
 - PostgreSQL:
 - connection syntax, 195, 196
 - data source syntax, 195
 - default values, 197
 - web site, 194
 - recommended, 194
 - row sets, 230
 - Swing, displaying in, 378
 - testing installation, 196
 - tools for viewing and editing, 222
 - transaction default mode, 239
 - transactions, 239
 - URLs, 195
 - see also* JDBC; SQL
- DataFlavor, 582
- Date, 162
- DATE data type, 194
- Date, C.J., 189
- DateFormat, 799
- dates:
 - calendar, 794
 - factory methods, 794
 - internationalizing, 794–800
 - retirement calculator internationalization
 - example, 815
 - see also* internationalization; time
- DateTimeAtCompleted, 572
- daylight saving time, 800
- days:
 - date formats, 784
 - retirement calculator internationalization
 - example, 815
 - see also* internationalization
- dead threads, 18
- deadlocks:
 - blocked threads, 31
 - diagram, 43
 - overview, 42
- debugging:
 - connection errors, 175
 - JDBC debugging tool, 196
 - networks, 143
 - RMI client, running from scratch, 272
- DECIMAL data type, 193
- decomposition mode, 802
- DefaultCellEditor, 392, 401
- DefaultListModel, 332
- DefaultMutableTreeNode, 345, 359
- DefaultPersistenceDelegate, 690
- DefaultTableModel, 410
- DefaultTreeCellRenderer, 360
- DefaultTreeModel, 345, 352
- defineClass method, 696
- degrees:
 - AWT arc angles and degrees, 460
 - radians, converting to, 462
- Delayed, 52
- DelayQueue, 49, 52
- delegates:
 - persistence, 675
 - predefined, 678
- DELETE statement, 193
- deployment:
 - applet deployment.properties file, 768
 - hot deployment, 696
 - RMI, 277
 - deployment checklist, 277
 - preparing, 274
- deployment.properties file, 768, 769
- DER rules, 756
- Derby web site, 194
- DES, 772
- destination pixel, 501
- device coordinates, 488
- dialogs:
 - cross-platform print dialog, 540
 - internal frames, 445
 - native print dialogs, 544
 - print preview, 551
 - print setup dialog, 543
 - Windows page setup dialog, 545
 - Windows print dialog, 544
- digests:
 - digest method, 743
 - message, *see* message digests
 - signed, 748
- digital fingerprint, *see* message digests
- digital signatures, 741–766
 - background, 741
 - DSA, 748
 - message signing, 747
 - VeriSign, 755
- DirContext, 255
- distinguished name, 243
- distorted angles, 462
- distributed objects, 257–319
 - binding names, 270
 - CORBA, 259, 297–314
 - garbage collection, 263
 - methods, remote, 258
 - proxies, 259
 - RMI, 259, 260–297
 - RMI setup, 263–266
 - server objects, locating, 266

Index



- SOAP, 259, 314–319
 - see also* CORBA; RMI; SOAP
 - distributed programming:
 - writing, CORBA versus RMI, 298
 - see also* CORBA; RMI; SOAP
 - DocPrintJob, 564, 575
 - Document, 893, 933
 - document type definitions, *see* DTDs
 - documentation, *see* annotations
 - DocumentBuilder, 893, 900, 933
 - DocumentBuilderFactory, 893, 900, 923
 - DOM:
 - overview, 884
 - parse tree, 888
 - SAX versus, 923
 - simple tree, 886
 - XPath, 916
 - DOMResult, 942
 - DOMSource, 934
 - DOUBLE data type, 194
 - downloading programs and security, 770
 - drag and drop:
 - AWT, 598–613
 - action types, 599
 - drag sources, 608
 - drop targets, 599
 - Swing, 613–616
 - additional references, 609
 - column resizing, 374
 - DragGestureEvent, 612
 - DragGestureListener, 612
 - dragging:
 - outline dragging in internal frames, 445
 - see also* drag and drop
 - DragSource, 612
 - DragSourceDropEvent, 613
 - DragSourceListener, 612
 - drawing:
 - area, restricting, 496
 - clipping, 496
 - see also* paint; shapes; strokes
 - Driver, 195
 - DriverManager, 196, 199, 201
 - drivers:
 - JDBC syntax, 195
 - manually registering, 196
 - names, obtaining, 195
 - drop targets, 599
 - DropTarget, 606
 - DropTargetDragEvent, 607
 - DropTargetDropEvent, 607
 - DropTargetListener, 607
 - DSA, 748
 - key generation algorithm, 750
 - public key exchange, 749
 - DTDs:
 - attribute types, 897
 - element content rules, 896
 - overview, 894
 - schema equivalents, 902
 - schema versus, 903
 - using, 895
 - XML complete example, 903
 - Duff composition rules, 501
 - dynamic class loading, 263
- ## E
- echo server, 149
 - edge detection of images, 532
 - eDirectory, 243
 - Element, 893, 933
 - elements:
 - adding, 96, 105
 - annotation element types, 954
 - annotations, 944
 - element content rules, 896
 - finding, 133
 - inserting, 105, 134
 - metadata, 944
 - removing, 90, 95, 119
 - sorting, 105
 - XML, 882
 - ellipses:
 - additional references, 462
 - classes, 458
 - elliptical arcs, creating, 460
 - e-mail, 153
 - Encoder, 690
 - encoding:
 - signatures for native methods, 846
 - source file character encoding, 811
 - strings and native methods, 838
 - encoding flag, 811
 - encryption, 771–782
 - cipher streams, 777
 - public key ciphers, 778
 - public/private key pairs, 747
 - symmetric ciphers, 772
 - end cap styles, 476
 - entities, 883
 - EntityResolver, 900
 - Enumeration, 137
 - enumeration:
 - Enumeration, 137
 - enumeration sets and maps, 116
 - JavaBeans persistence, 677
 - nodes, 352
 - EnumMap, 118
 - EnumSet, 117
 - env pointer, 837, 838
 - equality testing and SQL, 191
 - equals method, 291
 - Eratosthenes, Sieve of, 139
 - error handling and native methods, 857, 861



ErrorHandler, 900
 Evans, Jim, 390
 event dispatch thread, 7, 73
 event handlers:
 annotations example, 945–949
 attaching, 905
 customizers, 666
 event listeners:
 attaching, 905, 906
 threads and Swing, 74
 EventQueue, 78
 events:
 JavaBeans naming patterns, 629–631
 tree events, listening, 360
 EventSetDescriptor, 643
 ExceptionListener, 690
 exceptions:
 handlers for uncaught, 21
 RMI, 262
 Exchanger, 65, 66, 71
 exclusiveOr operations and areas, 472
 executables:
 controlling behavior, 766
 see also programs
 executeQuery method, 199, 201
 executeUpdate method, 199, 202
 execution:
 batch, 240
 class files loaded by virtual machine, 694
 native methods, interrupting, 838
 queries, 207–215
 scheduled, 63
 server-side script data flow, 168
 task efficiency, 63
 ExecutorCompletionService, 64
 Executors, 62, 63
 executors:
 scheduled execution, 63
 thread groups, controlling, 63
 thread pools, 59
 ExecutorService, 63, 64
 exit method, 706
 Expires, 162
 Expression, 691
 extension class loader, 694

F

fair locking policy, 44
 Feiner, Steven K., 462
 Felten, Ed, 709
 fields:
 conditions for safe concurrent access, 42
 instance fields, accessing, 845
 native methods:
 accessing, 842
 encoding scheme, 846
 instance fields, 842
 static fields, 846
 volatile, 41
 FilePermission SocketPermission, 712
 files:
 AWT image file types, 514
 class, *see* class files
 images:
 reading from, 514
 writing to, 514
 JAR, *see* JAR files
 fills, *see* rendering
 filter models:
 hiding rows, 404
 storing array of row indexes, 384
 table display of data, 384
 FilteredRowSet, 230
 filters:
 Swing sort filter, 384
 table model filter, 385
 findClass method, 696
 FlavorListener, 582
 flavors:
 clipboard, listing, 581
 clipboard-capable data, 577
 document flavors, 559
 for print services, 559
 MIME types and, 582
 FLOAT data type, 194
 Foley, James D., 462
 font render context, 497
 FontCellRenderer, 334
 fonts:
 font render context, 497
 stylized, 410
 XML font dialog, 906
 see also internationalization; JTextPane
 forests:
 defined, 338
 example, 344
 Format, 809
 format string, 809
 formats:
 certificate formats, 756
 choice formats, 809
 message formats, 807
 number formats for localization, 788
 supported clipboard formats, 576
 supported formats for image readers and
 writers, 513
 supported MIME types, 515
 see also message formats; number formats
 forms, posting data from, 167
 frames:
 internal, 438, 445
 cascading, 441
 illustration, 439
 tiling, 442

Index



- persistence, 673
- frameworks:
 - collection framework, 118
 - classes, 121
 - extending, 128
 - interfaces, 119
 - FROM clause, 191
 - Future, 55, 58
 - FutureTask, 56
- G**
- garbage collector:
 - copying collectors, 855
 - remote objects, 263
 - strings and native methods, 838
 - unused key, 114
 - weak hash maps, 114
- Gawor, Jarek, 246
- GeneralPath, 471
- generic collections, 95
- gestures, 599
- GET command, 168
- getBlob method, 201
- getCLOB method, 201
- getConnection method, 196, 199
- getContentEncoding method, 162
- getContentLength method, 162
- getContentType method, 162
- getDate method, 162
- getDescription method, 273
- getExpiration method, 162
- getInputStream method, 159, 169
- getLastModified method, 162
- getOutputStream method, 169
- GIF:
 - AWT image readers, 514
 - AWT, reading and writing multiple images, 515
 - print services, 559
 - printing from file, 559
- Godel's theorem, 701
- Goetz, Brian, 41
- Gong, Li, 694
- GradientPaint, 483, 487
- Graphic Java 2, 338
- Graphics, 500
- graphics:
 - classes, 458
 - clipboard, 576, 583
 - data flavors, 581
 - clipping, 496
 - coordinate transformations, 488
 - drag and drop, 598
 - filtering, 530
 - Graphics class, 456
 - manipulating, 524
 - printing, 539
 - readers and writers, 513
 - reading graphics file, 484
 - rendering, 455
 - scaling and rotating, 489
 - shapes, 457
 - threads and, 2
 - transparency and composition, 500
 - see also* images
- Graphics2D, 457, 482, 487, 496, 500, 507, 513
- GridBagPane, 906
- grids:
 - grid bag and XML, 903
 - grid bag layout example, 903
 - GridBagPane, 906
 - height and width attributes, 903
 - height and width positions, automatic, 904
 - JTable, 373
 - Swing rows and columns, 402
 - TableModel, 404
 - see also* Swing; tables
- groups:
 - thread groups, 20
 - threads, controlling, 63
- GSS-API, 779
- Gutmann, Peter, 758
- H**
- half-close, 180
- handlers:
 - uncaught exceptions, 21
 - see also* event handlers
- Hansen, Per Brich, 40
- Harkey, Dan, 298, 311
- hash codes, 102
- hash collisions, 102
- hash maps:
 - identity, 117
 - tree maps versus, 110
 - using, 110
 - weak hash maps, 114
- hash sets, 101–104
 - linked, 115
 - tree sets, 104
- hash tables, 102
 - linked, 115
 - load factor, 103
 - rehashing, 103
- hashCode method, 291
- HashMap, 114
- HashSet, 103, 104
- HashTable, 137, 138
- headers:
 - HTTP request header format, 161
 - methods for response header values, 161
 - XML, 881
- Henning, Michi, 298
- hex editor, 703



- hierarchical databases:
 - accessing, 249
 - LDAP, 242–256
 - hierarchies:
 - array types, 854
 - hash set attribute hierarchy, 571
 - Node interface and subinterfaces, 885
 - permissions classes, 708
 - print attribute hierarchy, 570
 - resource hierarchies, 812
 - tree structures, 337
 - see also* trees
 - Hoare, Tony, 40
 - hosts:
 - host names, converting to Internet addresses, 180
 - opening socket to, 153
 - Socket, 147
 - UnknownHostException, 146
 - HSQldb web site, 194
 - HTML:
 - population example, 170
 - posting form data, 167
 - print services, 559
 - XML and, 881
 - HTTP:
 - end of data, indicating, 180
 - methods for response header values, 161
 - port, accessing using telnet, 145
 - posting form data, 167
 - request header format, 161
 - URLConnection, 174
 - HyperlinkEvent, 415
 - HyperlinkListener, 412, 415
- I**
- Icon renderer, 390
 - identity hash maps, 117
 - IdentityHashMap, 118
 - IDL:
 - exceptions, 300
 - IDL to Java compiler, 298
 - inheritance, 301
 - WSDL and, 314
 - see also* Java IDL
 - IIImage, 523
 - IIOServiceProvider, 523
 - IllegalMonitorStateException, 39
 - ImageIO, 522
 - code for earlier than 1.4, 484
 - image readers and writers, 514
 - ImageReader, 522
 - ImageReaderWriterSpi, 523
 - images:
 - blurring, 532
 - clipboard, 583
 - creating, 524
 - edge detection, 532
 - file types, 514
 - files:
 - reading from, 514
 - writing to, 514
 - filtering, 530
 - manipulation, 524–539
 - printing, *see* graphics; printing
 - readers and writers, 513–523
 - reading, 524
 - reading and writing multiple images, 515
 - rotating, 531
 - ImageWriter, 523
 - incremental rendering, 524
 - indexed properties, 632
 - IndexedPropertyChangeEvent, 638
 - IndexedPropertyDescriptor, 643
 - InetAddress, 182
 - InetSocketAddress, 183
 - InitialContext, 273
 - InitialDirContext, 255
 - input streams:
 - cipher streams, 777
 - half-close, 180
 - progress, monitoring, 424
 - InputSource, 900
 - INSERT statement:
 - batch updates and, 240
 - syntax, 193
 - insertRow method, 219
 - Inside Java 2 Platform Security*, 694
 - inspecting JavaBeans properties, 626
 - installation:
 - bytecode transformer, 970
 - database, testing, 196
 - default handler, 21
 - Java Web Services Developer Pack, 316
 - JDBC, 194
 - proxy for server object, 259
 - security manager, 270
 - Tomcat, 275
 - instance fields:
 - accessing, 845
 - encoding scheme, 846
 - native methods, 842
 - Integer, 55
 - INTEGER data type, 193
 - interfaces:
 - collection, 85, 88
 - using, 131
 - collections framework, 119
 - iterator, 88
 - remote, 289
 - interlacing, 524
 - internal frames:
 - illustration, 439
 - Swing, 438

Index



- internationalization, 783–827
 - calendars, 794
 - character encoding of source files, 811
 - character sets, 810–811
 - choice formats, 809
 - collation, 801–807
 - collation key, 802
 - currency format, 793
 - date and time, 794–800
 - decomposition, 802
 - example, 815–827
 - factory methods, 794
 - locales, 784–788
 - combo box, 803
 - country codes, 786
 - language codes, 785
 - utility classes, 787
 - message formats:
 - placeholder index, 808
 - variables, 807
 - message formatting, 807–810
 - number formats, 788–794
 - currency format, 793
 - currency identifiers, 794
 - factory methods, 789
 - test program, 790
 - resource bundles, 811–815
 - bundle classes, 813
 - locating, 812
 - property files, 813
 - sorting, 801–807
 - source files, character encoding, 811
 - strings, 813
 - text files, 810–811
 - time zones, 794
 - Internet addresses:
 - converting host names to, 180
 - IPv6, 180
 - interpolation strategy, 531
 - interrupt method, 13
 - InterruptedException, 8, 13, 14, 56
 - catch clause, 15
 - interrupting:
 - interrupted status, 14
 - InterruptedException exception, 13
 - lock method, 45
 - threads, 3, 7, 13
 - interrupts, 175
 - intersect operations and areas, 472
 - Introduction to Algorithms*, 105
 - Introspector, 641
 - invocation of native methods, 861
 - API, 864
 - invokeLater method, 75
 - IOR, locating objects, 309
 - isInterrupted method, 13, 15
 - ISO:
 - ISO 216, 814
 - ISO 4217 currency identifiers, 793
 - ISO-3166 country codes, 786
 - ISO-639 language codes, 785
 - languages, specifying, 785
 - iSQL-Viewer database tool, 222
 - Iterable, 89
 - iterating:
 - result sets, 215
 - editing and, 218
 - without editing, 216
 - thread safe and collections, 55
 - Iterator, 88, 92
 - iterator method, 88
 - iterators:
 - advancing, 90
 - bulk operations versus, 126
 - conceptual overview, 90
 - generic utility methods, 91
 - Iterator, 88
 - removing elements, 90
 - traversing collection during modification, 97
- ## J
- JAAS, 728, 733
 - JAR files:
 - class loader issues, 695
 - jarsigner tool, 759
 - JavaBeans, packaging, 622
 - modifying bytecodes at load time, 970
 - resource bundles, 812
 - signing, 766, 767
 - jarsigner tool, 759, 767
 - Java:
 - 1.5 features, *see* JDK 5.0
 - C types and Java types, 835
 - C, calling from, 831
 - code files, *see* source files
 - constructors, calling, 849
 - data types and SQL data types, 200
 - databases, pure Java, 194
 - Java 2 security, 707, 709
 - Java programming language binding, 299
 - methods, calling, 847
 - native methods:
 - alternative method invocations, 849
 - complete example, 864
 - constructors, 849
 - executing Java methods from C, 851
 - speed, 830
 - nonstatic methods, 847
 - static methods, calling, 848
 - strings, accessing from C, 838
 - see also* native methods
 - Java 2D API, 458
 - Java IDL, 297–314
 - IDL syntax, 298
 - IDL to Java compiler, 298



- Java Memory Model and Thread Specification, 41
- Java System Directory Server, 243
- java.awt.datatransfer package, 580
- java.awt.dnd package, 606
- java.awt.geom package, 470
- java.awt.image package, 529
- java.awt.print package, 548
- java.beans package, 665
- java.lang package, 700
- java.rmi.server package, 265
- java.security package, 710, 722
- java.util.concurrent package, 49, 65
- java.xml.parsers package, 900
- JavaBeans, 617–691
 - bean info classes, 639–643
 - builder environment, 623
 - calendar bean, 620
 - customizers, 663–671
 - defined, 617
 - EJBs versus, 617
 - factory methods, constructing objects from, 677
 - image viewer bean, 620, 628
 - JAR files, 622
 - manifest file, 622
 - naming patterns, 629–631
 - persistence, 671–691
 - complete example, 681–691
 - delegate, 675
 - enumerations, 677
 - objects, 675
 - Swing, 672
 - XML, 672
 - properties, 619
 - bound, 632
 - constrained, 634
 - constructing objects from, 676
 - indexed, 632
 - property editors, 644–663
 - setting multiple at once, 663
 - simple, 631
 - transient properties, 678
 - window, 618
 - see also* customizers
 - property types, 631–639
 - rational, 618
 - requirements, 619
 - rich behavior, 619
 - writing, 619
 - writing applications, 621–628
- Javadoc and annotations, 944
- javap command, 847
- javaw command, 269
- javax.crypto package, 775
- javax.imageio package, 513, 522, 523
- javax.imageio.spi package, 523
- javax.print package, 564, 575
- javax.sql.rowset package, 230
- javax.swing package, 616
- javax.xml.parsers package, 893
- javax.xml.transform package, 934
- javax.xml.xpath package, 920
- JCE, 771
- JColorChooser, 616
- JComponent, 346, 453, 616, 639
- JDBC:
 - additional references, 201, 242
 - applets and, 189
 - application servers and, 189
 - basic programming concepts, 195
 - client/server model, 188
 - communication with database, 187
 - connections, advanced, 241
 - databases, connecting, 195–206
 - databases, populating, 203
 - debugging tool, 196
 - design overview, 186
 - driver manual registration, 196
 - drivers, 187
 - example tables, 189, 191
 - installation, 194
 - installation testing, 196
 - JDBC API, overview, 186
 - JDBC Driver API, overview, 186
 - JDBC-ODBC bridge, 187
 - issues, 194
 - metadata, 221
 - multi-tier model, 189
 - ODBC and, 186
 - overview, 185
 - queries, executing, 207–215
 - sample program, 203
 - SQL, commands:
 - executing, 199
 - syntax, 191
 - tables, joining, 190
 - text file, reading data from, 204
 - three-tier model, 188
 - transactions, 239
 - see also* databases; SQL; tables
- JDBC API Tutorial and Reference*, 201
- JdbcRowSet, 230
- JDesktopPane, 452
- JDK 5.0:
 - annotation interfaces, 953
 - annotations, 944
 - asList method, 122
 - bytecodes, modifying at load time, 970
 - checked views, 124
 - clipboard:
 - listing flavors, 581
 - querying directly, 577
 - reading string from, 577

Index



- collection classes, 86
- concurrency, 35
- database reference implementations, 231
- handlers, installing in threads, 21
- JDBC 3.0, 185
- loop shortcut, 89
- message formatting, 807
- multithreading, 2
- NamingEnumeration, 248
- printf function, 836
- printing tables, 374
- ReentrantLock, 27
- RSA algorithm, 778
- stub class generation, 266
- XML schemas, 895
- XPath, 916
- JEditorPane, 410, 415
- JFileChooser, 616
- JInternalFrame, 452
- JList, 322, 326, 331, 332, 336, 616
- JNDI:
 - data source location, 242
 - database connections and, 242
 - LDAP and, 247
 - RMI and, 267
 - tutorial, 247, 250
- JNI:
 - alternative method invocations, 849
 - C++ and, 837
 - env pointer, 837, 838
 - string conversion, 837
- join styles, 476
- JoinRowSet, 230
- JPEG:
 - AWT image readers and writers, 514
 - print services, 559
- JProgressBar, 428
- JSEE, 779
- JSplitPane, 433
- JSR 133, 41
- JTabbedPane, 437
- JTable, 373, 376, 390, 400, 409, 616
- JTextComponent, 616
- JTree, 338, 345, 351, 365, 616
- JUnit tool, 944
- K**
- Kahn, David, 696
- kernel, 539
- kernels, 532, 533
- key pairs:
 - example, 748
 - generating for RSA, 779
 - public key exchange, DSA, 749
 - types, 747
- key/value pairs:
 - key no longer used, 114
 - map example, 112
 - maps, 110
 - string values, 138
 - see also* hash maps; tree maps
- KeyGenerator, 776
- KeyPair, 753
- KeyPairGenerator, 750, 753
- keys:
 - defined, 747
 - message authentication, 754
 - public key ciphers, 778
 - random, generating, 773
 - symmetric, 778
 - VeriSign, 755, 756
- KeyStore, 765
- keystores, 758
 - certificate signing, 760
 - importing certificates into, 759
 - policy file, in, 767
- keytool, 758
- kinds, 304
- L**
- languages:
 - internationalizing, complete example, 815
 - ISO-3166 country codes, 786
 - ISO-639 language codes, 785
 - see also* internationalization
- languages, ISO, 785
- Last-Modified, 162
- LDAP, 242–256
 - attributes, 243
 - browser program, 246
 - connecting to server, alternate approach, 247
 - directory information, accessing, 247
 - entries, adding, 248
 - NamingEnumeration and, 248
 - populating server, 245
 - server configuration, 243
 - server products, 243
 - tree structure, 243
- Lea, Doug, 2
- leaf:
 - defined, 338
 - folder icons, 344
- Leben, Joe, 189
- legacy collections, 137
- Legion of Bouncy Castle, 762, 778
- Leiserson, Charles, 105
- lightweight collection wrappers, 122
- Lindholm, Tim, 703
- lines:
 - antialiasing, 508
 - dash pattern, 477
- linked hash sets, 115



- linked lists, 93
 - adding elements, 96
 - doubly linked, 94
 - hash tables, 102
 - methods, 98
 - reasons to use, 99
 - removing elements, 95
 - linked maps, 115
 - LinkedBlockingQueue, 49, 52
 - LinkedHashMap, 117
 - LinkedHashSet, 117
 - LinkedList, 101
 - List, 100, 126
 - ListCellRenderer, 336
 - listening to tree events, 360
 - ListIterator, 100, 119
 - ListModel, 331
 - lists:
 - array, 101
 - doubly linked, 94
 - horizontal and vertical wrap, 323
 - inserting and removing values, 331
 - JList, 322
 - linked, 93
 - adding elements, 96
 - array of, 102
 - generic collections versus, 95
 - methods, 98
 - reasons to use, 99
 - removing elements, 95
 - list models, 327
 - long, 327, 328
 - modifiable, 132
 - remote objects, listing, 269
 - rendering values, 332
 - resizable, 132
 - shuffling, 133
 - Swing, 321–337
 - ListSelectionListener, 327
 - ListSelectionModel, 410
 - load time, modifying bytecodes, 970
 - local clipboard, 588
 - local encoding of source files, 811
 - local loopback address, 149
 - local name, 922
 - Locale, 788
 - locales, 784–788
 - codes, expressing with, 786
 - combo box, 803
 - complete example, 815
 - country codes, 786
 - language codes, 785
 - utility classes, 787
 - localizing:
 - resource bundles, 811
 - see also* internationalization
 - lock, 29, 35, 45
 - lock method, 45
 - lock objects:
 - implicit lock, 35
 - monitors, 40
 - overview, 27
 - protecting method, 28
 - synchronized methods versus, 36
 - locks:
 - deadlocks, 42
 - explicit, 36
 - fair locking policy, 44
 - giving up, 31
 - implicit, 35
 - read/write, 45
 - synchronization without, 41
 - testing, 44
 - thread, waiting for, 17
 - timeouts, 44
 - logging RMI activity, 278
 - LoggingPermission, 714
 - login modules:
 - example, 735
 - JAAS, 733
 - LoginContext, 732
 - LoginModule, 741
 - LookupOp, 538
 - loops and collection interfaces, 131
 - lower limit, 809
 - lowercase characters, *see* collation
- ## M
- main method, 694, 724
 - Mandelbrot set, 526
 - manifest files:
 - annotations, 970
 - JAR files, 622
 - Map, 113
 - Map.Entry, 114
 - maps:
 - enumeration sets and, 116
 - linked, 115
 - property sets, 138
 - using, 110
 - margins, 541
 - marker annotation, 950
 - MarshaledObject, 292, 296
 - marshalling:
 - parameters, 261, 262
 - RMI, 261
 - Martin, James, 189
 - McGraw, Gary, 709
 - McKoi:
 - data source syntax, 195
 - default values, 197
 - driver name, 195
 - installation, testing, 196
 - web site, 194

Index



- MD5, 742
 - message authentication, 754
 - message digests:
 - computing, 743
 - overview, 741
 - properties, 742
 - message formatting:
 - choice formats, 809
 - internationalization, 807–810
 - placeholder value, varying message, 809
 - message signing, 747
 - MessageDigest, 742, 746
 - MessageFormat, 808
 - meta-annotations, 945
 - metadata:
 - JDBC, 221, 222
 - programs, adding to, 944
 - requesting, 222
 - sample program, 223
 - types, 222
 - method verification error, 704
 - methods:
 - annotated, 947, 954
 - convenience methods for response header values, 161
 - Java, calling, 847
 - JavaBeans, 677
 - remote, 258, 259
 - Swing and threads, 74
 - utility methods for collections and iterators, 91
 - see also* native methods
 - metric system, 814
 - Microsoft Active Directory, 243
 - MIME types:
 - AWT image readers and writers, 514
 - clipboard flavors, 582
 - Java object reference, 588
 - Java objects and system clipboard, 594
 - print service document flavors, 559
 - stream print services, 564
 - miter join, 476
 - miter limit, 477
 - models:
 - custom tree models, 365
 - filter models, 384
 - list models, 327
 - table model filter, 385
 - table models, 376
 - monitors, 40
 - months:
 - date formats, 784
 - see also* internationalization
 - moveToInsertRow method, 219
 - multiple document interface, 438
 - multitasking, 1
 - multithreading, 1–84
 - additional resources, 2
 - blocked threads, 13
 - bouncing ball, 7
 - catch clause, 15
 - deadlocks, 42
 - event dispatch thread, 7
 - interrupt method, 13
 - interrupted status, 13
 - InterruptedException, 8
 - lock objects, 27
 - lock testing and timeouts, 44
 - lock/condition objects versus synchronized methods, 36
 - monitors, 40
 - processes versus threads, 2
 - race conditions, 26
 - run method, 9
 - Runnable interface, 7
 - running two tasks in parallel, 7
 - separate thread procedure, 7
 - single- versus multithreaded program, 2
 - synchronization, 22
 - synchronized versus unsynchronized, 29
 - thread groups, 20
 - volatile fields, 41
 - see also* threads
 - MutableTreeNode, 345
- ## N
- name components, 304
 - NameCallback, 740
 - NameClassPair, 274
 - NameComponent, 309
 - NamedNodeMap, 894
 - namespaces:
 - class loaders, using as, 696
 - namespace URI, 922
 - node properties, 922
 - XML namespace mechanism, 921
 - Naming, 274
 - naming services:
 - connecting to, troubleshooting, 305
 - CORBA, 298
 - obtaining reference to, 311
 - locating, 304
 - orbd service, starting, 311
 - remote method calls with, 292
 - RMI, JNDI, 267
 - starting, 305
 - NamingContext, 309, 314
 - NamingEnumeration, 256, 274
 - native methods, 829–878
 - arrays:
 - accessing elements, 853
 - Java and C array types, 853
 - type hierarchy, 854

native methods (*continued*):

- C:
 - accessing Java strings from C code, 838
 - C function, calling from Java, 831
 - C types and Java types, 835
 - error handling, 861
 - exceptions, 857
 - executing Java methods from C, 851
 - fields, 842
 - instance fields, 842
 - Java and C array types, 853
 - manipulating Java arrays in C, 856
 - printf function, 836
 - spring, 840
 - string parameters, 837
 - class references, 843
 - complete example, 864
 - encoding signatures, 846
 - error handling, 857
 - fields:
 - accessing, 842
 - encoding scheme, 846
 - instance fields, 842
 - static fields, 846
 - invocation API, 861
 - functions, 864
 - Java:
 - accessing Java strings from C code, 838
 - alternative method invocations, 849
 - constructors, 849
 - executing Java methods from C, 851
 - Java and C array types, 853
 - manipulating in C, 856
 - methods, calling, 847
 - nonstatic methods, 847
 - static methods, 848
 - string parameters, 837
 - JNI, 837
 - numeric parameters, 835
 - return values, 835
 - speed issues, 830
 - sprint function, 840
 - string parameters, 837
 - Windows registry example, 866
 - Windows registry type inquiry functions, 877
 - native print dialogs, 544
 - native2ascii, 811
 - NetBeans, 623
 - NetPermission, 713
 - networking, 143–183
 - e-mail, 153
 - socket programming, advanced, 175
 - see also* distributed objects
 - new threads, 16
 - newCondition method, 30
 - Node, 885, 893, 923, 933
 - NodeList, 894
 - nodes:
 - child nodes, 338
 - enumeration, 352
 - namespaces and node properties, 922
 - parent, 338
 - rendering, 354
 - root nodes, 338
 - nonremote objects, 278
 - nonstatic methods, calling, 847
 - notify method, 39
 - notifyAll method, 39
 - Novell eDirectory, 243
 - number formats:
 - currency format, 793
 - currency identifiers, 794
 - factory methods, 789
 - internationalizing, 788–794
 - native methods, 835
 - printf, 836
 - test program, 790
 - NumberFormat, 792
 - NUMERIC data type, 193
 - numeric parameters and native methods, 835
- O**
- Object, 39, 104, 390
 - object classes:
 - equals method, 123
 - LDAP, 243
 - signal and wait methods, 36
 - Object Management Group, 299
 - object references:
 - CORBA, casting to subtype, 303
 - different virtual machines, 279
 - interoperable, IOR, 309
 - linked lists, 94
 - local references, copying, 576
 - transferring using local clipboard, 588
 - object variables:
 - object declaration, 262
 - remote objects, 262
 - stub object, 263, 289
 - objects:
 - comparing using tree sets, 105
 - CORBA objects, writing, 297
 - distributed, 257–319
 - see also* CORBA; RMI; SOAP
 - Java objects, transferring using local clipboard, 594
 - JavaBeans:
 - constructing objects from factory method, 677
 - constructing objects from properties, 676
 - persistence, 675
 - locating through IOR, 309

Index



- method calls on distributed, 258
 - object inspection tree, 365
 - references, transferring using local clipboard, 588
 - server objects, locating, 266
 - ODBC:
 - JDBC and, 186
 - JDBC-ODBC bridge issues, 194
 - Sun and, 188
 - OpenLDAP, 243
 - operations:
 - bulk, collection, 126
 - optional, views, 125
 - orbd service, starting, 311
 - ordering, *see* collation
 - Orfali, Robert, 298, 311
 - org.w3c.dom package, 893
 - org.xml.sax package, 900, 927
 - outline dragging, 445
 - output streams:
 - channel, turning into, 176
 - cipher streams, 777
 - connecting to server, 147
 - end of request, 180
 - half-close, 180
 - image writers and, 516
 - opening, 171
 - print services, 565
 - URLConnection, 169
 - writing DOM tree to, 927
- P**
- padding schemes, 772
 - PageFormat, 548
 - pages:
 - count of print job, 541
 - margins, 542
 - measurements, 542
 - multiple, printing, 549
 - numbers, 541
 - printing, 539
 - printing setup dialog, 543
 - width, 542
 - Windows page setup dialog, 545
 - see also* paper; printing
 - paint:
 - AWT, 483–488
 - Paint interface, 483
 - paintComponent method, 333
 - panes, 429–453
 - desktop, 438
 - split panes, 429, 430
 - tabbed panes, 433
 - paper:
 - margins, 541
 - sizes, 541
 - parameters:
 - local parameter and result objects, copying, 280
 - marshalling, 261, 262
 - numeric parameters and native methods, 835
 - remote methods, passing in, 278
 - string parameters and native methods, 837
 - parsing:
 - DOM:
 - parse tree, 888
 - SAX versus, 884, 923
 - simple tree, 886
 - SAX, 923
 - XML, 903
 - documents, 884
 - DOM versus SAX, 884
 - PasswordCallback, 740
 - pasting, *see* clipboard
 - paths:
 - curves, 458
 - shapes and lines, 463
 - trees, 346
 - patterns for shapes, *see* rendering
 - PDF print services, 559
 - pens, *see* end cap styles; strokes
 - performance:
 - batch updates, 240
 - database and BLOBs, 201
 - fair lock, 44
 - hash tables, 103
 - internal frames, 445
 - linked lists, 119
 - prepared statements, 207
 - threads, 59
 - XML, 260
 - Permission, 722
 - permissions:
 - ActiveX issues, 767
 - applet, signed, 768
 - authorization and, 729
 - call stack during permission checking, 709
 - class hierarchy, 708
 - custom, 715
 - custom security manager, 722
 - implementation of class, 717
 - implying, 716
 - ordering, 716
 - permission file, 708
 - protection domain, 708
 - security managers and, 706–741
 - security policies, 707
 - target formats, 714
 - targets and actions, 712
 - test program, 718
 - user, 729
 - see also* security



- persistence:
 - JavaBeans, 671–691
 - complete example, 681–691
 - enumerations, 677
 - objects, 675
 - persistence delegate, 675
 - Swing, 672
 - transient properties, 678
 - see also* databases
- PersistenceDelegate, 690
- pixels:
 - affine transformation, 531
 - antialiasing, 508
 - coordinate transformation, 488
 - images, creating, 524
 - pen and boundary strokes, 475
 - Porter-Duff composition rules, 502
 - RGB values, 500
 - setPixels method, 525
 - setting to a color, 526
 - shapes, transforming, 488
 - source and destination, 501
 - transparent, 500
 - see also* images; rendering
- placeholders and message formats, 808
- planet icons, 390
- PNG:
 - AWT image readers and writers, 514
 - print services, 559
- policy files, 710
 - custom permissions, 715
 - locations, 710
 - platform independent, 715
 - specifying, 711, 768
- policytool, 715
- polygons, 463
- pools:
 - connection, 60
 - database connection pooling, 242
 - thread pools, 59
 - control, 63
- population example, 170
- Portable Object Adaptor, 310
- Porter-Duff composition rules, 501, 502
- ports:
 - e-mail program, 153
 - HTTP port 80, 275
 - HTTP, accessing using telnet, 145
 - port ranges, 714
 - RMI registry, 275
 - telnet, connecting using, 146
- POST command, 168
- PostgreSQL:
 - data source syntax, 195
 - default values, 197
 - driver name, 195
 - installation, testing, 196
- postOrderTraversal, 353
- PostScript print services, 559, 564
- predefined delegates, 678
- preemptive multitasking, 1
- preOrderTraversal, 353
- prepared statements:
 - caching, 208
 - writing, 207
- PreparedStatement, 215
- Principal, 733
- principals, 730
- print services:
 - document flavors, 559
 - print attributes, 569
 - stream print services, 564
- Printable, 548
- PrinterJob, 548, 558
- printf function, 831
- printing:
 - AWT, 539–575
 - banners, 549
 - cross-platform print dialog, 540
 - graphics, 539
 - multi-page printing, 549
 - native print dialogs, 544
 - page setup dialog, 543
 - preview, 550, 551
 - print job page count, 541
 - print service attributes, 569, 572
 - hierarchy, 570
 - reference, 572
 - print services, 559
 - stream print services, 564
 - Windows page setup dialog, 545
 - Windows print dialog, 544
 - PrintService, 564, 575
 - PrintServiceLookup, 564
 - PrintWriter, 169
 - priority queues, 109
 - PriorityBlockingQueue, 49, 52
 - PriorityQueue, 110
 - private keys:
 - authentication through intermediary, 754
 - certificate signing, 760
 - DSA, 748
 - PrivilegedAction, 733
 - PrivilegedExceptionAction, 733
 - product service implementation, 281
 - ProductImpl, 264
 - programs:
 - annotations, 943
 - controlling, *see* code signing
 - downloading and security, 770
 - metadata, 944
- progress bars:
 - illustration, 416

Index



- indeterminate, 417
 - simple, 416
 - threads, 416
 - progress indicators, 416–429
 - progress monitors:
 - creating, 420
 - illustration, 421, 425
 - input streams, 424
 - ProgressMonitor, 429
 - ProgressMonitorInputStream, 424, 429
 - Properties, 138
 - properties files:
 - database connections, advanced, 241
 - JDBC sample file, 196
 - reading, 196
 - resource bundles, 813
 - XML and, 880
 - properties windows, 618
 - properties, JavaBeans:
 - bound, 632
 - constrained, 634
 - constructing objects from properties, 676
 - guidelines, 619
 - indexed, 632
 - naming patterns, 629–631
 - property editors, 644–663
 - GUI-based, 653
 - property types, 631–639
 - setting multiple properties at once, 663
 - simple, 631
 - transient properties, 678
 - property inspector, 626, 628
 - property sets, 138
 - property settings, vetoing, 443
 - PropertyChangeEvent, 453, 638
 - PropertyChangeListener, 637
 - PropertyChangeSupport, 637
 - PropertyDescriptor, 642, 650
 - PropertyEditorManager, 649
 - PropertyEditorSupport, 652, 662
 - PropertyPermission, 712
 - PropertyVetoException, 453, 639
 - protection domain, 708
 - ProtectionDomain, 709
 - protocols, half-close, 180
 - proxies, 259
 - public key ciphers, *see* ciphers
 - public key cryptography, 747
 - DSA keys, 748
 - example, 748
 - Standard #5, 772
 - public keys:
 - authentication through intermediary, 754
 - DSA, 748
 - encryption and speed issues, 778
 - giving to another person, 758
 - public/private key pair types, 747
 - PUBLISHERS table, 190
 - put method, 49
- Q**
- QuadCurve2D.Double, 471
- quadratic curves, 460, 461, 463
- qualified name, 922
- queries:
 - efficiency of UPDATE, 219
 - executing, 207–215
 - prepared statements, 207
 - result sets, analyzing, 199
 - SQL, writing, 191
 - Statement objects and, 202
 - table, displaying results in, 379
- Queue, 53
- queues:
 - blocking, 48
 - implementation, 87
 - interface, 86
 - priority, 109
- R**
- race conditions, 22, 26
- radians, converting to degrees, 462
- random:
 - access in collections, 99
 - keys, generating, 773
 - numbers, 749
 - shuffling, 133
- Raster, 529
- read/write locks, 45
- readers, image, 513–523
- REAL data type, 194
- records:
 - defined, 189
 - displaying, 378
- rectangles:
 - bounding rectangle for ellipses, 458
 - classes, 458
 - shape maker, 463
- red-black trees, 105
- redundancy elimination, 672
- ReentrantLock, 27, 29, 44
- ReentrantReadWriteLock, 46
- references:
 - character, 883
 - entity, 883
 - object references and local clipboard, 588
- ReflectPermission, 713
- registry service, 266
- remote interfaces, 289
- remote methods:
 - calling, 273
 - parameter passing, 278
 - stub, 262



- remote objects:
 - cloning, 292
 - CORBA example, 302
 - CORBA objects, writing, 297
 - equals and equals methods, 291
 - garbage collection, 263
 - listing, 269
 - locating, 266
 - locating through IOR, 309
 - passing, 289
 - passing nonremote objects, 278
 - remote interfaces, 289
 - server object activation, 292
 - stubs and parameter marshalling, 261
 - see also* distributed objects
- remote sites, retrieving information, 157
 - using URLConnection, 159
- RemoteException, 292
- RemoteObject, 265
- RemoteServer, 265
- rendering:
 - AWT, 455–513
 - antialiasing, 508
 - font render context, 497
 - rendering hints, 508
 - Swing:
 - cells, 333, 354, 390
 - default actions, 390
 - nodes, 354
- RenderingHints, 513
- rendezvous patterns, 65
- RescaleOp, 538
- resizing columns in Swing, 402
- resource bundles, 811–815
 - bundle classes, 813
 - locating, 812
 - properties files, 813
 - retirement calculator internationalization
 - example, 816
- ResourceBundle, 815
- responses:
 - header fields, 161, 166
 - methods for response header values, 161
 - server-side scripts, 168
- result objects and local parameters, 280
- result sets:
 - analyzing, syntax, 199
 - cursors, 217
 - optimizing, 219
 - overview, 202
 - ResultSet, 216
 - ResultSet concurrency values, 217
 - row order, 200
 - row sets versus, 230
 - scrolling without editing, 216
 - text box, displaying in, 209
 - updatable, 218
 - updatable and scrollable, 215
- ResultSet, 200, 202, 216, 217, 220, 230
- ResultSetMetaData, 230
- ResultSetTableModel, 379
- resume method, 18
- retention annotation, 954
- retirement calculator internationalization
 - example, 815–827
- return values and native methods, 835
- RFC 2616, 161
- RGB:
 - AWT transparency and composition, 500
 - standards, 525
- Rivest, Ronald, 105, 742, 747
- RMI, 260–297
 - binding names, 270
 - bootstrap registry service, 266
 - class naming conventions, 266
 - client sample program, 270
 - client, running, 271
 - from scratch, 272
 - CORBA versus, 297
 - deployment, 277
 - checklist, 277
 - preparing, 274
 - dynamic class loading, 263
 - equals and hashCode methods, 291
 - exceptions, 262
 - fundamental classes, 265
 - interfaces, 263
 - logging activity, 278
 - marshalling, 261
 - nonremote objects, passing, 278
 - overview, 259
 - parameter passing in remote methods, 278
 - product service implementation, 281
 - remote interfaces, 289
 - remote methods, calling, 273
 - remote objects:
 - cloning, 292
 - passing, 289
 - security managers, 263
 - server object:
 - activation, 292
 - defined, 260
 - server, starting, 269
 - setting up, 263–266
 - simple test directory, 276
 - stub class generation, 266
 - stubs, 261
 - web server, 275
- rmic:
 - classes in packages, 266
 - errors, 269
- RMISecurityManager, 271
- roles:
 - authentication and login modules, 733

Index



- custom login module, 735
 - mapping users to, 733
 - policy files, 733
 - users, passwords and, 733
- rollback, 239
- root certificate, 760
- root elements, 882
- rotation:
 - coordinate transformation, 489
 - images, 531
- round cap, 476
- round join, 476
- RoundRectangle2D, 460
- RoundRectangle2D.Double, 470
- row sets:
 - cached, *see* cached row sets
 - using, 230
 - when to use, 230
- rows:
 - defined, 189
 - inserting, 219
 - Swing:
 - adding/removing rows, 404
 - manipulating, 374
 - selecting, 403
 - sorting, 384
- RowSet, 238
- RSA, 747
 - patent expiration, 778
 - RSA Security, 762, 773
- run method, 7
 - blocked thread, 13
 - interrupting threads, 13
 - Runnable object, 9
- Runnable, 7, 13
- runnable threads, 16
- runtime stack and bytecode verifier, 701
- RuntimePermission, 712
- S**
- sandbox:
 - defined, 707
 - policy files, 767
 - running code outside, 766
- SASL, 779
- save points, 239
- SavePoint, 241
- SAX:
 - DOM versus, 923
 - overview, 884
 - parsing, 923
- SAXParser, 926
- SAXParserException, 900
- SAXParserFactory, 926
- SAXSource, 942
- scaling graphics, 489
- Scanner, 147
- scheduled execution, 63
- ScheduledExecutorService, 63
- schemas:
 - additional references, 901
 - DTD equivalents, 902
 - DTDs versus schema parsing, 903
 - using, 901
 - XML complete example, 903
- scrolling, result sets:
 - cursor, 217
 - editing and, 218
 - scrollable, 215
 - syntax, 217
 - without editing, 216
- search, binary, 133
- SecretKeyFactory, 777
- SecretKeySpec, 777
- security, 693–782
 - additional references, 709, 742
 - authentication, 728
 - intermediary, 754
 - keys, 754
 - role-based, 733
 - authorization, 728
 - bytecode verification, 701–705
 - certificates:
 - certificate fingerprints, 759
 - generating, 758
 - signing, 760
 - software developer, 770
 - X.509, 756
 - ciphers and speed issues, 778
 - class loaders, 694–701
 - namespaces and, 696
 - policy files, 710
 - writing your own, 696
 - code signing, 766–771
 - digital signatures, 741–766
 - downloading programs, 770
 - DSA public key exchange, 749
 - encryption, 771–782
 - cipher streams, 777
 - public key ciphers, 778
 - symmetric ciphers, 772
 - JAR file signing, 766
 - Java 2, 707
 - key pairs, 747
 - DSA, 748
 - example, 748
 - public and private, 747
 - keys:
 - authentication, 754
 - random, generating, 773
 - message authentication, 754
 - message digests, 741
 - message signing, 747
 - monitors, 40



- security (*continued*):
- native methods and error handling, 857
 - permissions:
 - ActiveX issues, 767
 - applet, signed, 768
 - authorization and, 729
 - call stack during permission checking, 709
 - class hierarchy, 708
 - class implementation, 717
 - custom, 715
 - custom security manager, 722
 - implying, 716
 - ordering, 716
 - target formats, 714
 - targets and actions, 712
 - test program, 718
 - user, 729
 - policy files, 710
 - custom permissions, 715
 - locations, 710
 - platform independent, 715
 - security managers, 706–741
 - custom, 722
 - test program, 725
 - types of, 693
 - using class loaders and namespaces, 696
 - VeriSign, 756
 - X.509 certificate format, 756
 - see also* permissions
 - Security Java*, 709
 - security managers, 263, 706–741
 - applets, 270
 - checks performed by, 706
 - custom, 722
 - test program, 725
 - security policies, 707
 - SecurityManager, 709, 728
 - SecurityPermission, 713
 - SELECT statement, 191
 - self-signed certificates, 759
 - Semaphore, 65, 66, 72
 - Serializable, 279
 - SerializablePermission, 713
 - serialization:
 - defined, 279
 - Swing components, 672
 - servers:
 - client/server overview, 257
 - connecting to, 143, 159
 - CORBA, implementing, 309
 - half-close, 180
 - implementing, 147
 - LDAP configuration, 243
 - local loopback address, 149
 - multiple clients, 150
 - object activation, 292
 - posting form data, 167
 - RMI, starting, 269
 - server object, defined, 260
 - simple example, 143
 - threads for multiple clients, 150
 - ServerSocket, 147, 150
 - services:
 - print service attributes, 569
 - print services, 559
 - stream print services, 564
 - see also* print services
 - Set, 111
 - setProgress method, 421
 - sets:
 - bit sets, 139
 - property, 138
 - result, *see* result sets
 - SGML and XML, 881
 - SHA1, 741
 - Shamir, Rivest, and Adleman, 747
 - Shape, 458, 472
 - shapes:
 - antialiasing, 508
 - boundary style, 475
 - class relationships, 459
 - classes, 458, 459
 - clipping, 496
 - complex, creating, 472
 - coordinate transformations, 488
 - intersection, subtraction, 472
 - JDK 1.0 process, 456
 - points, moving all, 489
 - rotation, 489
 - scaling, 489
 - shape makers, 463
 - shear, 489
 - size, restricting, 496
 - translation, 489
 - see also* areas
 - shearing, 489
 - shuffling, 131
 - Sieve of Eratosthenes, 139
 - signalAll method, 31
 - Signature, 753
 - signatures:
 - code signing, *see* code signing
 - digital, *see* digital signatures
 - encoding for native methods, 846
 - message signing, *see* message signing
 - signing:
 - certificates, *see* certificates
 - code, *see* code signing
 - simple properties, 631
 - SimpleDoc, 564
 - single-thread rule:
 - exceptions to, 74
 - Swing threads and, 73

Index



- single-value annotation, 950
- sleep method, 7, 8
 - blocked threads, 16
 - interrupted status, clearing, 14
 - isInterrupted and, 14
- SMALLINT data type, 193
- SOAP, 314–319
 - overview, 259, 314
 - see also* web services
- Socket, 147, 182
- SocketChannel, 183
- sockets:
 - advanced programming, 175
 - e-mail, 153
 - half-close, 180
 - interruptible, 176
 - opening, 146, 153
 - timeouts, 175
 - URL connections, 157
 - URLs and URIs, 157
- SortedMap, 114, 126
- SortedSet, 109, 126
- sorting:
 - collections, 131
 - elements, 105
 - filter models, 384
 - Swing filter model, 384
 - Swing sort filter, 384
 - see also* collation
- source code:
 - annotations, 943
 - processing, 956
 - bytecode engineering, 962–972
 - character encoding, 811
 - metadata, 944
- source pixel, 501
- split panes, 429
- sprint function, 840
- SQL, 199
 - additional references, 189, 201
 - commands:
 - executing, 199
 - syntax, 191
 - data types, 193
 - advanced, 201
 - Java data types, 200
 - equality testing, 191
 - joins, 192
 - optimizing result sets, 219
 - overview, 189
 - prepared statements, 207
 - queries:
 - executing, 207–215
 - writing, 191
 - sample JDBC program, 203
 - statements and syntax, 191
 - text file, reading data from, 204
 - transactions, 239
 - type conversions, 200
 - see also* databases; JDBC
- SQLException, 202
- SQLPermission, 714
- square cap, 476
- Squirrel database tool, 222
- SSL over HTTP, 779
- Stack, 138
- stack:
 - call stack during permission checking, 709
 - Stack class, 138
- Stallings, William, 742
- standard annotations, 953–956
- Statement, 199, 201, 202, 241, 691
- statements:
 - overview, 202
 - prepared, 207
 - transactions, 239
- states, threads, 15–18
- static fields and native methods, 846
- static methods:
 - Java, calling, 848
 - synchronized, 41
- Stein, Clifford, 105
- stop method, 46
- StreamPrintServiceFactory, 569
- StreamResult, 934
- streams:
 - cipher, 777
 - JavaBeans, 671–691
 - print services, 564
 - saving object to stream, 673
- StreamSource, 941
- string parameters, 837
- strings:
 - choice formats, 810
 - conversion for native methods, 837
 - internationalizing, 813
 - Java strings, accessing from C, 838
 - property sets, 138
 - string parameters, 837
 - native methods and, 837
 - see also* messages
- strokes:
 - AWT, 475–483
 - dash pattern, 477
 - example, 477
 - join style, 476
- Structured Query Language, *see* SQL
- stubs:
 - class generation, 266
 - nonremote objects, passing, 278
 - remote method, calling, 273
 - remote objects:
 - locating, 266
 - passing, 289



- stubs (*continued*):
 - RMI, 261
 - deployment checklist, 277
 - security managers, 263
 - stub object, 263
- Subject, 732
- subranges, 122
- subtract operations and areas, 472
- subtrees, 342
- Suetonius, 696
- Sun Microsystems:
 - laws of logic versus, 702
 - Legion of Bouncy Castle, 778
 - sun.security.x509 package, 762
- suspend method, 46
- Swing:
 - additional references, 338
 - advanced, 321–453
 - cells:
 - custom editors, 394
 - editing, 391
 - rendering, 333, 354, 390
 - rendering default actions, 390
 - selecting, 403
 - columns:
 - hiding, 404
 - resizing, 402
 - selecting, 403
 - component organizers, 429–453
 - data transfer, 613
 - drag and drop, 613–616
 - filter models, 384
 - fonts, stylized, 410
 - frames, internal, 438
 - cascading, 441
 - dialogs in, 445
 - illustration, 439
 - outline dragging in, 445
 - tiling, 442
 - JavaBeans persistence, 672
 - JTable, 373
 - lists, 321–337
 - inserting and removing values, 331
 - list models, 327
 - long, 327, 328
 - rendering values, 332
 - wrap, 323
 - nodes:
 - enumeration, 352
 - rendering, 354
 - panes, 429–453
 - desktop, 438
 - split panes, 429
 - tabbed panes, 433
 - persistence, 673
 - progress bars, 416
 - progress indicators, 416–429
 - progress monitors:
 - creating, 420
 - input streams, 424
 - property settings, vetoing, 443
 - queries, displaying, 379
 - rows:
 - adding/removing columns, 404
 - selecting, 403
 - single-thread rule, 73
 - sort filters, 384
 - table model filter, 385
 - tables, 373–410
 - simple, 373
 - table model filter, 385
 - table models, 376
 - text components, 410–415
 - thread safety issues, 72
 - threads and, 72
 - trees, 337–372
 - custom tree models, 365
 - diagram, 338
 - editing, 346
 - forest, 344
 - inheritance, 353
 - object inspection tree, 365
 - overview, 337
 - paths, 346
 - simple, 339
 - subtrees, collapsed and expanded, 342
 - terminology, 338
 - tree events, listening, 360
 - user interface, internationalizing, 811
 - windows:
 - cascading, 440
 - close buttons, 444
 - tiling, 440
 - workers, 78
- SwingWorkerTask, 78
- symmetric ciphers, *see* ciphers
- synchronization:
 - blocks, 40
 - foregoing, issues, 41
 - lock/condition objects versus synchronized, 36
 - lock-free, 41
 - monitors, 40
 - overview, 22
 - race conditions, 22
 - ReentrantLock, 27
 - static methods, 41
 - synchronization motto, 41
 - synchronization wrapper, 55
 - synchronized keyword, 35
 - unsynchronized versus, 29
 - volatile fields, 41
 - see also* locks; multithreading
- synchronized blocks, 40

Index



- synchronized keyword, 35, 36
 - synchronized views, 124
 - synchronizers, 65
 - SynchronousQueue, 65, 66, 71
 - syntax:
 - annotation, 949–952
 - Java IDL, 298
 - JDBC, 195
 - native methods, 842
 - remote method calls, 262
 - SQL, 191
 - URI specification, 158
 - user authentication, 728
 - XML DTD, 895
 - XML element attributes, 897
 - XML schema, 901
 - XML schema syntax, 895
 - System, 118, 728
 - system class loader, 694, 695
 - system clipboard, 594
- T**
- tabbed panes, 433
 - Table class relationships, 393
 - table models, 376–384
 - cell editing and, 391
 - JTable, 373
 - rows, adding and removing, 404
 - TableCellEditor, 402
 - TableCellRenderer, 391, 401
 - TableColumn, 401, 409
 - TableColumnModel, 401
 - TableModel, 389, 400
 - tables:
 - JDBC example tables, 189, 191
 - joining, 192
 - benefits, 190
 - metadata:
 - requesting, 222
 - sample program, 223
 - rows, inserting new, 219
 - Swing, 373–410
 - records, displaying, 378
 - rows and columns, 374
 - simple, 373
 - table model filter, 385
 - table models, 373, 376
 - take method, 49
 - target names, 712
 - TCP, 182
 - telnet:
 - debugging, 143
 - multiple windows simultaneously, 151
 - using, 145
 - text:
 - clipboard, 577
 - Swing text components, 410–415
 - see also* character sets; strings
 - text files, internationalizing, 810–811
 - TextLayout, 500
 - TexturePaint, 483, 488
 - The Codebreakers*, 696
 - The Java Virtual Machine Specification*, 703
 - Thread, 7, 13, 15, 18, 19, 20, 22, 701
 - thread safe:
 - Swing, 72
 - synchronized views, 124
 - ThreadGroup, 20, 22
 - ThreadPoolExecutor, 63
 - threads, 1–84
 - bad Swing example, 72
 - blocked, 16
 - blocked threads, 13
 - blocked, making runnable, 17
 - blocking on input/output, 16
 - blocking queues, 48
 - bouncing ball example, 2
 - condition objects, 30
 - condition, waiting for, 17
 - daemon threads, 19
 - dead, 18
 - deadlock situations, 31
 - deadlocks, 42
 - deprecated methods, 46
 - event dispatch thread, 7, 73
 - event listeners, 74
 - explicit locks, 36
 - fair locking policy, 44
 - groups, controlling, 63
 - implicit locks, 35
 - interrupted status, 13
 - interruptible sockets, 176
 - interrupting, 13
 - programs, 7
 - java.util.concurrent package, 65
 - lock objects, 27
 - lock testing and timeouts, 44
 - locks:
 - giving up, 31
 - waiting for, 17
 - making any class thread safe, 55
 - monitors, 40
 - multiple clients for a server, 150
 - new, 16
 - overview, 2
 - priorities, 19
 - properties, 18–22
 - race conditions, 22
 - requesting thread termination, 13
 - runnable, 16
 - scheduled execution, 63
 - scheduling, 16
 - separate, running task in, 7
 - states, 15–18



- threads (*continued*):
 - suspended, 18
 - Swing and, 72
 - Swing and single-thread rule, 73
 - Swing workers, 78
 - synchronization, 22
 - synchronized versus unsynchronized, 29
 - synchronized views, 124
 - thread groups, 20
 - thread pools, 59, 60
 - thread-safe collections, 55
 - see also* multithreading
 - tiling:
 - internal frames, 442
 - windows, 440
 - time:
 - calendar, 794
 - internationalizing, 794–800
 - retirement calculator internationalization
 - example, 815
 - see also* dates; internationalization
 - time of day service, 144
 - time zones, 794
 - TimeoutException, 56
 - timeouts:
 - lock testing and, 44
 - trylock method without, 45
 - using, 175
 - TIMESTAMP data type, 194
 - TimeZone, 800
 - Tivoli Directory Server, 243
 - Toolkit, 580
 - Topley, Kim, 347, 609
 - transactions:
 - autocommit, turning of, 239
 - batch updates, 240
 - default mode, 239
 - overview, 239
 - save points, 239
 - transfer method, 36
 - Transferable, 582
 - TransferHandler, 616
 - Transferrable, 581
 - transferring:
 - Java objects using system clipboard, 594
 - object references using local clipboard, 588
 - Swing data transfer, 613
 - TransferRunnable, 23
 - transformations:
 - composing, 490
 - coordinate, *see* coordinate transformations
 - example, 935
 - XML, 934
 - Transformer, 934
 - TransformerFactory, 934, 941
 - transforming shapes, *see* rendering
 - translation:
 - coordinate transformation, 489
 - see also* internationalization
 - transparency, 500–508
 - traversing trees, 352
 - tree maps, 110
 - tree sets, 104, 105
 - object comparison, 105
 - priority queues, 109
 - TreeCellRenderer, 360
 - TreeMap, 114
 - TreeModel, 345, 372
 - TreeModelEvent, 372
 - TreeModelListener, 372
 - TreeNode, 345, 352
 - TreePath, 352
 - trees:
 - classes, 339
 - custom tree models, 365
 - defined, 338
 - diagram, 338
 - directory trees, 337
 - editing, 346
 - forest, example, 344
 - inheritance, 353
 - LDAP data structure, 243
 - nodes, 340
 - object inspection, 365
 - paths, 346
 - simple, 339
 - simple example, 340
 - subtrees, expanded, 342
 - Swing, 337–372
 - traversal order, 353
 - tree selection listener, 360
 - TreeSelectionEvent, 365
 - TreeSelectionListener, 365
 - TreeSet, 105, 109
 - tryLock method, 45
 - type 1-4 drivers, 187
- ## U
- UDP, 182
 - UncaughtExceptionHandler, 21, 22
 - UnicastRemoteObject, 265
 - unmodifiable views, 123
 - UPDATE statement, 193, 219
 - updates, batch, 240
 - updating:
 - batch updates in transactions, 240
 - result sets, updatable, 215, 218
 - uppercase characters, *see* collation
 - URIs:
 - parsing, 158
 - using, 157
 - XML namespace identifier, 921
 - URL, 165
 - URLConnection, 159, 165
 - URLDecoder, 175

Index



- URLEncoded, 175
- URLs:
 - database, 195
 - database connection syntax, 195, 196
 - database data source syntax, 195
 - methods for response header values, 161
 - parsing, 158
 - retrieving information using URLConnection, 159
 - URL connections, 157
 - XML namespace identifier, 921
- user authentication, 728–733
- user coordinates, 488
- user interface:
 - internationalizing, 811
 - retirement calculator internationalization
 - example, 816
 - see also* AWT; Swing
- users:
 - authentication and authorization, 728
 - custom permissions, 715
 - login modules, 733
 - mapping to permissions, 728
- UTF:
 - modified UTF-8 conversion functions, 837
 - string parameters, 837
 - UTF-8, 811
 - UTF-16, 811
 - UTF-16 code points, 837
- V**
- validating:
 - DTD overview, 894
 - XML documents, 894
- van Dam, Andries, 462
- VARCHAR data type, 194
- variables:
 - bytecode verifier and, 701
 - message formatting, 807
 - RMI, 263
- Vector, 138
- vectors, 332
- verification, *see* bytecode verification
- VeriSign, 755, 756
- vetoableChange method, 444
- VetoableChangeListener, 444, 453, 638
- VetoableChangeSupport, 638
- vetoing:
 - exceptions, 443
 - frame properties, 440
 - frame resizing, 441
 - property settings, 443–453
- views:
 - bulk operations, 126
 - checked, 124
 - optional operations, 125
 - synchronized, 124
 - unmodifiable, 123
 - using, 120
- Vinoski, Steve, 298
- virtual machine:
 - account example bytecode, 26
 - character encodings, 811
 - overview, 694
 - strings, 838
 - UTF, 838
- volatile fields, 41
- W**
- wait method, 36, 39
- Walsh, James, 742
- WeakHashMap, 114, 117
- WeakReference, 115
- web pages, *see* HTML; HTTP
- web servers:
 - class loading, testing, 276
 - GET and POST commands, 168
 - population example, 170
 - posting form data, 167
 - RMI deployment, 275
 - server-side form processing, 168
 - server-side script execution, 168
- web services:
 - additional references, 315
 - connecting to, 317
 - data type definition, 315
 - developer pack web site, 316
 - example, 315
 - see also* SOAP
- WebRowSet, 230
- WHERE clause, 191, 192, 193
- windows:
 - cascading, 440
 - close buttons, 444
 - tiling, 440
- Windows registry:
 - accessing, 864
 - functions as native methods, 866
 - type inquiry functions, 877
- workers, Swing, 78
- wrappers:
 - lightweight collection wrappers, 122
 - using, 120
- WritableRaster, 529
- writers, image, 513–523
- WSDL, 314
- X**
- X.500 series, 756, 758
- X.509:
 - ASN.1 definition of, 757
 - certificate data, 756
 - certificate format, 756
 - discrepancies, 758



- X509Certificate, 765
 - XML, 879–942
 - attributes, 883
 - character references, 883
 - comments, 884
 - complete example, 903
 - document structure, 881, 882
 - documents, generating, 927
 - DOM:
 - overview, 884
 - parse tree, 888
 - tree, 886
 - DTDs:
 - attribute types, 897
 - element content rules, 896
 - overview, 894
 - schema versus, 903
 - using, 895
 - elements, 882
 - entity references, 883
 - HTML and, 881
 - information, locating, 916
 - introduction to, 880
 - JavaBeans persistence, 672
 - modern art, generating, 928
 - namespaces, 921
 - Node, 885
 - node properties, 922
 - parsing, 884, 903
 - root element, 882
 - SAX, 884, 923
 - schemas, 901
 - SGML and, 881
 - transformations, 934
 - validating documents, 894
 - world hunger, 879
 - XML standard reference, 881
 - XPath, 916
 - XMLDecoder, 690
 - XMLEncoder, 689
 - XMLReader, 942
 - XPath, 916, 917
 - XPath, 921
 - XPathFactor, 920
 - xsi prefix, 901
- Y**
- years:
 - date formats, 784
 - retirement calculator internationalization
 - example, 815
 - see also* internationalization
 - Yellin, Frank, 703