

Index

- A**
- `abs()`, function
 - defined, 311
 - referenced, 310
- `absolute-position`, property
 - defined, 345
 - referenced, 86, 325, 406
- `active-state`, property
 - defined, 345
 - referenced, 267, 269
- Adobe Acrobat, 40
- `alignment-adjust`, property
 - defined, 346
 - referenced, 95, 104, 106–108, 140, 142, 145, 152, 204, 295, 346, 425
- `alignment-baseline`, property
 - defined, 346
 - referenced, 104, 106, 108, 140, 142, 145, 152, 204, 295, 346, 425
- allocation rectangles, 88, 91–93
- angle*, data type
 - defined, 334
 - referenced, 347, 374, 381
- Antenna House XSL Formatter, 40, 58
- Arabic writing system, 85, 284
- areas, 75–77, 80–82
 - paginated, 81
 - size of, 82
 - stacking of, 83, 88–89, 91
 - static, 81
- `auto-restore`, property
 - defined, 347
 - referenced, 272, 341
- `azimuth`, property
 - defined, 347
 - referenced, 327, 341
- B**
- `background`, shorthand property
 - defined, 347
 - referenced, 330, 343, 348–349, 351
- `background-attachment`, property
 - defined, 348
 - referenced, 259, 328, 347
- `background-color`, property
 - defined, 348
 - referenced, 259, 328, 347, 349
- `background-image`, property
 - defined, 349
 - referenced, 259, 328, 347
- `background-position`, shorthand property
 - defined, 349
 - referenced, 330, 343, 347, 350
- `background-position-horizontal`, property
 - defined, 350
 - referenced, 259, 328, 349
- `background-position-vertical`, property
 - defined, 350
 - referenced, 259, 328, 349
- `background-repeat`, property
 - defined, 350
 - referenced, 259, 328, 347, 349

- backgrounds, 259–261
 - baseline-shift, property
 - defined, 351
 - referenced, 99, 104–106, 108, 140, 142, 146, 152, 204, 295, 346, 425
 - baselines, 95
 - basic-link, formatting object
 - defined, 145–146
 - referenced, 70, 125, 144, 267–268, 317, 320, 326–327, 329, 333, 345–363, 365, 372–374, 376, 384–387, 390, 398–401, 403–405, 408, 410, 413–418, 420, 426, 434
 - bidirectional writing, formatting object
 - referenced, 70, 85, 317, 321, 327, 331, 333, 347, 369, 372–374, 377–380, 384, 390, 403–405, 408, 410, 412, 415–418, 424, 426, 428
 - bidirectional writing, 85, 281, 289–293
 - blank pages, 63, 216, 244
 - forced, 219
 - blank-or-not-blank, property
 - defined, 351
 - referenced, 218–219, 224
 - block, formatting object
 - defined, 100–102
 - referenced, 69, 79, 98, 107, 131, 140, 142, 152, 212, 226, 244, 317, 319, 326, 328, 330–333, 347–363, 365, 367–369, 371–372, 374–375, 377–380, 382–384, 386–388, 390–393, 397–401, 403–405, 408, 410, 412–418, 421–422, 425–429
 - block-container, formatting object
 - defined, 109–110
 - referenced, 69–70, 79, 83, 85–86, 107, 117, 152, 317, 319, 326, 330, 332, 345, 348–363, 365–367, 369, 373, 375, 382, 384–387, 389, 392–393, 397–401, 407, 410, 414–415, 417, 423, 428–429
 - block-progression direction, 69, 83, 88, 243
 - breaks in, 107
 - block-progression-dimension, property
 - defined, 352
 - referenced, 104, 108, 110, 140, 142, 173–174, 182, 184, 394
 - blocks, 88
 - containers of, 86, 89
 - edges of, 91
 - empty, 141, 244–245
 - justified, 245
 - positioning of, 89
 - stacking of, 83, 92
 - body regions, 194
 - reference areas of, 231
 - body-start(), function
 - defined, 311
 - referenced, 43, 128–130, 137, 310
 - border, shorthand property
 - defined, 352
 - referenced, 62, 330, 343, 352, 354, 358, 363
 - border-after-color, property
 - defined, 352
 - referenced, 328
 - border-after-precedence, property
 - defined, 353
 - referenced, 174, 176, 178–180, 182, 184, 354, 358, 363
 - border-after-style, property
 - defined, 353
 - referenced, 329
 - border-after-width, property
 - defined, 353
 - referenced, 89–90, 329
 - border-before-color, property
 - defined, 354
 - referenced, 329
 - border-before-precedence, property
 - defined, 354
 - referenced, 174, 176, 178–180, 182, 184
 - border-before-style, property
 - defined, 354
 - referenced, 329

- border-before-width, property
 - defined, 355
 - referenced, 89–90, 329
- border-bottom, shorthand property
 - defined, 355
 - referenced, 62, 330, 343, 356–357
- border-bottom-color, property
 - defined, 355
 - referenced, 62, 329
- border-bottom-style, property
 - defined, 356
 - referenced, 329
- border-bottom-width, property
 - defined, 356
 - referenced, 329
- border-collapse, property
 - defined, 357
 - referenced, 174, 341, 353, 362, 375
- border-color, shorthand property
 - defined, 357
 - referenced, 62, 331, 344, 352, 354, 356, 358–359, 361, 363, 365
- border-end-color, property
 - defined, 357
 - referenced, 329
- border-end-precedence, property
 - defined, 358
 - referenced, 174, 176, 178–180, 182, 184
- border-end-style, property
 - defined, 358
 - referenced, 329
- border-end-width, property
 - defined, 358
 - referenced, 90, 329
- border-left, shorthand property
 - defined, 359
 - referenced, 331, 344, 359–360
- border-left-color, property
 - defined, 359
 - referenced, 329
- border-left-style, property
 - defined, 359
 - referenced, 329
- border-left-width, property
 - defined, 360
 - referenced, 329
- border-right, shorthand property
 - defined, 360
 - referenced, 331, 344, 361
- border-right-color, property
 - defined, 360
 - referenced, 329
- border-right-style, property
 - defined, 361
 - referenced, 329
- border-right-width, property
 - defined, 361
 - referenced, 329
- border-separation, property
 - defined, 362
 - referenced, 174, 341, 362
- border-spacing, shorthand property
 - defined, 362
 - referenced, 175, 341, 344, 362
- border-start-color, property
 - defined, 362
 - referenced, 329
- border-start-precedence, property
 - defined, 363
 - referenced, 174, 176, 178–180, 182, 184
- border-start-style, property
 - defined, 363
 - referenced, 329
- border-start-width, property
 - defined, 363
 - referenced, 90, 329
- border-style, shorthand property
 - defined, 364
 - referenced, 62, 89, 331, 344, 352–356, 358–361, 363–365
- border-top, shorthand property
 - defined, 364
 - referenced, 331, 344, 365–366
- border-top-color, property
 - defined, 364
 - referenced, 329
- border-top-style, property
 - defined, 365
 - referenced, 329

- border-top-width, property
 - defined, 365
 - referenced, 329
- border-width, shorthand property
 - defined, 366
 - referenced, 116, 196–199, 331, 344, 352–361, 363–366
- borders, 90, 256–259
 - color of, 258
 - positioning of, 89
 - style of, 257
 - width of, 256
- bottom, property
 - defined, 366
 - referenced, 86, 325, 423
- break-after, property
 - defined, 366
 - referenced, 63, 101, 110, 132, 134, 171, 175, 182, 245, 401
- break-before, property
 - defined, 367
 - referenced, 63, 101, 110, 132, 134, 171, 175, 182, 245, 402
- C**
- caption-side, property
 - defined, 367
 - referenced, 165, 171, 173, 341
- case-name, property
 - defined, 367
 - referenced, 276
- case-title, property
 - defined, 368
 - referenced, 276
- ceiling(), function
 - defined, 311–312
 - referenced, 310
- character*, data type
 - defined, 334
 - referenced, 368, 381, 383
- character, formatting object
 - referenced, 70, 204, 317, 321, 328, 330–333, 346–363, 365, 368–369, 371–372, 374, 377–384, 386–387, 390, 398–401, 403–405, 408, 410, 412, 414–419, 421–426, 428
- character, property
 - defined, 368
 - referenced, 295
- Chinese writing system, 85
- Clark, James, 18
- clear, property
 - defined, 368
 - referenced, 102, 233–234
- clip, property
 - defined, 368
 - referenced, 108, 110, 115, 140, 142, 195, 197–199
- color*, data type
 - defined, 335
 - referenced, 348, 352, 354–355, 357, 359–360, 362, 364, 369, 423
- color, property
 - defined, 369
 - referenced, 59, 101, 103–104, 117, 152, 294–295, 341
- color systems, 282, 296, 312
- color-profile, formatting object
 - referenced, 297, 317, 319, 369, 409, 417
- color-profile-name, property
 - defined, 369
 - referenced, 296
- column-count, property
 - defined, 369
 - referenced, 115
- column-gap, property
 - defined, 369
 - referenced, 115
- column-number, property
 - defined, 370
 - referenced, 176, 184, 370
- column-width, property
 - defined, 370
 - referenced, 166, 176
- common absolute position properties, set of
 - defined, 325–326
 - referenced, 109
- common accessibility properties, set of
 - defined, 326–327

- referenced, 100, 103–105, 117, 132–133, 135–136, 140, 142, 145, 152, 170, 173–174, 178–180, 182, 184, 204, 237–238, 268, 272, 275–276
 - common aural properties, set of
 - defined, 327–328
 - referenced, 100, 103–105, 117, 132–133, 140, 142, 145, 152, 170, 173–174, 178–180, 182, 184, 204, 294–295
 - common border, padding, and background properties, set of
 - defined, 328, 331
 - referenced, 101, 103–105, 108–109, 115, 117, 132–133, 140, 142, 145, 152, 170, 173–174, 176, 178–180, 182, 184, 195, 197–199, 204, 295
 - common font properties, set of
 - defined, 331
 - referenced, 101, 103–105, 117, 152, 204, 294–295
 - common hyphenation properties, set of
 - defined, 331–332
 - referenced, 101, 295
 - common margin properties — block, set of
 - defined, 332–333
 - referenced, 101, 109, 114–115, 132, 134, 170, 174
 - common margin properties — inline, set of
 - defined, 333
 - referenced, 104–105, 108, 117, 140, 142, 145, 152, 204, 295
 - common relative position properties, set of
 - defined, 333–334
 - referenced, 101, 103–105, 108, 132, 134, 140, 142, 145, 152, 170, 173–174, 178–180, 182, 184, 204, 294–295
 - conditional-page-master-reference, formatting object
 - defined, 223–224
 - referenced, 194, 217, 219, 222, 225–226, 317, 319, 351, 394, 396, 403
 - content-height, property
 - defined, 370
 - referenced, 140, 142
 - content-type, property
 - defined, 371
 - referenced, 140, 142
 - content-width, property
 - defined, 371
 - referenced, 140, 142
 - country, data type
 - defined, 335
 - referenced, 371
 - country, property
 - defined, 371
 - referenced, 66–67, 332, 341, 429
 - CSS (Cascading Style Sheets), 12, 15–16, 19–21, 30, 50, 285, 337
 - cue, shorthand property
 - defined, 372
 - referenced, 328, 344, 372–373
 - cue-after, property
 - defined, 372
 - referenced, 327, 372
 - cue-before, property
 - defined, 372
 - referenced, 327, 372
- D**
- data types, 60, 334–337
 - compound, 335–336
 - declarations, formatting object
 - referenced, 56, 64, 296, 317, 319
 - destination-placement-offset, property
 - defined, 373
 - referenced, 146
 - direction, property
 - defined, 373
 - referenced, 294, 341
 - display-align, property
 - defined, 373
 - referenced, 108, 110, 115–116, 140–143, 170, 184, 195–199, 341

dominant-baseline, property
 defined, 374
 referenced, 104, 106, 108, 140,
 142, 146, 152, 204, 295, 425
 drop caps, 230
 DSDL (Document Schema
 Definition Language), 13
 DSSSL (Document Style Semantics
 and Specification Language), 11,
 17–19, 50, 337
 DTD (Document Type Definition),
 13

E

elevation, property
 defined, 374
 referenced, 327, 341
 empty-cells, property
 defined, 374
 referenced, 184, 341
 end-indent, property
 defined, 375
 referenced, 89, 91, 127–128, 130,
 135, 332, 341, 389
 endnotes, 230
 ends-row, property
 defined, 375
 referenced, 165, 184
 Extensible Markup Language *see*
 XML
 Extensible Stylesheet Language *see*
 XSL
 Extensible Stylesheet Language
 Formatting Objects *see* XSL-FO
 Extensible Stylesheet Language
 Transformations *see* XSLT
 extent, property
 defined, 375
 referenced, 195, 197–199
 external-destination, property
 defined, 376
 referenced, 144, 146, 376, 385
 external-graphic, formatting object
 defined, 139–141

referenced, 70, 124, 138, 317,
 321, 326, 328, 330, 333,
 346–363, 365, 369, 371–374,
 382, 384–387, 390, 397–401,
 403–405, 408, 410–418, 421,
 426, 428

F

family-name, data type
 defined, 335
 referenced, 377
 float, formatting object
 defined, 233–234
 referenced, 72, 117, 152, 230,
 232–233, 236, 317, 321, 368,
 376
 float, property
 defined, 376
 referenced, 234
 floats, 83, 229–230, 232–235
 before, 232–233
 positioning of, 86
 side, 138, 233–234
 stacking of, 88
 floor(), function
 defined, 311
 referenced, 310
 flow, formatting object
 defined, 67–68
 referenced, 44, 51, 63, 66, 70–72,
 81, 201, 317, 319, 376
 flow-name, property
 defined, 376
 referenced, 68, 203
 font, shorthand property
 defined, 377
 referenced, 61, 102–103,
 105–106, 109, 118, 141, 143,
 146, 153, 205, 294, 296, 331,
 341, 344, 377–380, 390
 font-family, property
 defined, 377
 referenced, 61, 331, 341, 377–378
 font-selection-strategy, property
 defined, 377
 referenced, 331, 341, 377

- font-size, property
 - defined, 378
 - referenced, 61, 331, 341, 377–378
 - font-size-adjust, property
 - defined, 378
 - referenced, 331, 341
 - font-stretch, property
 - defined, 379
 - referenced, 331, 341, 378
 - font-style, property
 - defined, 379
 - referenced, 61, 105, 331, 341, 377–378
 - font-variant, property
 - defined, 379
 - referenced, 61, 331, 341, 377–378
 - font-weight, property
 - defined, 380
 - referenced, 61, 105, 331, 341, 377–378
 - footers, 190
 - alternating of, 191
 - footnote, formatting object
 - defined, 237
 - referenced, 72, 104, 117, 152, 230, 232–233, 236, 238, 318, 321, 326, 410, 413
 - footnote-body, formatting object
 - defined, 238–239
 - referenced, 232, 236–237, 318, 321, 326, 410, 413
 - footnotes, 83, 229, 236–240
 - body of, 236
 - numbering of, 230, 236–237
 - positioning of, 86
 - stacking of, 88
 - force-page-count, property
 - defined, 380
 - referenced, 66, 219
 - format, property
 - defined, 380
 - referenced, 66, 105, 204, 340
 - formatters, 52–53
 - arithmetic calculations in, 304
 - choosing from, 433–434
 - conformance levels of, 62
 - extension formatting objects in, 33, 58, 435
 - external files in, 139
 - foreign object vocabularies in, 35, 59, 138, 143, 435
 - output formats in, 435
 - rendering in, 82
 - formatting objects
 - block-level, 69–70, 234
 - container, 77, 79
 - content-oriented, 79
 - extension, 58, 435
 - grouping of, 68
 - identifiers of, 58
 - inline-level, 69–71
 - interactive, 265, 270–271
 - neutral, 69, 71
 - out-of-line, 69, 72
 - page-oriented, 80
 - properties of *see* properties
 - semantics of, 57
 - top-level, 63
 - frequency*, data type
 - defined, 335
 - referenced, 404
 - from-nearest-specified-value(), function
 - defined, 311
 - referenced, 310
 - from-parent(), function
 - defined, 311
 - referenced, 310
 - from-table-column(), function
 - defined, 311
 - referenced, 61, 166, 176, 310
- G**
- generate-id(), function
 - referenced, 97, 100
 - glyph-orientation-horizontal, property
 - defined, 381
 - referenced, 295, 341
 - glyph-orientation-vertical, property
 - defined, 381
 - referenced, 295, 341

- glyphs, 82, 88, 91
 - stacking of, 84
- grouping-separator, **property**
 - defined, 381
 - referenced, 66–67
- grouping-size, **property**
 - defined, 382
 - referenced, 66–67
- H**
- headers, 190
 - alternating of, 191
- Hebrew writing system, 85, 284
- height, **property**
 - defined, 382
 - referenced, 104, 108, 110, 140, 142, 173, 175, 182, 184, 366
- HTML (HyperText Markup Language), 3, 7, 19–21
- hyperlinks, 4–5, 144–145
 - targets of, 97, 144
- hyphenate, **property**
 - defined, 382
 - referenced, 332, 341
- hyphenation-character, **property**
 - defined, 383
 - referenced, 332, 341
- hyphenation-keep, **property**
 - defined, 383
 - referenced, 101, 342
- hyphenation-ladder-count, **property**
 - defined, 383
 - referenced, 101, 342
- hyphenation-push-character-count, **property**
 - defined, 383
 - referenced, 332, 342
- hyphenation-remain-character-count, **property**
 - defined, 384
 - referenced, 332, 342
- I**
- ICC (International Color Consortium), 337
- id*, **data type**
 - defined, 335
 - referenced, 384
- id*, **property**
 - defined, 384
 - referenced, 58, 66, 96, 98, 100–101, 103–104, 106, 108, 110, 132, 134–136, 140, 142, 146, 152, 171, 173, 175, 178, 180, 182, 184, 204, 268, 270, 272, 276, 294–295
- idref*, **data type**
 - defined, 335
 - referenced, 385, 407
- IEEE (Institute of Electrical and Electronics Engineers), 338
- indicate-destination, **property**
 - defined, 384
 - referenced, 146
- inherited-property-value(), **function**
 - defined, 311
 - referenced, 310
- initial-page-number, **property**
 - defined, 385
 - referenced, 66, 219
- initial-property-set, **formatting object**
 - defined, 103
 - referenced, 79–80, 98, 100, 318, 321, 326, 328, 330–331, 334, 347–363, 365, 369, 372, 374, 377–380, 384, 390, 398–401, 403–405, 408, 410, 412–413, 415–418, 422–423, 426, 428
- inline, **formatting object**
 - defined, 103–105
 - referenced, 70, 79, 99, 236–237, 318, 321, 326, 328, 330–331, 333–334, 346–365, 369, 372, 374, 377–380, 382, 384–387, 390, 398–401, 403–405, 408, 410, 413–418, 422, 425–426, 428–429
- inline areas, 88, 92–93, 99
 - edges of, 91
- inline-container, **formatting object**
 - defined, 108–109

- referenced, 70, 79, 83, 85, 94, 107, 152, 164, 318, 321, 330, 333–334, 346, 348–365, 369, 373–374, 382, 384–387, 390, 397–401, 407–408, 414–415, 428–429
 - inline-progression direction, 69, 71, 83–84, 88, 243, 284–285
 - inline-progression-dimension,
 - property
 - defined, 385
 - referenced, 91, 104, 108, 110, 140, 142, 166, 173, 175, 184, 394
 - instream-foreign-object, formatting
 - object
 - defined, 141–143
 - referenced, 70, 125, 138, 318, 321, 326, 328, 330, 333–334, 346–365, 369, 371–374, 382, 384–385, 387, 390, 397–401, 404–405, 408, 410–418, 421, 426, 428
 - integer*, data type
 - defined, 335
 - referenced, 335, 337, 353–354, 358, 363, 396, 427, 429
 - internal-destination, property
 - defined, 385
 - referenced, 97, 144, 146, 376, 385
 - intrusion-displace, property
 - defined, 385
 - referenced, 101, 110, 132, 134, 171, 173, 175, 235, 342
 - ISO (International Organization for Standardization), 11, 18, 338
- J**
- JADE, formatting engine, 18
 - Japanese writing system, 85
- K**
- keep*, data type
 - defined, 335
 - referenced, 386–387
 - keep-together, property
 - defined, 386
 - referenced, 101, 104, 108, 110, 132, 134–136, 146, 171, 173, 175, 182, 248, 342, 402
 - keep-with-next, property
 - defined, 386
 - referenced, 81, 101, 104, 106, 108, 110, 132, 134, 140, 142, 146, 153, 171, 175, 182, 204, 248, 295, 401
 - keep-with-previous, property
 - defined, 387
 - referenced, 81, 101, 104, 106, 108, 110, 132, 134, 140, 142, 146, 153, 171, 175, 182, 204, 248, 295, 402
 - keeps, 248–254
 - Kleene operators, 34
- L**
- label-end(), function
 - defined, 311
 - referenced, 43, 128–130, 135, 310
 - language*, data type
 - defined, 335
 - referenced, 387
 - language, property
 - defined, 387
 - referenced, 66–67, 332, 342, 429
 - last-line-end-indent, property
 - defined, 387
 - referenced, 98, 101, 342
 - layout-master-set, formatting object
 - defined, 65
 - referenced, 39, 44, 50, 63–64, 114, 217, 220, 318–319
 - leader, formatting object
 - defined, 152–153
 - referenced, 70, 125, 147, 152, 318, 321, 326, 328, 330–331, 333–334, 346–365, 369, 372, 374, 377–380, 384, 387–390, 398–401, 404–405, 408, 410–411, 413–418, 421–423, 425–426, 428
 - leader-alignment, property
 - defined, 388
 - referenced, 153, 342

- leader-length, property
 - defined, 388
 - referenced, 153, 342
- leader-pattern, property
 - defined, 388
 - referenced, 153, 342, 411
- leader-pattern-width, property
 - defined, 389
 - referenced, 153, 342
- leaders, 146–152
 - distance between, 151
 - multiple, 150–151
- left, property
 - defined, 389
 - referenced, 86, 326, 410
- length, data type
 - defined, 335
 - referenced, 336, 346, 349–352, 362, 366, 369–371, 373, 375, 378, 382, 385, 387, 389–395, 397–403, 406–407, 410–411, 413, 417, 421–425, 428
- length-bp-ip-direction, data type
 - defined, 336
 - referenced, 362
- length-conditional, data type
 - defined, 336
 - referenced, 353, 355, 358, 363, 398–400
- length-range, data type
 - defined, 336
 - referenced, 352, 385, 388
- lengths
 - percentages in, 87, 309–310
 - units in, 86, 309–310
- letter-spacing, property
 - defined, 389
 - referenced, 103, 106, 153, 204, 294–295, 342
- letter-value, property
 - defined, 390
 - referenced, 66
- ligatures, 82
- line-height, property
 - defined, 390
 - referenced, 61, 81, 94, 96, 101, 103–104, 106, 108, 118, 140, 142, 146, 153, 204, 294–295, 342, 377, 385
- line-height-shift-adjustment, property
 - defined, 390
 - referenced, 101, 342
- line-stacking-strategy, property
 - defined, 391
 - referenced, 93–94, 101, 342
- linefeed-treatment, property
 - defined, 391
 - referenced, 101–102, 342, 427
- lines, 80, 83, 88, 93–94, 284
 - breaks in, 107, 244
 - first in a block, 98, 149
 - last in a block, 98, 149
 - minimum number of, 246
 - orphans, 246–247
 - stacking of, 83, 93–94
 - widows, 246–247
- links *see* hyperlinks
- list-block, formatting object
 - defined, 131–132
 - referenced, 69, 81, 124, 130–133, 137, 318, 320, 326, 328, 330, 332, 334, 347–365, 367, 372, 374–375, 384, 386–387, 392–393, 398–401, 404–408, 410–411, 413–418, 426
- list-item, formatting object
 - defined, 133–134
 - referenced, 124, 131–132, 134–136, 318, 320, 326, 328, 330, 332, 334, 347–356, 358–365, 367, 372, 374–375, 384, 386–387, 392–393, 398–401, 404–405, 408, 410–411, 413–418, 426
- list-item-body, formatting object
 - defined, 136–137
 - referenced, 124, 130, 133, 137, 318, 320, 326, 384, 386, 411, 413
- list-item-label, formatting object
 - defined, 134–135

- referenced, 124, 133, 135, 318, 320, 326, 384, 386, 411, 413
- lists, 121, 125–138
 - indentation of list items in, 127–130, 132–133
 - nested, 130–131
 - numbered, 302
- M**
- margin, shorthand property
 - defined, 391
 - referenced, 333, 344, 392–393
- margin-bottom, property
 - defined, 392
 - referenced, 86, 90, 332, 392
- margin-left, property
 - defined, 392
 - referenced, 86, 90, 332, 392
- margin-right, property
 - defined, 392
 - referenced, 86, 90, 332, 392
- margin-top, property
 - defined, 393
 - referenced, 86, 90, 332, 392
- marker, formatting object
 - defined, 208–209
 - referenced, 68, 100, 104, 108–109, 117, 132–133, 135–136, 145, 152, 170, 172, 174, 178, 180, 184, 193, 205, 208–209, 233, 236, 293, 318, 321, 393, 409
- marker-class-name, property
 - defined, 393
 - referenced, 206, 209, 409
- master-name, property
 - defined, 393
 - referenced, 110, 114, 220
- master-reference, property
 - defined, 394
 - referenced, 66, 216, 222, 224
- MathML (Mathematical Markup Language), 138, 435
- max(), function
 - defined, 312
 - referenced, 310
- max-height, property
 - defined, 394
- max-width, property
 - defined, 394
- maximum-repeats, property
 - defined, 394
 - referenced, 222
- media-usage, property
 - defined, 395
 - referenced, 64
- merge-property-values(), function
 - defined, 312
 - referenced, 61, 267, 269, 310
- min(), function
 - defined, 312
 - referenced, 309–310
- min-height, property
 - defined, 395
- min-width, property
 - defined, 395
- multi-case, formatting object
 - defined, 274–276
 - referenced, 266, 270–272, 276, 318, 320, 326, 347, 367–368, 384, 411, 413, 418–419
- multi-properties, formatting object
 - defined, 268–269
 - referenced, 71, 98, 100, 266–269, 318, 320, 326, 345, 384, 411, 413
- multi-property-set, formatting object
 - defined, 269–270
 - referenced, 266–269, 318, 320, 345, 384
- multi-switch, formatting object
 - defined, 271–272
 - referenced, 71, 266, 270–272, 275, 318, 320, 326, 347, 384, 411, 413
- multi-toggle, formatting object
 - defined, 276
 - referenced, 71, 266, 270, 272, 274, 318, 320, 326, 368, 384, 411, 413, 419

N

- name*, data type
 - defined, 336
 - referenced, 367, 369, 376, 393–394, 407, 409, 419
- namespaces, 16, 339
- number*, data type
 - defined, 336
 - referenced, 334–335, 337, 369–370, 378, 382–385, 390, 394, 396, 405, 410, 417–418, 426
- number-columns-repeated, property
 - defined, 396
 - referenced, 176
- number-columns-spanned, property
 - defined, 396
 - referenced, 169, 176, 184, 370
- number-rows-spanned, property
 - defined, 396
 - referenced, 169, 184

O

- odd-or-even, property
 - defined, 396
 - referenced, 218, 224
- OpenJade, project, 18
- OpenType, specification, 338
- orphans, property
 - defined, 396
 - referenced, 101, 246, 342
- overflow, property
 - defined, 397
 - referenced, 108, 110, 115, 140, 142, 195, 197–200

P

- padding, shorthand property
 - defined, 397
 - referenced, 116, 196–199, 331, 344, 399–401
- padding-after, property
 - defined, 398
 - referenced, 90, 329
- padding-before, property
 - defined, 398
 - referenced, 90, 329

- padding-bottom, property
 - defined, 398
 - referenced, 329, 397
- padding-end, property
 - defined, 399
 - referenced, 90, 329
- padding-left, property
 - defined, 399
 - referenced, 329, 397
- padding-right, property
 - defined, 400
 - referenced, 329, 397
- padding-start, property
 - defined, 400
 - referenced, 90, 329
- padding-top, property
 - defined, 401
 - referenced, 329, 397
- page numbers, 66, 190
 - citations of, 97
 - in static content, 200
 - placeholders for, 105, 204
 - total count of, 99
- Page Sequence Master Interleave *see* PSMI
- page sequences, 63–67, 205, 216
 - definitions for static content in, 190
 - sub-sequences in, 217–218
 - title of, 116–117
- page-break-after, shorthand
 - property
 - defined, 401
 - referenced, 102, 105–106, 109–110, 132, 134, 141, 143, 146, 153, 171, 175, 182, 205, 296, 344, 367, 387
- page-break-before, shorthand
 - property
 - defined, 401
 - referenced, 102, 105–106, 109–110, 132, 134, 141, 143, 146, 153, 171, 175, 183, 205, 296, 344, 367, 387
- page-break-inside, shorthand
 - property
 - defined, 402

- referenced, 102, 105, 109–110, 132, 134–136, 146, 171, 173, 175, 183, 342, 344, 386
- page-height, property
 - defined, 402
 - referenced, 114, 395, 403, 413
- page-number, formatting object
 - defined, 204–205
 - referenced, 71, 193, 200, 212, 226, 318, 321, 326, 328, 330–331, 333–334, 346–356, 358–365, 372, 374, 377–380, 384, 387, 390, 398–401, 404–405, 408, 410–418, 421–423, 425–426, 428–429
- page-number-citation, formatting object
 - defined, 105–106
 - referenced, 71, 79, 99, 212, 226, 318, 321, 326, 328, 330–331, 333–334, 346–356, 358–365, 372, 374, 377–380, 384, 387, 390, 398–401, 404–405, 407–408, 410–418, 421–423, 425–426, 428–429
- page-position, property
 - defined, 402
 - referenced, 218, 224
- page-sequence, formatting object
 - defined, 65–67
 - referenced, 39, 44, 50, 63–64, 67, 72, 105, 117, 200–202, 204, 216, 318–319, 371, 376, 380–382, 384–385, 387, 390, 394–395
- page-sequence-master, formatting object
 - defined, 220
 - referenced, 65, 194, 216, 222, 225–226, 318–319, 394
- page-width, property
 - defined, 403
 - referenced, 114, 395, 402, 413
- pages
 - areas of, 111, 194
 - breaks in, 245
 - columns in, 112, 245
 - geometry of, 63, 65, 77, 114, 212, 216
 - layout of, 110–111
 - margins of, 86
 - reference edges of, 194
 - sequences of *see* page sequences
- pause, shorthand property
 - defined, 403
 - referenced, 328, 344, 404
- pause-after, property
 - defined, 403
 - referenced, 327, 403
- pause-before, property
 - defined, 404
 - referenced, 327, 403
- PCL, format, 435
- PDF, format, 32, 38, 54, 435
- percentage*, data type
 - defined, 336
 - referenced, 346, 349–352, 366, 369–371, 375, 378, 382, 385, 387–395, 397–401, 403–404, 406–407, 410, 414, 417, 421–426, 428
- pitch, property
 - defined, 404
 - referenced, 327, 342
- pitch-range, property
 - defined, 405
 - referenced, 327, 342
- play-during, property
 - defined, 405
 - referenced, 327
- position, shorthand property
 - defined, 406
 - referenced, 326, 334, 344–345, 408
- PostScript, format, 435
- precedence, property
 - defined, 406
 - referenced, 78, 195–197
- properties, 58–59
 - common *see* common properties
 - compound, 60
 - data types of *see* data types
 - dynamic, 266–267
 - inherited, 61, 311, 341–343

- shorthand, 61–62, 343–344
 - summary of, 344–429
 - values of, 60
 - proportional-column-width(),
 - function
 - defined, 312
 - referenced, 310
 - provisional-distance-between-starts,
 - property
 - defined, 406
 - referenced, 129, 132, 342
 - provisional-label-separation,
 - property
 - defined, 407
 - referenced, 129, 132, 342
 - PSMI (Page Sequence Master Interleave), 212–215
- R**
- ref-id, property
 - defined, 407
 - referenced, 97, 105–106
 - reference areas, 88
 - descendent, 83
 - hierarchy of, 112
 - orientation of, 83, 91
 - positioning of, 90
 - reference-orientation, property
 - defined, 407
 - referenced, 84, 91, 106–108, 110, 114–115, 195, 197–199, 342, 394
 - region-after, formatting object
 - defined, 197–198
 - referenced, 78, 111, 114, 193, 201, 212, 226, 318, 320, 330, 348–356, 358–365, 369, 373, 376, 397–401, 406–408, 429
 - region-before, formatting object
 - defined, 195–196
 - referenced, 78, 111, 114, 193, 212, 226, 318, 320, 330, 348–356, 358–365, 369, 373, 376, 397–401, 406–408, 429
 - region-body, formatting object
 - defined, 114–116
 - referenced, 77, 80, 111, 114, 318, 320, 330, 332, 348–356, 358–365, 369–370, 373, 375, 392–393, 397–401, 407–408, 414, 417, 429
 - region-end, formatting object
 - defined, 199
 - referenced, 78, 111, 114, 193, 202, 318, 320, 330, 348–356, 358–365, 369, 373, 376, 397–401, 407–408, 429
 - region-name, property
 - defined, 407
 - referenced, 115–116, 195–199
 - region-start, formatting object
 - defined, 198
 - referenced, 78, 111, 114, 193, 202, 318, 320, 330, 348–356, 358–365, 369, 373, 376, 397–401, 407–408, 429
 - regions, 77–79
 - areas of, 194
 - names of, 78, 111, 200
 - perimeter, 111, 194
 - reference edges of, 194
 - relative-align, property
 - defined, 408
 - referenced, 128, 134, 170, 185, 342, 373
 - relative-position, property
 - defined, 408
 - referenced, 333, 406
 - RELAX-NG, schema language, 13
 - rendering, 21, 49, 54
 - rendering-intent, property
 - defined, 408
 - referenced, 296
 - RenderX, formatter, 40, 58
 - repeatable-page-master-alternatives,
 - formatting object
 - defined, 222
 - referenced, 194, 217, 220, 223, 225–226, 319–320, 395
 - repeatable-page-master-reference,
 - formatting object
 - defined, 222

- referenced, 194, 217, 220, 225, 319–320, 394–395
- retrieve-boundary, property
 - defined, 409
 - referenced, 207, 209–210
- retrieve-class-name, property
 - defined, 409
 - referenced, 207, 209
- retrieve-marker, formatting object
 - defined, 209–210
 - referenced, 71–72, 81, 193, 207, 209, 319, 321, 409
- retrieve-position, property
 - defined, 409
 - referenced, 208–210
- rgb(), function
 - defined, 312
 - referenced, 310
- rgb-icc(), function
 - defined, 312
 - referenced, 310
- richness, property
 - defined, 410
 - referenced, 327, 342
- right, property
 - defined, 410
 - referenced, 86, 326
- role, property
 - defined, 410
 - referenced, 326
- root, formatting object
 - defined, 64
 - referenced, 44, 50, 63, 65–66, 297, 319–320, 395, 413
- round(), function
 - defined, 312
 - referenced, 309–310
- RTF, format, 435
- rule-style, property
 - defined, 411
 - referenced, 153, 342
- rule-thickness, property
 - defined, 411
 - referenced, 153, 342
- S**
- scaling, property
 - defined, 411
 - referenced, 140, 142
- scaling-method, property
 - defined, 412
 - referenced, 140, 142
- Schematron, schema language, 13
- score-spaces, property
 - defined, 412
 - referenced, 103, 106, 204, 294–295, 342
- script, data type
 - defined, 336
 - referenced, 412
- script, property
 - defined, 412
 - referenced, 332, 342
- SGML (Standard Generalized Markup Language), 12
- show-destination, property
 - defined, 412
 - referenced, 146
- simple-page-master, formatting object
 - defined, 114
 - referenced, 65, 80, 110, 115, 195, 197–199, 212, 216, 225–226, 319–320, 333, 375, 392–394, 402–403, 407, 414, 417, 429
- single-page-master-reference, formatting object
 - defined, 221–222
 - referenced, 194, 217, 220, 225, 319–320, 394
- size, shorthand property
 - defined, 413
 - referenced, 114, 344, 402–403
- source-document, property
 - defined, 413
 - referenced, 326
- space, data type
 - defined, 336
 - referenced, 389–390, 413–414, 428
- space-after, property
 - defined, 413

- referenced, 86, 89–90, 254, 256–257, 332
 - space-before, property
 - defined, 414
 - referenced, 59–60, 86, 89–90, 254, 256–257, 332, 368
 - space-end, property
 - defined, 414
 - referenced, 86, 90, 254, 333
 - space-start, property
 - defined, 414
 - referenced, 86, 90, 254, 333
 - spaces, 86–87, 254
 - adjacent, 256
 - between lines of a block, 94
 - discarding of, 86–87, 91, 255
 - span, property
 - defined, 415
 - referenced, 101, 110
 - speak, property
 - defined, 415
 - referenced, 327, 342
 - speak-header, property
 - defined, 415
 - referenced, 327, 342
 - speak-numeral, property
 - defined, 416
 - referenced, 327, 342
 - speak-punctuation, property
 - defined, 416
 - referenced, 327, 342
 - speech-rate, property
 - defined, 417
 - referenced, 327, 343
 - src, property
 - defined, 417
 - referenced, 139–140, 296
 - Standard Page Description Language, 54
 - start-indent, property
 - defined, 417
 - referenced, 61, 89, 91, 127–130, 137, 169, 235, 332, 343
 - starting-state, property
 - defined, 418
 - referenced, 276
 - starts-row, property
 - defined, 418
 - referenced, 165, 185
 - static content, 189
 - alternating of, 201
 - inclusion dynamic content in, 205
 - static-content, formatting object
 - defined, 202–203
 - referenced, 66, 81, 193, 200–202, 319–320, 376
 - stress, property
 - defined, 418
 - referenced, 327, 343
 - string*, data type
 - defined, 337
 - referenced, 368, 371, 380, 410, 421
 - subscripts and superscripts, 84, 99
 - suppress-at-line-break, property
 - defined, 418
 - referenced, 295
 - SVG, format, 138, 143, 435
 - switch-to, property
 - defined, 419
 - referenced, 276
 - Syriac writing system, 284
 - system-color(), function
 - defined, 313
 - referenced, 310
 - system-font(), function
 - defined, 313
 - referenced, 310
- ## T
- table, formatting object
 - defined, 173–175
 - referenced, 70, 83, 163–165, 167, 169–170, 176, 178, 180, 319–320, 327–328, 330, 333–334, 347–365, 367, 372, 374–375, 382, 384–387, 392–393, 398–401, 404–405, 408, 410–411, 413–420, 426, 428–429
 - table-and-caption, formatting object
 - defined, 170–171

- referenced, 70, 162, 164–165, 167, 169, 172, 174, 319–320, 327–328, 330, 333–334, 347–361, 363–365, 367, 372, 374–375, 384, 386–387, 392–393, 398–401, 404–405, 408, 410–411, 413–418, 421, 426
- table-body, formatting object
 - defined, 180
 - referenced, 163, 165–167, 170, 173, 182, 184, 319–320, 327–328, 330, 334, 347–361, 363–365, 372, 374, 384, 398–401, 404–405, 408, 410–411, 413, 415–418, 425–426
- table-caption, formatting object
 - defined, 172–173
 - referenced, 83, 163, 165, 167, 169–170, 319–320, 327–328, 330, 334, 347–361, 363–365, 372, 374, 382, 384–386, 398–401, 404–405, 408, 410–411, 413, 415–418, 426, 428
- table-cell, formatting object
 - defined, 184–186
 - referenced, 83, 163, 165, 167, 177–178, 180, 182, 319–320, 327–328, 330, 334, 347–361, 363–365, 370, 372–375, 382, 384–385, 396, 398–401, 404–405, 408, 410–411, 413, 415–418, 421, 426, 428
- table-column, formatting object
 - defined, 176
 - referenced, 163, 166–167, 173, 311, 319–320, 330, 348–361, 363–365, 370, 396, 398–401, 425
- table-footer, formatting object
 - defined, 178–180
- table-header, formatting object
 - defined, 177–178
 - referenced, 163, 165, 167, 170, 173–174, 182, 184, 319, 321, 327–328, 330, 334, 347–361, 363–365, 372, 374, 384, 398–401, 404–405, 408, 410–411, 413, 415–418, 420, 425–426
- table-layout, property
 - defined, 419
 - referenced, 166, 175
- table-omit-footer-at-break, property
 - defined, 419
 - referenced, 175
- table-omit-header-at-break, property
 - defined, 419
 - referenced, 175
- table-row, formatting object
 - defined, 182–183
 - referenced, 163, 165, 167, 177–178, 180, 184, 319, 321, 327–328, 330, 334, 347–361, 363–365, 367, 372, 374, 382, 384, 386–387, 398–401, 404–405, 408, 410–411, 413, 415–418, 425–426
- tables, 159–186
 - alignment of, 171
 - body of, 180–181
 - borders in, 167–168, 257–258
 - caption of, 162, 164, 172
 - cells in, 84, 170, 184–186
 - column widths in, 166, 176, 312
 - columns in, 85
 - comparing with lists, 127, 137–138
 - empty cells in, 168

- footer of, 162–163, 165, 178–180
 - header of, 162–163, 165, 177–178
 - rotating of, 213
 - rows in, 83, 85, 165, 182–183
 - spanning cells in, 169
 - tables of contents, 148–149
 - automatically generated, 97
 - visual guidance in, 122, 146
 - target-presentation-context,
 - property
 - defined, 420
 - referenced, 146
 - target-processing-context,property
 - defined, 420
 - referenced, 146
 - target-stylesheet, property
 - defined, 420
 - referenced, 146
 - T_EX, typesetting system, 54, 435
 - text-align, property
 - defined, 421
 - referenced, 98, 101, 141–143, 148, 169–171, 173, 343
 - text-align-last, property
 - defined, 421
 - referenced, 98, 101, 147, 343
 - text-altitude, property
 - defined, 421
 - referenced, 101, 106, 153, 204, 295
 - text-decoration, property
 - defined, 422
 - referenced, 61, 103–106, 205, 295
 - text-depth, property
 - defined, 422
 - referenced, 101, 106, 153, 205, 295
 - text-indent, property
 - defined, 422
 - referenced, 98, 101, 235, 343
 - text-shadow, property
 - defined, 423
 - referenced, 103, 106, 153, 205, 295
 - text-transform, property
 - defined, 423
 - referenced, 103, 106, 205, 295, 343
 - Thaana writing system, 284
 - time*, data type
 - defined, 337
 - referenced, 403–404
 - title, formatting object
 - defined, 117–118
 - referenced, 66, 80, 83, 319–320, 327–328, 330–331, 333, 347–361, 363–365, 369, 372, 374, 377–380, 390, 398–401, 404–405, 410–411, 413–418, 425–426
 - top, property
 - defined, 423
 - referenced, 86, 326
 - treat-as-word-space, property
 - defined, 424
 - referenced, 295
- U**
- Unicode, standard, 85, 281–283, 339
 - direction strength for characters in, 285–286
 - Unicode BIDI Algorithm, 285
 - unicode-bidi, property
 - defined, 424
 - referenced, 294
 - URI (Universal Resource Identifier), 139
 - uri-specification*, data type
 - defined, 337
 - referenced, 349, 372, 376, 405, 410, 413, 417, 420
- V**
- vertical-align, shorthand property
 - defined, 424
 - referenced, 105–106, 109, 141, 143, 146, 153, 173, 205, 296, 344, 346–347, 351, 374
 - viewport areas, 88
 - visibility, property
 - defined, 425

- referenced, 101, 104, 106, 118, 153, 176, 178, 180, 182, 205, 296, 343
 - voice-family, property
 - defined, 425
 - referenced, 327, 343
 - volume, property
 - defined, 426
 - referenced, 327, 343
- W**
- Western European writing system, 85
 - white spaces
 - collapsing of, 141
 - preserving of, 102
 - white-space, shorthand property
 - defined, 426
 - referenced, 102, 343–344
 - white-space-collapse, property
 - defined, 427
 - referenced, 101–102, 343, 427
 - white-space-treatment, property
 - defined, 427
 - referenced, 101–102, 343, 427
 - widows, property
 - defined, 427
 - referenced, 101, 246, 343
 - width, property
 - defined, 428
 - referenced, 104, 108, 110, 141–142, 173, 175, 185, 389
 - Windows GDI, format, 435
 - word-spacing, property
 - defined, 428
 - referenced, 103, 106, 153, 205, 294, 296, 343
 - wrap-option, property
 - defined, 428
 - referenced, 101–102, 104, 106, 205, 343, 427
 - wrapper, formatting object
 - defined, 100
 - referenced, 71, 79, 98–99, 267–269, 319, 321, 384
 - writing direction, 84–85, 283–293
 - writing-mode, property
 - defined, 429
 - referenced, 85, 106, 109–110, 114–115, 175, 195, 197–199, 343, 373, 394
- X**
- XML (Extensible Markup Language), 5, 11–12–16, 339
 - XML Schema, schema language, 13
 - xml:lang, shorthand property
 - defined, 429
 - referenced, 66, 332, 340, 343–344, 371, 387
 - XPath (XML Path Language), 60, 303, 339
 - XSL (Extensible Stylesheet Language), 12
 - XSL-FO (Extensible Stylesheet Language Formatting Objects), 7, 12, 24, 30–32, 301
 - expressions in, 60, 307–309
 - functions in, 60, 310–313
 - processing model for, 54–57
 - XSL-FO instances
 - document element of, 50, 63–64
 - identifiers of, 97
 - XSL-FO processors *see* formatters
 - xsl:attribute-set, XSLT
 - instruction, 302
 - xsl:number, XSLT instruction, 340
 - xsl:use-attribute-sets, XSLT
 - attribute, 302
 - XSLT (Extensible Stylesheet Language Transformations), 6–7, 12, 23–30, 301–304, 339
 - format tokens in, 340
- Z**
- z-index, property
 - defined, 429
 - referenced, 110