

Index

- ^ command, 231
- ` (back quotes), shell scripts, 634
- "" (double quotes), shell scripts, 634
- # (pound sign), root prompt, 192
- \$ (dollar sign), shell prompt, 192
- \$ command, 231
- \$HOME (ul) variable, 85
- \$HOME variable, 208
- \$mydestination variable, 305
- \$mydomain variable, 304
- & (ampersand), running shell commands, 152
- ' (single quotes), shell scripts, 634
- * (asterisk), metacharacter, 196
- ? (question mark), metacharacter, 196
- 0 command, 231
- 3x command, 232
- 5cw command, 232
- A command, 231
- a shell (ash shell), 628
- Abisource Web site, 526
- Abiword, 526
- access
 - DNS restriction, 187
 - database, 311
 - file, 312
 - security, 442-443
 - graphic firewall tools, 447-449
 - iptables firewall, 444-447
 - TCP wrapper, 443-444
- Accounts dialog, 597
- Add command (Panel menu), 86
- Add Printer wizard, 294
- address books, Kmail, 463-464
- Address Data Source AutoPilot dialog, 510
- addresses, Postfix handling improper addresses, 310
- adduser command, 254-255, 306
- administration
 - groups, management, 253-254
 - printing tools, 299-300
 - remote
 - KDE Desktop Sharing, 429-434
 - rdesktop, 434
- VNC (virtual network computing), 426-429
- root users, 248
- users
 - adding, 254-255
 - checking dormant accounts, 258-260
 - creation controls, 256-257
 - defining
 - groups, 256
 - deleting, 258
 - email-only
 - accounts, 256
 - home directories, 255
 - KUser, 260-263
 - management, 248-253
 - modifying, 257
 - security, 264-265
- Webmin, 240
 - creating users, 243-244
 - modules, 242-243
 - running, 240-242
 - upgrades, 245
- administrators
 - root password, 36
 - software installation, 104

- Advanced Maryland Automatic Network Disk Archiver (AMANDA) Web site, 287
- Airbrush tool, 581
- alias command, `rm` command, 199-201
- aliases, 306-307
- `all_squash` option, NFS file sharing permissions, 378
- AMANDA (Advanced Maryland Automatic Network Disk Archiver) Web site, 287
- ampersand (&), running shell commands, 152
- `anongid` option, NFS file sharing permissions, 378
- `anonuid` option, NFS file sharing permissions, 378
- Apache servers, 332
 - building PHP, 334-335
 - configuration, 335-337
 - installation from Web site, 332-334
 - Web site, 332
- applets, 59
- Application Starter, 58
- applications
 - installation
 - Debian packages, 119-123
 - extract and build five-step, 124-127
 - identifying packages, 105-106
 - KPackage, 109-115
 - locating software, 127-128
 - Mandrake, 108-109
 - RPM package, 115-118
 - security, 104
 - source availability, 123-124
 - vendor installation tools, 106-107
 - Konqueror, 59-61
 - appointments, Evolution, 486-489
 - `apt-get (ul)` command, Debian package installation, 121-123
 - Arkeia Web site, 287
 - Arkeia Light, 287
 - ash shell (a shell), 628
 - asterisk (*), metacharacter, 196
 - `at` command, 625-626
 - attachments, Kmail, 465
 - attributes, 214-216, 316
 - audio, K3b, 273-274
 - basics, 275-278
 - burning backup, 278-279
 - AutoFormat Chart dialog, 535
 - autofs package, network mounts, 382-384
 - automated scripts
 - `at` command, 625-626
 - cron program, 620-624
 - permissions, 626
 - writing shell scripts, 627-628
 - commands, 628-635
 - programming, 635-637
 - specifying shell, 637-638
- AutoPilot, 520
 - OpenOffice.org Calc, 531
 - OpenOffice.org Impress, 542
- `b` command, 231
- back quotes (`), shell scripts, 634
- backgrounds, customizing desktop, 70-72
- backups
 - complex environment solutions, 287-288
 - data preservation, 23
 - `dump` command, 284-287
 - K3b, 273-274
 - basics, 275-278
 - burning backup, 278-279
 - medium, 268-273
 - `rsync` program, 279
 - mirroring directories, 280-284
 - USB drives, 284
 - tools
 - `cpio` command, 269
 - `tar` command, 270
 - Windows workstations, 271

- what to backup, 268-269
- Windows
 - workstations with Samba, 369-370
- bash shell (Bourne Again Shell), 627
- Bauer, Travis, 555
- Behavior icons, 90
- Berkeley Internet Name Domain (BIND), 176-178
- Bezier tool, 579
- BIND (Berkeley Internet Name Domain), 176-178
- Biot.com Web site, 327
- bit buckets, 205-206
- Bookmark tab, 88
- boot diskettes, 37
- boot loader, 23
- boot process, Knoppix, 15
- boot up
 - chkconfig command, 144-145
 - daemons, 140-141
 - init process, 141-142
 - runlevel, 142-144
- booting, dual, 22-23, 33-35
- Bourne Again Shell (bash shell), 627
- Bourne shell (sh shell), 627
- Bricklin, Daniel, 528
- broadcast addresses, 166-167
- browsers
 - Galeon, 507
 - Konqueror, 494
 - cookies, 499-500
 - full-screen mode, 498-499
 - home page, 495-496
 - pop-ups, 500
 - searches, 497-498
 - split views, 497
 - tabbed
 - browsing, 501
 - Mozilla, 502-503
 - cookies, 505-506
 - home page, 503
 - pop-ups, 505
 - sidebar, 507
 - tabbed
 - browsing, 504
 - Opera, 508
 - text-only, 508
- BRU Pro Web site, 287
- built-in variables, shell scripts, 631
- business presentations,
 - OpenOffice.org Impress, 540-546
 - adding color, 548-549
 - inserting slides, 547-548
 - penguin, 553-554
 - printing, 550
 - Web presentations, 550-553
- C shell (csh shell), 628
- cable modems, Internet connection, 155-156
- cal command, 193
- Calc, 528
 - addition among cells, 529-532
 - charts and graphs, 533
 - dynamic graphs, 534-537
 - final formatting, 537-538
 - saving, 532-533
 - totals, 533-534
- calculators, scientific, 64
- calendars
 - eGroupWare, 346
 - Evolution, 485-486, 491
 - creating appointments, 486-489
 - meetings, 489-490
 - to-do items, 490-491
 - Korganizer, 474-475
 - creating new event, 476-478
 - importing, 484-485
 - meeting
 - invitations, 483-484
 - printing, 480-481
 - recurring events, 481-482
 - to-do items, 478-480
- Cameron, Jamie, Webmin, 239
- cat command, 194, 200
- cd command, 206
- CDs, Knoppix, 14-16
- chains, 445
- characters
 - recognition, Kooka, 568-569
 - shell scripts, 632-633

- charts, OpenOffice.org (Calc), 533-537
- chgrp command, 209
- chkconfig command, 144-145
- chmod command, 209-211
- chown command, 209
- CIDR (Classless InterDomain Routing), 167-169
- CIFS (common Internet file system), 351
- Class A networks, 164
- Class B networks, 164
- Class C networks, 164
- classic themes, KDE, 56
- Classless InterDomain Routing (CIDR), 167-169
- clients, thin
 - advanced configuration, 416-418
 - basics, 394
 - converting PCs, 414-415
 - Cygwin, 419-422
 - DHCP, 394-398
 - help, 411
 - LTSP package, 400-406
 - performance, 422
 - TFTP, 398-399
 - XDMCP, 406-411
- Clone tool, 582
- CodeWeavers Web site, 24
- Color Picker, 580
- command line, 64-66
 - Debian package installation, 119
 - apt-get (ul) command, 121-123
 - identifying files, 120
 - listing current packages, 119-120
 - release levels, 120
 - log out, 49
 - RPM package installation, 115-118
- commands, 64
 - case-sensitivity, 116
 - changing file ownership, 210
 - directory file, 206-208
 - executable shell script files, 210-211
 - file permissions, 209
 - Panel menu, Add, 86
 - piping, 204
 - bit bucket, 205-206
 - STDERR command, 205
 - tee command, 204-205
 - processes, 220-222
 - pstree command, 222-224
 - stopping, 225-227
 - suspending process, 224-225
 - prompt, 192
 - shell, 64-66
 - shell scripts, 628-629
 - parameters, 629-630
 - quotes, 634-635
 - special characters, 632-633
 - variables, 630-632
 - vim editor, 230-232
 - Window menu
 - Show Terminal Emulator, 98
 - Split View
 - Left/Right, 90
- common Internet file system (CIFS), 351
- Common UNIX Printing System (CUPS), 291-298
- compatibilities, devices, 130-131
- compress (ul) command, 125
- conferencing, GnomeMeeting, 604-608
- Configure Desktop command, 70
- Configure Kmail dialog, 457
- connection-oriented protocols, 158
- connectionless protocols, 158
- Contact Wizard, Addition, Kopete, 593
- contacts, Kopete, 593-595
- controllerless modems, 135
- cookies
 - Konqueror, 499-500
 - Mozilla, 505-506

- costs, Linux
 - advantage, 9
- cp command, 194
- cpio command,
 - backups, 269
- cron program
 - automated scripts, 620-624
 - permissions, 626
 - Vixie program, 620
- crontab file, 620
- Crop tool, 580
- csh shell (C shell), 628
- CUPS (Common UNIX Printing System), 291-298
- customizing desktops
 - background, 70-72
 - icons, 79-82
 - panel settings, 73-75
 - screensaver, 72-73
 - shortcuts, 79-82
 - taskbar settings, 73-75
 - theme, 75-79
- cw command, 232
- Cygwin, 419-422
- daemons, 140-141
- data
 - backing up, 23
 - files, 194-201
 - K3b, 273-274
 - basics, 275-278
 - burning backup, 278-279
 - Konqueror
 - directories, 84-87
 - navigating, 87-95
 - permissions, 95-98
 - rsync program, 279
 - mirroring
 - directories, 280-284
 - USB drives, 284
- databases
 - hash prefix, 307
 - LDAP
 - basics, 316-321
 - GQ tool, 326-328
 - KAddressBook, 322
 - schema files, 324-326
 - PostgreSQL, 342-345
- date command, 193
- dcron program, 620
- dd command, 232
- ddns-update-style
 - setting, DHCP
 - set up, 396
- Debian
 - package format, 105
 - software
 - installation, 119
 - apt-get (ul)
 - command, 121-123
 - identifying files, 120
 - listing current
 - packages, 119-120
 - release levels, 120
 - default routes, 150
 - default-lease-time
 - setting, DHCP
 - set up, 396
 - defragmentation,
 - Windows resizing, 33
 - deleting, shell files, 197-201
 - dependencies, package
 - software installation, 113-115
 - deployment
 - desktop considerations, 26-28
 - dual booting, 22-23
 - Linux acquisition, 20-22
 - Linux-only
 - system, 23
 - preserving data, 23
 - transitional
 - applications, 28
 - Windows applications
 - on Linux, 24-26
 - Desktop Sharing, KDE, 429-434
 - desktops, 11-12
 - customizing
 - background, 70-72
 - icons, 79-82
 - panel settings, 73-75
 - screensaver, 72-73
 - shortcuts, 79-82
 - taskbar settings, 73-75
 - theme, 75-79
 - KDE, 52
 - Kicker, 57-59
 - login manager, 53-57
 - monitor size, 62
 - user considerations, 26-28
 - /dev directory, device
 - files, 137-139
 - development tools,
 - installation, 43

- devices
 - Linux compatibility, 130-131
 - modems *versus* Winmodems, 135-137
 - plug and play, 131
 - runlevels, graphical interface, 145-148
 - start-up
 - chkconfig
 - command, 144-145
 - daemons, 140-141
 - init process, 141-142
 - runlevels, 142-144
 - system treatment, 137-139
 - understanding, 131-132
 - PCI, 133-134
 - USB, 134-135
- Devices tab, 88
- /dev/null file, 205-206
- df command, 193
- DHCP (Dynamic Host Configuration protocol), 155, 394
 - assigning fixed addresses, 397-398
 - set up, 395-397
- dialogs
 - Accounts, 597
 - Address Data
 - Source AutoPilot dialog, 510
 - AutoFormat
 - Chart, 535
 - Configure Kmail, 457
 - Edit Event, 477, 484
 - Export, 524, 553
 - Font, 82
 - GIMP User
 - Installation, 570
 - HTML Export, 551
 - Permissions, 95-98
 - Print, 480
 - Printer, 298
 - Properties, 95
 - Search, 113
 - Task, 491
 - Tool Options, 578
 - User Properties, 261
- dig command, 186
- Digikam Web site, 560
- digital cameras,
 - gPhoto2, 558-559
- Dillon, Matthew, 620
- directories, 59
 - file
 - commands, 206-208
 - NFS, 374-391
 - home, 255
- Konqueror
 - permissions, 95-98
- LDAP
 - basics, 316-321
 - GQ tool, 326-328
 - KAddressBook, 322
 - schema files, 324-326
- navigating Konqueror, 87-89, 93-95
 - copying files, 93
 - creating, 92
 - enhancements, 89-91
 - moving files, 93
 - renaming files, 92
 - selecting files, 91-92
 - root files, 84-87
- discussion groups, 12
- Diskless Workstations
 - Web site, 415
- DistroWatch Web site, 20
- DNS (domain name server), 150, 175, 304
 - BIND, 176-177
 - configuration, 178
 - domain, 178
 - /etc/named.conf file, 179-181
 - reverse IP mapping, 184-185
 - zones, 181-184
 - /etc/hosts file, 175-176
 - security, 178
 - setup, 186-187
- documents,
 - OpenOffice.org Writer, 523-524
- Dodge and Burn tool, 582
- dollar sign (\$), shell prompt, 192
- domain name server. *See* DNS
- domains
 - DNS configuration, 178
 - Postfix handling multiple, 309-310
 - TCP/IP, 161-162
- double quotes (""), shell scripts, 634
- dpkg (ul) command, 119

- drakconf (ul)
 - command, 108
- drivers, network
 - setup, 170
- drop-down menus, 63
- DSLs, Internet
 - connection, 155-156
- dual booting, 22-23, 33-35
- dump command, 284-287
- dw command, 232
- Dynamic Host Configuration protocol. *See* DHCP
- dynamic IP addresses, 150

- echo command, 193
- Edit Event dialog, 477, 484
- editors
 - Kate, 227-229
 - visual, 230
 - command functions, 230-232
 - Emacs, 236-237
 - NEdit, 236-237
 - Pico, 236-237
 - recovering session, 233-234
 - start-up options, 234-236
- eGroupWare, 345-349
- egroupware
 - directories, 346
- electronic mail. *See* email
- Emacs editor, 236-237

- email (electronic mail), 303
 - creating users, 256
 - Evolution, 466-471
 - Kmail, 454-457
 - address books, 463-464
 - attachments, 465
 - network configuration, 457-462
 - queued messages, 466
 - receiving messages, 463
 - sending messages, 462-463
 - Postfix, 304
 - configuring, 304-305
 - hash prefix, 307
 - improper address handling, 310
 - multiple domain handling, 309-310
 - restart, 306
 - server setup, 308
 - stopping spam, 310-312
 - tracking messages, 312
 - user setup, 306-307
 - via Webmin, 312-313
 - SquirrelMail, 337-342
- enhanced C shell (tcsh shell), 628
- environment variables, 85, 632

- EPROM (Erasable Programmable Read Only Memory), 414
- Eraser tool, 581
- /etc/default/useradd file, 254
- /etc/dhcpd.conf configuration file, 395
- /etc/exports file, 376, 379
- /etc/fstab file, mount specification, 381-382
- /etc/group file, 252
- /etc/hosts files, 175-176
- /etc/login.defs file, 256
- /etc/lts.conf file, 405
- /etc/named.conf files, DNS configuration, 179-181
- /etc/nsswitch.conf file, NIS client configuration, 389-391
- /etc/passwd file, 248, 251-252
- /etc/shadow file, 248
- /etc/shells file, 251
- /etc/xinetd.d directory, 308
- Etherboot Web site, 414
- Ethernet cards, 155
 - network set up, 170
 - thin clients, 414
- events
 - Evolution
 - creating, 486-489
 - meetings, 489-490
 - Korganizer
 - creating, 476-478
 - meeting invitation, 483-484
 - recurring, 481-482

- Evolution, 466-469
 - calendar applications, 485-486, 491
 - creating appointments, 486-489
 - meetings, 489-490
 - to-do items, 490-491
 - messages, 469-471
- exit (ul) command, 87
- Export dialog, 524, 553
- extract and build
 - five-step, software installation, 124-125
 - building programs, 126-127
 - README files, 127
 - unpacking
 - archive, 125
- Eyecandy-O-Meter screen, 56
- f flag, 201
- Fedora, Linux
 - installation, 40-45
- Fibonacci sequence, 635
- FIFO, 138
- File Transfer Protocol (FTP), 159
- filename setting, DHCP
 - set up, 396
- files, 194
 - attributes, 214-216
 - changing
 - ownership, 210
 - directories, 206-208
 - executable shell script files, 210-211
 - find command, 216-218
 - grep command, 219-220
- Konqueror, 59
 - directories, 84-87
 - navigating, 87-95
 - permissions, 95-98
 - listing, 195
 - naming, 195
 - permissions, 196-197, 209
 - alias command, 199-201
 - confirming
 - deletion, 199
 - deleting, 197-198
 - hidden files, 197
 - sharing, NFS, 374-391
 - tips, configuring, 89
- Fill tool, 581
- find command, 216-218
- finger command,
 - checking dormant accounts, 258-260
- FIPS
 - dual booting, 34-35
 - shrinking Windows
 - partition, 33
- firewalls
 - graphic tools, 447-449
 - iptables, 444-447
- Flip tool, 580
- focus, 55
- folders, Konqueror, 59
- fonts, OpenOffice.org (Writer), 520
- Fonts dialog, 82
- formatting,
 - OpenOffice.org (Calc), 537-538
- FQDN (fully qualified domain name), 304
- Frankston, Bob, 528
- free software, Linux
 - acquisition, 21
- Free Software Foundation Web site, 611
- Freshmeat Web site, 628
- FTP (File Transfer Protocol), 159
- full-screen mode,
 - Konqueror, 498-499
- fully qualified domain name (FQDN), 304
- Function bar, Writer toolbars, 516
- G command, 231
 - g option, defining users
 - group, 256
- Gagne, Marcel Web site, 12
- GAIM, 28, 596-601
- Galeon, 507
- General Public License (GPL), 7-8, 611-618
- gg command, 231
- GIDs (group IDs), 247
- GIMP, 569-570
 - logos, 572-575
 - photograph touchup, 583-585
 - printing, 576-577
 - saving, 575-576
 - start up, 570-572
 - Tool icons, 578-582
 - toolbox, 577-578
- GIMP User Installation dialog, 570
- GNOME, 12, 192, 507
- GnomeMeeting, 604-608

- GNU
 - Bourne-Again Shell, 65
 - General Public License (GPL), 7
 - project, 6
- Gnumeric, 113, 538
- gPhoto2, 558-559
- GPL (General Public License), 7-8, 611-618
- GQ tools, LDAP, 326-328
- Gradient Fill tool, 581
- Grand Unified Bootloader (GRUB), 23
- grandfather systems, 284
- graphic firewalls, access control, 447-449
- graphical interfaces
 - GQ tool, 326-328
 - runlevels, 145-148
- graphics
 - GIMP, 569-570
 - logos, 572-575
 - photograph touchup, 583-585
 - printing, 576-577
 - saving, 575-576
 - start up, 570-572
 - Tool icons, 578-582
 - toolbox, 577-578
 - gPhoto2, 558-559
 - Konqueror, 559-560
 - OpenOffice.org Impress, 540-546
 - adding color, 548-549
 - inserting slides, 547-548
 - penguin, 553-554
 - printing, 550
 - Web presentations, 550-553
- scanners, 561-562
 - Kooka, 563-569
 - network sharing, 562-563
- graphs, OpenOffice.org (Calc), 533-537
- grep command, 219-220
- group IDs (GIDs), 247
- groupadd command, 253
- groupdel command, 254
- groupmod command, 253
- groups
 - defining, 256
 - files, changing ownership, 210
 - management, 253-254, 260
- groupware
 - eGroupWare, 345-349
 - Kolab, 455
- GRUB (Grand Unified Bootloader), 23
- GUI, Samba (SWAT), 367-369
- h command, 231
- hardware. *See also*
 - devices
 - Linux installation, 32-33
 - support, Linux disadvantages, 9
 - thin clients, 415
- Hardware tab, Webmin, 243
- hashes, Postfix configuration, 307
- Help, OpenOffice.org (Writer), 516-517
- help
 - resources, 12-13
 - thin clients, 411
- hidden files, 197
- hierarchical directories, LDAP, 321
- high-speed DSL, Internet connection, 155-156
- History tab, 88
- home directories, 84, 255
- home pages
 - Konqueror, 495-496
 - Mozilla, 503
- HOWTOs, 13
- HTML Export dialog, 551
- httpd.conf file, 336
- I command, 231
- i option, rm command, 199
- IANA (Internet Assigned Numbers Authority), 163
- iCal Web site, 485
- IceWM, 12
- icons, desktop
 - customizing, 79-82
- IETF (Internet Engineering Task Force), 165, 588
- ifcfg-interface files, 172
- IM (instant messaging), 28, 588
 - GAIM, 596-601

- Jabber, 588-589
- Kopete, 589-595
- images
 - GIMP, 569-570
 - logos, 572-575
 - photograph
 - touchup, 583-585
 - printing, 576-577
 - saving, 575-576
 - start up, 570-572
 - Tool icons, 578-582
 - toolbox, 577-578
- Konqueror, 559-560
- scanners, 561-562
 - Kooka, 563-569
 - network sharing, 562-563
- IMAP server, Postfix, 308
- Impress, 540-546
 - adding color, 548-549
 - inserting slides, 547-548
 - penguin, 553-554
 - printing, 550
 - Web presentations, 550-553
- inetd service, 159-160
- init process, 141-142, 159-160
- inittab file, 141
- Ink tool, 582
- input, standard, 202-204
- INSTALL files, 127
- installation
 - dual booting, 33-35
 - generic example, 36-37
 - hardware, 32-33
- Linux
 - Fedora, 40-45
 - Mandrake, 38-40
 - SUSE, 45-47
- login, 48-49
- preparation, 32
- shutdown, 48-49
- software
 - Debian packages, 119-123
 - extract and build
 - five-step, 124-127
 - identifying packages, 105-106
 - KPackage, 109-115
 - locating software, 127-128
 - Mandrake, 108-109
 - RPM package, 115-118
 - security, 104
 - source availability, 123-124
 - vendor installation
 - tools, 106-107
- instant messaging (IM), 588
 - AIM, 596-601
 - Jabber, 588-589
 - Kopete, 589-595
- instant messaging client (IM client), 28
- Intelligent Scissors, 579
- Internet
 - Konqueror, 494
 - cookies, 499-500
 - full-screen mode, 498-499
 - home page, 495-496
 - pop-ups, 500
 - searches, 497-498
 - split views, 497
 - tabbed
 - browsing, 501
 - Mozilla, 502-503
 - cookies, 505-506
 - home page, 503
 - pop-ups, 505
 - sidebar, 507
 - tabbed
 - browsing, 504
 - networks connection, 151-156
 - Internet Assigned Numbers Authority (IANA), 163
 - Internet Engineering Task Force (IETF), 165, 588
 - Internet Printing Protocol (IPP), 292
 - Internet Service Provider (ISP), 150
 - IP addresses, 150, 163-165, 170-172
 - IP mapping, DNS
 - configuration, 184-185
 - IPP (Internet Printing Protocol), 292
 - iptables command, 445
 - iptables firewalls, access control, 444-447
 - ISP (Internet Service Provider), 150
- j command, 231
- Jabber, instant messaging, 588-589
- k command, 231
- K Desktop Environment. *See* KDE

- K3b, 273-274
 - basics, 275-278
 - burning backup, 278-279
 - Web site, 273
- k3bsetup command, 274
- KAddressBook, 322
- KArm, 492
- Kate editor, 227-229
- kcalc (ul) command, 64
- kcontrol (ul) command, 75, 430, 442
- KDE (K Desktop Environment), 12
 - Desktop Sharing, 429-434
 - desktops, 52
 - Control Center, 75
 - Kicker, 57-59
 - Konqueror, 59-61
 - login manager, 53-57
 - Internet
 - connection, 152
 - KAddressBook, 322
 - Kmail, 454-457
 - address books, 463-464
 - attachments, 465
 - network
 - configuration, 457-462
 - queued messages, 466
 - receiving messages, 463
 - sending messages, 462-463
 - KMyFirewall, 448-449
 - Knotes, 492
- Konsole, starting shell, 192
- Kooka, 563-569
- Kopete, 589-595
- Korganizer, 474-475
 - creating new event, 476-478
 - importing calendars, 484-485
 - meeting invitations, 483-484
 - printing calendar, 480-481
 - recurring events, 481-482
 - to-do items, 478-480
- kprinter, 298-299
- KUser, 260-263
- KWord, 526
 - printing, 291-300
- KDE Info Center, 131
- kdepasswd (ul) command, 66-67
- Keramik, default desktop theme, 77
- kernels, LTSP package installation, 402
- Keyboard Shortcuts, KDE Control Center, 82
- Kicker, 57-59
- kill command, 225-227
- Kmail, 454-457
 - address books, 463-464
 - attachments, 465
 - network
 - configuration, 457-462
 - queued messages, 466
 - receiving messages, 463
 - sending messages, 462-463
- KmyFirewall, graphic firewall tool, 448-449
- Knopper, Klaus, Knoppix creator, 14
- Knoppix, 14-16
- Knotes, 492
- KOffice suite, 526
- Kolab, 454-455
- Konqueror, 59-61, 494
 - cookies, 499-500
 - directories, 84-87
 - full-screen mode, 498-499
 - graphics, 559-560
 - home page, 495-496
 - navigating, 87-88
 - copying files, 93
 - creating directories, 92
 - enhancements, 89-91
 - links, 93-95
 - moving files, 93
 - panel, 88-89
 - renaming files, 92
 - selecting files, 91-92
 - permissions, 95-98
 - pop-ups, 500
 - searches, 497-498
 - split views, 497
 - tabbed browsing, 501
- Konsole program, 64-66
 - Kate editor, 227-229
 - starting shell, 192

- Kooka
 - character recognitions, 568-569
 - scanners, 563-567
- Kopete, 589-595
- Korganizer, 474-475
 - creating new event, 476-478
 - importing calendars, 484-485
 - meeting invitations, 483-484
 - printing calendar, 480-481
 - recurring events, 481-482
 - to-do items, 478-480
- korganizer & command, 474
- Kpackage, software
 - installation, 109-111
 - dependencies, 113-115
 - packages, 111-112
- kpackage (ul)
 - command, 110
- kpersonalizer, 53-54
- KPPP, Internet
 - connection, 152-153
- kprinter, 298-299
- krdc command, 433
- krfb command, 432
- KSpread, 538
- KUser, 260-263
- kuser command, 260
- KWord, 526

- l command, 231
- lame servers, 186
- languages,
 - OpenOffice.org (Writer), 513
- Lasso tool, 579
- last command, 193
- lastlog command, 265
- LDA (local delivery agent), 303
- LDAP (Lightweight Directory Access Protocol), 316
 - basics, 316-321
 - GQ tool, 326-328
 - KAddressBook, 322
 - schema files, 324-326
- LDAP data interchange format files (LDIF files), 319
- LDIF files (LDAP data interchange format files), 319
- LDP (Linux Documentation Project), 12-13, 130
- legal freedom, Linux
 - advantage, 9
- less command, 194
- licenses, GPL (General Public License), 611-618
- Lightweight Directory Access Protocol. *See* LDAP
- links, navigating
 - Konqueror, 93-95
- Linmodems Web site, 137
- Linux
 - acquisition, 20-22
 - introduction, 5, 7
 - advantages, 8-9
 - disadvantages, 9-10
 - free use, 7
 - General Public License (GPL), 7-8
 - using book, 10-11
 - Online Web site, 13
 - Printing Web site, 290
 - Linux Documentation Project (LDP), 12-13
 - Linux Terminal Server Project packages (LTSP packages), 400
 - configuration, 402-406
 - installation, 400-402
 - Web site, 400
 - Linux USB Device Overview Web site, 135
 - Linuxant Web site, 137
 - LinuxIso.org Web site, 21
 - local delivery agent (LDA), 303
 - localhost zone, 182
 - localhosts, 305
 - lock button, 59
 - logins
 - KDE manager, 53-57
 - Linux installation, 48-49
 - logos, GIMP, 572-575
 - logout button, 59
 - Look and Feel menu, 82
 - LPD, 291-292
 - ls (ul) command, 87
 - ls -l command, 196
 - ls command, 194
 - lts.conf file, XDMCP, 409-410

- LTSP packages (Linux Terminal Server Project packages), 400
 - configuration, 402-406
 - installation, 400-402
 - Web site, 400
- LUGs, user groups, 13
- Luma Web site, 328
- MAC (Media Access Control), 171
- Magic Wand, 579
- Magnifying Glass, 580
- mail transport agent (MTA), 303
- mail user agent (MUA), 303
- mailing lists, 12
- Main toolbar, Writer toolbars, 516
- major/minor rules, device definition, 138-139
- MAKEDEV script, 139
- man pages, 13
- Mandrake
 - firewall, 448
 - Internet connection, 152
 - Linux installation, 38-40
 - RPM repositories, 109
 - software installation, 108-109
- masked users, 212-214
- Math, OpenOffice.org (Calc), 529-532
- max-lease-time setting, DHCP set up, 396
- Measuring tool, 582
- Media Access Control (MAC), 171
- Media Player tab, 88
- meetings
 - Evolution, 489-490
 - GnomeMeeting, 604-608
 - Korganizer, 483-484
- menu bars, 63
- messages
 - email, Postfix tracking, 312
 - instant messaging
 - AIM, 596-601
 - Jabber, 588-589
 - Kopete, 589-595
 - Kmail
 - queued messages, 466
 - receiving, 463
 - sending, 462-463
- metacharacters, 196
- Microsoft Office, converting
 - OpenOffice.org (Writer), 517-518
- mkdir command, 206
- mknod command, device definition, 138
- modems
 - Internet connection, 152-155
 - cable modem, 155-156
 - high-speed DSL, 155-156
 - versus Winmodems, 135-137
- modules, Webmin, 242-243
- monitors, size, 62
- more command, 194
- mount command, 381
- mounts, auotfs package, 382-384
- Move tool, 580
- Moving To the Linux Business Desktop link (MTLBD link), 12
- Mozilla, 28, 502-503
 - cookies, 505-506
 - home page, 503
 - pop-ups, 505
 - sidebar, 507
 - tabbed browsing, 504
 - Thunderbird, email, 471
 - Web site, 494
- MTA (mail transport agent), 303
- MTLBD link (Moving To the Linux Business Desktop link), 12
- MUA (mail user agent), 303
- multiple domains, Postfix handling, 309-310
- mutt Web site, 471
- mv command, 194, 206
- named pipes, 138
- named.ca zone, 181
- named.local file, 182
- names, files, 195
- navigation, Konqueror, 87-88
 - copying files, 93
 - creating directories, 92
 - enhancements, 89-91
 - file manager, 84
 - links, 93-95
 - moving files, 93

- panel, 61, 88-89
 - renaming files, 92
 - selecting file, 91-92
- NCSA httpd Web server, 332
- NEdit editor, 236-237
- Netfilters, 444
- netmasks, 166
- Netraverse, Win4Lin, 25-26
- netstat program,
 - routing, 173-174
- network information
 - service. *See* NIS
- network neighborhoods, Samba, 362-367
- Network tab, 88
- Networking tab,
 - Webmin, 243
- networks
 - directories, LDAP
 - basics, 316-321
 - DNS, 175
 - BIND, 176-177
 - configuration, 178-185
 - /etc/hosts file, 175-176
 - setup, 186-187
 - file sharing, NFS, 374-391
 - Internet connection, 151-156
 - Kmail, 457-462
 - routing, 172-174
 - scanners, 562-563
 - setup, 170-172
 - TCP/IP, 165
 - broadcast addresses, 166-167
 - CIDR, 167-169
 - domains, 161-162
 - IP addresses, 163-165
 - netmasks, 166
 - protocols and suites, 158
 - service ports, 159-160
 - subnets, 167
 - time synchronization, 188-189
- NFS
 - autofs package, 382-384
 - basics, 374-376
 - /etc/fstab mount specification, 381-382
 - mounting
 - directory, 380-381
 - remote file system
 - availability, 376-380
- NIS, 384-385
 - client configuration, 388-391
 - configuring Master Server, 385-388
- NIS (network information service), 176, 384-385
 - client configuration, 388-391
 - configuring Master Server, 385-388
- Norman, Tim, print driver development, 290
- no_hide option,
 - NFS file sharing permissions, 377
- no_root_squash option,
 - NFS file sharing permissions, 378
- no_subtree_check option, NFS file sharing permissions, 378
- no_wdelay option,
 - NFS file sharing permissions, 377
- NTP, 189
- o command, 231
- Object bar, Writer toolbars, 516
- online discussion groups, 12
- OO Extras Web site, 525
- oowriter command, 510
- OpenLDAP Web site, 316, 329
- OpenOffice.org
 - Calc, 528
 - addition among cells, 529-532
 - charts and graphs, 533
 - dynamic graphs, 534-537
 - final formatting, 537-538
 - saving, 532-533
 - totals, 533-534
 - Impress, 540-546
 - adding color, 548-549
 - inserting slides, 547-548

- penguin, 553-554
- printing, 550
- Web presentations, 550-553
- Writer, 510-511
 - AutoPilot, 520
 - converting
 - Microsoft Office documents, 517-518
 - documents, 523-524
 - export to PDF, 524
 - Help, 516-517
 - languages, 513
 - personal
 - preferences, 518-520
 - printing, 515
 - saving, 514
 - spell check, 513
 - style, 521-523
 - templates, 525
 - toolbars, 516
 - typing, 511-512
- OpenOffice.org office suite, 28
- OpenSSH, 438-442
- Opera, 508
- operating systems,
 - Samba, 351-353
 - adding users, 355-357
 - backing up Windows workstations, 369-370
 - configuration, 353-355
 - network
 - neighborhood access, 362-367
 - printing, 360-362
 - server configuration, 357-358
 - SWAT, 367-369
 - Windows workstations, 359
- option broadcast-address setting, DHCP set up, 396
- option domain-name setting, DHCP set up, 396
- option domain-name-servers setting, DHCP set up, 396
- option root-path setting, DHCP set up, 396
- option routers setting, DHCP set up, 396
- option subnet-mask setting, DHCP set up, 396
- organizations
 - Evolution, 485-486, 491
 - creating appointments, 486-489
 - meetings, 489-490
 - to-do items, 490-491
 - Korganizer, 474-475
 - creating new event, 476-478
 - importing calendars, 484-485
 - meeting invitations, 483-484
 - printing calendar, 480-481
 - recurring events, 481-482
 - to-do items, 478-480
 - units, 316
 - Others tab, Webmin, 243
- Outlook, Evolution similarities, 466-471
- output, standard, 202-204
- ownership, files, 210
- p flag, mkdir command, 207
- p option, 138
 - rmdir command, 207
 - tar command, 270
- packages, software
 - identifying, 105-106
 - KPackage, 111-112
 - managers, updates, 21-22
 - suffices, 112
- packets
 - iptables firewall, 444-447
 - TCP/IP, 158
- Paintbrush tool, 581
- Panel menu commands, Add, 86
- panels
 - desktop customizing, 73-75
 - Knoqueror navigation, 88-89
- parameters, shell scripts, 629-630
- paramtest command, 629-630
- passwd (ul) command, 67, 306

- passwords, 66-67
 - files, checking
 - dormant accounts, 258-260
 - KUser, 262-263
 - Linux installation, 36
 - managing users, 248
 - PCI devices, 133-134
 - PCs, converting to thin clients, 414-415
 - PDFs, export from
 - OpenOffice.org Writer, 524
 - pdksh shell (public domain Korn shell), 628
 - penguin,
 - OpenOffice.org (Impress), 553-554
 - peripheral support,
 - Linux disadvantages, 9
 - permissions, 95-97
 - automated
 - scripts, 626
 - default, 212-214
 - deleting files and directories, 97-98
 - executable shell script files, 210-211
 - files, 196-197, 209
 - alias command, 199-201
 - confirming deletion, 199
 - deleting, 197-198
 - hidden, 197
 - NFS file sharing, 377
 - personalizer, KDE, 53-54
 - PHP, building, 334-335
 - Pico editor, 236-237
 - pictures
 - GIMP touchup, 583-585
 - scanners, 561-562
 - Kooka, 563-569
 - network sharing, 562-563
 - pine Web site, 471
 - pipng, commands, 204
 - bit bucket, 205-206
 - STDERR
 - command, 205
 - tee command, 204-205
 - Pisano, Leonardo, 635
 - .plan file, 250
 - Plastik, default desktop theme, 77
 - plug and play devices, 131
 - plugins, SquirrelMail, 341-342
 - Point-to-Point Protocol.
 - See PPP
 - POP (Post Office Protocol), 159
 - pop-ups
 - Konqueror, 500
 - Mozilla, 505
 - POP3 servers,
 - Postfix, 308
 - ports, services, 159-160
 - Post Office Protocol (POP), 159
 - Postfix, 304
 - configuring, 304-305
 - hash prefix, 307
 - improper address handling, 310
 - multiple domain handling, 309-310
 - restart, 306
 - server setup, 308
 - stopping spam, 310-312
 - tracking
 - messages, 312
 - user setup, 306-307
 - via Webmin, 312-313
 - PostgreSQL, 342-345
 - postmap command, 312
 - PostScript printers, 291
 - pound sign (#), root prompt, 192
 - power, Linux
 - advantage, 8
 - PPA (Printing Performance Architecture), 290
 - PPP (Point-to-Point Protocol), 152
 - preferences,
 - OpenOffice.org (Writer), 518-520
 - presentations,
 - OpenOffice.org (Impress), 540-546
 - adding color, 548-549
 - inserting slides, 547-548
 - penguin, 553-554
 - printing, 550
 - Web presentations, 550-553
 - primary zone files, 183
 - Print dialog, 298, 480
 - printers, 135
 - administration tools, 299-300
 - CUPS, 291-298
 - kprinter, 298-299
 - OpenOffice.org Writer, 515

- queues, 291
- Samba, 360-362
- selection, 290-291
- printing
 - GIMP, 576-577
 - Korganizer calendar, 480-481
 - OpenOffice.org (Impress), 550
- Printing Performance Architecture (PPA), 290
- processes, 220-222
 - pstree command, 222-224
 - stopping, 225-227
 - suspending process, 224-225
- Progeny Web site, 118
- programming, shell scripts, 635-637
- programs, command names, 60
- projects, K3b, 275
- prompts command, 192
- Properties dialog, 95-98
- protocol suites, TCP/IP, 150, 158
- pstree command, 222-224
- public domain Korn shell (pdksh shell), 628
- pwd command, 206

- question mark (?), metacharacter, 196
- queued messages, Kmail, 466
- Quick Tips, 11
- quotes, shell scripts, 634-635

- R command, 232
- rc.local file, 142-143
- rdate command, 188
- RDBMS (relational database management system), 342-345
- rdesktop command, 434
- README files, 127
- RealVNC Web site, 426
- Red Hat
 - device compability Web site, 130
 - Internet connection, 152
- relational database management system (RDBMS), 342
- remote administration
 - KDE Desktop Sharing, 429-434
 - rdesktop, 434
 - VNC (virtual network computing), 426-429
- remote procedure calls (RPC), 374
- Request For Comments (RFC), 165
- resources, help, 12
 - LDP (Linux Documentation Project), 13
 - user groups, 13
- restore command, backup restores, 286-287
- RFC (Request For Comments), 165
- rm -rf* command, 208

- rm command, 194
 - alias command, 199-201
 - confirmation with -i option, 199
 - deleting files, 197-198
- rmdir command, 206-207
- ro option, NFS file sharing permissions, 377
- Roaring Penguin Web site, 156
- root files, 84-87
- root passwords, 36
- root prompts, 192
- root users, 104, 247-248
- route command, 173
- routing, 172-174
- RPC (remote procedure calls), 374
- rpc.mountd daemon, 376
- rpc.nfsd daemon, 376
- rpc.quotad daemon, 376
- rpc.statd daemon, 376
- RPM
 - installation, 115-118
 - package format, 105
- rpmdrake (ul) command, 108
- rsize flag, 381
- rsync program, 279
 - mirroring directories, 280-284
 - USB drives, 284
- Run command, 64
- runlevels
 - graphical interface, 145-148
 - init process, 141-142

- rc.local file, 142-143
- switching without
 - reboot, 143-144
- rw option, NFS
 - file sharing
 - permissions, 377
- Samba, 351-353
 - adding users, 355-357
 - backing up
 - Windows workstations, 369-370
 - configuration, 353-355
 - network
 - neighborhood access, 362-367
 - printing, 360-362
 - server configuration, 357-358
 - SWAT, 367-369
 - Web site, 353
 - Windows workstations, 359
- Sandra, Damien, GnomeMeeting, 604
- saving
 - GIMP, 575-576
 - OpenOffice.org Calc, 532-533
 - Writer, 514
 - scanned images, 567
- sbin/ifconfig
 - command, 170
- /sbin/route
 - command, 173
- scanners, graphics, 561-562
 - Kooka, 563-569
 - network sharing, 562-563
- schedules
 - Evolution, 485-486, 491
 - creating appointments, 486-489
 - meetings, 489-490
 - to-do items, 490-491
 - Korganizer, 474-475
 - creating new event, 476-478
 - importing calendars, 484-485
 - meeting invitations, 483-484
 - printing calendar, 480-481
 - recurring events, 481-482
 - to-do items, 478-480
 - schema files, LDAP, 324-326
 - scientific calculator, 64
 - screensavers, customizing desktop, 72-73
 - script kiddies, 443
 - Script-Fu, 584-585
 - scripts
 - automated
 - at command, 625-626
 - cron program, 620-624
 - permissions, 626
 - creating startup script, 147
 - shell, 627-628
 - commands, 628-635
 - programming, 635-637
 - specifying shell, 637-638
- Search dialog, 113
- searches, Konqueror, 497-498
- secure option, NFS file sharing permissions, 377
- secure shell (ssh), 239, 438-442
- security
 - access control, 442-443
 - graphic firewall tools, 447-449
 - iptables firewall, 444-447
 - TCP wrapper, 443-444
- BIND, 178
- DNS, 178
- Linux advantage, 8
- OpenSSH, 438-442
- passwords, 66-67
- software
 - installation, 104
 - users, 264-265
- server message block (SMB), 351
- ServerAdmin
 - parameter, 337
- servers
 - DNS configuration, 178
 - domain, 178
 - /etc/named.conf file, 179-181

- reverse IP
 - mapping, 184-185
 - zone files, 183-184
 - zones, 181-183
- DNS setup
 - access
 - restriction, 187
 - dig command, 186
 - lame server, 186
- Postfix, 308
- Samba configuration, 357-358
- VNC (virtual network computing), 426
- Web
 - Apache, 332-337
 - eGroupWare, 345-349
 - PostgreSQL, 342-345
 - SquirrelMail, 337-342
- Servers tab,
 - Webmin, 243
- service command, 375
- services, 159
 - chkconfig command, 144-145
 - daemons, 140-141
 - init process, 141-142
 - ports, 159-160
- Services tab, 88
- setgid bit, 213-214
- setuid bit, 213-214
- setuid root
 - command, 304
- sh shell (Bourne shell), 627
- shadow password file, 251
- shared resources
 - files, NFS, 374-391
- Samba, 351-353
 - adding users, 355-357
 - backing up
 - Windows workstations, 369-370
 - configuration, 353-355
 - network
 - neighborhood access, 362-367
 - printing, 360-362
 - server
 - configuration, 357-358
 - SWAT, 367, 369
 - Windows workstations, 359
- Shell Outs, 11
- shells, 64-66
 - commands
 - changing ownership, 210
 - directory file, 206-208
 - executable shell
 - script files, 210-211
 - file permissions, 209
 - piping, 204-206
 - processes, 220-227
 - prompt, 192
- Debian package
 - installation, 119
- apt-get (ul)
 - command, 121-123
- identifying
 - files, 120
- listing current
 - packages, 119-120
 - release levels, 120
- default permissions, 212-214
- editors
 - command
 - functions, 230, 232
 - Kate, 227-229
 - visual editor, 230-237
- files, 194
 - attributes, 214-216
 - listing, 195
 - naming, 195
 - permissions, 196-201
- find command, 216-218
- grep command, 219-220
- metacharacters, 196
- OpenSSH, 438-442
- RPM package
 - installation, 115-118
- running
 - commands, 152
- scripts
 - programming, 635-637
 - specifying shell, 637-638
 - writing, 627-635
- standard input, 202-204
- standard output, 202-204

- shortcuts, 94
 - desktop customizing, 79-82
 - Keyboard Shortcuts (KDE Control Center), 82
 - Web searches, 498
- Show Desktop icon, 86
- Show Terminal
 - Emulator command (Window menu), 98
- shredding trash, 98
- shutdown, Linux
 - installation, 48-49
- sidebars, Mozilla, 507
- Simple Mail Transport Protocol (SMTP), 159
- single quotes ('), shell scripts, 634
- skeleton directories, 254
- Smart Link Web site, 137
- SMB (server message block), 351
- smb.conf file, 354
- smbclient program, 362
- SMTP (Simple Mail Transport Protocol), 159
- Smudge tool, 582
- sneakernet, 373
- Sniffit, password snooping, 438
- software
 - installation
 - Debian packages, 119-123
 - extract and build five-step, 124-127
 - identifying packages, 105-106
 - KPackage, 109-115
 - locating software, 127-128
 - Mandrake, 108-109
 - RPM package, 115-118
 - security, 104
 - source availability, 123-124
 - vendor installation tools, 106-107
 - Linux disadvantages, 10
 - modems, 135
 - sort command, 194
 - spam, Postfix handling, 310-312
 - spell check, OpenOffice.org (Writer), 513
 - Split View Left/Right command (Window menu), 90
 - split views, Konqueror, 497
 - spoolers, printing, 291-298
 - spreadsheets, OpenOffice.org (Calc), 528
 - addition among cells, 529-532
 - charts and graphs, 533
 - dynamic graphs, 534-537
 - final formatting, 537-538
 - saving, 532-533
 - totals, 533-534
 - SquirrelMail, 337-342
 - ssh (secure shell), 239, 442
 - ssh speedy
 - command, 439
 - sshd daemon, 439, 442
 - stability, Linux advantage, 8
 - Stamfest, Peter, 327
 - standard error files, 194
 - standard in files, 194
 - standard input, 202-204
 - standard out files, 194
 - standard output, 202-204
 - StarOffice, 555
 - start-up
 - chkconfig command, 144-145
 - daemons, 140-141
 - init process, 141-142
 - runlevels, 142-144
 - static addresses, 150
 - Status bar, Writer toolbars, 516
 - STDERR command, 202, 205
 - STDIN command, 202-204
 - STDOUT command, 202-204
 - stopping processes, 225-227
 - style, OpenOffice.org (Writer), 521-523
 - styles, 75, 78-79
 - subnets, 167
 - suffixes, package software, 112

- SUSE
 - firewall, 448
 - Linux installation, 45-47
 - software installations, 106-107
- suspending processes, 224-225
- SWAT, Samba, 367-369
- switcher desktops, 58
- swriter command, 510
- sync option,
 - NFS file sharing permissions, 377
- System Behavior screen, 55
- System tab,
 - Webmin, 243
- system tray, 59

- tabbed browsing
 - Konqueror, 501
 - Mozilla, 504
- tar command,
 - backups, 270
- Task dialog, 491
- taskbars
 - desktop customizing, 73-75
 - Kicker, 58
- Taylor, Grant, printer compatibility list, 290
- TCP wrappers, access control, 443-444
- TCP/IP (Transmission Control Protocol/Internet Protocol), 149, 165
 - broadcast addresses, 166-167
 - CIDR, 167-169
 - domains, 161-162
 - IP addresses, 163-165
 - netmasks, 166
 - protocols and suites, 158
 - service ports, 159-160
 - subnets, 167
- tcsh (enhanced C shell), 628
- tee command, 204-205
- TELNET, security, 438
- templates
 - AutoPilot, 520
 - OpenOffice.org Writer, 525
- text, OpenOffice.org (Writer), 522-523
- Text tool, 580
- text-only browsers, 508
- TFTP, (Trivial File Transfer Protocol), 394, 398-399
- themes, desktop customizing, 75-79
- thin clients
 - advanced configuration, 416-418
 - basics, 394
 - converting PCs, 414-415
 - Cygwin, 419-422
 - DHC, set upP, 395-397
 - DHCP, 394, 397-398
 - help, 411
 - Linux desktop deployment, 27-28
 - LTSP package configuration, 402-406
 - installation, 400-402
 - performance, 422
- TFTP, 398-399
- XDMCP, 406-408
 - configuration, 408-409
 - lts.conf file, 409-410
 - SCREEN definitions, 410-411
- Thompson, Ken, UNIX developer, 84
- TightVNC Web site, 426
- time synchronization, networks, 188-189
- tips, configuring, 89
- title bars, 61, 63
- TLD (top-level domain), 161
- to-do items
 - Evolution, 490-491
 - Korganizer, 478-480
- Tool icons, GIMP, 578-582
- Tool Options dialog, 578
- toolbars,
 - OpenOffice.org Writer, 516
- tools
 - backups
 - cpio command, 269
 - tar command, 270
 - Windows workstations, 271
 - development installation, 43
 - GIMP, 577-578
 - tips, 58, 90
- top-level domain (TLD), 161
- Torvalds, Linus, 5
- totals, OpenOffice.org (Calc), 533-534

- Transform tool, 580
 - transitional applications,
 - Linux deployment, 28
 - Transmission Control Protocol/Internet Protocol. *See* TCP/IP
 - trash bin, 98
 - Trigdell, Andrew,
 - Samba, 351
 - Trivial File Transfer Protocol (TFTP), 394, 398-399
 - tty command, 193
 - u option, processes, 221
 - UCE (unsolicited commercial email), 309
 - UDP (User Datagram Protocol), 158
 - UIDs (user IDs), 247
 - uninstalling software, 111
 - uniq command, 194
 - Universal Serial Bus (USB), 134
 - unmask command, 212-214
 - unmasked users, 212-214
 - unsolicited commercial email (UCE), 309
 - updates, package managers, 21-22
 - upgrades
 - Debian, apt-get (ul) command, 122-123
 - RPM packages, 118
 - Webmin, 245
 - urpmi (ul) command,
 - Mandrake software installation, 108-109
 - USB (Universal Serial Bus), 134
 - devices, 134-135
 - rsync program backups, 284
 - User Datagram Protocol (UDP), 158
 - user IDs (UIDs), 247
 - User Properties dialog, 261
 - useradd command, 256-257
 - userdel command,
 - deleting users, 258
 - usermod command,
 - modifying users, 257
 - usernames, character limits, 249
 - users
 - adding, 254-255
 - creation controls, 256-257
 - defining
 - groups, 256
 - email-only accounts, 256
 - home directories, 255
 - checking dormant accounts, 258-260
 - deleting, 258
 - desktop
 - considerations, 26-27
 - files, changing ownership, 210
 - groups, management, 253-254
 - help groups, 13
 - KUser, 260-263
 - management, 248-253, 260
 - modifying, 257
 - password, 36
 - Postfix, 306-307
 - root, when to use, 248
 - Samba, 355-357
 - security, 264-265
 - Webmin, 243-244
 - /usr/local/samba directory, 353
- variables, shell scripts, 630-632
- /var/log/lastlog file, 260
- /var/yp/Makefile file, 385
- Venema, Wietse,
 - Postfix, 304
- verbose flag, mkdir command, 207
- Vermeulen, Bert, 327
- vi editor, 230
 - command functions, 230-232
 - Emacs, 236-237
 - NEdit, 236-237
 - Pico, 236-237
 - recovering session, 233-234
 - start-up options, 234-236
- video conferencing,
 - GnomeMeeting, 604-608
- vigr command, 248
- vim editor, 230
 - command function, 230-232
 - Emacs, 236-237

- NEdit, 236-237
- Pico, 236-237
- recovering session, 233-234
- start-up options, 234-236
- vipw command, 248
- virtual desktops, 58
- virtual network computing (VNC), 426-429
- visible calculators, 528
- visual editor, 230
 - command function, 230-232
 - Emacs, 236-237
 - NEdit, 236-237
 - Pico, 236-237
 - recovering session, 233-234
 - start-up options, 234-236
- Vixie, Paul, 620
- VMware, 25
- VNC (virtual network computing), 426-429
- vncpasswd command, 427
- vncserver command, 426
- vncviewer command, 427
- w command, 193, 231
- Wall, Larry, 619
- wallpaper settings, 70-71
- wc command, 194
- Web browsers
 - Galeon, 507
 - Konqueror, 494
 - cookies, 499-500
 - full-screen mode, 498-499
 - home page, 495-496
 - pop-ups, 500
 - searches, 497-498
 - split views, 497
 - tabbed browsing, 501
 - Mozilla, 502-503
 - cookies, 505-506
 - home page, 503
 - pop-ups, 505
 - sidebar, 507
 - tabbed browsing, 504
 - Opera, 508
 - text-only, 508
- Web presentations, OpenOffice.org (Impress), 550-553
- Web servers
 - Apache, 332-337
 - eGroupWare, 345-349
 - PostgreSQL, 342-345
 - SquirrelMail, 337-342
- Web sites
 - Abisource, 526
 - AMANDA, 287
 - Apache, 332
 - Arkeia, 287
 - Biot.com, 327
 - BRU Pro, 287
 - CodeWeavers, 24
 - Cygwin, 419
 - Digikam, 560
 - Diskless Workstations, 415
 - DistroWatch, 20
 - eGroupWare, 346
 - Etherboot, 414
 - Free Software Foundation, 611
 - Freshmeat, 628
 - Gagne, Marcel, 12
 - GAIM, 601
 - iCal, 485
 - K3b, 273
 - Kolab, 454
 - KMyFirewall, 448
 - LDP (Linux Documentation Project), 13
 - device compatibility, 130
 - Hardware Compatibility HOWTO, 33
 - Linmodems, 137
 - Linux
 - Online, 13
 - Printing, 290
 - USB Device Overview, 135
 - Linuxant, 137
 - LinuxIso.org, 21
 - LTSP packages, 400
 - Luma, 328
 - Mozilla, 494
 - mutt, 471
 - Netraverse, 25
 - OO Extras, 525
 - OpenLDAP, 316, 329
 - OpenSSH, 438
 - Opera, 508

- pine, 471
- PostgreSQL, 343
- Progeny, 118
- rdesktop, 434
- RealVNC, 426
- Redhat, device
 - compatibility, 130
- Roaring Penguin, 156
- Samba, 353
- Smart Link, 137
- Squirrelmail, 337
- TightVNC, 426
- VMware, 25
- Webmin, 240
- Wine, 24
- Ximian, 466
- Webmin, 239-240
 - creating users, 243-244
 - DHCP set up, 397
 - graphic firewall tools, 448
 - modules, 242-243
 - Postfix via, 312-313
 - running, 240, 242
 - upgrades, 245
 - Web site, 240
- WFTL (Writer and Free Thinker at Large), 12
- WFTL-LUG, 12
- who command, 193
- widgets, 75
- Win4Lin, 25-26
- Window menu
 - commands
 - Show Terminal Emulator, 98
 - Split View
 - Left/Right, 90
- WindowMaker, 12
- Windows
 - controlling from
 - Linux with VNC, 429
 - Cygwin, 419-422
 - instant messaging with GAIM, 601
 - Linux
 - backups, 271
 - dual booting, 22-23
 - rdesktop, 434
 - resizing, 63
 - running applications
 - on Linux, 24
 - VMware, 25
 - Win4Lin, 25-26
 - Samba, 359
 - backups, 369-370
 - network
 - neighborhood access, 362-367
 - printers, 361
- Windows XP, FIPS
 - detection capability, 35
- Wine, 24
 - VMware, 25
 - Web site, 24
 - Win4Lin, 25-26
- Winmodems, 134-137
- wizards, Add Printer, 294
- word processing, OpenOffice.org (Writer), 510-511
 - AutoPilot, 520
 - converting Microsoft Office documents, 517-518
 - documents, 523-524
 - export to PDF, 524
 - Help, 516-517
 - languages, 513
 - personal preferences, 518-520
 - printing, 515
 - saving, 514
 - spell check, 513
 - style, 521-523
 - templates, 525
 - toolbars, 516
 - typing, 511-512
- Writer and Free Thinker at Large (WFTL), 12
- wsize flag, 381
- x command, 232
- X Display Manager
 - Control Protocol. *See* XDMCP
- x option, processes, 221
- X window system, 52

XDMCP (X Display
Manager Control
Protocol), 406-408
configuration,
408-409
Its.conf file, 409-410
SCREEN definitions,
410-411
XFree86, 52
Ximian Web site, 466
xinetd daemon, 140

YaST administration
tool, 106-107, 448
Yellow Pages, 384
ypcat -x command, 384

Z shell (zsh shell), 628
zones, DNS
configuration, 181-184
zsh shell (Z shell), 628