
Index

802.11a/b, UWB interference. *See* Interference, with 802.11a/b.

A

Advantages of UWB. *See also* Challenges.

- carrier recovery stage, 16
- carrierless transmission, 15–16
- channel capacity, 10–11
- cost, 1154
- current marketing opportunities, 153–155
- data rate, 10–11
- detection probability, 11
- flexibility, 1154
- increasing consumer demand, 1154
- intercept probability, 11
- jamming resistance, 12
- local oscillators, 16
- LOS (line of sight) transmission, 12–14
- mixers, 16
- multipath channels, 12–14
- NLOS (non-line of sight) transmission, 12–14

- penetration properties, 14
- PG (processing gain), 12
- power consumption, 1154
- power requirements, 15–16
- scalability, 1154
- sharing the frequency spectrum, 9–10
- signal-to-noise ratios, 11
- single standard, 1154
- summary table of, 16
- transceiver architecture, 15–16

Antennas

- aperture, 61–63
- constant-aperture, 62
- constant-gain, 62
- dipole, 53, 56
- directional, 53–55, 60–63
- directivity, and performance, 60–63, 65
- dispersive, 52
- efficiency, 53–54
- EIRP (effective isotropic radiated power), 61
- electric, 56
- frequency range, tailoring, 57–59

INDEX

Antennas, *continued*

- frequency-independent, 56
 - Friis's Law, 60–63
 - gain, 61–63
 - high-gain, 53–55
 - high-gain horn, 53
 - horns, 56
 - impedance gaps, 56–63
 - introduction, 51–53
 - magnetic, 56
 - matching, 56–60
 - network considerations, 56–63
 - nondirectional, 53
 - nondispersive, 52
 - omnidirectional, 54, 60–63
 - path loss, 61
 - reflector, 53
 - scaling, 59
 - small-element, 52
 - spectral control, 56–60
 - system considerations, 56–63
 - total received power, 61
 - variation in signal power, 61
- Aperture antennas, 61–63
- Applications for UWB. *See also* Markets for UWB.
- construction sites, 37
 - data communication, 39
 - GPR (ground-penetrating radar), 36–37
 - home networking, 37–38
 - localization, 39
 - location finding, 37
 - medical imaging, 37
 - military operations, 37
 - radar, 36–37, 39
 - summary table of, 39
 - wireless entertainment devices, 37–38
 - wireless sensor networks, 37

- WPANS (wireless personal area networks), 37–38
- Asset management market, 170–171

B

- Bandwidth, 6–9
- Battery life, transmission power, 5
- Benefits. *See* Advantages.
- Biphase modulation
 - collision avoidance, 91
 - multiple-access channels, 90
 - pulse detection, 79–80, 90
 - pulse modulation and detection, 79–80
 - time hopping, 91

C

- Cable TV market, 169–170
- Carrier recovery stage, advantages, 16
- Carrierless transmission, 4–6, 15–16
- CDMA-based cellular systems, UWB interference
 - rural, 139–142
 - theoretical derivations, 187–189
 - urban, 142–144
- CE industry market, 156–157
- Cellular network market, 168
- Cellular systems, UWB interference
 - introduction, 137–139
 - rural CDMA-based systems, 139–142
 - theoretical derivations, 187–189
 - urban CDMA-based systems, 142–144
- Challenges to UWB. *See also* Advantages.
 - channel capacity limits, 19–20
 - channel estimation, 18
 - high-frequency synchronization, 18–19
 - MAI (multiple-access interference), 19–20
 - performance limits, 19–20
 - pulse-shape distortion, 17–18

- summary table of, 20
- time synchronization, 18–19
- Channel capacity, 10–11, 19–20
- Channel estimation, challenges, 18
- Charged diodes, 47–49
- Collision avoidance
 - biphase modulation, 91
 - delay hopping, 93–94
 - DH-TR modulation, 93–94
 - OOK (on-off keying), 91
 - PAM (pulse-amplitude modulation), 91
 - PPM (pulse-position modulation), 91–93
 - pulse detection, 91–94
 - TH-PPM modulation, 91–93
 - time hopping, 91–93
 - TR (transmitted-reference) modulation, 93–94
- Communications devices, FCC regulations, 31–33
- Concepts, overview, 4–6
- Constant-aperture antennas, 62
- Constant-gain antennas, 62
- Construction site applications, 37
- Consumer electronics market, 158–160, 163
- Correlation function, pulse detection, 71
- Cost of UWB, 1154
- D**
 - Data communication applications, 39
 - Data rate, 10–11, 128–131
 - Delay hopping, 93–94
 - Detecting pulses. *See* Pulse detection.
 - Detection probability, advantages, 11
 - DH-TR modulation, 93–94
 - Digital camera/camcorder market, 158
 - Digital music player market, 159
 - Digital TV market, 158–159
 - Dipole antennas, 53, 56
 - Directionality of antennas, 53–55, 60–63, 65
 - Direct-sequence UWB, 25–26
 - Dispersive antennas, 52
 - Display device market, 156
 - Drawbacks. *See* Challenges.
 - DSRDs (drift step recovery diodes), 49
 - DSSS (direct-sequence spread spectrum), 21
 - Duty cycle, 4–6
 - DVD player market, 158
- E**
 - Efficiency of antennas, 53–54
 - EIRP (effective isotropic radiated power), 61
 - Electric antennas, 56
 - Emission limits, 31–36, 114–115
 - Energy detectors, pulse detection, 70
 - Europe, regulations, 29–30
- F**
 - FCC regulations
 - communications devices, 31–33
 - current regulations, 27–28
 - emission limits, 31–36
 - fixed infrastructure, 32
 - imaging devices, 33–34
 - outdoor environments, 32
 - restriction to handheld devices, 32
 - spectral mask, 28
 - transmission power, 9, 27–28
 - vehicular radar systems, 34–35
 - FHSS (frequency-hopping spread-spectrum), 21–22
 - Fixed infrastructure, FCC regulations, 32
 - Flat-panel display market, 159
 - Flexibility, 1154
 - Frequency domain, 6
 - Frequency range, UWB, 6
 - Frequency range of antennas, tailoring, 57–59

INDEX

Frequency-independent antennas, 56
Friis's Law, 60–63

G

Gain, antennas, 61–63
Game console market, 159
Gaussian monocycle pulses, 50–51
Gaussian signals, 7
Generating pulses. *See* Pulse generation.
GPR (ground-penetrating radar), 36–37, 171
GPS receivers, UWB interference
 interference scenario, 132–134
 introduction, 131–132
 isolation between UWB and GPS, 134–137
 theoretical derivations, 182–187

H

Handheld devices, FCC regulations, 32
Harmuth, Henning, 3
High-frequency synchronization, challenges,
 18–19
High-gain antennas, 53–55
High-gain horn antennas, 53
History of UWB, 2–4
Home networking applications, 37–38
Horn antennas, 56

I

IDA (Infocomm Development Authority),
 30–31
IEEE 802.11a/b, UWB interference. *See* Inter-
 ference, with 802.11a/b.
IEEE standards, 38
Imaging devices, FCC regulations, 33–34
Imaging market, 171–174
Impedance gaps, antennas, 56–63
Infocomm Development Authority (IDA),
 30–31

Instantaneous transmission power, 5–6
Integration window, pulse detection, 86–88
Intercept probability, advantages, 11
Interference, with 802.11a/b
 1 dB degradation in signal-to-noise ratio
 802.11a, 123–124
 802.11b, 124
 introduction, 123
 data rate comparisons, 128–131
 emission limits
 802.11a, 114
 802.11b, 114–115
 maximum transmission power, 126–128
 minimum distance, one transmitter,
 125–126
 noise factor, 105
 UWB transmission density
 802.11a, 115–119
 802.11b, 119–123
 white noise, 114
WLANS
 802.11a, 106–109
 802.11b, 110–113
 interference scenario, 102–105
 introduction, 101–102
 theoretical derivations, 179–182
 WLAN cell coverage, 105–106
Interference, with cellular systems
 introduction, 137–139
 rural CDMA-based systems, 139–142
 theoretical derivations, 187–189
 urban CDMA-based systems, 142–144
Interference, with GPS receivers
 interference scenario, 132–134
 introduction, 131–132
 isolation between UWB and GPS,
 134–137
 theoretical derivations, 182–187

J

Jamming resistance, advantages, 12
 Japan, regulations, 30

L

Lamarr, Hedy, 21
 Local oscillators, advantages, 16
 Localization applications, 39
 Location-finding applications, 37
 LOS (line of sight) transmission, advantages,
 12–14

M

Magnetic antennas, 56
 MAI (multiple-access interference), 19–20,
 88–89
 Marconi, Guglielmo, 3
 Markets for UWB. *See also* Applications for
 UWB.
 adoption timeline, 168–169
 asset management, 170–171
 cable TV, 169–170
 current
 CE industry, 156–157
 consumer electronics, 158–160, 163
 digital cameras/camcorders, 158
 digital music players, 159
 digital TVs, 158–159
 display devices, 156
 DVD players, 158
 existing markets, 157
 flat-panel displays, 159
 game consoles, 159
 initial opportunities, 152–153
 mobile industry, 156–157
 PC industry, 156–157, 160–162,
 164–165
 peripheral PC equipment, 161–162

personal computers, 160
 printers, 160–161
 speed-to-market advantage, 153–155
 WLANs (wireless local area networks),
 164–165
 WPANs (wireless personal area net-
 works), 164

future

 cellular networks, 168
 smart phones, 167
 wireless sensor networks, 166–167
 GPR (ground-penetrating radar), 171
 imaging, 171–174
 key market players, 174–175
 medical applications, 172–173
 niche markets, 169–174
 positioning and measurement, 170–171
 radar, 171–174
 surveillance systems, 171–172
 through-wall imaging systems, 171–172
 vehicular radar systems, 173–174
 Matched filters, pulse detection, 71–74
 Matching antennas, 56–60
 Medical application market, 172–173
 Medical imaging applications, 37
 Military operations applications, 37
 Ministry of Public Management, Home
 Affairs, Posts and Telecommunication
 (MPHPT), 30
 Mixers, advantages, 16
 Mobile industry market, 156–157
 Modulation and detection, pulse detection
 biphase modulation, 79–80
 OOK (on-off keying), 74–75
 PAM (pulse-amplitude modulation), 75–77
 PPM (pulse-position modulation), 77–79
 TR (transmitted-reference) modulation,
 80–88

INDEX

- MPHPT (Ministry of Public Management, Home Affairs, Posts and Telecommunication), 30
- Multiband OFDM, 26–27
- Multiband *versus* single band standards, 24–25
- Multipath channels, 12–14, 84
- Multiple-access, pulse detection
 - biphase modulation, 90
 - collision avoidance, 91–94
 - delay hopping, 93–94
 - DH-TR modulation, 93–94
 - MAI (multiple-access interference), 88–89
 - PAM (pulse-amplitude modulation), 90
 - time hopping, 91
 - TR (transmitted-reference) modulation, 90–91, 93–94
- Multiple-access interference (MAI), 19–20, 88–89
- N**
- Narrowband signals, 7–9
- Network considerations, antennas, 56–63
- NLOS (non-line of sight) transmission, advantages, 12–14
- Noise factor, 105
- Nondirectional antennas, 53
- Nondispersive antennas, 52
- O**
- Omnidirectional antennas, 54, 60–63
- OOK (on-off keying)
 - collision avoidance, 91
 - pulse detection, 74–75
 - time hopping, 91
- Outdoor environments, FCC regulations, 32
- P**
- PAM (pulse-amplitude modulation)
 - collision avoidance, 91
 - pulse detection, 75–77, 90
 - time hopping, 91
- Path loss, antennas, 61
- PC industry market, 156–157, 160–162, 164–165
- Peak transmission power, 5–6
- Penetration properties, advantages, 14
- Performance
 - antenna directivity, 60–63, 65
 - challenges, 19–20
 - limits, 19–20
 - maximum speed, 31
- Peripheral PC equipment market, 161–162
- Pervasive Ultra-wideband Low Spectral Energy Radio Systems (PULSERS), 29–30
- PG (processing gain), advantages, 12
- Positioning and measurement market, 170–171
- Power, transmission. *See* Transmission power.
- Power consumption, 1154
- PPM (pulse-position modulation)
 - collision avoidance, 91–93
 - pulse detection, 77–79
 - TH-PPM modulation, 91–93
 - time hopping, 91–93
- Printer market, 160–161
- Processing gain (PG), advantages, 12
- Pros and cons. *See* Advantages; Challenges.
- Pulse detection
 - conventional techniques, 70–74
 - correlation function, 71
 - energy detectors, 70
 - integration window, 86–88
 - introduction, 69–70
 - matched filters, 71–74
 - modulation and detection techniques
 - biphase modulation, 79–80
 - OOK (on-off keying), 74–75

- PAM (pulse-amplitude modulation), 75–77
- PPM (pulse-position modulation), 77–79
- TR (transmitted-reference) modulation, 80–88
- multiple-access techniques
- biphase modulation, 90
 - collision avoidance, 91–94
 - delay hopping, 93–94
 - DH-TR modulation, 93–94
 - MAI (multiple-access interference), 88–89
 - PAM (pulse-amplitude modulation), 90
 - time hopping, 91
 - TR (transmitted-reference) modulation, 90–91, 93–94
- self synchronization, 83
- Pulse generation
- charged diodes, 47–49
 - DSRDs (drift step recovery diodes), 49
 - Gaussian monocycle pulses, 50–51
 - introduction, 45–46
 - pulse shaping, 50–51
 - SRDs (step recovery diodes), 47–49
 - tunnel diodes, 47
- Pulse shaping, 50–51
- Pulse-amplitude modulation (PAM). *See* PAM (pulse-amplitude modulation).
- Pulse-position modulation (PPM). *See* PPM (pulse-position modulation).
- PULSERS (Pervasive Ultra-wideband Low Spectral Energy Radio Systems), 29–30
- Pulse-shape distortion, challenges, 17–18
- R**
- Radar
- commercial uses, 39
 - construction site applications, 37
 - FCC regulations, 34–35
 - GPR (ground-penetrating radar), 36–37
 - military uses, 39
 - UWB applications, 36–37, 39
 - UWB market, 171–174
 - vehicular radar systems, 34–35
- Reflector antennas, 53
- Regulations. *See also* Standards.
- Europe, 29–30
 - FCC
 - communications devices, 31–33
 - current regulations, 27–28
 - emission limits, 31–36
 - fixed infrastructure, 32
 - imaging devices, 33–34
 - outdoor environments, 32
 - restriction to handheld devices, 32
 - spectral mask, 28
 - vehicular radar systems, 34–35
 - IDA (Infocomm Development Authority), 30–31
 - Japan, 30
 - MPHPT (Ministry of Public Management, Home Affairs, Posts and Telecommunication), 30
 - PULSERS (Pervasive Ultra-wideband Low Spectral Energy Radio Systems), 29–30
 - Singapore, 30–31
 - transmission power, 28
 - UCAN (Ultra-wideband Concepts for Ad Hoc Networks), 29–30
 - ULTRAWAVES (Ultra Wideband Audio Video Entertainment System), 29–30
 - UWB transmission power, 28
- Robins, K. W., 3
- Ross, Gerald, 3

INDEX

S

- Scalability, 1154
 - Scaling, antennas, 59
 - Sharing the frequency spectrum, advantages, 9–10
 - Signals
 - bandwidth, 7–9
 - Gaussian, 7
 - narrowband, 7–9
 - types of, 7
 - ultra-wideband, 7–9
 - wideband, 7–9
 - Signal-to-noise ratio. *See also* Interference.
 - noise factor, 105
 - UWB advantages, 11
 - white noise, 114
 - Singapore, regulations, 30–31
 - Single band *versus* multiband. *See also* UWB, *versus* spread spectrum.
 - direct-sequence UWB, 25–26
 - multiband OFDM, 26–27
 - standards, 24–25
 - WPANS standards, 24–25
 - Small-element antennas, 52
 - Smart phone market, 167
 - Spectral control, antennas, 56–60
 - Spectral density, 28
 - Spectral mask, FCC regulations, 28
 - Speed-to-market advantage, 153–155
 - Spread spectrum techniques, *versus* UWB
 - DSSS (direct-sequence spread spectrum), 21
 - essential differences, 22–24
 - FHSS (frequency-hopping spread-spectrum), 21–22
 - SRDs (step recovery diodes), 47–49
 - Standards. *See also* Regulations.
 - IEEE 802.11a/b. *See* Interference, with 802.11a/b.
 - single band *versus* multiband, 24–25
 - single UWB standard, 1154
 - UWB *versus* IEEE, 38
 - WPANS (wireless personal area networks), 24–25
 - Step recovery diodes (SRDs), 47–49
 - Surveillance systems market, 171–172
 - Synchronization, 18–19, 83
 - System considerations, antennas, 56–63
- ### T
- TH-PPM modulation, PPM (pulse-position modulation), 91–93
 - Through-wall imaging systems market, 171–172
 - Time domain, 6
 - Time hopping
 - biphase modulation, 91
 - OOK (on-off keying), 91
 - PAM (pulse-amplitude modulation), 91
 - PPM (pulse-position modulation), 91–93
 - pulse detection, 91
 - TH-PPM modulation, 91–93
 - Time scaling, 6
 - Time synchronization, challenges, 18–19
 - TR (transmitted-reference) modulation, 80–88, 90–91, 93–94
 - Transceiver architecture, advantages, 15–16
 - Transmission density, UWB interference
 - 802.11a, 115–119
 - 802.11b, 119–123
 - Transmission power
 - average, 5–6
 - bandwidth, 6
 - and battery life, 5
 - FCC regulations, 27–28
 - FCC requirements, 9
 - frequency domain, 6

- frequency range, 6
 - instantaneous, 5–6
 - maximum power, interference, with
 - 802.11a/b, 126–128
 - peak, 5–6
 - regulations, 28
 - spectral density, 28
 - time domain, 6
 - time scaling, 6
 - UWB advantages, 15–16
 - Transmitted-reference (TR) modulation,
 - 80–88, 90–91, 93–94
 - Tunnel diodes, 47
- U**
- UCAN (Ultra-wideband Concepts for Ad Hoc Networks), 29–30
 - ULTRAWAVES (Ultra Wideband Audio Video Entertainment System), 29–30
 - Ultra-wideband signals, 7–9
 - Uses for UWB. *See* Applications for UWB; Markets for UWB.
 - UWB, *versus* spread spectrum techniques.
 - See also* Single band *versus* multiband.
 - DSSS (direct-sequence spread spectrum), 21
 - essential differences, 22–24
 - FHSS (frequency-hopping spread-spectrum), 21–22
- V**
- Vehicular radar systems, 34–35, 173–174
- W**
- Wideband signals, 7–9
 - Wireless entertainment device applications, 37–38
 - Wireless sensor networks, 37, 166–167
 - WLANs (wireless local area networks)
 - UWB interference
 - 802.11a, 106–109
 - 802.11b, 110–113
 - interference scenario, 102–105
 - introduction, 101–102
 - theoretical derivations, 179–182
 - WLAN cell coverage, 105–106
 - UWB market, 164–165
 - WPANs (wireless personal area networks)
 - standards, 24–25
 - UWB applications, 37–38
 - UWB market, 164