
INDEX

- Abidi, M. A., 373
- Abstract fusion, 370-372
- Access control, face recognition for, 269
- Accuracy
- generalization, 29, 118-119
 - vs. intrusiveness, 12-14
 - training, 28
- ACON. *See* All-class-one-network
- Activation functions in neuron models, 140-141
- Adaptation
- environment, 326-327
 - multisample fusion, 390-391
 - PDNN and MLLR, 319, 322
 - score, 391-393, 396-400
- Adaptation parameter optimization
- in multisample fusion, 401-402
 - in score adaptation, 396-397
- Adaptive classifiers, 26
- criteria on, 28-29
 - neural networks, 27-28
 - training samples, 28-29
 - training strategies, 28
- Adaptive fusion weights, 372-373
- Additive noise in speaker recognition, 286
- Adverse environments, speaker recognition in, 286
- AF. *See* Articulatory features
- Affine transformations, 41-42
- AFIS. *See* Automatic fingerprint identification systems
- Ahuja, N. B., 35
- Airport face recognition systems, 4, 242, 272-274
- All-class-in-one-network (ACON), 185, 187-188
- vs. OCON, 189-190
 - output nodes in, 189
- All-pole filters, 47
- American Civil Liberties Union (ACLU) system evaluations, 4, 6, 241-242
- AND operators, 371-372
- Antireinforced learning
- in DBNNs, 213-215
 - in GS learning, 227-228, 234
 - in hybrid learning, 217-218
 - in local winners, 220
 - in PDBNNs, 224, 233-234
- Antispeakers, 288-289, 291-297
- Approximate-based formulation, 142
- ARPA/ARL FERET database, 261-262
- Articulatory features (AF), 353-354
- feature extraction in, 354-356
 - speaker verification in, 356-358
 - spectral features with, 358-361
- Artificial IDs, 14
- Atick, J., 248
- ATM (automatic teller machine) access, 4
- Audio and visual (AV) fusion, 404-406
- feature extraction in, 405-406
 - multisample, 406-408
- Audio-based feature extraction and pattern classification, 35. *See also* Speaker recognition
- high-level features in, 40
 - low-level features in, 35-40

- robustness in, 41-42
 - speech-based classification schemes, 42-43
- Automatic fingerprint identification systems (AFIS), 31
- Automatic sensors, 15
- AV. *See* Audio and visual fusion
- Average DET curves, 416-417
- Axon connections, 27
- Back, A. D.
 - face recognition rate, 263
 - feature selection, 35
- Back-propagation (BP) algorithms, 144-147
 - in LBF networks, 148
 - in RBF networks, 116, 148-151
- Background noise compensation, 42
- BACOB phone banking systems, 6
- Bahler, L.
 - speaker recognition FRR, 285
 - speaker scores, 284
 - speaker verification evaluations, 301
 - speech-based biometrics, 43
- Balanced binary classification problem, 222
- Baldi, P.
 - facial feature extraction, 33
 - feature selection, 35
- Baluja, S., 252
- BANCA database, 132
- Bandpass filtering, 41
- Basis functions in neuron models, 140-141
- Bayes optimality property, 89
- Bayesian approaches
 - multiclass probabilistic DBNNs, 231
 - speaker verification, 171
 - straight lines in, 133
 - two-category classification problem, 250
- Behavioral-based authentication methods, 2
- Ben-Yacoub, S., 133
- Benefit fraud prevention, 7
- Bernier, O. J., 34
- Binary encoding for genetic algorithms, 162
- Blanz, V., 6
- Blind handset-distortion compensation, 345-353
- Blind stochastic feature transformation (BSFT), 346
 - comparison with other models, 350-351
 - computational considerations, 351-352
 - performance measures and results, 350
 - phases of, 346-348
 - speech data and features in, 350
 - two-dimensional example, 348-349
- Boser, B. E., 85
- BP. *See* Back-propagation algorithm
- Brains, sensor fusion in, 369
- Breeding, K. J., 31
- Bridle, J. S., 154
- Brunelli, R.
 - fusion weights, 373
 - HyperBF network, 170
 - template-based facial extraction, 33
- BSFT. *See* Blind stochastic feature transformation
- Building gate control, 4
- Byun, H., 171
- C parameter in SVMs, 119
- Campbell, W. M., 132
- Cardinaux, F., 171
- Carlson, B. A., 284
- Castrillon, M., 132
- CDCN. *See* Codeword-dependent cepstral normalization
- Central controllers, 15
- Centralized systems, 15-16
- Cepstral mean subtraction (CMS), 41
 - in AF, 359-361
 - in BSFT, 350-351
 - in OOH rejection, 332, 340-343
- Chalmers, D. J., 160
- Channel distortion
 - compensation techniques, 303-304, 345-353
 - mismatch equalization, 41-42
 - OOH rejection. *See* Out-of-handset rejection

- SFT in. *See* Stochastic feature transformation
- stochastic model transformation, 318-332
- Channel fusion
 - class-dependent, 375-377
 - data-dependent, 376-379
- Chauvin, Y.
 - facial feature extraction, 33
 - neural networks for feature selection, 35
- Chellappa, R., 243
- Chromosomes in genetic algorithms, 159
- Chung, Y., 171
- Cipolla, R., 243
- Claimants in voice recognition, 281
- Class-based modular networks, 185-187
 - ACON vs. OCON networks, 189-190
 - OCON structures, 188-189
- Class conditional likelihood density
 - in DBNNs, 214
 - in hierarchical networks, 203
- Class-dependent channel fusion, 375-377
- Class-level partitioning strategies, 202
- Classes-in-expert structures, 202-205
- Classic XOR problem, 144
- Classification, 19
 - in decision-based formulation, 142
 - in face recognition, 242, 249-250
 - in speech-based biometrics, 42-43
 - SVMs for, 423-427
 - visual-based. *See* Visual-based feature extraction and pattern classification
- Classifier channels, 373-374
- Classifiers, 26
 - criteria on, 28-29
 - least-squares, 89-90
 - neural networks, 27-28
 - training samples, 28-29
 - training strategies, 28
 - two-class, 87
- Clearly separable case in SVM networks, 111
- Cluster representation, 51
- Cluster-then-project method, 26
- Clustering methods, 25-27
- CMS. *See* Cepstral mean subtraction
- Coder distortion, 8
- Codeword-dependent cepstral normalization (CDCN), 303
- Cognitec system, 5, 272
- Collobert, M., 34
- Combined sensors, 98
- Commercial applications, face recognition, 274-276
- Committee machines, 190
- Compatibility, feature extractor and classifier, 19-20
- Complete-data likelihood EM derivation, 58-61
- Complexity of EM, 64
- Computer fraud, 2
- Confusion matrices, 334-335
- Connection networks in neuron models, 140
- Consumer applications, 3
- Contour lines, RBF vs. EBF networks, 156
- Convergence properties
 - EM, 54, 57-58, 414-415
 - GS learning, 234-236
- Convolutional bias compensation, 42
- Convolutional distortion, 286
- Coordinate translation effects in XOR problem, 124-126
- Cost-effective system classifier implementation, 29
- Cox, I. J., 31
- Cresceptron, 35, 249
- Criteria
 - adaptive classifiers, 28-29
 - feature extraction, 20-21
 - LSE vs. SVM, 116-117
- Critical band scale, 282
- Curse of dimensionality
 - in facial region, 261
 - in feature-level fusion, 370
 - in statistical template matching, 244
- Data compression in feature extraction, 20
- Data-dependent channel fusion, 376-379
- Data-dependent decision fusion
 - architecture, 380-381
 - Gaussian example, 383-385

- in multisample fusion, 403
 - theoretical analysis, 381-383
 - Data fusion. *See* Multicue data fusion
 - Data sets
 - AV fusion, 405-407
 - multisample fusion, 393, 400-401
 - Data storage requirements, 18-19
 - Daugman, J. G., 33
 - Davies, S. B., 282
 - Davis, L., 160
 - DBNNs. *See* Decision-based neural networks
 - DCF. *See* Detection cost function
 - DD fusion. *See* Data-dependent decision fusion
 - Decision-based credit-assignment principle, 212-213
 - Decision-based formulation, 142-143
 - Decision-based neural networks (DBNNs), 17, 209
 - application examples, 237
 - basic, 209-210
 - in face recognition, 249-250
 - hierarchical design of, 216-221
 - learning rules in, 210-214
 - vs. LVQ, 220-221
 - vs. MOE, 214-216
 - multiclass probabilistic, 228-229
 - false acceptances and rejections in, 230-232
 - learning rules for, 233-236
 - structure of, 229-230
 - PDBNNs. *See* Probabilistic decision-based neural networks
 - two-class probabilistic, 221-224
 - discriminant PDBNN functions, 224-226
 - learning rules for, 226-228
 - threshold updating in, 228
- Decision boundaries
 - in DBNNs, 209
 - in linear SVM separation, 93-97, 103-106
 - in probabilistic speaker models, 297, 299
 - in RBF vs. EBF networks, 156
- Decision confidence in fuzzy separation, 107
- Decision fusion, 371, 378
 - AV, 408
 - data-dependent, 380-383
 - Gaussian example, 383-385
- Decision hyperplanes, 86
- Decision strategies in speech-based biometrics, 43
- Decision thresholds in probabilistic speaker models, 294
- Deflation procedure, 43
- Deformable templates, 32
- DeLong, J., 43
- Delta cepstrum, 41
- Dempster, A. P., 52
- Deng, L., 171
- Deniz, O., 132
- Design tradeoffs, 11-12
 - accuracy vs. intrusiveness, 12-14
 - centralized vs. distributed systems, 15-16
 - data storage requirements, 18-19
 - feature extractor and classifier compatibility, 19-20
 - processing speed, 16-18
 - recognition vs. verification, 14-15
- Detection cost function (DCF), 401
- Detection error tradeoff (DET) curves, 12-13
 - AV fusion, 407-409
 - average, 416-417
 - BSFT, 350
 - multisample fusion, 395, 408
 - OOH rejection, 341, 343-345
 - probabilistic speaker models, 299
 - speaker verification systems, 285
- Detection-level sensor fusion, 369-373
- Digalakis, V., 304
- Dimension reduction
 - projection methods for, 21-24
 - in template-based facial extraction, 33
- Ding, P., 133
- Discriminant functions
 - DBNNs, 210
 - hybrid learning schemes, 217-218
 - neuron models, 141
 - PDBNNs, 224-226
 - supervised-learning networks, 139

- Distortion, speaker recognition, 286
 - compensation techniques, 303-304
 - mismatch equalization, 41-42
 - OOH rejection. *See* Out-of-handset rejection
 - SFT in. *See* Stochastic feature transformation
 - stochastic model transformation, 318-332
- Distributed systems, 15-16
- Divergence-based OOH rejection, 338
- Divide-and-conquer principle, 196, 206
- Doddington, G., 341
- Doubly-stochastic EM, 54-55, 72-78
- Druyts, P., 372
- Duchnowski, P., 408
- Duin, R. P. W., 378
- Dynamic parameters in audio-based feature extraction, 39-40
- Dynamic scores for SVMs, 132
- Dynamic time warping (DTW) techniques, 42
- E-banking system storage requirements, 18
- E (estimation) step in EM, 52, 62
- Ease of processing in feature extraction, 21
- EBF. *See* Elliptical basis function networks
- EBF-type likelihood functions, 71-72
- EER. *See* Equal error rate
- Eigenface technology, 3, 131
- Eigenvalue problem, 88
- Elliptical basis function (EBF) networks
 - for EM, 61
 - of PDBNNs, 225-226
 - in probabilistic speaker models, 287-289, 301-302
 - and RBF networks, 148-149, 154-156
- EM. *See* Expectation-maximization algorithm
- Embedded genetic algorithms, 161-162
- Enrollment procedures
 - BSFT, 346-348
 - multisample fusion, 393-394, 401
 - probabilistic speaker models, 291-292
 - stochastic model transformation, 326
- Entropy interpretation of EM, 65-66
 - GMM case, 71-72
 - incomplete-data likelihood, 66-67
 - iterations in, 69-71
 - K -means vs. EM, 71-72
 - simulated annealing, 67-69
- Environment adaptation in stochastic model transformation, 326-327
- Equal error rate (EER)
 - AF, 359-362
 - AV fusion, 407-408, 410
 - BSFT, 350-351
 - HTIMIT speech, 315-318
 - multisample fusion, 402
 - OOH rejection, 340-345
 - probabilistic speaker models, 294-297, 301-302
 - score adaptation, 397-400
 - speaker recognition, 284-285
- Equal weight (EW) fusion, 384-385, 395-398, 402-403, 408-409
- Er, M. J., 170
- Eshelman, L. J., 160
- Euclidean distance-based OOH rejection, 338-339
- Expectation-maximization (EM)
 - algorithm, 50
 - for BSFT, 350-351
 - convergence properties of, 414-415
 - description, 52-54
 - doubly-stochastic, 54-55, 72-78
 - entropy interpretation of, 65-66
 - GMM case, 71-72
 - incomplete-data likelihood, 66-67
 - iterations in, 69-71
 - K -means vs. EM, 71-72
 - simulated annealing, 67-69
 - GMM, 51-52
 - for HME models, 206
 - K -means and VQ algorithms, 50-51
 - for local experts, 191
 - in LU learning, 226
 - RBF-SVM combined with, 130-131
 - for SVM large data sets, 118

- traditional derivation of, 54
 - complete-data likelihood, 58-61
 - convergence property, 57-58
 - EM for GMMs, 61-65
 - general analysis, 54-57
 - for voice recognition, 280
 - Expert-based modular networks, 186-187
 - Expert-level modules, 202
 - Expert-level partitioning strategies, 202
 - Experts-in-class structures, 202-205
 - Extracting features. *See* Feature extraction
 - Eye detection, 131
 - Eye localization, 255-256, 260
 - Face module, 133
 - Face recognition, 4-6, 241-243
 - application examples, 268-270
 - airport security, 272-274
 - commercial, 274-276
 - network security and access control, 270
 - three-dimensional CG models, 274
 - video indexing and retrieval, 269-272
 - class modeling, 131
 - databases, 132
 - detectors, 242
 - eye localization, 255-256, 260
 - face detection, 250-255, 260
 - facial pattern classification techniques, 249-250
 - feature extraction techniques
 - feature-invariant approaches, 243
 - template-based, 244-249
 - PDBNN. *See* Probabilistic decision-based neural networks
 - reality and challenge, 3-6
 - realtime, 256-258
 - storage requirements in, 18
- Face Recognition Vendor Test 2002, 5-6
- Face recognizers, 242
- Face verifiers, 266
- FaceIt recognition system, 3, 241
- FaceVACS system, 3
- Facial feature extraction techniques
 - feature-invariant approaches, 243
 - template-based approaches, 244-249
- Facial pattern classification techniques, 249-250
- Falavigna, D., 373
- False acceptance rate (FAR), 12-13
 - elements of, 14
 - in face recognition, 250, 264-265
 - in speaker recognition, 7, 284-285, 296-298, 301-302
- False acceptances and rejections
 - in face recognition, 264
 - in multiclass probabilistic DBNNs, 230-232
 - in voice recognition, 281, 285
- False positive rate (FPR), 12-13
- False rejection rate (FRR), 11, 13
 - elements of, 14
 - in face recognition, 7, 250
 - in multisample fusion, 402
 - in speaker recognition, 284-285, 296-298, 301-302
- FAR. *See* False acceptance rate
- Fast convergence, 54
- FDNNs. *See* Fuzzy decision neural networks
- Feature-based template matching approach, 246
- Feature extraction, 19-20
 - in AF, 354-356
 - audio-based, 35, 281
 - high-level features in, 40
 - low-level features in, 35-40
 - robustness in, 41-42
 - speech-based classification schemes, 42-43
 - in AV fusion, 405-406
 - classifier compatibility with, 19-20
 - clustering methods, 25-27
 - criteria of, 20-21
 - in face recognition, 242-243
 - feature-invariant approaches, 243
 - template-based, 244-249
 - feature selection in, 24-25
 - local experts for, 191
 - in multisample fusion, 393, 401
 - in probabilistic speaker models, 290-291

- projection methods for dimension reduction, 21-24
- visual-based, 30-31
 - geometric features in, 31-32
 - neural networks in, 34-35
 - subspace projection in, 34
 - template features in, 32-33
 - texture features in, 33
- Feature-invariant extraction approaches, 243
- Feature-level sensor fusion, 369-370
- Feature point localization, 32
- Feature reduction, 21-24, 34
- Feature space, 19
- Feature transformation
 - BSFT. *See* Blind stochastic feature transformation
 - in handset and channel compensation techniques, 303
 - SFT. *See* Stochastic feature transformation
- Feraund, R., 34
- Filter-bank-based cepstral parameters, 39
- Fine, S., 132
- Fingerprint identification, 17, 31, 35
- Finite-decomposable kernels, 114-115
- Fisher discriminant power, 88
- Fisher scores with SVMs, 132
- Fisher's discriminant, 85, 88-90
- Fisher's Linear Discriminant (FLD)
 - analysis, 85-86
 - Bayes optimality property, 89
 - Fisher's discriminant analysis in, 89-90
 - vs. least-squares classifiers, 89-90
 - two-class classifiers in, 87
 - in template-based approaches, 245-246
- Fitness measures, genetic algorithms for, 162-163
- 5-point linearly nonseparable problem, 99-100
- Fixed SVM network architecture, 116
- FLD. *See* Fisher's Linear Discriminant
- 4-point problem
 - linear SVMs separable case, 96-97
 - XOR, 101, 113
- FPR. *See* False positive rate, 12-13
- Frontal view faces, 261-263
- FRR. *See* False rejection rate
- Fusion. *See* Multicue data fusion
- Fuzzy decision neural networks (FDNNs), 239-240
- Fuzzy separable case, 111-112
- Fuzzy separation
 - linear SVMs. *See* Linear SVMs
 - nonlinear SVMs, 111-112
- Gabor wavelets
 - in feature point localization, 32
 - in text-based facial extraction, 33
- GANNET system, 160
- Gating networks
 - in expert-based modular networks, 186
 - in HME networks, 199
 - in MOE networks, 191-192
 - for multichannel fusion, 374-375
- Gaussian distributions
 - data-dependent decision fusion model, 383-385
 - in feature-invariant facial extraction, 243
 - in neuron models, 141
 - in SFT, 309-310
 - in template-based facial extraction, 33
 - in two-stage training algorithms, 154
- Gaussian kernels in RBF neural networks, 170
- Gaussian mixture models (GMMs), 25-27
 - in adaptation algorithm, 390
 - in BSFT, 348-349, 352
 - as class-based structure, 188-189
 - in EM, 51-52, 61-65, 71-72
 - in entropy interpretation, 71-72
 - in neural networks, 171
 - in OOH rejection, 337-338
 - in speaker modeling, 283
 - kernel-based, 287
 - probabilistic, 292-293, 301-302
 - in speaker recognition, 42, 171, 418-422
 - with SVMs, 132
- Generalization accuracy
 - for classifiers, 29

- in nonlinear SVMs, 118-123
- Generalized EM, 58
- Generative SVM models, 132
- Genetic algorithms for multi-layer networks, 158-159
 - applications, 160-161
 - basic elements, 159
 - experiments and results, 164-170
 - for fitness measures, 162-163
 - operation of, 159-160
 - for RBF, 161-162
 - RBF-GA hybrid algorithm, 163-170
 - for selection and reproduction, 163
- Genoud, D., 378
- Geometric visual-based features, 31-32
- Ghosn, J., 31
- Giles, C. L.
 - face recognition rate, 263
 - neural networks, 35
- Global-level processing in template-based methods, 32
- Globally supervised (GS) phase and training
 - convergence properties of, 234-236
 - in hybrid learning schemes, 216-219
 - in probabilistic speaker models, 292
 - for subnet parameters, 233-234
 - for thresholds, 234
- GMMs. *See* Gaussian mixture models
- Goldberg, D. E., 162
- Golomb, B. A., 33
- Gonzalez, R. C., 373
- Gopinath, R. A., 132
- Group vector quantization (GVQ)
 - algorithms, 171
- GS. *See* Globally supervised phase and training
- GSM-transcode speech, 399-400
- Gunn, S. R., 31
- Guo, Y.
 - facial feature extraction, 33
 - modular applications, 206
 - RBF neural networks, 170-171
- Gupta, C. S., 354
- Gutta, S., 205-206
- Guyon, I. M., 85
- Handset differences in OOH rejection, 334-336
- Handset distortion, 301-303
 - compensation techniques, 303-304, 345-353
 - OOH rejection. *See* Out-of-handset rejection
 - SFT. *See* Stochastic feature transformation
 - stochastic model transformation, 318-332
- Handset selectors in SFT, 310-311
- Handset-specific normalization, 357-358
- Hang Seng index, 24
- Hatef, M., 378
- He, J., 171
- Hebb, D. O., 27
- Hegde, U., 160
- Heisele, B., 131
- Hernandez, M., 132
- Hidden Markov models (HMMs)
 - in speaker modeling, 283
 - for speech-based biometrics, 42
- Hidden nodes in nonlinear SVMs, 112-116
- Hidden-state problem in EM, 54-55
- Hierarchical machine learning models, 195-196
 - experts-in-class and classes-in-expert structures, 202-205
 - mixture-of-experts, 196-202
- Hierarchical mixture-of-experts (HMEs), 186, 196-202
 - applications, 206
 - in data-dependent channel fusion, 377
- Hierarchical networks and design, 202
 - for decision-based learning networks, 216-221
 - for face recognition systems, 266-268
 - for sensor fusion, 373-374
 - class-dependent channel fusion, 375-377
 - data-dependent channel fusion, 376-379
 - PDBNNs for multichannel fusion, 374-375
- Higgins, A.

- speaker recognition FRR, 285
- speaker scores, 284
- speaker verification evaluations, 301
- speech-based biometrics, 43
- High-frequency components in facial extraction, 33
- High-level features in audio-based extraction, 40
- Hinton, G. E., 144
- HMEs. *See* Hierarchical mixture-of-experts
- HMMs. *See* Hidden Markov models
- Hnorm approach, 327-331
- Holland, J. H., 159
- Home banking, 6
- Hong Kong stock market, 24
- Hough transform, 32
- HTIMIT speech corpus
 - for AF, 358-359
 - evaluation of, 311-315
 - in multisample fusion, 391, 393, 402
 - in score adaptation, 396-399
 - in stochastic model transformation, 326, 330
 - transcoded, 315-318
- Huang, J. R. J., 131, 205-206
- Huang, T. S., 35
- Human brains, sensor fusion in, 369
- Hurst, W., 408
- Hybrid learning schemes, 216-221
- Hybrid MLP-RBF models, 284
- HyperBF networks, 170, 373

- ID3D Handley system, 31
- Identification time, 16-18
- Identix face recognition system, 4, 241-242, 275-276
- Li, D., 131
- IIR filters, 36
- IM66 face database, 267
- Image-based biometric identification, 30-31
- Imposter pass rate, 12-13
- Imposters in voice recognition, 281, 284
- Incomplete-data likelihood in entropy interpretation, 66-67
- Incremental training, 230

- Independent Component Analysis (ICA), 23-24, 132
- Indexing
 - video, 269-272
 - voice, 7
- Informativeness in feature extraction, 21
- Initial layer in BP algorithm, 146
- Inner blocks in hierarchical networks, 202-203
- Instantiation space, 19
- Interclass communication, MOEs vs. DBNNs, 214
- Intruder patterns, 263-264, 268
- Intrusiveness vs. accuracy, 12-14
- Invariance and noise resilience for classifiers, 29
- Invariance assurance in PDBNN face recognition, 264-266
- Invariance in feature extraction, 21, 30
- Invariance properties of SVMs
 - fuzzy separation, 107-108
 - pattern classification, 425-426
- Iris codes in facial extraction, 33
- Iteratively reweighted least square (IRLS) algorithm, 71, 201-202

- Jacobs, R. A.
 - gating network implementation, 199
 - IRLS algorithm, 71, 201-202
 - K -independent binomial models, 198
- Jain, L. C., 160
- Jensen difference, 333-334, 340, 343-344
- Jiang, H., 171
- Johnson, R. P., 160
- Joint additive compensation, 42
- Jonathon, P., 205-206
- Jordan, M. I.
 - gating network implementation, 199
 - IRLS algorithm, 71, 201-202
 - K -independent binomial models, 198
- Jourlin, P., 378
- Juang, B. H., 43

- K -independent binomial models, 198
- K -means algorithms, 50-51
 - vs. EM, 71-72

- in LU learning, 226
 - in RBF center determination, 161
 - for SVM large data sets, 118
 - in two-stage training algorithms, 151-153
- K*-nearest-neighbor algorithm, 26
- K*-output HME classifiers, 196, 198
- Kamm, T., 341
- Kanade, T.
 - facial features, 31
 - neural network models, 252
- Karush-Kuhn-Tucker conditions, 93, 114, 118
- Kaufman, G. J., 31
- Kelly, M. D., 243
- Kernel-based probabilistic speaker
 - models, 286-287
 - comparisons, 290-301
 - EBFNs in, 287-289
 - GMMs in, 287
 - PDBNNs in, 289-290
- Kernel parameters for pattern
 - classification, 425
- Kirchhoff, K., 355
- Kittler, J.
 - face detection, 132
 - multichannel fusion, 378
 - subspace projection for feature reduction, 34
- Knowledge-based approaches for feature
 - point localization, 32
- Kostin, A.
 - face detection, 132
 - subspace projection for feature reduction, 34
- KuicNet, 24
- Kung, S. Y.
 - decision-based training rule, 213
 - EBF neural networks, 170
 - enrollment process, 292
 - facial feature extraction, 33
 - HTIMIT corpus used by, 312
 - MFCC vs. LPCC, 318
 - neural networks for feature selection, 35
 - PDBNN and MLLR adaptation study, 319
 - PDBNN model for face detection, 252-253
 - speech production properties, 354
- Kurita, T., 206
- Kurtosis of processes, 23
- Lagrange multipliers, 63, 68
- Lagrangian optimization in dual domain, 111-112
- Laird, N. M., 52
- Large data sets in SVMs, 117-118
- Large-scale evaluations
 - multisample fusion, 400-404
 - in probabilistic speaker models, 296-297
- Laurila, K., 357
- Lawrence, S.
 - face recognition rate, 263
 - neural networks for feature selection, 35
- LBFs. *See* Linear basis functions and networks
- LDA. *See* Linear discriminant analysis
- Learning and learning rules
 - GS. *See* Globally supervised phase and training
 - hierarchical learning models, 195-196
 - experts-in-class and classes-in-expert structures, 202-205
 - mixture-of-experts, 196-202
 - hybrid, 216-221
 - LU, 217, 292
 - in neural networks, 28
 - for PDBNNs, 226-228, 233-236
 - in supervised-learning networks, 139
- Learning vector quantization (LVQ)
 - algorithm, 171
 - vs. LBG and GVQ, 171
 - vs. RBF DBNN, 220-221
- Least-squares classifiers, 89-90
- Lee, C. H.
 - random bias, 304
 - SFT technique, 305
 - speech-based biometrics, 43
- Lee, K., 171
- Leung, K. Y., 354

- LFA. *See* Local feature analysis
- Lin, L. J.
 facial feature extraction, 33
 neural networks for feature selection, 35
 PDBNN model for face detection, 252-253
- Lin, S. H.
 facial feature extraction, 33
 neural networks for feature selection, 35
 PDBNN model for face detection, 252-253
 video indexing system, 269-271
- Linde-Buzo-Grey (LBG) algorithm, 171
- Linear basis functions (LBFs) and networks, 140-141
 EM methods, 81
 MOE, 192-193
 multi-layer, 143
 two-stage training for, 157-158
- Linear discriminant analysis (LDA), 85
- Linear features, 23
- Linear prediction (LP)
 in audio-based feature extraction, 35-37
 in voice recognition, 282
- Linear SVMs
 fuzzy separation, 97
 decision boundary in, 103-106
 invariance properties in, 107-108
 probabilistic function for decision confidence in, 107
 purpose of, 97-98
 support vectors in fuzzy region, 101-103
 Wolfe dual optimization in, 98-101
 for pattern classification, 423-424
 separable case, 90-91
 decision boundary in, 93-97
 margin of separation in, 91-92
 support vectors in, 93
 Wolfe dual optimization in, 92
- Linearly proportional probability function, 107
- Lippmann, R. P., 154
- Liu, L., 171
- Liu, Y., 133
- Local classification and recommendations, 191
- Local experts in MOE networks, 191-192
- Local feature analysis (LFA), 246-249
- Local spectral characteristics, 41
- Local winners in hybrid learning schemes, 219-221
- Locally distributed networks, 202
- Locally unsupervised globally supervised (LUGS) learning, 217
- Locally unsupervised (LU) phase and training
 in hybrid learning schemes, 216-217
 in probabilistic speaker models, 292
- Log-likelihood in EM derivation, 56-58
- Logan International Airport security, 4, 242, 272
- Lombard effect, 286
- Loss functions in SVMs, 116-117
- Low-frequency components in facial extraction, 33
- Low-level features
 in audio-based feature extraction, 35-40
 with high-level speaker information, 7
- LP. *See* Linear prediction
- LPC-coded corpus, 316
- LPCCs (LP-derived cepstral coefficients)
 in audio-based feature extraction, 38-39
 for HME models, 206
 vs. MFCC, 318
- LSE vs. SVM learning criteria, 116-117
- Lu, J., 170
- LU. *See* Locally unsupervised phase and training
- Luettin, J.
 multiple channel fusion, 378
 SVM experiments, 133
- LUGS. *See* Locally unsupervised globally supervised learning
- LVQ. *See* Learning vector quantization algorithm
- M (maximization) step in EM, 52, 62
- Macy, R. B., 189

- Mahalanobis distance metric, 26, 148
- Mak, M. W.
 EBF neural networks, 170
 enrollment process, 292
 HTIMIT corpus used by, 312
 MFCC vs. LPCC, 318
 nonlinear transformation estimates, 304
 PDBNN and MLLR adaptation study, 319
 speech production properties, 354
- Manjunath, B. S., 243
- MAP (maximum a posteriori) criteria
 for BSFT, 346-347
 in multisample fusion, 401
 in neural networks, 171
 in speaker modeling, 283
 in stochastic model transformation, 318-319
- Marcel, S., 171
- Margin of separation
 fuzzy, 99
 linear SVMs, 91-92
- Marginal boundaries in fuzzy separation, 104
- Marginal data points in SVMs, 117
- Marginal hyperplanes, 86, 91
- Markov models
 in audio-based feature extraction, 40
 in speaker modeling, 283
 for speech-based biometrics, 42
- Martin, A.
 DET curves for OOH rejection, 341
 handset performance, 7
- Matas, J., 378
- Matlab projects
 GMMs and RBF networks for speech pattern recognition, 418-422
 SVMs for pattern classification, 423-427
- Maximum a posteriori. *See* MAP criteria
- Maximum-likelihood (ML) criteria
 in neural networks, 171
 in speaker modeling, 283
- Maximum-likelihood estimation (MLE), 414
- Maximum-likelihood linear regression (MLLR)
 in handset and channel compensation techniques, 304
 in stochastic model transformation, 318-331
- Maximum mutual information (MMI), 283
- Maxnet for local winners, 219
- McCulloch-Pitts neuron model, 27, 140
- MCE. *See* Minimum classification error
- Mean-squared error (MSE) in neural network training, 162
- Medical records security, 7
- Meier, U., 408
- Mel-frequency cepstral coefficients (MFCCs)
 in AF, 358-362
 in audio-based feature extraction, 39-40
 in BSFT, 350
 for handset-specific normalization, 357
 for HME models, 206
 vs. LPCC, 318
- Mel-scale filter banks, 282
- Membership of data patterns, 51
- Mermelstein, P., 282
- Messer, K.
 face detection, 132
 subspace projection for feature reduction, 34
- MFCCs. *See* Mel-frequency cepstral coefficients
- Miller, G. F., 160
- Minimal side-effect learning rules, 219-221
- Minimum classification error (MCE)
 in DBNN learning, 217
 in speaker modeling, 283
- Misclassified patterns, 264
- Miss probability. *See* False rejection rate
- Miss rates in speaker verification systems, 285
- Mixture-of-experts (MOE) networks, 190
 vs. DBNNs, 214-216
 hierarchical, 196-202
 LBF, 192-193

- local experts and gating networks, 191-192
- vs. MLP, 195
- for multimodel verification systems, 369
- RBF, 193-194
- ML. *See* Maximum-likelihood criteria
- MLE. *See* Maximum-likelihood estimation
- MLLR. *See* Maximum-likelihood linear regression
- MLPs. *See* Multi-layer perceptions
- Model transformation
 - BSFT. *See* Blind stochastic feature transformation
 - in handset and channel compensation techniques, 303
 - SFT. *See* Stochastic feature transformation
- Modified-mean cepstral mean normalization, 41
- Modified neural tree networks, 284
- Modular and hierarchical networks, 185
 - application examples, 205-207
 - class-based, 185-190
 - machine learning models, 195-205
 - mixture-of-experts, 190-195
- MOE networks. *See* Mixture-of-experts networks
- Moghaddam, B.
 - compression, 18
 - face recognition rate, 262
 - subspace projection for feature reduction, 34
- Montana, D. J., 160
- MSE. *See* Mean-squared error in neural network training
- Multichannel fusion, 374-375
- Multiclass linear perceptrons, 238-239
- Multiclass linear separability, 238
- Multiclass probabilistic DBNNs, 228-229
 - false acceptances and false rejections in, 230-232
 - learning rules for, 233-236
 - structure of, 229-230
- Multicue data fusion, 368-369
 - audio and visual biometrics, 404-408
 - multisample fusion. *See* Multisample fusion
 - sensor fusion, 369-370
 - decision-level, 370-373
 - feature-level, 370
 - hierarchical neural networks for, 373-378
- Multi-expert connectionist models, 284
- Multi-layer neural networks, 139-140
 - application examples, 170-171
 - back-propagation algorithms, 144-151
 - classic XOR problem in, 144
 - genetic algorithms for. *See* Genetic algorithms for multi-layer networks
 - LBF, 148
 - neuron models, 140-143
 - RBF, 148-151
 - two-stage training algorithms in, 151-158
- Multi-layer perceptions (MLPs), 17, 143
 - in AF extraction, 355-356
 - vs. MOE, 195
 - in neural networks, 171
 - in speaker modeling, 284
- Multinomial models, 198-199
- Multiple-cluster GMMs, 89
- Multiple-subnet PDBNNs, 233-236
- Multisample fusion, 378-380
 - AV, 406-408
 - data-dependent decision fusion
 - model architecture, 380-385
 - experiments and results, 393-396
 - large-scale evaluations, 400-404
 - prior score adaptation in, 389-393
 - sorted scores, 385-389
- Multistate HMMs, 283
- Navratil, J., 132
- Nearest-neighbor criterion, 50, 71
- Negotiation with gating networks, 191
- Nervous activity, 27
- Neti, C.
 - AV fusion, 408
 - fusion weights, 372
- Network properties, MOEs vs. DBNNs, 214

- Network security, face recognition for, 270
- Neumeyer, L., 304
- Neural networks, 27-28
 - decision-based. *See* Decision-based neural networks
 - for feature point localization, 32
 - for feature selection, 34-35
 - multi-layer. *See* Multi-layer neural networks
 - probabilistic. *See* Probabilistic decision-based neural networks
 - in speaker modeling, 283-284
 - for speech-based biometrics, 42
- Neuron activation, 140
- Neuron units, 27
- NIST speaker recognition, 7, 286, 350
- Nixon, M. S., 31
- Noise
 - in audio-based feature extraction, 42
 - in probabilistic speaker models, 299-301
 - in speaker recognition, 286
 - in template-based facial extraction, 33
- Noise resilience for classifiers, 29
- Noisy XOR problem, 113
- Nonadaptive fusion weights, 372
- Nonintrusive face recognition, 3, 241
- Nonlinear feature transformation, 305-308
- Nonlinear SVMs, 108-109
 - generalization performance of, 118-123
 - hidden nodes and retrieval speed in, 112-116
 - for pattern classification, 424-425
 - scaling effects in, 129-131
 - shifting effects in, 124-128
 - training criteria and running time in, 116-118
 - two-layer network architectures, 109-112
- Normalization
 - AV fusion scores, 407
 - handset-specific, 357-358
 - OOH rejection, 338-339
 - speaker scores, 43
- Normalized correlation method, 132
- Nuance Verifier, 7
- Observable-data term in EM entropy interpretation, 67
- OCON. *See* One-class-one-network structures
- O'Leary, G. C.
 - HTIMIT corpus used by, 312
 - imposter models, 284
- Olivetti Research Laboratory (ORL) face database, 170-171
- On the margin SVs, 102
- One-class-one-network (OCON)
 - structures, 186, 188-189
 - vs. ACON, 189-190
 - for multiclass classification, 211
- One-level networks, 196
- Online transactions, 6
- OOH. *See* Out-of-handset rejection
- Optional weights in approximate-based formulation, 142
- OR operators, 371-372
- Ordowski, M., 341
- Oscillation problem in GS learning
 - convergence, 236
- Out-of-handset (OOH) rejection, 332-333
 - handset differences in, 334-336
 - Jensen difference in, 333-334
 - normalization in, 338-339
 - results and discussion, 339-345
 - seen and unseen handsets in, 336-337
 - in speaker verification, 337-338
- Outer blocks in hierarchical networks, 202-203
- Outlier SVs, 103
- Output values
 - in neuron models, 141
 - in supervised-learning networks, 139
- Overtraining in nonlinear SVMs, 119
- Paliwal, K. K.
 - AV fusion, 408
 - fusion weights, 372
- Palm, G., 171
- Palm Beach International Airport, 4, 241-242

- Pandya, A. S., 189
- Parameter estimation in EM, 52-53
- Parameter specification, MLP vs. MPE, 195
- Parker, D., 144
- Parthasarathy, S.
 - imposter models, 284
 - speech-based biometrics, 43
- Partial-data problem in EM, 54-55
- Partitioning strategies, 202
- Parzen windows approach, 26, 154
- Passport checking systems, 5
- Passwords, 6-7
- Pattern class oriented structures, 186
- Pattern classification
 - in face recognition, 242
 - SVMs for, 423-427
- Pattern matchers, 15
- Pattern space oriented structures, 186
- PCA. *See* Principal component analysis
- PDBNNs. *See* Probabilistic decision-based neural networks
- pdf (probability density functions), 188
- Penev, P., 248
- Pentland, A. P.
 - compression, 18
 - face recognition rate, 262-263
 - facial feature extraction, 33
 - subspace projection for feature reduction, 34
- Perceptron
 - in DBNNs, 209
 - multiclass linear, 238-239
 - and neural classifiers, 85-86
- Performance measures
 - BSFT, 350
 - classifiers, 28-29
 - multisample fusion, 401
 - nonlinear SVMs, 118-123
 - speaker recognition, 285-286
- Phone conversations, 42. *See also* Handset distortion
- Phonetic features, 354
- Physical intrusiveness, 12
- Physiological-based authentication methods, 2
- Piecewise linear feature transformation, 308-309
- Pierrot, J. B., 285
- Pilot experiments in probabilistic speaker models, 294-296
- Pitts, W., 27, 140
- Plumbley, M. D., 160
- Poggio, T.
 - face detection, 251-252
 - HyperBF network, 170
 - SVM application, 131
 - template-based facial extraction, 33
- Pole-filtered cepstral mean subtraction, 41
- Polynomial SVMs
 - scaling effect on, 129-130
 - shifting and coordinate translation effect on, 126-127
- Pontil, M., 131
- Popvici, V., 131
- Poritz, A. B., 283
- Porter, J.
 - speaker recognition FRR, 285
 - speaker scores, 284
 - speaker verification evaluations, 301
 - speech-based biometrics, 43
- Pose invariance in face recognition, 6
- Positive and negative training patterns, 266
- Potamianos, G., 372
- Prasanna, S. R. M., 354
- Preprocessing in AV fusion, 405-406
- Principal component analysis (PCA), 21-23
 - for feature reduction, 34
 - with SVMs, 132
 - in template-based approaches, 244-245
- Prior information term in EM entropy, 67
- Prior score adaptation, 389-393
- Probabilistic decision-based neural networks (PDBNNs), 221-224
 - for class-dependent channel fusion, 377
 - discriminant functions of, 224-226
 - for face detection, 252-259
 - for face recognition, 249-250, 268-270
 - in face recognition system case study, 258-260

- eye localization, 260
 - facial region, 260-261
 - frontal view faces, 261-263
 - hierarchical, 266-268
 - intruder patterns, 263-264
 - invariance assurance, 264-266
 - training pattern generation, 266
- in kernel-based speaker models, 289-290
- learning rules for, 226-228, 233-236
- for multichannel fusion, 374-375
- multiple-subnet, 233-236
- in probabilistic speaker models, 292-293, 301-302
- in stochastic model transformation, 319-331
- Probabilistic functions and models
 - for linear SVM fuzzy separation, 107
 - for RNF networks, 153-154
 - speaker, 286-302
- Processing speed, 16-18
- Product rule in abstract fusion, 372
- Project-then-cluster method, 26-27
- Projection methods for dimension reduction, 21-24
- Prosodic features in speaker verification, 354
- Przybocki, M.
 - DET curves for OOH rejection, 341
 - handset performance, 7
- Psychoacoustics, 282
- Psychological intrusiveness, 12
- Qu, G. Y., 33
- Quadratic loss functions, 116
- Quatieri, T. F.
 - HTIMIT corpus used by, 312
 - imposter models, 284
- Radial basis functions (RBFs) and networks, 141
 - BP in, 116, 148-151
 - center determination, 161
 - DBNNs, 220-221
 - in decision-based training rule, 214
 - vs. EBF, 154-156
 - for EM, 61
 - Gaussian kernels in, 170
 - genetic algorithms for, 161-162
 - likelihood functions, 71-72
 - MOE, 193-194
 - multi-layer, 143
 - for speech recognition, 171, 284, 418-422
 - training algorithms for, 116, 151-156
 - in two-layer SVM networks, 110
- Rahardja, A., 33
- RBF-GA hybrid algorithm, 163-170
- RBF-SVM, EM combined with, 130-131
- RBFs. *See* Radial basis functions and networks
- Realtime face recognition, 256-258
- Receiver operation characteristic (ROC) curves, 12-13
 - for PDBNNs, 265
 - for speaker models, 416
 - for speaker verification, 285
- Recognition vs. verification, 14-15
- Recursive formula in BP algorithm, 146-147
- Reinforced learning rules
 - in GS learning, 227-228
 - in hybrid learning schemes, 216-218
- Reject groups in DBNNs, 210
- Relative spectral processing, 41
- Renals, S., 132
- Reproduction, genetic algorithms for, 163
- Retrieving phase in supervised-learning networks, 139
- Retrieving speed in nonlinear SVMs, 112-116
- Reverberation, 286
- Reynolds, D. A.
 - HTIMIT corpus used by, 312
 - imposter models, 284
 - speaker verification evaluations, 301
 - speech-based biometrics, 43
- Rframes in face detection, 271
- Rice, J., 33
- Richard, M. D., 154
- Ritischev, D., 304
- Robinson, A. J., 198
- Robustness
 - in AF, 359
 - in audio-based feature extraction, 41-42

- in probabilistic speaker models, 299-301
- ROC. *See* Receiver operation
 - characteristic curves
- Roloff, L. W., 33
- Romdhani, S., 6
- Rosenberg, A. E.
 - imposter models, 284
 - speech-based biometrics, 43
- Rosenblatt, F.
 - decision-based neural network proposal, 237
 - perceptron model, 85, 209
- Roulette wheel selection method, 163
- Rowley, H. A., 252, 254
- Rubin, D. B., 52
- Rules. *See* Learning and learning rules
- Rumelhart, D. E., 144
- Running time in nonlinear SVMs, 116-118
- Runtime negative pattern generation, 266
- Sadeghi, M
 - face detection, 132
 - subspace projection for feature reduction, 34
- Safety margin in SVMs, 86, 91
- Sakamoto, S., 274
- Samaria, F. S., 263
- Sanderson, C.
 - AV fusion, 408
 - fusion weights, 372
 - neural networks, 171
- Sankar, A., 305
- Scaling effects in nonlinear SVMs, 129-131
- Schaffer, J. D., 160
- Schwaighofer, Anton, 94
- Score fusion, 370-372
 - experiments and results, 396-400
 - in multisample fusion, 391-393
- SDCN. *See* SNR-dependent cepstral normalization
- Second-order SFT, 309-310
- Securing online transactions, 6
- Seen and unseen handsets in OOH rejection, 335-337
- Sejnowski, T. J., 33
- Semiparametric techniques in OCON networks, 188
- Sensitivity, 11
- Sensor fusion, 369-370
 - decision-level, 370-373
 - feature-level, 370
 - hierarchical networks for, 373-378
- Separable case, linear SVMs, 90-91
 - decision boundary in, 93-97
 - margin of separation in, 91-92
 - support vectors in, 93
 - Wolfe dual optimization in, 92
- Serre, T., 131
- SFT. *See* Stochastic feature transformation
- Shannon entropy, 333
- Shao, X., 131
- Shifting effects in nonlinear SVMs, 124-128
- Sigmoidal function, 107
 - for LBF, 143
 - in neuron models, 141
 - in two-layer SVM networks, 110
- Signal bias removal, 41
- Simulated annealing, 67-69
- Simulation examples in nonlinear SVMs, 119-123
- Single-state HMMs, 283
- Singly-stochastic single-clusters with partial data, 74-75
- Slack variables, 98
- SmartGate system, 5, 272
- SNR-dependent cepstral normalization (SDCN), 303
- Sobel filtering, 261
- Softmax function
 - in EBFNs, 288
 - in hierarchical networks, 205
 - in probabilistic speaker models, 293
- Soong, F. K.
 - speech-based biometrics, 43
 - VQ, 283
- Sorted scores, fusion of, 385-389
- Sowmya, A., 33
- Sparsity of support vectors, 103
- Spatial filters, 32
- Speaker classes in EBFNs, 288
- Speaker enrollment in AF, 358-359

- Speaker models, 42, 281-284
 - kernel-based probabilistic, 286-287
 - comparisons, 290-301
 - EBFNs in, 287-289
 - GMMs in, 287
 - PDBNNs in, 289-290
 - SVMs for, 132
- Speaker recognition, 280-281
 - in adverse environments, 286
 - classification schemes for, 42-43
 - handset and channel distortion in, 301-303
 - compensation techniques, 303-304, 345-353
 - OOH rejection. *See* Out-of-handset rejection
 - Out-of-handset rejection
 - SFT. *See* Stochastic feature transformation
 - stochastic model transformation, 318-332
 - identification in, 281
 - Matlab project, 418-422
 - performance evaluation in, 285-286
 - reality and challenge, 6-8
 - speaker modeling. *See* Speaker models
 - speaker-specific features in, 281-282
 - threshold determination in, 284-285
 - variation in, 8
 - verification, 281
 - articulatory features for, 353-361
 - OOH rejection in, 337-338
 - RBF networks for, 171
 - systems components, 281
- Specificity, 12
- Spectral analysis and features
 - with AF, 358-361
 - speech signals, 281
- Speech signals, 281
- Sridharan, S.
 - AV fusion, 408
 - multichannel fusion, 378
- Starner, T., 18
- Statistical template matching, 244
- Stochastic feature transformation (SFT), 305
 - in AF, 359-361
 - experimental evaluations, 311-318
 - handset selectors, 310-311
 - in multisample fusion, 394
 - nonlinear feature transformations, 305-308
 - piecewise linear feature transformations, 308-309
 - second-order transformations, 309-310
- Stochastic model transformation, 318-332
- Straight lines in Bayes decision, 133
- Strictly inside the fuzzy region SVs, 103
- Structural similarities, MLP and MPE, 195
- Structurally flat networks, 196
- Subcluster structure determination, 217
- Sublevels in hybrid learning schemes, 217-218
- Subnet parameters, GS learning for, 233-234
- Subnet updates in DBNNs, 212-213
- Subspace projection, 34
- Sum rule in abstract fusion, 372
- Sung, K. K., 251-252
- Super Bowl, face recognition at, 3, 241
- Supervised preselection schemes, 25
- Supervised subspace projections, 21
- Supervised training and networks, 28, 139
 - for GS learning, 227-228
 - for nonlinear SVMs, 131
- Support vector machines (SVMs), 85, 94
 - application examples, 131-133
 - in face recognition, 249
 - Fisher's LDA in, 85-90
 - linear. *See* Linear SVMs
 - vs. LSE learning criteria, 116-117
 - nonlinear. *See* Nonlinear SVMs
 - for pattern classification, 423-427
- SX sentences in HTIMIT, 312
- Symbol space, 19
- Synaptic weight, 140
- System fusion, 359
- Takahashib, T., 206
- Taur, J. S., 213
- Template techniques, 30
 - in facial feature extraction, 244-249
 - in speaker modeling, 282

- in visual-based feature extraction, 32-33
- Temporal variability of feature vectors, 41
- Text systems in voice recognition, 281
- Texture features in visual-based feature extraction, 33
- Thiran, J. P., 131
- Three-dimensional CG models, 274
- Three-layer neural networks, 143
- Three-level hierarchical structures, 196
- 3-point problem in linear SVMs separable case, 93
- Thresholds
 - GS learning for, 234
 - in speaker models, 294
 - in speaker recognition, 284-285
 - in two-class probabilistic DBNNs, 228
- TIMIT data, 387
- Tnorm approach, 327-331
- Todd, P. M., 160
- Toh, H. L., 170
- Top levels
 - in BP algorithm, 146
 - in hybrid learning schemes, 216-217
- Training, 28
 - for classifiers, 28-29
 - decision-based, 142, 213-214
 - in GS learning, 227-228
 - in HME networks, 200
 - in LU learning, 226-227
 - MOEs vs. DBNNs, 215
 - MSE in, 162
 - in multiclass probabilistic DBNNs, 230
 - in multi-layer neural networks, 151-158
 - in nonlinear SVMs, 116-118
 - in PDBNN face recognition system, 266
- Training accuracy, 28
- Transcoded HTIMIT speech corpus, 315-318
- Transformations
 - BSFT. *See* Blind stochastic feature transformation
 - SFT. *See* Stochastic feature transformation
- True negative rate (TNR), 12
- True positive rate (TPR), 11
- Tsang, C. L.
 - HTIMIT corpus used by, 312
 - nonlinear transformation estimates, 304
- Tsoi, A. C.
 - face recognition rate, 263
 - neural networks for feature selection, 35
- Turk, M. A.
 - face recognition rate, 263
 - facial feature extraction, 33
- 20-point nonlinearly separable problem, 103
- Two-category classification problem, 87, 250
- Two-class probabilistic DBNNs, 221-224
 - discriminant PDBNN functions, 224-226
 - learning rules for, 226-228
 - threshold updating in, 228
- Two-class problem in fuzzy separation, 106
- Two-dimensional stochastic model transformation, 322-324
- Two-layer SVM networks, 109-112, 114
- Two-level modular structures, 196
- Two-stage training algorithms
 - LBF, 157-158
 - RBF, 116, 151-156
- Unbalanced binary classification problem, 222
- Universal background model (UMB), 346
- Unsupervised preselection schemes, 24-25
- Unsupervised subspace projections, 21
- Unsupervised training and networks, 28
 - for LU learning, 226-227
 - LUGS, 216-217
 - in nonlinear SVMs, 131
- Updating
 - in DBNNs, 212-213
 - threshold, 226-228
- User-friendly face recognition, 3, 241

- Valid data sets, 257
- Vapnik, V. N., 85
- Vector quantization (VQ), 50
- data replacement in, 287
 - in LU learning, 226
 - in neural networks, 171
 - in speaker modeling, 283
 - in speech-based biometrics, 42
- Verification
- in BSFT, 347-348
 - in multisample fusion, 394-395, 401
 - in probabilistic speaker models, 292
 - vs. recognition, 14-15
 - in speech recognition, 281
 - articulatory features for, 353-361
 - DET plots for, 285
 - NIST, 286
 - OOH rejection in, 337-338
 - RBF networks for, 171
 - systems components, 281
- in stochastic model transformation, 327
- Vetter, T.
- morphing technique, 6
 - SVM application, 131
- Viallet, J. E., 34
- Video file preprocessing, 406
- Video indexing and retrieval, 269-272
- Video scores in AV fusion, 408
- Viikki, O., 357
- Viisage company, 3-5, 275-276
- Virtual pattern generation procedure, 30
- Virtual training patterns, 30
- in face detection, 254
 - in face recognition, 264, 266
- Visual-based feature extraction and pattern classification, 30-31
- geometric features in, 31-32
 - neural networks for, 34-35
 - subspace projection for, 34
 - template features in, 32-33
 - texture features in, 33
- Viterbi approximation, 171
- Vocal tract modeling, 47-48
- Voice indexing, 7
- Voice recognition, 7. *See also* Speaker recognition
- VoiceTD module, 133
- VoiceTI module, 133
- von der Malsburg, C., 243
- Vonk, E., 160
- VQ. *See* Vector quantization
- Wan, V., 132
- Wang, Y., 189
- Wark, T.
- AV fusion, 408
 - multichannel fusion, 378
- Wassner, H., 378
- Waterhouse, S. R., 198
- Wechsler, H.
- MOE applications, 205-206
 - SVM application, 131
- Weng, J., 35
- Werbos, P. J., 144
- Whitley, D., 160
- Width of fuzzy separation, 97
- Williams, R. J., 144
- Wilson, W., 33
- Window functions, 26
- Wolfe dual optimization, 92, 98-101
- Wood, S. L., 33
- Wu, S., 170
- XM2VTS database, 171
- XM2VTSDB database, 405-407
- XOR problem
- in finite-decomposable polynomial kernels, 115
 - four-point, 101, 113
 - in hybrid learning schemes, 218-219
 - in multi-layer networks, 144
 - noisy, 113
 - shift effects on, 124-126
- Xu, B., 133
- Yegnanarayana, B., 354
- Yianislo, P. N., 31
- Yiu, K. K., 319
- YOHO corpus, 290-292, 294-296, 299-301
- Yow, K. C., 243
- Zhang, B. L.
- modular applications, 206
 - RBF neural networks, 170-171
- Zhang, W. D., 33
- Zissman, M. A., 284