



2D border, 66, 73
3D border, 66–67, 73

A

ac_btn button, 174
Accordion component, 173–175
Actions panel, 7, 9
ActionScript, 1
 limitations, 179
addEventListener object, 253–254
addEventListener() method, 176,
 243
AddListener() method, 251–253
addMenu() method, 172
addressInfo object, 87
age property, 223
Alert component, 42–43
Alert window, 43
alertHandler event handler, 43
Aligning text, 68
allClassContainer variable, 134

allClasses array, 128
 _alpha, 108, 113
anchor1 button, 214
anchor2 button, 214
anchor3 button, 214
anchor4 button, 214
Anchors, 213
application container, 55
args, 205
arguments array, 112
Array class, 234
Arrays
 of all classes, 126
 child elements, 128
 as dataProvider, 35–36
 function return typing,
 12–13
 looping over, 127
arrayShuffle.as file, 233–234
Array.sort() method, 3
Array.sortOn() method, 3

- AS1 (ActionScript 1.0), 1–2
 - assigning data types, 5
 - prototype-based inheritance, 234
- AS2 (ActionScript 2.0), 1–4
- Associative array, 10
- Attaching movie clips to movie clips, 105–116
- attachMovie() method, 23, 25, 106
- attachSound() method, 145
- attachVideo() method, 156
- ATTRIBUTE_NODE node type, 128
- autoLoad, 201

- B**
- backgroundColor style, 66, 73
- ball1 movie clip, 231
- bar variable, 6
- barNone variable, 6
- Behaviors, 2, 83
 - components, 21
- bigplans_btn button, 259–260
- _blank, 88
- blue_radio radio button, 38–39
- body movie clip, 113
- body_mc movie clip, 106
- borderCapColor style, 65
- borderColor style, 65–66, 73
- borderStyle style, 66, 73
-
 element, 264
- Broadcasters, 240
- broadcastOutsideEvents Boolean, 279
- Built-in components, 19
- Button components, 23, 66, 72–75, 162, 242, 276
- Button event handlers, 240
- Button identifier, 23
- buttonColor style, 66, 73
- buttonListener event handler, 278
- Button.menu, 3
- Buttons, 23, 163–164
 - attaching listener to, 254
 - big face area, 66
 - event listeners, 162
 - events, 243, 254
 - on() method, 245
 - portable code, 163
 - resizing, 24
- Window → Other Panels →
 - Common Libraries →
 - Buttons command, 214

- C**
- Caps, 68
- Case sensitivity and sorting, 3
- cb_check_, 82
- cb_check_disabled, 83
- CDATA_SECTION_NODE node type, 128
- change event, 176
- <channel> element, 130–131
- CheckBox class, 24
- CheckBox component, 38, 47, 82
- Checkboxes, 22, 38, 47
 - adding, 24
 - background color, 68, 75
 - check mark, 68, 75
 - items, 164–166
- Child elements, 128, 130
- Child movie clips, 113, 115
- Child nodes and <channel> element, 131
- childNodes property, 126
- circle_mc oval, 196
- Class structures, 2
- <class> element, 126

- Classes, 2, 24, 68, 221–222
 - adding methods to built-in, 233–235
 - array of, 126
 - creation of, 225–227
 - extendable, 2
 - extending, 229–231
 - global, 218
 - subclasses, 229–231
 - Window → Other Panels →
 - Common Libraries →
 - Classes command, 283
- Classes directory, 227
- classes element, 134–135
- classes_grid component, 125
- classes_tree, 271
- classesXML object, 134–135
- classes_xml XML object, 122
- classes_xml.firstChild, 126
- classes_xml.onLoad event handler, 126
- classNode element, 126–127
- clipName movie clip, 106, 111
- clock_txt text field, 209
- closed identifier, 271
- Closed node, 271
- Closing windows, 277–278
- Code hints, 7–9
- color property, 180
- color style, 66, 72–73, 264
- Color text, 66
- columnNames array, 261
- ComboBox components, 21, 35–38, 71
- ComboBox object, 71–72
- Comboboxes, 35–38
- command_btn button, 162
- COMMENT_NODE node type, 128
- Component buttons and on() method, 245
- Component graphics, 2
- Component-friendly events, 254
- Components
 - altering appearance, 65
 - attaching listener object to, 176
 - background, 66, 73
 - behaviors, 2, 21, 83
 - built-in, 19
 - changing colors, 65
 - compiled, 2, 21
 - component graphics, 2
 - core functionality, 2
 - defining, 21–22
 - deleting, 22
 - dragging to Stage, 22
 - dynamically adding, 22–25
 - form creation, 21–25
 - haloGreen value, 63
 - interacting with, 21
 - listener objects, 254
 - manipulating content, 266
 - preloading, 201
 - resizing, 262
 - setting styles, 71–72, 77, 81
 - skinning, 81–83
 - skins, 61
 - text color, 66, 73
 - v2 architecture, 2
- Components palette, 154
- connect (null), 156
- Containers with variables and functions, 222
- content, 279
- ContentMenuItem class, 3
- contentPath, 201, 279
- ContextMenu class, 3

Control point, 213
 controllerPolicy, 154
 createChild() method, 175
 createClassObject() method,
 24–25
 createObject() method, 70
 Cross-browser reliability, 17–18
 Cross-platform reliability, 17–18
 CSS (Cascading Style Sheets),
 180–183
 ActionScript limitations, 179
 XML, 185–187
 CSS-based styles, 2
 CSS-like style sheet object, 4
 CSSStyleDeclaration object,
 71–72
 Curves, 211, 213–215
 customer.css file, 186
 CustomerInfo class, 222–223,
 225–227
 CustomerInfo.as file, 227
 CustomerInfo() function, 226–227
 CustomerInfo_obj object, 222
 customer_txt component, 186
 customer.xml file, 186
 Customizing menus, 3

D

Data
 packaging for sending or
 receiving, 87–89
 reading into movie, 92
 returning from file, 89
 sending and receiving, 95–97
 sending to file, 89
 validating on forms, 35–45
 Data binding, 283–285
 data event, 246
 data property, 285

Data types
 assigning in AS1, 5
 listing of, 7–8
 strong data typing, 6–7
 DataBindingClasses component,
 283–284
 DataGrid component, 39–40, 48,
 125, 258–262
 dataProvider, 35–36, 169, 172, 271
 DateField component, 44, 49–51,
 208
 Date object, 49, 207
 Dates, 207–208
 deep parameter, 136
 deleteCustomer() method, 223
 deletePopUp() method, 278
 Depth, 2
 Depth handling, 3
 dest_txt text field, 284
 DHTML, 17
 disabledColor style, 66, 72, 74
 display: inline, 186
 display property, 180
 DOCUMENT_FRAGMENT_NODE
 node type, 128
 DOCUMENT_NODE node type, 128
 DOCUMENT_TYPE_NODE node
 type, 128
 DOM (Document Object Model),
 122, 128
 Drop-down menus, 22
 Dungeons & Dragons, 33
 Dynamic runtime text fields, 3
 Dynamic shapes, 211
 Dynamic text fields, 32

E

Editable comboboxes, 37–38
 editable property, 258

- Element node, 128
 - ELEMENT_NODE node type, 128
 - Elements, 126
 - Email addresses, checking for real, 42
 - emailAddress property, 223
 - email_txt text field, 42
 - embedFonts style, 264
 - Empty string (""), 3
 - Empty stylesheet object, 182
 - Encapsulating objects, 222
 - EndPoints objects, 284–285
 - enterFrame event, 246
 - ENTITY_NODE node type, 128
 - ENTITY_REFERENCE_NODE node type, 128
 - Error class, 3
 - Error handling, 3
 - event event object, 165
 - Event handlers, 40, 162–163, 182
 - .click part, 254
 - methods, 240–241
 - Event handling, 240
 - Event listeners, 162, 240
 - reasons for using, 242
 - screens, 57
 - Event methods, 247–248
 - event object, 243
 - Event objects, 163, 254
 - Events, 2, 40, 162, 239
 - addListener() method, 252
 - buttons, 243
 - component-friendly, 254
 - functions running when occurring, 247–248
 - information about, 163, 243
 - listeners, 242
 - listening for, 253–254
 - movie clips, 243
 - pressing button, 254
 - screens, 57
 - slides, 57
 - system, 239–240
 - target of, 163
 - triggering data binding, 285
 - user, 239
 - evt event object, 40
 - evtObj object, 163, 165, 243
 - evtObj parameter, 254
 - Exporting videos to FLV files, 151
 - Extendable classes, 2
 - Extending classes, 229–231
 - external JPEGs, 103
 - External movie clips, 154
 - External stylesheets, 181–183, 185–186
 - External video clips
 - advantages, 153–157
 - FLV format, 153
 - output status codes, 157
 - playing, 153, 156–157
 - External XML file submenus, 169–170
- F**
- Fading movie clips, 113, 115
 - Fail class, 230
 - Fail.as file, 230–231
 - Fantasy baseball, 33
 - fasterPussycat function, 218
 - fieldEdgeX variable, 32
 - Files
 - importing, 149
 - monitoring progress while loading, 3
 - firstChild property, 126, 169
 - firstName property, 223
 - Flash 5 and ActionScript, 1

- Flash Comm Server, 153
- Flash files
 - altering movie clips and graphics, 81
 - file size, 19
- Flash JavaScript API commands, 3
- Flash plug-in, 18–19
- Flash UI Components 2 folder, 83
- FLV files
 - connection for playing streamed, 156
 - exporting videos to, 151
 - external video clips, 153
 - registering video/x-flv FLV mime type, 157
 - streaming, 4
- fly() method, 229
- Focus, 2
- focusOut event, 285
- fontFamily property, 180
- font-family property, 180
- fontFamily style, 67, 72, 74, 264
- Fonts, 67, 74
- fontSize style, 67, 72, 74
- fontStyle style, 67, 72, 74, 264
- fontWeight property, 180
- font-weight property, 180
- fontWeight style, 67, 72, 74, 264
- form movie clip, 28, 35
- Form screens, 53
- form1, 174
- form1 screen, 55
- form1_btn button, 55
- form2, 174
- form3, 174
- form_ac accordion, 174
- Forms
 - Alert component, 42–43
 - Checkbox component, 38
 - checkboxes, 47
 - comboboxes, 35–38
 - component creation, 21–25
 - creation from scratch, 27–32
 - cross-platform and cross-browser reliability, 17–18
 - DataGrid component, 39–40, 48
 - DateField component, 44, 49–51, 208
 - hiding, 55
 - input text fields, 30–31
 - List component, 43–44, 48
 - more flexibility, 18
 - moving between, 55
 - multipart, 173
 - Next button, 55
 - radio buttons, 38–39, 48
 - smoother user experience, 17
 - submit button, 46
 - submitting, 45–47
 - text fields, 41
 - TextArea component, 41
 - TextInput component, 41
 - validating data, 17, 35–45
- fromWireMan object, 47
- fscommand() function, 203–205
- Function return typing, 11–13
- Functions, 221–222
 - global, 217–218
 - passing column name and button name to, 261
 - running when events occur, 247–248
- G**
 - gender property, 223
 - getBounds() method, 111
 - getChannelNodeByName() function, 130

- getHours() method, 209
- getMinutes() method, 209
- getNextHighestDepth() method, 112
- getProgress() method, 250
- getSeconds() method, 209
- getURL() method, 95, 205
- getValue() method, 39
- Global
 - classes, 218
 - functions, 217–218
 - objects, 218
 - styles, 78–80
 - variables, 217–218
 - _global, 217–218
 - _global.something, 72
 - _global.style, 77, 79–80
 - _global.styles, 69, 72, 77
- Gradients, 211
- green_radio radio button, 38–39
- gridListener.cellPress event handler, 40
- H**
- hair_btn button, 259–260
- Halo skins, 62
- Halo theme, 61–64, 72
- haloBlue value, 63
- haloGreen value, 63
- HaloOrange value, 63
- HaloTheme fla file, 63
- Handling events, 240
- “head” movie clip, 105
- head symbol, 106
- head.mc movie clip, 106
- headSmall_mc, 111
- Hide/View Actions Panel (F9) keyboard shortcut, 9
- Hiding forms, 55
- highlightColor style, 65
- HTML, 17
 - download size, 18
 - file size, 19
 - form elements, 17
 - labels, 264
 - removing extra white space in text, 4
- html_styles.css, 182
- HTTP request headers, modifying, 3
- I**
- ID3 information, 4
- ID3 tags, 144
- if statement, 111
- Images, loading, 103
- img_loader component, 265
- Importing files, 149
- Import to Library
 - File → Import → Import to Library command, 153
- Indenting text, 68
- indexOf() method, 7
- Information, quickly showing and hiding, 17
- Inheritance, 230–231, 234
- initObject, 175
- Input runtime text fields, 3
- Input text fields, 22, 30–31
- instanceName attribute, 165
- Interfaces, 17–18
- Internal stylesheets, 183
- Internal XML documents, 133–136, 272–273
- isClickInBounds() method, 110–111
- Italian Bean and Pasta Salad, 187
- <item> elements, 130
- itemIndex property, 40

J

JavaScript, 17, 203–205
 Job property, 258
 JPEGs, loading, 117, 265–266, 279
 js_btn button, 205
 jsl.flc file, 205

K

Key object, 240, 251–253
 keyDown event, 246
 Keyframes, adding components to,
 23
 Key.onKeyDown, 252
 Key.onKeyUp, 252
 keyUp event, 246
 Keywords, 3

L

Label component, 263–264
 Labels, 29, 264
 lastIndexOf() method, 42
 lastName property, 223
 length property, 41
 Level attribute, 124
 _leveln, 218
 Levels, 103–104
 Library, 155
 adding components, 22–23
 File → Import → Library
 command, 139, 149
 importing video files, 149
 putting sound in, 139
 Line breaks, 264
 Lines, 211–212
 Linkage... command, 24
 Linkage dialog box, 271, 276
 Linkage menus, 174
 Linkage Properties dialog box, 24, 201
 List component, 43–44, 48

Listener event model, 2
 Listener objects, 2, 176, 253–254
 Listeners, 162, 241–243
 attaching to buttons, 254
 attaching to objects, 251–252
 DataGrid component, 39–40
 Key object, 252
 removing, 252
 Listening for events, 253–254
 load event, 246
 loadClip() method, 249
 Loader component, 57, 200–201,
 265–266
 Loader.bytesLoaded, 266
 Loader.bytesTotal, 266
 Loader.complete, 266
 Loader.percentLoaded, 266
 Loader.progress, 266
 Loading
 external JPEGs, 103
 images, 103
 JPEGs, 117
 movies, 101–103
 XML, 92–93
 XML file into XML objects,
 121–124
 load() method, 92
 loadMovie() method, 101–103,
 249–250
 loadMovieNum() method, 103
 loadSound() method, 143
 loadVariables() method, 92
 loadVariablesNum() method, 92
 LoadVars class, 89
 LoadVars objects, 45–46, 87–89, 92,
 96, 240
 LoadVars.setRequestHeader, 3
 LoadVars.sendAndLoad() method,
 96–97

- Local video files, streaming, 4
- Looping
 - over arrays, 127
 - through XML, 124–128
- M**
- Macromedia Director, passing
 - messages to, 203
- Main movie, attaching movies to, 23
- Main screen, 53
- mainMenu component, 171
- Manager classes, 2
- margin-left property, 180
- marginLeft style, 67, 74, 180
- margin-right property, 180
- marginRight style, 67, 74, 180
- Masks, 195–197
- Math class, 227, 234
- Math.as file, 227
- Media components, 149, 154
- MediaController subcomponent, 154
- MediaPlayback component, 154
- Memory and built-in components, 19
- Menu bar, 70, 171–172
- Menu component, 162, 169, 171
- Menu object, 164
- MenuBar component, 70, 171
- MenuBarBackLeft linkage ID name, 70
- MenuBarBackMiddle linkage ID name, 70
- MenuBarBackRight linkage ID name, 70
- menuHide event, 164
- Menus, 161
 - buttons, 163–164
 - checkbox items, 164–166
 - creation of, 163
 - customizing, 3
 - dynamic creation, 161
 - item types, 164–166
 - radio items, 164–166
 - submenus, 166–167
 - updateable items, 164
 - XML, 167–169
- menuShow event, 164
- Methods, 2, 222, 226
 - adding to built-in classes, 233–235
 - static, 227
 - System class, 4
 - variables, 7
- MMEExecute() method, 3
- Modal skin, 279
- modality Boolean, 279
- Monitoring movie clip loading, 249–250
- Mouse object, 240, 251, 253
- Mouse wheel, 4
- mouseDown event, 246
- mouseMove event, 246
- Mouse.onMouseWheel event
 - listener, 4
- mouseUp event, 246
- moveDown() method, 231
- move() method, 25
- moveTo() method, 25
- Movie Clip event handlers, 240
- Movie clips, 61, 150
 - accessing methods or properties, 231
 - Accordion component, 173–175
 - as_root for movie clips loaded, 3
 - attaching to movie clips, 105–116
 - child, 113, 115
 - events, 243

- Movie clips, *continued*
 - fading, 113, 115
 - holding text fields, 28
 - loading images, 103
 - monitoring loading, 249–250
 - onClipEvent() method, 246
 - parent, 113, 115
 - placing sound within, 141
 - placing SWF into, 101–102
 - static text, 3
 - MovieClip class, 230, 240
 - MovieClip.getInstanceAtDepth()
 - method, 3
 - MovieClip.getNextHighestDepth()
 - method, 3
 - Movieclip.getSWFVersion()
 - method, 3
 - MovieClip.getTextSnapshot()
 - method, 3
 - MovieClipLoader class, 3, 249–251, 253
 - MovieClipLoader.onLoadComplete, 252
 - MovieClipLoader.onLoadError, 252
 - MovieClipLoader.onLoadInit, 252
 - MovieClipLoader.onLoadProgress, 252
 - MovieClipLoader.onLoadStart, 252
 - MovieClip._lockroot, 3
 - MovieClip.menu, 3
 - movieClip.onMouseDown, 108
 - Movies
 - buttons to start and stop, 149–150
 - events, 40, 239
 - external JPEGs, 103
 - loading, 101–103
 - media components, 154
 - menus, 161
 - moving to Web page from, 95
 - piggybacking on movies, 23
 - preloaders, 199–201
 - Publish Settings template, 203
 - reacting to changing, 175–176
 - reading data into, 92
 - versus Screen files, 53
 - unloading, 103
 - XML loading, 92–93
 - MP3 files, 143–145
 - MPEG files, importing, 149
 - Multipart forms, 173
 - muppetMedia component, 154
 - muppet_video video object, 155
 - mx.screens.Form class, 57
 - myButton button, 242
 - myMovieClip movie clip, 101
 - myOtherMovie.swf file, 101
 - MySampleTheme fla file, 82–83
- N**
- Name property, 258
 - name_label label, 263
 - name_txt text field, 45
 - Name/value pairs, 91–92
 - NaN (Not a Number) value, 3
 - NetConnection object, 156
 - NetStream class, 4, 156
 - New Video command, 155
 - news_txt component, 179
 - nextScreen function, 55
 - Nodes, 126
 - creation of, 134
 - types, 128
 - nodeSeeker, 130–131
 - nodeType property, 128
 - NOTATION_NODE node type, 128
 - numBeers_Step stepper, 267

Number data type, 6

Numbers

- changing, 267–268
- function return typing, 11
- NaN (Not a Number) value, 3
- undefined variables, 3

numBoobsDisplay, 11

Numeric Stepper, 267–268

O

Object property, 23

Objects, 221

- addListener(), 252
- attaching listeners, 251–252
- encapsulating, 222
- functions, 221–222
- global, 218
- System class, 4
- variables, 221–222

onClipEvent() method, 39, 246

onData event, 88

onEnterFrame, 209

onID3 event handler, 144

onLoad event handler, 123, 144

onLoad function, 92

onLoadCompleted event, 249

onLoadError event, 249

onLoadInit event, 249

onLoadProgress event, 249

onLoadStart event, 249

on() method, 39, 56, 245

onPress event, 254

onRelease event handler, 47

onRelease function, 38–40

OO (object-oriented programming), 221, 229

open identifier, 271

Outside-of-the-button validation function, 40

P

Packaging variables, 45

Paint bucket, 212

Pan() method, 141

pants_mc movie clip, 113

_parent, 55, 218

Parent movie clips, 113, 115

parseCSS() method, 183–184

parse() method, 183–184

password_btn button, 276–277

pause_btn button, 150

pBar ProgressBar, 201

people array, 258

Phototypes, 233–235

PI property, 227

play_btn button, 150

play() method, 144, 150

Pop-up windows, 276–277

position() function, 108–110, 112

Precedence and styles, 78–80

Preloadersprogress bar, 199–201

Preloading components, 201

Printing, controlling, 4

PrintJob class, 4

PROCESSING_INSTRUCTION_

- NODE node type, 128

Progress bar, 199–201

ProgressBar component, 200–201

Properties, 2, 222, 226–227

Properties command, 153

Prototype-based inheritance, 234

Publish Settings template, 203

Q

QuickTime files, importing, 149

R

Radio buttons, 22, 38–39, 48, 68, 75

Radio items, 164–166

- RadioButtonGroup class, 39
- Reacting to changing movies, 175–176
- Reading
 - from ComboBox components, 36
 - DataGrid component, 39–40
 - editable ComboBox components, 37–38
 - XML files, 121
- receiveData.php3, 47
- receive.php3, 47
- Rectangles, 68
- Rectangle-specific styles, 65
- Rectangular components, 74
- red_radio radio button, 38–39
- Regular expressions, 32, 41
- Regular text fields, 27
- removeColumnAt() method, 261
- removeListener() method, 252, 254
- Resizing buttons, 24
- restrict property, 41
- _root, 217–218
- _root.body movie, 112
- _root.body.hand movie clip, 111
- _root.hand movie clip, 111
- rootScreen property, 56
- RSS (Really Simple Syndication)
 - files, 129–131
- Runtime text fields, 3
- S**
- Sample skins, 62
- Sample theme, 61–64
- SampleTheme.flα file, 63–64, 82
- Screen file versus Flash movie, 53
- Scroll bar, 67
- ScrollBar subcomponent, 81
- ScrollDownArrowDisabled skin, 81
- ScrollDownArrowDown skin, 81
- ScrollDownArrowUp skin, 81
- Scrolling text fields, 4
- scrollTrackColor style, 67, 74
- ScrollView class, 276
- selected attribute, 165
- selectedChild property, 176
- selectedData, 48
- selectedIndex property, 36–37
- selectedItem property, 36–37
- Selection object, 251, 253
- Selection.onSetFocus, 252
- _self, 88
- sendAndLoad() method, 89
- Sending and receiving data, 95–97
- send() method, 47, 87
- Servers, packaging data for, 45
- Server-side scripts, 41
- setMedia() method, 154
- setNewTextFormat() method, 190
- setSize() method, 258
- setStyle() method, 69
- setTextFormat() method, 190
- setTransform() method, 141
- shadowCapColor style, 65
- shadowColor style, 65, 67, 74
- Shapes, 211–212
- SideKick class, 229
- single_btn button, 259–260
- Skinning, 61–63
 - components, 81–83
 - properties, 2
- Skins, 61, 81, 82–83
- Slides, 53, 57
- Smart Clips, 21
- some_mc movie clip, 106
- Sorting, 3
- Sound clips, 141
- Sound files, 4
- Sound objects, 139–141

- sound_btn button, 140
- Sound.onID3 property, 4
- Sounds, 139–141, 144
- spaceColumnsEqually() method, 262
- spam_chk checkbox, 47
- spam() method, 223
- split() method, 7
- square_mc square, 196
- src_txt text field, 284–285
- Stage, 22
- Stage object, 240, 251, 253
- Stage.onResize, 252
- stage_tree tree, 270
- start() method, 144
- States, loading, 2
- states_cbx component, 35–36
- Static Comboboxes, 37–38
- Static methods, 227
- Static properties, 227
- Static text, 3
- status component, 155
- step_btn button, 267
- Stick Figure Death Theater Web site, 199
- stop() method, 23, 140, 150
- Streaming files, 4
- String data typing code hints, 7–9
- String object, 234
- Strings, 3
 - CSS, 183–184
 - template variable, 6
- Strong data typing, 6–7
 - getting around, 9–10
 - good use of, 22
 - program performance and, 8
- StrongBad’s email Web site, 199
- Style document, 2
- Style objects, 69–70, 189
 - style properties, 77
- Style rules, 69, 71
- styleObj object, 69
- Styles
 - Button component, 72–75
 - changing component color, 65
 - collection of properties, 69
 - components, 71–72
 - global, 78–80
 - labels, 264
 - precedence, 78–80
 - rectangle-specific, 65
 - setting, 61–63, 77, 81, 218
 - text, 191
 - TextArea, 79
 - TextInput, 79
- style_sheet, 182
- Stylesheet object, 179, 182
- Stylesheets, 179–183
 - applying to text area, 182
 - changing text properties, 189–191
 - external, 181–183, 185–186
 - internal, 183
 - more than one style in text field, 191
 - setting before setting text, 187
 - to TextFormat, 184
- Subclasses, 229–231
- Submenus, 166–167, 169–170
- Submit button, 46
- Submitting forms, 45–47
- success Boolean, 93
- SuperHero class, 229
- SWC file, 83
- SWFs (Small Web Files) files, 1
 - download size, 18
 - Flash Player version, 3
 - loading, 265–266
 - placing in movie clip, 101–102

- symbolBackgroundColor style, 68, 75
- symbolBackgroundDisabledColor style, 68, 75
- symbolBackgroundPressedColor style, 68, 75
- symbolColor style, 68, 75
- symbolDisabledColor style, 68, 75
- symbolName movie clip, 111
- Syntax, 2
- System class, 4
- System events, 239–240
- System.capabilities, 4
- T**
- <table> element, 257–262
- Tables, 259, 261–262
- Tada sound object, 140
- tagName, 131
- Template variable, 6
- test_grid component, 257
- Text
 - aligning, 68, 75
 - applying style information, 182
 - changing properties, 189–191
 - color, 66
 - disabled color, 66, 74
 - displaying, 263–264
 - font name, 67, 74
 - indenting, 68
 - left margin, 67, 74
 - length of entered, 41
 - right margin, 67, 74
 - styles, 191
- Text area, applying stylesheet, 182
- Text boxes, 182, 191
- Text decoration, 68, 75
- Text fields, 30–32, 41, 276
 - acting as labels, 29
 - assigning variable, 283
 - information about, 4
 - moving clips holding, 28
 - regular, 27
 - scrolling, 4
- Text nodes, 128, 135–136
- text property, 41
- Text strings, 88
- Text tool, 179
- text-align property, 180
- textAlign style, 68, 180, 264
- TextArea component, 27, 41, 46, 79, 155, 186
- text-decoration property, 180
- textDecoration style, 68, 75, 180, 264
- TextField object, 251, 253
- TextField.condenseWhite, 4
- textFieldHeight variable, 28, 32
- Textfield.menu, 3
- TextField.mouseWheelEnabled, 4
- TextField.onChanged, 252
- TextField.onScroller, 252
- TextField.StyleSheet class, 4
- Textfield.styleSheet property, 4
- TextFormat object, 189–191
- TextFormat.getTextExtent() method, 4
- textIndent style, 68, 75
- TextInput component, 27, 41, 79, 276
- TextInputs text field, 46
- TEXT_NODE node type, 128
- themeColor style, 63, 69, 72
- Themes, 2, 62
- Themes → MMDefault →
 - CheckBox Assets → Elements command, 82
- this, 55, 126
- throw, 3
- Time, 209
- Timelines, 56

toLowerCase() method, 7
toWireMan object, 47
Tree class, 273
Tree component, 269–273
TreeDataProvider interface, 273
treeHack variable, 10
Tree.setIcon() method, 271
try...catch—, 3
type attribute, 165

U

UI components, 22
UIComponent class, 2
UIObject class, 2, 25
Undefined variables, 3
unload event, 246
Unloading movies, 103
updateAddress.php file, 87–88
User events, 239
Users, reactions to changing
 movies, 175–176

V

v2 architecture, 2
Validation form data, 35–45
Value property, 37–38
Vanilla vodka tonic, 279
Variables, 221–222
 assigning to text field, 283
 case sensitive, 3
 data types, 5–7
 global, 217–218
 methods, 7
 packaging, 45
 suffixes, 8
 undefined, 3
 with values, 91–92
Video, 150–151
Video class, 150

Video clips, 150, 153–157
Video object, 155–156
videoHolder_mc symbol, 149
View class, 276
_visible property, 101
Visual Basic, 203
Visual C++, 203
Volume() method, 141

W

wardrobeMalfunction function, 11
Web browsers and Flash plug-in, 19
Web pages, moving from movie to, 95
Window class, 276
Window component, 275–279
Window.content, 279
Windows
 altering content, 279
 close button, 278
 closing, 277–278
 creation of, 275
 loading JPEG, 279
 modality, 279
 pop-up, 276–277
 transparency, 279

X

_x property, 101
xMax property, 111
xMin property, 111
XML, 121
 adding attributes, 124
 CSS stylesheets, 185–187
 getting attributes, 124
 loading, 92–93
 looping through, 124–128
 menus, 167–169
 RSS (Really Simple Syndication),
 129



302

XML class, 89

XML data, 269–273

XML documents, 133–136

XML files

- dataProvider, 172

- loading into XML object, 121–124

- objects with properties and

 - methods, 126

- reading, 121

XML objects, 121–124, 133–134, 240

XML.setRequestHeader, 3

XML.sendAndLoad() method, 97

Y

_y property, 101

yMax property, 111

yMin property, 111





































