
Index

- A status indicator, 60, 67-68
- Access control, 137
 - Apache configuration for, 32-33
 - certificates for, 103-104, 142-144
 - direct, 138
 - svnserve, 20, 138-140
 - Windows Domain Controller authentication, 146-148
- Accountability, version control for, 5
- AcquireLockFile function, 173, 177-178
- add command
 - reference for, 275
 - for repository files, 63-64
- AnkhSVN project, 111-112
- annotate command, 276-277
- anon-access option, 139
- Apache Portable Runtime (APR) libraries, 26, 201-202
- Apache Web server, 26
 - configuration, 31, 146-147
 - access setup, 32-33
 - Apache 1 and Apache 2 together, 33-34
 - authentication, 140-141
 - certificates, 144
 - loading modules, 31-32
 - parent paths, 33
- API in Subversion, 21, 198-206
- Appending issue tracking messages, 247
- APR (Apache Portable Runtime) libraries, 26, 201-202
- apr_psprintf function, 203
- Archival e-mails, automating, 168-169
- AssembleThePieces function, 175-176, 180, 183-184
- Atomic commits, 18
- [auth] section in config, 98
- AuthDigestDomain entry, 141
- AuthDigestFile entry, 141
- Authentication
 - in Apache, 140-141
 - in Windows Domain Controller, 146-148
- AuthName entry
 - in Apache configuration, 33
 - in password protection, 141
- Author
 - printing, 195
 - property for, 95
- author command
 - reference for, 314-315
 - for revisions and transactions, 195
- Author keyword, 93
- Authorization retention setting, 98
- AuthType entry
 - in Apache configuration, 33
 - in password protection, 141
- AuthUserFile entry, 33
- AuthzSVNAccessFile option, 144
- [auto-props] section in config, 101
- Autoexec.bat file, 31
- Automation, 159-160
 - API for, 198-206

- file merges, 12
- hooks for. *see* Scripts
- issue tracking interaction, 247-248
- metadata, 191-197
- property settings, 86-87, 101
- repository backup, 151-153
- summary, 206
- unit testing, 228-229
- Autoversioning with WebDAV, 114-115
- Backing up repository, 149
 - automating, 151-153
 - dumping for, 150-151
 - hotcopying for, 149-150
 - in migration, 130
- BASE alias, 57
- Batons, 202
- Baus, Christopher, 110
- Berkeley DB (BDB) database, 26-27, 149
- Beta versions
 - quality assurance for, 211-212
 - testing, 229-230
- Bieber, Ron, 268
- Binary files, 19
 - changes to, 77
 - in KeyGhost Ltd. case study, 260-261
 - Mac OS X, 29
- Binary properties, 89
- blame command
 - for file history, 74
 - postprocessor for, 243-244
 - purpose of, 192
 - reference for, 276-277
- BogeyTalk project, 251-254
- Bohlman, Mark, 263
- Branches, 18-19
 - in central planning project, 257-258
 - communication through, 231-232
 - creating, 44-46, 78-80, 209-210
 - cvs2svn for, 132
 - in ExCo case study, 267
 - in managed chaos project, 252
 - merging, 46-48, 80-82
 - organizing, 122-124, 209-210
 - quality assurance, 211-212
 - in rapid development project, 255
 - in repository, 11, 79
 - saved working copies snapshots for, 215-216
 - in small-team projects, 259
 - software version, 210-211
 - task, 212-214
 - in Teledata Communications case study, 264-265
 - version control for, 6, 10-11
 - in Wye Corp case study, 269
- /branches directory in case study, 262
- bugtraq:append property, 247
- bugtraq:label property, 246
- bugtraq:message property, 246-247
- bugtraq:number property, 247
- bugtraq:url property, 247
- bugtraq:warnifnoissue property, 247
- build.xml file, 223
- Builds, 223
 - configuring, 223-224
 - daily, 224-226
 - integration in, 226-227
 - tags for, 215
- Built-in properties
 - file, 90-94
 - revision, 95-96
- bzip2 archive, 27
 - c option with htdigest, 141
- C status indicator, 60, 67-68
- Carriage return (CR) characters, property
 - for, 90-91
- CAs (certificate authorities)
 - purpose of, 103
 - types of, 142
- Case studies, 251
 - central planning, 256-258
 - Error Free Software, 261-263
 - ExCo, 266-268
 - GladeSoft, 265-266
 - KeyGhost Ltd., 260-261

- managed chaos, 251-254
- rapid development, 254-256
- small-team, 258-259
- Teledata Communications, 263-265
- Wye Corp, 268-270
- ZedCom, 270
- cat command
 - svn
 - reference for, 277
 - for retrieving files, 75
 - svnlook
 - reference for, 315
 - for retrieving files, 194
- Central planning project, 256-257
 - branches and tags in, 257-258
 - properties in, 258
 - repository layout in, 257
 - scripts in, 258
- Certificate authorities (CAs)
 - purpose of, 103
 - types of, 142
- Certificates, SSL
 - configuring, 144
 - creating, 142-144
 - servers file for, 103-104
- changed command
 - for modified files, 195-196
 - reference for, 315-316
- Changes
 - to binary files, 77
 - committing, 42
 - examining, 71-72
 - finding files with, 195-196
 - logs for, 9-10, 188-189, 220
 - reverting, 81-82
- Changesets, 8
- Cheap copies, 40, 146, 211
- Checking in code, 217-219
- Checking out working copies, 57-61
- checkout command
 - reference for, 278-279
 - for working copies, 40, 57-58
- Checksum entry, 70, 193
- clean-logs option, 149
- cleanup command
 - reference for, 279
 - for working copies, 82-83
- Client-server paradigm, 17-18
- Clients
 - commands for, 55-57
 - communication with, 164
 - configuring, 97
 - config file. *see* config file
 - finding configuration files, 97
 - servers file. *see* servers file
 - summary, 104
 - contexts for, 202-203
 - GUI, 105
 - RapidSVN, 105-107
 - TortoiseSVN, 107-108
 - ViewCVS, 108-110
 - WebSVN, 110
- Code
 - checking in, 217-219
 - committing, 218-219
- CollabNet, 16
- Collaborators, 236-237
- Colons (:) in property names, 86
- Command reference, 273
 - svn, 273-275
 - svn add, 275
 - svn blame, 276-277
 - svn cat, 277
 - svn checkout, 278-279
 - svn cleanup, 279
 - svn commit, 279-281
 - svn copy, 281-282
 - svn delete, 282-284
 - svn diff, 284-286
 - svn export, 286-287
 - svn help, 287
 - svn import, 287-289
 - svn info, 289
 - svn list, 289-290
 - svn log, 291-292
 - svn merge, 292-294

- svn mkdir, 294-295
- svn move, 295-297
- svn propdel, 297-298
- svn propedit, 298-299
- svn propget, 299-301
- svn proplist, 301-302
- svn propset, 302-303
- svn resolved, 303-304
- svn revert, 304
- svn status, 305-306
- svn switch, 306-307
- svn update, 307-308
- svnadmin, 308-309
 - svnadmin create, 309-310
 - svnadmin dump, 310
 - svnadmin help, 310
 - svnadmin hotcopy, 310-311
 - svnadmin list-dblogs, 311
 - svnadmin list-unused-dblogs, 311
 - svnadmin load, 311-312
 - svnadmin lstxns, 312
 - svnadmin recover, 312
 - svnadmin rmtxns, 313
 - svnadmin setlog, 313
 - svnadmin verify, 313
- svndumpfilter, 321
 - svndumpfilter exclude, 322
 - svndumpfilter help, 323
 - svndumpfilter include, 322
- svnlook, 314
 - svnlook author, 314-315
 - svnlook cat, 315
 - svnlook changed, 315-316
 - svnlook date, 316
 - svnlook diff, 316
 - svnlook dirs-changed, 317
 - svnlook help, 317
 - svnlook history, 317-318
 - svnlook info, 318
 - svnlook log, 318
 - svnlook propget, 318-319
 - svnlook proplist, 319
 - svnlook tree, 319-320
 - svnlook uuid, 320
 - svnlook youngest, 320
- svnversion, 320-321
- Commands
 - logs for, 221
 - for metadata, 191-197
 - for working copies, 55-57
- commit-access-control.pl script, 185-186
- commit command
 - for branches, 47
 - for copied versions, 45
 - process, 42, 61-63
 - for properties, 87
 - reference for, 279-281
- commit-email.pl script, 164, 170-171
- Commit logs, 203-204
- COMMITTED alias, 57
- Committing, 18
 - changes, 42
 - code, 218-219
 - process of, 42, 61-63
 - properties, 87
 - scripts for, 160-161
- Communication, 230
 - in issue-tracking system, 170
 - scripts for, 164
 - about Subversion, 232
 - through Subversion, 230-232
- Compare With menu in Subclipse, 113-114
- Compiling
 - Linux installations, 27-29
 - Mac OS X, 29
 - svntag program, 205-206
- ComputeFirstAndLastItemRevisions
 - function, 173, 178
- Concurrent Versioning System (CVS)
 - introduction of, 15
 - migrating repository from, 130-133
- config file, 98
 - for authorization retention, 98

- for automatically setting properties, 101
 - for file timestamps, 100-101
 - for global ignores, 100
 - for helper programs, 98-99
 - for log file encoding, 100
 - for tunnels, 99-100
- config.xml file, 225
- Configuration files
 - config, 98-101
 - editing, 97-98
 - finding, 97
 - servers, 101-104
- Conflict resolution, 19-20
 - handling, 48-51
 - for working copies, 76-78
- Continuous integration, 226
- Coordinated Universal Time (UTC), 181
- Copies, cheap, 40, 146, 211
- copy command
 - for branches, 18, 78-79
 - reference for, 281-282
 - for tags, 18, 43, 78-79
 - for undeleting files, 66-67
 - for working copies, 58-59, 65-66
- copying tags, 198-206
- CR (carriage return) characters, property for, 90-91
- create command
 - reference for, 309-310
 - for repository, 38, 154
- createDumpMessage function, 169
- CreateNewItemFilesFromSVN function, 175-176, 180-184
- cron program
 - for backups, 152
 - setting up, 153
- crontab program, 153
- CruiseControl system, 225-226
- Current state of repository, 67-72
- CVS (Concurrent Versioning System)
 - introduction of, 15
 - migrating repository from, 130-133
- cvs2svn command, 131-133
 - d option with svnserve, 138
- D status indicator, 60, 67
- daemon option in svnserve, 34
- Daemons, svnserve as, 34-35
- Daily project builds, 224-226
- /dailyLibraryBuild directory in case study, 262
- Data
 - in migration from CVS, 131-133
 - transferring, 21
 - version control for, 4-5
- Database case study, 254-256
- Databases
 - BDB, 26-27, 149
 - for passwords, 139
- date command
 - for log messages, 181
 - reference for, 316
 - for revisions, 196
- Date keyword, 93
- Dates
 - of commits, 181
 - of log messages, 181
 - property for, 95
 - of revisions, 196
- Defines in svntag, 201
- delete command
 - reference for, 282-284
 - for working copies, 64-65
- Deleted files, recovering, 61
- DeleteOldItemFiles function, 173-174, 178-179
- Deleting
 - branches, 123
 - files
 - in RSS notifications, 178-179
 - working copies, 64-65
 - logs for, 220-221
- Developers
 - branches for, 123
 - testing by, 228
- Development process, 235

- branching in, 6
- case studies. *see* Case studies
- issue tracking, 246-248
- peer reviews. *see* Peer reviews
- rapid, 7, 254-256
- summary, 248-249
- workflow in, 235-240
- Development process policies, 209
 - branching and tagging, 209
 - creating and organizing, 209-210
 - quality assurance, 211-212
 - saved working copies snapshots for, 215-216
 - software version, 210-211
 - task, 212-214
 - checking in code, 217-219
 - communication, 230-232
 - enforcing, 232-233
 - log data, 219
 - for informative logs, 220-221
 - limiting information in, 222-223
 - for parseable messages, 221-222
 - merging, 216-217
 - project builds, 223-227
 - summary, 233
 - testing and quality assurance, 227-230
- `diff-cmd` option, 99
- `diff` command
 - `svn`
 - for helper programs, 99
 - reference for, 284-286
 - for revision changes, 41, 62, 71-72
 - `svnlook`
 - purpose of, 194
 - reference for, 316
- `diff3-cmd` option, 99
- `diff3-has-program-arg` option, 99
- Digest password protection, 140-141
- Direct access control to repository, 138
- `dirs-changed` command
 - for changed directories, 196
 - reference for, 317
- Distributed repository, 22
- Distributing peer reviews material, 242-244
- Distribution of work, version control for, 6-7
- Diversity, 16
- `/doc` directory in case study, 262
- Documenting merges, 217
- Dollar signs (\$) for keywords, 93
- Downloading Linux source files, 27
- `--drop-empty-revs` option, 129
- `--dry-run` option, 82
- `dump` command
 - reference for, 310
 - for repository, 128-129
- Dumping repository, 150-151
 - script for, 152-153
 - splitting, 128-129
- `dumpRevision` function, 168-169
- E-mail, scripts for, 167-172
- Eclipse IDE, 112-114
- Edge cases with scripts, 166
- Editing
 - configuration files, 97-98
 - properties, 86
 - working copies, 40-42
- `$EDITOR` environment variables, 99
- EFS (Error Free Software) case study, 261-263
- `enable-auto-props` option, 101
- End-of-line markers in migration, 132
- Enforcement, policy, 187-188, 232-233
- Error Free Software (EFS) case study, 261-263
- Examining
 - changes, 71-72
 - files, 74-75
- Exclamation point (!) status indicator, 68
- `exclude` command, 322
- ExCo case study, 266-268
- `<exec>` element, 226

- Executable files, property for, 91
- export command, 286-287
- External projects
 - property for, 91-92
 - scripts for, 163
- External references, formats for, 222
- Feeds for RSS notifications, 180-184
- File-level revision systems, 8
- file option, 63
- Files
 - adding working copies, 63-64
 - built-in properties for, 90-94
 - deleting
 - in RSS notifications, 178-179
 - working copies, 64-65
 - editing, 40-42
 - examining, 71-72, 74-75
 - locking, 22
 - moving working copies, 65-67
 - placing in repositories, 38-39
 - recovering, 61
 - timestamps for, 100-101
 - undeleting, 66-67
- Filesystem-based back ends (FSFS), 20
- Finding
 - changed files, 195-196
 - configuration files, 97
 - unreviewed revisions, 241-242
- Fink package management system, 30
- Flexibility, repository, 18
- force option, 65
- force-log option, 63
- Formats for external references, 222
- Forum peer reviews, 245-246
- FSFS (filesystem-based back ends), 20
- Full repository migration, 131
- G status indicator, 60, 68
- [general] section in `svnserve.conf`, 139
- GenerateRssFile function, 176, 184
- genrsa program, 143
- genRSS script, 177-185
- getCommitLog function, 199, 203-204
- GladeSoft case study, 265-266
- global-ignores option, 100
- [global] section in `smb.conf`, 147-148
- Gnome Nautilus file manager, 20
- GNU Public License, 16
- grep command, 70-71
- Group peer reviews, 244-245
- Groups, server, 101-102
- [groups] section in servers, 102
- Grune, Dick, 15
- GUI clients, 105
 - RapidSVN, 105-107
 - TortoiseSVN, 107-108
 - ViewCVS, 108-110
 - WebSVN, 110
- Gurus, 238-239
- HEAD alias, 57
- help command
 - svn, 287
 - svnadmin, 310
 - svndumpfilter, 323
 - svnlook, 317
- Helper programs, 98-99
- [helpers] section in config, 98-99
- History
 - examining, 196-197
 - merging
 - changes, 23
 - tags for, 125-126
 - repository
 - blame for, 74
 - cat for, 75
 - list for, 74-75
 - log for, 72-74
- history command
 - purpose of, 196-197
 - reference for, 317-318
- Hobbyists, 239-240
- Hook scripts. *see* Scripts
- hot-backup.py script, 149
- hotcopy command
 - reference for, 310-311

- for repository, 149-150, 154
- htdigest tool, 141
- http-compression option, 103
- HTTP/HTTPS access control, 140-141
- HTTP proxies, 102
- http-proxy-exceptions option, 102
- http-timeout option, 103
- httpd.conf file, 31-32, 34
- Humor in log messages, 221
- i option with svnserve, 138
- I status indicator, 68
- Id keyword, 93
- IDE access, 111
 - Eclipse, 112-114
 - Visual Studio.Net, 111-112
 - WebDAV, 114-115
- ignore-uuid option, 129
- Ignoring unversioned files, property for, 92
- Immutable tags, 189-191
- import command
 - for directories, 39
 - reference for, 287-289
- include command, 322
- Includes in svntag program, 201
- Incremental backups
 - script for, 152-153
 - working with, 150-151
- incremental option, 150
- Individual developer testing, 228
- Individual peer reviews, 245
- Inetd server
 - support for, 20
 - svnserve running with, 35-36
- info command
 - svn
 - for current directory, 44
 - output of, 69-71, 192-193
 - reference for, 289
 - svnlook
 - output of, 194-195
 - reference for, 318
- Informative logs, policies for, 220-221
- initializeContext function, 199, 202-203, 205
- Installation
 - Apache configuration, 31-34
 - Linux, 25-29
 - Mac OS X, 29-30
 - summary, 36
 - svnserve configuration, 34-36
 - Windows, 30-31
- Integration in project builds, 226-227
- Integrity, version control for, 4-5
- Interface changes, logs for, 220
- ISO-8601 format, 95
- Issue-tracking
 - communicating with, 170
 - revisions tied to, 246-248
- KeyGhost Ltd. case study, 260-261
- Keys for certificates, 143
- Keywords, property for, 92-93
- krb.conf file, 147-148
- L status indicator, 68
- Labels in issue tracking, 246
- Last Changed Author entry, 70, 192
- Last Changed Date entry, 70, 192
- Last Changed Rev entry, 70, 192
- LastChangedBy keyword, 93
- LastChangedDate keyword, 93
- LastChangedRevision keyword, 93
- Layouts for repository, 119-120
 - branch organization, 122-124
 - central planning project, 257
 - Error Free Software case study, 262-263
 - ExCo case study, 267
 - GladeSoft case study, 265-266
 - KeyGhost Ltd. case study, 260
 - managed chaos project, 252
 - monolithic, 120
 - multiproject, 121
 - rapid development project, 254-255
 - small-team projects, 258-259
 - tag organization, 124-126

- Teledata Communications case study, 264
- truck organization, 121-122
- Wye Corp case study, 268-269
- ZedCom case study, 270
- LF (line feed) characters, property for, 90-91
- [libdefaults] section, 148
- Libraries
 - APR, 26, 201-202
 - Neon, 27
- Licensing, 16
- Line-ending characters, property for, 90-91
- Linux installations, 25
 - compiling, 27-29
 - downloading source files, 27
 - prerequisites, 25-27
- list command
 - for directories, 74-75
 - reference for, 289-290
 - for tags, 43
- list-dblogs command, 311
- list-unused-dblogs command, 311
- listen-host option, 35
- Listing
 - directories, 74-75
 - properties, 88-89
 - tags, 43
- load command
 - for merging, 127-128
 - reference for, 311-312
- Loading Apache modules, 31-32
- LoadModule directive, 31-32
- Local access schema, 138
- Location directive, 33
- <Location> section, 144-146
- Locking, 22
 - vs. merging, 11-12
 - scripts, 177-178
- log command
 - svn
 - for merges, 47, 81
 - reference for, 291-292
 - for viewing logs, 42-43, 72-74, 193
 - svnlook
 - reference for, 318
 - for viewing logs, 181, 195
- log-encoding option, 100
- Logs and logging
 - checking, 42-43, 72-74
 - encoding setting for, 100
 - messages in
 - with committing, 62-63
 - communication through, 231
 - policies for, 219
 - informative logs, 220-221
 - limiting information in, 222-223
 - parseable log messages, 221-222
 - property changes, 188-189
 - property for, 95-96
 - script actions, 166
 - in svntag, 203-204
 - for version control, 9-10
- Lone hackers, 237-238
- lstxns command, 312
- M status indicator, 67-68
- Mac OS X
 - autoversioning on, 115
 - installation, 29-30
- mailer.py script, 172
- Maintaining working copies, 57-61
- Man in the middle attacks, 142
- Managed chaos project, 251
 - branches and tags in, 252
 - properties in, 253
 - repository layout in, 252
 - scripts in, 253-254
- Material for peer reviews, 242-244
- MD5 checksums, 70
- Memory pools, 201-202
- merge command
 - for branches, 47, 80-82
 - reference for, 292-294
- Merges and merging
 - branches, 46-48, 80-82

- documenting, 217
- history, 23, 125-126, 214-215
- vs. locking, 11-12
- permissions for, 216-217
- policies, 216-217
- repository, 127-128
- reverting with, 81-82
- tags for, 125-126, 214-215
- tracking, 80-81, 214-215
- message option
 - in import, 39
 - for logs, 56, 62
- Messages in issue tracking, 246-247
- Metadata, 85-86
 - commands for, 191-197
 - retrieving, 87-90
- Methodical programmers, 235-236
- Microsoft Visual SourceSafe
 - locking in, 11
 - migrating from, 133-134
- Migrating repository, 129-130
 - from CVS, 130-133
 - in KeyGhost Ltd. case study, 260-261
 - process, 130
 - without tools, 134-136
 - from Visual SourceSafe, 133-134
- Milestone tags, 215
- MIME (Multipurpose Internet Mail Exchange) types
 - in migration from CVS, 132-133
 - property for, 94
- [miscellany] section in config, 100-101
- mkdir command, 294-295
- mod_auth_pam module, 146-147
- mod_authz_svn.so module, 144
- mod_dav_svn.so module, 144
- mod_ssl.so module, 142
- Modifications
 - policies for, 188
 - scripts for, 164
 - working copies, 61-67
- <modificationset> element, 226
- Modules, loading, 31-32
- Monolithic repository layouts, 120
- move command
 - reference for, 295-297
 - for working copies, 65-66
- Moving files in working copies, 65-67
- Multiple binary properties, 89
- Multiple repositories, paths for, 33
- Multiproject layouts, 121
- Multipurpose Internet Mail Exchange (MIME) types
 - in migration from CVS, 132-133
 - property for, 94
- mv command, *see* move command
- Name entry, 70-71, 192
- Names of properties, 86
- Neon library, 27
- Network protocols, 20
- no-auth-cache option, 56
- no-default-eol option, 132
- no-ignore option, 69
- no-recursion option, 62
- Node Kind entry, 70, 192
- non-recursive option, 56, 60
- Notifications, RSS
 - deleting files in, 178-179
 - feeds for, 180-184
 - generating, 172-176, 184
 - for post-commit script, 184-185
 - revision ranges in, 178
 - script locking for, 177-178
 - variable setup for, 176-177
- nswitch.conf file, 148
- Numbers in issue tracking, 247
- Open source solutions, 16-17
- openssl program, 143-144
- OS X
 - autoversioning on, 115
 - installation, 29-30
- Parent paths for multiple repositories, 33
- Parseable log messages, 221-222

- parseCmdLine function, 199-200, 205
- Partial migration, 131
- password-db option, 139
- Passwords
 - in access control, 140-141
 - in Apache configuration, 33
 - database file for, 139
- Path entry, 70-71, 192
- Paths
 - for multiple repositories, 33
 - in svn commands, 57
- Peer reviews, 240
 - forum, 245-246
 - group, 244-245
 - individual, 245
 - material for, 242-244
 - performing, 244
 - status tracking, 240-242
- People problem in ExCo case study, 268
- Per-directory access control, 144-146
- Periods (.) in property names, 86
- pget command, 318-319
- Planning for repository
 - growth, 126-127
 - merging in, 127-128
 - splitting in, 128-129
 - migration, 130
- plist command, 319
- <plugin> element, 226
- Plus sign (+) status indicator, 68
- Policies
 - development process. *see* Development process policies
 - enforcement of, 187-188, 232-233
- post-commit script
 - purpose of, 161
 - RSS notifications for, 184-185
- post-revprop-change script, 162
- Postprocessor for svn blame, 243-244
- praise command, 276-277
- pre-commit script
 - policies in, 187-188, 233
 - purpose of, 161
 - for transactions, 163
- Pre-made scripts, 167
- pre-revprop-change script, 161-162, 188-189
- Prerequisites for Linux installations, 25-27
- PREV alias, 57
- Private keys, 143
- Productivity, version control for, 5
- Project builds, 223
 - configuring, 223-224
 - daily, 224-226
 - integration in, 226-227
 - tags for, 215
- propchange-email.pl script, 171
- propdel command, 297-298
- propedit command
 - purpose of, 86-87
 - reference for, 298-299
- Properties, 21, 85
 - in central planning project, 258
 - committing, 87
 - communication through, 231
 - config for, 101
 - editing, 86
 - file, 90-94
 - issue tracking, 246-248
 - listing, 88-89
 - logging changes to, 188-189
 - in managed chaos project, 253
 - metadata
 - retrieving, 87-90
 - storing, 85-87
 - multiple binary, 89
 - in rapid development project, 256
 - revision, 85, 95-96, 151
 - scripts for, 161-162
 - setting automatically, 86-87
 - in small-team projects, 259
 - storing, 87
- Properties Last Updated entry, 70, 193
- propget command
 - svn

- for metadata, 87-88, 90
 - purpose of, 193
 - reference for, 299-301
 - for revision properties, 189
- svnlook
 - purpose of, 195
 - reference for, 318-319
- proplist command
 - svn
 - for metadata, 86, 88-89
 - purpose of, 193
 - reference for, 301-302
 - svnlook
 - purpose of, 195
 - reference for, 319
- propset command
 - for files, 92
 - for metadata, 85-86
 - reference for, 302-303
- Protocols, 20
- Proxies, HTTP, 102
- Quality assurance branches, 211-212
- Quality assurance team, 229
- Question mark (?) status indicator, 68
- R status indicator, 68
- random data for certificate keys, 143
- Ranges, revision, in RSS notifications, 178
- Rapid development project, 254
 - branches and tags in, 255
 - properties in, 256
 - repository layout in, 254-255
 - scripts in, 256
- RapidSVN GUI client, 105-107
- Really Simple Syndication (RSS). *see* RSS
 - (Really Simple Syndication) notifications
- [realms] section, 148
- Record keeping, version control for, 6
- recover command
 - reference for, 312
 - for repository, 154-155
- Recovering
 - deleted files, 61
 - repository, 153-154
 - working copies, 66-67
- recursive option, 56
 - with info, 70
 - with list, 75
 - with proplist, 88
 - with propset, 92
 - with update, 61
- Redundant archival e-mails, automating, 168-169
- Regression testing, 228-229
- ReleaseLockFile function, 173, 177-178
- Releases, tags for, 124-125, 215
- /releases directory in case study, 262
- relocate option, 76
- Removing files
 - in RSS notifications, 178-179
 - working copies, 64-65
- rename command, 295-297
- renumber-revs option, 129
- Repetitive tasks. *see* Automation
- Replace With menu in Subclipse, 113-114
- Replacing keywords, 92-93
- Repository, 22
 - administering
 - access control for. *see* Access control
 - backing up, 149-153
 - recovering, 153-154
 - summary, 156
 - unwedging, 154-155
 - upgrading for, 156
 - with branches and tags, 11, 79
 - creating, 37-38
 - current state of, 67-72
 - examining files in, 74-75
 - flexibility of, 18
 - history of, 72-75
 - modifying
 - policies for, 188

- scripts for, 164
 - organizing
 - layouts for. *see* Layouts for repository
 - merging, 127-128
 - migrating. *see* Migrating repository
 - planning for growth, 126-127
 - splitting, 128-129
 - summary, 136
 - paths for, 33
 - putting files into, 38-39
 - referencing, 57-58
 - with revision numbers, 8-9
 - scripts for, 162
 - for version control, 7-8
- Repository UUID entry, 192
- Require entry, 141
- Resolution, conflict, 19-20
 - handling, 48-51
 - for working copies, 76-78
- resolved command
 - for conflicts, 51, 78
 - reference for, 303-304
- Retrieving metadata, 87-90
- Reusing scripts, 166-167
- Reversions, 61
- revert command
 - reference for, 304
 - for reversions, 61
- Reverting changes, 81-82
- Revision entry, 70, 192
- Revision keyword, 93
- Revision numbers, 8-9, 132
- revision option, 56
 - with copy, 67
 - with diff, 71
 - with log, 73
 - with propget, 90
 - with propset and propedit, 87
 - with svnlook, 163
 - with update, 76
- Revision properties. *see* Properties
- Revisions
 - issue tracking tied to, 246-248
 - logs for, 220-221
 - in RSS notifications, 178
 - unreviewed, finding, 241-242
 - in version control, 8-9
- revprop option
 - with propget, 90
 - with propset and propedit, 87
- rmtxns command, 313
- Robbins, Jason, 4
- Rookies, 239
- RSS (Really Simple Syndication) notifications
 - deleting files in, 178-179
 - feeds for, 180-184
 - generating, 172-176, 184
 - for post-commit script, 184-185
 - revision ranges in, 178
 - script locking for, 177-178
 - variable setup for, 176-177
- S status indicator, 68
- Samba configuration, 147-148
- Saved working copies snapshots, 215-216
- Schedule entry, 70, 192
- Scripts, 21, 160
 - for access control, 185-187
 - available, 160-162
 - in central planning project, 258
 - for client communication, 164
 - for dumping repository, 152-153
 - for e-mail, 167-172
 - edge cases with, 166
 - for external programs, 163
 - in GladeSoft case study, 266
 - for immutable tags, 189-191
 - limitations of, 163-164
 - logging actions of, 166
 - for logging revision property changes, 188-189
 - in managed chaos project, 253-254
 - for policy enforcement, 187-188
 - pre-made, 167

- in rapid development project, 256
- for repository examinations, 162
- reusing, 166-167
- for RSS notifications. *see* RSS (Really Simple Syndication) notifications
- size of, 165
- in small-team projects, 259
- in Teledata Communications case study, 265
- tips for, 164-167
- for transaction examinations, 163
- in Wye Corp case study, 270
- Secure Socket Layer (SSL) certificates
 - configuring, 144
 - creating, 142-144
 - servers file for, 103-104
- Security. *see* Access control
- Semi-automatic file merges, 12
- sendDumpMessage function, 169
- Server groups, setting up, 101-102
- servers file, 101
 - for HTTP proxies, 102
 - for HTTP settings, 103
 - for server groups, 101-102
 - for SSL certificates, 103-104
- setLog command, 313
- Shipping, 230
- show-updates option, 69
- Side effects, logs for, 220
- Single files, retrieving from repository, 75
- Size of scripts, 165
- Sleepycat Software, 26
- Sliding tags, 214
- Small-team projects, 258-259
- smb.conf file, 147-148
- Snapshots, working copies, 215-216
- Software engineering process support, version control for, 5-6
- Software engineering tool, Subversion as, 15-16
- Software version branches, 210-211
- Source files for Linux installations, 27
- /spd directory in case study, 262
- Special file types, property for, 94
- Splitting repository, 128-129
- /src directory in case study, 262
- SSH
 - svnserv.conf settings for, 139-140
 - svnserver support for, 20
 - for tunnels, 36, 99-100
- SSL (Secure Socket Layer) certificates
 - configuring, 144
 - creating, 142-144
 - servers file for, 103-104
- ssl-authority-files option, 103
- ssl-client-cert-file option, 103
- ssl-client-cert-password option, 103
- ssl-client-cert-type option, 103
- ssl-client-key-file option, 103
- ssl-ignore-invalid-date option, 104
- ssl-ignore-post-mismatch option, 104
- ssl-ignore-unknown-ca option, 104
- ssl-trust-default-ca option, 103
- start-commit script, 160-161
- Status
 - of peer reviews, 240-242
 - of repository, 67-72
- status command
 - for committing, 62
 - for local files, 41
 - output symbols for, 67-69
 - for properties, 87
 - purpose of, 193
 - reference for, 305-306
 - for troubleshooting, 83
- store-auth-creds option, 98
- store-password option, 98
- Storing, 20
 - binary files, 260-261
 - metadata, 85-87
 - revision properties, 87
- strict option with propget, 88
- Style rules, policies for, 187
- Subclipse IDE, 112-114

- Subversion directory, 97
- Subversion overview
 - API, 21
 - atomic commits, 18
 - basic operation, 17-18
 - binary files, 19
 - branches and tags, 18-19
 - communication about, 232
 - communication through, 230-232
 - conflict resolution, 19-20
 - data transfer, 21
 - distributed repository, 22
 - installing. *see* Installation
 - locking in, 22
 - merging history, 23
 - network protocols, 20
 - open source solutions, 16-17
 - properties, 21
 - repository flexibility, 18
 - scripts in, 21
 - scripts supplied by, 170-172
 - as software engineering tool, 15-16
 - storage, 20
 - summary, 23-24
 - symbolic links, 19
 - upgrading, 156
 - visualization tools, 22
- svn command, 191-193
 - options for, 55-57
 - reference for, 273-275, 295-297
- svn add command
 - reference for, 275
 - for repository files, 63-64
- svn:author property, 95
- svn blame command
 - for file history, 74
 - postprocessor for, 243-244
 - purpose of, 192
 - reference for, 276-277
- svn cat command
 - reference for, 277
 - for retrieving files, 75
- svn checkout command
 - reference for, 278-279
 - for working copies, 40, 57-58
- svn cleanup command
 - reference for, 279
 - for working copies, 82-83
- svn_client_copy function, 205
- svn_client_create_context function, 203
- svn_client_ctx_t structure, 202-203
- svn_cmdline_init function, 205
- svn commit command
 - for branches, 47
 - for copied versions, 45
 - process, 42, 61-63
 - for properties, 87
 - reference for, 279-281
- svn-config program, 205-206
- svn_config_get_config function, 203
- svn copy command
 - for branches, 18, 78-79
 - reference for, 281-282
 - for tags, 18, 43, 78-79
 - for undeleting files, 66-67
 - for working copies, 58-59, 65-66
- svn:date property, 95, 134
- svn delete command
 - reference for, 282-284
 - for working copies, 64-65
- svn diff command
 - for helper programs, 99
 - reference for, 284-286
 - for revision changes, 41, 62, 71-72
- \$SVN_EDITOR environment variables, 99
- <svn> element, 226
- svn:eol-style property, 90-91, 132-133
- svn:executable property, 91
- svn export command, 286-287
- svn:externals property, 91-92
- svn help command, 287
- svn:ignore property, 69, 92
- svn import command
 - for directories, 39
 - reference for, 287-289

- svn info command
 - for current directory, 44
 - output of, 69-71, 192-193
 - reference for, 289
- SVN_INT_ERR macro, 205
- svn:keywords property, 92-93, 133
- svn list command
 - for directories, 74-75
 - reference for, 289-290
 - for tags, 43
- svn log command
 - for merges, 47, 81
 - reference for, 291-292
 - for viewing logs, 42-43, 72-74, 193
- svn:log property, 95-96
- svn merge command
 - for branches, 47, 80-82
 - reference for, 292-294
- svn:mime-type property, 94
- svn mkdir command, 294-295
- svn move command
 - reference for, 295-297
 - for working copies, 65-66
- svn_pool_create function, 205
- svn propdel command, 297-298
- svn propedit command
 - purpose of, 86-87
 - reference for, 298-299
- svn propget command
 - for metadata, 87-88, 90
 - purpose of, 193
 - reference for, 299-301
 - for revision properties, 189
- svn proplist command
 - for metadata, 86, 88-89
 - purpose of, 193
 - reference for, 301-302
- svn propset command
 - for files, 92
 - for metadata, 85-86
 - reference for, 302-303
- svn resolved command
 - for conflicts, 51, 78
 - reference for, 303-304
- svn revert command
 - reference for, 304
 - for reversions, 61
- svn:special property, 94
- svn status command
 - for committing, 62
 - for local files, 41
 - output symbols for, 67-69
 - for properties, 87
 - purpose of, 193
 - reference for, 305-306
 - for troubleshooting, 83
- svn switch command
 - for branches and tags, 44, 76, 79-80
 - reference for, 306-307
- svn update command
 - reference for, 307-308
 - for repository, 59-61, 76
- svnadmin command, 308-309
- svnadmin create command
 - reference for, 309-310
 - for repository, 38, 154
- svnadmin dump command
 - reference for, 310
 - for repository, 128-129
- svnadmin help command, 310
- svnadmin hotcopy command
 - reference for, 310-311
 - for repository, 149-150, 154
- svnadmin list-dblogs command, 311
- svnadmin list-unused-dblogs command, 311
- svnadmin load command
 - for merging, 127-128
 - reference for, 311-312
- svnadmin lstxns command, 312
- svnadmin recover command
 - reference for, 312
 - for repository, 154-155
- svnadmin rmtxns command, 313
- svnadmin setlog command, 313
- svnadmin verify command, 313

- SVNAutoversioning directive, 115
- svndumpfilter command, 128-129, 321
- svndumpfilter exclude command, 322
- svndumpfilter help command, 323
- svndumpfilter include command, 322
- svnlook command, 162-163, 191, 193-197, 314
- svnlook author command
 - reference for, 314-315
 - for revisions and transactions, 195
- svnlook cat command
 - reference for, 315
 - for retrieving files, 194
- svnlook changed command
 - for modified files, 195-196
 - reference for, 315-316
- svnlook date command
 - for log messages, 181
 - reference for, 316
 - for revisions, 196
- svnlook diff command
 - purpose of, 194
 - reference for, 316
- svnlook dirs-changed command
 - for changed directories, 196
 - reference for, 317
- svnlook help command, 317
- svnlook history command
 - purpose of, 196-197
 - reference for, 317-318
- svnlook info command
 - output of, 194-195
 - reference for, 318
- svnlook log command, 195
 - reference for, 318
 - for viewing logs, 181, 195
- svnlook propget command
 - purpose of, 195
 - reference for, 318-319
- svnlook proplist command
 - purpose of, 195
 - reference for, 319
- svnlook tree command
 - for file hierarchy, 197
 - reference for, 319-320
- svnlook uuid command
 - reference for, 320
 - for repository IDs, 197
- svnlook youngest command
 - reference for, 320
 - for revisions, 197
- SVNParentPath directive, 145-146
- svnperms.conf file, 190
- svnperms.py script, 186-187
- svnservice.conf file, 138-140
- svnservice server, 20
 - access control to repository, 138-140
 - running as daemon, 34-35
 - running with inetd server, 35-36
 - tunneling over SSH, 36
- svntag program, 198-200
 - client context in, 202-203
 - commit log in, 203-204
 - compiling, 205-206
 - includes and defines in, 201
 - main function in, 204-205
 - memory pools in, 201-202
- svnversion command, 320-321
- switch command
 - for branches and tags, 44, 76, 79-80
 - reference for, 306-307
- Switching to branches and tags, 79-80
- Symbolic links, 19
- system-auth file, 148
- t option with svnservice, 139
- Tags, 18-19
 - in central planning project, 257-258
 - communication through, 231-232
 - copying, 198-206
 - creating, 43-44, 78-80, 209-210
 - cvs2svn for, 132
 - in ExCo case study, 267
 - immutable, 189-191
 - logs for, 221
 - in managed chaos project, 252

- merge tracking with, 125-126, 214-215
- milestone and release point, 215
- organizing, 124-126, 209-210
- for project builds, 215
- in rapid development project, 255
- in repository, 11, 79
- sliding, 214
- in small-team projects, 259
- in Teledata Communications case study, 264-265
- in version control, 10-11
- in Wye Corp case study, 269
- Targets for working copies, 76
- Task branches, 212-214
- Task integration, 226
- Team menu in Subclipse, 113-114
- Teledata Communications case study, 263
 - branches and tags in, 264-265
 - repository layout in, 264
 - scripts in, 265
- Testing
 - automated unit and regression, 228-229
 - beta, 229-230
 - individual developer, 228
 - parts of, 227
 - quality assurance team for, 229
 - for repository migration, 130
- Text files, 19
- Text Last Updated entry, 70, 192
- Thawte certificate authority, 142
- Tigris community, 16
- Tilde (~) status indicator, 68
- Time of commits, 181
- Timestamps, 100-101
- Top-level tag directories, 124
- TortoiseSVN GUI client, 107-108
- Trac project management, 248-249
- Tracking
 - changes, 9-10
 - merges, 80-81, 214-215
 - peer review status, 240-242
- transaction parameter with svnlook, 163
- Transactions
 - for modifications, 18
 - scripts for, 163
- tree command
 - for file hierarchy, 197
 - reference for, 319-320
- Troubleshooting working copies, 82-83
- Trunks
 - in monolithic layouts, 120
 - in multiproject layouts, 121
 - organizing, 121-122
- Tunneling
 - for Inetd access, 20
 - setting up, 99-100
 - over SSH, 36
 - svnserve, 139-140
- [Tunnels] section in config, 99-100
- U status indicator, 60
- Undeleting files, 66-67
- Unreviewed revisions, finding, 241-242
- Unwedging repository, 154-155
- update command
 - reference for, 307-308
 - for repository, 59-61, 76
- Upgrading, 156
- URL entry, 70, 192
- URLs
 - in issue tracking, 247
 - for repository, 57-58, 138
- use-commit-times option, 101
- [users] section in svnserve.conf, 139
- UTC (Coordinated Universal Time), 181
- uuid command
 - reference for, 320
 - for repository IDs, 197
- Variable setup for RSS, 176-177
- verbose option
 - with list, 75
 - with log, 73
 - with proplist, 88

- with status, 69
- verify command, 313
- VeriSign certificate authority, 142
- Version control, 4
 - for accountability, 5
 - for branching, 6, 10-11, 210-211
 - for data integrity, 4-5
 - for distribution of work, 6-7
 - locking vs. merging in, 11-12
 - logs for, 9-10
 - for productivity, 5
 - for rapid development, 7
 - for record keeping, 6
 - repositories and working directories
 - for, 7-8
 - revisions in, 8-9
 - for software engineering process support, 5-6
 - summary, 12-13
 - tagging in, 10-11
- ViewCVS GUI client, 108-110
- Viewing logs, 42-43, 72-74, 181, 193, 195
- <VirtualHost> directive, 144
- \$VISUAL environment variables, 99
- Visual SourceSafe
 - locking in, 11
 - migrating from, 133-134
- Visual Studio.Net, 111-112
- Visualization tools, 22
- vss2svn.pl script, 134-136
- vssexclude option, 133
- vsslogin option, 133
- vssproject option, 133

- Warnings in issue tracking, 247
- WDCs (Windows Domain Controllers) authentication, 146-148
- WebDAV (Web-based Distributing Authoring and Versioning) protocol, 20, 114-115
- WebSVN GUI client, 110
- Windows Domain Controllers (WDCs) authentication, 146-148

- Windows installations, 30-31
- Work distribution, version control for, 6-7
- Workflow, 235
 - collaborators, 236-237
 - gurus, 238-239
 - hobbyists, 239-240
 - lone hackers, 237-238
 - methodical programmers, 235-236
 - rookies, 239
- Working copies, 55
 - adding files, 63-64
 - branches and tags for, 78-80
 - checking out and maintaining, 57-61
 - client commands for, 55-57
 - conflict resolution for, 76-78
 - creating, 40
 - merging branches in, 80-82
 - modifying and committing data in, 61-63
 - moving files, 65-67
 - removing files, 64-65
 - repository for. *see* Repository
 - snapshots, 215-216
 - targets for, 76
 - troubleshooting, 82-83
 - undeleting files, 66-67
- Working directories, 7-8
- Wrapper scripts, 135
- Wye Corp case study, 268
 - branches and tags in, 269
 - repository layout in, 268-269
 - scripts in, 270

- X status indicator, 68
- xinetd implementation, 35

- youngest command
 - reference for, 320
 - for revisions, 197

- ZedCom case study, 270