
Index

Symbols

& operator, 774

@ operator, 40

A

abstraction layers, 181

Add/Edit Application Extension Mapping dialog, 809

addresses

IP addresses, 274

MAC (message address code), 280

administration pages, ecommerce system, 787

aggregate functions (SQL queries), 238

ALTER TABLE statement, 244

American National Standards Institute (ANSI), 192

anonymous comments, blogging systems, allowing, 741

ANSI (American National Standards Institute), 192

Apache web servers

configuring, 812

installing

Mac OS X 10.3, 796

UNIX, 791-794

APIs (Application Programming Interfaces), 179

Application Configuration dialog, 809

application errors, user errors, compared, 650-653

Application Programming Interfaces (APIs), 179

applications, web applications, 282

backend, 289

business logic, 285-289

designing, 282-291

layout, 283-284

n-tier architectures, 289-290

performance issues, 290-291

scalability, 291

user interfaces, 284-285

**appointment management system
(sample web application), 671-672,
697-701**

- AppointmentManager class, 682-686
- appointments, handling, 702-703
- database, 676-678
- date/time handling, 687-690
- file listing, 680-681
- forms, processing, 690-691, 695, 697
- installing, 673
- multiuser system, converting to, 703
- running, 673
- structuring, 673-681
- user interface, 678-680
- views, changing, 702

AppointmentManager class, 682-686

arithmetic operators, 34

array operators, 38-39

arrays, 21-22, 78, 113-117

- adding data to, 115-117
- associative arrays, 113
- combining, 131
- converting to, 28
- cookies, 387-388
- creating, 114-115
- dollar sign_SERVER array, 162
 - DOCUMENT_ROOT field*, 164-165
 - HTTP_USER_AGENT field*, 165
 - PHP_SELF field*, 163
 - REMOTE_ADDR field*, 166
 - REQUEST_METHOD field*, 164
 - REQUEST_TIME field*, 164
 - SERVER_NAME field*, 163
 - SERVER_PROTOCOL field*, 163
 - SERVER_SOFTWARE field*, 163

e-commerce system, 774

elements

- accessing*, 117-119
- counting*, 120
- deleting*, 119

internal cursors, 122

intersecting, 131

iteration, 120

- array_walk() method*, 124-125
- for loop*, 121-122
- foreach loops*, 120-121
- internal loop counters*, 122-124

merging, 130-131

multi-dimensional arrays, 125-126

sorting, 127-130

- by key*, 130
- reverse sorting*, 130

values, finding, 132

array_combine() function, 131

array_intersect() function, 131

array_merge() function, 130-131

array_search() function, 132

array_walk() method, 124-125

ASCII, 134

ASP tags, 6

assignment statements, 33-34

associative arrays, 113

asymmetric encryption, 280

attacks

- DoS (denial of service) attacks, 324-325
- malicious code injection, 325
- web applications, 323-327

attributes

- DOM (Document Object Model), 504
- XHTML, 512-513
- XML, 486

authentication

- database servers, 194
- logins, database configuration for, 419-420
- users, 412
 - creating*, 420-430
 - deleting*, 443-444
 - HTTP*, 412-417
 - implementation*, 419-444
 - logging in*, 430-437

Index

- logging out, 442-443*
- Microsoft Windows, 417-418*
- planning for, 409-412*
- auto-decrement operators, 39**
- auto-increment operators, 39**
- auto-incrementing fields, 819**
- autoload() function, 110-111**
- AVG() function, 240**
- B**
- backends, web applications,**
designing, 289
- bad_function() function, 372**
- bandwidth, web applications,**
considerations, 299
- BDB storage engine, 206**
- binary arithmetic operators, implicit**
type conversions, 24
- binary columns, databases, 820**
- binary data, databases, 188**
- binary flags, 189**
- binary strings, 520**
- binding, WSDL (Web Services**
Description Language), 581-582
- bit fields, 189**
- bitwise operators, 37-38**
- blocks of code, 8**
- blogging engine (sample web**
application), 705-707, 741
 - comments
 - anonymous comments, 741*
 - hierarchical comments, 741-742*
 - managing, 732-734, 737-738*
 - database, 710-712
 - entries, managing, 732, 734, 737-738
 - file listing, 713, 715
 - installing, 707-708
 - page layout, 708-710
 - running, 707-708
 - structuring, 708-713, 715
 - transactions, 742
 - user interface, 712-713
 - generating, 715-719*
 - user listings, 741
 - users
 - managing, 719-725*
 - tracking, 726-731*
- Booleans, 15-16**
 - converting to, 27-28
 - implicit type conversions, 24
- bound parameters, queries, 263-264**
- bound results, queries, 264**
- boundaries, strings, 472-473**
- browsing directories, 527-528**
- buffering output, 461-464**
- buffers, 461**
 - binary buffers, 520
- bugs, code, 357-358**
 - controlling, 637
 - debugging, 377-380
- bulk data insertion, databases,**
213-215, 820
- business logic, web applications,**
designing, 285-289
- C**
- cache expiration, 398**
- calling functions, 51-52**
- CAs (certificate authorities), 345**
- cascading deletes, tables, 207, 209**
- Cascading Style Sheets (CSS), 300-302**
embedding, 302
- case manipulation, strings, 149-150**
- case-sensitivity, PHP functions, 51**
- certificates, obtaining, 345**

- CGI (Common Gateway Interface)**
 - version (PHP), 803
- character classes, strings, 471-472**
- character encoding conversions, strings, 150**
- character sets, 134-139**
 - ASCII, 134
 - database servers, setting, 252
 - databases, 188
 - Far Eastern character sets, 135
 - HTML forms, 161-162
 - ISO 8859 character sets, 134-135
 - specifying, 237
 - Unicode, 135-136
 - configuring for, 140-141*
- check ins, handling, 630**
- checkout, ecommerce system, 749-750**
 - implementing, 767-769
- children nodes, XML, 486**
- classes**
 - AppointmentManager class, 682-686
 - directories, browsing, 527
 - exception classes, creating, 659-660
 - methods, reimplementing, 97-98
 - PFC (PEAR foundation classes), 604
- classes (OOP), 81**
 - constants, 91-92
 - extending existing, 95-96
 - hierarchies, 99-100, 103
 - inheritance
 - exposing, 104-107*
 - preventing, 103-104*
 - polymorphism, 98-100, 103-107
 - properties, 81
 - static data, adding, 91-95
 - static member variables, 93-94
 - static methods, 94-95
- clean computers, 639**
- client forms**
 - date/time, 557-558
 - file uploads, 535-537, 544
- clients, locales, learning of, 448-450**
- cloning objects, 107-108**
- closing files, 518**
- closing tags, XML, 486**
- Codd, Edgar F., 192**
- code**
 - blocks of code, 8
 - debugging, 377-380
 - errors
 - displaying, 359*
 - exceptions, 367-376*
 - external errors, 358-359*
 - ignoring, 362*
 - logging, 365-366*
 - managing, 359-367*
 - PHP generation, 360-361*
 - reasons for, 355-359*
 - script termination, 362-363*
 - syntax errors, 356-358*
 - exceptions
 - extending, 374-376*
 - structured exception handling, 369*
 - throwing, 369-370*
 - unhandled exceptions, 373-374*
 - files
 - naming, 67-69*
 - organizing into, 65, 67*
 - placement, 67-69*
 - script inclusion, 69-76*
 - instrumenting, 377-379
 - web applications
 - content, 334-335*
 - deployment, 638-640*
 - organization, 334*
 - securing, 327-337*
 - source code control, 624-631*
 - stability, 336*
 - standards, 617-624*
 - testing, 631-637*
- code libraries, user interfaces, web applications, 305, 308**

Index

- code pages (ISO 8859 character sets), 134-135**
- code reuse (PHP)**
 - files, 65-76
 - functions, 49-65
- collations, 188**
- columns**
 - binary columns, 820
 - date/time columns, creating, 819
 - large text columns, 820
 - tables, joining, 221-223
- combining arrays, 131**
- commands, PEAR (PHP extension and application repository), 607-611**
- comments, blogging system**
 - anonymous comments, 741
 - hierarchical comments, 741-742
 - managing, 732-734, 737-738
- comments (PHP), 8-9**
- commercially hosted web applications, security, 344**
- Common Gateway Interface (CGI) version (PHP), 803**
- common interfaces, databases, 181**
- comparing**
 - objects, 107
 - strings, 146-148
- comparison operators, 35-36**
- concatenation, strings, 821**
- configuration**
 - Apache web servers, 812
 - database servers, logins, 419-420
 - IIS (Internet Information Services), 813
 - MySQL, 813
 - PEAR (PHP extension and application repository), 604-607, 612-613
 - PHP, 814-815
 - file uploads, 534-535
 - session management, 646-647
 - settings, 667-668
 - Web Services, 589
 - web applications, security, 341-344
- connections**
 - database servers, 249-252
 - managing, 660-666
 - persistent connections, database interfaces, 268
 - web applications, 313-316
- constants, 30**
 - by reference, 31
 - by value, 30-31
 - classes, 91-92
- constructors, objects, 86-87**
- control structures**
 - do-while loop, 44-45
 - for loops, 45
 - foreach loops, 46
 - if statements, 42
 - interrupting loops, 46
 - switch statement, 43
 - while loop, 44-45
- conversions, variables, 24**
 - array conversions, 28
 - Boolean conversions, 27-28
 - explicit type conversions, 24-25
 - floating-point conversions, 26-27
 - functions, 28-29
 - implicit type conversions, 24
 - integer conversions, 25-26
 - object conversions, 28
 - string conversions, 27
- cookies, 381, 385-386**
 - arrays, 387-388
 - content, 388-389
 - deleting, 387
 - session cookies, 389-392
 - configuring for, 392-393
 - data stores, 394-397
 - destroying, 399-400
 - page caching, 397-399

- security*, 405-408
- session IDs*, 393-394
- storing*, 400-405
- validity, controlling, 386-387
- values
 - accessing*, 382-385
 - setting*, 382
- COUNT() function**, 238
- Cross Site Scripting (XSS) attacks**, 325
- CSS (Cascading Style Sheets)**, 300-302
 - embedding, 302
- currencies, formatting**, 455, 457-458
- currency data, databases**, 187
- currency_format: A Function for Formatting Monetary Data listing (21.1)**, 455
- current directories, changing**, 528
- current locales, learning about**, 453
- cursor, arrays**, 122
- D**
- daemons**, 275
- Dat package (PEAR)**, 613-616
- data retrieval, database servers**, 252-253, 255
- data types. See also classes (OOP)**
 - arrays, 21-22, 113-117
 - adding data to*, 115-117
 - associative arrays*, 113
 - combining*, 131
 - creating*, 114-115
 - element access*, 117-119
 - element counts*, 120
 - element deletion*, 119
 - intersecting*, 131
 - iteration*, 120-125
 - merging*, 130-131
 - multi-dimensional arrays*, 125-126
 - sorting*, 127-130
 - values searches*, 132
 - converting, 24
 - array conversions*, 28
 - Boolean conversions*, 27-28
 - explicit type conversions*, 24-25
 - floating-point number conversions*, 26-27
 - functions*, 28-29
 - implicit type conversions*, 24
 - integer conversions*, 25-26
 - object conversions*, 28
 - string conversions*, 27
 - databases, 186-189
 - entry*, 215-216
 - entering, PHP, 10-16
 - hinting, 109-110
 - mixed types, sorting, 129
 - NULL, 23
 - objects, 22-23
 - PHP
 - Booleans*, 15-16
 - numbers*, 10-12
 - strings*, 12-15
 - resources, 23
 - SQL data types, 199-203
 - strings, 133-134
 - case manipulation*, 149-150
 - character encoding conversions*, 150
 - character sets*, 134-139
 - cleaning up*, 143-144
 - comparing*, 146-148
 - extraction*, 148
 - length information*, 142-143
 - searching*, 144-146
 - sorting*, 128-129
 - Unicode*, 140-141
- data validation, regular expressions**, 476
 - e-mail address matching, 478-479
 - postal code matching, 477-478
 - telephone number matching, 477
 - usernames, 476
- database management systems (DBMSs)**, 173-174
 - advantages of, 175-176
 - authentication, 194

Index

- choosing, 179-180
- common interfaces, 181
- communicating with, 194
- connecting to, 194
- MySQL, 180
- RDBMS, 177-178
 - MySQL*, 177
 - Oracle Database*, 178
 - PostgreSQL*, 178
- RDBMSs (relational database management systems), 175
 - advantages of*, 176-177
 - SQL Server*, 178
- database normalization, 189**
- database servers, 176-178**
 - authentication, 194
 - available databases, listing, 817
 - character sets, setting, 252
 - choosing, 179-180
 - common interfaces, 181
 - communicating with, 194
 - connecting to, 194, 249-252
 - data deletion, 257-259
 - data input, 257-259
 - data retrieval, 252-253, 255
 - data updates, 257-259
 - date/time, 572-574
 - dates, parsing, 573
 - installing
 - MySQL on Mac OS X*, 801-802
 - MySQL on UNIX*, 797
 - MySQL on Windows*, 797-801
 - logins, configuring for, 419-420
 - MySQL, 177, 180
 - configuring*, 813
 - Oracle Database, 178
 - PostgreSQL, 178
 - queries, executing, 252-262
 - SQL Server, 178
 - transactions, executing, 259
 - user input, validating, 255-257

- users
 - creating*, 420-430
 - deleting*, 443-444
 - logging in*, 430-437
 - logging out*, 442-443

databases, 174-175

- appointment management system, layout, 676-678
- binary data, 188
- blogging system, 710-712
- bulk data insertion, 820
- characters, 188
- columns, 820
- connections, managing, 660-666
- creating, 193-196
- currency data, 187
- data
 - inputting*, 183-184
 - organizing*, 185-192
- data types, 186-189
- database normalization, 189
- date/time columns, creating, 819
- dates, 187
- deleting, 209-210
- denormalization, 191
- ecommerce system, 752-756
- expressions, combining, 235-236
- fields, auto-incrementing fields, 819
- indexes, 191-192
- interfaces, 265
 - persistent connections*, 268
 - procedural interfaces*, 265-267
- listing, database servers, 817
- numeric data, 186-187
- PHP scripts, using in, 247-268
- primary keys, 185-186
- queries, functions, 238-243
- relational databases, 175
- security, 346-348
- sets, specifying, 237
- SQL (Structured Query Language), 192-193

- strings, 188
- tables
 - bulk data insertion*, 213-215
 - cascading deletes*, 207, 209
 - column joins*, 221-223
 - creating*, 199, 201-209
 - data deletion*, 226
 - data input*, 212-216
 - data modification*, 225
 - data retrieval*, 216-225
 - data sorts*, 223-224
 - data type entry*, 215-216
 - deleting*, 209-210
 - describing*, 818
 - foreign keys*, 207, 209
 - indexes*, 207
 - listing*, 818
 - mathematical cross-product*, 220
 - modifying*, 244-245
 - organizing data into*, 189-191
 - row fetches*, 224-225
 - SQL data types*, 199-203
 - storage engines*, 206-207
- time, 187
- transactions, 229-233, 235
 - ACID (Atomicity, Consistency, Isolation, Durability) rules*, 231
 - isolation levels*, 231
 - writing*, 232
- user information, storing in, 318-319
- user permissions
 - deleting*, 199
 - setting*, 196-199
- users
 - creating*, 197-198
 - deleting*, 199
- UTF-8 input
 - connecting to*, 819
 - creating to understand*, 818
- values, fetching, 237
- date**
 - client forms, 557-558
 - database servers, 556-557, 572-574
 - databases, 187
 - parsing*, 573
 - formatting, 567-571
 - operating systems, 556
 - retrieving, 559-563
 - time, comparing, 564-567
 - timestamps, 558-559
 - validating, 563-564
- date/time, appointment management system, handling, 687-690**
- date/time columns, databases, creating, 819**
- date/time functions (SQL queries), 241-242**
- date/time output, SQL, formatting, 822**
- DBMSs (database management systems), 173-174**
 - advantages of, 175-176
 - authentication, 194
 - choosing, 179-180
 - common interfaces, 181
 - communicating with, 194
 - connecting to, 194
 - MySQL, 180
 - RDBMS, 177-178
 - MySQL*, 177
 - Oracle Database*, 178
 - PostgreSQL*, 178
 - RDBMSs (relational database management systems), 175
 - advantages of*, 176-177
 - SQL Server*, 178
- debugging code, 377-379**
 - source code debuggers, 379-380
- declarative languages, 192**
- defining functions, 50-51**
- deleting**
 - cookies, 387
 - data, database servers, 257-259
 - directories, 528
 - files, 525

Index

- sessions, 399-400
 - users, web applications, 443-444
- demilitarized zones (DMZs), 326**
 - setting up, 349
- denial of service (DoS) attacks, 324-325, 349**
- denormalization, databases, 191**
- descriptions, tables, viewing, 818**
- Design Patterns: Elements of Reusable Object-Oriented Software, 644*
- designing web applications, 282-291**
 - backend, 289
 - business logic, 285-289
 - layout, 283-284
 - n-tier architectures, 289-290
 - performance issues, 290-291
 - scalability, 291
 - user interfaces, 284-285, 296, 299
- destructors, objects, 88**
- digital certificates (SSL), 281**
- directories, 525**
 - browsing, 527-528
 - creating, 528
 - current directories, changing, 528
 - deleting, 528
 - path manipulation, 526-527
- disaster planning, 351**
- displaying code errors, 359, 657**
- DMZs (demilitarized zones), 326**
 - setting up, 349
- DNS (Domain Name System), 275**
- do-while loop, 44-45**
- document elements (XML), 486**
- Document Object Model (DOM), 497-498, 504-510**
 - attributes, 504
 - configuring, 498
 - element hierarchy, 498-503
 - searches, 508
- document roots, 3**
- Document Type Definitions (DTDs), 493**
- documents**
 - XHTML, 512
 - XML documents
 - structure, 486-490
 - validating, 493-495
- DOCUMENT_ROOT field (dollar sign_SERVER array), 164-165**
- dollar sign_SERVER array, 162**
 - DOCUMENT_ROOT field, 164-165
 - HTTP_USER_AGENT field, 165
 - PHP_SELF field, 163
 - REMOTE_ADDR field, 166
 - REQUEST_METHOD field, 164
 - REQUEST_TIME field, 164
 - SERVER_NAME field, 163
 - SERVER_PROTOCOL field, 163
 - SERVER_SOFTWARE field, 163
- DOM (Document Object Model), 497-498, 504-510**
 - attributes, 504
 - configuring, 498
 - element hierarchy, 498-503
 - searches, 508
- DoS (denial of service) attacks, 324-325, 349**
 - file uploads, 552
- dot character, regular expressions, 473**
- double quoted strings, 13-14**
- downloading PEAR, 609-610**
- drivers, user interfaces, implementing, 309-310**
- DTDs (Document Type Definitions), 493**
- E**
 - e-mail addresses, matching, 478-479**
 - echo() function, 108-109**

ecommerce system (sample web application), 745-747

- administration pages, 787
- arrays, 774
- checkout, 749-750, 767-769
- database, 752-756
- file listing, 758-760
- installing, 747-748
- orders
 - cancellations*, 787
 - entering*, 750
 - submitting*, 778-782
- page layout, 750-752
- payment processing, 786
- post-ordering processing, 787
- products, browsing, 761-762
- products table, 749
- running, 747-748
- security, 786
- shipping information skips, 787
- shopping cart, 749
 - implementing*, 763-766
- structuring, 748-760
- user interface, 756-758

elements

- DOM (Document Object Model),
 - hierarchy, 498-503
- XHTML, 512-513
- XML, 486

empty elements, XML, 486**encodings (Unicode), 136****encryption, 280**

- asymmetric encryption, 280
- public key cryptography, 279-280
- SSL (Secure Sockets Layer), 279-282
- symmetric encryption, 280

entries, blogging system, managing, 732-738**environment variables, servers, 167****ereg_replace() function, 479-481****errors****code**

- bugs*, 357-358
- debugging*, 377-380
- displaying*, 359
- exceptions*, 367-376
- external errors*, 358-359
- ignoring*, 362
- logging*, 365-366
- managing*, 359-367
- PHP generation*, 360-361
- reasons for*, 355-359
- script termination*, 362-363
- syntax errors*, 356-357
- web applications, handling, 650-660

escape sequences, 135**exceptions, 367-376**

- creating, 659-660
- extending, 374-376
- structured exception handling, 369
- throwing, 369-370
- unhandled exceptions, 373-374

execution quotes, web applications, 336-337**executions, functions, stopping within, 52****explicit type conversions, 24-25****expression operators, implicit type conversions, 24****expressions**

- combining, 40-41, 235-236
- regular expressions, 467-468, 475-476
 - boundaries*, 472-473
 - character classes*, 471-472
 - data validation*, 476-479
 - dot character*, 473
 - functions*, 479-482
 - group characters*, 475
 - item replacements*, 479-481
 - PCRE (Perl Compatible Regular Expressions)*, 468

Index

- POSIX, 468-470
 - quantifiers, 474
 - searches, 470-471
 - string splitting, 481-482
- extending**
 - classes, 95-96
 - exceptions, 374-376
 - objects, 95-100, 103-107
- eXtensible Markup Language (XML), 483-485**
 - attributes, 486
 - benefits of, 485
 - documents
 - structure, 486-488, 490
 - validating, 493-495
 - DOM, 504-510
 - (Document Object Model), 497-498
 - attributes, 504
 - configuring, 498
 - element hierarchy, 498-503
 - searches, 508
 - DTDs (Document Type Definitions), 493
 - elements, 486
 - HTML, compared, 484
 - namespaces, 491-493
 - PHP, 496-509
 - SAX (Simple API for XML), 496-497
 - schemas, 493
 - SOAP (Simple Object Access Protocol), 578-579
 - tags, 486
 - Web Services, 575-577, 587
 - configuring, 589
 - finding, 577
 - Google APIs, 594, 596-597, 599-602
 - HTTP (HyperText Transfer Protocol), 586
 - selecting, 587-589
 - SoapClient class, 590-594
 - WSDL (Web Services Description Language), 579-583, 586
 - XML-RPC, 587
 - XHTML, compared, 511-512
 - XML-RPC, 496
 - XPath, 496
 - XQuery, 496
 - XSD (XML Schema Definition), 494
 - XSL (eXtensible Stylesheet Language), 496
 - XSLT (XSL Transformations), 496
- extensions (file), 3**
- external errors, code, 358-359**
- F**
- FAQ (Frequently Asked Question) lists, web applications, 298**
- Far Eastern character sets, 135**
- fclose() function, 518**
- fetching table rows, 224-225**
- fields, dollar sign_SERVER array**
 - DOCUMENT_ROOT, 164-165
 - HTTP_USER_AGENT, 165
 - PHP_SELF, 163
 - REMOTE_ADDR, 166
 - REQUEST_METHOD, 164
 - REQUEST_TIME, 164
 - SERVER_NAME, 163
 - SERVER_PROTOCOL, 163
 - SERVER_SOFTWARE, 163
- fields, databases, auto-incrementing fields, 819**
- file extensions, 3**
- file listings**
 - appointment management system, 680-681
 - blogging system, 713, 715
 - ecommerce system, 758-760
- file paths, servers, 162**
- file systems, web applications, 335**
- fileperms() function, 524**

files

- access, security, 529-531
- autoloading, 110-111
- closing, 518
- code, organizing into, 65-67
- code files
 - naming*, 67-69
 - placement*, 67-69
 - script inclusion*, 69-76
- code reuse, 65-76
- deleting, 525
- opening, 515-518
- permissions, 523-525
- reading, 518-521
- renaming, 525
- uploading, 533-534, 543-545, 548, 550-551
 - client forms*, 535-537, 544
 - configuring for*, 534-535
 - multiple files*, 541-542
 - security*, 552-553
 - server code*, 537-538
 - size limiting*, 540-541
- web applications, including in, 302-304
- writing to, 521-523

Filter Properties dialog, 807**firewalls, networks, 348****firstprogram.php, 4-5****floating-point numbers, 10-12**

- converting to, 26-27

flushing the buffers, 462**fopen() function, 515-518****for loops, 45**

- arrays, iteration, 121-122

foreach loops, 46

- arrays, iteration, 120-121

foreign keys, databases, 207-209**forking, source trees, 630-631****formatting**

- date/time, 567-571
 - SQL*, 822
- output, 454, 458-461
 - currencies*, 455-458
 - numbers*, 455

forms (HTML), 151-154

- appointment management system,
 - processing, 690-691, 695-697
- character sets, 161-162
- data access, 159-161
- data submissions, 157-158
- user logins, 430-437
- users, redirecting, 168-170
- web pages, adding to, 154-157

fread() function, 518-521**Frequently Asked Question (FAQ) lists, web applications, 298****full logins, web applications, 317-318****functions, 16**

- `array_combine()`, 131
- `array_intersect()`, 131
- `array_merge()`, 130-131
- `array_search()`, 132
- `autoload()`, 110-111
- `AVG()`, 240
- `bad_function()`, 372
- calling, 51-52
- case-sensitivity, 51
- code reuse, 49-65
- `COUNT()`, 238
- data type conversions, 28-29
- database queries, 238-243
- defining, 50-51
- directories, browsing, 528
- `echo()`, 108-109
- `ereg_replace()`, 479-481
- executions, stopping within, 52
- `fclose()`, 518
- `fileperms()`, 524

- fopen(), 515-518
 - fread(), 518-521
 - function_exists(), 248
 - fwrite(), 521-523
 - generate_languages(), 450
 - getdate(), 562
 - gettype(), 29
 - gmmktime(), 559
 - include(), 69-76
 - INSTR(), 240
 - is_readable(), 524
 - is_type(), 29
 - is_writeable(), 524
 - localeconv(), 453
 - LOWER(), 240
 - ltrim(), 144
 - MAX(), 239
 - mb_strlen(), 520
 - MIN(), 239
 - mktime(), 559
 - money_format(), 455
 - MONTH(), 242
 - nl2br(), 16
 - Now(), 241
 - number_format(), 455
 - ob_clean(), 463
 - ob_end_clean(), 463
 - ob_end_flush(), 462
 - ob_flush(), 463
 - ob_get_content(), 463
 - ob_get_length(), 463
 - ob_start(), 462
 - parameters, passing from, 52-57
 - phpinfo(), 5
 - print(), 108-109
 - print_r(), 17
 - regular expressions, 479-482
 - require(), 70-72
 - rtrim(), 144
 - scope, 62-63
 - session_start(), 390-392, 646
 - setcookie(), 382-387
 - setlocale(), 450, 454
 - settype(), 29
 - split(), 481-482
 - stored procedures, 238
 - strcasecmp(), 148
 - strcmp(), 146-148
 - strlen(), 142-143, 520
 - strnatcmp(), 148
 - strops(), 144-146
 - strtotime(), 561
 - strtoupper(), 149-150
 - substrcmp(), 148
 - SUBSTRING(), 240
 - SUM(), 239
 - time(), 556, 559
 - trim(), 143-144
 - unlink(), 525
 - unset(), 119
 - UPPER(), 240
 - values, returning from, 57-58
 - variable scope, 59-62
 - variables, acting as, 64-65
 - var_dump(), 17
 - var_export(), 18
 - YEAR(), 242
- function_exists() function, 248**
- fwrite() function, 521-523**
- G**
- Gamma, Erich, 644**
- generate_languages() function, 450**
- getdate() function, 562**
- gettype() function, 29**
- global variables, 60-62**
- globalization, 448**
- gmmktime() function, 559**
- GMT (Greenwich mean time), 559**

Google APIs, XML Web Services,
594-602

group characters, regular
expressions, 475

guests, web applications, 316-317

H

hackers, 326-327

hardware security, 350

Helm, Richard, 644

help command (PEAR), 607

help systems, web applications, 298

heredoc syntax, strings, entering, 14-15

hierarchical comments, blogging
systems, allowing, 741-742

hierarchies, classes, 99-100, 103

hinting, data types, 109-110

HTML (HyperText Markup)

PHP, mixing, 6-8

XHTML, converting to, 513-514

XML, compared, 484

HTML forms, 154

character sets, 161-162

data access, 159-161

data submissions, 157-158

users, redirecting, 168-170

web pages, adding to, 154-157

HtmlGenerator class, user interfaces,
generating, 305, 308

HTTP (Hypertext Transfer Protocol),
274-278, 314, 586-587

authentication, 412-417

HTTP_USER_AGENT field (dollar
sign_SERVER array), 165

I

icons, labeling, 299

if statements, 42

IIS (Internet Information Services)

configuring, 813

installing, 794-796

imperative programming languages, 192

implicit type conversions, 24

include() function, 69-76

inclusion

autoloading, 110-111

library files, script, 69, 71-76

indexes, databases, 191-192

creating, 207

inheritance, classes

exposing, 104-107

preventing, 103-104

initializing objects, 86-88

inner joins, table columns, 221

InnoDB storage engine, 206

input filtering, web applications, 327-334

INSERT INTO statement, 212-213

installation

appointment management system, 673

blogging system, 707-708

database servers

MySQL on Mac OS X, 801-802

MySQL on UNIX, 797

MySQL on Windows, 797-801

ecommerce system, 747-748

PEAR (PHP extension and application
repository), 604-610

PHP, 803

installation types, 803

on Mac OS X, 810-812

on UNIX, 803-805

on Windows, 805-810

Index

- web servers, 791
 - Apache on Mac OS X 10.3*, 796
 - Apache on UNIX*, 791-794
 - IIS on Microsoft Windows*, 794-796
- INSTR() function**, 240
- instrumenting code**, 377-379
- integers, values, converting from**, 25-26
- integers (int)**, 10-12
- interfaces**
 - appointment management system, 678-680
 - blogger system, generating, 715-719
 - blogging system, 712-713
 - databases, 265
 - persistent connections*, 268
 - procedural interfaces*, 265, 267
 - ecommerce system, 756, 758
 - web applications, 293-295
 - code libraries*, 305, 308
 - CSS (Cascading Style Sheets)*, 300-302
 - designing*, 284-285, 296, 299
 - driver implementation*, 309-310
 - file inclusion*, 302-304
 - frames*, 299
 - help systems*, 298
 - implementation*, 299-305, 308-310
 - layout*, 296
 - navigation options*, 299
 - page sequences*, 296-297
 - planning*, 295-298
 - simplicity*, 299
 - testing*, 297-298
 - user bandwidth*, 299
 - users*, 295-296
- internal loop counters, arrays, iteration**, 122-124
- interpreted scripting language**, 3
- interrupting loops**, 46
- intersecting arrays**, 131
- IP (Internet Protocol)**, 274
- ISO 8859 character sets**, 134-135
- isolation levels, transactions**, 231
- is_readable() function**, 524
- is_type() function**, 29
- is_writeable() function**, 524
- iteration, arrays**, 120
 - array_walk() method*, 124-125
 - for loop*, 121-122
 - foreach loops*, 120-121
 - internal loop counters*, 122-124
- J-K**
- JMeter**, 637
- Johnson, Ralph**, 644
- keys**
 - public keys*, 279
 - sorting by*, 130
- known users, web applications**, 316-317
- L**
- labeling icons**, 299
- large text columns, databases**, 820
- layout, web applications**, 283-284
 - user interfaces*, 296
- length, strings, viewing**, 142-143
- libraries**, 78
 - drawbacks*, 77-80
- library files, script, inclusion**, 69-76
- lifetime (variables)**, 32
- limiting file sizes, file uploads**, 540-541
- listing**
 - available databases, database servers*, 817
 - database tables*, 818

listings

- 3.1 (Source for printmessage.inc), 71
- 3.2 (Source for message.php), 71
- 3.3 (template_top.inc), 75
- 3.4 (template_bottom.inc), 75
- 3.4 (welcomepage.php), 75
- 4.1 (Our Class Hierarchy for Products), 101-102
- 7.1 (newcustomer.html), 152
- 7.2 (process_newcustomer.php), 152
- 7.3 (Viewing Information about your Server), 166
- 21.1 (currency_format: A Function for Formatting Monetary Data), 455

LOAD DATA statement, 214**load testing, web applications, 637****localeconv() function, 453****locales, 448**

- current locale, learning about, 453
- users, learning of, 448-450
- web applications, 448
 - setting, 450-453

localization, 448**logged-in user pages, updating, 437-438, 440-441****logging code error results, 365-366****logging out users, 442-443****logical operators, 36-37****logins**

- databases, configuring for, 419-420
- users, web applications, 317-318, 430-437

loops

- counters, arrays, 122-124
- do-while loop, 44-45
- for loops, 45
 - array iteration, 121-122
- foreach loops, 46
 - array iteration, 120-121

- interrupting loops, 46
- while loop, 44-45

LOWER() function, 240**ltrim() function, 144****M****MAC (message address code), 280****Macintosh**

- Apache web servers, installing on, 796
- MySQL, installing on, 801-802
- PHP, installing on, 810-812

malicious code injection, 325**malicious filenames, file uploads, 553****malicious users, 326-327****marking PHP code, 6****mathematical cross-product, tables, 220****MAX() function, 239****mbstring, 134, 248**

- enabling, 248
- Unicode, configuring for, 140-141

mb_strlen() function, 520**member functions**

- array_walk(), 124-125
- implicit type conversions, 24
- OOP (object-oriented programming), 81
- Overriding, preventing, 103-104
- reimplementing, 97-98
- static methods, 94-95

merging arrays, 130-131**message address code (MAC), 280****messages, WSDL (Web Services Description Language), 580-581****methods**

- array_walk(), 124-125
- implicit type conversions, 24
- OOP (object-oriented programming), 81

Index

- Overriding, preventing, 103-104
- reimplementing, 97-98
- static methods, 94-95
- Microsoft Developer Network, 824**
- Microsoft Management Console, 806**
- Microsoft SQL Server, 178**
- Microsoft Windows**
 - authentication schemas, 417-418
 - IIS (Internet Information Services), installing on, 794-796
 - MySQL, installing on, 797-801
 - PHP, installing on, 805-810
 - web page locales, setting, 451-453
- MIME (Multipurpose Internet Mail Extensions), 279**
- MIN() function, 239**
- mixed data types, sorting, 129**
- mktime() function, 559**
- money_format() function, 455**
- MONTH() function, 242**
- multi-dimensional arrays, 125-126**
- multiple files, uploading, 541-542**
- MyISAM storage engine, 206**
- MySQL, 177**
 - configuring, 813
 - database servers, connecting to, 249-252
 - enabling, 248
 - installing
 - Mac OS X, 801-802
 - UNIX, 797
 - Windows, 797-801
 - PHP, interaction, 249-250
 - timestamps, 573-574
 - web applications, 282
 - backend, 289
 - business logic, 285-289
 - designing, 282-291
 - layout, 283-284
 - n-tier architectures, 289-290
 - performance issues, 290-291
 - scalability, 291
 - user interfaces, 284-285
- MySQL Online Documentation, 823**
- mysqli**
 - data retrieval, 252-255
 - enabling, 248
 - errors from, 260-262
 - prepared statements, 263-264
 - transactions, executing, 259
 - user input, validating, 255-256
- N**
 - n-tier architectures, web applications, designing, 289-290
 - namespaces, XML, 491-493
 - naming code files, 67-69
 - NATs (network address translators), 275
 - NDB Cluster storage engine, 206
 - nesting PHP comments, 9
 - network address translators (NATs), 275
 - networks, security, 348-349
 - newcustomer.html listing (7.1), 152
 - nl2br() function, 16
 - nodes
 - DOM (Document Object Model), hierarchy, 498-503
 - XHTML, 512-513
 - XML, 486
 - Now() function, 241
 - NULL, 23
 - numbers
 - formatting, 455
 - in PHP, 10-12
 - number_format() function, 455
 - numeric data, databases, 186-187
 - numeric functions (SQL queries), 238-240

O**objects, 22-23**

- converting to, 28
- web applications, single instance of, 643-646

objects (OOP), 81

- cloning, 107-108
- comparing, 107
- constructors, 86-87
- destructors, 88
- extending, 95-100, 103-107
- initializing, 86-88
- PHP, 82-86
- shallow copies, 108
- visibility keywords, 88-90, 96

ob_clean() function, 463**ob_end_clean() function, 463****ob_end_flush() function, 462****ob_flush() function, 463****ob_get_content() function, 463****ob_get_length() function, 463****ob_start() function, 462****online resources, 823-824****OOP (object-oriented programming), 77, 81**

- classes, 81
 - adding static data to, 91-95*
 - constants, 91-92*
 - extending existing, 95-96*
 - hierarchies, 99-100, 103*
 - inheritance, 104-107*
 - inheritance prevention, 103-104*
 - polymorphism, 98-100, 103-105, 107*
 - properties, 81*
 - static member variables, 93-94*
 - static methods, 94-95*
- methods
 - override prevention, 103-104*
 - reimplementing, 97-98*

objects, 81

- cloning, 107-108*
- comparing, 107*
- constructors, 86-87*
- destructors, 88*
- extending, 95-100, 103-107*
- initializing, 86-88*
- PHP, 82-86*
- visibility keywords, 88-90, 96*

opening files, 515-518**opening tags, XML, 486****operating systems, security, 350****operators, 33**

- & operator, 774
- @ operator, 40
- arithmetic operators, 34
- array operators, 38-39
- assignment statements, 33-34
- auto-decrement operators, 39
- auto-increment operators, 39
- bitwise operators, 37-38
- comparison operators, 35-36
- expressions, combining, 40-41
- logical operators, 36-37
- predecrement operators, 39
- preincrement operators, 39
- shell command executor, 40
- string operators, 38

Oracle Database, 178

- Documentation, 824

orders, ecommerce system

- cancellations, 787
- entering, 750
- post-order processing, 787
- submitting, 778-782

Our Class Hierarchy for Products listing (4.1), 101-102**outer joins, table columns, 222**

Index

output

- formatting, 454, 458-461
 - currencies*, 455-458
 - numbers*, 455
- output buffering, 169, 447, 461-464

output buffering, 169, 447, 461-464**overriding methods, preventing, 103-104****P****packages, PEAR (PHP extension and application repository)**

- Date package, 613-616
- downloading, 609-610
- installing, 609-610
- listing, 608-609
- uninstalling, 612
- viewing, 610-611

page caching, sessions, 397-399**page layout**

- blogging system, 708-710
- ecommerce system, 750-752

page sequences, web applications, user interfaces, 296-297**page templating, inclusion, 75-76****pages, appointment management system, structuring, 673-681****parameters**

- functions, passing to, 52-57
- variable numbers, 56

parent nodes, XML, 486**parity bits, 134****parsing dates, databases, 573****partial logins, web applications, 317-318****passwords, web applications, 319-320****paths, directories, manipulating, 526-527****payments, ecommerce system, processing, 786****PCRE (Perl Compatible Regular Expressions), 468****PEAR (PHP Extension and Application Repository), 603-604**

- commands, 607-611
- configuring, 604-607, 612-613
- installing, 604-607
- packages
 - Date package*, 613-616
 - downloading*, 609-610
 - installing*, 609-610
 - listing*, 608-609
 - uninstalling*, 612
 - viewing*, 610-611

PECL (PHP Extension Community Library), 604

- PFC (PEAR foundation classes), 604
- support community, 604

PECL (PHP Extension Community Library), 604**performance issues, web applications, 290-291****performance testing, web applications, 635-637****Perl Compatible Regular Expressions (PCRE), 468****permissions**

- databases, 346
 - deleting*, 199
 - setting*, 196-199
- files, 523-525
- objects, visibility keywords, 88-90, 96

persistent connections, database interfaces, 268**PFC (PEAR foundation classes), 604****PHP, 3, 18, 47**

- arrays, 113-117
 - adding data to*, 115-117
 - associative arrays*, 113
 - combining*, 131
 - creating*, 114-115
 - element access*, 117-119
 - element counts*, 120

- element deletion*, 119
- internal array cursors*, 122
- intersecting*, 131
- iteration*, 120-125
- merging*, 130-131
- multi-dimensional arrays*, 125-126
- sorting*, 127-130
- values searches*, 132
- autoloading, 110-111
- binary strings, 520
- classes
 - adding static data to*, 91-95
 - constants*, 91-92
 - static member variables*, 93-94
 - static methods*, 94-95
- code
 - bugs*, 357-358
 - debugging*, 377-380
 - error generation*, 360-361
 - error handling*, 359-367
 - exceptions*, 367-376
 - external errors*, 358-359
 - instrumenting*, 377-379
 - syntax errors*, 356-357
- code reuse
 - files*, 65-76
 - functions*, 49-65
- comments, 8-9
- configuration settings, 667
 - database settings*, 668
 - error settings*, 668
 - general settings*, 667
 - multiple-byte string settings*, 667
- configuring, 814-815
- constants, 30
 - by reference*, 31
 - by value*, 30-31
- control structures
 - do-while loop*, 44-45
 - for loops*, 45
 - foreach loops*, 46
 - if statements*, 42
 - interrupting loops*, 46
 - switch statement*, 43
 - while loop*, 44-45
- data storing, 9-10
- date/time, 556
 - client forms*, 557-558
 - comparing*, 564-567
 - database servers*, 556-557
 - formatting*, 567-571
 - operating systems*, 556
 - retrieving*, 559-563
 - validating*, 563-564
- directories
 - browsing*, 527-528
 - changing*, 528
 - creating*, 528
 - deleting*, 528
 - path manipulation*, 526-527
- document roots, 3
- errors, reasons for, 355-359
- file extensions, 3
- file uploads, 543-545, 548-551
 - client forms*, 535-537, 544
 - configuring for*, 534-535
 - multiple files*, 541-542
 - security*, 552-553
 - server code*, 537-538
 - size limiting*, 540-541
- files
 - closing*, 518
 - deleting*, 525
 - opening*, 515-518
 - permissions*, 523-525
 - reading*, 518-521
 - renaming*, 525
 - security*, 529-531
 - writing to*, 521-523
- forms (HTML), 151-154
 - adding to web page*, 154-157
 - character sets*, 161-162
 - data access*, 159-161
 - data submissions*, 157-158
 - user redirection*, 168-170

- functions, 16
 - calling*, 51-52
 - case-sensitivity*, 51
 - defining*, 50-51
 - nl2br()*, 16
 - parameter passing*, 52-57
 - print_r()*, 17
 - scope*, 62-63
 - value returns*, 57-58
 - variable actions*, 64-65
 - variable scope*, 59-62
 - var_dump()*, 17
 - var_export()*, 18
- HTML, mixing, 6, 8
- installing, 803
 - installation types*, 803
 - on Mac OS X*, 810-812
 - on UNIX*, 803-805
 - on Windows*, 805-810
- interpreted scripting language, 3
- mixed data types, sorting, 129
- MySQL
 - enabling*, 248
 - interaction*, 249-250
- objects, 82-86
 - cloning*, 107-108
 - comparing*, 107
 - constructors*, 86-87
 - destructors*, 88
 - extending*, 95-100, 103-107
 - initializing*, 86-88
 - visibility keywords*, 88-90, 96
- operators, 33
 - @ operator*, 40
 - arithmetic operators*, 34
 - array operators*, 38-39
 - assignment statements*, 33-34
 - auto-decrement operators*, 39
 - auto-increment operators*, 39
 - bitwise operators*, 37-38
 - comparison operators*, 35-36
 - logical operators*, 36-37
 - predecrement operators*, 39
 - preincrement operators*, 39
 - shell command executor*, 40
 - string operators*, 38
- output buffering, 169
- PEAR (PHP Extension and Application Repository), 603-604
 - commands*, 607-611
 - configuring*, 604-607, 612-613
 - Date package*, 613-616
 - installing*, 604-607
 - package downloads*, 609-610
 - package installs*, 609-610
 - package listings*, 608-609
 - package uninstalls*, 612
 - package views*, 610-611
 - PECL (PHP Extension Community Library), 604
 - PFC (PEAR foundation classes), 604
 - support community*, 604
- scripts
 - database use within*, 247-268
 - entering*, 6-9
 - marking*, 6
 - troubleshooting*, 4-5
- servers, compatibility, 162-167
- session management, configuring for, 646-647
- sessions, configuring for, 392-393
- statements, 8-9
- strings, 133-134
 - case manipulation*, 149-150
 - character encoding conversions*, 150
 - character sets*, 134-139
 - cleaning up*, 143-144
 - comparing*, 146-148
 - entering*, 19, 21
 - extraction*, 148
 - length information*, 142-143
 - searching*, 144-146
 - sorting*, 128-129
 - Unicode*, 140-141
- timestamps, 558-559
 - drawbacks*, 571

- types, 21
 - arrays*, 21-22
 - Booleans*, 15-16
 - converting*, 24-29
 - entering*, 10-16
 - hinting*, 109-110
 - NULL*, 23
 - numbers*, 10-12
 - objects*, 22-23
 - resources*, 23
 - strings*, 12-15
- Unicode, configuring for, 140-141
- variable expansion, 19-21
- variables, 9
 - converting*, 24-29
 - predefined variables*, 33
 - variable lifetime*, 32
 - variable scope*, 32
- web applications, 282
 - backend*, 289
 - business logic*, 285-289
 - designing*, 282-291
 - layout*, 283-284
 - n-tier architectures*, 289-290
 - performance issues*, 290-291
 - scalability*, 291
 - user interfaces*, 284-285
- XML (eXtensible Markup Language), 496-509
 - Web Services*, 587-602
- PHP Classes Repository, The**, 823
- PHP Extension and Application Repository (PEAR)**, 603-604
 - commands, 607-611
 - configuring, 604-607, 612-613
 - installing, 604-607
 - packages
 - Date package*, 613-616
 - downloading*, 609-610
 - installing*, 609-610
 - listing*, 608-609
 - uninstalling*, 612
 - viewing*, 610-611
 - PECL (PHP Extension Community Library), 604
 - PFC (PEAR foundation classes), 604
 - support community, 604
- PHP Freaks.com**, 823
- PHP Online Manual**, 823
- php.ini**, 341
- phpinfo() function**, 5
- PHP_SELF field (dollar sign_SERVER array)**, 163
- pointers, arrays**, 122
- polymorphism, classes**, 98-100, 103-107
- ports**, 275
 - WSDL (Web Services Description Language), 581
- POSIX**, 468
 - data validation, 476
 - e-mail address matching*, 478-479
 - postal code matching*, 477-478
 - telephone number matching*, 477
 - usernames*, 476
 - dot character, 473
 - functions, 479-482
 - group characters, 475
 - item replacements, 479-481
 - properties, 475-476
 - quantifiers, 474
 - searches, 470-471
 - setting up, 468
 - strings
 - boundaries*, 472-473
 - splitting*, 481-482
 - testing, 469-470
- postal codes, matching**, 477-478
- PostgreSQL**, 178
- PostgreSQL Online Manual**, 823
- predecrement operators**, 39
- predefined variables**, 33
- preincrement operators**, 39
- prepared statements**, 263-264

primary keys (databases), 185-186
print() function, 108-109
print_r() function, 17
private visibility keyword, 88
procedural database interfaces, 265, 267
process_newcustomer.php
 listing (7.2), 152
products, ecommerce system, browsing,
 761-762
products table, ecommerce system, 749
properties, OOP classes, 81
protected visibility keyword, 88
protocols, 282
 HTTP, 276-277
 IP, 274-275
 SMTP, 282
 SOAP (Simple Object Access Protocol),
 282, 578-579
 SSL, 279-282
 web applications, 345-346
 stateless protocols, 276
 TCP, 274-275
 TCP/IP, 274-275
public key cryptography, 279-280
public keys, 279
public visibility keyword, 88

Q

quantifiers, regular expressions, 474
queries (SQL), 229
 bound parameters, 263-264
 bound results, 264
 database servers, executing, 252-253,
 255-262
 expressions, combining, 235-236
 functions, 238-243
 prepared statements, 263-264
 sets, specifying, 237
 transactions, 229-233, 235
 values, fetching, 237

R

RDBMSs (relational database
management systems), 175-178
 advantages of, 176-177
 choosing, 179-180
 common interfaces, 181
 MySQL, 177, 180
 Oracle Database, 178
 PostgreSQL, 178
 SQL Server, 178
reading files, 518-521
recovery planning, 351
redirecting users from forms, 168-170
reference variables, constants, 31
regular expressions, 467-468, 475-476
 boundaries, 472-473
 character classes, 471-472
 data validation, 476
 e-mail address matching, 478-479
 postal code matching, 477-478
 telephone number matching, 477
 usernames, 476
 dot character, 473
 functions, 479-482
 group characters, 475
 item replacements, 479-481
 PCRE (Perl Compatible Regular
 Expressions), 468
 POSIX, 468
 setting up, 468
 testing, 469-470
 quantifiers, 474
 searches, 470-471
 strings, splitting, 481-482
relational databaases, 175
relational database management systems
(RDBMSs), 175-178
 advantages of, 176-177
 choosing, 179-180
 common interfaces, 181
 MySQL, 177, 180
 Oracle Database, 178

- PostgreSQL, 178
- SQL Server, 178
- remote files, opening, 517-518**
- remote procedure calls (RPCs), 576**
- REMOTE_ADDR field (dollar sign_SERVER array), 166**
- renaming files, 525**
- REQUEST_METHOD field (dollar sign_SERVER array), 164**
- REQUEST_TIME field (dollar sign_SERVER array), 164**
- require() function, 70-72**
- resources, 23, 823-824**
- retrieved data, tables, sorting, 223-224**
- reuse (code)**
 - files, 65-76
 - functions, 49-65
- reverse sorting, data types, 130**
- rows, tables, fetching, 224-225**
- RPCs (remote procedure calls), 576**
- rtrim() function, 144**
- running**
 - appointment management system, 673
 - blogging system, 707-708
 - ecommerce system, 747-748
- S**
- SAX (Simple API for XML), 496-497**
- scalability, web applications, 291**
- scalar functions (SQL queries), 238**
- scalar values, constants, 30**
- schemas**
 - tables, modifying, 244-245
 - XML schemas, 493
- scope**
 - functions, 62-63
 - variables, 32
- screen scraping, 576**
- scripts**
 - code files, including in, 69-76
 - databases, using in, 247-268
 - entering, 6-9
 - marking, 6
 - troubleshooting, 4-5
- searches**
 - DOM (Document Object Model), 508
 - regular expressions, 470-471
- searching strings, 144-146**
- security**
 - authentication
 - HTTP, 412-417
 - implementation, 419-444
 - Microsoft Windows, 417-418
 - ecommerce system, 786
 - file access, 529-531
 - file uploads, 552-553
 - session management, 647-648
 - sessions, 405-408
 - web applications, 321-323, 339
 - code, 327-337
 - code content, 334-335
 - code organization, 334
 - code stability, 336
 - commercially hosted web applications, 344
 - configuring for, 341-344
 - databases, 346-348
 - disaster planning, 351
 - execution quotes, 336-337
 - file systems, 335
 - hardware, 350
 - input filtering, 327-334
 - malicious users, 326-327
 - networks, 348-349
 - operating systems, 350
 - software, 340-341
 - SSL (Secure Sockets Layer), 345-346
 - threat identification, 323-327
 - usability, 322-323

SQL (Structured English Query Language), 192**servers**

- cookies, 381-382, 385-386
 - arrays*, 387-388
 - content*, 388-389
 - deleting*, 387
 - validity controls*, 386-387
 - values*, 382-385
- database servers, 176-177
- file paths, 162
- file uploads, code, 537-538
- locales, 448
- PHP compatibility, 162-167
- session cookies, 389-392
 - configuring for*, 392-393
 - data stores*, 394-397
 - destroying*, 399-400
 - page caching*, 397-399
 - security*, 405-408
 - session IDs*, 393-394
 - storing*, 400-405
- users, authentication, 409-444
- variables, 162-167
 - environment variables*, 167
- virtual servers, 342-344

SERVER_NAME field (dollar sign_SERVER array), 163**SERVER_PROTOCOL field (dollar sign_SERVER array), 163****SERVER_SOFTWARE field (dollar sign_SERVER array), 163****services, WSDL (Web Services Description Language), 583****sessions, 389-392**

- configuring for*, 392-393
- data stores*, 394-397
- destroying*, 399-400
- page caching*, 397-399
- security*, 405-408

session IDs

- compromised session IDs*, 406-408
- obtaining*, 405-406
- transmission of*, 393-394

storing, 400-405

web applications, managing, 646-649

session_start() function, 390-392, 646**setcookie() function, 382-387****setlocale() function, 450, 454****settype() function, 29****shallow copies, objects, 108****shared module version (PHP), 803****shell command executor, 40****shell command executors, web applications, 336-337****shipping information skips, ecommerce system, processing, 787****shopping cart, ecommerce system, 749**
implementing, 763-766**short tags, 6****siblings, XML, 486****Simple Object Access Protocol (SOAP).**
*See SOAP (Simple Object Access Protocol)***single quoted strings, 12-13****sizes, file uploads, limiting, 540-541****SMTP (Simple Mail Transfer Protocol), 282****SOAP (Simple Object Access Protocol), 282, 578-579**

XML Web Services

- configuring*, 589
- Google APIs*, 594-602
- SoapClient class*, 590-594

software, security, 340-341

sorting

- arrays, 127-130
 - by key*, 130
 - reverse sorting*, 130
- mixed data types, 129
- retrieved data, tables, 223-224
- strings, 128-129

source code

- debugging, 379-380
- web applications, control, 624-631

source code debuggers, 379-380**Source for message.php listing (3.2), 71****Source for printmessage.inc listing (3.1), 71****source trees, 629**

- creating, 629
- forking, 630-631

split() function, 481-482**SQL (Structured Query Language), 192-193, 211**

- current time, viewing, 821
- data types, 199-203
- date/time output, formatting, 822
- queries
 - combining expressions*, 235-236
 - functions*, 238-243
 - set specifications*, 237
 - transactions*, 229-235
 - value fetching*, 237
- strings, concatenation, 821
- substring extraction, 821

SQL Server, 178**SSL (Secure Sockets Layer), 279-282**

- web applications, 345-346

stateless protocols, 276**statements, 8-9**

- ALTER TABLE, 244
- if statements, 42
- INSERT INTO, 212-213
- LOAD DATA, 214

- prepared statements, 263-264
- switch statement, 43

static data, classes, adding to, 91-95**static member variables, classes, 93-94****static methods, classes, 94-95****static variables, 59****storage engines, database tables, 206-207****stored procedures, 238****storing**

- data, PHP, 9-10
- sessions, 400-405
- user information, web applications, 318-319

strcasecmp() function, 148**strcmp() function, 146-148****string functions (SQL queries), 240-241****string operators, 38****strings, 12, 78, 133-134**

- binary strings, 520
- case manipulation, 149-150
- character encoding conversions, 150
- character sets, 134, 136-139
 - ASCII*, 134
 - Far Eastern character sets*, 135
 - HTML forms*, 161-162
 - ISO 8859 character sets*, 134-135
 - Unicode*, 135-136
- cleaning up, 143-144
- comparing, 146-148
- concatenation, 821
- converting to, 27
- databases, 188
- double quoted strings, 13-14
- entering, 19, 21
- extraction, 148
- heredoc notation, 14-15
- length, viewing, 142-143
- regular expressions, 467-468, 475-476
 - boundaries*, 472-473
 - character classes*, 471-472

Index

851

- data validation*, 476-479
 - dot character*, 473
 - functions*, 479-482
 - group characters*, 475
 - item replacements*, 479-481
 - PCRE (Perl Compatible Regular Expressions)*, 468
 - POSIX*, 468-470
 - quantifiers*, 474
 - searches*, 470-471
 - string splitting*, 481-482
 - searching, 144-146
 - single quoted strings, 12-13
 - sorting, 128-129
 - substring extraction, 821
 - tokens, constants, 30
 - Unicode, configuring for, 140-141
 - strlen() function**, 142-143, 520
 - strnatcmp() function**, 148
 - strpos() function**, 144-146
 - strptime() function**, 561
 - strtoupper() function**, 149-150
 - Structured English Query Language (SEQUEL)**, 192
 - structured exception handling**, 369
 - Structured Query Language (SQL)**, 192-193, 211
 - current time, viewing, 821
 - data types, 199-203
 - date/time output, formatting, 822
 - queries
 - combining expressions*, 235-236
 - functions*, 238-243
 - set specifications*, 237
 - transactions*, 229-235
 - value fetching*, 237
 - strings, concatenation, 821
 - substring extraction, 821
 - structuring**
 - blogging system, 708-715
 - ecommerce system, 748-760
 - substr() function**, 148
 - substring extraction (SQL)**, 821
 - SUBSTRING() function**, 240
 - SUM() function**, 239
 - superglobals**, 62
 - switch statement**, 43
 - symmetric encryption**, 280
 - syntax errors**, 356-357
- T**
- tables (databases)**, 189
 - cascading deletes, 207, 209
 - columns, joining, 221-223
 - creating, 199, 201-209
 - data
 - bulk data insertion*, 213-215
 - data type entry*, 215-216
 - deleting*, 226
 - inserting in*, 212-216
 - modifying*, 225
 - retrieving from*, 216-225
 - deleting, 209-210
 - descriptions, viewing, 818
 - foreign keys, 207-209
 - indexes, creating, 207
 - listing, 818
 - mathematical cross-product, 220
 - organizing data into, 189-191
 - retrieved data, sorting, 223-224
 - schemas, modifying, 244-245
 - SQL data types, 199-203
 - storage engines, 206-207
 - tags**
 - ASP tags, 6
 - short tags, 6
 - XML tags, 486
 - TCP (Transmission Control Protocol)**, 275
 - TCP/IP (Transmission Control Protocol/Internet Protocol)**, 274-276

- technologies, World Wide Web, 273-279, 282**
 - HTTP (Hypertext Transfer Protocol), 274-278
 - MIME, 279
 - SMTP, 282
 - SOAP, 282
 - SSL, 279-282
 - TCP/IP, 274-276
 - telnet, 278
- telnet, 278**
- telephone numbers, matching, 477**
- template_bottom.inc listing (3.4), 75**
- template_top.inc listing (3.3), 75**
- testing**
 - code, 631-632
 - bugs, 637
 - load testing, 637
 - performance testing, 635-637
 - unit testing, 632, 634-635
 - POSIX, 469-470
 - user interfaces, web applications, 297-298
- threats**
 - DoS (denial of service) attacks, 324-325
 - malicious code injection, 325
 - web applications
 - identifying, 323-327
 - malicious users, 326-327
- throwing exceptions, 369-370**
- time**
 - client forms, 557-558
 - database servers, 556-557, 572-574
 - databases, 187
 - date, comparing, 564-567
 - formatting, 567-571
 - GMT (Greenwich mean time), 559
 - operating systems, 556
 - retrieving, 559-563
 - SQL, viewing, 821
 - timestamps, 558-559
 - validating, 563-564
- time() function, 556, 559**
- time/date columns, databases, creating, 819**
- time/date output, SQL, formatting, 822**
- timestamps, 556-559**
 - drawbacks, 571
 - MySQL, 573-574
- tokens**
 - constants, 30
 - statements, 8
- tracking users, blogging system, 726-728, 731**
- transactions**
 - blogging systems, 742
 - database servers, executing, 259
 - databases, 229-233, 235
 - ACID (Atomicity, Consistency, Isolation, Durability) rules, 231
 - isolation levels, 231
 - writing, 232
- trim() function, 143-144**
- troubleshooting firstprogram.php script, 4-5**
- types (data), 21. See also classes (OOP)**
 - arrays, 21-22, 113-117
 - adding data to, 115-117
 - associative arrays, 113
 - combining, 131
 - creating, 114-115
 - element access, 117-119
 - element counts, 120
 - element deletion, 119
 - intersecting, 131
 - iteration, 120-125
 - merging, 130-131
 - multi-dimensional arrays, 125-126
 - sorting, 127-130
 - values searches, 132
 - converting, 24
 - array conversions, 28
 - Boolean conversions, 27-28

- explicit type conversions*, 24-25
 - floating-point number conversions*, 26-27
 - functions*, 28-29
 - implicit type conversions*, 24
 - integer conversions*, 25-26
 - object conversions*, 28
 - string conversions*, 27
 - database tables, entry, 215-216
 - databases, 186-189
 - hinting, 109-110
 - mixed types, sorting, 129
 - NULL, 23
 - objects, 22-23
 - resources, 23
 - SQL data types, 199-203
 - strings, 133-134
 - case manipulation*, 149-150
 - character encoding conversions*, 150
 - character sets*, 134-139
 - cleaning up*, 143-144
 - comparing*, 146-148
 - extraction*, 148
 - length information*, 142-143
 - searching*, 144-146
 - sorting*, 128-129
 - Unicode*, 140-141
 - WSDL (Web Services Description Language), 580
- U**
- U.S. postal codes, matching**, 477-478
 - UDDI (Universal Description, Discovery, and Information)**, 577
 - unhandled exceptions**, 373-374
 - Unicode**, 135-136
 - uninstalling PEAR packages**, 612
 - unit testing, code**, 632, 634-635
 - Universal Description, Discovery, and Information (UDDI)**, 577
 - UNIX**
 - Apache web servers, installing on, 791-794
 - MySQL, installing on, 797
 - PHP, installing on, 803-805
 - web page locales, setting, 450-451
 - unlink() function**, 525
 - unset() function**, 119
 - updating**
 - data, database servers, 257-259
 - logged-in user pages, 437-438, 440-441
 - uploading files**, 533-534, 543-545, 548-551
 - client forms, 535-537, 544
 - configuring for, 534-535
 - multiple files, 541-542
 - security, 552-553
 - server code, 537-538
 - size limiting, 540-541
 - UPPER() function**, 240
 - user errors**
 - application errors
 - compared*, 650-653
 - user files, uploading**, 533-534, 543-545, 548-551
 - client forms, 535-537, 544
 - configuring for, 534-535
 - multiple files, 541-542
 - security, 552-553
 - server code, 537-538
 - size limiting, 540-541
 - user input, database servers, validating**, 255-257
 - user interfaces**
 - appointment management system, 678-680
 - blogging system, 712-713
 - generating*, 715-719
 - ecommerce system, 756-758
 - web applications, 293-295
 - code libraries*, 305, 308
 - CSS (Cascading Style Sheets)*, 300-302

- designing*, 284-285, 296, 299
- driver implementation*, 309-310
- file inclusion*, 302-304
- frames*, 299
- help systems*, 298
- implementation*, 299-305, 308-310
- layout*, 296
- navigation options*, 299
- page sequences*, 296-297
- planning*, 295-298
- simplicity*, 299
- testing*, 297-298
- user bandwidth issues*, 299
- users*, 295-296

user permissions, databases

- deleting, 199
- setting, 196-199

usernames, validating, 476-479**users**

- authentication, 412
 - HTTP*, 412-415, 417
 - implementation*, 419-444
 - Microsoft Windows*, 417-418
 - planning for*, 409-412
- blogging system
 - listing*, 741
 - managing*, 719-725
 - tracking*, 726, 728, 731
- cookies, 381-382, 385-386
 - content*, 388-389
 - validity controls*, 386-387
 - values*, 382-385
- creating, 420, 422-425, 427-428, 430
- databases
 - creating*, 197-198
 - deleting*, 199
- deleting, 443-444
- errors, displaying to, 657
- locales, learning of, 448-450
- logging in, 430-434, 436-437
- logging out, 442-443
- logins, handling, 419-420

- web applications
 - guests*, 316-317
 - information stores*, 318-319
 - input filtering*, 327-334
 - logins*, 317-318
 - passwords*, 319-320
 - understanding*, 295-296
 - validating*, 317-320
 - visitors*, 316-317

UTF-8 input, databases

- connecting to, 819
- creating to understand, 818

V**validation**

- database servers, user input, 255-257
- date/time, 563-564
- users, web applications, 317-320
- regular expressions, 476
 - e-mail address matching*, 478-479
 - postal code matching*, 477-478
 - telephone number matching*, 477
 - usernames*, 476
- XML documents, 493-495

validity, cookies, controlling, 386-387**values**

- arrays, finding, 132
- constants, 30-31
- cookies
 - accessing*, 382-385
 - setting*, 382
- functions, returning from, 57-58
- integers, converting to, 25-26
- specifying, 237

variable expansion, 19-21**variable numbers, parameters, 56****variable scope, functions, 59-62****variables, 9**

- converting, 24
 - array conversions*, 28
 - Boolean conversions*, 27-28

Index

- explicit type conversions*, 24-25
- floating-point number conversions*, 26-27
- functions*, 28-29
- implicit type conversions*, 24
- integer conversions*, 25-26
- object conversions*, 28
- string conversions*, 27
- functions as, 64-65
- global variables, 60-62
- predefined variables, 33
- reference variables, constants, 31
- servers, 162-167
- static member variables, 93-94
- static variables, 59
- superglobals, 62
- variable lifetime, 32
- variable scope, 32
- var_dump()** function, 17
- var_export()** function, 18
- Viewing Information about your Server listing (7.3)**, 166
- virtual servers**, 342-344
- visibility keywords, objects**, 88-90, 96
- Vlissides, John**, 644
- W**
- W3 Schools.com**, 823
- WAS (Web Application Stress) tool**, 637
- Web Application Stress (WAS) tool**, 637
- web applications**, 282
 - appointment management systems, 671-672, 697-701
 - AppointManager class*, 682-686
 - appointment handling*, 702-703
 - database*, 676-678
 - date/time handling*, 687-690
 - file listing*, 680-681
 - form processing*, 690-691, 695-697
 - installing*, 673
 - multiuser conversion*, 703
 - running*, 673
 - structuring*, 673-681
 - user interface*, 678-680
 - views*, 702
 - backend, 289
 - blogging engine, 705-707, 741
 - anonymous comments*, 741
 - comment management*, 732, 734, 737-738
 - database*, 710-712
 - entry management*, 732, 734, 737-738
 - file listing*, 713-715
 - hierarchical comments*, 741-742
 - installing*, 707-708
 - page layout*, 708-710
 - running*, 707-708
 - structuring*, 708-715
 - transactions*, 742
 - user interface*, 712-713
 - user interface generation*, 715-719
 - user listings*, 741
 - user management*, 719-731
 - business logic, 285-289
 - code
 - source code control*, 624-631
 - testing*, 631-637
 - coding standards, 617-624
 - cookies, 381-382, 385-386
 - arrays*, 387-388
 - content*, 388-389
 - deleting*, 387
 - validity controls*, 386-387
 - values*, 382-385
 - databases, connection management, 660-666
 - deployment, 638-640
 - designing, 282-291
 - ecommerce system, 745-747
 - administration pages*, 787
 - arrays*, 774
 - checkout*, 749-750, 767-769
 - database*, 752-756

- file listing, 758, 760*
- installing, 747-748*
- order cancellations, 787*
- order submissions, 778-782*
- orders, 750*
- page layout, 750-752*
- payment processing, 786*
- post-ordering processing, 787*
- products, 761-762*
- products table, 749*
- running, 747-748*
- security, 786*
- shipping information skips, 787*
- shopping cart, 749, 763-766*
- structuring, 748-760*
- user interface, 756-758*
- error handling, 650-660
- layout, 283-284
- load testing, 637
- locales, 448
 - learning of, 448-453*
 - setting, 450-453*
- logged-in user pages, updating, 437-441
- logins, configuring for, 419-420
- n-tier architectures, 289-290
- objects, single instance of, 643-646
- output, formatting, 454-455, 457-461
- output buffering, 461-464
- performance issues, 290-291
- performance testing, 635-637
- scalability, 291
- security, 321-323, 339
 - code, 327-334, 336-337*
 - code content, 334-335*
 - code organization, 334*
 - code stability, 336*
 - commercially hosted web applications, 344*
 - configuring for, 341-344*
 - databases, 346-348*
 - execution quotes, 336-337*
 - file systems, 335*
 - hardware, 350-351*
 - input filtering, 327-334*
 - malicious users, 326-327*
 - networks, 348-349*
 - operating systems, 350*
 - software, 340-341*
 - SSL (Secure Sockets Layer), 345-346*
 - threat identification, 323-327*
 - usability, 322-323*
- sessions, 389-392
 - configuring for, 392-393*
 - data stores, 394-397*
 - destroying, 399-400*
 - managing, 646-649*
 - page caching, 397-399*
 - security, 405-408*
 - session IDs, 393-394*
 - storing, 400-405*
- user interfaces, 284-285, 293-295
 - code libraries, 305, 308*
 - CSS (Cascading Style Sheets), 300-302*
 - designing, 296, 299*
 - driver implementation, 309-310*
 - file inclusion, 302-304*
 - frames, 299*
 - help systems, 298*
 - implementation, 299-305, 308-310*
 - layout, 296*
 - navigation options, 299*
 - page sequences, 296-297*
 - planning, 295-298*
 - simplicity, 299*
 - testing, 297-298*
 - user bandwidth issues, 299*
 - users, 295-296*
- users, 412
 - authentication, 409-444*
 - connections to, 313-316*
 - creating, 420-430*
 - deleting, 443-444*
 - guests, 316-317*
 - information stores, 318-319*
 - logging in, 430-437*

Index

- logging out*, 442-443
 - logins*, 317-318
 - passwords*, 319-320
 - validating*, 317-320
 - visitors*, 316-317
 - web pages, users, redirecting**, 168-170
 - web servers**
 - Apache web servers, configuring, 812
 - IIS, configuring, 813
 - installing, 791
 - Apache on Mac OS X 10.3*, 796
 - Apache on UNIX*, 791-794
 - IIS (Internet Information Services) on Microsoft Windows*, 794-796
 - virtual servers, 342-344
 - Web Services (XML)**, 575-577, 587
 - configuring, 589
 - finding, 577
 - Google APIs, 594, 596-597, 599-602
 - HTTP (HyperText Transfer Protocol), 586
 - selecting, 587-589
 - SoapClient class, 590-594
 - WSDL (Web Services Description Language), 579-581, 583, 586
 - binding*, 581-582
 - HTTP (HyperText Transfer Protocol)*, 587
 - messages*, 580-581
 - ports*, 581
 - services*, 583
 - types*, 580
 - Web Services Description Language (WSDL)**, 579-581, 583, 586
 - binding, 581-582
 - messages, 580-581
 - ports, 581
 - services, 583
 - types, 580
 - Web Site Properties dialog**, 807
 - welcomepage.php listing (3.5)**, 75
 - while loop**, 44-45
 - Windows**
 - authentication schemas, 417-418
 - IIS (Internet Information Services), installing on, 794-796
 - MySQL, installing on, 797-801
 - PHP, installing on, 805-810
 - web page locales, setting, 451-453
 - Windows Component Wizard**, 794-795
 - Windows Server Resource Kit**, 637
 - World Wide Web, technologies**, 273-279, 282
 - HTTP (Hypertext Transfer Protocol), 274-278
 - MIME (Multipurpose Internet Mail Extensions), 279
 - SMTP (Simple Mail Transfer Protocol), 282
 - SOAP (Simple Object Access Protocol), 282
 - SSL (Secure Sockets Layer), 279-282
 - TCP/IP (Transmission Control Protocol/Internet Protocol), 274-276
 - telnet, 278
 - World Wide Web Consortium, The**, 823
 - writing to files**, 521-523
 - WSDL (Web Services Description Language)**, 579-581, 583, 586
 - binding, 581-582
 - messages, 580-581
 - ports, 581
 - services, 583
 - types, 580
- X**
- XHTML**, 483, 510-511
 - attributes, 512-513
 - converting to, 513-514
 - documents, 512
 - elements, 512-513
 - XML, compared, 511-512

XML (eXtensible Markup Language),**483-485**

- attributes, 486
- benefits of, 485
- documents
 - structure*, 486-488, 490
 - validating*, 493-495
- DOM, 504-510
 - (Document Object Model)*, 497-498
 - attributes*, 504
 - configuring*, 498
 - element hierarchy*, 498-503
 - searches*, 508
- DTDs (Document Type Definitions), 493
- elements, 486
- HTML, compared, 484
- namespaces, 491-493
- PHP, 496-509
- SAX (Simple API for XML), 496-497
- schemas, 493
- SOAP (Simple Object Access Protocol), 578-579
- tags, 486
- Web Services, 575-577, 587
 - configuring*, 589
 - finding*, 577
 - Google APIs*, 594, 596-597, 599-602
 - HTTP (HyperText Transfer Protocol)*, 586

- selecting*, 587-589

- SoapClient class*, 590-594

- WSDL (Web Services Description Language)*, 579-583, 586

- XML-RPC*, 587

- XHTML, compared, 511-512

- XML-RPC, 496

- XPath, 496

- XQuery, 496

- XSD (XML Schema Definition), 494

- XSL (eXtensible Stylesheet Language), 496

- XSLT (XSL Transformations), 496

XML Schema Definition (XSD), 494**XML-RPC, 496****XPath, 496****XQuery, 496****XSD (XML Schema Definition), 494****XSLT (XSL Transformations), 496****XSS (Cross Site Scripting) attacks, 325****Y-Z****YEAR() function, 242****Zip codes, matching, 477-478**