

Index

The function subentries labeled “definition of” point to where the function prototype appears and, when applicable, to the source code for the function. Functions defined in the text that are used in later examples, such as the `set_fl` function in Figure 3.11, are included in this index. The definitions of external functions that are part of the larger examples (Chapters 17, 19, 20, and 21) are also included in this index, to help in going through these larger examples. Also, significant functions and constants that occur in any of the examples in the text, such as `select` and `poll`, are also included in this index. Trivial functions that occur in almost every example, such as `exit`, are not referenced when they occur in examples.

- `#!`, *see* interpreter files
- `.`, *see* current directory
- `..`, *see* parent directory
- 2.9BSD, 216
- 386BSD, xxvii, 34–35
- 4.1BSD, 487
- 4.2BSD, 18, 112, 119–120, 167, 428–429, 474, 481, 483, 487, 545
- 4.3BSD, xxvii, 33–34, 36, 183, 240, 248, 265, 442, 497, 699, 846, 888
 - Reno, xxvii, 34, 72
 - Tahoe, xxvii, 34, 888
- 4.4BSD, xxii, xxvii, 21, 34, 105, 112, 119, 139, 216, 462, 497, 545, 699, 710, 888
- a2ps program, 805
- abort function, 180, 218, 223, 253, 256, 289, 293–295, 340–342, 353, 407, 848, 870
 - definition of, 340–341
- absolute pathname, 5, 7, 43, 49, 126, 131, 242, 859
- accept function, 138, 306, 411, 563–564, 570, 572, 597, 599–600, 780
 - definition of, 563
- access function, 95–97, 113, 116, 306
 - definition of, 95
- accounting
 - login, 170–171
 - process, 250–256
- acct function, 250

- acct structure, 251, 254
- acctcom program, 250
- accton program, 250–251, 255
- ACOMPAT constant, 251
- ACORE constant, 251, 254–255
- acstime_r function, 402
- add_job function, 783, 790
- add_option function, 794, 797
- addressing, socket, 549–561
- addrinfo structure, 555–559, 569, 571, 573, 576, 578, 779, 782, 796
- add_worker function, 787, 791
- adjustment on exit, semaphore, 532–533
- Adobe Systems, 885
- advisory record locking, 455
- AES (Application Environment Specification), 32
- AEXPND constant, 251
- AF_INET constant, 547, 551–552, 554, 557, 559–560
- AF_INET6 constant, 551–552, 557
- AF_IPX constant, 546
- AF_LOCAL constant, 546
- AFORK constant, 251–252, 254
- AF_UNIX constant, 546, 557, 595–598, 600–601
- AF_UNSPEC constant, 546, 557
- agetty program, 265
- Aho, A. V., 243, 885
- AI_ALL constant, 559
- AI_CANONNAME constant, 559, 571, 574, 578
- AI_NUMERICHOST constant, 559
- AI_NUMERICSERV constant, 559
- aio_error function, 306
- <aio.h> header, 30
- aio_return function, 306
- aio_suspend function, 306, 411
- AI_PASSIVE constant, 559
- AI_V4MAPPED constant, 556, 559
- AIX, 36
- alarm function, 289, 293, 306–307, 310, 313–318, 331, 348–349, 354, 575–576, 867
 - definition of, 313
- alloca function, 192
- already_running function, definition of, 433
- ALTWERASE constant, 636, 642, 645
- American National Standards Institute, *see* ANSI
- Andrade, J. M., 521, 885
- ANSI (American National Standards Institute), 25
- ANSI C, xxvi–xxvii
- Apple Computer, xxii
- Application Environment Specification, *see* AES
- apue_db.h header, 711, 719, 723, 727
- apue.h header, 6, 9–10, 229, 299, 449–450, 597, 721, 843–846
- Architecture, UNIX, 1–2
- argc variable, 778
- ARG_MAX constant, 39, 42, 46, 48, 233, 404
- arguments, command-line, 185
- argv variable, 774
- Arnold J. Q., 188, 885
- <arpa/inet.h> header, 29, 550
- asctime function, 175, 402
 - definition of, 175
- <assert.h> header, 27
- ASU constant, 251, 254
- asynchronous I/O, 473, 481–482
- asynchronous socket I/O, 582–583
- at program, 431
- atexit function, 42, 182, 184, 207, 218, 365, 696, 863
 - definition of, 182
- ATEXIT_MAX constant, 40, 42, 48, 51
- atol function, 781
- atomic operation, 39, 43, 57, 61, 74–75, 77, 109, 139, 333, 340, 448, 515, 528, 530, 532, 883
- AT&T, xix, 5, 33–34, 159, 311, 460, 462, 479, 885–886
- automatic variables, 187, 197, 199, 201, 207
- avoidance, deadlock, 373
- awk program, 44–46, 243–246, 514, 887
- AXSIG constant, 251, 254–255
- B0 constant, 652
- B110 constant, 652
- B115200 constant, 652
- B1200 constant, 652
- B134 constant, 652
- B150 constant, 652
- B1800 constant, 652
- B19200 constant, 652
- B200 constant, 652
- B2400 constant, 652
- B300 constant, 652
- B38400 constant, 652
- B4800 constant, 652
- B50 constant, 652
- B57600 constant, 652
- B600 constant, 652
- B75 constant, 652
- B9600 constant, 652
- Bach, M. J., xix, xxviii, 70, 77, 104, 108, 211, 461, 855, 886
- background process group, 272, 275, 277, 279, 281–282, 284–285, 296–297, 344, 349, 882
- backoff, exponential, 562

- Barkley, R. E., 886
- basename function, 402
- bash program, 81, 158, 250
 - .bash_login file, 265
 - .bash_profile file, 265
- Bass, J., 445
- baud rate, terminal I/O, 652–653
- Berkeley Software Distribution, *see* BSD
- bibliography, alphabetical, 885–890
- big-endian byte order, 549
- bind function, 306, 560, 564, 580–581, 596–598, 600–601
 - definition of, 560
 - /bin/false program, 163
 - /bin/true program, 163
 - <bits/signum.h> header, 290
- block special file, 89, 128–129
- Bolsky, M. I., 510, 886
- Bostic, K., xxviii, 33, 70, 104, 108, 461, 487, 888
 - Keith, 211, 218
- Bourne, S. R., 3
- Bourne shell, 3, 52, 86, 158, 192, 204, 265, 275, 278, 346, 457, 504, 510, 662, 877, 887
- Bourne-again shell, 3, 51–52, 81, 86, 192, 204, 265, 275, 510
- BREAK character, 637, 642, 645, 648, 650, 654, 668
- BRKINT constant, 635, 645, 648, 666–668
- BS0 constant, 645
- BS1 constant, 645
- BSD (Berkeley Software Distribution), 34, 62, 83, 262, 265–266, 268–269, 271, 273–274, 442, 473, 481–482, 493, 552–553, 595, 683, 685–686, 689, 691, 699, 706–707
- BSD Networking Release 1.0, xxvii, 34
- BSD Networking Release 2.0, xxvii, 34
- BSD/386, xxvii
- BSDLY constant, 637, 644–645, 649
- bss segment, 187
- buf_args function, 618–620, 628–629, 845
 - definition of, 619
- buffer cache, 77
- buffering, standard I/O, 135–137, 213, 217, 247, 342, 513–514, 680, 718
- BUFSIZ constant, 49, 137, 202
- build_qonstart function, 780, 785
- BUS_ADRALN constant, 327
- BUS_ADRERR constant, 327
- BUS_OBJERR constant, 327
- byte order
 - big-endian, 549
 - little-endian, 549
- byte ordering, 549–550
- C, ANSI, xxvi–xxvii
 - ISO, 25–26, 887
- C shell, 3, 52, 204, 265, 275, 510
- c99 program, 56, 67
- cache
 - buffer, 77
 - page, 77
- caddr_t data type, 57
- CAE (Common Application Environment), 32
- calendar time, 20, 24, 57, 117, 173–175, 246, 251–252
- calloc function, 189–190, 207, 467, 506, 726, 863
 - definition of, 189
- cancellation point, 410–411
- canonical mode, terminal I/O, 660–663
- Carges, M. T., 521, 885
- cat program, 85, 104, 114, 276, 279, 699, 714, 882
- catclose function, 412
- catgets function, 402, 412
- catopen function, 412
- CBAUDEXT constant, 635, 645
- cbreak terminal mode, 632, 664, 668, 673
- cc program, 6, 55, 189
- CCAR_OFLOW constant, 635, 645, 649
- cc_t data type, 634
- CCTS_OFLOW constant, 635, 645
- cc(1) program, 6
- cd program, 126
- CDSR_OFLOW constant, 635, 645
- CDTR_IFLOW constant, 635, 645
- cfgetispeed function, 306, 637, 652
 - definition of, 652
- cfgetospeed function, 306, 637, 652
 - definition of, 652
- cfsetispeed function, 306, 637, 652
 - definition of, 652
- cfsetospeed function, 306, 637, 652
 - definition of, 652
- character special file, 89, 128–129, 461, 466, 659
- CHAR_BIT constant, 38
- CHARCLASS_NAME_MAX constant, 39, 48
- CHAR_MAX constant, 38
- CHAR_MIN constant, 38
- chdir function, 7, 113, 125–127, 131, 204, 264, 306, 427, 860
 - definition of, 125
- Chen, D., 886
- CHILD_MAX constant, 39, 42, 48, 215
- chmod function, 99–101, 113, 117, 306, 520, 600–601, 687, 689–690, 882
 - definition of, 99
- chmod program, 93, 521

- chown function, 54, 102–103, 112–113, 117, 264, 306, 520, 687, 689, 882
 - definition of, 102
- chroot function, 131, 439, 858, 871
- CIBAUEXT constant, 635, 645
- CIGNORE constant, 635, 645
- Clark, J. J., xxviii
- CLD_CONTINUE constant, 327
- CLD_DUMPED constant, 327
- CLD_EXITED constant, 327
- CLD_KILLED constant, 327
- CLD_STOPPED constant, 327
- CLD_TRAPPED constant, 327
- clearenv function, 194
- clearerr function, 141
 - definition of, 141
- cli_args function, 618–620, 628
 - definition of, 620
- cli_conn function, 592–593, 600, 621, 626, 845
 - definition of, 592, 594, 600
- client_add function, 623, 625–627
 - definition of, 623
- client_alloc function, 623
 - definition of, 622
- client_cleanup function, 787, 792
- client_del function, 625, 627
 - definition of, 623
- client-server
 - model, 439, 541–543
- client_thread function, 787
- CLOCAL constant, 294, 635, 645
- clock function, 57
- clock tick, 20, 42, 48, 57, 251–252, 257
- clock_gettime function, 306
- clock_nanosleep function, 411
- CLOCKS_PER_SEC constant, 57
- clock_t data type, 20, 57, 257
- clone device, STREAMS, 683
- clone function, 211, 360, 416
- close function, 8, 51, 59, 63, 77, 115, 118, 306, 411, 427, 433, 452, 461, 493, 499–501, 506, 511–512, 515, 521–522, 539–540, 543, 547–548, 564, 571, 573, 581, 587–588, 592–594, 598–599, 601, 616–617, 619, 625, 627–628, 684–685, 688, 690, 693, 704–705
 - definition of, 63
- closedir function, 5, 7, 120–125, 412, 658, 858
 - definition of, 120
- closelog function, 412, 430
 - definition of, 430
- close-on-exec flag, 76, 79, 234, 452
- clrsync function, definition of, 881
- clr_fl function, 81, 442–443, 844, 879
- clri program, 114
- cmsgcred structure, 610–613
- MSG_DATA function, 607–608, 610, 612, 614
 - definition of, 607
- MSG_FIRSTHDR function, 607, 614
 - definition of, 607
- msg_hdr structure, 607–609, 611, 613
- MSG_LEN function, 607–609, 611, 613
 - definition of, 607
- MSG_NXTHDR function, 607, 612, 614
 - definition of, 607
- CMSPAR constant, 637, 645, 650
- codes, option, 31
- COLL_WEIGHTS_MAX constant, 39, 42, 48
- COLUMNS environment variable, 193
- Comer, D. E., 710, 886
- command-line arguments, 185
- Common Application Environment, *see* CAE
- Common Open Software Environment, *see* COSE
- communication, network printer, 753–805
- <complex.h> header, 27
- comp_t data type, 57
- Computing Science Research Group, *see* CSRG
- cond_signal function, 385
- connect function, 306, 411, 561–563, 565–566, 577, 597, 601
 - definition of, 561
- connection establishment, 561–565
- connect_retry function, 569, 763, 797
 - definition of, 562
- connld STREAMS module, 518, 590, 592, 600
- controlling
 - process, 272, 294
 - terminal, 61, 215, 234, 251, 268, 271–274, 276, 278–279, 281, 284, 286–287, 294, 296–297, 349, 423–425, 428, 439, 463, 468, 640, 645, 651, 654, 660, 662, 676, 683, 685, 689, 691–692, 846, 890
- cooked terminal mode, 632
- cooperating processes, 455, 717, 883
- Coordinated Universal Time, *see* UTC
- coprocesses, 510–514, 680, 701
- copy-on-write, 211, 417
- core dump, 70, 870
- core file, 104, 116, 256, 291, 293, 296, 307, 340, 641, 663, 857, 863, 865
- COSE (Common Open Software Environment), 32
- cp program, 131, 490
- cpio program, 117, 131–132, 858–859
- <cpio.h> header, 30
- CR terminal character, 638, 640, 663

- CR0 constant, 645
- CR1 constant, 645
- CR2 constant, 645
- CR3 constant, 645
- CRDLY constant, 637, 644–645, 649
- CREAD constant, 635, 646
- creat function, 59, 62–63, 65, 75, 85, 95, 97, 110, 113, 117, 139, 306, 411, 451, 592, 857, 860
 - definition of, 62
- creation mask, file mode, 97–98, 119, 131, 215, 234, 425
- cron program, 354, 425, 430–432, 434, 868
- CRTSCTS constant, 635, 646
- CRTS_IFLOW constant, 635, 646
- CRTSXOFF constant, 635, 646
- crypt function, 263, 273, 279–280, 402
- crypt program, 273, 660
- CS5 constant, 644, 646
- CS6 constant, 644, 646
- CS7 constant, 644, 646
- CS8 constant, 644, 646, 666–668
- .cshrc file, 265
- CSIZE constant, 635, 644, 646, 666–667
- csopen function, 615–616
 - definition of, 616, 621
- CSRG (Computing Science Research Group), xx, xxii, 35
- CSTOPB constant, 635, 646
- ctermid function, 401, 412, 654, 660–661
 - definition of, 654
- ctime function, 174–176, 402
 - definition of, 175
- ctime_r function, 402
- <ctype.h> header, 27
- cu program, 473
- cupsd program, 425, 757
- curses library, 672–673, 887, 890
- cuserid function, 257

- daemon, 423–439
 - coding, 425–428
 - conventions, 434–439
 - error logging, 428–432
- daemonize function, 425, 428, 439, 571, 573, 578, 624, 778, 844, 871–872
 - definition of, 426
- Dang, X. T., 188, 887
- Darwin, xxiii, 35
- data, out-of-band, 581–582
- data segment
 - initialized, 187
 - uninitialized, 187
- data transfer, 565–579
- data types, primitive system, 56
- database library, 709–752
 - coarse-grained locking, 718
 - concurrency, 718–719
 - fine-grained locking, 718
 - implementation, 712–715
 - performance, 747–752
 - source code, 719–747
- database transactions, 889
- Date, C. J., 719, 886
- date functions, time and, 173–176
- date program, 175, 178, 346, 862, 882
- DATEMSK environment variable, 193
- db library, 710, 889
- DB structure, 722–724, 726–728, 731–734, 739, 742, 748
 - _db_alloc function, 723, 726–727
 - db_close function, 710–711, 715, 727
 - definition of, 710
 - db_delete function, 711, 718, 734–735, 737, 883
 - definition of, 711
 - _db_dodelete function, 734–735, 738, 742, 746–747, 752, 883
 - db_fetch function, 711, 713, 715, 718, 728, 733
 - definition of, 711
 - _db_find_and_lock function, 728–729, 733–734, 740–741, 743, 752
 - _db_findfree function, 741, 743–744, 747
 - _db_free function, 724, 727
- DBHANDLE data type, 715
 - _db_hash function, 730, 752
- DB_INSERT constant, 711, 715, 740
- dbm library, 709–710, 890
 - dbm_clearerr function, 402
 - dbm_close function, 402, 412
 - dbm_delete function, 402, 412
 - dbm_error function, 402
 - dbm_fetch function, 402, 412
 - dbm_firstkey function, 402
 - dbm_nextkey function, 402, 412
 - dbm_open function, 402, 412
 - dbm_store function, 402, 412
- db_nextrec function, 712, 715, 718, 735, 745, 747, 752, 883
 - definition of, 712
- db_open function, 710–712, 715, 718, 721–723, 725–727, 747
 - definition of, 710
- _db_readdat function, 728, 734, 883
- _db_readidx function, 730–731, 746, 883

- `_db_readptr` function, 729, 731, 752
- `DB_REPLACE` constant, 711, 740
- `db_rewind` function, 712, 745, 747
 - definition of, 712
- `DB_STORE` constant, 711, 740
- `db_store` function, 711–712, 715, 718, 720, 735, 737, 740, 747, 750, 752
 - definition of, 711
- `_db_writedat` function, 735, 737–738, 741–742, 747, 752, 883
- `_db_writeidx` function, 484, 725, 738, 741–742, 747, 752, 883
- `_db_writeptr` function, 725, 739, 741–742
- `dcheck` program, 114
- `dd` program, 256
- deadlock, 216, 373, 450, 513, 680
 - avoidance, 373
 - record locking, 450
- delayed write, 77
- descriptor set, 475, 477, 493, 875
- `detachstate` attribute, 389–390
- `/dev/fb` device, 466
- `/dev/fd` device, 84–85, 132, 656
- `/dev/fd/0` device, 85
- `/dev/fd/1` device, 85, 132
- `/dev/fd/2` device, 85
- `devfs` file system, 129
- device number
 - major, 56–57, 127, 129, 659
 - minor, 56–57, 127, 129, 659
- device special file, 127–129
- device, STREAMS clone, 683
 - `/dev/klog` device, 429
 - `/dev/kmem` device, 65
 - `/dev/log` device, 429, 439, 871
 - `/dev/null` device, 69, 82, 279, 466
 - `/dev/ptmx` device, 683–685, 689–690
 - `/dev/pts` device, 689
 - `/dev/pty` device, 686–687
 - `/dev/stderr` device, 85, 658
 - `/dev/stdin` device, 85, 658
 - `/dev/stdout` device, 85, 658
- `dev_t` data type, 57, 127–128
- `/dev/tty` device, 273, 279, 287, 466, 654, 660, 705
- `/dev/zero` device, 538–540
- `df` program, 131, 858
- `DIR` structure, 7, 121, 260, 657
- directories
 - files and, 4–7
 - reading, 120–125
- directory, 4
 - file, 88
 - home, 2, 7, 125, 193, 264, 267
 - ownership, 95
 - parent, 4, 101, 116, 119
 - root, 4, 7, 24, 129, 131, 215, 234, 260, 858
 - working, 7, 13, 43, 49, 107, 125–126, 162, 193, 215, 234, 291, 426
- `dirent` structure, 5, 7, 121, 123, 657
- `<dirent.h>` header, 29, 121
- `dirname` function, 402
- `DISCARD` terminal character, 638, 640, 647
- `dlclose` function, 412
- `dlopen` function, 402
- `<dlfcn.h>` header, 30
- `dlopen` function, 412
- `do_driver` function, 696, 704
 - definition of, 704
- Dorward, S., 211, 889
- DOS, 55
- `dot`, *see* current directory
- `dot-dot`, *see* parent directory
- `drand48` function, 402
- `DSUSP` terminal character, 638, 640, 648
- `du` program, 104, 131, 857–858
- Duff, T., 84
- `dup` function, 51, 59, 70, 73, 76–77, 138, 153, 213, 306, 428, 452–453, 548, 855–856, 864
 - definition of, 76
- `dup2` function, 62, 76–77, 86, 138, 306, 501, 506, 512, 548, 573–574, 588, 617, 693, 704–705, 855
 - definition of, 76
- E2BIG error, 526
- EACCESS error, 14–15, 433–434, 447, 459, 861
- EAGAIN error, 16, 433–434, 442, 444, 447, 456–457, 459, 525, 531–532, 564, 582, 687
- EBADF error, 51
- EBADMSG error, 470
- EBUSY error, 16, 371, 380
- ECHILD error, 308, 326, 345, 508
- ECHO constant, 636, 646–647, 661, 665–667, 696, 844
- `echo` program, 185
- ECHOCTL constant, 636, 646
- ECHOE constant, 636, 646–647, 661, 696
- ECHOK constant, 636, 647, 661, 696
- ECHOKE constant, 636, 647
- ECHONL constant, 636, 647, 661, 696
- ECHOPRT constant, 636, 646–647
- `ecvt` function, 402
- `ed` program, 342, 344–345, 456–457
- EEXIST error, 112, 520

- EFBIG error, 868
- effective
- group ID, 91–92, 94–95, 101, 103, 130, 167, 210, 214, 237, 241, 520, 543, 605
 - user ID, 91–92, 94–95, 99, 103, 117, 130, 210, 214, 235, 237–241, 257, 262, 264, 312, 354, 520, 524, 530, 535, 542–543, 593, 600, 605, 771, 861, 866
- efficiency
- I/O, 68–70
 - standard I/O, 143–145
- EIDRM error, 524–526, 530–532
- EINPROGRESS error, 563
- EINTR error, 16, 246–247, 303–304, 313, 334, 345, 475, 480, 507–508, 525–526, 532, 575
- EINVAL error, 42, 47, 320, 361, 367, 464, 466, 505, 507, 665–667
- EIO error, 284, 297, 686
- Ellis, M., xxviii
- ELOOP error, 113–114
- EMSGSIZE error, 566
- ENAMETOOLONG error, 62
- encrypt function, 402
- endgrent function, 167–168, 402, 412
- definition of, 167
- endhostent function, 412, 553
- definition of, 553
- endnetent function, 412, 554
- definition of, 554
- endprotoent function, 412, 554
- definition of, 554
- endpwent function, 164–165, 402, 412
- definition of, 164
- endservent function, 412, 555
- definition of, 555
- endspent function, 166
- definition of, 166
- endutxent function, 402, 412
- ENFILE error, 16
- ENOBUFFS error, 16
- ENODEV error, 466
- ENOENT error, 15, 405, 686, 711
- ENOLCK error, 16
- ENOMEM error, 16
- ENOMSG error, 526
- ENOSPC error, 16, 405
- ENOSR error, 16
- ENOSTR error, 466
- ENOTDIR error, 548
- ENOTTY error, 466, 643, 653
- environ variable, 185–186, 193, 195, 232, 236, 404–405, 409, 863
- environment list, 185–186, 215, 233, 262–264
- environment variable, 192–195
- COLUMNS, 193
 - DATMSK, 193
 - HOME, 192–193, 264
 - IFS, 250
 - LANG, 41, 193
 - LC_ALL, 193
 - LC_COLLATE, 42, 193
 - LC_CTYPE, 193
 - LC_MESSAGES, 193
 - LC_MONETARY, 193
 - LC_NUMERIC, 193
 - LC_TIME, 193
 - LD_LIBRARY_PATH, 719
 - LINES, 193
 - LOGNAME, 193, 257, 264
 - MAILPATH, 192
 - MALLOC_OPTIONS, 870
 - MSGVERB, 193
 - NLSPATH, 193
 - PAGER, 501, 504–505
 - PATH, 93, 193, 232–233, 235, 242, 244, 247, 264–265
 - PWD, 193
 - SHELL, 193, 264, 701
 - TERM, 193, 263, 265
 - TMPDIR, 157–158, 193
 - TZ, 174, 176, 178, 193, 862
 - USER, 192, 264
- ENXIO error, 515
- EOF constant, 10, 141, 143–144, 154, 160, 507, 509, 512–513, 587, 624, 694, 861
- EOF terminal character, 638, 640, 646–647, 660, 663
- EOL terminal character, 638, 640, 647, 660, 663
- EOL2 terminal character, 638, 640, 647, 660, 663
- EPERM error, 238
- EPIPE error, 499, 878
- Epoch, 20, 22, 117, 171, 173–174, 600
- ERANGE error, 49
- ERASE terminal character, 638, 640, 646–647, 662–663
- ERASE2 terminal character, 638, 641
- err_dump function, 340, 733, 845–846
- definition of, 848
- err_exit function, 845–846
- definition of, 847
- err_msg function, 845–846
- definition of, 848
- errno variable, 14–15, 24, 42, 49, 54, 62, 64, 77, 112–113, 134, 238, 246, 284, 290, 297, 303–304, 306–308, 312–313, 320, 326, 334, 345, 353, 356, 358, 406, 413, 431, 434, 442, 444, 447, 459, 475, 480, 499, 508, 515, 526, 548, 563–564, 566,

- 582, 643, 653, 711, 767, 782, 846, 854, 868
 - <errno.h> header, 14, 16, 27
 - error
 - handling, 14–16
 - logging, daemon, 428–432
 - recovery, 16
 - routines, standard, 846–851
 - err_quit function, 7, 778, 845–846, 860
 - definition of, 848
 - err_ret function, 771, 845–846, 860
 - definition of, 847
 - err_sys function, 7, 24, 771, 845–846
 - definition of, 847
 - ESPIPE error, 64, 548
 - ESRCH error, 312
 - /etc/gettydefs file, 265
 - /etc/group file, 17–18, 161, 169–170
 - /etc/hosts file, 170
 - /etc/inittab file, 265
 - /etc/master.passwd file, 169
 - /etc/motd device, 466
 - /etc/networks file, 170
 - /etc/passwd file, 2, 92, 125, 161–162, 164, 166, 169–170
 - /etc/protocols file, 170
 - /etc/pwd.db file, 169
 - /etc/rc file, 173, 266
 - /etc/services file, 170
 - /etc/shadow file, 92, 169–170
 - /etc/spwd.db file, 169
 - /etc/syslog.conf file, 429
 - /etc/termcap file, 672
 - /etc/ttys file, 262
 - ETIME error, 763, 767
 - ETIMEDOUT error, 384
 - EWOLDBLOCK error, 16, 442, 564, 582
 - exec function, 10–12, 22, 39, 42, 78, 94, 113, 116–117, 179, 183, 185, 206, 211, 215–216, 231–240, 242–243, 245–246, 248, 250, 252, 256, 259–260, 262–264, 266–267, 270, 280, 300–301, 347, 416–417, 452, 489, 495, 500, 503, 519, 541, 615–616, 620–621, 629, 676, 678, 680, 682, 692, 704, 707, 863, 870, 886
 - execl function, 231–233, 242–243, 247, 253, 255–256, 260, 264, 345–346, 501, 506, 512, 573, 588, 617, 702, 865
 - definition of, 231
 - execle function, 231–233, 235–236, 263, 306
 - definition of, 231
 - execlp function, 11–13, 19, 231–233, 235–236, 245, 247, 260, 704, 865
 - definition of, 231
 - execv function, 231–233
 - definition of, 231
 - execve function, 231–233, 235, 306, 865
 - definition of, 231
 - execvp function, 231–233, 235, 695–696
 - definition of, 231
 - exercises, solutions to, 853–883
 - _exit function, 180, 183, 217–221, 247, 259–260, 306, 340, 342, 345, 354, 360, 407, 864, 867
 - _Exit function, 180, 183, 218–219, 221, 306, 340, 342, 360, 407
 - definition of, 180
 - _exit function, definition of, 180
 - exit function, 7, 140, 144, 180–184, 207, 213, 216–221, 228, 231, 246–247, 252–253, 255–256, 260, 264, 305, 340–341, 360, 407, 425, 504, 665, 696, 707, 771, 780, 793, 843, 863–864, 882
 - definition of, 180
 - exit handler, 182
 - expect program, 679, 703–705, 888
 - exponential backoff, 562
 - ext2 file system, 69, 82, 95, 119
 - ext3 file system, 95, 119
 - EXTPROC constant, 636, 647
-
- Fagin, R., 710, 715, 886
 - fatal error, 16
 - fattach function, 589, 592–593
 - definition of, 589
 - fchdir function, 125–127, 548
 - definition of, 125
 - fchmod function, 99–101, 112, 117, 306, 458, 548
 - definition of, 99
 - fchown function, 102–103, 117, 306, 548
 - definition of, 102
 - fclose function, 138–140, 181, 183, 340–341, 412, 507, 661
 - definition of, 139
 - fcntl function, 59, 73, 76–83, 86, 105, 138, 153, 203, 234, 306, 411–412, 442, 445, 447–450, 452, 454–455, 482, 548, 581–583, 749–751, 880–882
 - definition of, 78
 - <fcntl.h> header, 29, 60
 - fcvt function, 402
 - fdatasync function, 77–78, 82–83, 306, 548
 - definition of, 77
 - FD_CLOEXEC constant, 78–79, 234
 - FD_CLR function, 476, 625, 875
 - definition of, 476

- fdetach function, 590
 - definition of, 590
- FD_ISSET function, 476, 625, 875
 - definition of, 476
- fdopen function, 138–140, 506, 877
 - definition of, 138
- fd_set data type, 57, 475–476, 493, 625, 779–780, 874, 879
- FD_SET function, 476, 625, 875
 - definition of, 476
- FD_SETSIZE constant, 477, 874
- F_DUPFD constant, 77–79, 548
- FD_ZERO function, 476, 625, 875
 - definition of, 476
- feature test macro, 55–56, 81
- Fenner, B., 147, 266, 429, 545, 890
- <fcntl.h> header, 27
- feof function, 141, 146
 - definition of, 141
- error function, 10, 141, 143–144, 146, 254, 500, 505, 512, 588
 - definition of, 141
- FF0 constant, 647
- FF1 constant, 647
- FFDLY constant, 637, 644, 647, 649
- fflush function, 135, 137, 139, 160, 341, 412, 508–510, 514, 662, 680, 849, 851, 854, 861
 - definition of, 137
- F_FREESP constant, 105
- fgetc function, 140–141, 144–145, 412
 - definition of, 140
- F_GETFD constant, 78–79, 548
- F_GETFL constant, 78–81, 548
- F_GETLK constant, 78, 446–450
- F_GETOWN constant, 78–79, 548, 582
- fgetpos function, 147–148, 412
 - definition of, 148
- fgets function, 9, 11–12, 19, 140, 142–145, 156, 159, 196, 198, 412, 500, 505, 509, 512–514, 570, 577, 587, 616, 703, 718, 807, 859, 861, 877
 - definition of, 142
- fgetwc function, 412
- fgetws function, 412
- FIFOs, 89, 496, 514–518, 589
- file
 - access permissions, 92–94, 130
 - block special, 89, 128–129
 - character special, 89, 128–129, 461, 466, 659
 - descriptor passing, 543, 601–614
 - descriptor passing, socket, 606–614
 - descriptor passing, STREAMS, 604–606
 - descriptors, 8–10, 59–60
 - device special, 127–129
 - directory, 88
 - group, 166–167
 - holes, 65–66, 104–105
 - mode creation mask, 97–98, 119, 131, 215, 234, 425
 - offset, 63–65, 71–74, 76, 213–214, 454, 484, 713–714, 856
 - ownership, 95
 - pointer, 134
 - regular, 88
 - sharing, 70–73, 213
 - size, 103–105
 - times, 115–116, 493
 - truncation, 105
 - types, 88–91
- FILE structure, 121, 133–134, 141, 153–154, 156, 202, 217, 254, 402–403, 500, 504–505, 507, 509, 577, 661, 720, 872
- file system, 4, 105–108
 - devfs, 129
 - ext2, 69, 82, 95, 119
 - ext3, 95, 119
 - HSFS, 105
 - PCFS, 48, 55, 105
 - S5, 62
 - UFS, 48, 55, 62, 105, 108, 119
- filename, 4
 - truncation, 62
- FILENAME_MAX constant, 38
- fileno function, 153, 506–507, 661, 861
 - definition of, 153
- _FILE_OFFSET_BITS constant, 67
- FILEPERM constant, 762, 788
- files and directories, 4–7
- FILESIZEBITS constant, 39, 43, 48
- find program, 116, 125, 234
- finger program, 131, 163, 858
- FIOASYNC constant, 583, 880–881
- FIOSETOWN constant, 583
- FIPS, 33
- Flandrena, B., 211, 889
- <float.h> header, 27, 38
- flock function, 445
- flock structure, 446, 448–449, 454
- flockfile function, 402–403
 - definition of, 403
- FLUSHO constant, 636, 640, 647
- FMNAMESZ constant, 466
- fmsg function, 193
- <fmsg.h> header, 30
- FNDELAY constant, 442

- <fnmatch.h> header, 29
- F_OK constant, 96
- foo_alloc function, 372
- foo_find function, 376
- foo_hold function, 376
- foo_rele function, 376
- fopen function, 5, 134, 138–140, 154, 202, 254, 412, 500–501, 504, 661, 872
 - definition of, 138
- FOPEN_MAX constant, 38, 42
- foreground process group, 272–278, 280–281, 286, 294, 296–297, 343, 350, 424–425, 463, 640–642, 645, 649, 670, 706, 882
- foreground process group ID, 274, 278, 637
- fork function, 11–12, 19, 22, 73, 210–219, 223–225, 227–231, 235–236, 240, 242, 245–248, 250–253, 255–256, 259, 262, 264, 266–267, 270–271, 279, 282–284, 287, 301, 306, 309, 345–347, 354, 416–421, 425–428, 430, 451–453, 458–459, 473, 489, 495–501, 503, 506–507, 511, 519, 527, 539, 541, 544, 573–574, 587, 602, 615–617, 620–621, 629, 675, 680, 682–683, 691–692, 697, 704, 747, 865–866, 870–871, 873, 876, 878, 880, 886
 - definition of, 211
- fork1 function, 211
- Fowler, G. S., 125, 887, 890
- fpathconf function, 37, 39–48, 52–54, 103, 121, 306, 499, 639
 - definition of, 41
- FPE_FLTDIV constant, 327
- FPE_FLTINV constant, 327
- FPE_FLTOVF constant, 327
- FPE_FLTRES constant, 327
- FPE_FLTSUB constant, 327
- FPE_FLTUND constant, 327
- FPE_INTDIV constant, 327
- FPE_INTOVF constant, 327
- fpos_t data type, 57, 147
- fprintf function, 149, 412, 854
 - definition of, 149
- fputc function, 135, 142, 144–145, 412
 - definition of, 142
- fputs function, 136, 140, 142–145, 154, 156, 159, 412, 505, 509, 512, 587, 661, 849, 851, 859, 862, 877
 - definition of, 143
- fputwc function, 412
- fputws function, 412
- F_RDLCK constant, 446–447, 449–450, 845, 873–874
- fread function, 140, 145–147, 250, 254, 412
 - definition of, 146
- free function, 157, 159, 189–192, 306, 372, 374–376, 378, 410, 657, 728
 - definition of, 189
- freeaddrinfo function, 555
 - definition of, 555
- FreeBSD, xxii–xxiii, 3, 21, 26–27, 29–30, 35–36, 38, 48, 55, 58, 60, 62, 65, 78–79, 84, 95, 101–103, 112, 119, 122, 128, 162, 166, 169, 171–172, 176, 191, 193–194, 204, 206–207, 211, 222, 227, 242–243, 250–251, 257, 264–265, 268, 278, 285, 290–292, 295, 298, 304–305, 308, 310, 326, 330, 333, 348, 352, 357, 360, 364, 445, 452–453, 457, 459, 474–475, 496, 521, 523, 529, 534, 538, 550–551, 566–568, 583, 588, 596, 610–611, 614, 635–638, 645–651, 676, 682–683, 692, 705–706, 710, 876, 888
- freopen function, 134, 138–140, 412
 - definition of, 138
- fscanf function, 151, 412
 - definition of, 151
- fsck program, 114
- fseek function, 139, 147–148, 412
 - definition of, 147
- fseeko function, 147–148, 412
 - definition of, 148
- F_SETFD constant, 78–79, 81, 86, 548, 855
- F_SETFL constant, 78–79, 81, 86, 482, 548, 583, 855, 882
- F_SETLK constant, 78, 446–448, 450, 454, 845, 873–874
- F_SETLKW constant, 78, 446–448, 450, 845, 873
- F_SETOWN constant, 78–79, 482, 548, 581–583, 880–881
- fsetpos function, 139, 147–148, 412
 - definition of, 148
- fstat function, 4, 87–88, 112, 306, 458, 491, 497, 542, 548, 658, 725, 796
 - definition of, 87
- fsync function, 59, 77–78, 82–83, 160, 306, 411, 489, 548, 752, 861
 - definition of, 77
- ftell function, 147–148, 412
 - definition of, 147
- ftello function, 147–148, 412
 - definition of, 148
- ftok function, 519
 - definition of, 519
- ftpd program, 431, 871
- ftruncate function, 105, 117, 306, 491, 548
 - definition of, 105
- ftrylockfile function, 402–403

- definition of, 403
- fts function, 122
- ftw function, 113–114, 120–125, 131, 402, 412, 858
- <ftw.h> header, 30
- full-duplex pipes, 496
 - named, 496
- function prototypes, 807–841
- functions, system calls versus, 21–23
- F_UNLCK constant, 446–447, 449–450, 845
- funlockfile function, 402–403
 - definition of, 403
- fwide function, 134
 - definition of, 134
- fwprintf function, 412
- fwrite function, 140, 145–147, 354, 412, 868
 - definition of, 146
- F_WRLCK constant, 446–447, 449–450, 454, 845, 873
- fwscanf function, 412

- gai_strerror function, 556, 571, 574, 576, 578
 - definition of, 556
- Gallmeister, B. O., 887
- Garfinkel, S., 165, 232, 273, 887
- gather write, 483, 607
- gawk program, 243
- gcc program, 6, 26, 56
- gcvt function, 402
- gdb program, 870
- gdbm library, 710
- generic pointer, 68, 190
- getaddrinfo function, 555–557, 559–560, 569–571, 574, 576, 578, 764, 770
 - definition of, 555
- getaddrlist function, 764, 770
- GETALL constant, 530
- getc function, 10, 140–143, 145, 153–154, 412, 661–662, 861
 - definition of, 140
- getchar function, 140, 154, 160, 412, 509, 861
 - definition of, 140
- getchar_unlocked function, 402–403, 412
 - definition of, 403
- getconf program, 67
- getc_unlocked function, 402–403, 412
 - definition of, 403
- getcwd function, 49, 125–127, 132, 190, 412, 859–860
 - definition of, 126
- getdate function, 193, 402, 412
- getegid function, 210, 306
 - definition of, 210
- getenv function, 186, 192–194, 402–405, 409–410, 421, 501, 870
 - definition of, 192
- getenv_r function, 404–405
- geteuid function, 210, 238–239, 249, 306, 612, 771
 - definition of, 210
- getgid function, 17, 210, 306
 - definition of, 210
- getgrent function, 167–168, 402, 412
 - definition of, 167
- getgrgid function, 166, 402, 412
 - definition of, 166
- getgrgid_r function, 402, 412
- getgrnam function, 166, 402, 412, 687
 - definition of, 166
- getgrnam_r function, 402, 412
- getgroups function, 168, 306
 - definition of, 168
- gethostbyaddr function, 402, 412, 553, 555
- gethostbyname function, 402, 412, 553, 555
- gethostent function, 402, 412, 553
 - definition of, 553
- gethostname function, 39, 42, 172, 412, 571–573, 578, 778
 - definition of, 172
- getlogin function, 256–257, 402, 412, 439, 871–872
 - definition of, 256
- getlogin_r function, 402, 412
- getmsg function, 411, 461–463, 469–472, 493, 548, 605, 705, 875
 - definition of, 469
- getnameinfo function, 556
 - definition of, 556
- GETNCNT constant, 530
- getnetbyaddr function, 402, 412, 554
 - definition of, 554
- getnetbyname function, 402, 412, 554
 - definition of, 554
- getnetent function, 402, 412, 554
 - definition of, 554
- get_newjobno function, 783, 788
- getopt function, 402, 624, 694, 696, 770, 773–774
 - definition of, 774
- getpass function, 263, 273, 660, 662–663
 - definition of, 661
- getpeername function, 306, 561
 - definition of, 561
- getpgid function, 269
 - definition of, 269
- getpgrp function, 269, 306

- definition of, 269
- GETPID constant, 530
- getpid function, 11, 210, 212, 217, 253, 284, 306, 341, 351, 359, 434, 612, 881
 - definition of, 210
- getpmsg function, 411, 461–463, 469–470, 548
 - definition of, 469
- getppid function, 210–211, 306, 451, 697
 - definition of, 210
- get_printaddr function, 766, 782
- get_printserver function, 766, 770
- getprotobyname function, 402, 412, 554
 - definition of, 554
- getprotobynumber function, 402, 412, 554
 - definition of, 554
- getprotoent function, 402, 412, 554
 - definition of, 554
- getpwent function, 164–165, 402, 412
 - definition of, 164
- getpwnam function, 161–165, 170, 256, 263, 306–308, 402, 412, 779, 861–862
 - definition of, 163–164
- getpwnam_r function, 402, 412
- getpwuid function, 161–165, 170, 256–257, 402, 412, 771, 861
 - definition of, 163
- getpwuid_r function, 402, 412
- getrlimit function, 52, 202, 205, 426–427, 854–855
 - definition of, 202
- getrusage function, 227, 258
- gets function, 142–143, 412, 859
 - definition of, 142
- getservbyname function, 402, 412, 555
 - definition of, 555
- getservbyport function, 402, 412, 555
 - definition of, 555
- getservernt function, 402, 412, 555
 - definition of, 555
- getsid function, 271
 - definition of, 271
- getsockname function, 306, 561
 - definition of, 561
- getsockopt function, 306, 579–580
 - definition of, 579
- getspent function, 166
 - definition of, 166
- getspnam function, 166, 861
 - definition of, 166
- gettimeofday function, 173, 176, 383, 398
 - definition of, 173
- getty program, 220, 262–266, 431
 - gettytab file, 263
- getuid function, 17, 210, 238–239, 249, 256–257, 306, 687
 - definition of, 210
- getutxent function, 402, 412
- getutxid function, 402, 412
- getutxline function, 402, 412
- GETVAL constant, 530
- getwc function, 412
- getwchar function, 412
- getwd function, 412
- GETZCNT constant, 530
- GID, *see* group ID
- gid_t data type, 57
- Gingell, R. A., 188, 487, 887
- Gitlin, J. E., xxviii
- glob function, 412
- global variables, 201
- <glob.h> header, 29
- gmtime function, 174–175, 402
 - definition of, 175
- gmtime_r function, 402
- GNU, 2, 265, 719
- GNU Public License, 35
- _GNU_SOURCE constant, 91
- Godsil, J. M., xxviii
- Goodheart, B., 672, 887
- goto, nonlocal, 195–202, 329–333
- Grandi, S., xxviii
- grantpt function, 682–685, 688–691, 707
 - definition of, 682, 687, 690
- grep program, 20, 159, 182, 234, 887
- group file, 166–167
- group ID, 17, 237–241
 - effective, 91–92, 94–95, 101, 103, 130, 167, 210, 214, 237, 241, 520, 543, 605
 - real, 91–92, 95, 167, 210, 214, 234–235, 237, 251, 541
 - supplementary, 18, 39, 91–92, 94, 101, 103, 167–168, 214, 234, 241
- group structure, 166, 687
- <grp.h> header, 29, 166, 170
- guardsize attribute, 389, 392

- hack, 278
- half-duplex pipes, 496
- hard link, 4, 107, 109, 112, 114
- hcreate function, 402
- hdestroy function, 402
- headers
 - optional, 30

- POSIX required, 29
 - standard, 27
 - XSI extension, 30
- heap, 187
- Hein, T. R., xxviii, 889
- Hewlett-Packard, 36, 798
- Hogue, J. E., xxviii
- holes, file, 65–66, 104–105
- home directory, 2, 7, 125, 193, 264, 267
- HOME environment variable, 192–193, 264
- Honeyman, P., xxviii
- hostent structure, 553
- hostname program, 173
- HOST_NAME_MAX constant, 39, 42, 48, 172, 570–573, 577–578, 778
- HP-UX, 36
- hsearch function, 402
- HSFS file system, 105
- htonl function, 550, 797
 - definition of, 550
- htons function, 550, 797
 - definition of, 550
- HTTP (Hypertext Transfer Protocol), 756
- Hume, A. G., 159, 887
- HUPCL constant, 635, 647
- Hypertext Transfer Protocol, *see* HTTP

- IBM (International Business Machines), 36
- ICANON constant, 636, 638, 640–642, 646–647, 651, 663, 665–667
- I_CANPUT constant, 465
- iconv_close function, 412
- <iconv.h> header, 30
- iconv_open function, 412
- ICRNL constant, 635, 640, 648, 660, 666–668
- identifiers
 - IPC, 518–520
 - process, 209–210
- IDXLEN_MAX constant, 745
- IEC, 25
- IEEE (Institute for Electrical and Electronic Engineers), xx, 26–27, 887
- IEXTEN constant, 636, 638, 640–642, 648, 666–668
- I_FIND constant, 684–685
- IFS environment variable, 250
- IGNBRK constant, 635, 645, 648
- IGNCR constant, 635, 640, 648, 660
- IGNPAR constant, 635, 648, 650
- I_GRDOPT constant, 470
- I_GWROPT constant, 468
- I_LIST constant, 466–467
- ILL_BADSTK constant, 327
- ILL_COPROC constant, 327
- ILL_ILLADR constant, 327
- ILL_ILLOPC constant, 327
- ILL_ILLOPN constant, 327
- ILL_ILLTRP constant, 327
- ILL_PRVOPC constant, 327
- ILL_PRVREG constant, 327
- IMAXBEL constant, 635, 648
- implementation differences, password, 169
- implementations, UNIX System, 33
- INADDR_ANY constant, 561
- in_addr_t data type, 551
- incore, 70
- INET6_ADDRSTRLEN constant, 552
- inet_addr function, 552
- INET_ADDRSTRLEN constant, 552, 559–560
- inetd program, 266–268, 425, 430–431
- inet_ntoa function, 402, 552
- inet_ntop function, 552, 560
 - definition of, 552
- inet_pton function, 552
 - definition of, 552
- INFTIM constant, 480
- init program, 171, 173, 210, 219–220, 228, 262–266, 268, 282–283, 287, 295, 312, 350, 425, 434, 866, 871
- initgroups function, 168, 264
 - definition of, 168
- initialized data segment, 187
- init_printer function, 778, 782, 796
- init_request function, 778, 781
- initserver function, 570–572, 574, 577–578, 763, 779
 - definition of, 564, 580
- inittab file, 295
- INLCR constant, 635, 648
- i-node, 57, 71–72, 88, 101, 105, 107–108, 112, 115–117, 120–121, 128–129, 163, 287, 453, 658, 853, 858
- ino_t data type, 57, 107
- INPCK constant, 635, 648, 650, 666–668
- in_port_t data type, 551
- Institute for Electrical and Electronic Engineers, *see* IEEE
- int16_t data type, 794
- International Business Machines, *see* IBM
- International Standards Organization, *see* ISO
- Internet Printing Protocol, *see* IPP
- Internet worm, 142
- interpreter file, 242–246, 260
- interprocess communication, *see* IPC

- interrupted system calls, 303–305, 317–318, 326, 329, 339, 481
- INT_MAX constant, 38
- INT_MIN constant, 38
- INTR terminal character, 638, 641, 648, 661
- <inttypes.h> header, 27
- I/O
 - asynchronous, 473, 481–482
 - asynchronous socket, 582–583
 - efficiency, 68–70
 - library, standard, 9, 133–160
 - memory-mapped, 487–492
 - multiplexing, 472–481
 - nonblocking, 441–444
 - nonblocking socket, 563–564, 582–583
 - terminal, 631–673
 - unbuffered, 8, 59–86
- IOBUFSZ constant, 799
- ioctl function, 59, 83–84, 86, 273, 297, 303–304, 412, 442, 460–462, 464–468, 470, 482, 524, 548, 583, 587, 593, 600, 604–606, 634, 670–671, 684–685, 689–690, 692–693, 695, 705–707, 880–881
 - definition of, 83
- ioctl operations, STREAMS, 464
- _IOFBF constant, 137
- _IOLBF constant, 137, 202
- _IO_LINE_BUFFERED constant, 154
- _IONBF constant, 137
- _IO_UNBUFFERED constant, 154
- iovec structure, 40–42, 483, 566, 608–609, 611, 613, 617, 621, 737, 799
- IOV_MAX constant, 40, 42, 48, 483
- IPC (interprocess communication), 495–544, 585–629
 - identifiers, 518–520
 - key, 518–520, 524, 529, 534
 - XSI, 518–522
- IPC_CREAT constant, 519–520
- IPC_EXCL constant, 520
- IPC_NOWAIT constant, 525–526, 531–532
- ipc_perm structure, 520, 524, 529, 534, 543
- IPC_PRIVATE constant, 519, 537, 542, 544
- ipcrm program, 521
- IPC_RMID constant, 524–525, 530, 535–537
- ipcs program, 521, 544
- IPC_SET constant, 524–525, 530, 535
- IPC_STAT constant, 524–525, 530, 535
- IPP (Internet Printing Protocol), 753–756
- ipp.h header, 805
- IPPROTO_IP constant, 579
- IPPROTO_RAW constant, 558
- IPPROTO_TCP constant, 558, 579
- IPPROTO_UDP constant, 558
- I_PUSH constant, 593, 685
- I_RECVFD constant, 593, 600, 604–606
- IRIX, 36
- isastream function, 464–465, 467, 594
 - definition of, 465
- isatty function, 464–465, 639, 655, 658–659, 671, 694, 702
 - definition of, 655
- I_SENDFD constant, 604–605
- I_SETSIG constant, 482
- ISIG constant, 636, 638, 640–642, 648, 666–668
- ISO (International Standards Organization), xx, xxvii, 25–27, 887
- ISO C, 25–26, 887
- <iso646.h> header, 27
- Israel, R. K., 462, 889
- I_SRDOPT constant, 470
- is_read_lockable function, 450, 845
- ISTRIP constant, 635, 648, 650, 666–668
- is_write_lockable function, 450, 845
- I_SWROPT constant, 468
- IUCLC constant, 635, 649
- IXANY constant, 635, 649
- IXOFF constant, 635, 641–642, 649
- IXON constant, 635, 641–642, 649, 666–668

- jmp_buf data type, 198, 200, 315, 318
- job control, 274–278
 - shell, 270, 274, 280, 283, 300, 333, 350, 699
 - signals, 349–352
- job_find function, 869
- job_remove function, 869
- Jolitz, W. F., 34
- Joy, W. N., 3, 71
- jsh program, 275

- Karels, M. J., 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- kdump program, 457
- kernel, 1
- Kernighan, B. W., xx, xxviii, 26, 139, 145, 151, 153, 190, 243, 846, 854, 885, 887
- key, IPC, 518–520, 524, 529, 534
- key_t data type, 518
- kill function, 18, 253, 283–284, 290, 300, 306, 310–313, 327, 338, 341–342, 351–352, 354, 414, 416, 639, 641, 662, 697–698, 867, 874

- definition of, 312
- kill program, 290–291, 296, 300, 513
- KILL terminal character, 638, 641, 647, 662–663
- kill_workers function, 791–793
- Kleiman, S. R., 71, 887
- Knuth, D. E., 730, 888
- Korn, D. G., 3, 125, 159, 510, 886–888, 890
- Korn shell, 3, 52, 86, 158, 192, 204, 265, 275, 457, 510, 662, 698–699, 701, 877, 886
- Kovach, K. R., 521, 885
- Krieger, O., 159, 492, 888
- ktrace program, 457

- l64a function, 402
- LANG environment variable, 41, 193
- <langinfo.h> header, 30
- last program, 171
- layers, shell, 274
- LC_ALL environment variable, 193
- LC_COLLATE environment variable, 42, 193
- LC_CTYPE environment variable, 193
- lchown function, 102–103, 112–113, 117
 - definition of, 102
- LC_MESSAGES environment variable, 193
- LC_MONETARY environment variable, 193
- LC_NUMERIC environment variable, 193
- L_ctermid constant, 654
- LC_TIME environment variable, 193
- ld program, 189
- LDAP (Lightweight Directory Access Protocol), 169
- LD_LIBRARY_PATH environment variable, 719
- ldterm STREAMS module, 468, 676, 685
- leakage, memory, 191
- least privilege, 237, 758, 779
- Lee, M., 188, 887
- Lee, T. P., 886
- Leffler, S. J., 34, 888
- Lennert, D., 888
- Lesk, M. E., 133
- lgamma function, 402
- lgammaf function, 402
- lgamma1 function, 402
- Libes, D., 679, 867, 888
- <libgen.h> header, 30
- libraries, shared, 188–189, 207, 719, 863, 885
- Lightweight Directory Access Protocol, *see* LDAP
- limit program, 52, 204
- limits, 36–52
 - C, 38
 - POSIX, 38–40
 - resource, 202–206, 215, 234, 297, 354
 - runtime indeterminate, 48–52
 - XSI, 40–41
- <limits.h> header, 27, 38–40, 48–49
- Linderman, J. P., xxviii
- line control, terminal I/O, 653–654
- LINE_MAX constant, 39, 42, 48
- LINES environment variable, 193
- link count, 43, 57, 107–109, 120
- link function, 75, 107–114, 117, 306
 - definition of, 109
- link, hard, 4, 107, 109, 112, 114
 - symbolic, 88–89, 102–103, 107, 110, 112–114, 121, 127, 131, 170, 856–857
- LINK_MAX constant, 39, 43, 48, 107
- lint program, 182
- Linux, xxi, xxiii, 2–3, 14, 21, 26–27, 29–30, 35–36, 38, 40, 48, 51, 55, 58, 60, 62, 69–72, 82–84, 91, 95, 101–103, 112, 114, 119, 122, 128, 154, 162, 166, 169, 171–172, 176, 187, 191, 193–194, 203–204, 207, 211, 222, 227, 242–243, 250–251, 255, 264–265, 268, 278, 280, 290, 292–296, 298, 304–305, 308, 310, 326, 329–330, 333, 348, 352, 357, 360, 364, 424, 437, 445, 455–457, 460–461, 464, 474–475, 484, 492, 496, 521, 523, 529, 533–535, 537–538, 540, 550–552, 566–568, 583, 585, 595, 610–612, 614, 635–638, 644–651, 653, 676, 683, 686, 689, 691–692, 705–706, 710, 719, 876
- Linux STREAMS, 496
- Lions, J., 888
- LiS, 496
- listen function, 306, 561, 563–564, 581, 597–598, 762
 - definition of, 563
- little-endian byte order, 549
- Litwin, W., 710, 715, 888
- LLONG_MAX constant, 38
- LLONG_MIN constant, 38
- ln program, 107
- LNEXT terminal character, 638, 641
- locale, 42
- localeconv function, 402
- <locale.h> header, 27
- LOCAL_PEERCREC constant, 612
- localtime function, 174–176, 246, 402, 862
 - definition of, 175
- localtime_r function, 402
- lockf function, 411, 445
- lockf structure, 453
- lockfile function, 433
 - definition of, 454

- locking
 - database library, coarse-grained, 718
 - database library, fine-grained, 718
- locking function, 445
- lock_reg function, 448, 845, 873–874
 - definition of, 449
- lock_test function, 449–450, 845
 - definition of, 449
- log function, 429
- LOG_ALERT constant, 431
- LOG_AUTH constant, 431
- LOG_AUTHPRIV constant, 431
- LOG_CONS constant, 428, 430
- LOG_CRIT constant, 431
- LOG_CRON constant, 431
- LOG_DAEMON constant, 428, 431
- LOG_DEBUG constant, 431
- LOG_EMERG constant, 431
- LOG_ERR constant, 431, 433, 435–436, 438, 570–574, 577–578, 850
- LOG_FTP constant, 431
- logger program, 432
- login accounting, 170–171
- .login file, 265
- login name, 2, 17, 125, 163, 171, 193, 256–257, 266, 439, 871
 - root, 16
- login program, 163, 166, 168, 171, 233, 236, 238, 257, 263–267, 431, 660, 678, 703
- LOG_INFO constant, 431, 435, 437
- LOGIN_NAME_MAX constant, 39, 42, 48
- logins
 - network, 266–268
 - terminal, 261–266
- LOG_KERN constant, 431
- LOG_LOCAL0 constant, 431
- LOG_LOCAL1 constant, 431
- LOG_LOCAL2 constant, 431
- LOG_LOCAL3 constant, 431
- LOG_LOCAL4 constant, 431
- LOG_LOCAL5 constant, 431
- LOG_LOCAL6 constant, 431
- LOG_LOCAL7 constant, 431
- LOG_LPR constant, 431
- LOG_MAIL constant, 431
- log_msg function, 845–846
 - definition of, 850
- LOGNAME environment variable, 193, 257, 264
- LOG_NDELAY constant, 430, 871
- LOG_NEWS constant, 431
- LOG_NOTICE constant, 431
- log_open function, 624, 845
 - definition of, 849
- LOG_PERROR constant, 430
- LOG_PID constant, 430, 624
- log_quit function, 793, 845–846
 - definition of, 850
- log_ret function, 845–846
 - definition of, 849
- log_sys function, 766, 782, 845–846
 - definition of, 850
- LOG_SYSLOG constant, 431
- log_to_stderr variable, 624, 776, 849, 851
- LOG_USER constant, 431, 624
- LOG_WARNING constant, 431
- LONG_BIT constant, 40
- longjmp function, 179, 195, 197–201, 206, 305, 307, 315, 317–318, 329–331, 333, 340, 354, 867
 - definition of, 197
- _longjmp function, 330, 333
- LONG_MAX constant, 38, 51, 58, 854–855
- LONG_MIN constant, 38
- loop function, 624, 626, 629, 696, 707
 - definition of, 626, 697
- lp program, 541, 757
- lpc program, 431
- lpd program, 431, 757
- lpsched program, 541, 757
- lrand48 function, 402
- ls program, 5–6, 8, 13, 100–101, 104, 114, 116, 121, 125, 129, 131, 161, 163, 521, 853
- lseek function, 8, 57, 59, 63–67, 72–75, 84, 86, 139, 148, 306, 412, 420, 446, 449, 454, 458, 491, 548, 629, 732, 856
 - definition of, 63
- lstat function, 87–88, 90–91, 113–114, 123, 131, 306
 - definition of, 87
- L_tmpnam constant, 156
- Lucchina, P., xxviii
- Mac OS X, xxii, 3, 16, 26–27, 29–30, 35–36, 38, 48, 54–55, 58, 60, 62, 78–79, 82, 84, 95, 101–103, 112, 119, 122, 128, 162, 166, 168–169, 171–172, 176, 191, 193–194, 204, 222, 227, 242–243, 250–251, 257, 264–265, 268, 278, 290–293, 295, 298, 304–305, 308, 310, 326, 330, 348, 352, 357, 360, 445, 457, 474–475, 484, 496–497, 521, 523, 529, 534, 538, 550, 566–568, 583, 596, 610, 635–638, 645–651, 676, 683, 692, 705–706, 710, 876
- Mach, xxii–xxiii, 35, 885
- <machine/_types.h> header, 854

- macro, feature test, 55–56, 81
- MAILPATH environment variable, 192
- main function, 7, 140, 145, 179–182, 184, 186, 197–199, 207, 218–219, 231, 260, 306–308, 332–333, 428, 587, 616, 618, 624, 694, 704, 771, 774, 777, 780, 787, 793, 796, 863, 865, 867, 880, 882
- major device number, 56–57, 127, 129, 659
- major function, 128–129
- make program, 275
- makethread function, 400
- mallinfo function, 191
- malloc function, 21–23, 50, 126, 135, 157, 159, 189–192, 195, 305–306, 308, 364, 371–372, 374, 376, 391, 398, 407, 409–410, 537, 571, 573, 578, 608–609, 612–613, 622–623, 626, 656, 868, 870
 - definition of, 189
- MALLOC_OPTIONS environment variable, 870
- malloc_t function, 191
- man program, 239–240
- mandatory record locking, 455
- Mandrake, xxiii
- MAP_ANON constant, 540
- MAP_ANONYMOUS constant, 540
- MAP_FAILED constant, 491, 539
- MAP_FIXED constant, 488–489
- MAP_PRIVATE constant, 488, 490, 540
- MAP_SHARED constant, 488, 490–491, 538–540
- <math.h> header, 27
- Mauro, J., 70, 105, 108, 889
- MAX_CANON constant, 39, 43, 46, 48, 633
- MAX_INPUT constant, 39, 43, 48, 632
- MAXPATHLEN constant, 49
- MB_LEN_MAX constant, 38
- mbstate_t structure, 401
- McDougall, R., 70, 105, 108, 889
- McGrath, G. J., 462, 889
- McIlroy, M. D., xxviii
- McKusick, M. K., xxviii, 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- M_DATA STREAMS message type, 463–464, 468
- MDBUF constant, 635, 645, 649
- memcpy function, 145
- memcpy function, 491–492
- memory
 - allocation, 189–192
 - layout, 186–188
 - leakage, 191
 - shared, 496, 533–540
- memory-mapped I/O, 487–492
- M_ERROR STREAMS message type, 482
- message queues, 496, 522–527
 - timing, 527
- messages, STREAMS, 462
- mgetty program, 265
- M_HANGUP STREAMS message type, 482
- MIN terminal value, 647, 663–664, 668, 673, 882
- minor device number, 56–57, 127, 129, 659
- minor function, 128–129
- mkdir function, 95, 112–114, 116–117, 119–120, 306, 860
 - definition of, 119
- mkdir program, 119
- mkfifo function, 112–113, 116–117, 306, 514–515, 878
 - definition of, 514
- mkfifo program, 515
- mknod function, 112–113, 119, 515
- mkstemp function, 155–159, 412
 - definition of, 158
- mktemp function, 158
- mktime function, 174–176
 - definition of, 175
- mlock function, 203
- mmap function, 159, 203, 391, 441, 487–489, 491–493, 538–540, 543, 548, 887
 - definition of, 487
- modem, xx, xxiii, 261, 263, 272, 294, 303, 441, 481, 631, 634–635, 645, 647, 649, 652
- mode_t data type, 57
- <monetary.h> header, 30
- Moran, J. P., 487, 887
- more program, 505, 714
- MORECTL constant, 470
- MOREDATA constant, 470
- Morris, R., 165, 889
- mount function, 592
- mount program, 95, 119, 129, 455
- mounted STREAMS-based pipes, 495, 514, 518
- M_PROTO STREAMS message type, 463–464
- mprotect function, 489
 - definition of, 489
- M_PROTO STREAMS message type, 463–464
- mq_receive function, 411
- mq_send function, 411
- mq_timedreceive function, 411
- mq_timedsend function, 411
- <mqqueue.h> header, 30
- rand48 function, 402
- MS_ASYNC constant, 490
- MSG_ANY constant, 469
- MSG_BAND constant, 464, 469
- msgctl function, 520–521, 524

- definition of, 524
- MSG_CTRUNC constant, 568
- MSG_DONTROUTE constant, 566
- MSG_DONTWAIT constant, 566, 568
- MSG_EOR constant, 566, 568
- msgget function, 518–519, 521–524
 - definition of, 524
- msghdr structure, 566, 568, 606, 608–609, 611, 613
- MSG_HIPRI constant, 464, 469
- MSG_NOERROR constant, 526
- MSG_OOB constant, 566–568, 581–582
- MSG_PEEK constant, 567
- msgrcv function, 411, 520–521, 523, 526, 541
 - definition of, 526
- msgsnd function, 411, 520–523, 525–527
 - definition of, 525
- MSG_TRUNC constant, 567–568
- MSGVERB environment variable, 193
- MSG_WAITALL constant, 567
- M_SIG STREAMS message type, 463
- MS_INVALIDATE constant, 490
- msgid_ds structure, 523–524, 526
- MS_SYNC constant, 490–491
- msync function, 411, 489–491
 - definition of, 490
- Mui, L., 672, 890
- multiplexing, I/O, 472–481
- munmap function, 490
 - definition of, 490
- mv program, 107
- myftw function, 123, 131

- named full-duplex pipes, 496
- NAME_MAX constant, 39, 43, 48, 54, 62, 121
- nanosleep function, 348, 398, 400, 411, 421
- Nataros, S., xxviii
- nawk program, 243
- NCCS constant, 634
- ndbm library, 709–710
 - <ndbm.h> header, 30
- Nemeth, E., xxviii, 889
 - <netdb.h> header, 29, 170
- netent structure, 554
 - <net/if.h> header, 29
 - <netinet/in.h> header, 29, 550–551
 - <netinet/tcp.h> header, 29
- netinfo, 169
- Network File System, Sun Microsystems, *see* NFS
- Network Information Service, *see* NIS
- network logins, 266–268
- network printer communication, 753–805
 - Neville-Neil, G. V., 70, 104, 108, 888
 - newgrp program, 167
 - nfds_t data type, 479
 - _NFILE constant, 50
 - NFS (Network File System, Sun Microsystems), 72, 752
 - nftw function, 121–122, 402, 412
 - NGROUPS_MAX constant, 39, 42, 48, 167–168
 - Nievergelt, J., 710, 715, 886
 - NIS (Network Information Service), 169
 - NIS+, 169
 - NL terminal character, 638, 640–641, 647, 660, 663
 - NLO constant, 649
 - NL1 constant, 649
 - NL_ARGMAX constant, 41
 - NLDLY constant, 637, 644, 649
 - nlink_t data type, 57, 107
 - nl_langinfo function, 402
 - NL_LANGMAX constant, 41
 - NL_MSGMAX constant, 41
 - NL_NMAX constant, 41
 - NL_SETMAX constant, 41
 - NLSPATH environment variable, 193
 - NL_TEXTMAX constant, 41
 - <nl_types.h> header, 30
 - nobody login name, 162–163
 - NOFILE constant, 50
 - NOFLSH constant, 636, 649
 - NOKERNINFO constant, 636, 642, 649
 - nologin program, 163
 - nonblocking
 - I/O, 441–444
 - socket I/O, 563–564, 582–583
 - noncanonical mode, terminal I/O, 663–670
 - nonfatal error, 16
 - nonlocal goto, 195–202, 329–333
 - ntohl function, 550, 804
 - definition of, 550
 - ntohs function, 550, 560, 804
 - definition of, 550
 - NULL constant, 786
 - null signal, 290, 312
 - NZERO constant, 41

 - O_ACCMODE constant, 79–80
 - O_APPEND constant, 60, 63, 68, 72, 74, 79–80, 139, 457
 - O_ASYNC constant, 79, 482, 583
 - O_CREAT constant, 61, 63, 75, 85, 112, 117, 433, 456–458, 491, 520, 715, 724, 872
 - OCRNL constant, 637, 649

- od program, 66
- O_DSYNC constant, 61–62, 79
- O_EXCL constant, 61, 75, 112, 520
- OFDEL constant, 637, 644, 649
- off_t data type, 57, 64–67, 147–148, 738
- OFILL constant, 637, 644, 649
- O_FSYNC constant, 62, 79–80
- Olander, D. J., 462, 889
- OLCUC constant, 637, 649
- Olson, M., 889
- O_NDELAY constant, 36, 61, 442
- ONLCR constant, 637, 650, 696, 702
- ONLRET constant, 637, 650
- ONOCR constant, 637, 650
- O_NOCTTY constant, 61, 273, 426, 681–682, 685
- ONOEOT constant, 637, 650
- O_NONBLOCK constant, 36, 61, 79–80, 442–443, 456, 458, 515, 565, 876, 878–879
- open function, 8, 14, 59–63, 74–75, 79, 85–86, 94–97, 105, 110, 112–115, 117–118, 127, 138–139, 260, 263, 273, 306, 411, 428–429, 433, 442, 452–453, 455–458, 461, 465, 467, 487, 491, 514–515, 518, 520–522, 539–541, 544, 547, 594, 615, 618–619, 628–629, 645, 681, 684–686, 688–689, 691, 711, 723–724, 786, 855, 857, 872, 878–879
 - definition of, 60
- Open Software Foundation, *see* OSF
- opend.h header, 617, 622, 881
- opendir function, 5, 7, 113, 120–125, 234, 260, 412, 657, 858
 - definition of, 120
- openlog function, 412, 428, 430, 432, 439, 849, 871
 - definition of, 430
- OPEN_MAX constant, 39, 42, 48, 50–52, 58, 60, 854
- open_max function, 426, 506, 626–627, 844
 - definition of, 51, 855
- OpenServer, 309, 445
- OPOST constant, 637, 650, 666–668, 670
- optarg variable, 774
- opterr variable, 774
- optind variable, 770
- option codes, 31
- options, 52–55
 - socket, 579–581
- optopt variable, 774
- ordering, byte, 549–550
- O_RDONLY constant, 60, 79–80, 94, 96, 465, 467, 491, 616, 878
- O_RDWR constant, 60, 79–80, 94, 118, 428, 433, 458, 491, 539, 594, 681, 684, 688, 690–691, 715, 872
- O'Reilly, T., 672, 890
- orientation, stream, 134
- orphaned process group, 282–285, 428, 699
- O_RSYNC constant, 61–62, 79
- OSF (Open Software Foundation), 32
- O_SYNC constant, 61–62, 79–80, 82–83
- O_TRUNC constant, 61, 63, 94, 105, 117–118, 139, 456, 458, 491, 715
- out-of-band data, 581–582
- ownership
 - directory, 95
 - file, 95
- O_WRONLY constant, 60, 79–80, 94, 879
- OXTABS constant, 637, 650
- packet mode, pseudo terminal, 705
- page cache, 77
- page size, 535
- pagedaemon process, 210
- PAGER environment variable, 501, 504–505
- PAGESIZE constant, 39, 42, 48, 392
- PAGE_SIZE constant, 40, 42, 48
- P_ALL constant, 226
- PARENB constant, 635, 648, 650, 666–668
- parent
 - directory, 4, 101, 116, 119
 - process ID, 210, 215, 219, 225, 228, 234, 263–264, 283, 424
- PAREXT constant, 635, 650
- parity, terminal I/O, 648
- PARMRK constant, 635, 645, 648, 650
- PARODD constant, 635, 645, 648, 650, 673
- Partridge, C., xxviii
- passing, file descriptor, 543, 601–614
 - socket file descriptor, 606–614
 - STREAMS file descriptor, 604–606
- passwd program, 92, 166, 679
- passwd structure, 161, 164, 307, 861–862
- password
 - file, 161–165
 - implementation differences, 169
 - shadow, 165–166, 178, 861
- PATH environment variable, 93, 193, 232–233, 235, 242, 244, 247, 264–265
- path_alloc function, 123, 127, 844, 860
 - definition of, 49
- pathconf function, 37, 39–50, 52–55, 103, 113, 306, 499
 - definition of, 41
- PATH_MAX constant, 39, 43, 48–49, 62, 132, 859
- pathname, 5
 - absolute, 5, 7, 43, 49, 126, 131, 242, 859

- relative, 5, 7, 43, 49, 125
- truncation, 62
- pause function, 299–300, 303, 306, 309, 313–318, 331, 333, 340, 349, 411, 419, 671, 867, 873
 - definition of, 313
- `_PC_ASYNC_IO` constant, 54
- `_PC_CHOWN_RESTRICTED` constant, 54
- `_PC_FILESIZEBITS` constant, 43
- PCFS file system, 48, 55, 105
- `pckt` STREAMS module, 676, 705
- `_PC_LINK_MAX` constant, 43
- `pclose` function, 249, 412, 503–510, 571, 578, 877–878
 - definition of, 503, 507
- `_PC_MAX_CANON` constant, 43, 46
- `_PC_MAX_INPUT` constant, 43
- `_PC_NAME_MAX` constant, 43
- `_PC_NO_TRUNC` constant, 54–55
- `_PC_PATH_MAX` constant, 43, 50
- `_PC_PIPE_BUF` constant, 43
- `_PC_PRIO_IO` constant, 54
- `_PC_SYMLINK_MAX` constant, 43
- `_PC_SYNC_IO` constant, 54
- `_PC_VDISABLE` constant, 54, 639
- PENDIN constant, 636, 650
- Pentium, xxiii
- permissions, file access, 92–94, 130
- `perorr` function, 15–16, 24, 309, 352, 412, 556, 853
 - definition of, 15
- `pgrp` structure, 286–287
- PID, *see* process ID
- `pid_t` data type, 57, 269, 356
- Pike, R., 211, 887, 889
- `pipe` function, 116–117, 138, 306, 497, 499–500, 502, 506–507, 511, 513, 527, 588–589, 593, 595, 876
 - definition of, 497
- `PIPE_BUF` constant, 39, 43, 48, 493, 499, 515–516, 590, 876
- pipes, 496–503
 - full-duplex, 496
 - half-duplex, 496
 - mounted STREAMS-based, 495, 514, 518
 - named full-duplex, 496
 - STREAMS-based, 585–594
- Pippenger, N., 710, 715, 886
- Plan 9 operating system, 211, 889
- Plauger, P. J., 26, 153, 299, 889
- pointer, generic, 68, 190
- `poll` function, 295, 305–306, 318, 411, 441, 460–461, 474, 479–481, 493, 521, 542, 544, 548, 563–564, 582, 621, 624, 626–627, 678, 696, 707, 875, 878, 881
 - definition of, 479
- `POLL_ERR` constant, 327
- `POLLERR` constant, 480
- `pollfd` structure, 479, 626–627, 875
- `<poll.h>` header, 30, 479
- `POLL_HUP` constant, 327
- `POLLHUP` constant, 480–481, 627, 878
- `POLL_IN` constant, 327–328
- `POLLIN` constant, 480, 626–627, 878
- polling, 228, 444, 473
- `POLL_MSG` constant, 327–328
- `POLLNVAL` constant, 480
- `POLL_OUT` constant, 327–328
- `POLLOUT` constant, 480
- `POLL_PRI` constant, 327
- `POLLPRI` constant, 480
- `POLLRDBAND` constant, 480
- `POLLRDNORM` constant, 480
- `POLLWRBAND` constant, 480
- `POLLWRNORM` constant, 480
- `popen` function, 23, 224, 231, 249, 412, 503–510, 543–544, 570, 574, 577, 579, 877–878
 - definition of, 503, 505
- Portable Operating System Environment for Computer Environments, IEEE, *see* POSIX
- `portmap` program, 425
- POSIX (Portable Operating System Environment for Computer Environments, IEEE), xix, xxvii, 26–29, 34, 246
- POSIX.1, xxii, xxvii, 27, 84, 243, 342, 507–508, 515, 545, 710, 887
- POSIX.2, 243
 - `_POSIX2_LINE_MAX` constant, 41
 - `_POSIX_ARG_MAX` constant, 39
 - `_POSIX_ASYNC_IO` constant, 54
 - `_POSIX_CHILD_MAX` constant, 39
 - `_POSIX_CHOWN_RESTRICTED` constant, 54–55, 103
 - `_POSIX_C_SOURCE` constant, 55, 81
- `posix_fadvise` function, 412
- `posix_fallocate` function, 412
- `_POSIX_HOST_NAME_MAX` constant, 39
- `_POSIX_JOB_CONTROL` constant, 53, 55
- `_POSIX_LINK_MAX` constant, 39
- `_POSIX_LOGIN_NAME_MAX` constant, 39
- `posix_madvise` function, 412
- `_POSIX_MAX_CANON` constant, 39
- `_POSIX_MAX_INPUT` constant, 39
- `_POSIX_NAME_MAX` constant, 39
- `_POSIX_NGROUPS_MAX` constant, 39
- `_POSIX_NO_TRUNC` constant, 54–55, 62
- `_POSIX_OPEN_MAX` constant, 39–40

-
- posix_openpt function, 681–683, 686, 688–690
 - definition of, 681, 686, 689
 - _POSIX_PATH_MAX constant, 39–40, 656–657
 - _POSIX_PIPE_BUF constant, 39
 - _POSIX_PRIO_IO constant, 54
 - _POSIX_READER_WRITER_LOCKS constant, 53
 - _POSIX_RE_DUP_MAX constant, 39
 - _POSIX_SAVED_IDS constant, 53, 55, 92, 238, 312
 - _POSIX_SHELL constant, 53
 - _POSIX_SOURCE constant, 55
 - posix_spawn function, 412
 - posix_spawnnp function, 412
 - _POSIX_SSIZE_MAX constant, 39
 - _POSIX_STREAM_MAX constant, 39
 - _POSIX_SYMLINK_MAX constant, 39
 - _POSIX_SYMLINK_MAX constant, 39
 - _POSIX_SYNC_IO constant, 54
 - _POSIX_THREAD_ATTR_STACKADDR constant, 391
 - _POSIX_THREAD_ATTR_STACKSIZE constant, 391
 - _POSIX_THREAD_PROCESS_SHARED constant, 394
 - _POSIX_THREADS constant, 54–55, 356
 - _POSIX_THREAD_SAFE_FUNCTIONS constant, 401
 - posix_trace_clear function, 412
 - posix_trace_close function, 412
 - posix_trace_create function, 412
 - posix_trace_create_withlog function, 412
 - posix_trace_event function, 306
 - posix_trace_eventtypelist_getnext_id function, 412
 - posix_trace_eventtypelist_rewind function, 412
 - posix_trace_flush function, 412
 - posix_trace_get_attr function, 412
 - posix_trace_get_filter function, 412
 - posix_trace_getnext_event function, 412
 - posix_trace_get_status function, 412
 - posix_trace_open function, 412
 - posix_trace_rewind function, 412
 - posix_trace_set_filter function, 412
 - posix_trace_shutdown function, 412
 - posix_trace_timedgetnext_event function, 412
 - _POSIX_TTY_NAME_MAX constant, 39
 - posix_typed_mem_open function, 412
 - _POSIX_TZNAME_MAX constant, 39
 - _POSIX_V6_ILP32_OFF32 constant, 67
 - _POSIX_V6_ILP32_OFFBIG constant, 67
 - _POSIX_V6_LP64_OFF64 constant, 67
 - _POSIX_V6_LP64_OFFBIG constant, 67
 - _POSIX_VDISABLE constant, 54–55, 638–639
 - _POSIX_VERSION constant, 53, 55, 172
 - PowerPC, xxiii
 - P_PGID constant, 226
 - PPID, *see* parent process ID
 - P_PID constant, 226
 - pr program, 719
 - pread function, 74–75, 411, 420
 - definition of, 75
 - Presotto, D. L., xxviii, 211, 585, 592, 889
 - pr_exit function, 221–223, 248–249, 258, 346, 844
 - definition of, 222
 - primitive system data types, 56
 - print program, 757, 763, 783, 787–788, 798, 805
 - printf program, 757, 805
 - printer communication, network, 753–805
 - printer spooling, 757–758
 - source code, 758–805
 - printer_status function, 799, 801, 805
 - printer_thread function, 795
 - printf function, 10, 21, 41, 140, 149, 151–152, 160, 175–176, 201, 204, 207, 213, 217, 260, 283, 306, 323, 412, 514, 863
 - definition of, 149
 - print.h header, 778, 783, 788
 - printreq structure, 763, 771, 783, 786, 790
 - printresp structure, 763
 - privilege, least, 237, 758, 779
 - pr_mask function, 331, 334–335, 844
 - definition of, 321
 - proc structure, 286–287
 - process, 10
 - accounting, 250–256
 - control, 11, 209–260
 - ID, 10, 210, 234
 - ID, parent, 210, 215, 219, 225, 228, 234, 263–264, 283, 424
 - identifiers, 209–210
 - relationships, 261–287
 - system, 210, 312
 - termination, 180–184
 - time, 20, 24, 57, 257–259
 - process group, 269–270
 - background, 272, 275, 277, 279, 281–282, 284–285, 296–297, 344, 349, 882
 - foreground, 272–278, 280–281, 286, 294, 296–297, 343, 350, 424–425, 463, 640–642, 645, 649, 670, 706, 882
 - ID, 215, 234
 - ID, foreground, 274, 278, 637

- ID, session, 279
- ID, terminal, 278, 423–424
- leader, 269–271, 280, 287, 425, 692
- lifetime, 269
- orphaned, 282–285, 428, 699
- processes, cooperating, 455, 717, 883
- process-shared attribute, 394
- .profile file, 265
- program, 10
- PROT_EXEC constant, 487
- PROT_NONE constant, 487
- protoent structure, 554
- prototypes, function, 807–841
- PROT_READ constant, 487, 491, 539
- PROT_WRITE constant, 487, 491, 539
- PR_TEXT constant, 771, 788, 798
- ps program, 219, 260, 278, 280–282, 423–424, 428, 701, 866
- pselect function, 306, 474, 478–479
 - definition of, 478
- pseudo terminal, 675–707
 - packet mode, 705
 - remote mode, 706
 - signal generation, 706
 - window size, 706
- psignal function, 352
 - definition of, 352
- ptem STREAMS module, 468, 676, 685
- pthread structure, 357
- pthread_atfork function, 417–419
 - definition of, 417
- pthread_attr_destroy function, 389–390
 - definition of, 389
- pthread_attr_getdetachstate function, 390
 - definition of, 390
- pthread_attr_getguardsize function, 392
 - definition of, 392
- pthread_attr_getstack function, 391–392
 - definition of, 391
- pthread_attr_getstackaddr function, 391
- pthread_attr_getstacksize function, 392
 - definition of, 392
- pthread_attr_init function, 388–390
 - definition of, 389
- pthread_attr_setdetachstate function, 389–390
 - definition of, 390
- pthread_attr_setguardsize function, 392
 - definition of, 392
- pthread_attr_setstack function, 391–392
 - definition of, 391
- pthread_attr_setstackaddr function, 391
- pthread_attr_setstacksize function, 392
 - definition of, 392
- pthread_attr_t data type, 388–390, 392, 410
- pthread_cancel function, 365, 410–411, 791
 - definition of, 365
- PTHREAD_CANCEL_ASYNCHRONOUS constant, 412
- PTHREAD_CANCEL_DEFERRED constant, 412
- PTHREAD_CANCEL_DISABLE constant, 410–411
- PTHREAD_CANCELED constant, 361, 365
- PTHREAD_CANCEL_ENABLE constant, 410–411
- pthread_cleanup_pop function, 365–366, 790, 792
 - definition of, 365
- pthread_cleanup_push function, 365–366
 - definition of, 365
- pthread_condattr_destroy function, 401
 - definition of, 401
- pthread_condattr_getpshared function, 401
 - definition of, 401
- pthread_condattr_init function, 401
 - definition of, 401
- pthread_condattr_setpshared function, 401
 - definition of, 401
- pthread_cond_broadcast function, 384, 386, 869–870
 - definition of, 384
- pthread_cond_destroy function, 383, 421
 - definition of, 383
- pthread_cond_init function, 382–383, 421
 - definition of, 383
- PTHREAD_COND_INITIALIZER constant, 382, 385, 414
- pthread_cond_signal function, 384–385, 415–416
 - definition of, 384
- pthread_cond_t data type, 382, 385, 414
- pthread_cond_timedwait function, 383–384, 395, 411
 - definition of, 383
- pthread_cond_wait function, 383–385, 395, 411, 415, 795, 869–870
 - definition of, 383
- pthread_create function, 357–360, 362–364, 366, 368, 388–390, 415, 419, 436, 780, 869
 - definition of, 357
- PTHREAD_CREATE_DETACHED constant, 389–390
- PTHREAD_CREATE_JOINABLE constant, 389–390
- PTHREAD_DESTRUCTOR_ITERATIONS constant, 388, 407
- pthread_detach function, 367–368, 389
 - definition of, 368
- pthread_equal function, 357, 382

- definition of, 357
- pthread_exit function, 180, 218, 361–363, 365–366, 406, 787–789, 792
 - definition of, 361
- pthread_getconcurrency function, 393
 - definition of, 393
- pthread_getspecific function, 408–410
 - definition of, 408
- <pthread.h> header, 30
- pthread_join function, 361–363, 366–367, 411, 869
 - definition of, 361
- pthread_key_create function, 406–407, 409
 - definition of, 406
- pthread_key_delete function, 407
 - definition of, 407
- PTHREAD_KEYS_MAX constant, 388, 407
- pthread_key_t data type, 409
- pthread_kill function, 414
 - definition of, 414
- pthread_mutexattr_destroy function, 393, 404
 - definition of, 393
- pthread_mutexattr_getpshared function, 394
 - definition of, 394
- pthread_mutexattr_gettype function, 395
 - definition of, 395
- pthread_mutexattr_init function, 393–394, 399, 404
 - definition of, 393
- pthread_mutexattr_setpshared function, 394
 - definition of, 394
- pthread_mutexattr_settype function, 395, 399, 404
 - definition of, 395
- pthread_mutexattr_t data type, 393–394, 399, 404
- PTHREAD_MUTEX_DEFAULT constant, 395
- pthread_mutex_destroy function, 371–372, 375, 378, 382
 - definition of, 371
- PTHREAD_MUTEX_ERRORCHECK constant, 394–395
- pthread_mutex_init function, 371–372, 374, 376, 399, 404
 - definition of, 371
- PTHREAD_MUTEX_INITIALIZER constant, 371, 374, 376, 385, 409, 414, 418
- pthread_mutex_lock function, 371–372, 374–375, 377, 385–386, 399, 405, 409, 415, 418–419
 - definition of, 371
- PTHREAD_MUTEX_NORMAL constant, 394–395
- PTHREAD_MUTEX_RECURSIVE constant, 394–395, 399, 404
- pthread_mutex_t data type, 371–372, 374, 376, 385, 399, 404, 409, 414, 418
- pthread_mutex_trylock function, 371, 373
 - definition of, 371
- pthread_mutex_unlock function, 371–372, 374–375, 377–378, 385–386, 399, 405, 409–410, 415, 419
 - definition of, 371
- pthread_once function, 404–405, 408, 410
 - definition of, 408
- PTHREAD_ONCE_INIT constant, 404, 408–409
- pthread_once_init function, 409
- pthread_once_t data type, 404, 409
- PTHREAD_PROCESS_PRIVATE constant, 394
- PTHREAD_PROCESS_SHARED constant, 394
- pthread_rwlockattr_destroy function, 400
 - definition of, 400
- pthread_rwlockattr_getpshared function, 400
 - definition of, 400
- pthread_rwlockattr_init function, 400
 - definition of, 400
- pthread_rwlockattr_setpshared function, 400
 - definition of, 400
- pthread_rwlockattr_t data type, 400
- pthread_rwlock_destroy function, 379
 - definition of, 379
- pthread_rwlock_init function, 379–380
 - definition of, 379
- pthread_rwlock_rdlock function, 379, 382, 412
 - definition of, 379
- pthread_rwlock_t data type, 380
- pthread_rwlock_timedrdlock function, 412
- pthread_rwlock_timedwrlock function, 412
- pthread_rwlock_tryrdlock function, 379
 - definition of, 379
- pthread_rwlock_trywrlock function, 379
 - definition of, 379
- pthread_rwlock_unlock function, 379, 381–382
 - definition of, 379
- pthread_rwlock_wrlock function, 379, 381, 412
 - definition of, 379
- pthreads, 27, 211
- pthread_self function, 357, 359, 363

- definition of, 357
 - `pthread_setcancelstate` function, 410
 - definition of, 410
 - `pthread_setcanceltype` function, 411–412
 - definition of, 411
 - `pthread_setconcurrency` function, 393
 - definition of, 393
 - `pthread_setspecific` function, 408–409
 - definition of, 408
 - `pthread_sigmask` function, 413, 436
 - definition of, 413
 - `PTHREAD_STACK_MIN` constant, 388
 - `pthread_t` data type, 356–357, 359, 362–363, 366, 380, 390, 415, 419, 436, 869
 - `pthread_testcancel` function, 411
 - definition of, 411
 - `PTHREAD_THREADS_MAX` constant, 388
 - `P_tmpdir` constant, 157–158
 - `ptrdiff_t` data type, 57
 - `pts` STREAMS module, 468
 - `ptsname` function, 402, 682–685, 687–688, 690
 - definition of, 682, 687, 689
 - `pty` program, 285, 675, 679–680, 692, 694–707, 773, 882–883
 - `pty_fork` function, 680, 683, 691–696, 704, 706–707
 - definition of, 691–692
 - `ptym_open` function, 683, 686, 691–692, 845
 - definition of, 683, 688, 690
 - `ptys_fork` function, 845
 - `ptys_open` function, 683, 685–686, 689, 691–693, 845
 - definition of, 683–684, 688, 691
 - `putc` function, 10, 142–143, 145, 229–230, 412, 661
 - definition of, 142
 - `putchar` function, 142, 160, 412, 509
 - definition of, 142
 - `putchar_unlocked` function, 402–403, 412
 - definition of, 403
 - `putc_unlocked` function, 402–403, 412
 - definition of, 403
 - `putenv` function, 186, 194, 232, 402, 405, 421
 - definition of, 194
 - `putenv_r` function, 421
 - `putmsg` function, 411, 461–463, 469, 548
 - definition of, 463
 - `putpmsg` function, 411, 461–463, 548
 - definition of, 463
 - `puts` function, 142–143, 412, 859
 - definition of, 143
 - `pututxline` function, 402, 412
 - `putwc` function, 412
 - definition of, 412
 - `putwchar` function, 412
 - definition of, 412
 - `PWD` environment variable, 193
 - `<pwd.h>` header, 29, 161, 170
 - `pwrite` function, 74–75, 411, 420
 - definition of, 75
- Quarterman, J. S., 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- QUIT terminal character, 638, 641, 648, 662
- race conditions, 227–231, 314, 749, 865, 867
- Rago, J. E., xxiii
- Rago, S. A., xxviii, 83, 147, 266, 460, 462, 889
- `raise` function, 306, 311–313, 340
 - definition of, 312
- `rand` function, 402
- `rand_r` function, 402
- raw terminal mode, 632, 664, 668, 673, 696, 699
- Raymond, E. S., 889
- `read` function, 8–10, 20, 57, 59, 61, 67–69, 75, 84–86, 104, 115, 117, 120, 135, 144–145, 159, 284, 304, 306, 316–318, 340, 351, 411, 420, 429, 442–443, 455–456, 458–459, 461–463, 469–473, 475, 478, 481, 485–487, 492, 498–499, 502–503, 511–513, 515, 518, 543, 546, 548, 565–567, 587, 616, 618, 625–627, 629, 632, 662–664, 668–669, 697, 702–703, 705, 714, 718, 768, 799–800, 855–856, 877–878, 882
 - definition of, 67
- `read` mode, STREAMS, 470
- `read`, scatter, 483, 607
- `readdir` function, 5, 7, 120–125, 402, 412, 657, 786
 - definition of, 120
- `readdir_r` function, 402, 412
- reading directories, 120–125
- `readlink` function, 113, 115, 306
 - definition of, 115
- `read_lock` function, 449, 453, 458, 845
- `readmore` function, 800, 802
- `readn` function, 485–486, 702, 768, 844
 - definition of, 485–486
- `readv` function, 40–42, 304, 411, 441, 483–485, 493, 548, 568, 607, 718, 732
 - definition of, 483
- `readw_lock` function, 449, 725, 845
- real
 - group ID, 91–92, 95, 167, 210, 214, 234–235, 237, 251, 541

- user ID, 39, 42, 91–92, 95, 203, 210, 214–215, 234–235, 237–241, 251, 257, 262, 264, 312, 354, 541, 685, 867
- realloc function, 49, 159, 189–190, 195, 622–623, 727, 802, 859–860
 - definition of, 189
- record locking, 444–459
 - advisory, 455
 - deadlock, 450
 - mandatory, 455
 - timing, semaphore locking versus, 533
- recv function, 306, 411, 548, 566–570, 582
 - definition of, 567
- recv_fd function, 603–605, 612, 617, 621, 844
 - definition of, 603, 605, 609
- recvfrom function, 306, 411, 567–568, 575–577, 579
 - definition of, 567
- recvmsg function, 306, 411, 568, 606, 609–610, 613
 - definition of, 568
- recv_ufd function, 612
 - definition of, 613
- redirmod STREAMS module, 468
- RE_DUP_MAX constant, 39, 42, 48
- reentrant functions, 305–308
- regcomp function, 39, 42
- regexec function, 39, 42
- <regex.h> header, 29
- register variables, 199
- regular file, 88
- relative pathname, 5, 7, 43, 49, 125
- reliable signals, 310–311
- remote mode, pseudo terminal, 706
- remove function, 108–113, 117, 412
 - definition of, 111
- remove_job function, 785, 795
- rename function, 108–113, 117, 306, 412
 - definition of, 111
- replace_job function, 784
- REPRINT terminal character, 638, 641, 647, 650, 663
- request function, 618, 625–628
 - definition of, 618, 628
- reset program, 673, 882
- resource limits, 202–206, 215, 234, 297, 354
- restarted system calls, 304–305, 317–318, 326, 329, 481, 660
- restrict keyword, 26, 87, 115, 136, 138, 142–143, 146, 148–149, 151, 153, 173, 176, 320, 324, 357, 371, 379, 383, 390–392, 394–395, 400–401, 413, 469, 475, 478, 552, 555–556, 561, 563, 567, 579
- rewind function, 139, 147–148, 156, 412
 - definition of, 147
- rewinddir function, 120–125, 412
 - definition of, 120
- rfork function, 211
- Ritchie, D. M., xx, 26, 133, 139, 145, 151, 153, 190, 460, 585, 592, 846, 854, 887, 889
- RLIM_INFINITY constant, 203, 427
- rlimit structure, 202, 205, 426, 855
- RLIMIT_AS constant, 203–205
- RLIMIT_CORE constant, 203–205, 293
- RLIMIT_CPU constant, 203–205
- RLIMIT_DATA constant, 203–205
- RLIMIT_FSIZE constant, 203–205, 354
- RLIMIT_INFINITY constant, 205, 855
- RLIMIT_LOCKS constant, 203–205
- RLIMIT_MEMLOCK constant, 203–205
- RLIMIT_NOFILE constant, 203–205, 427, 855
- RLIMIT_NPROC constant, 203–205
- RLIMIT_RSS constant, 203–205
- RLIMIT_SBSIZE constant, 203–205
- RLIMIT_STACK constant, 203–205
- RLIMIT_VMEM constant, 203–205
- rlim_t data type, 57, 204
- rlogin program, 677, 705–706
- rlogind program, 677–678, 699, 705, 882
- rm program, 521, 774
- rmdir function, 111–112, 116–117, 119–120, 306
 - definition of, 120
- RMSGD constant, 470
- RMSGN constant, 470
- RNORM constant, 470
- R_OK constant, 96
- root
 - directory, 4, 7, 24, 129, 131, 215, 234, 260, 858
 - login name, 16
- routed program, 431
- RPROTDAT constant, 470
- RPROTDIS constant, 470
- RPROTNORM constant, 470
- RS-232, 634, 645–646
- RS_HIPRI constant, 464, 469
- Rudoff, A. M., 147, 266, 429, 545, 890
- runacct program, 250
- S5 file system, 62
- sa program, 250
- sac program, 266
- Sacksen, J., xxviii
- SAF (Service Access Facility), 266
- SA_INTERRUPT constant, 326, 328–329

- Salus, P. H., xxviii, 889
- SA_NOCLDSTOP constant, 326
- SA_NOCLDWAIT constant, 308, 326
- SA_NODEFER constant, 326, 328
- Santa Cruz Operation, *see* SCO
- SA_ONSTACK constant, 326
- SA_RESETHAND constant, 326, 328
- SA_RESTART constant, 304, 326, 328–329, 481
- SA_SIGINFO constant, 311, 325–326, 328
- saved
 - set-group-ID, 53, 91–92
 - set-user-ID, 53, 91–92, 238–241, 260, 264, 312, 866
- S_BANDURG constant, 482
- sbrk function, 21–23, 190, 203
- scan_configfile function, 765–766
- scanf function, 41, 140, 151–153, 412
 - definition of, 151
- _SC_ARG_MAX constant, 42, 46
- _SC_ATEXIT_MAX constant, 42
- scatter read, 483, 607
- _SC_CHILD_MAX constant, 42, 203
- _SC_CLK_TCK constant, 42, 257–258
- _SC_COLL_WEIGHTS_MAX constant, 42
- SCHAR_MAX constant, 38
- SCHAR_MIN constant, 38
- <sched.h> header, 30
- _SC_HOST_NAME_MAX constant, 42, 571–573, 578, 778
- Schwartz, A., 165, 232, 273, 887
- _SC_IOV_MAX constant, 42
- _SC_JOB_CONTROL constant, 53–54
- _SC_LINE_MAX constant, 42
- _SC_LOGIN_NAME_MAX constant, 42
- SCM_CREDENTIALS constant, 611–614
- SCM_CREDS constant, 611, 613–614
- SCM_CREDTYPE constant, 612, 614
- SCM_RIGHTS constant, 607–608, 612, 614
- _SC_NGROUPS_MAX constant, 42
- SCO (Santa Cruz Operation), 36
- _SC_OPEN_MAX constant, 42, 51, 203, 855
- _SC_PAGESIZE constant, 42, 489
- _SC_PAGE_SIZE constant, 42, 489
- _SC_READER_WRITER_LOCKS constant, 53
- _SC_RE_DUP_MAX constant, 42
- script program, 675, 678–679, 699, 701, 706–707
- _SC_SAVED_IDS constant, 53–54, 92, 238
- _SC_SHELL constant, 53
- _SC_STREAM_MAX constant, 42
- _SC_SYMLINK_MAX constant, 42
- _SC_THREAD_ATTR_STACKADDR constant, 391
- _SC_THREAD_ATTR_STACKSIZE constant, 391
- _SC_THREAD_DESTRUCTOR_ITERATIONS constant, 388
- _SC_THREAD_KEYS_MAX constant, 388
- _SC_THREAD_PROCESS_SHARED constant, 394
- _SC_THREADS constant, 356
- _SC_THREAD_SAFE_FUNCTIONS constant, 401
- _SC_THREAD_STACK_MIN constant, 388
- _SC_THREAD_THREADS_MAX constant, 388
- _SC_TTY_NAME_MAX constant, 42
- _SC_TZNAME_MAX constant, 42
- _SC_V6_ILP32_OFF32 constant, 67
- _SC_V6_ILP32_OFFBIG constant, 67
- _SC_V6_LP64_OFF64 constant, 67
- _SC_V6_LP64_OFFBIG constant, 67
- _SC_VERSION constant, 49, 53
- _SC_XOPEN_CRYPT constant, 53
- _SC_XOPEN_LEGACY constant, 53
- _SC_XOPEN_REALTIME constant, 53
- _SC_XOPEN_REALTIME_THREADS constant, 53
- _SC_XOPEN_VERSION constant, 53–54
- <search.h> header, 30
- sed program, 887
- Seebass, S., 889
- seek function, 64
- SEEK_CUR constant, 64, 148, 446, 454–455
- seekdir function, 120–125, 412
 - definition of, 120
- SEEK_END constant, 64, 148, 446, 454–455, 747
- SEEK_SET constant, 64, 148, 446, 454–455, 458, 491, 873–874
- SEGV_ACCERR constant, 327
- SEGV_MAPERR constant, 327
- select function, 305–306, 318, 339–340, 411, 441, 474–481, 493, 521, 542, 544, 548, 563–564, 582, 621, 624–626, 628, 678, 696, 707, 767–768, 779–780, 870–871, 875, 878, 880–881
 - definition of, 475
- Seltzer, M., 710, 889–890
- semaphore, 496, 527–533
 - adjustment on exit, 532–533
 - locking versus record locking timing, 533
- <semaphore.h> header, 30
- sembuf structure, 531
- semctl function, 520, 524, 528–529, 532
 - definition of, 529
- semget function, 518–519, 528–529
 - definition of, 529
- semid_ds structure, 528–530
- semop function, 412, 521, 529–533
 - definition of, 530
- sem_post function, 306

- sem_timedwait function, 411
- semun union, 529
- SEM_UNDO constant, 531–533
- sem_wait function, 411
- send function, 306, 411, 548, 565–566, 570, 581–582
 - definition of, 565
- send_err function, 603, 615, 618–619, 628, 844
 - definition of, 603–604
- send_fd function, 603–604, 608, 611, 615, 618–619, 628, 844
 - definition of, 603–604, 608, 611
- sendmsg function, 306, 411, 566, 568, 606, 608–609, 612
 - definition of, 566
- sendto function, 306, 411, 566, 575, 577, 579
 - definition of, 566
- S_ERROR constant, 482
- serv_accept function, 592–593, 598, 601, 621, 625–627, 844
 - definition of, 592–593, 599
- servent structure, 555
- Service Access Facility, *see* SAF
- serv_listen function, 592–593, 597, 621, 625–626, 844
 - definition of, 592, 597
- session, 270–271
 - ID, 215, 234, 271, 286, 423–424
 - leader, 271–273, 286, 294, 424–425, 428, 685, 691–692, 707, 882
 - process group ID, 279
- session structure, 286, 294, 424
- set
 - descriptor, 475, 477, 493, 875
 - signal, 311, 318–320, 493, 875
- SETALL constant, 530, 532
- setasyncc function, definition of, 881
- setbuf function, 136–137, 139, 159, 229–230, 661, 872
 - definition of, 136
- setegid function, 241
 - definition of, 241
- setenv function, 194, 232, 402
 - definition of, 194
- seteuid function, 241
 - definition of, 241
- set_fl function, 82, 442–443, 458, 844, 876
 - definition of, 81
- setgid function, 237, 241, 264, 306
 - definition of, 237
- setgrent function, 167–168, 402, 412
 - definition of, 167
- set-group-ID, 91–92, 95, 100–101, 103, 119, 130, 215, 235, 292, 456, 508, 685
 - saved, 53, 91–92
- setgroups function, 168
 - definition of, 168
- sethostent function, 412, 553
 - definition of, 553
- sethostname function, 173
- setitimer function, 293, 295, 297, 354, 875
- setjmp function, 179, 195, 197–201, 206, 314–315, 318, 329–330, 333, 354, 867
 - definition of, 197
- _setjmp function, 330, 333
- <setjmp.h> header, 27
- setkey function, 402
- setlogmask function, 430–431
 - definition of, 430
- setnetent function, 412, 554
 - definition of, 554
- setpgid function, 269, 306
 - definition of, 269
- setprotoent function, 412, 554
 - definition of, 554
- setpwent function, 164–165, 402, 412
 - definition of, 164
- setregid function, 240–241
 - definition of, 240
- setreuid function, 240
 - definition of, 240
- setrlimit function, 52, 202, 354
 - definition of, 202
- setservent function, 412, 555
 - definition of, 555
- setsid function, 269, 271, 273, 286, 306, 424–425, 427, 683, 692–693
 - definition of, 271
- setsockopt function, 306, 579, 581, 613
 - definition of, 579
- setspent function, 166
 - definition of, 166
- settimeofday function, 173
- setuid function, 92, 237–241, 264, 306, 779
 - definition of, 237
- set-user-ID, 91–92, 95, 97, 100–101, 103, 119, 130, 166, 215, 235, 238–240, 249, 292, 508, 541–542, 615, 685, 689, 707, 867
 - saved, 53, 91–92, 238–241, 260, 264, 312, 866
- setutxent function, 402, 412
- SETVAL constant, 530, 532
- setvbuf function, 136–137, 139, 159, 202, 514, 877
 - definition of, 136
- SGI (Silicon Graphics, Inc.), 36

- SGID, *see* set-group-ID
shadow passwords, 165–166, 178, 861
<shadow.h> header, 170
S_HANGUP constant, 482
Shannon, W. A., 487, 887
shared
 libraries, 188–189, 207, 719, 863, 885
 memory, 496, 533–540
sharing, file, 70–73, 213
shell, *see* Bourne shell, Bourne-again shell, C shell,
 Korn shell
SHELL environment variable, 193, 264, 701
shell, job-control, 270, 274, 280, 283, 300, 333, 350,
 699
shell layers, 274
shells, 3
S_HIPRI constant, 482
shmat function, 521, 535–538
 definition of, 536
shmatt_t data type, 534
shmctl function, 520, 524, 535–537
 definition of, 535
shmdt function, 536
 definition of, 536
shmget function, 518–519, 534, 537
 definition of, 534
shmid_ds structure, 534–536
SHMLBA constant, 536
SHM_LOCK constant, 535
SHM_RDONLY constant, 536
SHM_RND constant, 536
SHRT_MAX constant, 38
SHRT_MIN constant, 38
shutdown function, 306, 548–549, 567
 definition of, 548
SHUT_RD constant, 548
SHUT_RDWR constant, 548
SHUT_WR constant, 548
SI_ASYNCIO constant, 327
S_IFBLK constant, 124
S_IFCHR constant, 124
S_IFDIR constant, 124
S_IFIFO constant, 124
S_IFLNK constant, 107, 124
S_IFMT constant, 91
S_IFREG constant, 124
S_IFSOCK constant, 124, 596
sig2str function, 353
 definition of, 353
SIG2STR_MAX constant, 353
SIGABRT signal, 218, 222–223, 256, 289, 292–295,
 340–342, 354, 867
sigaction function, 57, 298, 301, 304–306, 308,
 310–311, 324–329, 341, 344–345, 349, 414,
 427, 436, 438, 482, 576, 880
 definition of, 324
sigaction structure, 324, 328–329, 341, 344, 348,
 426, 436, 438, 576
sigaddset function, 306, 319, 322, 334, 336, 338,
 344, 349, 351, 415, 438, 661, 875
 definition of, 319–320
SIGALRM signal, 289–290, 292–293, 305, 307,
 313–315, 317–318, 322, 328–329, 331–332,
 339, 348–349, 576
sigaltstack function, 326
sig_atomic_t data type, 57, 330, 332, 336–337,
 697
SIG_BLOCK constant, 321, 323, 334, 336, 338, 345,
 349, 415, 436, 661
SIGBUS signal, 292–293, 327, 489, 491
SIGCANCEL signal, 292–293
SIGCHLD signal, 220, 264, 291–293, 307–308, 310,
 326–327, 342–345, 349–350, 430, 473, 507,
 682, 866, 880
 semantics, 308–310
SIGCLD signal, 293, 308–311
SIGCONT signal, 276, 283, 292–293, 312, 349–350,
 352
sigdelset function, 306, 319, 341, 349, 875
 definition of, 319–320
SIG_DFL constant, 299, 308, 325–326, 340–341,
 350–351, 436
sigemptyset function, 306, 319, 322, 328–329,
 334, 336–337, 344, 349, 351, 415, 427, 436, 438,
 576, 661, 875
 definition of, 319
SIGEMT signal, 292–293
SIG_ERR constant, 19, 300, 309, 315–318, 322–323,
 328–331, 334, 336–337, 343, 511, 587, 669, 671,
 697, 844
sigfillset function, 306, 319, 341, 436, 875
 definition of, 319
SIGFPE signal, 18, 222–223, 292, 294, 327
SIGFREEZE signal, 292, 294
Sigfunc data type, 328–329, 844
SIGHUP signal, 283–284, 292, 294, 427, 434–439,
 508, 778, 793
SIG_IGN constant, 299, 308, 325, 341, 344, 350,
 427, 844
SIGILL signal, 292, 294, 326–327, 340
SIGINFO signal, 292, 294, 642, 649
siginfo structure, 226, 326, 328, 354
<siginfo.h> header, 352
siginfo_t structure, 325

- SIGINT signal, 18–19, 275, 290, 292, 294, 296, 315–316, 322, 333–336, 339, 342–345, 347, 415–416, 508, 639, 641, 645, 648–649, 661–662, 669, 872, 874
- SIGIO signal, 79, 292, 294–295, 473, 481–482, 583
- SIGIOT signal, 292, 295, 340
- sigismember function, 306, 319, 322–323, 875
 - definition of, 319–320
- sigjmp_buf data type, 330
- SIGKILL signal, 253, 256, 291–292, 295, 299, 321, 353, 699
- siglongjmp function, 201, 307, 329–333, 340
 - definition of, 330
- SIGLWP signal, 292, 295
- signal function, 18–19, 57, 284, 298–302, 304–310, 314–318, 322–324, 328–331, 334, 336–337, 343, 351, 482, 511, 587, 669, 671, 880
 - definition of, 298, 328
- signal mask, 311
- signal set, 311, 318–320, 493, 875
- <signal.h> header, 27, 222, 290, 299, 319–320, 353
- signal_intr function, 305, 329, 339, 354, 481, 697, 844, 872
 - definition of, 329
- signals, 18–19, 289–354
 - blocking, 310
 - delivery, 310
 - generation, 310
 - generation, pseudo terminal, 706
 - job-control, 349–352
 - null, 290, 312
 - pending, 310
 - queueing, 311, 324
 - reliable, 310–311
 - unreliable, 301–303
- signal_thread function, 793
- sigpause function, 306, 411
- sigpending function, 306, 311, 322–324
 - definition of, 322
- SIGPIPE signal, 290, 292, 295, 469, 499, 511–512, 515, 518, 543, 587–588, 778, 878
- SIGPOLL signal, 292, 295, 327, 473, 481–482
- sigprocmask function, 306, 311, 314, 318, 320–323, 334–336, 338, 341, 345, 349, 351, 413, 415, 661
 - definition of, 320
- SIGPROF signal, 292, 295
- SIGPWR signal, 292, 294–295
- sigqueue function, 306, 327–328
- SIGQUIT signal, 275, 292, 296, 322–323, 336, 342, 344–345, 347, 415–416, 508, 641, 649, 662, 669
- SIGSEGV signal, 290, 292, 296, 307–308, 311, 327, 489
- sigset function, 304–306, 308
- sigsetjmp function, 201, 307, 329–333
 - definition of, 330
- SIG_SETMASK constant, 321, 323, 335–336, 338, 341, 345, 349, 415, 661
- sigset_t data type, 57, 311, 319, 321–322, 334, 336–337, 341, 344, 348, 351, 414–415, 661
- SIGSTKFLT signal, 292, 296
- SIGSTOP signal, 291–292, 296, 299, 321, 349–350
- SIGSUSP signal, 649
- sigsuspend function, 306, 314, 333–340, 349, 411
 - definition of, 334
- SIGSYS signal, 292, 296
- SIGTERM signal, 291–292, 296, 300, 435, 437–439, 669, 697–698, 707, 778, 793, 882
- SIGTHAW signal, 292, 296
- sigtimedwait function, 411
- SIGTRAP signal, 292, 296, 326–327
- SIGTSTP signal, 275, 283–284, 292, 296, 349–352, 640, 642, 661, 699
- SIGTTIN signal, 275–276, 279, 284, 292, 296–297, 349–350
- SIGTTOU signal, 276–277, 292, 297, 349–350, 651
- SIG_UNBLOCK constant, 321, 323, 351
- SIGURG signal, 79, 290, 292, 295, 297, 482, 581
- SIGUSR1 signal, 292, 297, 300, 322, 330, 332–335, 337–339, 473
- SIGUSR2 signal, 292, 297, 300, 337–339
- sigvec function, 304–305
- SIGVTALRM signal, 292, 297
- sigwait function, 411, 413–416, 435, 437, 793
 - definition of, 413
- sigwaitinfo function, 411
- SIGWAITING signal, 292, 297
- SIGWINCH signal, 286, 292, 297, 670–671, 706–707
- SIGXCPU signal, 203, 292, 297–298
- SIGXFSZ signal, 203, 292, 298, 354, 868
- SIGXRES signal, 292, 298
- Silicon Graphics, Inc., *see* SGI
- SI_MESGQ constant, 327
- Single UNIX Specification, *see* SUS
 - Version 3, *see* SUSv3
- single-instance daemons, 432–434
- S_INPUT constant, 482
- SIOCSPGRP constant, 583
- SI_QUEUE constant, 327
- S_IRGRP constant, 93, 97, 100, 130, 433, 592, 844
- S_IROTH constant, 93, 97, 100, 130, 433, 592, 844
- S_IRUSR constant, 93, 97, 100, 130, 433, 592, 687, 690, 844

- S_IRWXG constant, 100, 599
- S_IRWXO constant, 100, 599
- S_IRWXU constant, 100, 599
- S_ISBLK function, 89–90, 129
- S_ISCHR function, 89–90, 129, 658
- S_ISDIR function, 89–91, 123, 658
- S_ISFIFO function, 89–90, 497, 514
- S_ISGID constant, 92, 100, 130, 458
- S_ISLNK function, 89–90
- S_ISREG function, 89–90
- S_ISSOCK function, 89–91, 599
- S_ISUID constant, 92, 100, 130
- S_ISVTX constant, 100–102, 130
- SI_TIMER constant, 327
- SI_USER constant, 327
- S_IWGRP constant, 93, 97, 100, 130, 592, 687, 690
- S_IWOTH constant, 93, 97, 100, 130, 592
- S_IWUSR constant, 93, 97, 100, 130, 433, 592, 687, 690, 844
- S_IXGRP constant, 93, 100, 130, 458, 844
- S_IXOTH constant, 93, 100, 130, 844
- S_IXUSR constant, 93, 100, 130, 844
- size, file, 103–105
- size program, 188–189, 207
- sizeof operator, 213
- size_t data type, 57–58, 68, 479, 854
- sleep function, 212, 216, 225, 228, 253, 255, 284, 306, 309, 314–316, 323, 346–349, 353–354, 359, 363–364, 400, 411, 419, 477, 493, 562, 866–868, 870, 873, 878
 - definition of, 347–348, 871
- sleep_us function, 493, 844
 - definition of, 875
- S_MSG constant, 482
- SNDPIPE constant, 469
- SNDZERO constant, 469
- snprintf function, 149, 689, 849, 851
 - definition of, 149
- Snyder, G., 889
- sockaddr structure, 551–553, 561–562, 564, 577–578, 580, 596, 598–601
- sockaddr_in structure, 551–552, 559
- sockaddr_in6 structure, 551–552
- sockaddr_un structure, 595–601
- socketmark function, 582
 - definition of, 582
- SOCK_DGRAM constant, 547, 558, 563, 567, 576, 578
- socket
 - addressing, 549–561
 - descriptors, 546–549
 - file descriptor passing, 606–614
 - I/O, asynchronous, 582–583
 - I/O, nonblocking, 563–564, 582–583
 - mechanism, 89, 496, 545–584
 - options, 579–581
 - socket function, 138, 306, 546–547, 564, 569, 576, 581, 597–598, 600–601, 797
 - definition of, 546
 - socketpair function, 138, 306, 594–595
 - definition of, 594
 - sockets, UNIX domain, 594–601
 - timing, 527
 - socklen_t data type, 562, 564, 577, 580
 - SOCK_RAW constant, 547, 558
 - SOCK_SEQPACKET constant, 547, 558, 561, 564, 567, 581
 - SOCK_STREAM constant, 295, 547, 558, 561, 564, 567, 569–571, 574, 581, 595–597, 600
- Solaris, xxi, xxiii, 3–4, 26–27, 29–30, 35–36, 38, 48, 55–58, 60, 62, 72, 84, 95, 101–105, 112–113, 119, 121–122, 128, 162, 166, 169–172, 176, 190–191, 193–194, 204, 206, 227, 264, 266, 268, 271, 278, 290, 292–298, 304–305, 308, 310, 326, 330, 348, 352–353, 357, 360, 430, 445, 455–457, 459–461, 464, 466, 471, 474–475, 492, 496, 521, 523, 525, 527, 529, 534–535, 538, 548, 550, 563, 566–568, 583, 585, 595, 610, 635–638, 644–651, 664, 676–677, 682–683, 685, 689, 692, 705–707, 710, 749, 876, 889
- SOL_SOCKET constant, 579, 581, 607–608, 612–614
- solutions to exercises, 853–883
- SOMAXCONN constant, 563
- SO_OOBINLINE constant, 582
- SO_PASSCRED constant, 613
- SO_REUSEADDR constant, 580–581
- source code, availability, xxvi
- S_OUTPUT constant, 482
- Spafford, G., 165, 232, 273, 887
- spawn function, 216
 - <spawn.h> header, 30
- s-pipe, 603, 615–616, 618, 620–621
- s_pipe function, 587–589, 595, 617, 704, 844
 - definition of, 589, 595
- spooling, printer, 757–758
- sprintf function, 149, 511, 570, 577, 600, 617, 619, 621, 628, 725, 738, 807
 - definition of, 149
- spwd structure, 861
- squid login name, 162
- S_RDBAND constant, 482
- S_RDNORM constant, 482
- sscanf function, 151, 511, 513, 764
 - definition of, 151
- SSIZE_MAX constant, 39, 68

- ssize_t data type, 39, 57, 68
- stack, 187, 197
- stackaddr attribute, 389, 391
- stacksize attribute, 389, 391
- standard error, 8, 135, 572
- standard error routines, 846–851
- standard input, 8, 135
- standard I/O
 - alternatives, 159
 - buffering, 135–137, 213, 217, 247, 342, 513–514, 680, 718
 - efficiency, 143–145
 - implementation, 153–155
 - library, 9, 133–160
 - streams, 133–134
 - versus unbuffered I/O, timing, 144
- standard output, 8, 135, 572
- standards, 25–33
 - conflicts, 56–57
- START terminal character, 638, 640–642, 646, 649, 653
- stat function, 4, 7, 62, 87–88, 91–92, 100, 113–114, 116, 118, 121, 128, 130–131, 306, 542, 548, 584, 599–600, 658, 856, 858
 - definition of, 87
- stat structure, 87–89, 92, 103, 107, 130, 137, 155, 457, 490, 497, 514, 519, 542, 599, 657–659
- static variables, 201
- STATUS terminal character, 638, 642, 647, 649, 663
- <stdarg.h> header, 27, 151–152, 721, 724
- <stdbool.h> header, 27
- __STDC__ constant, 56
- <stddef.h> header, 27, 597
- stderr variable, 135, 443, 695, 849
- STDERR_FILENO constant, 60, 135, 573–574, 603, 606, 610, 614, 693
- stdin variable, 10, 135, 144, 196, 198, 512–513, 588, 616
- STDIN_FILENO constant, 8–9, 60, 64, 69, 135, 284, 351, 443, 471, 501, 506, 511–512, 574, 588, 617–618, 639, 644, 669, 671, 693–695, 697, 704–705
- <stdint.h> header, 27, 551
- <stdio.h> header, 10, 27, 38, 50, 135, 137, 141, 153, 155–157, 654, 721, 843
- <stdlib.h> header, 27, 190, 843
- stdout variable, 10, 135, 144, 229–230, 849, 864, 872
- STDOUT_FILENO constant, 8–9, 60, 69, 135, 212, 217, 351, 443, 471, 499, 506, 511–512, 569, 573–575, 588, 616–618, 693, 697, 704–705, 864
- Stevens, D. A., xxviii
- Stevens, E. M., xxviii
- Stevens, S. H., xxviii
- Stevens, W. R., xx–xxii, xxviii, 147, 266, 429, 478, 545, 677, 757, 890
- sticky bit, 100–102, 109, 130
- stime function, 173
- Stonebraker, M. R., 709, 890
- STOP terminal character, 638, 640–642, 646, 649, 653
- str2sig function, 353
 - definition of, 353
- strace program, 457
- Strang, J., 672, 890
- strbuf structure, 462, 471, 605
- strchr function, 733
- stream orientation, 134
- STREAM_MAX constant, 38–39, 42, 48
- STREAMS, 30–32, 83–84, 86, 133, 328, 441, 460–474, 479, 481–482, 485, 493, 495–496, 514, 518, 522, 527, 543, 548, 585, 600, 603–604, 610, 615, 629, 676–677, 680–681, 683, 685, 689, 705, 878, 889
 - clone device, 683
 - file descriptor passing, 604–606
 - ioctl operations, 464
 - Linux, 496
 - messages, 462
 - read mode, 470
 - write mode, 468
- STREAMS module
 - connld, 518, 590, 592, 600
 - ldterm, 468, 676, 685
 - pkct, 676, 705
 - ptem, 468, 676, 685
 - pts, 468
 - redirmod, 468
 - ttcompat, 468, 676, 685
- streams, standard I/O, 133–134
- STREAMS-based pipes, 585–594
 - mounted, 495, 514, 518
 - timing, 527
- strerror function, 15–16, 24, 352, 402, 412, 431, 433, 438, 556, 569–570, 572–573, 576–577, 619, 628, 846, 849, 851, 853–854, 873–874
 - definition of, 15
- strerror_r function, 402
- strftime function, 174–176, 178, 246, 862
 - definition of, 176
- <string.h> header, 27, 843
- <strings.h> header, 30
- strip program, 863
- strlen function, 11, 213

- str_list structure, 466–467
- str_mlist structure, 466–467
- Strong, H. R., 710, 715, 886
- <stropts.h> header, 30, 464, 480, 482
- strrecvfd structure, 593, 605
- strsignal function, 352
 - definition of, 352
- strtok function, 402, 619–620
- strtok_r function, 402
- stty program, 276, 651–652, 662, 673, 882
- Stumm, M., 159, 492, 888
- S_TYPEISMQ function, 89
- S_TYPEISSEM function, 89
- S_TYPEISSHM function, 89
- su program, 431
- submit_file function, 771
- SUID, *see* set-user-ID
- Sun Microsystems, xxiii, 33, 71, 683, 705, 890
- SunOS, xxvii, 33, 188, 305, 329, 533
- superuser, 16
- supplementary group ID, 18, 39, 91–92, 94, 101, 103, 167–168, 214, 234, 241
- SUS (Single UNIX Specification), xxii, 28–33, 41, 52–56, 58–59, 61, 66–67, 74, 83, 88, 99–100, 102, 105, 121–122, 125–126, 133, 147, 156–158, 164, 167, 173, 175–176, 178, 193–194, 202–203, 216, 221, 226–227, 240, 243, 269, 271, 274, 286, 291, 297–298, 304, 306, 308, 317, 327, 329, 348, 379, 387, 391–392, 394, 401, 411, 428, 430, 432, 445, 455, 460, 473, 479, 481, 483, 487, 489, 495–496, 518, 520, 522–523, 527–528, 533, 535, 552, 565, 567, 579, 582, 607, 634, 638, 643, 681–683, 709, 773, 858, 887, 890
- SUSP terminal character, 638, 640, 642, 648, 661
- SUSv3 (Single UNIX Specification, Version 3), 32, 36, 49, 56
- SVID (System V Interface Definition), xix, 32, 34, 885
- SVR2, 62, 171, 462, 672
- SVR3, 119, 183, 274, 456, 460–461, 474, 479, 846
- SVR3.0, xxvii
- SVR3.1, xxvii
- SVR3.2, xxvii, 36, 248
- SVR4, xxvii, 3, 21, 33–37, 48, 72, 112, 171, 191, 266, 271, 285, 428, 460–461, 474, 479, 481, 483, 592, 681, 709
- swapper process, 210
- S_WRBAND constant, 482
- S_WRNORM constant, 482
- symbolic link, 88–89, 102–103, 107, 110, 112–114, 121, 127, 131, 170, 856–857
- symlink function, 115, 306
 - definition of, 115
- SYMLINK_MAX constant, 39, 43, 48
- SYMLoop_MAX constant, 39, 42, 48
- sync function, 59, 77–78
 - definition of, 77
- sync program, 77
- synchronization mechanisms, 82–83
- synchronous write, 61, 82–83
- <sys/acct.h> header, 251
- sysconf function, 20, 37, 39–54, 57–58, 66, 92, 183, 203, 238, 257–258, 306, 356, 387–388, 391, 394, 401, 489, 571, 573, 578, 778, 855
 - definition of, 41
- <sys/conf.h> header, 466
- sysctl program, 291, 521
- sysdef program, 521
- <sys/disklabel.h> header, 84
- <sys/filio.h> header, 84
- <sys/ipc.h> header, 30, 520
- <sys/iso/signal_iso.h> header, 290
- syslog function, 412, 425, 428–433, 435–439, 570–574, 577–578, 849, 851, 871
 - definition of, 430
- syslogd program, 425, 429–430, 432, 434, 439
- <syslog.h> header, 30
- <sys/mkdev.h> header, 128
- <sys/mman.h> header, 29
- <sys/msg.h> header, 30
- <sys/mtio.h> header, 84
- <sys/param.h> header, 49–50
- <sys/resource.h> header, 30
- <sys/select> header, 474
- <sys/select.h> header, 29, 477, 874
- <sys/sem.h> header, 30
- <sys/shm.h> header, 30
- sys_siglist variable, 352
- <sys/signal.h> header, 290
- <sys/socket.h> header, 29, 563
- <sys/sockio.h> header, 84
- <sys/stat.h> header, 29, 91
- <sys/statvfs.h> header, 30
- <sys/sysmacros.h> header, 128
- system calls, 1, 21
 - interrupted, 303–305, 317–318, 326, 329, 339, 481
 - restarted, 304–305, 317–318, 326, 329, 481, 660
 - tracing, 457
 - versus functions, 21–23
- system function, 23, 119, 209, 231, 246–250, 258–260, 323, 342–347, 353, 411, 500, 504, 866, 878

- definition of, 246–247, 344
 - return value, 346
 - system identification, 171–173
 - system process, 210, 312
 - System V, xxi, 83, 441–442, 445, 460, 462, 473, 479, 481, 493, 681, 685
 - System V Interface Definition, *see* SVID
 - <sys/timeb.h> header, 30
 - <sys/time.h> header, 30, 474
 - <sys/times.h> header, 29
 - <sys/ttycom.h> header, 84
 - <sys/types.h> header, 29, 56, 128, 474, 518
 - <sys/uio.h> header, 30
 - <sys/un.h> header, 29, 595
 - <sys/utsname.h> header, 29
 - <sys/wait.h> header, 29, 221
 - sysyconf function, 57
-
- TAB0 constant, 651
 - TAB1 constant, 651
 - TAB2 constant, 651
 - TAB3 constant, 650–651
 - TABDLY constant, 637, 644, 649–651
 - Tankus, E., xxviii
 - tar program, 117, 125, 131–132, 858–859
 - <tar.h> header, 29
 - tcdrain function, 297, 306, 411, 637, 653
 - definition of, 653
 - tcflag_t data type, 634
 - tcflow function, 297, 306, 637, 653
 - definition of, 653
 - tcflush function, 135, 297, 306, 633, 637, 653
 - definition of, 653
 - tcgetattr function, 306, 635, 637, 639, 643–644, 651–652, 655, 661, 665–667, 695–696
 - definition of, 643
 - tcgetpgrp function, 273–274, 306, 634, 637
 - definition of, 273
 - tcgetsid function, 273–274, 634, 637
 - definition of, 274
 - TCIFLUSH constant, 653
 - TCIOFF constant, 653
 - TCIOFLUSH constant, 653
 - TCION constant, 653
 - TCOFLUSH constant, 653
 - TCOOFF constant, 653
 - TCOON constant, 653
 - TCSADRAIN constant, 643
 - TCSAFLUSH constant, 639, 643, 661, 665–667
 - TCSANOW constant, 643–644, 693, 696
 - tcsendbreak function, 297, 306, 637, 642, 653–654
 - definition of, 653
 - tcsetattr function, 297, 306, 633, 635, 637, 639, 643–644, 651–652, 661, 665–667, 693, 696, 703
 - definition of, 643
 - tcsetpgrp function, 273–274, 276, 278, 297, 306, 634, 637
 - definition of, 273
 - tee program, 516
 - tell function, 64
 - TELL_CHILD function, 229–230, 337, 451, 458, 493, 501, 503, 539, 845
 - definition of, 338, 502
 - telldir function, 120–125
 - definition of, 120
 - TELL_PARENT function, 229, 337, 451, 493, 501, 503, 539, 845, 876
 - definition of, 338, 502
 - TELL_WAIT function, 229–230, 337, 451, 458, 493, 501, 539, 845, 876
 - definition of, 337, 502
 - telnet program, 472, 703, 706
 - telnetd program, 267, 472–473, 677, 699, 866, 882
 - tempfile function, 158
 - tempnam function, 155–160
 - definition of, 157
 - TENEX C shell, 3
 - TERM environment variable, 193, 263, 265
 - termcap, 672–673, 890
 - terminal
 - baud rate, 652–653
 - canonical mode, 660–663
 - controlling, 61, 215, 234, 251, 268, 271–274, 276, 278–279, 281, 284, 286–287, 294, 296–297, 349, 423–425, 428, 439, 463, 468, 640, 645, 651, 654, 660, 662, 676, 683, 685, 689, 691–692, 846, 890
 - identification, 654–660
 - I/O, 631–673
 - line control, 653–654
 - logins, 261–266
 - mode, cbreak, 632, 664, 668, 673
 - mode, cooked, 632
 - mode, raw, 632, 664, 668, 673, 696, 699
 - noncanonical mode, 663–670
 - options, 643–651
 - parity, 648
 - process group ID, 278, 423–424
 - special input characters, 638–642
 - window size, 286, 297, 670–672, 691, 706–707
 - termination, process, 180–184
 - terminfo, 672–673, 887, 890

- termio structure, 634
- <termio.h> header, 634
- termios structure, 286, 634, 637–639, 643–644, 652–653, 655, 661, 663–666, 668, 691–692, 694, 696, 702, 706–707, 844–845, 882
- <termios.h> header, 29, 84, 634
- text segment, 186
- <tgmath.h> header, 27
- The Open Group, xxii, 32, 176, 887
- Thompson, K., 71, 165, 211, 709, 889–890
- thread_init function, 404
- threads, 13, 27, 211, 355–386, 540
 - concepts, 355–357
 - control, 387–421
 - creation, 357–360
 - synchronization, 368–385
 - termination, 360–368
- thundering herd, 869
- tick, clock, 20, 42, 48, 57, 251–252, 257
- time
 - and date functions, 173–176
 - calendar, 20, 24, 57, 117, 173–175, 246, 251–252
 - process, 20, 24, 57, 257–259
 - values, 20
- time function, 173, 246, 306, 331, 599–600, 862, 871
 - definition of, 173
- time program, 20
- TIME terminal value, 647, 663–664, 668, 673, 882
- <time.h> header, 27, 57
- timer_getoverrun function, 306
- timer_gettime function, 306
- timer_settime function, 306, 327
- times, file, 115–116, 493
- times function, 42, 57, 257–258, 306, 484
 - definition of, 257
- timespec structure, 383, 398–399, 478
- time_t data type, 20, 57, 173, 175, 178, 854
- timeval structure, 173, 383, 398, 475, 478, 768, 871, 875
- timing
 - message queues, 527
 - read buffer sizes, 70
 - read/write versus mmap, 492
 - semaphore locking versus record locking, 533
 - standard I/O versus unbuffered I/O, 144
 - STREAMS-based pipes, 527
 - synchronization mechanisms, 82–83
 - UNIX domain sockets, 527
 - writev versus other techniques, 484
- TIOCGPTN constant, 689
- TIOCGWINSZ constant, 670–671, 695, 845
- TIOCPKT constant, 705
- TIOCPTLCK constant, 690
- TIOCREMOTE constant, 706
- TIOCSCTTY constant, 273, 692–693
- TIOCSIG constant, 706
- TIOCSIGNAL constant, 706
- TIOCSWINSZ constant, 670, 693, 706
- tip program, 673
- TLI (Transport Layer Interface, System V), 889
- tm structure, 174, 862
- TMPDIR environment variable, 157–158, 193
- tmpfile function, 155–159, 340, 412
 - definition of, 155
- TMP_MAX constant, 38, 155–156
- tmpnam function, 38, 155–159, 401, 412
 - definition of, 155
- tms structure, 257–258
- Torvalds, L., 35
- TOSTOP constant, 636, 651
- touch program, 117
- <trace.h> header, 30
- tracing system calls, 457
- transactions, database, 889
- Transport Layer Interface, System V, *see* TLI
- TRAP_BRKPT constant, 327
- TRAP_TRACE constant, 327
- tread function, 767–768
- treadn function, 768
- Trickey, H., 211, 889
- truncate function, 105, 113, 117, 433
 - definition of, 105
- truncation
 - file, 105
 - filename, 62
 - pathname, 62
- truss program, 457
- ttcompat STREAMS module, 468, 676, 685
- tty structure, 286
- tty_atexit function, 665, 696, 844
 - definition of, 668
- tty_cbreak function, 664, 669, 844
 - definition of, 665
- ttymon program, 266
- ttyname function, 127, 257, 402, 412, 655–656, 659, 687
 - definition of, 655, 658
- TTY_NAME_MAX constant, 39, 42, 48
- ttyname_r function, 402, 412
- tty_raw function, 664, 669, 673, 695, 844
 - definition of, 666
- tty_reset function, 664, 669, 844
 - definition of, 667

- tty_termios function, 665, 844
 - definition of, 668
- type attribute, 394
- typescript file, 678, 701
- TZ environment variable, 174, 176, 178, 193, 862
- TZNAME_MAX constant, 39, 42, 48

- UCHAR_MAX constant, 38
- <ucontext.h> header, 30
- ucontext_t structure, 328
- ucred structure, 611, 613
- UFS file system, 48, 55, 62, 105, 108, 119
- UID, *see* user ID
- uid_t data type, 57
- uint16_t data type, 551
- uint32_t data type, 551
- UINT_MAX constant, 38
- ulimit program, 51–52, 204
- <ulimit.h> header, 30
- ULLONG_MAX constant, 38
- ULONG_MAX constant, 38
- UltraSPARC, xxiii
- umask function, 97–100, 204, 306, 425, 427
 - definition of, 97
- umask program, 98–99, 131
- uname function, 171, 178, 306
 - definition of, 171
- uname program, 172, 178
- unbuffered I/O, 8, 59–86
- unbuffered I/O timing, standard I/O versus, 144
- ungetc function, 141–142, 412
 - definition of, 141
- ungetwc function, 412
- uninitialized data segment, 187
- <unistd.h> header, 9, 29, 52, 60, 69, 103, 401, 474, 721, 843
- UNIX Architecture, 1–2
- UNIX domain sockets, 594–601
 - timing, 527
- UNIX System implementations, 33
- Unix-to-Unix Copy, *see* UUCP
- UnixWare, 36, 309–310
- unlink function, 107–114, 117, 131, 157, 306, 340, 412, 456, 515, 592, 598–601, 857, 859, 878
 - definition of, 109
- un_lock function, 449, 725, 728, 845
- unlockpt function, 682–685, 688, 690
 - definition of, 682, 687, 690
- Unrau, R., 159, 492, 888
- unreliable signals, 301–303
- unsetenv function, 194, 402
 - definition of, 194
- update program, 77
- update_jobno function, 782, 795
- uptime program, 568, 570, 572, 574–575, 577, 579, 584
- USER environment variable, 192, 264
- user ID, 16, 237–241
 - effective, 91–92, 94–95, 99, 103, 117, 130, 210, 214, 235, 237–241, 257, 262, 264, 312, 354, 520, 524, 530, 535, 542–543, 593, 600, 605, 771, 861, 866
 - real, 39, 42, 91–92, 95, 203, 210, 214–215, 234–235, 237–241, 251, 257, 262, 264, 312, 354, 541, 685, 867
- USHRT_MAX constant, 38
- usleep function, 411, 493, 875
- /usr/lib/pt_chmod program, 685
- UTC (Coordinated Universal Time), 20, 173, 175–176
- utimbuf structure, 116, 118
- utime function, 116–119, 131, 306, 858
 - definition of, 116
- <utime.h> header, 29
- utmp file, 170–171, 257, 287, 698–699, 866, 871
- utmp structure, 171
- <utmpx.h> header, 30
- utsname structure, 171–172, 178
- UUCP (Unix-to-Unix Copy), 172
- uucp program, 473

- va_end function, 847–848, 850
- va_list data type, 847–850
- /var/account/acct file, 251
- /var/account/pacct file, 251
- /var/adm/pacct file, 251
- <varargs.h> header, 151
- variables
 - automatic, 187, 197, 199, 201, 207
 - global, 201
 - register, 199
 - static, 201
 - volatile, 199, 201, 315, 332
- /var/log/wtmp file, 171
- /var/run/utmp file, 171
- va_start function, 847–848, 850
- VDISCARD constant, 638
- VDSUSP constant, 638
- VEOF constant, 638–639, 664
- VEOL constant, 638, 664
- VEOL2 constant, 638
- VERASE constant, 638

- VERASE2 constant, 638
- vfork function, 211, 216–218, 260, 864–865
- vfprintf function, 151, 412
 - definition of, 151
- vfscanf function, 153
 - definition of, 153
- vwprintf function, 412
- vi program, 350, 457, 459, 632, 671–673, 882
- VINTR constant, 638–639
- vipw program, 163
- VKILL constant, 638
- VLNEXT constant, 638
- VMIN constant, 663–665, 667
- v-node, 71–72, 74, 126, 287, 602, 855, 887
- vnode structure, 286–287
- Vo, K. P., 125, 159, 887–888, 890
- volatile variables, 199, 201, 315, 332
- vprintf function, 151, 412, 854
 - definition of, 151
- VQUIT constant, 638
- vread function, 487
- VREPRINT constant, 638
- vscanf function, 153
 - definition of, 153
- vsnprintf function, 151, 849, 851
 - definition of, 151
- vsprintf function, 151, 431
 - definition of, 151
- vsscanf function, 153
 - definition of, 153
- VSTART constant, 638
- VSTATUS constant, 638
- VSTOP constant, 638
- VSUSP constant, 638
- vsyslog function, 432
 - definition of, 432
- VT0 constant, 651
- VT1 constant, 651
- VTDLY constant, 637, 644, 649, 651
- VTIME constant, 663–665, 667
- VWERASE constant, 638
- vwprintf function, 412
- vwrite function, 487
 - definition of, 227
- wait function, 22, 213–214, 219–228, 231, 237, 245, 249, 257, 259, 276, 293, 303–304, 306–310, 326, 343, 345, 347, 411, 430, 459, 508, 544, 878
 - definition of, 220
- Wait, J. W., xxviii
- wait3 function, 227
 - definition of, 227
- wait4 function, 227
 - definition of, 227
- WAIT_CHILD function, 229, 337, 451, 493, 501, 539, 845, 876
 - definition of, 338, 502
- waitid function, 226–227, 257, 411
 - definition of, 226
- WAIT_PARENT function, 229–230, 337, 451, 458, 493, 501, 539, 845
 - definition of, 338, 502
- waitpid function, 11–13, 19, 219–227, 236, 242, 246–249, 257, 259, 261, 270, 276, 291, 304, 306, 345, 411, 458, 500, 507–508, 543–544, 573, 877–878, 880
 - definition of, 220
- wall program, 685
- wc program, 104
- <wchar.h> header, 27, 134
- wchar_t data type, 57
- WCONTINUED constant, 224, 226
- WCOREDUMP function, 221–222
- wcrtomb function, 401
- wcsrtombs function, 401
- wcstombs function, 402
- wctomb function, 402
- <wctype.h> header, 27
- Weeks, M. S., 188, 887
- Weinberger, P. J., 71, 243, 709, 885, 890
- Weinstock, C. B., 890
- WERASE terminal character, 638, 642, 645–647, 663
- WEXITED constant, 226
- WEXITSTATUS function, 221–222
- who program, 171, 699
- WIFCONTINUED function, 221
- WIFEXITED function, 221–222
- WIFSIGNALED function, 221–222
- WIFSTOPPED function, 221–222, 224
- Williams, T., 285, 890
- Wilson, G. A., xxviii
- window size
 - pseudo terminal, 706
 - terminal, 286, 297, 670–672, 691, 706–707
- winsize structure, 286, 670–671, 691–692, 694, 696, 707, 845, 882
- Winterbottom, P., 211, 889
- WNOHANG constant, 224, 226
- WNOWAIT constant, 224, 226
- W_OK constant, 96
- Wolff, R., xxviii
- Wolff, S., xxviii

-
- WORD_BIT constant, 40
 - <wordexp.h> header, 29
 - working directory, 7, 13, 43, 49, 107, 125–126, 162, 193, 215, 234, 291, 426
 - worm, Internet, 142
 - wprintf function, 412
 - Wright, G. R., xxviii
 - write
 - delayed, 77
 - gather, 483, 607
 - synchronous, 61, 82–83
 - write function, 8–10, 20–21, 57, 59, 61, 65–66, 68–69, 72, 74–75, 82–85, 117, 135–136, 145, 155, 159, 212–213, 216, 229, 304, 306, 317–318, 351, 354, 411, 434, 442–444, 451, 454–458, 461–463, 468–469, 471, 475, 478, 484–488, 491–493, 499–500, 502, 511–513, 515–516, 521, 527, 543, 546, 548, 565, 569, 575, 587, 603–604, 616–617, 629, 632, 718, 789, 799, 855–856, 864, 868, 876–878
 - definition of, 68
 - write mode, STREAMS, 468
 - write program, 685
 - write_lock function, 449, 453, 458, 781, 845
 - written function, 485–486, 604, 697, 702, 772, 844
 - definition of, 485–486
 - writev function, 40–42, 304, 411, 441, 483–485, 493, 548, 566, 607, 617, 621, 718, 737, 739, 795, 799
 - definition of, 483
 - writew_lock function, 449, 451, 725, 735, 752, 845
 - wscanf function, 412
 - WSTOPPED constant, 226
 - WSTOPSIG function, 221–222
 - WTERMSIG function, 221–222
 - wtmp file, 170–171, 287, 866
 - Wulf, W. A., 890
 - WUNTRACED constant, 224

 - xargs program, 234
 - XCASE constant, 651
 - Xenix, 33, 445, 685
 - xinetd program, 268
 - X_OK constant, 96
 - X/Open, xxii, 32, 890
 - X/Open Portability Guide, 32
 - Issue 3, *see* XPG3
 - Issue 4, *see* XPG4
 - _XOPEN_CRYPT constant, 32, 53
 - _XOPEN_IOV_MAX constant, 41
 - _XOPEN_LEGACY constant, 32, 53
 - _XOPEN_NAME_MAX constant, 41
 - _XOPEN_PATH_MAX constant, 41
 - _XOPEN_REALTIME constant, 32, 53
 - _XOPEN_REALTIME_THREADS constant, 32, 53
 - _XOPEN_SOURCE constant, 55
 - _XOPEN_STREAMS constant, 32
 - _XOPEN_UNIX constant, 29, 55
 - _XOPEN_VERSION constant, 53, 55
 - XPG3 (X/Open Portability Guide, Issue 3), xxvii, 34, 890
 - XPG4 (X/Open Portability Guide, Issue 4), 32
 - XSI, 29–32, 52–55, 74, 88, 100, 102, 105, 121–122, 125, 133, 150, 152, 156–158, 164, 167, 173, 193–194, 202, 204, 221, 224, 226–227, 240, 269, 271, 274, 291–292, 297, 304–305, 308, 317, 325–326, 329, 391, 394, 401, 428, 430–431, 445, 460, 474, 483, 487–489, 496, 515, 523–525, 528, 533, 538, 540, 543–544, 626, 634–635, 637, 645, 647, 649–651, 681, 683, 686, 709–710, 858
 - XSI IPC, 518–522
 - XTABS constant, 650–651

 - Yigit, O., 710, 890

 - zombie, 219–220, 224, 260, 308, 326, 866