

# Index

The function subentries labeled “definition of” point to where the function prototype appears and, when applicable, to the source code for the function. Functions defined in the text that are used in later examples, such as the `set_fl` function in Figure 3.11, are included in this index. The definitions of external functions that are part of the larger examples (Chapters 17, 19, 20, and 21) are also included in this index, to help in going through these larger examples. Also, significant functions and constants that occur in any of the examples in the text, such as `select` and `poll`, are also included in this index. Trivial functions that occur in almost every example, such as `exit`, are not referenced when they occur in examples.

- `#!`, *see* interpreter files
- `.`, *see* current directory
- `..`, *see* parent directory
- 2.9BSD, 216
- 386BSD, xxvii, 34–35
- 4.1BSD, 487
- 4.2BSD, 18, 112, 119–120, 167, 428–429, 474, 481, 483, 487, 545
- 4.3BSD, xxvii, 33–34, 36, 183, 240, 248, 265, 442, 497, 699, 846, 888
  - Reno, xxvii, 34, 72
  - Tahoe, xxvii, 34, 888
- 4.4BSD, xxii, xxvii, 21, 34, 105, 112, 119, 139, 216, 462, 497, 545, 699, 710, 888
- a2ps program, 805
- abort function, 180, 218, 223, 253, 256, 289, 293–295, 340–342, 353, 407, 848, 870
  - definition of, 340–341
- absolute pathname, 5, 7, 43, 49, 126, 131, 242, 859
- accept function, 138, 306, 411, 563–564, 570, 572, 597, 599–600, 780
  - definition of, 563
- access function, 95–97, 113, 116, 306
  - definition of, 95
- accounting
  - login, 170–171
  - process, 250–256
- acct function, 250

- acct structure, 251, 254
- acctcom program, 250
- accton program, 250–251, 255
- ACOMPAT constant, 251
- ACORE constant, 251, 254–255
- acstime\_r function, 402
- add\_job function, 783, 790
- add\_option function, 794, 797
- addressing, socket, 549–561
- addrinfo structure, 555–559, 569, 571, 573, 576, 578, 779, 782, 796
- add\_worker function, 787, 791
- adjustment on exit, semaphore, 532–533
- Adobe Systems, 885
- advisory record locking, 455
- AES (Application Environment Specification), 32
- AEXPND constant, 251
- AF\_INET constant, 547, 551–552, 554, 557, 559–560
- AF\_INET6 constant, 551–552, 557
- AF\_IPX constant, 546
- AF\_LOCAL constant, 546
- AFORK constant, 251–252, 254
- AF\_UNIX constant, 546, 557, 595–598, 600–601
- AF\_UNSPEC constant, 546, 557
- agetty program, 265
- Aho, A. V., 243, 885
- AI\_ALL constant, 559
- AI\_CANONNAME constant, 559, 571, 574, 578
- AI\_NUMERICHOST constant, 559
- AI\_NUMERICSERV constant, 559
- aio\_error function, 306
- <aio.h> header, 30
- aio\_return function, 306
- aio\_suspend function, 306, 411
- AI\_PASSIVE constant, 559
- AI\_V4MAPPED constant, 556, 559
- AIX, 36
- alarm function, 289, 293, 306–307, 310, 313–318, 331, 348–349, 354, 575–576, 867
  - definition of, 313
- alloca function, 192
- already\_running function, definition of, 433
- ALTWERASE constant, 636, 642, 645
- American National Standards Institute, *see* ANSI
- Andrade, J. M., 521, 885
- ANSI (American National Standards Institute), 25
- ANSI C, xxvi–xxvii
- Apple Computer, xxii
- Application Environment Specification, *see* AES
- apue\_db.h header, 711, 719, 723, 727
- apue.h header, 6, 9–10, 229, 299, 449–450, 597, 721, 843–846
- Architecture, UNIX, 1–2
- argc variable, 778
- ARG\_MAX constant, 39, 42, 46, 48, 233, 404
- arguments, command-line, 185
- argv variable, 774
- Arnold J. Q., 188, 885
- <arpa/inet.h> header, 29, 550
- asctime function, 175, 402
  - definition of, 175
- <assert.h> header, 27
- ASU constant, 251, 254
- asynchronous I/O, 473, 481–482
- asynchronous socket I/O, 582–583
- at program, 431
- atexit function, 42, 182, 184, 207, 218, 365, 696, 863
  - definition of, 182
- ATEXIT\_MAX constant, 40, 42, 48, 51
- atol function, 781
- atomic operation, 39, 43, 57, 61, 74–75, 77, 109, 139, 333, 340, 448, 515, 528, 530, 532, 883
- AT&T, xix, 5, 33–34, 159, 311, 460, 462, 479, 885–886
- automatic variables, 187, 197, 199, 201, 207
- avoidance, deadlock, 373
- awk program, 44–46, 243–246, 514, 887
- AXSIG constant, 251, 254–255
- B0 constant, 652
- B110 constant, 652
- B115200 constant, 652
- B1200 constant, 652
- B134 constant, 652
- B150 constant, 652
- B1800 constant, 652
- B19200 constant, 652
- B200 constant, 652
- B2400 constant, 652
- B300 constant, 652
- B38400 constant, 652
- B4800 constant, 652
- B50 constant, 652
- B57600 constant, 652
- B600 constant, 652
- B75 constant, 652
- B9600 constant, 652
- Bach, M. J., xix, xxviii, 70, 77, 104, 108, 211, 461, 855, 886
- background process group, 272, 275, 277, 279, 281–282, 284–285, 296–297, 344, 349, 882
- backoff, exponential, 562

- Barkley, R. E., 886
- basename function, 402
- bash program, 81, 158, 250
- .bash\_login file, 265
- .bash\_profile file, 265
- Bass, J., 445
- baud rate, terminal I/O, 652–653
- Berkeley Software Distribution, *see* BSD
- bibliography, alphabetical, 885–890
- big-endian byte order, 549
- bind function, 306, 560, 564, 580–581, 596–598, 600–601
- definition of, 560
- /bin/false program, 163
- /bin/true program, 163
- <bits/signum.h> header, 290
- block special file, 89, 128–129
- Bolsky, M. I., 510, 886
- Bostic, K., xxviii, 33, 70, 104, 108, 461, 487, 888
- Keith, 211, 218
- Bourne, S. R., 3
- Bourne shell, 3, 52, 86, 158, 192, 204, 265, 275, 278, 346, 457, 504, 510, 662, 877, 887
- Bourne-again shell, 3, 51–52, 81, 86, 192, 204, 265, 275, 510
- BREAK character, 637, 642, 645, 648, 650, 654, 668
- BRKINT constant, 635, 645, 648, 666–668
- BS0 constant, 645
- BS1 constant, 645
- BSD (Berkeley Software Distribution), 34, 62, 83, 262, 265–266, 268–269, 271, 273–274, 442, 473, 481–482, 493, 552–553, 595, 683, 685–686, 689, 691, 699, 706–707
- BSD Networking Release 1.0, xxvii, 34
- BSD Networking Release 2.0, xxvii, 34
- BSD/386, xxvii
- BSDLY constant, 637, 644–645, 649
- bss segment, 187
- buf\_args function, 618–620, 628–629, 845
- definition of, 619
- buffer cache, 77
- buffering, standard I/O, 135–137, 213, 217, 247, 342, 513–514, 680, 718
- BUFSIZ constant, 49, 137, 202
- build\_qonstart function, 780, 785
- BUS\_ADRALN constant, 327
- BUS\_ADRERR constant, 327
- BUS\_OBJERR constant, 327
- byte order
- big-endian, 549
- little-endian, 549
- byte ordering, 549–550
- C, ANSI, xxvi–xxvii
- ISO, 25–26, 887
- C shell, 3, 52, 204, 265, 275, 510
- c99 program, 56, 67
- cache
- buffer, 77
- page, 77
- caddr\_t data type, 57
- CAE (Common Application Environment), 32
- calendar time, 20, 24, 57, 117, 173–175, 246, 251–252
- calloc function, 189–190, 207, 467, 506, 726, 863
- definition of, 189
- cancellation point, 410–411
- canonical mode, terminal I/O, 660–663
- Carges, M. T., 521, 885
- cat program, 85, 104, 114, 276, 279, 699, 714, 882
- catclose function, 412
- catgets function, 402, 412
- catopen function, 412
- CBAUDEXT constant, 635, 645
- cbreak terminal mode, 632, 664, 668, 673
- cc program, 6, 55, 189
- CCAR\_OFLOW constant, 635, 645, 649
- cc\_t data type, 634
- CCTS\_OFLOW constant, 635, 645
- cc(1) program, 6
- cd program, 126
- CDSR\_OFLOW constant, 635, 645
- CDTR\_IFLOW constant, 635, 645
- cfgetispeed function, 306, 637, 652
- definition of, 652
- cfgetospeed function, 306, 637, 652
- definition of, 652
- cfsetispeed function, 306, 637, 652
- definition of, 652
- cfsetospeed function, 306, 637, 652
- definition of, 652
- character special file, 89, 128–129, 461, 466, 659
- CHAR\_BIT constant, 38
- CHARCLASS\_NAME\_MAX constant, 39, 48
- CHAR\_MAX constant, 38
- CHAR\_MIN constant, 38
- chdir function, 7, 113, 125–127, 131, 204, 264, 306, 427, 860
- definition of, 125
- Chen, D., 886
- CHILD\_MAX constant, 39, 42, 48, 215
- chmod function, 99–101, 113, 117, 306, 520, 600–601, 687, 689–690, 882
- definition of, 99
- chmod program, 93, 521

- chown function, 54, 102–103, 112–113, 117, 264, 306, 520, 687, 689, 882
  - definition of, 102
- chroot function, 131, 439, 858, 871
- CIBAUEXT constant, 635, 645
- CIGNORE constant, 635, 645
- Clark, J. J., xxviii
- CLD\_CONTINUE constant, 327
- CLD\_DUMPED constant, 327
- CLD\_EXITED constant, 327
- CLD\_KILLED constant, 327
- CLD\_STOPPED constant, 327
- CLD\_TRAPPED constant, 327
- clearenv function, 194
- clearerr function, 141
  - definition of, 141
- cli\_args function, 618–620, 628
  - definition of, 620
- cli\_conn function, 592–593, 600, 621, 626, 845
  - definition of, 592, 594, 600
- client\_add function, 623, 625–627
  - definition of, 623
- client\_alloc function, 623
  - definition of, 622
- client\_cleanup function, 787, 792
- client\_del function, 625, 627
  - definition of, 623
- client-server
  - model, 439, 541–543
- client\_thread function, 787
- CLOCAL constant, 294, 635, 645
- clock function, 57
- clock tick, 20, 42, 48, 57, 251–252, 257
- clock\_gettime function, 306
- clock\_nanosleep function, 411
- CLOCKS\_PER\_SEC constant, 57
- clock\_t data type, 20, 57, 257
- clone device, STREAMS, 683
- clone function, 211, 360, 416
- close function, 8, 51, 59, 63, 77, 115, 118, 306, 411, 427, 433, 452, 461, 493, 499–501, 506, 511–512, 515, 521–522, 539–540, 543, 547–548, 564, 571, 573, 581, 587–588, 592–594, 598–599, 601, 616–617, 619, 625, 627–628, 684–685, 688, 690, 693, 704–705
  - definition of, 63
- closedir function, 5, 7, 120–125, 412, 658, 858
  - definition of, 120
- closelog function, 412, 430
  - definition of, 430
- close-on-exec flag, 76, 79, 234, 452
- clrsync function, definition of, 881
- clr\_fl function, 81, 442–443, 844, 879
- clri program, 114
- cmsghdr structure, 610–613
- MSG\_DATA function, 607–608, 610, 612, 614
  - definition of, 607
- MSG\_FIRSTHDR function, 607, 614
  - definition of, 607
- msg\_hdr structure, 607–609, 611, 613
- MSG\_LEN function, 607–609, 611, 613
  - definition of, 607
- MSG\_NXTHDR function, 607, 612, 614
  - definition of, 607
- MSPPAR constant, 637, 645, 650
- codes, option, 31
- COLL\_WEIGHTS\_MAX constant, 39, 42, 48
- COLUMNS environment variable, 193
- Comer, D. E., 710, 886
- command-line arguments, 185
- Common Application Environment, *see* CAE
- Common Open Software Environment, *see* COSE
- communication, network printer, 753–805
- <complex.h> header, 27
- comp\_t data type, 57
- Computing Science Research Group, *see* CSRG
- cond\_signal function, 385
- connect function, 306, 411, 561–563, 565–566, 577, 597, 601
  - definition of, 561
- connection establishment, 561–565
- connect\_retry function, 569, 763, 797
  - definition of, 562
- connld STREAMS module, 518, 590, 592, 600
- controlling
  - process, 272, 294
  - terminal, 61, 215, 234, 251, 268, 271–274, 276, 278–279, 281, 284, 286–287, 294, 296–297, 349, 423–425, 428, 439, 463, 468, 640, 645, 651, 654, 660, 662, 676, 683, 685, 689, 691–692, 846, 890
- cooked terminal mode, 632
- cooperating processes, 455, 717, 883
- Coordinated Universal Time, *see* UTC
- coprocesses, 510–514, 680, 701
- copy-on-write, 211, 417
- core dump, 70, 870
- core file, 104, 116, 256, 291, 293, 296, 307, 340, 641, 663, 857, 863, 865
- COSE (Common Open Software Environment), 32
- cp program, 131, 490
- cpio program, 117, 131–132, 858–859
- <cpio.h> header, 30
- CR terminal character, 638, 640, 663

- CR0 constant, 645  
 CR1 constant, 645  
 CR2 constant, 645  
 CR3 constant, 645  
 CRDLY constant, 637, 644–645, 649  
 CREAD constant, 635, 646  
 creat function, 59, 62–63, 65, 75, 85, 95, 97, 110, 113, 117, 139, 306, 411, 451, 592, 857, 860  
   definition of, 62  
 creation mask, file mode, 97–98, 119, 131, 215, 234, 425  
 cron program, 354, 425, 430–432, 434, 868  
 CRTSCTS constant, 635, 646  
 CRTS\_IFLOW constant, 635, 646  
 CRTSXOFF constant, 635, 646  
 crypt function, 263, 273, 279–280, 402  
 crypt program, 273, 660  
 CS5 constant, 644, 646  
 CS6 constant, 644, 646  
 CS7 constant, 644, 646  
 CS8 constant, 644, 646, 666–668  
 .cshrc file, 265  
 CSIZE constant, 635, 644, 646, 666–667  
 csopen function, 615–616  
   definition of, 616, 621  
 CSRG (Computing Science Research Group), xx, xxii, 35  
 CSTOPB constant, 635, 646  
 ctermid function, 401, 412, 654, 660–661  
   definition of, 654  
 ctime function, 174–176, 402  
   definition of, 175  
 ctime\_r function, 402  
 <ctype.h> header, 27  
 cu program, 473  
 cupsd program, 425, 757  
 curses library, 672–673, 887, 890  
 cuserid function, 257
- daemon, 423–439  
   coding, 425–428  
   conventions, 434–439  
   error logging, 428–432  
 daemonize function, 425, 428, 439, 571, 573, 578, 624, 778, 844, 871–872  
   definition of, 426  
 Dang, X. T., 188, 887  
 Darwin, xxiii, 35  
 data, out-of-band, 581–582  
 data segment  
   initialized, 187  
   uninitialized, 187  
 data transfer, 565–579  
 data types, primitive system, 56  
 database library, 709–752  
   coarse-grained locking, 718  
   concurrency, 718–719  
   fine-grained locking, 718  
   implementation, 712–715  
   performance, 747–752  
   source code, 719–747  
 database transactions, 889  
 Date, C. J., 719, 886  
 date functions, time and, 173–176  
 date program, 175, 178, 346, 862, 882  
 DATEMSK environment variable, 193  
 db library, 710, 889  
 DB structure, 722–724, 726–728, 731–734, 739, 742, 748  
   \_db\_alloc function, 723, 726–727  
   db\_close function, 710–711, 715, 727  
     definition of, 710  
   db\_delete function, 711, 718, 734–735, 737, 883  
     definition of, 711  
   \_db\_dodelete function, 734–735, 738, 742, 746–747, 752, 883  
   db\_fetch function, 711, 713, 715, 718, 728, 733  
     definition of, 711  
   \_db\_find\_and\_lock function, 728–729, 733–734, 740–741, 743, 752  
   \_db\_findfree function, 741, 743–744, 747  
   \_db\_free function, 724, 727  
 DBHANDLE data type, 715  
   \_db\_hash function, 730, 752  
 DB\_INSERT constant, 711, 715, 740  
 dbm library, 709–710, 890  
   dbm\_clearerr function, 402  
   dbm\_close function, 402, 412  
   dbm\_delete function, 402, 412  
   dbm\_error function, 402  
   dbm\_fetch function, 402, 412  
   dbm\_firstkey function, 402  
   dbm\_nextkey function, 402, 412  
   dbm\_open function, 402, 412  
   dbm\_store function, 402, 412  
   db\_nextrec function, 712, 715, 718, 735, 745, 747, 752, 883  
     definition of, 712  
   db\_open function, 710–712, 715, 718, 721–723, 725–727, 747  
     definition of, 710  
   \_db\_readdat function, 728, 734, 883  
   \_db\_readidx function, 730–731, 746, 883

- `_db_readptr` function, 729, 731, 752
- `DB_REPLACE` constant, 711, 740
- `db_rewind` function, 712, 745, 747
  - definition of, 712
- `DB_STORE` constant, 711, 740
- `db_store` function, 711–712, 715, 718, 720, 735, 737, 740, 747, 750, 752
  - definition of, 711
- `_db_writedat` function, 735, 737–738, 741–742, 747, 752, 883
- `_db_writeidx` function, 484, 725, 738, 741–742, 747, 752, 883
- `_db_writeptr` function, 725, 739, 741–742
- `dcheck` program, 114
- `dd` program, 256
- deadlock, 216, 373, 450, 513, 680
  - avoidance, 373
  - record locking, 450
- delayed write, 77
- descriptor set, 475, 477, 493, 875
- `detachstate` attribute, 389–390
- `/dev/fb` device, 466
- `/dev/fd` device, 84–85, 132, 656
- `/dev/fd/0` device, 85
- `/dev/fd/1` device, 85, 132
- `/dev/fd/2` device, 85
- `devfs` file system, 129
- device number
  - major, 56–57, 127, 129, 659
  - minor, 56–57, 127, 129, 659
- device special file, 127–129
- device, STREAMS clone, 683
  - `/dev/klog` device, 429
  - `/dev/kmem` device, 65
  - `/dev/log` device, 429, 439, 871
  - `/dev/null` device, 69, 82, 279, 466
  - `/dev/ptmx` device, 683–685, 689–690
  - `/dev/pts` device, 689
  - `/dev/pty` device, 686–687
  - `/dev/stderr` device, 85, 658
  - `/dev/stdin` device, 85, 658
  - `/dev/stdout` device, 85, 658
- `dev_t` data type, 57, 127–128
- `/dev/tty` device, 273, 279, 287, 466, 654, 660, 705
- `/dev/zero` device, 538–540
- `df` program, 131, 858
- `DIR` structure, 7, 121, 260, 657
- directories
  - files and, 4–7
  - reading, 120–125
- directory, 4
  - file, 88
  - home, 2, 7, 125, 193, 264, 267
  - ownership, 95
  - parent, 4, 101, 116, 119
  - root, 4, 7, 24, 129, 131, 215, 234, 260, 858
  - working, 7, 13, 43, 49, 107, 125–126, 162, 193, 215, 234, 291, 426
- `dirent` structure, 5, 7, 121, 123, 657
- `<dirent.h>` header, 29, 121
- `dirname` function, 402
- `DISCARD` terminal character, 638, 640, 647
- `dlclose` function, 412
- `dlopen` function, 402
- `<dlfcn.h>` header, 30
- `dlopen` function, 412
- `do_driver` function, 696, 704
  - definition of, 704
- Dorward, S., 211, 889
- DOS, 55
- `dot`, *see* current directory
- `dot-dot`, *see* parent directory
- `drand48` function, 402
- `DSUSP` terminal character, 638, 640, 648
- `du` program, 104, 131, 857–858
- Duff, T., 84
- `dup` function, 51, 59, 70, 73, 76–77, 138, 153, 213, 306, 428, 452–453, 548, 855–856, 864
  - definition of, 76
- `dup2` function, 62, 76–77, 86, 138, 306, 501, 506, 512, 548, 573–574, 588, 617, 693, 704–705, 855
  - definition of, 76
- E2BIG error, 526
- EACCESS error, 14–15, 433–434, 447, 459, 861
- EAGAIN error, 16, 433–434, 442, 444, 447, 456–457, 459, 525, 531–532, 564, 582, 687
- EBADF error, 51
- EBADMSG error, 470
- EBUSY error, 16, 371, 380
- ECHILD error, 308, 326, 345, 508
- ECHO constant, 636, 646–647, 661, 665–667, 696, 844
- `echo` program, 185
- ECHOCTL constant, 636, 646
- ECHOE constant, 636, 646–647, 661, 696
- ECHOK constant, 636, 647, 661, 696
- ECHOKE constant, 636, 647
- ECHONL constant, 636, 647, 661, 696
- ECHOPRT constant, 636, 646–647
- `ecvt` function, 402
- `ed` program, 342, 344–345, 456–457
- EEXIST error, 112, 520

- EFBIG error, 868
- effective
  - group ID, 91–92, 94–95, 101, 103, 130, 167, 210, 214, 237, 241, 520, 543, 605
  - user ID, 91–92, 94–95, 99, 103, 117, 130, 210, 214, 235, 237–241, 257, 262, 264, 312, 354, 520, 524, 530, 535, 542–543, 593, 600, 605, 771, 861, 866
- efficiency
  - I/O, 68–70
  - standard I/O, 143–145
- EIDRM error, 524–526, 530–532
- EINPROGRESS error, 563
- EINTR error, 16, 246–247, 303–304, 313, 334, 345, 475, 480, 507–508, 525–526, 532, 575
- EINVAL error, 42, 47, 320, 361, 367, 464, 466, 505, 507, 665–667
- EIO error, 284, 297, 686
- Ellis, M., xxviii
- ELOOP error, 113–114
- EMSGSIZE error, 566
- ENAMETOOLONG error, 62
- encrypt function, 402
- endgrent function, 167–168, 402, 412
  - definition of, 167
- endhostent function, 412, 553
  - definition of, 553
- endnetent function, 412, 554
  - definition of, 554
- endprotoent function, 412, 554
  - definition of, 554
- endpwent function, 164–165, 402, 412
  - definition of, 164
- endservent function, 412, 555
  - definition of, 555
- endspent function, 166
  - definition of, 166
- endutxent function, 402, 412
- ENFILE error, 16
- ENOBUFFS error, 16
- ENODEV error, 466
- ENOENT error, 15, 405, 686, 711
- ENOLCK error, 16
- ENOMEM error, 16
- ENOMSG error, 526
- ENOSPC error, 16, 405
- ENOSR error, 16
- ENOSTR error, 466
- ENOTDIR error, 548
- ENOTTY error, 466, 643, 653
- environ variable, 185–186, 193, 195, 232, 236, 404–405, 409, 863
- environment list, 185–186, 215, 233, 262–264
- environment variable, 192–195
  - COLUMNS, 193
  - DATMSK, 193
  - HOME, 192–193, 264
  - IFS, 250
  - LANG, 41, 193
  - LC\_ALL, 193
  - LC\_COLLATE, 42, 193
  - LC\_CTYPE, 193
  - LC\_MESSAGES, 193
  - LC\_MONETARY, 193
  - LC\_NUMERIC, 193
  - LC\_TIME, 193
  - LD\_LIBRARY\_PATH, 719
  - LINES, 193
  - LOGNAME, 193, 257, 264
  - MAILPATH, 192
  - MALLOC\_OPTIONS, 870
  - MSGVERB, 193
  - NLSPATH, 193
  - PAGER, 501, 504–505
  - PATH, 93, 193, 232–233, 235, 242, 244, 247, 264–265
  - PWD, 193
  - SHELL, 193, 264, 701
  - TERM, 193, 263, 265
  - TMPDIR, 157–158, 193
  - TZ, 174, 176, 178, 193, 862
  - USER, 192, 264
- ENXIO error, 515
- EOF constant, 10, 141, 143–144, 154, 160, 507, 509, 512–513, 587, 624, 694, 861
- EOF terminal character, 638, 640, 646–647, 660, 663
- EOL terminal character, 638, 640, 647, 660, 663
- EOL2 terminal character, 638, 640, 647, 660, 663
- EPERM error, 238
- EPIPE error, 499, 878
- Epoch, 20, 22, 117, 171, 173–174, 600
- ERANGE error, 49
- ERASE terminal character, 638, 640, 646–647, 662–663
- ERASE2 terminal character, 638, 641
- err\_dump function, 340, 733, 845–846
  - definition of, 848
- err\_exit function, 845–846
  - definition of, 847
- err\_msg function, 845–846
  - definition of, 848
- errno variable, 14–15, 24, 42, 49, 54, 62, 64, 77, 112–113, 134, 238, 246, 284, 290, 297, 303–304, 306–308, 312–313, 320, 326, 334, 345, 353, 356, 358, 406, 413, 431, 434, 442, 444, 447, 459, 475, 480, 499, 508, 515, 526, 548, 563–564, 566,

- 582, 643, 653, 711, 767, 782, 846, 854, 868
  - `<errno.h>` header, 14, 16, 27
  - error
    - handling, 14–16
    - logging, daemon, 428–432
    - recovery, 16
    - routines, standard, 846–851
  - `err_quit` function, 7, 778, 845–846, 860
    - definition of, 848
  - `err_ret` function, 771, 845–846, 860
    - definition of, 847
  - `err_sys` function, 7, 24, 771, 845–846
    - definition of, 847
  - ESPIPE error, 64, 548
  - ESRCH error, 312
  - `/etc/gettydefs` file, 265
  - `/etc/group` file, 17–18, 161, 169–170
  - `/etc/hosts` file, 170
  - `/etc/inittab` file, 265
  - `/etc/master.passwd` file, 169
  - `/etc/motd` device, 466
  - `/etc/networks` file, 170
  - `/etc/passwd` file, 2, 92, 125, 161–162, 164, 166, 169–170
  - `/etc/protocols` file, 170
  - `/etc/pwd.db` file, 169
  - `/etc/rc` file, 173, 266
  - `/etc/services` file, 170
  - `/etc/shadow` file, 92, 169–170
  - `/etc/spwd.db` file, 169
  - `/etc/syslog.conf` file, 429
  - `/etc/termcap` file, 672
  - `/etc/ttys` file, 262
  - ETIME error, 763, 767
  - ETIMEDOUT error, 384
  - EWOLDBLOCK error, 16, 442, 564, 582
  - `exec` function, 10–12, 22, 39, 42, 78, 94, 113, 116–117, 179, 183, 185, 206, 211, 215–216, 231–240, 242–243, 245–246, 248, 250, 252, 256, 259–260, 262–264, 266–267, 270, 280, 300–301, 347, 416–417, 452, 489, 495, 500, 503, 519, 541, 615–616, 620–621, 629, 676, 678, 680, 682, 692, 704, 707, 863, 870, 886
  - `execl` function, 231–233, 242–243, 247, 253, 255–256, 260, 264, 345–346, 501, 506, 512, 573, 588, 617, 702, 865
    - definition of, 231
  - `execle` function, 231–233, 235–236, 263, 306
    - definition of, 231
  - `execlp` function, 11–13, 19, 231–233, 235–236, 245, 247, 260, 704, 865
    - definition of, 231
  - `execv` function, 231–233
    - definition of, 231
  - `execve` function, 231–233, 235, 306, 865
    - definition of, 231
  - `execvp` function, 231–233, 235, 695–696
    - definition of, 231
  - exercises, solutions to, 853–883
  - `_exit` function, 180, 183, 217–221, 247, 259–260, 306, 340, 342, 345, 354, 360, 407, 864, 867
  - `_Exit` function, 180, 183, 218–219, 221, 306, 340, 342, 360, 407
    - definition of, 180
  - `_exit` function, definition of, 180
  - `exit` function, 7, 140, 144, 180–184, 207, 213, 216–221, 228, 231, 246–247, 252–253, 255–256, 260, 264, 305, 340–341, 360, 407, 425, 504, 665, 696, 707, 771, 780, 793, 843, 863–864, 882
    - definition of, 180
  - exit handler, 182
  - expect program, 679, 703–705, 888
  - exponential backoff, 562
  - ext2 file system, 69, 82, 95, 119
  - ext3 file system, 95, 119
  - EXTPROC constant, 636, 647
- 
- Fagin, R., 710, 715, 886
  - fatal error, 16
  - `fattach` function, 589, 592–593
    - definition of, 589
  - `fchdir` function, 125–127, 548
    - definition of, 125
  - `fchmod` function, 99–101, 112, 117, 306, 458, 548
    - definition of, 99
  - `fchown` function, 102–103, 117, 306, 548
    - definition of, 102
  - `fclose` function, 138–140, 181, 183, 340–341, 412, 507, 661
    - definition of, 139
  - `fcntl` function, 59, 73, 76–83, 86, 105, 138, 153, 203, 234, 306, 411–412, 442, 445, 447–450, 452, 454–455, 482, 548, 581–583, 749–751, 880–882
    - definition of, 78
  - `<fcntl.h>` header, 29, 60
  - `fcvt` function, 402
  - `fdatasync` function, 77–78, 82–83, 306, 548
    - definition of, 77
  - FD\_CLOEXEC constant, 78–79, 234
  - FD\_CLR function, 476, 625, 875
    - definition of, 476

- fdetach function, 590
  - definition of, 590
- FD\_ISSET function, 476, 625, 875
  - definition of, 476
- fdopen function, 138–140, 506, 877
  - definition of, 138
- fd\_set data type, 57, 475–476, 493, 625, 779–780, 874, 879
- FD\_SET function, 476, 625, 875
  - definition of, 476
- FD\_SETSIZE constant, 477, 874
- F\_DUPFD constant, 77–79, 548
- FD\_ZERO function, 476, 625, 875
  - definition of, 476
- feature test macro, 55–56, 81
- Fenner, B., 147, 266, 429, 545, 890
- <fcntl.h> header, 27
- feof function, 141, 146
  - definition of, 141
- error function, 10, 141, 143–144, 146, 254, 500, 505, 512, 588
  - definition of, 141
- FF0 constant, 647
- FF1 constant, 647
- FFDLY constant, 637, 644, 647, 649
- fflush function, 135, 137, 139, 160, 341, 412, 508–510, 514, 662, 680, 849, 851, 854, 861
  - definition of, 137
- F\_FREESP constant, 105
- fgetc function, 140–141, 144–145, 412
  - definition of, 140
- F\_GETFD constant, 78–79, 548
- F\_GETFL constant, 78–81, 548
- F\_GETLK constant, 78, 446–450
- F\_GETOWN constant, 78–79, 548, 582
- fgetpos function, 147–148, 412
  - definition of, 148
- fgets function, 9, 11–12, 19, 140, 142–145, 156, 159, 196, 198, 412, 500, 505, 509, 512–514, 570, 577, 587, 616, 703, 718, 807, 859, 861, 877
  - definition of, 142
- fgetwc function, 412
- fgetws function, 412
- FIFOs, 89, 496, 514–518, 589
- file
  - access permissions, 92–94, 130
  - block special, 89, 128–129
  - character special, 89, 128–129, 461, 466, 659
  - descriptor passing, 543, 601–614
  - descriptor passing, socket, 606–614
  - descriptor passing, STREAMS, 604–606
  - descriptors, 8–10, 59–60
  - device special, 127–129
  - directory, 88
  - group, 166–167
  - holes, 65–66, 104–105
  - mode creation mask, 97–98, 119, 131, 215, 234, 425
  - offset, 63–65, 71–74, 76, 213–214, 454, 484, 713–714, 856
  - ownership, 95
  - pointer, 134
  - regular, 88
  - sharing, 70–73, 213
  - size, 103–105
  - times, 115–116, 493
  - truncation, 105
  - types, 88–91
- FILE structure, 121, 133–134, 141, 153–154, 156, 202, 217, 254, 402–403, 500, 504–505, 507, 509, 577, 661, 720, 872
- file system, 4, 105–108
  - devfs, 129
  - ext2, 69, 82, 95, 119
  - ext3, 95, 119
  - HSFS, 105
  - PCFS, 48, 55, 105
  - S5, 62
  - UFS, 48, 55, 62, 105, 108, 119
- filename, 4
  - truncation, 62
- FILENAME\_MAX constant, 38
- fileno function, 153, 506–507, 661, 861
  - definition of, 153
- \_FILE\_OFFSET\_BITS constant, 67
- FILEPERM constant, 762, 788
- files and directories, 4–7
- FILESIZEBITS constant, 39, 43, 48
- find program, 116, 125, 234
- finger program, 131, 163, 858
- FIOASYNC constant, 583, 880–881
- FIOSETOWN constant, 583
- FIPS, 33
- Flandrena, B., 211, 889
- <float.h> header, 27, 38
- flock function, 445
- flock structure, 446, 448–449, 454
- flockfile function, 402–403
  - definition of, 403
- FLUSHO constant, 636, 640, 647
- FMNAMESZ constant, 466
- fmsg function, 193
- <fmsg.h> header, 30
- FNDELAY constant, 442

- <fnmatch.h> header, 29
- F\_OK constant, 96
- foo\_alloc function, 372
- foo\_find function, 376
- foo\_hold function, 376
- foo\_rele function, 376
- fopen function, 5, 134, 138–140, 154, 202, 254, 412, 500–501, 504, 661, 872
  - definition of, 138
- FOPEN\_MAX constant, 38, 42
- foreground process group, 272–278, 280–281, 286, 294, 296–297, 343, 350, 424–425, 463, 640–642, 645, 649, 670, 706, 882
- foreground process group ID, 274, 278, 637
- fork function, 11–12, 19, 22, 73, 210–219, 223–225, 227–231, 235–236, 240, 242, 245–248, 250–253, 255–256, 259, 262, 264, 266–267, 270–271, 279, 282–284, 287, 301, 306, 309, 345–347, 354, 416–421, 425–428, 430, 451–453, 458–459, 473, 489, 495–501, 503, 506–507, 511, 519, 527, 539, 541, 544, 573–574, 587, 602, 615–617, 620–621, 629, 675, 680, 682–683, 691–692, 697, 704, 747, 865–866, 870–871, 873, 876, 878, 880, 886
  - definition of, 211
- fork1 function, 211
- Fowler, G. S., 125, 887, 890
- fpathconf function, 37, 39–48, 52–54, 103, 121, 306, 499, 639
  - definition of, 41
- FPE\_FLTDIV constant, 327
- FPE\_FLTINV constant, 327
- FPE\_FLTOVF constant, 327
- FPE\_FLTRES constant, 327
- FPE\_FLTSUB constant, 327
- FPE\_FLTUND constant, 327
- FPE\_INTDIV constant, 327
- FPE\_INTOVF constant, 327
- fpos\_t data type, 57, 147
- fprintf function, 149, 412, 854
  - definition of, 149
- fputc function, 135, 142, 144–145, 412
  - definition of, 142
- fputs function, 136, 140, 142–145, 154, 156, 159, 412, 505, 509, 512, 587, 661, 849, 851, 859, 862, 877
  - definition of, 143
- fputwc function, 412
- fputws function, 412
- F\_RDLCK constant, 446–447, 449–450, 845, 873–874
- fread function, 140, 145–147, 250, 254, 412
  - definition of, 146
- free function, 157, 159, 189–192, 306, 372, 374–376, 378, 410, 657, 728
  - definition of, 189
- freeaddrinfo function, 555
  - definition of, 555
- FreeBSD, xxii–xxiii, 3, 21, 26–27, 29–30, 35–36, 38, 48, 55, 58, 60, 62, 65, 78–79, 84, 95, 101–103, 112, 119, 122, 128, 162, 166, 169, 171–172, 176, 191, 193–194, 204, 206–207, 211, 222, 227, 242–243, 250–251, 257, 264–265, 268, 278, 285, 290–292, 295, 298, 304–305, 308, 310, 326, 330, 333, 348, 352, 357, 360, 364, 445, 452–453, 457, 459, 474–475, 496, 521, 523, 529, 534, 538, 550–551, 566–568, 583, 588, 596, 610–611, 614, 635–638, 645–651, 676, 682–683, 692, 705–706, 710, 876, 888
- freopen function, 134, 138–140, 412
  - definition of, 138
- fscanf function, 151, 412
  - definition of, 151
- fsck program, 114
- fseek function, 139, 147–148, 412
  - definition of, 147
- fseeko function, 147–148, 412
  - definition of, 148
- F\_SETFD constant, 78–79, 81, 86, 548, 855
- F\_SETFL constant, 78–79, 81, 86, 482, 548, 583, 855, 882
- F\_SETLK constant, 78, 446–448, 450, 454, 845, 873–874
- F\_SETLKW constant, 78, 446–448, 450, 845, 873
- F\_SETOWN constant, 78–79, 482, 548, 581–583, 880–881
- fsetpos function, 139, 147–148, 412
  - definition of, 148
- fstat function, 4, 87–88, 112, 306, 458, 491, 497, 542, 548, 658, 725, 796
  - definition of, 87
- fsync function, 59, 77–78, 82–83, 160, 306, 411, 489, 548, 752, 861
  - definition of, 77
- ftell function, 147–148, 412
  - definition of, 147
- ftello function, 147–148, 412
  - definition of, 148
- ftok function, 519
  - definition of, 519
- ftpd program, 431, 871
- ftruncate function, 105, 117, 306, 491, 548
  - definition of, 105
- ftrylockfile function, 402–403

- definition of, 403
- fts function, 122
- ftw function, 113–114, 120–125, 131, 402, 412, 858
- <ftw.h> header, 30
- full-duplex pipes, 496
  - named, 496
- function prototypes, 807–841
- functions, system calls versus, 21–23
- F\_UNLCK constant, 446–447, 449–450, 845
- funlockfile function, 402–403
  - definition of, 403
- fwide function, 134
  - definition of, 134
- fwprintf function, 412
- fwrite function, 140, 145–147, 354, 412, 868
  - definition of, 146
- F\_WRLCK constant, 446–447, 449–450, 454, 845, 873
- fwscanf function, 412
  
- gai\_strerror function, 556, 571, 574, 576, 578
  - definition of, 556
- Gallmeister, B. O., 887
- Garfinkel, S., 165, 232, 273, 887
- gather write, 483, 607
- gawk program, 243
- gcc program, 6, 26, 56
- gcvt function, 402
- gdb program, 870
- gdbm library, 710
- generic pointer, 68, 190
- getaddrinfo function, 555–557, 559–560, 569–571, 574, 576, 578, 764, 770
  - definition of, 555
- getaddrlist function, 764, 770
- GETALL constant, 530
- getc function, 10, 140–143, 145, 153–154, 412, 661–662, 861
  - definition of, 140
- getchar function, 140, 154, 160, 412, 509, 861
  - definition of, 140
- getchar\_unlocked function, 402–403, 412
  - definition of, 403
- getconf program, 67
- getc\_unlocked function, 402–403, 412
  - definition of, 403
- getcwd function, 49, 125–127, 132, 190, 412, 859–860
  - definition of, 126
- getdate function, 193, 402, 412
- getegid function, 210, 306
  - definition of, 210
- getenv function, 186, 192–194, 402–405, 409–410, 421, 501, 870
  - definition of, 192
- getenv\_r function, 404–405
- geteuid function, 210, 238–239, 249, 306, 612, 771
  - definition of, 210
- getgid function, 17, 210, 306
  - definition of, 210
- getgrent function, 167–168, 402, 412
  - definition of, 167
- getgrgid function, 166, 402, 412
  - definition of, 166
- getgrgid\_r function, 402, 412
- getgrnam function, 166, 402, 412, 687
  - definition of, 166
- getgrnam\_r function, 402, 412
- getgroups function, 168, 306
  - definition of, 168
- gethostbyaddr function, 402, 412, 553, 555
- gethostbyname function, 402, 412, 553, 555
- gethostent function, 402, 412, 553
  - definition of, 553
- gethostname function, 39, 42, 172, 412, 571–573, 578, 778
  - definition of, 172
- getlogin function, 256–257, 402, 412, 439, 871–872
  - definition of, 256
- getlogin\_r function, 402, 412
- getmsg function, 411, 461–463, 469–472, 493, 548, 605, 705, 875
  - definition of, 469
- getnameinfo function, 556
  - definition of, 556
- GETNCNT constant, 530
- getnetbyaddr function, 402, 412, 554
  - definition of, 554
- getnetbyname function, 402, 412, 554
  - definition of, 554
- getnetent function, 402, 412, 554
  - definition of, 554
- get\_newjobno function, 783, 788
- getopt function, 402, 624, 694, 696, 770, 773–774
  - definition of, 774
- getpass function, 263, 273, 660, 662–663
  - definition of, 661
- getpeername function, 306, 561
  - definition of, 561
- getpgid function, 269
  - definition of, 269
- getpgrp function, 269, 306

- definition of, 269
- GETPID constant, 530
- getpid function, 11, 210, 212, 217, 253, 284, 306, 341, 351, 359, 434, 612, 881
  - definition of, 210
- getpmsg function, 411, 461–463, 469–470, 548
  - definition of, 469
- getppid function, 210–211, 306, 451, 697
  - definition of, 210
- get\_printaddr function, 766, 782
- get\_printserver function, 766, 770
- getprotobyname function, 402, 412, 554
  - definition of, 554
- getprotobynumber function, 402, 412, 554
  - definition of, 554
- getprotoent function, 402, 412, 554
  - definition of, 554
- getpwent function, 164–165, 402, 412
  - definition of, 164
- getpwnam function, 161–165, 170, 256, 263, 306–308, 402, 412, 779, 861–862
  - definition of, 163–164
- getpwnam\_r function, 402, 412
- getpwuid function, 161–165, 170, 256–257, 402, 412, 771, 861
  - definition of, 163
- getpwuid\_r function, 402, 412
- getrlimit function, 52, 202, 205, 426–427, 854–855
  - definition of, 202
- getrusage function, 227, 258
- gets function, 142–143, 412, 859
  - definition of, 142
- getservbyname function, 402, 412, 555
  - definition of, 555
- getservbyport function, 402, 412, 555
  - definition of, 555
- getservernt function, 402, 412, 555
  - definition of, 555
- getsid function, 271
  - definition of, 271
- getsockname function, 306, 561
  - definition of, 561
- getsockopt function, 306, 579–580
  - definition of, 579
- getspent function, 166
  - definition of, 166
- getspnam function, 166, 861
  - definition of, 166
- gettimeofday function, 173, 176, 383, 398
  - definition of, 173
- getty program, 220, 262–266, 431
  - gettytab file, 263
  - getuid function, 17, 210, 238–239, 249, 256–257, 306, 687
    - definition of, 210
  - getutxent function, 402, 412
  - getutxid function, 402, 412
  - getutxline function, 402, 412
  - GETVAL constant, 530
  - getwc function, 412
  - getwchar function, 412
  - getwd function, 412
  - GETZCNT constant, 530
  - GID, *see* group ID
  - gid\_t data type, 57
  - Gingell, R. A., 188, 487, 887
  - Gitlin, J. E., xxviii
  - glob function, 412
  - global variables, 201
  - <glob.h> header, 29
  - gmtime function, 174–175, 402
    - definition of, 175
  - gmtime\_r function, 402
  - GNU, 2, 265, 719
  - GNU Public License, 35
  - \_GNU\_SOURCE constant, 91
  - Godsil, J. M., xxviii
  - Goodheart, B., 672, 887
  - goto, nonlocal, 195–202, 329–333
  - Grandi, S., xxviii
  - grantpt function, 682–685, 688–691, 707
    - definition of, 682, 687, 690
  - grep program, 20, 159, 182, 234, 887
  - group file, 166–167
  - group ID, 17, 237–241
    - effective, 91–92, 94–95, 101, 103, 130, 167, 210, 214, 237, 241, 520, 543, 605
    - real, 91–92, 95, 167, 210, 214, 234–235, 237, 251, 541
    - supplementary, 18, 39, 91–92, 94, 101, 103, 167–168, 214, 234, 241
  - group structure, 166, 687
  - <grp.h> header, 29, 166, 170
  - guardsize attribute, 389, 392
- hack, 278
- half-duplex pipes, 496
- hard link, 4, 107, 109, 112, 114
- hcreate function, 402
- hdestroy function, 402
- headers
  - optional, 30

- POSIX required, 29
  - standard, 27
  - XSI extension, 30
- heap, 187
- Hein, T. R., xxviii, 889
- Hewlett-Packard, 36, 798
- Hogue, J. E., xxviii
- holes, file, 65–66, 104–105
- home directory, 2, 7, 125, 193, 264, 267
- HOME environment variable, 192–193, 264
- Honeyman, P., xxviii
- hostent structure, 553
- hostname program, 173
- HOST\_NAME\_MAX constant, 39, 42, 48, 172, 570–573, 577–578, 778
- HP-UX, 36
- hsearch function, 402
- HSFS file system, 105
- htonl function, 550, 797
  - definition of, 550
- htons function, 550, 797
  - definition of, 550
- HTTP (Hypertext Transfer Protocol), 756
- Hume, A. G., 159, 887
- HUPCL constant, 635, 647
- Hypertext Transfer Protocol, *see* HTTP
  
- IBM (International Business Machines), 36
- ICANON constant, 636, 638, 640–642, 646–647, 651, 663, 665–667
- I\_CANPUT constant, 465
- iconv\_close function, 412
- <iconv.h> header, 30
- iconv\_open function, 412
- ICRNL constant, 635, 640, 648, 660, 666–668
- identifiers
  - IPC, 518–520
  - process, 209–210
- IDXLLEN\_MAX constant, 745
- IEC, 25
- IEEE (Institute for Electrical and Electronic Engineers), xx, 26–27, 887
- IEXTEN constant, 636, 638, 640–642, 648, 666–668
- I\_FIND constant, 684–685
- IFS environment variable, 250
- IGNBRK constant, 635, 645, 648
- IGNCR constant, 635, 640, 648, 660
- IGNPAR constant, 635, 648, 650
- I\_GRDOPT constant, 470
- I\_GWROPT constant, 468
- I\_LIST constant, 466–467
- ILL\_BADSTK constant, 327
- ILL\_COPROC constant, 327
- ILL\_ILLADR constant, 327
- ILL\_ILLOPC constant, 327
- ILL\_ILLOPN constant, 327
- ILL\_ILLTRP constant, 327
- ILL\_PRVOPC constant, 327
- ILL\_PRVREG constant, 327
- IMAXBEL constant, 635, 648
- implementation differences, password, 169
- implementations, UNIX System, 33
- INADDR\_ANY constant, 561
- in\_addr\_t data type, 551
- incore, 70
- INET6\_ADDRSTRLEN constant, 552
- inet\_addr function, 552
- INET\_ADDRSTRLEN constant, 552, 559–560
- inetd program, 266–268, 425, 430–431
- inet\_ntoa function, 402, 552
- inet\_ntop function, 552, 560
  - definition of, 552
- inet\_pton function, 552
  - definition of, 552
- INFTIM constant, 480
- init program, 171, 173, 210, 219–220, 228, 262–266, 268, 282–283, 287, 295, 312, 350, 425, 434, 866, 871
- initgroups function, 168, 264
  - definition of, 168
- initialized data segment, 187
- init\_printer function, 778, 782, 796
- init\_request function, 778, 781
- initserver function, 570–572, 574, 577–578, 763, 779
  - definition of, 564, 580
- inittab file, 295
- INLCR constant, 635, 648
- i-node, 57, 71–72, 88, 101, 105, 107–108, 112, 115–117, 120–121, 128–129, 163, 287, 453, 658, 853, 858
- ino\_t data type, 57, 107
- INPCK constant, 635, 648, 650, 666–668
- in\_port\_t data type, 551
- Institute for Electrical and Electronic Engineers, *see* IEEE
- int16\_t data type, 794
- International Business Machines, *see* IBM
- International Standards Organization, *see* ISO
- Internet Printing Protocol, *see* IPP
- Internet worm, 142
- interpreter file, 242–246, 260
- interprocess communication, *see* IPC

- interrupted system calls, 303–305, 317–318, 326, 329, 339, 481
- INT\_MAX constant, 38
- INT\_MIN constant, 38
- INTR terminal character, 638, 641, 648, 661
- <inttypes.h> header, 27
- I/O
  - asynchronous, 473, 481–482
  - asynchronous socket, 582–583
  - efficiency, 68–70
  - library, standard, 9, 133–160
  - memory-mapped, 487–492
  - multiplexing, 472–481
  - nonblocking, 441–444
  - nonblocking socket, 563–564, 582–583
  - terminal, 631–673
  - unbuffered, 8, 59–86
- IOBUFSZ constant, 799
- ioctl function, 59, 83–84, 86, 273, 297, 303–304, 412, 442, 460–462, 464–468, 470, 482, 524, 548, 583, 587, 593, 600, 604–606, 634, 670–671, 684–685, 689–690, 692–693, 695, 705–707, 880–881
  - definition of, 83
- ioctl operations, STREAMS, 464
- \_IOFBF constant, 137
- \_IOLBF constant, 137, 202
- \_IO\_LINE\_BUFFERED constant, 154
- \_IONBF constant, 137
- \_IO\_UNBUFFERED constant, 154
- iovec structure, 40–42, 483, 566, 608–609, 611, 613, 617, 621, 737, 799
- IOV\_MAX constant, 40, 42, 48, 483
- IPC (interprocess communication), 495–544, 585–629
  - identifiers, 518–520
  - key, 518–520, 524, 529, 534
  - XSI, 518–522
- IPC\_CREAT constant, 519–520
- IPC\_EXCL constant, 520
- IPC\_NOWAIT constant, 525–526, 531–532
- ipc\_perm structure, 520, 524, 529, 534, 543
- IPC\_PRIVATE constant, 519, 537, 542, 544
- ipcrm program, 521
- IPC\_RMID constant, 524–525, 530, 535–537
- ipcs program, 521, 544
- IPC\_SET constant, 524–525, 530, 535
- IPC\_STAT constant, 524–525, 530, 535
- IPP (Internet Printing Protocol), 753–756
- ipp.h header, 805
- IPPROTO\_IP constant, 579
- IPPROTO\_RAW constant, 558
- IPPROTO\_TCP constant, 558, 579
- IPPROTO\_UDP constant, 558
- I\_PUSH constant, 593, 685
- I\_RECVFD constant, 593, 600, 604–606
- IRIX, 36
- isastream function, 464–465, 467, 594
  - definition of, 465
- isatty function, 464–465, 639, 655, 658–659, 671, 694, 702
  - definition of, 655
- I\_SENDFD constant, 604–605
- I\_SETSIG constant, 482
- ISIG constant, 636, 638, 640–642, 648, 666–668
- ISO (International Standards Organization), xx, xxvii, 25–27, 887
- ISO C, 25–26, 887
- <iso646.h> header, 27
- Israel, R. K., 462, 889
- I\_SRDOPT constant, 470
- is\_read\_lockable function, 450, 845
- ISTRIP constant, 635, 648, 650, 666–668
- is\_write\_lockable function, 450, 845
- I\_SWROPT constant, 468
- IUCLC constant, 635, 649
- IXANY constant, 635, 649
- IXOFF constant, 635, 641–642, 649
- IXON constant, 635, 641–642, 649, 666–668
- jmp\_buf data type, 198, 200, 315, 318
- job control, 274–278
  - shell, 270, 274, 280, 283, 300, 333, 350, 699
  - signals, 349–352
- job\_find function, 869
- job\_remove function, 869
- Jolitz, W. F., 34
- Joy, W. N., 3, 71
- jsh program, 275
- Karels, M. J., 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- kdump program, 457
- kernel, 1
- Kernighan, B. W., xx, xxviii, 26, 139, 145, 151, 153, 190, 243, 846, 854, 885, 887
- key, IPC, 518–520, 524, 529, 534
- key\_t data type, 518
- kill function, 18, 253, 283–284, 290, 300, 306, 310–313, 327, 338, 341–342, 351–352, 354, 414, 416, 639, 641, 662, 697–698, 867, 874

- definition of, 312
- kill program, 290–291, 296, 300, 513
- KILL terminal character, 638, 641, 647, 662–663
- kill\_workers function, 791–793
- Kleiman, S. R., 71, 887
- Knuth, D. E., 730, 888
- Korn, D. G., 3, 125, 159, 510, 886–888, 890
- Korn shell, 3, 52, 86, 158, 192, 204, 265, 275, 457, 510, 662, 698–699, 701, 877, 886
- Kovach, K. R., 521, 885
- Krieger, O., 159, 492, 888
- ktrace program, 457
  
- l64a function, 402
- LANG environment variable, 41, 193
- <langinfo.h> header, 30
- last program, 171
- layers, shell, 274
- LC\_ALL environment variable, 193
- LC\_COLLATE environment variable, 42, 193
- LC\_CTYPE environment variable, 193
- lchown function, 102–103, 112–113, 117
  - definition of, 102
- LC\_MESSAGES environment variable, 193
- LC\_MONETARY environment variable, 193
- LC\_NUMERIC environment variable, 193
- L\_ctermid constant, 654
- LC\_TIME environment variable, 193
- ld program, 189
- LDAP (Lightweight Directory Access Protocol), 169
- LD\_LIBRARY\_PATH environment variable, 719
- ldterm STREAMS module, 468, 676, 685
- leakage, memory, 191
- least privilege, 237, 758, 779
- Lee, M., 188, 887
- Lee, T. P., 886
- Leffler, S. J., 34, 888
- Lennert, D., 888
- Lesk, M. E., 133
- lgamma function, 402
- lgammaf function, 402
- lgamma1 function, 402
- Libes, D., 679, 867, 888
- <libgen.h> header, 30
- libraries, shared, 188–189, 207, 719, 863, 885
- Lightweight Directory Access Protocol, *see* LDAP
- limit program, 52, 204
- limits, 36–52
  - C, 38
  - POSIX, 38–40
  - resource, 202–206, 215, 234, 297, 354
  - runtime indeterminate, 48–52
  - XSI, 40–41
- <limits.h> header, 27, 38–40, 48–49
- Linderman, J. P., xxviii
- line control, terminal I/O, 653–654
- LINE\_MAX constant, 39, 42, 48
- LINES environment variable, 193
- link count, 43, 57, 107–109, 120
- link function, 75, 107–114, 117, 306
  - definition of, 109
- link, hard, 4, 107, 109, 112, 114
  - symbolic, 88–89, 102–103, 107, 110, 112–114, 121, 127, 131, 170, 856–857
- LINK\_MAX constant, 39, 43, 48, 107
- lint program, 182
- Linux, xxi, xxiii, 2–3, 14, 21, 26–27, 29–30, 35–36, 38, 40, 48, 51, 55, 58, 60, 62, 69–72, 82–84, 91, 95, 101–103, 112, 114, 119, 122, 128, 154, 162, 166, 169, 171–172, 176, 187, 191, 193–194, 203–204, 207, 211, 222, 227, 242–243, 250–251, 255, 264–265, 268, 278, 280, 290, 292–296, 298, 304–305, 308, 310, 326, 329–330, 333, 348, 352, 357, 360, 364, 424, 437, 445, 455–457, 460–461, 464, 474–475, 484, 492, 496, 521, 523, 529, 533–535, 537–538, 540, 550–552, 566–568, 583, 585, 595, 610–612, 614, 635–638, 644–651, 653, 676, 683, 686, 689, 691–692, 705–706, 710, 719, 876
- Linux STREAMS, 496
- Lions, J., 888
- LiS, 496
- listen function, 306, 561, 563–564, 581, 597–598, 762
  - definition of, 563
- little-endian byte order, 549
- Litwin, W., 710, 715, 888
- LLONG\_MAX constant, 38
- LLONG\_MIN constant, 38
- ln program, 107
- LNEXT terminal character, 638, 641
- locale, 42
- localeconv function, 402
- <locale.h> header, 27
- LOCAL\_PEERCREC constant, 612
- localtime function, 174–176, 246, 402, 862
  - definition of, 175
- localtime\_r function, 402
- lockf function, 411, 445
- lockf structure, 453
- lockfile function, 433
  - definition of, 454

- locking
  - database library, coarse-grained, 718
  - database library, fine-grained, 718
- locking function, 445
- lock\_reg function, 448, 845, 873–874
  - definition of, 449
- lock\_test function, 449–450, 845
  - definition of, 449
- log function, 429
- LOG\_ALERT constant, 431
- LOG\_AUTH constant, 431
- LOG\_AUTHPRIV constant, 431
- LOG\_CONS constant, 428, 430
- LOG\_CRIT constant, 431
- LOG\_CRON constant, 431
- LOG\_DAEMON constant, 428, 431
- LOG\_DEBUG constant, 431
- LOG\_EMERG constant, 431
- LOG\_ERR constant, 431, 433, 435–436, 438, 570–574, 577–578, 850
- LOG\_FTP constant, 431
- logger program, 432
- login accounting, 170–171
- .login file, 265
- login name, 2, 17, 125, 163, 171, 193, 256–257, 266, 439, 871
  - root, 16
- login program, 163, 166, 168, 171, 233, 236, 238, 257, 263–267, 431, 660, 678, 703
- LOG\_INFO constant, 431, 435, 437
- LOGIN\_NAME\_MAX constant, 39, 42, 48
- logins
  - network, 266–268
  - terminal, 261–266
- LOG\_KERN constant, 431
- LOG\_LOCAL0 constant, 431
- LOG\_LOCAL1 constant, 431
- LOG\_LOCAL2 constant, 431
- LOG\_LOCAL3 constant, 431
- LOG\_LOCAL4 constant, 431
- LOG\_LOCAL5 constant, 431
- LOG\_LOCAL6 constant, 431
- LOG\_LOCAL7 constant, 431
- LOG\_LPR constant, 431
- LOG\_MAIL constant, 431
- log\_msg function, 845–846
  - definition of, 850
- LOGNAME environment variable, 193, 257, 264
- LOG\_NDELAY constant, 430, 871
- LOG\_NEWS constant, 431
- LOG\_NOTICE constant, 431
- log\_open function, 624, 845
  - definition of, 849
- LOG\_PERROR constant, 430
- LOG\_PID constant, 430, 624
- log\_quit function, 793, 845–846
  - definition of, 850
- log\_ret function, 845–846
  - definition of, 849
- log\_sys function, 766, 782, 845–846
  - definition of, 850
- LOG\_SYSLOG constant, 431
- log\_to\_stderr variable, 624, 776, 849, 851
- LOG\_USER constant, 431, 624
- LOG\_WARNING constant, 431
- LONG\_BIT constant, 40
- longjmp function, 179, 195, 197–201, 206, 305, 307, 315, 317–318, 329–331, 333, 340, 354, 867
  - definition of, 197
- \_longjmp function, 330, 333
- LONG\_MAX constant, 38, 51, 58, 854–855
- LONG\_MIN constant, 38
- loop function, 624, 626, 629, 696, 707
  - definition of, 626, 697
- lp program, 541, 757
- lpc program, 431
- lpd program, 431, 757
- lpsched program, 541, 757
- lrand48 function, 402
- ls program, 5–6, 8, 13, 100–101, 104, 114, 116, 121, 125, 129, 131, 161, 163, 521, 853
- lseek function, 8, 57, 59, 63–67, 72–75, 84, 86, 139, 148, 306, 412, 420, 446, 449, 454, 458, 491, 548, 629, 732, 856
  - definition of, 63
- lstat function, 87–88, 90–91, 113–114, 123, 131, 306
  - definition of, 87
- L\_tmpnam constant, 156
- Lucchina, P., xxviii
- Mac OS X, xxii, 3, 16, 26–27, 29–30, 35–36, 38, 48, 54–55, 58, 60, 62, 78–79, 82, 84, 95, 101–103, 112, 119, 122, 128, 162, 166, 168–169, 171–172, 176, 191, 193–194, 204, 222, 227, 242–243, 250–251, 257, 264–265, 268, 278, 290–293, 295, 298, 304–305, 308, 310, 326, 330, 348, 352, 357, 360, 445, 457, 474–475, 484, 496–497, 521, 523, 529, 534, 538, 550, 566–568, 583, 596, 610, 635–638, 645–651, 676, 683, 692, 705–706, 710, 876
- Mach, xxii–xxiii, 35, 885
- <machine/\_types.h> header, 854

- macro, feature test, 55–56, 81
- MAILPATH environment variable, 192
- main function, 7, 140, 145, 179–182, 184, 186, 197–199, 207, 218–219, 231, 260, 306–308, 332–333, 428, 587, 616, 618, 624, 694, 704, 771, 774, 777, 780, 787, 793, 796, 863, 865, 867, 880, 882
- major device number, 56–57, 127, 129, 659
- major function, 128–129
- make program, 275
- makethread function, 400
- mallinfo function, 191
- malloc function, 21–23, 50, 126, 135, 157, 159, 189–192, 195, 305–306, 308, 364, 371–372, 374, 376, 391, 398, 407, 409–410, 537, 571, 573, 578, 608–609, 612–613, 622–623, 626, 656, 868, 870
  - definition of, 189
- MALLOC\_OPTIONS environment variable, 870
- malloc\_t function, 191
- man program, 239–240
- mandatory record locking, 455
- Mandrake, xxiii
- MAP\_ANON constant, 540
- MAP\_ANONYMOUS constant, 540
- MAP\_FAILED constant, 491, 539
- MAP\_FIXED constant, 488–489
- MAP\_PRIVATE constant, 488, 490, 540
- MAP\_SHARED constant, 488, 490–491, 538–540
- <math.h> header, 27
- Mauro, J., 70, 105, 108, 889
- MAX\_CANON constant, 39, 43, 46, 48, 633
- MAX\_INPUT constant, 39, 43, 48, 632
- MAXPATHLEN constant, 49
- MB\_LEN\_MAX constant, 38
- mbstate\_t structure, 401
- McDougall, R., 70, 105, 108, 889
- McGrath, G. J., 462, 889
- McIlroy, M. D., xxviii
- McKusick, M. K., xxviii, 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- M\_DATA STREAMS message type, 463–464, 468
- MDMBUF constant, 635, 645, 649
- memcpy function, 145
- memcpy function, 491–492
- memory
  - allocation, 189–192
  - layout, 186–188
  - leakage, 191
  - shared, 496, 533–540
- memory-mapped I/O, 487–492
- M\_ERROR STREAMS message type, 482
- message queues, 496, 522–527
  - timing, 527
- messages, STREAMS, 462
- mgetty program, 265
- M\_HANGUP STREAMS message type, 482
- MIN terminal value, 647, 663–664, 668, 673, 882
- minor device number, 56–57, 127, 129, 659
- minor function, 128–129
- mkdir function, 95, 112–114, 116–117, 119–120, 306, 860
  - definition of, 119
- mkdir program, 119
- mkfifo function, 112–113, 116–117, 306, 514–515, 878
  - definition of, 514
- mkfifo program, 515
- mknod function, 112–113, 119, 515
- mkstemp function, 155–159, 412
  - definition of, 158
- mktemp function, 158
- mktime function, 174–176
  - definition of, 175
- mlock function, 203
- mmap function, 159, 203, 391, 441, 487–489, 491–493, 538–540, 543, 548, 887
  - definition of, 487
- modem, xx, xxiii, 261, 263, 272, 294, 303, 441, 481, 631, 634–635, 645, 647, 649, 652
- mode\_t data type, 57
- <monetary.h> header, 30
- Moran, J. P., 487, 887
- more program, 505, 714
- MORECTL constant, 470
- MOREDATA constant, 470
- Morris, R., 165, 889
- mount function, 592
- mount program, 95, 119, 129, 455
- mounted STREAMS-based pipes, 495, 514, 518
- M\_PROTO STREAMS message type, 463–464
- mprotect function, 489
  - definition of, 489
- M\_PROTO STREAMS message type, 463–464
- mq\_receive function, 411
- mq\_send function, 411
- mq\_timedreceive function, 411
- mq\_timedsend function, 411
- <mqqueue.h> header, 30
- rand48 function, 402
- MS\_ASYNC constant, 490
- MSG\_ANY constant, 469
- MSG\_BAND constant, 464, 469
- msgctl function, 520–521, 524

- definition of, 524
  - MSG\_CTRUNC constant, 568
  - MSG\_DONTROUTE constant, 566
  - MSG\_DONTWAIT constant, 566, 568
  - MSG\_EOR constant, 566, 568
  - msgget function, 518–519, 521–524
    - definition of, 524
  - msghdr structure, 566, 568, 606, 608–609, 611, 613
  - MSG\_HIPRI constant, 464, 469
  - MSG\_NOERROR constant, 526
  - MSG\_OOB constant, 566–568, 581–582
  - MSG\_PEEK constant, 567
  - msgrcv function, 411, 520–521, 523, 526, 541
    - definition of, 526
  - msgsnd function, 411, 520–523, 525–527
    - definition of, 525
  - MSG\_TRUNC constant, 567–568
  - MSGVERB environment variable, 193
  - MSG\_WAITALL constant, 567
  - M\_SIG STREAMS message type, 463
  - MS\_INVALIDATE constant, 490
  - msgid\_ds structure, 523–524, 526
  - MS\_SYNC constant, 490–491
  - msync function, 411, 489–491
    - definition of, 490
  - Mui, L., 672, 890
  - multiplexing, I/O, 472–481
  - munmap function, 490
    - definition of, 490
  - mv program, 107
  - myftw function, 123, 131
- 
- named full-duplex pipes, 496
  - NAME\_MAX constant, 39, 43, 48, 54, 62, 121
  - nanosleep function, 348, 398, 400, 411, 421
  - Nataros, S., xxviii
  - nawk program, 243
  - NCCS constant, 634
  - ndbm library, 709–710
    - <ndbm.h> header, 30
  - Nemeth, E., xxviii, 889
    - <netdb.h> header, 29, 170
  - netent structure, 554
    - <net/if.h> header, 29
    - <netinet/in.h> header, 29, 550–551
    - <netinet/tcp.h> header, 29
  - netinfo, 169
  - Network File System, Sun Microsystems, *see* NFS
  - Network Information Service, *see* NIS
  - network logins, 266–268
  - network printer communication, 753–805
    - Neville-Neil, G. V., 70, 104, 108, 888
    - newgrp program, 167
    - nfds\_t data type, 479
    - \_NFILE constant, 50
    - NFS (Network File System, Sun Microsystems), 72, 752
      - nftw function, 121–122, 402, 412
    - NGROUPS\_MAX constant, 39, 42, 48, 167–168
    - Nievergelt, J., 710, 715, 886
    - NIS (Network Information Service), 169
    - NIS+, 169
    - NL terminal character, 638, 640–641, 647, 660, 663
    - NLO constant, 649
    - NL1 constant, 649
    - NL\_ARGMAX constant, 41
    - NLDLY constant, 637, 644, 649
    - nlink\_t data type, 57, 107
    - nl\_langinfo function, 402
    - NL\_LANGMAX constant, 41
    - NL\_MSGMAX constant, 41
    - NL\_NMAX constant, 41
    - NL\_SETMAX constant, 41
    - NLSPATH environment variable, 193
    - NL\_TEXTMAX constant, 41
    - <nl\_types.h> header, 30
    - nobody login name, 162–163
    - NOFILE constant, 50
    - NOFLSH constant, 636, 649
    - NOKERNINFO constant, 636, 642, 649
    - nologin program, 163
    - nonblocking
      - I/O, 441–444
        - socket I/O, 563–564, 582–583
    - noncanonical mode, terminal I/O, 663–670
    - nonfatal error, 16
    - nonlocal goto, 195–202, 329–333
    - ntohl function, 550, 804
      - definition of, 550
    - ntohs function, 550, 560, 804
      - definition of, 550
    - NULL constant, 786
    - null signal, 290, 312
    - NZERO constant, 41  
    - O\_ACCMODE constant, 79–80
    - O\_APPEND constant, 60, 63, 68, 72, 74, 79–80, 139, 457
    - O\_ASYNC constant, 79, 482, 583
    - O\_CREAT constant, 61, 63, 75, 85, 112, 117, 433, 456–458, 491, 520, 715, 724, 872
    - OCRNL constant, 637, 649

- od program, 66
- O\_DSYNC constant, 61–62, 79
- O\_EXCL constant, 61, 75, 112, 520
- OFDEL constant, 637, 644, 649
- off\_t data type, 57, 64–67, 147–148, 738
- OFILL constant, 637, 644, 649
- O\_FSYNC constant, 62, 79–80
- Olander, D. J., 462, 889
- OLCUC constant, 637, 649
- Olson, M., 889
- O\_NDELAY constant, 36, 61, 442
- ONLCR constant, 637, 650, 696, 702
- ONLRET constant, 637, 650
- ONOCR constant, 637, 650
- O\_NOCTTY constant, 61, 273, 426, 681–682, 685
- ONOEOT constant, 637, 650
- O\_NONBLOCK constant, 36, 61, 79–80, 442–443, 456, 458, 515, 565, 876, 878–879
- open function, 8, 14, 59–63, 74–75, 79, 85–86, 94–97, 105, 110, 112–115, 117–118, 127, 138–139, 260, 263, 273, 306, 411, 428–429, 433, 442, 452–453, 455–458, 461, 465, 467, 487, 491, 514–515, 518, 520–522, 539–541, 544, 547, 594, 615, 618–619, 628–629, 645, 681, 684–686, 688–689, 691, 711, 723–724, 786, 855, 857, 872, 878–879
  - definition of, 60
- Open Software Foundation, *see* OSF
- opend.h header, 617, 622, 881
- opendir function, 5, 7, 113, 120–125, 234, 260, 412, 657, 858
  - definition of, 120
- openlog function, 412, 428, 430, 432, 439, 849, 871
  - definition of, 430
- OPEN\_MAX constant, 39, 42, 48, 50–52, 58, 60, 854
- open\_max function, 426, 506, 626–627, 844
  - definition of, 51, 855
- OpenServer, 309, 445
- OPOST constant, 637, 650, 666–668, 670
- optarg variable, 774
- opterr variable, 774
- optind variable, 770
- option codes, 31
- options, 52–55
  - socket, 579–581
- optopt variable, 774
- ordering, byte, 549–550
- O\_RDONLY constant, 60, 79–80, 94, 96, 465, 467, 491, 616, 878
- O\_RDWR constant, 60, 79–80, 94, 118, 428, 433, 458, 491, 539, 594, 681, 684, 688, 690–691, 715, 872
- O'Reilly, T., 672, 890
- orientation, stream, 134
- orphaned process group, 282–285, 428, 699
- O\_RSYNC constant, 61–62, 79
- OSF (Open Software Foundation), 32
- O\_SYNC constant, 61–62, 79–80, 82–83
- O\_TRUNC constant, 61, 63, 94, 105, 117–118, 139, 456, 458, 491, 715
- out-of-band data, 581–582
- ownership
  - directory, 95
  - file, 95
- O\_WRONLY constant, 60, 79–80, 94, 879
- OXTABS constant, 637, 650
- packet mode, pseudo terminal, 705
- page cache, 77
- page size, 535
- pagedaemon process, 210
- PAGER environment variable, 501, 504–505
- PAGESIZE constant, 39, 42, 48, 392
- PAGE\_SIZE constant, 40, 42, 48
- P\_ALL constant, 226
- PARENB constant, 635, 648, 650, 666–668
- parent
  - directory, 4, 101, 116, 119
  - process ID, 210, 215, 219, 225, 228, 234, 263–264, 283, 424
- PAREXT constant, 635, 650
- parity, terminal I/O, 648
- PARMRK constant, 635, 645, 648, 650
- PARODD constant, 635, 645, 648, 650, 673
- Partridge, C., xxviii
- passing, file descriptor, 543, 601–614
  - socket file descriptor, 606–614
  - STREAMS file descriptor, 604–606
- passwd program, 92, 166, 679
- passwd structure, 161, 164, 307, 861–862
- password
  - file, 161–165
  - implementation differences, 169
  - shadow, 165–166, 178, 861
- PATH environment variable, 93, 193, 232–233, 235, 242, 244, 247, 264–265
- path\_alloc function, 123, 127, 844, 860
  - definition of, 49
- pathconf function, 37, 39–50, 52–55, 103, 113, 306, 499
  - definition of, 41
- PATH\_MAX constant, 39, 43, 48–49, 62, 132, 859
- pathname, 5
  - absolute, 5, 7, 43, 49, 126, 131, 242, 859

- relative, 5, 7, 43, 49, 125
- truncation, 62
- pause function, 299–300, 303, 306, 309, 313–318, 331, 333, 340, 349, 411, 419, 671, 867, 873
  - definition of, 313
- \_PC\_ASYNC\_IO constant, 54
- \_PC\_CHOWN\_RESTRICTED constant, 54
- \_PC\_FILESIZEBITS constant, 43
- PCFS file system, 48, 55, 105
- pkt STREAMS module, 676, 705
- \_PC\_LINK\_MAX constant, 43
- pclose function, 249, 412, 503–510, 571, 578, 877–878
  - definition of, 503, 507
- \_PC\_MAX\_CANON constant, 43, 46
- \_PC\_MAX\_INPUT constant, 43
- \_PC\_NAME\_MAX constant, 43
- \_PC\_NO\_TRUNC constant, 54–55
- \_PC\_PATH\_MAX constant, 43, 50
- \_PC\_PIPE\_BUF constant, 43
- \_PC\_PRIO\_IO constant, 54
- \_PC\_SYMLINK\_MAX constant, 43
- \_PC\_SYNC\_IO constant, 54
- \_PC\_VDISABLE constant, 54, 639
- PENDIN constant, 636, 650
- Pentium, xxiii
- permissions, file access, 92–94, 130
- perror function, 15–16, 24, 309, 352, 412, 556, 853
  - definition of, 15
- pgrp structure, 286–287
- PID, *see* process ID
- pid\_t data type, 57, 269, 356
- Pike, R., 211, 887, 889
- pipe function, 116–117, 138, 306, 497, 499–500, 502, 506–507, 511, 513, 527, 588–589, 593, 595, 876
  - definition of, 497
- PIPE\_BUF constant, 39, 43, 48, 493, 499, 515–516, 590, 876
- pipes, 496–503
  - full-duplex, 496
  - half-duplex, 496
  - mounted STREAMS-based, 495, 514, 518
  - named full-duplex, 496
  - STREAMS-based, 585–594
- Pippenger, N., 710, 715, 886
- Plan 9 operating system, 211, 889
- Plauger, P. J., 26, 153, 299, 889
- pointer, generic, 68, 190
- poll function, 295, 305–306, 318, 411, 441, 460–461, 474, 479–481, 493, 521, 542, 544, 548, 563–564, 582, 621, 624, 626–627, 678, 696, 707, 875, 878, 881
  - definition of, 479
- POLL\_ERR constant, 327
- POLLERR constant, 480
- pollfd structure, 479, 626–627, 875
- <poll.h> header, 30, 479
- POLL\_HUP constant, 327
- POLLHUP constant, 480–481, 627, 878
- POLL\_IN constant, 327–328
- POLLIN constant, 480, 626–627, 878
- polling, 228, 444, 473
- POLL\_MSG constant, 327–328
- POLLNVAL constant, 480
- POLL\_OUT constant, 327–328
- POLLOUT constant, 480
- POLL\_PRI constant, 327
- POLLPRI constant, 480
- POLLRDBAND constant, 480
- POLLRDNORM constant, 480
- POLLWRBAND constant, 480
- POLLWRNORM constant, 480
- popen function, 23, 224, 231, 249, 412, 503–510, 543–544, 570, 574, 577, 579, 877–878
  - definition of, 503, 505
- Portable Operating System Environment for Computer Environments, IEEE, *see* POSIX
- portmap program, 425
- POSIX (Portable Operating System Environment for Computer Environments, IEEE), xix, xxvii, 26–29, 34, 246
- POSIX.1, xxii, xxvii, 27, 84, 243, 342, 507–508, 515, 545, 710, 887
- POSIX.2, 243
  - \_POSIX2\_LINE\_MAX constant, 41
  - \_POSIX\_ARG\_MAX constant, 39
  - \_POSIX\_ASYNC\_IO constant, 54
  - \_POSIX\_CHILD\_MAX constant, 39
  - \_POSIX\_CHOWN\_RESTRICTED constant, 54–55, 103
  - \_POSIX\_C\_SOURCE constant, 55, 81
- posix\_fadvise function, 412
- posix\_fallocate function, 412
- \_POSIX\_HOST\_NAME\_MAX constant, 39
- \_POSIX\_JOB\_CONTROL constant, 53, 55
- \_POSIX\_LINK\_MAX constant, 39
- \_POSIX\_LOGIN\_NAME\_MAX constant, 39
- posix\_madvise function, 412
- \_POSIX\_MAX\_CANON constant, 39
- \_POSIX\_MAX\_INPUT constant, 39
- \_POSIX\_NAME\_MAX constant, 39
- \_POSIX\_NGROUPS\_MAX constant, 39
- \_POSIX\_NO\_TRUNC constant, 54–55, 62
- \_POSIX\_OPEN\_MAX constant, 39–40

- 
- posix\_openpt function, 681–683, 686, 688–690
    - definition of, 681, 686, 689
  - \_POSIX\_PATH\_MAX constant, 39–40, 656–657
  - \_POSIX\_PIPE\_BUF constant, 39
  - \_POSIX\_PRIO\_IO constant, 54
  - \_POSIX\_READER\_WRITER\_LOCKS constant, 53
  - \_POSIX\_RE\_DUP\_MAX constant, 39
  - \_POSIX\_SAVED\_IDS constant, 53, 55, 92, 238, 312
  - \_POSIX\_SHELL constant, 53
  - \_POSIX\_SOURCE constant, 55
  - posix\_spawn function, 412
  - posix\_spawnnp function, 412
    - \_POSIX\_SSIZE\_MAX constant, 39
    - \_POSIX\_STREAM\_MAX constant, 39
    - \_POSIX\_SYMLINK\_MAX constant, 39
    - \_POSIX\_SYMLINK\_MAX constant, 39
    - \_POSIX\_SYNC\_IO constant, 54
    - \_POSIX\_THREAD\_ATTR\_STACKADDR constant, 391
    - \_POSIX\_THREAD\_ATTR\_STACKSIZE constant, 391
    - \_POSIX\_THREAD\_PROCESS\_SHARED constant, 394
    - \_POSIX\_THREADS constant, 54–55, 356
    - \_POSIX\_THREAD\_SAFE\_FUNCTIONS constant, 401
  - posix\_trace\_clear function, 412
  - posix\_trace\_close function, 412
  - posix\_trace\_create function, 412
  - posix\_trace\_create\_withlog function, 412
  - posix\_trace\_event function, 306
  - posix\_trace\_eventtypelist\_getnext\_id function, 412
  - posix\_trace\_eventtypelist\_rewind function, 412
  - posix\_trace\_flush function, 412
  - posix\_trace\_get\_attr function, 412
  - posix\_trace\_get\_filter function, 412
  - posix\_trace\_getnext\_event function, 412
  - posix\_trace\_get\_status function, 412
  - posix\_trace\_open function, 412
  - posix\_trace\_rewind function, 412
  - posix\_trace\_set\_filter function, 412
  - posix\_trace\_shutdown function, 412
  - posix\_trace\_timedgetnext\_event function, 412
    - \_POSIX\_TTY\_NAME\_MAX constant, 39
  - posix\_typed\_mem\_open function, 412
    - \_POSIX\_TZNAME\_MAX constant, 39
    - \_POSIX\_V6\_ILP32\_OFF32 constant, 67
    - \_POSIX\_V6\_ILP32\_OFFBIG constant, 67
    - \_POSIX\_V6\_LP64\_OFF64 constant, 67
    - \_POSIX\_V6\_LP64\_OFFBIG constant, 67
    - \_POSIX\_VDISABLE constant, 54–55, 638–639
    - \_POSIX\_VERSION constant, 53, 55, 172
  - PowerPC, xxiii
  - P\_PGID constant, 226
  - PPID, *see* parent process ID
  - P\_PID constant, 226
  - pr program, 719
  - pread function, 74–75, 411, 420
    - definition of, 75
  - Presotto, D. L., xxviii, 211, 585, 592, 889
  - pr\_exit function, 221–223, 248–249, 258, 346, 844
    - definition of, 222
  - primitive system data types, 56
  - print program, 757, 763, 783, 787–788, 798, 805
  - printf program, 757, 805
  - printer communication, network, 753–805
  - printer spooling, 757–758
    - source code, 758–805
  - printer\_status function, 799, 801, 805
  - printer\_thread function, 795
  - printf function, 10, 21, 41, 140, 149, 151–152, 160, 175–176, 201, 204, 207, 213, 217, 260, 283, 306, 323, 412, 514, 863
    - definition of, 149
  - print.h header, 778, 783, 788
  - printreq structure, 763, 771, 783, 786, 790
  - printresp structure, 763
  - privilege, least, 237, 758, 779
  - pr\_mask function, 331, 334–335, 844
    - definition of, 321
  - proc structure, 286–287
  - process, 10
    - accounting, 250–256
    - control, 11, 209–260
    - ID, 10, 210, 234
    - ID, parent, 210, 215, 219, 225, 228, 234, 263–264, 283, 424
    - identifiers, 209–210
    - relationships, 261–287
    - system, 210, 312
    - termination, 180–184
    - time, 20, 24, 57, 257–259
  - process group, 269–270
    - background, 272, 275, 277, 279, 281–282, 284–285, 296–297, 344, 349, 882
    - foreground, 272–278, 280–281, 286, 294, 296–297, 343, 350, 424–425, 463, 640–642, 645, 649, 670, 706, 882
    - ID, 215, 234
    - ID, foreground, 274, 278, 637

- ID, session, 279
- ID, terminal, 278, 423–424
- leader, 269–271, 280, 287, 425, 692
- lifetime, 269
- orphaned, 282–285, 428, 699
- processes, cooperating, 455, 717, 883
- process-shared attribute, 394
- .profile file, 265
- program, 10
- PROT\_EXEC constant, 487
- PROT\_NONE constant, 487
- protoent structure, 554
- prototypes, function, 807–841
- PROT\_READ constant, 487, 491, 539
- PROT\_WRITE constant, 487, 491, 539
- PR\_TEXT constant, 771, 788, 798
- ps program, 219, 260, 278, 280–282, 423–424, 428, 701, 866
- pselect function, 306, 474, 478–479
  - definition of, 478
- pseudo terminal, 675–707
  - packet mode, 705
  - remote mode, 706
  - signal generation, 706
  - window size, 706
- psignal function, 352
  - definition of, 352
- ptem STREAMS module, 468, 676, 685
- pthread structure, 357
- pthread\_atfork function, 417–419
  - definition of, 417
- pthread\_attr\_destroy function, 389–390
  - definition of, 389
- pthread\_attr\_getdetachstate function, 390
  - definition of, 390
- pthread\_attr\_getguardsize function, 392
  - definition of, 392
- pthread\_attr\_getstack function, 391–392
  - definition of, 391
- pthread\_attr\_getstackaddr function, 391
- pthread\_attr\_getstacksize function, 392
  - definition of, 392
- pthread\_attr\_init function, 388–390
  - definition of, 389
- pthread\_attr\_setdetachstate function, 389–390
  - definition of, 390
- pthread\_attr\_setguardsize function, 392
  - definition of, 392
- pthread\_attr\_setstack function, 391–392
  - definition of, 391
- pthread\_attr\_setstackaddr function, 391
- pthread\_attr\_setstacksize function, 392
  - definition of, 392
- pthread\_attr\_t data type, 388–390, 392, 410
- pthread\_cancel function, 365, 410–411, 791
  - definition of, 365
- PTHREAD\_CANCEL\_ASYNCHRONOUS constant, 412
- PTHREAD\_CANCEL\_DEFERRED constant, 412
- PTHREAD\_CANCEL\_DISABLE constant, 410–411
- PTHREAD\_CANCELED constant, 361, 365
- PTHREAD\_CANCEL\_ENABLE constant, 410–411
- pthread\_cleanup\_pop function, 365–366, 790, 792
  - definition of, 365
- pthread\_cleanup\_push function, 365–366
  - definition of, 365
- pthread\_condattr\_destroy function, 401
  - definition of, 401
- pthread\_condattr\_getpshared function, 401
  - definition of, 401
- pthread\_condattr\_init function, 401
  - definition of, 401
- pthread\_condattr\_setpshared function, 401
  - definition of, 401
- pthread\_cond\_broadcast function, 384, 386, 869–870
  - definition of, 384
- pthread\_cond\_destroy function, 383, 421
  - definition of, 383
- pthread\_cond\_init function, 382–383, 421
  - definition of, 383
- PTHREAD\_COND\_INITIALIZER constant, 382, 385, 414
- pthread\_cond\_signal function, 384–385, 415–416
  - definition of, 384
- pthread\_cond\_t data type, 382, 385, 414
- pthread\_cond\_timedwait function, 383–384, 395, 411
  - definition of, 383
- pthread\_cond\_wait function, 383–385, 395, 411, 415, 795, 869–870
  - definition of, 383
- pthread\_create function, 357–360, 362–364, 366, 368, 388–390, 415, 419, 436, 780, 869
  - definition of, 357
- PTHREAD\_CREATE\_DETACHED constant, 389–390
- PTHREAD\_CREATE\_JOINABLE constant, 389–390
- PTHREAD\_DESTRUCTOR\_ITERATIONS constant, 388, 407
- pthread\_detach function, 367–368, 389
  - definition of, 368
- pthread\_equal function, 357, 382

- definition of, 357
- pthread\_exit function, 180, 218, 361–363, 365–366, 406, 787–789, 792
  - definition of, 361
- pthread\_getconcurrency function, 393
  - definition of, 393
- pthread\_getspecific function, 408–410
  - definition of, 408
- <pthread.h> header, 30
- pthread\_join function, 361–363, 366–367, 411, 869
  - definition of, 361
- pthread\_key\_create function, 406–407, 409
  - definition of, 406
- pthread\_key\_delete function, 407
  - definition of, 407
- PTHREAD\_KEYS\_MAX constant, 388, 407
- pthread\_key\_t data type, 409
- pthread\_kill function, 414
  - definition of, 414
- pthread\_mutexattr\_destroy function, 393, 404
  - definition of, 393
- pthread\_mutexattr\_getpshared function, 394
  - definition of, 394
- pthread\_mutexattr\_gettype function, 395
  - definition of, 395
- pthread\_mutexattr\_init function, 393–394, 399, 404
  - definition of, 393
- pthread\_mutexattr\_setpshared function, 394
  - definition of, 394
- pthread\_mutexattr\_settype function, 395, 399, 404
  - definition of, 395
- pthread\_mutexattr\_t data type, 393–394, 399, 404
- PTHREAD\_MUTEX\_DEFAULT constant, 395
- pthread\_mutex\_destroy function, 371–372, 375, 378, 382
  - definition of, 371
- PTHREAD\_MUTEX\_ERRORCHECK constant, 394–395
- pthread\_mutex\_init function, 371–372, 374, 376, 399, 404
  - definition of, 371
- PTHREAD\_MUTEX\_INITIALIZER constant, 371, 374, 376, 385, 409, 414, 418
- pthread\_mutex\_lock function, 371–372, 374–375, 377, 385–386, 399, 405, 409, 415, 418–419
  - definition of, 371
- PTHREAD\_MUTEX\_NORMAL constant, 394–395
- PTHREAD\_MUTEX\_RECURSIVE constant, 394–395, 399, 404
- pthread\_mutex\_t data type, 371–372, 374, 376, 385, 399, 404, 409, 414, 418
- pthread\_mutex\_trylock function, 371, 373
  - definition of, 371
- pthread\_mutex\_unlock function, 371–372, 374–375, 377–378, 385–386, 399, 405, 409–410, 415, 419
  - definition of, 371
- pthread\_once function, 404–405, 408, 410
  - definition of, 408
- PTHREAD\_ONCE\_INIT constant, 404, 408–409
- pthread\_once\_init function, 409
- pthread\_once\_t data type, 404, 409
- PTHREAD\_PROCESS\_PRIVATE constant, 394
- PTHREAD\_PROCESS\_SHARED constant, 394
- pthread\_rwlockattr\_destroy function, 400
  - definition of, 400
- pthread\_rwlockattr\_getpshared function, 400
  - definition of, 400
- pthread\_rwlockattr\_init function, 400
  - definition of, 400
- pthread\_rwlockattr\_setpshared function, 400
  - definition of, 400
- pthread\_rwlockattr\_t data type, 400
- pthread\_rwlock\_destroy function, 379
  - definition of, 379
- pthread\_rwlock\_init function, 379–380
  - definition of, 379
- pthread\_rwlock\_rdlock function, 379, 382, 412
  - definition of, 379
- pthread\_rwlock\_t data type, 380
- pthread\_rwlock\_timedrdlock function, 412
- pthread\_rwlock\_timedwrlock function, 412
- pthread\_rwlock\_tryrdlock function, 379
  - definition of, 379
- pthread\_rwlock\_trywrlock function, 379
  - definition of, 379
- pthread\_rwlock\_unlock function, 379, 381–382
  - definition of, 379
- pthread\_rwlock\_wrlock function, 379, 381, 412
  - definition of, 379
- pthreads, 27, 211
- pthread\_self function, 357, 359, 363

- definition of, 357
- `pthread_setcancelstate` function, 410
  - definition of, 410
- `pthread_setcanceltype` function, 411–412
  - definition of, 411
- `pthread_setconcurrency` function, 393
  - definition of, 393
- `pthread_setspecific` function, 408–409
  - definition of, 408
- `pthread_sigmask` function, 413, 436
  - definition of, 413
- `PTHREAD_STACK_MIN` constant, 388
- `pthread_t` data type, 356–357, 359, 362–363, 366, 380, 390, 415, 419, 436, 869
- `pthread_testcancel` function, 411
  - definition of, 411
- `PTHREAD_THREADS_MAX` constant, 388
- `P_tmpdir` constant, 157–158
- `ptrdiff_t` data type, 57
- `pts` STREAMS module, 468
- `ptsname` function, 402, 682–685, 687–688, 690
  - definition of, 682, 687, 689
- `pty` program, 285, 675, 679–680, 692, 694–707, 773, 882–883
- `pty_fork` function, 680, 683, 691–696, 704, 706–707
  - definition of, 691–692
- `ptym_open` function, 683, 686, 691–692, 845
  - definition of, 683, 688, 690
- `ptys_fork` function, 845
- `ptys_open` function, 683, 685–686, 689, 691–693, 845
  - definition of, 683–684, 688, 691
- `putc` function, 10, 142–143, 145, 229–230, 412, 661
  - definition of, 142
- `putchar` function, 142, 160, 412, 509
  - definition of, 142
- `putchar_unlocked` function, 402–403, 412
  - definition of, 403
- `putc_unlocked` function, 402–403, 412
  - definition of, 403
- `putenv` function, 186, 194, 232, 402, 405, 421
  - definition of, 194
- `putenv_r` function, 421
- `putmsg` function, 411, 461–463, 469, 548
  - definition of, 463
- `putpmsg` function, 411, 461–463, 548
  - definition of, 463
- `puts` function, 142–143, 412, 859
  - definition of, 143
- `pututxline` function, 402, 412
- `putwc` function, 412
  - definition of, 412
- `putwchar` function, 412
- `PWD` environment variable, 193
- `<pwd.h>` header, 29, 161, 170
- `pwrite` function, 74–75, 411, 420
  - definition of, 75
- Quarterman, J. S., 33–34, 70, 104, 108, 211, 218, 461, 487, 888
- QUIT terminal character, 638, 641, 648, 662
- race conditions, 227–231, 314, 749, 865, 867
- Rago, J. E., xxiii
- Rago, S. A., xxviii, 83, 147, 266, 460, 462, 889
- `raise` function, 306, 311–313, 340
  - definition of, 312
- `rand` function, 402
- `rand_r` function, 402
- raw terminal mode, 632, 664, 668, 673, 696, 699
- Raymond, E. S., 889
- `read` function, 8–10, 20, 57, 59, 61, 67–69, 75, 84–86, 104, 115, 117, 120, 135, 144–145, 159, 284, 304, 306, 316–318, 340, 351, 411, 420, 429, 442–443, 455–456, 458–459, 461–463, 469–473, 475, 478, 481, 485–487, 492, 498–499, 502–503, 511–513, 515, 518, 543, 546, 548, 565–567, 587, 616, 618, 625–627, 629, 632, 662–664, 668–669, 697, 702–703, 705, 714, 718, 768, 799–800, 855–856, 877–878, 882
  - definition of, 67
- `read` mode, STREAMS, 470
- `read`, scatter, 483, 607
- `readdir` function, 5, 7, 120–125, 402, 412, 657, 786
  - definition of, 120
- `readdir_r` function, 402, 412
- reading directories, 120–125
- `readlink` function, 113, 115, 306
  - definition of, 115
- `read_lock` function, 449, 453, 458, 845
- `readmore` function, 800, 802
- `readn` function, 485–486, 702, 768, 844
  - definition of, 485–486
- `readv` function, 40–42, 304, 411, 441, 483–485, 493, 548, 568, 607, 718, 732
  - definition of, 483
- `readw_lock` function, 449, 725, 845
- real
  - group ID, 91–92, 95, 167, 210, 214, 234–235, 237, 251, 541

- user ID, 39, 42, 91–92, 95, 203, 210, 214–215, 234–235, 237–241, 251, 257, 262, 264, 312, 354, 541, 685, 867
  - realloc function, 49, 159, 189–190, 195, 622–623, 727, 802, 859–860
    - definition of, 189
  - record locking, 444–459
    - advisory, 455
    - deadlock, 450
    - mandatory, 455
    - timing, semaphore locking versus, 533
  - recv function, 306, 411, 548, 566–570, 582
    - definition of, 567
  - recv\_fd function, 603–605, 612, 617, 621, 844
    - definition of, 603, 605, 609
  - recvfrom function, 306, 411, 567–568, 575–577, 579
    - definition of, 567
  - recvmsg function, 306, 411, 568, 606, 609–610, 613
    - definition of, 568
  - recv\_ufd function, 612
    - definition of, 613
  - redirmod STREAMS module, 468
  - RE\_DUP\_MAX constant, 39, 42, 48
  - reentrant functions, 305–308
  - regcomp function, 39, 42
  - regexec function, 39, 42
  - <regex.h> header, 29
  - register variables, 199
  - regular file, 88
  - relative pathname, 5, 7, 43, 49, 125
  - reliable signals, 310–311
  - remote mode, pseudo terminal, 706
  - remove function, 108–113, 117, 412
    - definition of, 111
  - remove\_job function, 785, 795
  - rename function, 108–113, 117, 306, 412
    - definition of, 111
  - replace\_job function, 784
  - REPRINT terminal character, 638, 641, 647, 650, 663
  - request function, 618, 625–628
    - definition of, 618, 628
  - reset program, 673, 882
  - resource limits, 202–206, 215, 234, 297, 354
  - restarted system calls, 304–305, 317–318, 326, 329, 481, 660
  - restrict keyword, 26, 87, 115, 136, 138, 142–143, 146, 148–149, 151, 153, 173, 176, 320, 324, 357, 371, 379, 383, 390–392, 394–395, 400–401, 413, 469, 475, 478, 552, 555–556, 561, 563, 567, 579
  - rewind function, 139, 147–148, 156, 412
    - definition of, 147
  - rewinddir function, 120–125, 412
    - definition of, 120
  - rfork function, 211
  - Ritchie, D. M., xx, 26, 133, 139, 145, 151, 153, 190, 460, 585, 592, 846, 854, 887, 889
  - RLIM\_INFINITY constant, 203, 427
  - rlimit structure, 202, 205, 426, 855
  - RLIMIT\_AS constant, 203–205
  - RLIMIT\_CORE constant, 203–205, 293
  - RLIMIT\_CPU constant, 203–205
  - RLIMIT\_DATA constant, 203–205
  - RLIMIT\_FSIZE constant, 203–205, 354
  - RLIMIT\_INFINITY constant, 205, 855
  - RLIMIT\_LOCKS constant, 203–205
  - RLIMIT\_MEMLOCK constant, 203–205
  - RLIMIT\_NOFILE constant, 203–205, 427, 855
  - RLIMIT\_NPROC constant, 203–205
  - RLIMIT\_RSS constant, 203–205
  - RLIMIT\_SBSIZE constant, 203–205
  - RLIMIT\_STACK constant, 203–205
  - RLIMIT\_VMEM constant, 203–205
  - rlim\_t data type, 57, 204
  - rlogin program, 677, 705–706
  - rlogind program, 677–678, 699, 705, 882
  - rm program, 521, 774
  - rmdir function, 111–112, 116–117, 119–120, 306
    - definition of, 120
  - RMSGD constant, 470
  - RMSGN constant, 470
  - RNORM constant, 470
  - R\_OK constant, 96
  - root
    - directory, 4, 7, 24, 129, 131, 215, 234, 260, 858
    - login name, 16
  - routed program, 431
  - RPROTDAT constant, 470
  - RPROTDIS constant, 470
  - RPROTNORM constant, 470
  - RS-232, 634, 645–646
  - RS\_HIPRI constant, 464, 469
  - Rudoff, A. M., 147, 266, 429, 545, 890
  - runacct program, 250
- 
- S5 file system, 62
  - sa program, 250
  - sac program, 266
  - Sachsen, J., xxviii
  - SAF (Service Access Facility), 266
  - SA\_INTERRUPT constant, 326, 328–329

- Salus, P. H., xxviii, 889
- SA\_NOCLDSTOP constant, 326
- SA\_NOCLDWAIT constant, 308, 326
- SA\_NODEFER constant, 326, 328
- Santa Cruz Operation, *see* SCO
- SA\_ONSTACK constant, 326
- SA\_RESETHAND constant, 326, 328
- SA\_RESTART constant, 304, 326, 328–329, 481
- SA\_SIGINFO constant, 311, 325–326, 328
- saved
- set-group-ID, 53, 91–92
  - set-user-ID, 53, 91–92, 238–241, 260, 264, 312, 866
- S\_BANDURG constant, 482
- sbrk function, 21–23, 190, 203
- scan\_configfile function, 765–766
- scanf function, 41, 140, 151–153, 412
- definition of, 151
- \_SC\_ARG\_MAX constant, 42, 46
- \_SC\_ATEXIT\_MAX constant, 42
- scatter read, 483, 607
- \_SC\_CHILD\_MAX constant, 42, 203
- \_SC\_CLK\_TCK constant, 42, 257–258
- \_SC\_COLL\_WEIGHTS\_MAX constant, 42
- SCHAR\_MAX constant, 38
- SCHAR\_MIN constant, 38
- <sched.h> header, 30
- \_SC\_HOST\_NAME\_MAX constant, 42, 571–573, 578, 778
- Schwartz, A., 165, 232, 273, 887
- \_SC\_IOV\_MAX constant, 42
- \_SC\_JOB\_CONTROL constant, 53–54
- \_SC\_LINE\_MAX constant, 42
- \_SC\_LOGIN\_NAME\_MAX constant, 42
- SCM\_CREDENTIALS constant, 611–614
- SCM\_CREDS constant, 611, 613–614
- SCM\_CREDTYPE constant, 612, 614
- SCM\_RIGHTS constant, 607–608, 612, 614
- \_SC\_NGROUPS\_MAX constant, 42
- SCO (Santa Cruz Operation), 36
- \_SC\_OPEN\_MAX constant, 42, 51, 203, 855
- \_SC\_PAGESIZE constant, 42, 489
- \_SC\_PAGE\_SIZE constant, 42, 489
- \_SC\_READER\_WRITER\_LOCKS constant, 53
- \_SC\_RE\_DUP\_MAX constant, 42
- script program, 675, 678–679, 699, 701, 706–707
- \_SC\_SAVED\_IDS constant, 53–54, 92, 238
- \_SC\_SHELL constant, 53
- \_SC\_STREAM\_MAX constant, 42
- \_SC\_SYMLINK\_MAX constant, 42
- \_SC\_THREAD\_ATTR\_STACKADDR constant, 391
- \_SC\_THREAD\_ATTR\_STACKSIZE constant, 391
- \_SC\_THREAD\_DESTRUCTOR\_ITERATIONS constant, 388
- \_SC\_THREAD\_KEYS\_MAX constant, 388
- \_SC\_THREAD\_PROCESS\_SHARED constant, 394
- \_SC\_THREADS constant, 356
- \_SC\_THREAD\_SAFE\_FUNCTIONS constant, 401
- \_SC\_THREAD\_STACK\_MIN constant, 388
- \_SC\_THREAD\_THREADS\_MAX constant, 388
- \_SC\_TTY\_NAME\_MAX constant, 42
- \_SC\_TZNAME\_MAX constant, 42
- \_SC\_V6\_ILP32\_OFF32 constant, 67
- \_SC\_V6\_ILP32\_OFFBIG constant, 67
- \_SC\_V6\_LP64\_OFF64 constant, 67
- \_SC\_V6\_LP64\_OFFBIG constant, 67
- \_SC\_VERSION constant, 49, 53
- \_SC\_XOPEN\_CRYPT constant, 53
- \_SC\_XOPEN\_LEGACY constant, 53
- \_SC\_XOPEN\_REALTIME constant, 53
- \_SC\_XOPEN\_REALTIME\_THREADS constant, 53
- \_SC\_XOPEN\_VERSION constant, 53–54
- <search.h> header, 30
- sed program, 887
- Seebass, S., 889
- seek function, 64
- SEEK\_CUR constant, 64, 148, 446, 454–455
- seekdir function, 120–125, 412
- definition of, 120
- SEEK\_END constant, 64, 148, 446, 454–455, 747
- SEEK\_SET constant, 64, 148, 446, 454–455, 458, 491, 873–874
- SEGV\_ACCERR constant, 327
- SEGV\_MAPERR constant, 327
- select function, 305–306, 318, 339–340, 411, 441, 474–481, 493, 521, 542, 544, 548, 563–564, 582, 621, 624–626, 628, 678, 696, 707, 767–768, 779–780, 870–871, 875, 878, 880–881
- definition of, 475
- Seltzer, M., 710, 889–890
- semaphore, 496, 527–533
- adjustment on exit, 532–533
  - locking versus record locking timing, 533
- <semaphore.h> header, 30
- sembuf structure, 531
- semctl function, 520, 524, 528–529, 532
- definition of, 529
- semget function, 518–519, 528–529
- definition of, 529
- semid\_ds structure, 528–530
- semop function, 412, 521, 529–533
- definition of, 530
- sem\_post function, 306

- 
- sem\_timedwait function, 411
  - semun union, 529
  - SEM\_UNDO constant, 531–533
  - sem\_wait function, 411
  - send function, 306, 411, 548, 565–566, 570, 581–582
    - definition of, 565
  - send\_err function, 603, 615, 618–619, 628, 844
    - definition of, 603–604
  - send\_fd function, 603–604, 608, 611, 615, 618–619, 628, 844
    - definition of, 603–604, 608, 611
  - sendmsg function, 306, 411, 566, 568, 606, 608–609, 612
    - definition of, 566
  - sendto function, 306, 411, 566, 575, 577, 579
    - definition of, 566
  - S\_ERROR constant, 482
  - serv\_accept function, 592–593, 598, 601, 621, 625–627, 844
    - definition of, 592–593, 599
  - servent structure, 555
  - Service Access Facility, *see* SAF
  - serv\_listen function, 592–593, 597, 621, 625–626, 844
    - definition of, 592, 597
  - session, 270–271
    - ID, 215, 234, 271, 286, 423–424
    - leader, 271–273, 286, 294, 424–425, 428, 685, 691–692, 707, 882
    - process group ID, 279
  - session structure, 286, 294, 424
  - set
    - descriptor, 475, 477, 493, 875
    - signal, 311, 318–320, 493, 875
  - SETALL constant, 530, 532
  - setasync function, definition of, 881
  - setbuf function, 136–137, 139, 159, 229–230, 661, 872
    - definition of, 136
  - setegid function, 241
    - definition of, 241
  - setenv function, 194, 232, 402
    - definition of, 194
  - seteuid function, 241
    - definition of, 241
  - set\_fl function, 82, 442–443, 458, 844, 876
    - definition of, 81
  - setgid function, 237, 241, 264, 306
    - definition of, 237
  - setgrent function, 167–168, 402, 412
    - definition of, 167
  - set-group-ID, 91–92, 95, 100–101, 103, 119, 130, 215, 235, 292, 456, 508, 685
    - saved, 53, 91–92
  - setgroups function, 168
    - definition of, 168
  - sethostent function, 412, 553
    - definition of, 553
  - sethostname function, 173
  - setitimer function, 293, 295, 297, 354, 875
  - setjmp function, 179, 195, 197–201, 206, 314–315, 318, 329–330, 333, 354, 867
    - definition of, 197
  - \_setjmp function, 330, 333
  - <setjmp.h> header, 27
  - setkey function, 402
  - setlogmask function, 430–431
    - definition of, 430
  - setnetent function, 412, 554
    - definition of, 554
  - setpgid function, 269, 306
    - definition of, 269
  - setprotoent function, 412, 554
    - definition of, 554
  - setpwent function, 164–165, 402, 412
    - definition of, 164
  - setregid function, 240–241
    - definition of, 240
  - setreuid function, 240
    - definition of, 240
  - setrlimit function, 52, 202, 354
    - definition of, 202
  - setservent function, 412, 555
    - definition of, 555
  - setsid function, 269, 271, 273, 286, 306, 424–425, 427, 683, 692–693
    - definition of, 271
  - setsockopt function, 306, 579, 581, 613
    - definition of, 579
  - setspent function, 166
    - definition of, 166
  - settimeofday function, 173
  - setuid function, 92, 237–241, 264, 306, 779
    - definition of, 237
  - set-user-ID, 91–92, 95, 97, 100–101, 103, 119, 130, 166, 215, 235, 238–240, 249, 292, 508, 541–542, 615, 685, 689, 707, 867
    - saved, 53, 91–92, 238–241, 260, 264, 312, 866
  - setutxent function, 402, 412
  - SETVAL constant, 530, 532
  - setvbuf function, 136–137, 139, 159, 202, 514, 877
    - definition of, 136
  - SGI (Silicon Graphics, Inc.), 36

- SGID, *see* set-group-ID
- shadow passwords, 165–166, 178, 861
- <shadow.h> header, 170
- S\_HANGUP constant, 482
- Shannon, W. A., 487, 887
- shared
  - libraries, 188–189, 207, 719, 863, 885
  - memory, 496, 533–540
- sharing, file, 70–73, 213
- shell, *see* Bourne shell, Bourne-again shell, C shell, Korn shell
- SHELL environment variable, 193, 264, 701
- shell, job-control, 270, 274, 280, 283, 300, 333, 350, 699
- shell layers, 274
- shells, 3
- S\_HIPRI constant, 482
- shmat function, 521, 535–538
  - definition of, 536
- shmatt\_t data type, 534
- shmctl function, 520, 524, 535–537
  - definition of, 535
- shmdt function, 536
  - definition of, 536
- shmget function, 518–519, 534, 537
  - definition of, 534
- shmid\_ds structure, 534–536
- SHMLBA constant, 536
- SHM\_LOCK constant, 535
- SHM\_RDONLY constant, 536
- SHM\_RND constant, 536
- SHRT\_MAX constant, 38
- SHRT\_MIN constant, 38
- shutdown function, 306, 548–549, 567
  - definition of, 548
- SHUT\_RD constant, 548
- SHUT\_RDWR constant, 548
- SHUT\_WR constant, 548
- SI\_ASYNCIO constant, 327
- S\_IFBLK constant, 124
- S\_IFCHR constant, 124
- S\_IFDIR constant, 124
- S\_IFIFO constant, 124
- S\_IFLNK constant, 107, 124
- S\_IFMT constant, 91
- S\_IFREG constant, 124
- S\_IFSOCK constant, 124, 596
- sig2str function, 353
  - definition of, 353
- SIG2STR\_MAX constant, 353
- SIGABRT signal, 218, 222–223, 256, 289, 292–295, 340–342, 354, 867
- sigaction function, 57, 298, 301, 304–306, 308, 310–311, 324–329, 341, 344–345, 349, 414, 427, 436, 438, 482, 576, 880
  - definition of, 324
- sigaction structure, 324, 328–329, 341, 344, 348, 426, 436, 438, 576
- sigaddset function, 306, 319, 322, 334, 336, 338, 344, 349, 351, 415, 438, 661, 875
  - definition of, 319–320
- SIGALRM signal, 289–290, 292–293, 305, 307, 313–315, 317–318, 322, 328–329, 331–332, 339, 348–349, 576
- sigaltstack function, 326
- sig\_atomic\_t data type, 57, 330, 332, 336–337, 697
- SIG\_BLOCK constant, 321, 323, 334, 336, 338, 345, 349, 415, 436, 661
- SIGBUS signal, 292–293, 327, 489, 491
- SIGCANCEL signal, 292–293
- SIGCHLD signal, 220, 264, 291–293, 307–308, 310, 326–327, 342–345, 349–350, 430, 473, 507, 682, 866, 880
  - semantics, 308–310
- SIGCLD signal, 293, 308–311
- SIGCONT signal, 276, 283, 292–293, 312, 349–350, 352
- sigdelset function, 306, 319, 341, 349, 875
  - definition of, 319–320
- SIG\_DFL constant, 299, 308, 325–326, 340–341, 350–351, 436
- sigemptyset function, 306, 319, 322, 328–329, 334, 336–337, 344, 349, 351, 415, 427, 436, 438, 576, 661, 875
  - definition of, 319
- SIGEMT signal, 292–293
- SIG\_ERR constant, 19, 300, 309, 315–318, 322–323, 328–331, 334, 336–337, 343, 511, 587, 669, 671, 697, 844
- sigfillset function, 306, 319, 341, 436, 875
  - definition of, 319
- SIGFPE signal, 18, 222–223, 292, 294, 327
- SIGFREEZE signal, 292, 294
- Sigfunc data type, 328–329, 844
- SIGHUP signal, 283–284, 292, 294, 427, 434–439, 508, 778, 793
- SIG\_IGN constant, 299, 308, 325, 341, 344, 350, 427, 844
- SIGILL signal, 292, 294, 326–327, 340
- SIGINFO signal, 292, 294, 642, 649
- siginfo structure, 226, 326, 328, 354
- <siginfo.h> header, 352
- siginfo\_t structure, 325

- SIGINT signal, 18–19, 275, 290, 292, 294, 296, 315–316, 322, 333–336, 339, 342–345, 347, 415–416, 508, 639, 641, 645, 648–649, 661–662, 669, 872, 874
- SIGIO signal, 79, 292, 294–295, 473, 481–482, 583
- SIGIOT signal, 292, 295, 340
- sigismember function, 306, 319, 322–323, 875
  - definition of, 319–320
- sigjmp\_buf data type, 330
- SIGKILL signal, 253, 256, 291–292, 295, 299, 321, 353, 699
- siglongjmp function, 201, 307, 329–333, 340
  - definition of, 330
- SIGLWP signal, 292, 295
- signal function, 18–19, 57, 284, 298–302, 304–310, 314–318, 322–324, 328–331, 334, 336–337, 343, 351, 482, 511, 587, 669, 671, 880
  - definition of, 298, 328
- signal mask, 311
- signal set, 311, 318–320, 493, 875
- <signal.h> header, 27, 222, 290, 299, 319–320, 353
- signal\_intr function, 305, 329, 339, 354, 481, 697, 844, 872
  - definition of, 329
- signals, 18–19, 289–354
  - blocking, 310
  - delivery, 310
  - generation, 310
  - generation, pseudo terminal, 706
  - job-control, 349–352
  - null, 290, 312
  - pending, 310
  - queueing, 311, 324
  - reliable, 310–311
  - unreliable, 301–303
- signal\_thread function, 793
- sigpause function, 306, 411
- sigpending function, 306, 311, 322–324
  - definition of, 322
- SIGPIPE signal, 290, 292, 295, 469, 499, 511–512, 515, 518, 543, 587–588, 778, 878
- SIGPOLL signal, 292, 295, 327, 473, 481–482
- sigprocmask function, 306, 311, 314, 318, 320–323, 334–336, 338, 341, 345, 349, 351, 413, 415, 661
  - definition of, 320
- SIGPROF signal, 292, 295
- SIGPWR signal, 292, 294–295
- sigqueue function, 306, 327–328
- SIGQUIT signal, 275, 292, 296, 322–323, 336, 342, 344–345, 347, 415–416, 508, 641, 649, 662, 669
- SIGSEGV signal, 290, 292, 296, 307–308, 311, 327, 489
- sigset function, 304–306, 308
- sigsetjmp function, 201, 307, 329–333
  - definition of, 330
- SIG\_SETMASK constant, 321, 323, 335–336, 338, 341, 345, 349, 415, 661
- sigset\_t data type, 57, 311, 319, 321–322, 334, 336–337, 341, 344, 348, 351, 414–415, 661
- SIGSTKFLT signal, 292, 296
- SIGSTOP signal, 291–292, 296, 299, 321, 349–350
- SIGSUSP signal, 649
- sigsuspend function, 306, 314, 333–340, 349, 411
  - definition of, 334
- SIGSYS signal, 292, 296
- SIGTERM signal, 291–292, 296, 300, 435, 437–439, 669, 697–698, 707, 778, 793, 882
- SIGTHAW signal, 292, 296
- sigtimedwait function, 411
- SIGTRAP signal, 292, 296, 326–327
- SIGTSTP signal, 275, 283–284, 292, 296, 349–352, 640, 642, 661, 699
- SIGTTIN signal, 275–276, 279, 284, 292, 296–297, 349–350
- SIGTTOU signal, 276–277, 292, 297, 349–350, 651
- SIG\_UNBLOCK constant, 321, 323, 351
- SIGURG signal, 79, 290, 292, 295, 297, 482, 581
- SIGUSR1 signal, 292, 297, 300, 322, 330, 332–335, 337–339, 473
- SIGUSR2 signal, 292, 297, 300, 337–339
- sigvec function, 304–305
- SIGVTALRM signal, 292, 297
- sigwait function, 411, 413–416, 435, 437, 793
  - definition of, 413
- sigwaitinfo function, 411
- SIGWAITING signal, 292, 297
- SIGWINCH signal, 286, 292, 297, 670–671, 706–707
- SIGXCPU signal, 203, 292, 297–298
- SIGXFSZ signal, 203, 292, 298, 354, 868
- SIGXRES signal, 292, 298
- Silicon Graphics, Inc., *see* SGI
- SI\_MESGQ constant, 327
- Single UNIX Specification, *see* SUS
  - Version 3, *see* SUSv3
- single-instance daemons, 432–434
- S\_INPUT constant, 482
- SIOCSPGRP constant, 583
- SI\_QUEUE constant, 327
- S\_IRGRP constant, 93, 97, 100, 130, 433, 592, 844
- S\_IROTH constant, 93, 97, 100, 130, 433, 592, 844
- S\_IRUSR constant, 93, 97, 100, 130, 433, 592, 687, 690, 844

- S\_IRWXG constant, 100, 599
- S\_IRWXO constant, 100, 599
- S\_IRWXU constant, 100, 599
- S\_ISBLK function, 89–90, 129
- S\_ISCHR function, 89–90, 129, 658
- S\_ISDIR function, 89–91, 123, 658
- S\_ISFIFO function, 89–90, 497, 514
- S\_ISGID constant, 92, 100, 130, 458
- S\_ISLNK function, 89–90
- S\_ISREG function, 89–90
- S\_ISSOCK function, 89–91, 599
- S\_ISUID constant, 92, 100, 130
- S\_ISVTX constant, 100–102, 130
- SI\_TIMER constant, 327
- SI\_USER constant, 327
- S\_IWGRP constant, 93, 97, 100, 130, 592, 687, 690
- S\_IWOTH constant, 93, 97, 100, 130, 592
- S\_IWUSR constant, 93, 97, 100, 130, 433, 592, 687, 690, 844
- S\_IXGRP constant, 93, 100, 130, 458, 844
- S\_IXOTH constant, 93, 100, 130, 844
- S\_IXUSR constant, 93, 100, 130, 844
- size, file, 103–105
- size program, 188–189, 207
- sizeof operator, 213
- size\_t data type, 57–58, 68, 479, 854
- sleep function, 212, 216, 225, 228, 253, 255, 284, 306, 309, 314–316, 323, 346–349, 353–354, 359, 363–364, 400, 411, 419, 477, 493, 562, 866–868, 870, 873, 878
  - definition of, 347–348, 871
- sleep\_us function, 493, 844
  - definition of, 875
- S\_MSG constant, 482
- SNDPIPE constant, 469
- SNDZERO constant, 469
- snprintf function, 149, 689, 849, 851
  - definition of, 149
- Snyder, G., 889
- sockaddr structure, 551–553, 561–562, 564, 577–578, 580, 596, 598–601
- sockaddr\_in structure, 551–552, 559
- sockaddr\_in6 structure, 551–552
- sockaddr\_un structure, 595–601
- socketmark function, 582
  - definition of, 582
- SOCK\_DGRAM constant, 547, 558, 563, 567, 576, 578
- socket
  - addressing, 549–561
  - descriptors, 546–549
  - file descriptor passing, 606–614
  - I/O, asynchronous, 582–583
  - I/O, nonblocking, 563–564, 582–583
    - mechanism, 89, 496, 545–584
    - options, 579–581
  - socket function, 138, 306, 546–547, 564, 569, 576, 581, 597–598, 600–601, 797
    - definition of, 546
  - socketpair function, 138, 306, 594–595
    - definition of, 594
  - sockets, UNIX domain, 594–601
    - timing, 527
  - socklen\_t data type, 562, 564, 577, 580
  - SOCK\_RAW constant, 547, 558
  - SOCK\_SEQPACKET constant, 547, 558, 561, 564, 567, 581
  - SOCK\_STREAM constant, 295, 547, 558, 561, 564, 567, 569–571, 574, 581, 595–597, 600
- Solaris, xxi, xxiii, 3–4, 26–27, 29–30, 35–36, 38, 48, 55–58, 60, 62, 72, 84, 95, 101–105, 112–113, 119, 121–122, 128, 162, 166, 169–172, 176, 190–191, 193–194, 204, 206, 227, 264, 266, 268, 271, 278, 290, 292–298, 304–305, 308, 310, 326, 330, 348, 352–353, 357, 360, 430, 445, 455–457, 459–461, 464, 466, 471, 474–475, 492, 496, 521, 523, 525, 527, 529, 534–535, 538, 548, 550, 563, 566–568, 583, 585, 595, 610, 635–638, 644–651, 664, 676–677, 682–683, 685, 689, 692, 705–707, 710, 749, 876, 889
- SOL\_SOCKET constant, 579, 581, 607–608, 612–614
- solutions to exercises, 853–883
- SOMAXCONN constant, 563
- SO\_OOBINLINE constant, 582
- SO\_PASSCRED constant, 613
- SO\_REUSEADDR constant, 580–581
- source code, availability, xxvi
- S\_OUTPUT constant, 482
- Spafford, G., 165, 232, 273, 887
- spawn function, 216
  - <spawn.h> header, 30
- s-pipe, 603, 615–616, 618, 620–621
- s\_pipe function, 587–589, 595, 617, 704, 844
  - definition of, 589, 595
- spooling, printer, 757–758
- sprintf function, 149, 511, 570, 577, 600, 617, 619, 621, 628, 725, 738, 807
  - definition of, 149
- spwd structure, 861
- squid login name, 162
- S\_RDBAND constant, 482
- S\_RDNORM constant, 482
- sscanf function, 151, 511, 513, 764
  - definition of, 151
- SSIZE\_MAX constant, 39, 68

- ssize\_t data type, 39, 57, 68
- stack, 187, 197
- stackaddr attribute, 389, 391
- stacksize attribute, 389, 391
- standard error, 8, 135, 572
- standard error routines, 846–851
- standard input, 8, 135
- standard I/O
  - alternatives, 159
  - buffering, 135–137, 213, 217, 247, 342, 513–514, 680, 718
  - efficiency, 143–145
  - implementation, 153–155
  - library, 9, 133–160
  - streams, 133–134
  - versus unbuffered I/O, timing, 144
- standard output, 8, 135, 572
- standards, 25–33
  - conflicts, 56–57
- START terminal character, 638, 640–642, 646, 649, 653
- stat function, 4, 7, 62, 87–88, 91–92, 100, 113–114, 116, 118, 121, 128, 130–131, 306, 542, 548, 584, 599–600, 658, 856, 858
  - definition of, 87
- stat structure, 87–89, 92, 103, 107, 130, 137, 155, 457, 490, 497, 514, 519, 542, 599, 657–659
- static variables, 201
- STATUS terminal character, 638, 642, 647, 649, 663
- <stdarg.h> header, 27, 151–152, 721, 724
- <stdbool.h> header, 27
- \_\_STDC\_\_ constant, 56
- <stddef.h> header, 27, 597
- stderr variable, 135, 443, 695, 849
- STDERR\_FILENO constant, 60, 135, 573–574, 603, 606, 610, 614, 693
- stdin variable, 10, 135, 144, 196, 198, 512–513, 588, 616
- STDIN\_FILENO constant, 8–9, 60, 64, 69, 135, 284, 351, 443, 471, 501, 506, 511–512, 574, 588, 617–618, 639, 644, 669, 671, 693–695, 697, 704–705
- <stdint.h> header, 27, 551
- <stdio.h> header, 10, 27, 38, 50, 135, 137, 141, 153, 155–157, 654, 721, 843
- <stdlib.h> header, 27, 190, 843
- stdout variable, 10, 135, 144, 229–230, 849, 864, 872
- STDOUT\_FILENO constant, 8–9, 60, 69, 135, 212, 217, 351, 443, 471, 499, 506, 511–512, 569, 573–575, 588, 616–618, 693, 697, 704–705, 864
- Stevens, D. A., xxviii
- Stevens, E. M., xxviii
- Stevens, S. H., xxviii
- Stevens, W. R., xx–xxii, xxviii, 147, 266, 429, 478, 545, 677, 757, 890
- sticky bit, 100–102, 109, 130
- stime function, 173
- Stonebraker, M. R., 709, 890
- STOP terminal character, 638, 640–642, 646, 649, 653
- str2sig function, 353
  - definition of, 353
- strace program, 457
- Strang, J., 672, 890
- strbuf structure, 462, 471, 605
- strchr function, 733
- stream orientation, 134
- STREAM\_MAX constant, 38–39, 42, 48
- STREAMS, 30–32, 83–84, 86, 133, 328, 441, 460–474, 479, 481–482, 485, 493, 495–496, 514, 518, 522, 527, 543, 548, 585, 600, 603–604, 610, 615, 629, 676–677, 680–681, 683, 685, 689, 705, 878, 889
  - clone device, 683
  - file descriptor passing, 604–606
  - ioctl operations, 464
  - Linux, 496
  - messages, 462
  - read mode, 470
  - write mode, 468
- STREAMS module
  - connld, 518, 590, 592, 600
  - ldterm, 468, 676, 685
  - pkct, 676, 705
  - ptem, 468, 676, 685
  - pts, 468
  - redirmod, 468
  - ttcompat, 468, 676, 685
- streams, standard I/O, 133–134
- STREAMS-based pipes, 585–594
  - mounted, 495, 514, 518
  - timing, 527
- strerror function, 15–16, 24, 352, 402, 412, 431, 433, 438, 556, 569–570, 572–573, 576–577, 619, 628, 846, 849, 851, 853–854, 873–874
  - definition of, 15
- strerror\_r function, 402
- strftime function, 174–176, 178, 246, 862
  - definition of, 176
- <string.h> header, 27, 843
- <strings.h> header, 30
- strip program, 863
- strlen function, 11, 213

- str\_list structure, 466–467
- str\_mlist structure, 466–467
- Strong, H. R., 710, 715, 886
- <stropts.h> header, 30, 464, 480, 482
- strrecvfd structure, 593, 605
- strsignal function, 352
  - definition of, 352
- strtok function, 402, 619–620
- strtok\_r function, 402
- stty program, 276, 651–652, 662, 673, 882
- Stumm, M., 159, 492, 888
- S\_TYPEISMQ function, 89
- S\_TYPEISSEM function, 89
- S\_TYPEISSHM function, 89
- su program, 431
- submit\_file function, 771
- SUID, *see* set-user-ID
- Sun Microsystems, xxiii, 33, 71, 683, 705, 890
- SunOS, xxvii, 33, 188, 305, 329, 533
- superuser, 16
- supplementary group ID, 18, 39, 91–92, 94, 101, 103, 167–168, 214, 234, 241
- SUS (Single UNIX Specification), xxii, 28–33, 41, 52–56, 58–59, 61, 66–67, 74, 83, 88, 99–100, 102, 105, 121–122, 125–126, 133, 147, 156–158, 164, 167, 173, 175–176, 178, 193–194, 202–203, 216, 221, 226–227, 240, 243, 269, 271, 274, 286, 291, 297–298, 304, 306, 308, 317, 327, 329, 348, 379, 387, 391–392, 394, 401, 411, 428, 430, 432, 445, 455, 460, 473, 479, 481, 483, 487, 489, 495–496, 518, 520, 522–523, 527–528, 533, 535, 552, 565, 567, 579, 582, 607, 634, 638, 643, 681–683, 709, 773, 858, 887, 890
- SUSP terminal character, 638, 640, 642, 648, 661
- SUSv3 (Single UNIX Specification, Version 3), 32, 36, 49, 56
- SVID (System V Interface Definition), xix, 32, 34, 885
- SVR2, 62, 171, 462, 672
- SVR3, 119, 183, 274, 456, 460–461, 474, 479, 846
- SVR3.0, xxvii
- SVR3.1, xxvii
- SVR3.2, xxvii, 36, 248
- SVR4, xxvii, 3, 21, 33–37, 48, 72, 112, 171, 191, 266, 271, 285, 428, 460–461, 474, 479, 481, 483, 592, 681, 709
- swapper process, 210
- S\_WRBAND constant, 482
- S\_WRNORM constant, 482
- symbolic link, 88–89, 102–103, 107, 110, 112–114, 121, 127, 131, 170, 856–857
- symlink function, 115, 306
  - definition of, 115
- SYMLINK\_MAX constant, 39, 43, 48
- SYMLoop\_MAX constant, 39, 42, 48
- sync function, 59, 77–78
  - definition of, 77
- sync program, 77
- synchronization mechanisms, 82–83
- synchronous write, 61, 82–83
- <sys/acct.h> header, 251
- sysconf function, 20, 37, 39–54, 57–58, 66, 92, 183, 203, 238, 257–258, 306, 356, 387–388, 391, 394, 401, 489, 571, 573, 578, 778, 855
  - definition of, 41
- <sys/conf.h> header, 466
- sysctl program, 291, 521
- sysdef program, 521
- <sys/disklabel.h> header, 84
- <sys/filio.h> header, 84
- <sys/ipc.h> header, 30, 520
- <sys/iso/signal\_iso.h> header, 290
- syslog function, 412, 425, 428–433, 435–439, 570–574, 577–578, 849, 851, 871
  - definition of, 430
- syslogd program, 425, 429–430, 432, 434, 439
- <syslog.h> header, 30
- <sys/mkdev.h> header, 128
- <sys/mman.h> header, 29
- <sys/msg.h> header, 30
- <sys/mtio.h> header, 84
- <sys/param.h> header, 49–50
- <sys/resource.h> header, 30
- <sys/select> header, 474
- <sys/select.h> header, 29, 477, 874
- <sys/sem.h> header, 30
- <sys/shm.h> header, 30
- sys\_siglist variable, 352
- <sys/signal.h> header, 290
- <sys/socket.h> header, 29, 563
- <sys/sockio.h> header, 84
- <sys/stat.h> header, 29, 91
- <sys/statvfs.h> header, 30
- <sys/sysmacros.h> header, 128
- system calls, 1, 21
  - interrupted, 303–305, 317–318, 326, 329, 339, 481
  - restarted, 304–305, 317–318, 326, 329, 481, 660
  - tracing, 457
  - versus functions, 21–23
- system function, 23, 119, 209, 231, 246–250, 258–260, 323, 342–347, 353, 411, 500, 504, 866, 878

- definition of, 246–247, 344
  - return value, 346
  - system identification, 171–173
  - system process, 210, 312
  - System V, xxi, 83, 441–442, 445, 460, 462, 473, 479, 481, 493, 681, 685
  - System V Interface Definition, *see* SVID
  - <sys/timeb.h> header, 30
  - <sys/time.h> header, 30, 474
  - <sys/times.h> header, 29
  - <sys/ttycom.h> header, 84
  - <sys/types.h> header, 29, 56, 128, 474, 518
  - <sys/uio.h> header, 30
  - <sys/un.h> header, 29, 595
  - <sys/utsname.h> header, 29
  - <sys/wait.h> header, 29, 221
  - sysyconf function, 57
- 
- TAB0 constant, 651
  - TAB1 constant, 651
  - TAB2 constant, 651
  - TAB3 constant, 650–651
  - TABDLY constant, 637, 644, 649–651
  - Tankus, E., xxviii
  - tar program, 117, 125, 131–132, 858–859
  - <tar.h> header, 29
  - tcdrain function, 297, 306, 411, 637, 653
    - definition of, 653
  - tcflag\_t data type, 634
  - tcflow function, 297, 306, 637, 653
    - definition of, 653
  - tcflush function, 135, 297, 306, 633, 637, 653
    - definition of, 653
  - tcgetattr function, 306, 635, 637, 639, 643–644, 651–652, 655, 661, 665–667, 695–696
    - definition of, 643
  - tcgetpgrp function, 273–274, 306, 634, 637
    - definition of, 273
  - tcgetsid function, 273–274, 634, 637
    - definition of, 274
  - TCIFLUSH constant, 653
  - TCIOFF constant, 653
  - TCIOFLUSH constant, 653
  - TCION constant, 653
  - TCOFLUSH constant, 653
  - TCOOFF constant, 653
  - TCOON constant, 653
  - TCSADRAIN constant, 643
  - TCSAFLUSH constant, 639, 643, 661, 665–667
  - TCSANOW constant, 643–644, 693, 696
  - tcsendbreak function, 297, 306, 637, 642, 653–654
    - definition of, 653
  - tcsetattr function, 297, 306, 633, 635, 637, 639, 643–644, 651–652, 661, 665–667, 693, 696, 703
    - definition of, 643
  - tcsetpgrp function, 273–274, 276, 278, 297, 306, 634, 637
    - definition of, 273
  - tee program, 516
  - tell function, 64
  - TELL\_CHILD function, 229–230, 337, 451, 458, 493, 501, 503, 539, 845
    - definition of, 338, 502
  - telldir function, 120–125
    - definition of, 120
  - TELL\_PARENT function, 229, 337, 451, 493, 501, 503, 539, 845, 876
    - definition of, 338, 502
  - TELL\_WAIT function, 229–230, 337, 451, 458, 493, 501, 539, 845, 876
    - definition of, 337, 502
  - telnet program, 472, 703, 706
  - telnetd program, 267, 472–473, 677, 699, 866, 882
  - tempfile function, 158
  - tempnam function, 155–160
    - definition of, 157
  - TENEX C shell, 3
  - TERM environment variable, 193, 263, 265
  - termcap, 672–673, 890
  - terminal
    - baud rate, 652–653
    - canonical mode, 660–663
    - controlling, 61, 215, 234, 251, 268, 271–274, 276, 278–279, 281, 284, 286–287, 294, 296–297, 349, 423–425, 428, 439, 463, 468, 640, 645, 651, 654, 660, 662, 676, 683, 685, 689, 691–692, 846, 890
    - identification, 654–660
    - I/O, 631–673
    - line control, 653–654
    - logins, 261–266
    - mode, cbreak, 632, 664, 668, 673
    - mode, cooked, 632
    - mode, raw, 632, 664, 668, 673, 696, 699
    - noncanonical mode, 663–670
    - options, 643–651
    - parity, 648
    - process group ID, 278, 423–424
    - special input characters, 638–642
    - window size, 286, 297, 670–672, 691, 706–707
  - termination, process, 180–184
  - terminfo, 672–673, 887, 890

- termio structure, 634
- <termio.h> header, 634
- termios structure, 286, 634, 637–639, 643–644, 652–653, 655, 661, 663–666, 668, 691–692, 694, 696, 702, 706–707, 844–845, 882
- <termios.h> header, 29, 84, 634
- text segment, 186
- <tgmath.h> header, 27
- The Open Group, xxii, 32, 176, 887
- Thompson, K., 71, 165, 211, 709, 889–890
- thread\_init function, 404
- threads, 13, 27, 211, 355–386, 540
  - concepts, 355–357
  - control, 387–421
  - creation, 357–360
  - synchronization, 368–385
  - termination, 360–368
- thundering herd, 869
- tick, clock, 20, 42, 48, 57, 251–252, 257
- time
  - and date functions, 173–176
  - calendar, 20, 24, 57, 117, 173–175, 246, 251–252
  - process, 20, 24, 57, 257–259
  - values, 20
- time function, 173, 246, 306, 331, 599–600, 862, 871
  - definition of, 173
- time program, 20
- TIME terminal value, 647, 663–664, 668, 673, 882
- <time.h> header, 27, 57
- timer\_getoverrun function, 306
- timer\_gettime function, 306
- timer\_settime function, 306, 327
- times, file, 115–116, 493
- times function, 42, 57, 257–258, 306, 484
  - definition of, 257
- timespec structure, 383, 398–399, 478
- time\_t data type, 20, 57, 173, 175, 178, 854
- timeval structure, 173, 383, 398, 475, 478, 768, 871, 875
- timing
  - message queues, 527
  - read buffer sizes, 70
  - read/write versus mmap, 492
  - semaphore locking versus record locking, 533
  - standard I/O versus unbuffered I/O, 144
  - STREAMS-based pipes, 527
  - synchronization mechanisms, 82–83
  - UNIX domain sockets, 527
  - writev versus other techniques, 484
- TIOCGPTN constant, 689
- TIOCGWINSZ constant, 670–671, 695, 845
- TIOCPKT constant, 705
- TIOCTLCK constant, 690
- TIOCREMOTE constant, 706
- TIOCSCTTY constant, 273, 692–693
- TIOCSIG constant, 706
- TIOCSIGNAL constant, 706
- TIOCSWINSZ constant, 670, 693, 706
- tip program, 673
- TLI (Transport Layer Interface, System V), 889
- tm structure, 174, 862
- TMPDIR environment variable, 157–158, 193
- tmpfile function, 155–159, 340, 412
  - definition of, 155
- TMP\_MAX constant, 38, 155–156
- tmpnam function, 38, 155–159, 401, 412
  - definition of, 155
- tms structure, 257–258
- Torvalds, L., 35
- TOSTOP constant, 636, 651
- touch program, 117
- <trace.h> header, 30
- tracing system calls, 457
- transactions, database, 889
- Transport Layer Interface, System V, *see* TLI
- TRAP\_BRKPT constant, 327
- TRAP\_TRACE constant, 327
- tread function, 767–768
- treadn function, 768
- Trickey, H., 211, 889
- truncate function, 105, 113, 117, 433
  - definition of, 105
- truncation
  - file, 105
  - filename, 62
  - pathname, 62
- truss program, 457
- ttcompat STREAMS module, 468, 676, 685
- tty structure, 286
- tty\_atexit function, 665, 696, 844
  - definition of, 668
- tty\_cbreak function, 664, 669, 844
  - definition of, 665
- ttymon program, 266
- ttynname function, 127, 257, 402, 412, 655–656, 659, 687
  - definition of, 655, 658
- TTY\_NAME\_MAX constant, 39, 42, 48
- ttynname\_r function, 402, 412
- tty\_raw function, 664, 669, 673, 695, 844
  - definition of, 666
- tty\_reset function, 664, 669, 844
  - definition of, 667

- tty\_termios function, 665, 844
  - definition of, 668
- type attribute, 394
- typescript file, 678, 701
- TZ environment variable, 174, 176, 178, 193, 862
- TZNAME\_MAX constant, 39, 42, 48
  
- UCHAR\_MAX constant, 38
- <ucontext.h> header, 30
- ucontext\_t structure, 328
- ucred structure, 611, 613
- UFS file system, 48, 55, 62, 105, 108, 119
- UID, *see* user ID
- uid\_t data type, 57
- uint16\_t data type, 551
- uint32\_t data type, 551
- UINT\_MAX constant, 38
- ulimit program, 51–52, 204
- <ulimit.h> header, 30
- ULLONG\_MAX constant, 38
- ULONG\_MAX constant, 38
- UltraSPARC, xxiii
- umask function, 97–100, 204, 306, 425, 427
  - definition of, 97
- umask program, 98–99, 131
- uname function, 171, 178, 306
  - definition of, 171
- uname program, 172, 178
- unbuffered I/O, 8, 59–86
- unbuffered I/O timing, standard I/O versus, 144
- ungetc function, 141–142, 412
  - definition of, 141
- ungetwc function, 412
- uninitialized data segment, 187
- <unistd.h> header, 9, 29, 52, 60, 69, 103, 401, 474, 721, 843
- UNIX Architecture, 1–2
- UNIX domain sockets, 594–601
  - timing, 527
- UNIX System implementations, 33
- Unix-to-Unix Copy, *see* UUCP
- UnixWare, 36, 309–310
- unlink function, 107–114, 117, 131, 157, 306, 340, 412, 456, 515, 592, 598–601, 857, 859, 878
  - definition of, 109
- un\_lock function, 449, 725, 728, 845
- unlockpt function, 682–685, 688, 690
  - definition of, 682, 687, 690
- Unrau, R., 159, 492, 888
- unreliable signals, 301–303
- unsetenv function, 194, 402
  - definition of, 194
- update program, 77
- update\_jobno function, 782, 795
- uptime program, 568, 570, 572, 574–575, 577, 579, 584
- USER environment variable, 192, 264
- user ID, 16, 237–241
  - effective, 91–92, 94–95, 99, 103, 117, 130, 210, 214, 235, 237–241, 257, 262, 264, 312, 354, 520, 524, 530, 535, 542–543, 593, 600, 605, 771, 861, 866
  - real, 39, 42, 91–92, 95, 203, 210, 214–215, 234–235, 237–241, 251, 257, 262, 264, 312, 354, 541, 685, 867
- USHRT\_MAX constant, 38
- usleep function, 411, 493, 875
- /usr/lib/pt\_chmod program, 685
- UTC (Coordinated Universal Time), 20, 173, 175–176
- utimbuf structure, 116, 118
- utime function, 116–119, 131, 306, 858
  - definition of, 116
- <utime.h> header, 29
- utmp file, 170–171, 257, 287, 698–699, 866, 871
- utmp structure, 171
- <utmpx.h> header, 30
- utsname structure, 171–172, 178
- UUCP (Unix-to-Unix Copy), 172
- uucp program, 473
  
- va\_end function, 847–848, 850
- va\_list data type, 847–850
- /var/account/acct file, 251
- /var/account/pacct file, 251
- /var/adm/pacct file, 251
- <varargs.h> header, 151
- variables
  - automatic, 187, 197, 199, 201, 207
  - global, 201
  - register, 199
  - static, 201
  - volatile, 199, 201, 315, 332
- /var/log/wtmp file, 171
- /var/run/wtmp file, 171
- va\_start function, 847–848, 850
- VDISCARD constant, 638
- VDSUSP constant, 638
- VEOF constant, 638–639, 664
- VEOL constant, 638, 664
- VEOL2 constant, 638
- VERASE constant, 638

- VERASE2 constant, 638
- vfork function, 211, 216–218, 260, 864–865
- vfprintf function, 151, 412
  - definition of, 151
- vfscanf function, 153
  - definition of, 153
- vwprintf function, 412
- vi program, 350, 457, 459, 632, 671–673, 882
- VINTR constant, 638–639
- vipw program, 163
- VKILL constant, 638
- VLNEXT constant, 638
- VMIN constant, 663–665, 667
- v-node, 71–72, 74, 126, 287, 602, 855, 887
- vnode structure, 286–287
- Vo, K. P., 125, 159, 887–888, 890
- volatile variables, 199, 201, 315, 332
- vprintf function, 151, 412, 854
  - definition of, 151
- VQUIT constant, 638
- vread function, 487
- VREPRINT constant, 638
- vscanf function, 153
  - definition of, 153
- vsnprintf function, 151, 849, 851
  - definition of, 151
- vsprintf function, 151, 431
  - definition of, 151
- vsscanf function, 153
  - definition of, 153
- VSTART constant, 638
- VSTATUS constant, 638
- VSTOP constant, 638
- VSUSP constant, 638
- vsyslog function, 432
  - definition of, 432
- VT0 constant, 651
- VT1 constant, 651
- VTDLY constant, 637, 644, 649, 651
- VTIME constant, 663–665, 667
- VWERASE constant, 638
- vwprintf function, 412
- vwrite function, 487
  - definition of, 227
- wait function, 22, 213–214, 219–228, 231, 237, 245, 249, 257, 259, 276, 293, 303–304, 306–310, 326, 343, 345, 347, 411, 430, 459, 508, 544, 878
  - definition of, 220
- Wait, J. W., xxviii
- wait3 function, 227
  - definition of, 227
- wait4 function, 227
  - definition of, 227
- WAIT\_CHILD function, 229, 337, 451, 493, 501, 539, 845, 876
  - definition of, 338, 502
- waitid function, 226–227, 257, 411
  - definition of, 226
- WAIT\_PARENT function, 229–230, 337, 451, 458, 493, 501, 539, 845
  - definition of, 338, 502
- waitpid function, 11–13, 19, 219–227, 236, 242, 246–249, 257, 259, 261, 270, 276, 291, 304, 306, 345, 411, 458, 500, 507–508, 543–544, 573, 877–878, 880
  - definition of, 220
- wall program, 685
- wc program, 104
- <wchar.h> header, 27, 134
- wchar\_t data type, 57
- WCONTINUED constant, 224, 226
- WCOREDUMP function, 221–222
- wcrtomb function, 401
- wcsrtombs function, 401
- wcstombs function, 402
- wctomb function, 402
- <wctype.h> header, 27
- Weeks, M. S., 188, 887
- Weinberger, P. J., 71, 243, 709, 885, 890
- Weinstock, C. B., 890
- WERASE terminal character, 638, 642, 645–647, 663
- WEXITED constant, 226
- WEXITSTATUS function, 221–222
- who program, 171, 699
- WIFCONTINUED function, 221
- WIFEXITED function, 221–222
- WIFSIGNALED function, 221–222
- WIFSTOPPED function, 221–222, 224
- Williams, T., 285, 890
- Wilson, G. A., xxviii
- window size
  - pseudo terminal, 706
  - terminal, 286, 297, 670–672, 691, 706–707
- winsize structure, 286, 670–671, 691–692, 694, 696, 707, 845, 882
- Winterbottom, P., 211, 889
- WNOHANG constant, 224, 226
- WNOWAIT constant, 224, 226
- W\_OK constant, 96
- Wolff, R., xxviii
- Wolff, S., xxviii

- WORD\_BIT constant, 40  
 <wordexp.h> header, 29  
 working directory, 7, 13, 43, 49, 107, 125–126, 162, 193, 215, 234, 291, 426  
 worm, Internet, 142  
 wprintf function, 412  
 Wright, G. R., xxviii  
 write  
   delayed, 77  
   gather, 483, 607  
   synchronous, 61, 82–83  
 write function, 8–10, 20–21, 57, 59, 61, 65–66, 68–69, 72, 74–75, 82–85, 117, 135–136, 145, 155, 159, 212–213, 216, 229, 304, 306, 317–318, 351, 354, 411, 434, 442–444, 451, 454–458, 461–463, 468–469, 471, 475, 478, 484–488, 491–493, 499–500, 502, 511–513, 515–516, 521, 527, 543, 546, 548, 565, 569, 575, 587, 603–604, 616–617, 629, 632, 718, 789, 799, 855–856, 864, 868, 876–878  
   definition of, 68  
 write mode, STREAMS, 468  
 write program, 685  
 write\_lock function, 449, 453, 458, 781, 845  
 written function, 485–486, 604, 697, 702, 772, 844  
   definition of, 485–486  
 writev function, 40–42, 304, 411, 441, 483–485, 493, 548, 566, 607, 617, 621, 718, 737, 739, 795, 799  
   definition of, 483  
 writew\_lock function, 449, 451, 725, 735, 752, 845  
 wscanf function, 412  
 WSTOPPED constant, 226  
 WSTOPSIG function, 221–222  
 WTERMSIG function, 221–222  
 wtmp file, 170–171, 287, 866  
 Wulf, W. A., 890  
 WUNTRACED constant, 224  
  
 xargs program, 234  
 XCASE constant, 651  
 Xenix, 33, 445, 685  
 xinetd program, 268  
 X\_OK constant, 96  
 X/Open, xxii, 32, 890  
 X/Open Portability Guide, 32  
   Issue 3, *see* XPG3  
   Issue 4, *see* XPG4  
 \_XOPEN\_CRYPT constant, 32, 53  
 \_XOPEN\_IOV\_MAX constant, 41  
   \_XOPEN\_LEGACY constant, 32, 53  
   \_XOPEN\_NAME\_MAX constant, 41  
   \_XOPEN\_PATH\_MAX constant, 41  
   \_XOPEN\_REALTIME constant, 32, 53  
   \_XOPEN\_REALTIME\_THREADS constant, 32, 53  
   \_XOPEN\_SOURCE constant, 55  
   \_XOPEN\_STREAMS constant, 32  
   \_XOPEN\_UNIX constant, 29, 55  
   \_XOPEN\_VERSION constant, 53, 55  
 XPG3 (X/Open Portability Guide, Issue 3), xxvii, 34, 890  
 XPG4 (X/Open Portability Guide, Issue 4), 32  
 XSI, 29–32, 52–55, 74, 88, 100, 102, 105, 121–122, 125, 133, 150, 152, 156–158, 164, 167, 173, 193–194, 202, 204, 221, 224, 226–227, 240, 269, 271, 274, 291–292, 297, 304–305, 308, 317, 325–326, 329, 391, 394, 401, 428, 430–431, 445, 460, 474, 483, 487–489, 496, 515, 523–525, 528, 533, 538, 540, 543–544, 626, 634–635, 637, 645, 647, 649–651, 681, 683, 686, 709–710, 858  
 XSI IPC, 518–522  
 XTABS constant, 650–651  
  
 Yigit, O., 710, 890  
  
 zombie, 219–220, 224, 260, 308, 326, 866