

# Index

---

## A

- AAE (algorithmic analogy estimation), 120-123
- AAF (adaptation adjustment factor), 676
- AAM (adaptation adjustment multiplier), 257
- ABC (activity-based costing), 608
- Abdel-Hamid simulation, 753
- Abdel-Hamid, Tarek, 753
- absolute addresses (Excel), 828
- acceptable functions, 378
- acceptance of risk, 422
- accounting systems, 448, 603-608
- accounts, control, 501
- accuracy, 20, 22, 52
  - best measure of estimation, 820
  - calibration, 391. *See also* calibration
  - GQM Method, 97
  - of values, 50
- actions
  - controllability, 93
  - mitigation, 435, 442
  - risk, 426-432
- activation dates (WIMS), 36
- activities
  - adding missing, 382-383
  - phases, 365, 368
  - production identification, 62
- activity-based costing (ABC), 608
- actors, weights, 210
- ACWP (actual cost of work performed), 586
- Adams, Edward, 697
- adaptation adjustment factor (AAF), 676
- adaptation adjustment multiplier (AAM), 257
- additional-member systems (voting), 771
- additive analogies, 108-110, 112
- addresses, cells (Excel), 828
- after receipt of order (ARO), 74
- aggregation, 665
- agile estimation, 186
- agile project life cycles, 276
- AHP (Analytic Hierarchy Process), 775-784
- Albrecht, Allan J., 217
- algorithmic analogy estimation. *See* AAE
- algorithms, 327, 377, 663
- Almeida, Virgilio, 678
- AMRs (approved modification requests), 131
- analysis, 54
  - collection of data, 478-502
  - costs, 450
  - critical path, 330-331
  - dimensional, 55
  - FPA (function point analysis), 217-221
  - historical data, 451-453
  - maintenance, 129-130
  - metrics, 91-93
  - MVA, 663
  - periodic replanning, 529
  - risk, 433-443
  - ROM, 641-642
  - sensitivity, 66
  - SPC, 737
- Analysis ToolPak (Excel), 848
- Analytic Hierarchy Process (AHP), 775-784
- annual maintenance costs. *See* maintenance
- APCRs (analyzed problem change requests), 134
- application points, 213-215
- applications. *See* Excel
- approval voting, 771
- approved modification requests (AMRs), 131
- approximations, 665
- architecture
  - narrative descriptions, 244
  - NCMSS, 245
  - products, 171-173
  - requirements, 15
- areas
  - Excel, 828
  - roles and responsibilities by, 791
- arithmetic mean, 811
- arithmetic progression, 823
- ARM (Automated Requirements Measurement), 712
- Armstrong, James, 470
- ARO (after receipt of order), 74
- arrival rates, prediction of, 144
- assessment of status, 506-507, 590
- assignment
  - of credit for task completion, 587
  - of people to tasks, 335
  - of probabilities (risk), 437
  - of resources to tasks, 327

## 902 INDEX

assumptions  
 avoiding, 43  
 estimation of, 71  
 linearity, 66  
 asymmetry of limit values (PERT), 116  
 ATPROD, 252  
 automated counting, 181  
 automated data collection tools, 480  
 automated estimation tool selection, 403  
 Automated Requirements Measurement (ARM) tool, 712  
 automation, 50, 549  
 auxiliaries, 751  
 availability, 346-347  
 averages, 204, 219, 511, 747

**B**  
 BAC (budget at completion), 586  
 backfiring, 234-237, 249-251  
 backlog vs. time, 511  
 backward pass, 329  
 bad fixes, 698  
 Bailey, J. W., 821  
 Banker, Rajiv D., 213  
 base costs, loading, 451-453  
 baseline change requests (BCRs), 129  
 baselines, 82-214  
 Basili, Victor, 97, 821  
 basis of estimate (BOE), 71  
 BCRs (baseline change requests), 129  
 BCWP (budgeted cost for work performed), 586  
 BCWS (budgeted cost for work scheduled), 586  
 Bellman-Sdorra, Peter, 378  
 bias, avoiding size, 204  
 bids, 613, 622-630  
 Bignell, Victor, 16  
 bins (single groups), 811  
 BOE (basis of estimate), 71  
 Boehm, Barry, 10, 213, 685  
 Bolch, Gunter, 662  
 Booch, Grady, 280  
 bootstrapping, 397  
 Borda count (voting), 771  
 Borda Method, 443  
 bottleneck devices, 658  
 Bottom-Up Method, 307-308  
   scheduling, 320-331  
   WBS, 310-319  
 Bozoki, George, 780  
 brainstorming, 764  
 Briand, Lionel, 417  
 Brook's Law, 350, 756  
 budget at completion (BAC), 586  
 budgeted cost for work performed (BCWP), 586  
 budgets. *See* costs  
 buffer time, 283  
 bugs, classification of, 507  
 built-in functions (Excel), 829  
 burdened costs, 455, 622  
 business risk. *See* risks  
 Buzen, Jeffery, 652

**C**  
 calculations  
 AHP, 782  
 automated estimation tool selection, 403  
 bid prices, 622-625  
 control limits, 739  
 costs, 447-459, 466-471, 612-622  
 defects, 744  
 dimensional analysis, 55  
 distribution functions, 353-354  
 estimation errors (using Excel), 821  
 Excel, 829-831, 833  
 Figure of Merit, 748  
 parametric models, 68  
 PERT, 112-119  
 productivity, 97  
 queuing models, 649-652, 655-665  
 Rayleigh curve, 354-363  
 regression fitting, 519  
 risk, 435-439  
 ROM, 641-642  
 scan rates, 493  
 support effort estimation, 64  
 uncertainty, 111  
 calendars, Moslem (Hijrah), 40  
 calibration, 707  
   of maintenance cost models, 141  
   parametric models, 391-399  
   weights (Dutch Method), 227-228, 230  
 candidate modification requests (CMRs), 130  
 Capability Maturity Model-Integrated for Systems/Software Engineering (CMMI-SE/SW), 7  
 Card, David, 815  
 Cards on the Wall Method, 332-337  
 Carleton, Anita, 722-723, 738, 760  
 CASE (Computer-Aided Software Engineering), 295  
 cash flow, 456-457, 625  
 Castellan, John, 815  
 Caswell, Deborah, 482  
 CBMG (customer behavior model graph), 645  
 cell addresses (Excel), 828  
 CERs (cost estimating relations), 83  
 chain of boxes, 751  
 change to products, 13  
 characteristic of the line (WIMS), 36  
 Charette, Robert, 432  
 charts  
   control, 741  
   error bars, 516  
   Excel, 841-844  
   Gantt, 324  
   recommendations for, 513  
   trendlines, 517  
 checkpointing, 670  
 Chernick, Michael, 397  
 chi-squared tests, 814  
 Chulani, Sunita, 685  
 CI (consistency index), 783  
 classes, 661, 181  
 classification  
   bugs, 507  
   defect codes, 490  
   ODC, 686  
 Cleary, David, 216

- CLIN (contract line item number), 561
- closed networks, 661
- closeout, project forms, 498
- clusters, 321
- CMMI-SE/SW (Capability Maturity Model-Integrated for Systems/Software Engineering), 7, 581
- CMRs (candidate modification requests), 130
- COCOMO 1981 model, 252-259
- COCOMO II application point size estimation procedure, 213
- COCOTS (COConstructive COTS integration cost model), 265-267
- code, 54
  - converted, 251-252
  - defect classification, 490
  - deleted, 263
  - generated, 251
  - interfaces, 89
  - line of, 86
  - lines of, 181
  - maintenance, 125-135, 136-146
  - modified, 252-259
  - new code estimation, 244-254, 256-263
  - reused, 198-200, 260-261
  - SLOC (source lines of code), 239-243
  - unmodified, 259
- coding and unit testing (CUT), 594
- coefficients, 814
  - Pearson product-moment correlation, 814
  - probability, 398-399
  - regression fitting, 519
  - sample correlation, 814
  - Spearman rank correlation, 833
- collection
  - of data, 478, 601-603
    - automation of, 500
    - effort and cost data, 500-502
    - need for historical data, 477
    - templates, 479-486, 488-498
  - of estimates, 414
  - coloring (Excel), 838
  - combined lists, 714
  - comments (Excel), 837
  - Commercial Off-The-Shelf. *See* COTS
  - commercial products, 302
  - common causes, 737
  - common support equipment, 573
  - communication
    - feedback, 20
    - key diagram requirements, 157-158
  - comparisons
    - matrices, 287
    - planned and actual availability, 346-347
    - project life cycles, 287
    - size, 184
  - completeness, 52
  - completion
    - credit for task completion, 587
    - EAC, 534-539
    - prediction completion costs, 596-598
  - complexity ratings, 216
  - components
    - 3GL, 213
    - basic software size estimation, 185
    - CoQ, 730
    - COTS, 264-267
    - NCMMS, 247
    - new code estimation, 244
    - of product architecture, 171-173
    - of product vision, 165
    - parametric models, 408-414
    - of UML, 209
    - view of, 182-184
  - composite (parametric) models, 377
  - compression, 349-350
  - computer equipment (fringe costs), 452
  - Computer-Aided Software Engineering (CASE), 295
  - conditional formatting (Excel), 838
  - conditions, 70
  - configuration, 54, 264
  - connectors, 751
  - consistency, 52
  - consistency index (CI), 783
  - consistency ratio (CR), 783
  - consolidation of maintenance, 129-130
  - constant staffing, 369
  - constraints, 70
    - parametric models, 387-389
    - projects, 174-177
  - construction defects, 689, 775
  - COConstructive COSt MOdel, 251
  - COConstructive COTS integration cost model (COCOTS), 265-267
  - Constructive QUAlity MOdel (COQULMO), 695-696
  - consultants, 64
  - containment, defect profiles, 749
  - Conte, Sam, 815
  - context diagram, 162
  - contract line item number (CLIN), 561
  - contracts
    - cost-reimbursable government contracts (rates for), 614-619
    - CPAF, 617
    - CPFF, 616
    - CPIF, 617
    - FFP, 617
    - financial risk of U.S. government, 620
    - IDIQ, 610-611
    - management reserves, 625
    - MOA, 165
    - rate types for U.S. government, 614-619
    - T&M, 616
    - terms and conditions (WIMS), 37
  - control accounts, 501
  - control charts, 740
  - control gates, 321
  - control limits, 739
  - controllability, 93
  - conversion
    - backfiring ratios, 236
    - of counts to (approximate) costs, 63
    - dates, 40
    - LSTMT, 249
    - of schedule variances to time, 591-593
  - converted code, 251-252
  - convolution algorithm, 663
  - CoQ (cost of quality)
    - measurement of, 728-730
    - models to study, 754-756
  - COQUALMO (Constructive QUAlity MOdel), 695-696

## 904 INDEX

- core activities, 54
  - core effort, 64, 378-379
  - cost estimating relations (CERs), 83
  - cost of quality (CoQ)
    - measurement of, 728-730
    - models to study, 754-756
  - cost performance index (CPI), 589-591
  - cost plus award fee (CPAF), 617
  - cost plus fixed-fee (CPFF), 616
  - cost plus incentive fee (CPIF), 617
  - cost-reimbursable government contracts,
    - rates for, 614-619
  - costs
    - ABC, 608
    - accounting, 603-607
    - approximate, 63
    - burdened, 622
    - calculations, 447-465
    - cash flow, 625
    - COCOTS, 265-267
    - constraints, 387-389
    - coupling variances, 412
    - cumulative risk, 444
    - data collection, 500-502
    - detection, 489
    - direct, 448-451, 613-622
    - drivers, 291
    - EVM, 585-598
    - estimates, 10-17, 372
    - foreign languages, 41
    - G&A, 615
    - hardware, 401-403
    - indirect, 451-453, 613-618
    - interest, 625
    - labor, *See* labor costs
    - loaded, 622
    - maintenance, 125-135, 136-146
    - multinational operations, 450
    - multiple models, 470-471
    - ODCs, 53, 63
    - performance engineering, 676-677
    - production, 567
    - reduction of, 466-470
    - reused code, 200, 260-261
    - risks, 422
    - sensitivity analysis, 66
    - simulation, 670
    - travel, 41, 53
  - COTS (commercial off-the-shelf) products,
    - 30, 264-267, 292
  - counting
    - rules, 217-221
    - word frequencies, 712
  - counts, 57-63
    - application points, 213-215
    - function points, 223-237
    - UML-based sizing, 209-213
  - coupling cost variances, 411
  - CPAF (cost plus award fee), 617
  - CPFF (cost plus fixed-fee), 616
  - CPI (cost performance index), 589-591
  - CPIF (cost plus incentive fee), 617
  - CR (consistency ratio), 783
  - Crawford, Gordon, 778
  - credit for task completion, 587
  - criteria
    - for good estimates, 50-53
    - for good measures, 91-93
    - multiple, 774
    - for success, 174-177
    - WBS, 315
  - critical path analysis, 330-331
  - critical resources, 485
  - Crystal Ball, 66
  - cumulative bugs *vs.* time, 509
  - cumulative cost risk, 444
  - cumulative voting, 771
  - curves, 10
  - customer behavior model graph (CBMG), 645
  - customization, 580-582
  - CUT (coding and unit testing), 594
  - cyclic networks, 661
  - cyclomatic complexity, 709
- ## D
- data conversion, 54
  - data element types (DETs), 219
  - data sets, 810
  - data validation (Excel), 839
  - dates, 40, 76
  - decision trees, 774
  - decision-making processes, 765
  - decomposing tasks, 318
  - defect discovery rates, 511
  - defect removal models (DRMs), 742-748
  - defects, 134
    - calculations, 744
    - classification codes, 490
    - containment profiles, 749
    - COQUALMO, 695-696
    - defining, 686
    - discovery data with trendlines, 698
    - estimation, 689
    - labor costs, 489
    - observing (during actual use), 706
    - peer review logs, 490
    - RADC model, 690-694
    - simple defect leakage matrices, 747
    - testing, 697
  - deferring mitigation tasks, 440-442
  - defining
    - basic quantities, 686
    - charge numbers, 603-605
    - defects, 686
    - estimation processes, 544-545
    - failure, 685
    - processes, 719-720
    - product quality, 684-686
    - releases, 130-132
    - reliability, 685
    - risks, 422-423
    - SLOC, 239-243
    - time, 685
  - degree of understanding (PERT), 116
  - delay of time, 606
  - deleting
    - code, 263
    - text, 720
  - deliverables
    - types of, 163
    - user requirements, 158

- delivery
    - effort, 347
    - IDIQ, 610-611
    - Incremental Delivery Model, 286
    - planned average individual delivery rate, 346
    - project life cycle models, 299-304
  - Delphi technique, 104-107
  - DeMarco, Tom, 19, 82, 196, 523, 819
  - Deming, W. Edwards, 93
  - Denning, Peter, 652
  - Departments, roles of, 790
  - dependability, determinants of product, 687
  - deployment of maintenance releases, 133-134
  - DER (Designated Engineering Representative), 295
  - design
    - changes to, 13
    - defects, 689
    - operational concept, 161
    - reduction of costs, 468
  - detection of costs, 489
  - DETs (data element types), 219
  - developers, 300-302
  - development
    - Abdel-Hamid simulation of, 753
    - life cycle models, 288-304
    - phases, 284
    - processes, 551-552
    - products, 19
    - safety-critical software, 295
    - Staged Development Model, 285
    - Web, 217
  - development test and evaluation (DT&E), 569
  - diagrams
    - context, 162
    - influence, 750
    - key, 157-158
    - product architecture, 173
    - UML, 210
    - WIMS, 34
  - dictionaries, 313-319
  - dimensional analysis, 55
  - Dion, Raymond, 759
  - direct costs, 448-450, 613-622
  - direct measures, 83
  - directives, 70
  - discovery, defect rates, 511
  - distribution
    - functions, 353-354
    - probability (PERT), 117
    - triangular, 119
  - DO-178B, 295
  - documentation
    - estimates, 62
    - generic WBS, 569
    - Linear Method. *See* Linear Method
    - MOA, 165
    - product vision, 166
    - size, 87
    - WBS, 560
  - documents
    - Excel labeling, 833-836
    - quality measurements, 711-714
    - Word labeling, 834-835
  - DRMs (defect removal models), 742-748
  - DT&E (development test and evaluation), 569
  - duplicated items, 52
  - duration, Top-Down Method, 342-346
  - Dutch Method, 227-230
  - dynamic models, 734, 750-756
- ## E
- EAC (estimation at completion), 534-539
  - earned value measurement. *See* EVM
  - Eckes, George, 523
  - EF (environmental factor), 212
  - effort. *See also* productivity
    - allocation of, 146, 352-365, 368-372
    - collection worksheets, 495
    - data collection, 500-502
    - delivery, 347
    - estimation, 222
    - estimation of, 243
    - LOE, 574
    - measurement of, 88-89
    - missing phases and activities, 382-383
    - parametric models, 378-379
    - project effort summary forms, 493, 495
    - Top-Down method, 342-346
    - tracking, 513
  - EI (external input), 218
  - EIF (external interface file), 219
  - elements
    - counts, 57-63
    - FPA, 217-221
    - identification of, 29, 58
    - of life cycle models, 274
    - of operational concepts, 161
    - of parametric models, 379
    - question structures, 35-41
    - recording, 30, 33
    - tabulation of, 60
    - types, 59
    - validation, 61
    - WBS, 560-582
  - end user license agreement (EULA), 464
  - engineering
    - performance cost estimations, 676-677
    - system, 289-290
  - English, L.Loyd, 630
  - environment sum. *See* ESUM
  - environmental factor. *See* EF
  - environmentals, 61
  - environments, 213-215
  - EO (external output), 218
  - EQ (external query), 219
  - EQF (estimation quality factor), 819
  - equations. *See* calculations
  - errors. *See also* defects
    - bars, 516
    - estimation, 821
    - parametric models, 405-412, 414-417
    - trending, 703-705
    - unprecedented systems, 15-17
  - escalation (increase in labor costs), 452
  - estimate at completion (EAC), 586
  - estimate to complete (ETC), 52, 586
  - estimation
    - AAE, 120-123
    - accuracy, 391
    - additive/multiplicative analogies, 108
    - agile, 186

## 906 INDEX

- assumptions, 71
  - basic software size, 179-185, 191-201
  - best measure of accuracy, 820
  - Bottom-Up Method, 307-331
  - collection of estimates, 414
  - costs, 372
  - defects, 689-696
  - effort, 222, 243
  - errors, 821
  - expert judgement techniques, 104-107
  - failure rates, 693
  - hardware production, 304
  - hardware/software trade, 389-390
  - implementing, 543
  - maintenance, 125-135, 136-146
  - methods, 530-534
  - module size, 248, 780-784
  - new code, 244-254, 256-263
  - of objects, 8-13
  - performance engineering costs, 676-677
  - PERT, 112-119
  - preparation, 155
    - architecture of products, 171-173
    - goals and constraints, 174-177
    - identification of products and services, 162-165
    - initial information requirements, 156
    - key diagrams, 157-158
    - operational concept, 159-161
    - requirements of products, 165-171
  - processes, 20-22, 544-550
  - product performance, 637-638
  - production costs, 567
  - quantities to, 7
  - reasons to, 4-5
  - reliability, 698-703
  - resources, 641-642
  - reviewing, 542
  - risk, 433-443
  - roles and responsibilities for, 789-799, 803-804
  - simulation costs, 670
  - software, 18
  - statistics of a set of, 817-819
  - time sequence of (statistics), 819
  - Top-Down Method. *See* Top-Down Method
  - unprecedented systems, 15-17
  - updating, 525, 529-539
  - estimation at completion (EAC), 534-539, 586
  - estimation quality factor (EQF), 819
  - estimators (Excel for), 825
    - Analysis ToolPak, 848
    - applying templates, 836
    - calculations, 829-833
    - features of, 825
    - filtering, 847
    - formatting properties, 837
    - labeling documents/spreadsheets, 833-836
    - macros, 849-857
    - naming files, 834
    - pivot tables, 848
    - plotting, 841-844
    - printing, 840-841
    - reference books, 826-827
    - sorting, 847
    - troubleshooting, 837-839
    - Web sites, 827-828
    - worksheets and cell addresses, 828
  - ESUM (environment sum), 212
  - ETC (estimate to complete), 52, 586
  - EULA (end user license agreement), 464
  - evaluation
    - of parametric models, 414-415
    - of PERT, 112-119
    - of processes, 7
    - of products, 464-465
    - of total cost of ownership, 461-462
  - events, external, 325
  - EVM (earned value measurement), 585-596
  - Evolutionary demonstrations, 286
  - Excel
    - estimation errors (calculation of), 821
    - for estimators. *See* estimators (Excel for)
    - regression fitting, 519
    - standard forms, 73-74
  - execution, frequency, 186-189
  - expected utility theory, 774
  - expert judgement techniques (Delphi technique), 104-107
  - extending
    - COTS hardware components, 292
    - project life cycle models, 288-297
  - external events, 325
  - external input (EI), 218
  - external interface file (EIF), 219
  - external output (EO), 218
  - external query (EQ), 219
  - external sources, 751
- ## F
- fabrication, 54
  - Facilitators (Delphi technique), 106
  - facility fringe costs, 452
  - failure
    - defining, 685
    - rates, 693, 752
  - Fairley, Richard, 161, 315
  - FAR (Federal Acquisition Regulations), 618
  - FAT (formal acceptance test), 381
  - fault tolerance, 697
  - Federal Acquisition Regulations (FAR), 618
  - federal taxes, 452
  - fee rates, 454
  - feedback, 20
  - fees, 614-619
  - Fenton, Norman, 243, 417, 715, 815
  - FFP (firm fixed-price) contracts, 617
  - Figure Of Merit calculations, 748
  - file types referenced (FTRs), 219
  - files
    - EIF, 219
    - Excel, 834
    - ILF, 219
    - script, 181
  - filtering (Excel), 847
  - financial risk of U.S. government contracts, 620
  - Finding Mode, 94
  - firm fixed-price (FFP) contracts, 617
  - Fishman, Stephen, 630
  - fitting, regression, 519
  - Fleming, Quentin, 456, 625
  - Florac, William, 722-723, 738, 760

Flow Balance Assumption, 658  
 Fodeh, John, 705, 715  
 Forced-Flow Law, 657  
 foreign languages, 41  
 formal acceptance test (FAT), 381  
 formatting Excel, 837-838  
 forms  
   data collection, 479-480  
   effort collection worksheets, 495  
   product critical resources forms, 485  
   product quality/process performance forms, 486-491  
   product size forms, 483  
   project closeout forms, 498  
   project effort summary forms, 493-495  
   project profile forms, 481-483  
   project schedule forms, 497  
   standard, 73-74  
 formulas (Excel), 823, 829-833  
 Fortune, Joyce, 16  
 forward pass, 329  
 Foss, Tron, 818  
 FPA (function point analysis), 217-221  
 free float, 323  
 freeze panes (Excel), 839  
 frequencies, 186-189, 712  
 fringe costs, 452  
 FTRs (file types referenced), 219  
 full-time equivalent staffs, 347  
 function point analysis (FPA), 217-221  
 functional models, 733  
 functionality of architecture, 15  
 functions  
   distribution, 353-354  
   Excel, 829-833  
   operational concept, 186-191  
   points, 217, 249-251  
     advantages/disadvantages of, 226-227  
     backfiring, 234-237  
     counting rules, 217-226  
     process of counts, 228-234  
   products, 208  
 funnel curves, 10

## G

G&A (general and administrative) costs, 615  
 Gaffney, John, 233, 378, 444  
 Gantt charts, 324  
 Garvey, Paul, 443  
 general and administrative (G&A) costs, 615  
 general system characteristics (GSCs), 220  
 generated code, 251  
 generic WBS (work breakdown structure), 562-563, 567-571  
 geometric mean, 813  
 geometric progression, 823  
 Glossary of Software Engineering Terminology, 686  
 Goal-Question-Metric (GQM) Method, 97  
 goals of projects, 174-177  
 good charge numbers, defining, 603-605  
 good estimates, criteria for, 50-53  
 Goodpasture, John, 815  
 government (U.S. government contracts)  
   financial risk, 620-622  
   rate types, 614-619

GQM (Goal-Question-Metric), 97  
 Grady, Robert, 482  
 Graphs, CBMG (customer behavior model graph), 645, 648  
 Gregorian calendars, 40  
 groups, 811, 828  
 growth, 194-196, 204  
 Gruhl, Werner, 289  
 GSCs (general system characteristics), 220  
 guesstimating techniques, 104  
 Gunther, Neil, 662, 666, 678

## H

H (high), 219  
 Haley, Thomas, 759  
 Hamker, Joseph, 401  
 handling time, 668  
 hard reserves, 625  
 hardware  
   basic software size estimation, 191  
   costs (parametric models), 401-403  
   COTS development, 292  
   production estimation, 304  
   trade estimation, 389-390  
 Hare Single Transferable Vote (STV), 771  
 harmonic mean, 813  
 Harrison, Warren, 760  
 Herron, David, 232  
 heterogeneous project teams. *See* HPTs  
 hierarchies, 97, 775-784  
 high (H), 219  
 high-integrity systems, 294-296  
 Hijrah calendar, 40  
 histograms (Pareto), 771  
 historical data, 73, 83, 451-453, 477  
 HPTs (heterogeneous project teams), 609-610  
 HTML (Hypertext Markup Language), 216.  
   *See also* Web pages  
 Hughes, Bob, 815  
 Hughes, Robert, 818  
 Humber Bridge project (unprecedented systems), 16-17  
 Humphreys, Kenneth, 630  
 Hypertext Markup Language. *See* HTML

## I

Iannino, Anthony, 715  
 ICASE (Integrated Computer-Aided Software Engineering), 213-215  
 ICCE (Inter-Counter Consistency Checking Experiment), 226  
 iceberg (software), 182-184  
 identification  
   of components, 185  
   of elements, 58  
   of functions, 189  
   of production activities, 62  
   of products, 162-165  
   of risks, 426-432  
   of services, 162-165  
 IDIQ (indefinite delivery, indefinite quantity), 610-611  
 IFPUG (International Function Point Users Group), 218  
 ILF (internal logical file), 219

## 908 INDEX

- impact of risks, 433-443
  - implementation
    - Delphi technique, 105
    - estimation, 543
    - measurement, 543
    - size, 203-204
  - improvement of estimation accuracy, 22
  - inception readiness review (IRR), 281
  - income taxes, 452
  - increases, stepwise staffing, 370-372
  - Incremental Delivery Model, 286
  - indefinite delivery, indefinite quantity. *See* IDIQ
  - indexes
    - CI, 783
    - CPI, 589-591
    - SPI, 589-591
    - TCPI, 589
  - indirect costs, 448-453, 613
  - indirect measures, 83
  - inflation (labor costs), 452
  - influence diagrams, 750
  - information flow connectors, 751
  - initial estimates, 20
  - initial information requirements (estimate preparation), 156
  - initial operational capability (IOC), 89, 281, 385
  - inputs, 71
    - EI, 218
    - recording, 73
  - installation, 54
  - insurance, 452
  - Integrated Computer-Aided Software Engineering. *See* ICASE
  - integration, 54
    - COCOTS, 265-267
    - COTS, 264
    - estimation processes, 546-550
    - project teams, 610
  - Inter-Counter Consistency Checking Experiment (ICCE), 226
  - interactive WBS elements, 573
  - interest costs, 456-457, 625
  - interfaces, 89, 219
  - interim milestones, 325, 593-595
  - internal logical file (ILF), 219
  - internal measures of software quality, 708-709
  - internal research and development (IRAD), 616
  - International Function Point Users Group (IFPUG), 218
  - intersecting lists, 714
  - interval scales, 808
  - inventory
    - planning, 28, 44
    - recording information, 30, 33
    - structuring element questions, 35-42
  - IOC (initial operational capability), 89, 281, 385
  - IRAD (internal research and development), 616
  - IRR (inception readiness review), 281
  - items
    - deliverable, 158
    - identification of, 162
    - size, 84
    - subcontracted, 53
  - iteration (parametric models), 414-415
- ## J-K
- Jacobson, Ivar, 280
  - Jain, Raj, 662, 679
  - Jones, Capers, 89
  - Juran, Joseph M., 759
  
  - Kachigan, Sam, 815
  - Kan, Stephen, 715, 815
  - Karner, Gustav, 210
  - Kellner, Marc, 760
  - Kendall Notation, 659
  - Kendall, David George, 659
  - key diagrams, 157-158
  - Kirsch, Irwin, 714
  - Knox, Stephen, 730
  - Koppelman, Joel, 456, 625
  - Kreyman, Konstantin, 668
- ## L
- L (low), 219
  - labeling
    - Excel, 833-836
    - Word, 834-835
  - labor costs, 449-450
    - defects, 489
    - escalation, 452
    - loading rates, 61
    - planning, 44
    - spreadsheets, 60
  - Landgrave, Tim, 282
  - languages, 41
  - Lansdowne, Zachary, 443
  - law of large numbers, 811
  - Lawrence Pfleeger, Shari, 815
  - layers of software iceberg (sizing), 184
  - Lazowska, Edward, 652
  - LCA (life cycle architecture), 281
  - LCC (life cycle cost), 461
  - LCL (lower control limit), 737
  - LCOs (life cycle objectives), 281
  - leakage, 747
  - Level of Effort (LOE), 41, 311
  - librarians, 64
  - licenses, 35
  - life cycle architecture (LCA), 281
  - life cycle cost (LCC), 461
  - life cycle models, 20
    - categorizing, 275-286
    - delivery, 299-304
    - elements of, 274
    - extending, 288-297
    - selection of, 287
  - life cycle objectives (LCOs), 281
  - life insurance
  - Likert scales, 385-387, 412, 437, 775
  - Likert, Rensis, 385
  - limit values, asymmetry of (PERT), 116
  - limitations
    - of accounting systems, 606-607
    - of queuing, 663-665
  - limits, calculation of, 739
  - line of code, 86, 239-243
  - Linear Method, 49
    - assumption of linearity, 66
    - criteria for good estimates, 50-53
    - documentation, 69-73

- managing information, 76
    - process of, 57-64
    - proxy-based estimation, 54-55
    - recording uncertainty, 68
    - sensitivity analysis, 66
    - standard forms, 73-74
    - support effort estimation, 64-65
    - types of resources, 53-54
  - lines of code, sizing, 181
  - links, 216
  - Lister, Tim, 523
  - lists
    - combined, 714
    - estimates, 62
    - intersecting, 714
    - nested, 714
    - product, 167, 170
    - requirements, 159
    - simple, 714
  - Little's Law, applying, 656-658
  - Littlewood, Bev, 703
  - loaded costs, 454-455, 622
  - loading
    - base costs, 451-453
    - networks, 325
    - rates, 61
  - Lockheed. *See* PERT
  - LOE (Level of Effort), 42, 311, 574
  - logical source statements (LSTMT), 249
  - logs, 490
  - low (L), 219
  - lower control limit (LCL), 737
  - LSTMT (logical source statements), 249
  - Lyu, Michael, 715
- M**
- M&S (materials and subcontracts), 63, 615
  - macroestimation, 387
  - macros (Excel), 849-857
  - Madachy, Raymond, 760
  - maintenance
    - costs, 125-135, 136-146
    - developer maintained products, 300-302
    - estimation of, 304
    - owner maintained unique products, 301
  - management
    - configuration, 54
    - estimation, 19, 548
    - growth, 204
    - information, 76
    - projects, 54, 568
    - quantitative process, 722
    - reserves, 455, 625
    - risks, 424-426
    - size requirements, 203
    - volatility, 204
    - WIMS, 28-33, 35-42
  - management information system. *See also* MIS
  - management reserve (MR), 586
  - mandatory capabilities, 51
  - manufacturing copies of products, 54
  - Maples, Bruce, 282
  - mappings, 807-809
  - markers, 511
  - Markov processes, 660
  - materials, 53, 63
  - materials and subcontracts (M&S), 63, 615
  - matrices
    - comparison, 778
    - resource usage, 642
    - RTM, 167, 170
    - simple defect leakage, 747
    - transition, 648
  - MAUT (multi-attribute utility theory), 774-776
  - MBASE/RUP Model, 280
  - McCabe, Thomas, 709
  - McConnell, Steve, 21, 286, 325
  - MCDM (multiple-criteria decision making), 765
  - mean value analysis (MVA), 663
  - measurement, 73, 81
    - basic software size estimation, 179, 191-201
    - best measure of estimate accuracy, 820
    - collection of data, 478-502
    - criteria for good measures, 91-93
    - defects, 697, 706
    - document quality, 711-714
    - effort, 88-89
    - estimation accuracy, 391
    - EVM, 585-596
    - function points, 217-237
    - implementing, 543
    - internal measures of quality, 708-709
    - loops, 20
    - maintenance cost optimization, 147
    - object-oriented size measures, 238
    - of objects, 8-13
    - operational definitions, 93-94
    - processes, 723-730
    - productivity, 83-87
    - project tracking systems, 601-602
    - quantities to, 7
    - reasons to, 4-5, 82
    - regression fitting, 519
    - reviewing, 542
    - selection of measures, 97-99
    - size, 83-86
    - SLOC, 239-243
    - SPC, 737-741
    - statistics, 811-814
    - TPMs, 634-636
    - trendlines, 517
    - types, 807-809
    - volatility, 521
    - Web objects, 216-217
  - median, 813
  - medical insurance, 452
  - memorandum of agreement (MOA), 165
  - mentoring, 550
  - methods
    - Borda Method, 443
    - Bottom-Up Method. *See* Bottom-Up Method
    - Cards on the Wall Method, 332-337
    - collection of data. *See* collection, of data
    - Dutch Method, 227-230
    - estimation, 530-534
    - function point counts, 228-237
    - GQM, 97
    - Linear Method. *See* Linear Method
    - Risk Matrix, 443
    - Top-Down Method. *See* Top-Down Method

## 910 INDEX

- metrics
    - CMMI requirements, 581
    - criteria for good, 91-93
    - data collection, 479-480, 481-491
    - maintenance analysis, 129
    - maintenance cost optimization, 147
    - operational definitions, 93-94
    - selection of measures, 97-99
    - Web-based system models, 643-648
  - microestimation, 387
  - Microsoft Solution Framework (MSF), 282
  - MIL-HDBK-881B, 562
  - milestones, 320
    - interim, 325, 593-595
    - Mbase/RUP, 280
  - minimum mean magnitude of relative error (MMRE), 746
  - Miranda, Eduardo, 784
  - MIS (management information system), 603
  - missing phases and activities, adding, 382-383
  - mission statements, 162
  - mitigation
    - of reused code, 198-200
    - of risks, 62, 422
      - actions to, 426-432
      - calculating, 435
      - deferring tasks, 440-442
  - mixed queuing networks, 661
  - MMRE (minimum mean magnitude of relative error), 746
  - MOA (memorandum of agreement), 165
  - models
    - adding missing phases and activities, 382-383
    - CBMG, 645, 648
    - COCOMO 1981, 252-259
    - COCOTS, 265-267
    - CoQ, 754, 756
    - COQUALMO, 695-696
    - DRM, 742-748
    - dynamic, 734, 750-756
    - functional, 733
    - Incremental Delivery Model, 286
    - life cycles. *See* life cycle models
    - maintenance costs, 135-141
    - Mbase/RUP, 280
    - MSF, 282
    - multiple, 470-471
    - parametric. *See* parametric models
    - performance, 639-640
    - predictions, 747
    - processes, 720, 734, 757-759
    - queuing, 649-652, 655-665
    - RADC, 690-694
    - RGMs, 698
    - RUP, 280
    - SEER-SEM, 414
    - simulation, 665-670
    - Staged Development Model, 285
    - statistical, 733
    - Web-based systems, 643-648
  - modes (values), 813
  - modified code, 252-259
  - modules, sizing, 181, 248, 780-784
  - Monte Carlo simulation, 666
  - Mosenthal, Peter, 714
  - Moslem calendar, 40
  - moving averages, 511
  - MR (management reserve), 586
  - MSF (Microsoft Solution Framework), 282
  - multi-attribute utility theory (MAUT), 774-776
  - multimedia WBS elements, 573
  - multinational operation costs, 450
  - multiple builds, 577
  - multiple criteria, techniques to handle, 774
  - multiple models, 470-471
  - multiple subsystems, 578
  - multiple-criteria decision making (MCDM), 765
  - multiplicative analogies, 108-110, 112
  - multivoting, 770-771
  - Musa, John, 715
  - MVA (mean value analysis), 663
  - Myers, Ware, 417
  - Myrtveit, Ingunn, 818
- ## N
- naming files (Excel), 834
  - NAP (new application points), 214
  - narrative architecture descriptions, 244
  - natural process limits, 738
  - NCMSS (Numerically Controlled Machine Monitoring System), 245
  - NESMA (Netherlands Software Metrics Association), 228
  - nested lists, 714
  - networks
    - building, 332-337
    - loading, 325
    - queuing, 661-662
    - reviewing tasks, 321
  - new application points (NAP), 214
  - new code estimation, 244-254, 256-263
  - new production processes, handling, 368-372
  - nominal group (voting) techniques, 768
  - nonparametric statistics, 811
  - nonrecurring engineering (NRE), 299
  - Norden, Peter, 354
  - Norden/Rayleigh model, 354, 358, 361, 363
  - notation (Kendall), 659
  - notes (Excel), 837
  - NRE (nonrecurring engineering), 299
  - numbering schemes (WBS), 580
  - numbers, 603-605
  - Numerically Controlled Machine Monitoring System. *See* NCMSS
- ## O
- object-oriented size measures, 238
  - objectives, 70
  - objects
    - counts, 209-215
    - estimation and measurement of, 8-13
    - totaling, 341
    - Web, 216-217
  - OBS (organizational breakdown structure), 501
  - observing defects (during actual use), 706
  - ODC (Orthogonal Defect Classification), 686
  - ODCs (other direct costs), 53, 63
  - Okumoto, Kazuhira, 715
  - omissions, 9
  - open networks, 661
  - operating systems

- operational concept (estimate preparation), 159-161
  - operational definitions (metrics), 93-94
  - operational laws for single queues, 652, 655
  - opportunity costs, 458-459
  - optimization
    - analogy estimation techniques, 112
    - of maintenance costs, 144-149
  - ordinal scales, 807
  - organizational breakdown structure (OBS), 501
  - organizations, roles of, 790
  - Orthogonal Defect Classification (ODC), 686
  - OTHBD (ought to have been done), 499
  - other direct costs (ODCs), 53, 63
  - ought to have been done (OTHBD), 499
  - outputs, 72-73, 218
  - overhead costs, 452
  - overseas risks (WIMS), 38
  - overview of job (key diagrams), 157-158
  - owners, maintained unique products, 301
- P**
- P (productivity), 54
  - packages, 313-319, 560
  - pages. *See* Web pages
  - parameters, adaptation, 253
  - parametric models, 57, 68, 327, 377
    - adding missing phases and activities, 382-383
    - automated estimation tool selection, 403-405
    - calibration, 391-399
    - characteristics of, 380-381
    - constraints, 387-389
    - core effort and schedules, 378-379
    - errors, 405-417
    - hardware costs, 401-403
    - hardware/software trade estimation, 389-390
    - modifying characteristics of, 383-387
    - types of, 377
  - parametric statistics, 810
  - Pareto histograms, 771
  - Parnas, David, 668
  - partitioning
    - parametric models, 408-415
    - stopping, 318
    - uniformity of (PERT), 116
    - WBS, 315, 575-579
  - paths, 330-331
  - pc (production coefficient), 54-59, 66
  - PDF (probability distribution (or density) function), 810
  - PDR (product design review), 89, 325
  - Pearson product-moment correlation coefficient, 814
  - peculiar support equipment, 573
  - peer reviews, 490-492
  - people to tasks, assignment of, 335
  - performance, 720
    - architecture, 15
    - indexes, 589-591
    - processes. *See* processes, performance
    - product quality/process performance forms, 486-491
    - products. *See* products, performance
    - TPMs, 634-636
  - periodic replanning, 529
  - PERT (Program Evaluation Review Technique), 112-119
  - Pfleeger, Shari, 243, 417, 715
  - Pham, Hoang, 715
  - phases
    - activities, 365-368
    - adding missing, 382-383
    - constant staffing, 369
    - development, 284
    - MBASE/RUP, 280
    - performance, 637
  - physical source lines of code (PSLOC), 235
  - pivot tables (Excel), 848
  - plan-driven project life cycle models, 283-286
  - planned and actual availability comparisons, 346-347
  - planned average individual delivery rate, 346
  - planning
    - Bottom-Up Method, 307-331
    - costs, 450, 613
    - key diagram requirements, 157
    - labor costs, 44
    - periodic replanning, 529
    - preparation for, 7
    - projects, 537
    - risk, 440-442
    - team planning processes, 333
    - WIMS, 28-44
  - plotting
    - error bars, 516
    - Excel, 841-844
  - plurality voting, 771
  - policies, services, 651
  - political pressure, resisting, 416-417
  - pools, 750
  - population of similar objects, 810
  - population statistics (Excel functions for), 831-833
  - PR (problem report), 128
  - practicality, 53
  - precedence (relationships), 321
  - precedentedness (as predictors of success), 15-16
  - precursors of estimation, 156
  - PRED (prediction level), 822
  - predictions, 733-734
    - completion costs, 596-598
    - defects, 691
    - models, 747
    - PR arrival rates, 144
    - process performance model, 720
  - preference ratings, 775, 778
  - preparing to estimate, 155, 530-539
    - goals and constraints, 174-175, 177
    - initial information requirements, 156
    - key diagrams, 157-158
    - operational concept, 159-161
    - products, 162-173
    - services, 162-165
  - Press, William, 815
  - prices
    - bid, 622-630
    - rate types for U.S. government contracts, 614-619
    - reduction of, 466-470
    - selling, 459

## 912 INDEX

- printing (Excel), 840-841
- prioritization
  - of risk, 433-443
  - two-dimensional prioritization schemes, 772
- probabilities
  - assignment of risk, 437
  - coefficients, 398-399
  - distribution, 117, 810
- problem count definition checklist, 94
- problem report (PR), 128
- processes
  - AHP, 775-784
  - basic software size estimation, 180
    - growth and volatility, 194-196
    - hardware, 191
    - identification of components, 185
    - implementation, 203-204
    - mitigation of reused code, 198-200
    - operational concept, 186-189
    - selection of measures, 181
    - software iceberg, 182-184
    - tracking, 201-202
  - Bottom-Up Method, 307-331
  - Cards on the Wall Method, 332-337
  - changes to, 13
  - CoQ (cost of quality), 728-730
  - decision-making, 765
  - defining, 719-720
  - development, 551-552
  - dynamic models, 750-756
  - estimation, 20-22, 528, 544-550
  - evaluation of, 7
  - EVM, 585-598
  - function point counts, 228-234
  - high-integrity systems, 294-296
  - Linear Method, 57-64, 65-74
  - Markov, 660
  - measurement, 81-91, 92-99
  - new production (handling), 368
  - performance, 757-759
    - measurement of, 723-728
    - models, 720
    - prediction of, 733-734
  - product quality/process performance
    - forms, 486-491
  - production, 721-722
  - quantitative process management, 722
  - risk management, 424-426
  - scope of, 4
  - SPC, 737-741
  - staged DRMs, 742-748
  - team planning, 333
  - Top-Down Method. *See* Top-Down Method
  - two-dimensional prioritization schemes, 772
  - voting techniques, 766-768, 770-772
- producing builds, 133-134
- product design review (PDR), 89, 325
- product release review (PRR), 281
- production
  - activities, 62
  - control of, 50
  - costs, 567
  - hardware, 304
  - new processes (handling), 368
  - processes, 721-722
- project life cycles
  - categorizing, 275-286
  - delivery, 299-304
  - elements of, 274
  - extending, 288-297
  - selection of, 287
- production coefficient (pc), 54-59, 66
- productivity, 54
  - calculation of, 97
  - factors affecting, 67
  - measurement of, 83, 87
  - parametric models, 68
  - reviewing, 90
  - tracking, 513
  - UCPs, 212
- products
  - architecture, 171-173
  - changes to, 13
  - developer maintained commercial, 302
  - developer maintained unique, 300
  - difficulty of estimation, 18
  - evaluating, 464-465
  - EVM, 585-598
  - generic WBS, 567
  - identification of, 162-165
  - owner maintained unique, 301
  - performance
    - engineering cost estimations, 676-677
    - measurement of, 637-640
    - queuing models, 649-652, 655-665
    - resource usage matrices, 642
    - ROM calculations, 641-642
    - selection of techniques, 671
    - simulation, 665-670
    - SPE, 673-676
    - types of, 633-636
    - Web-based system models, 643-648
  - product critical resources forms, 485
  - product quality/process performance
    - forms, 486-491
  - product size forms, 483
  - quality, 486-491
    - calibration, 707
    - COQUALMO, 695-696
    - defect estimation, 689
    - defining, 684-686
    - determinants of, 683, 687
    - document quality measurements, 711-714
    - error trending, 703-705
    - internal measures of, 708-709
    - measurement of defects (capture/recapture), 706
    - observing defects (during actual use), 706
    - RADC model, 690-694
    - reliability estimation, 698-703
    - testing defects, 697
  - requirements, 165-171, 208
    - application points, 213-215
    - backfiring, 234-237
    - COCOTS, 265-267
    - COTS, 264
    - defining SLOC, 239-243
    - effort estimation, 222
    - function points, 217-226
    - function-based sizing, 226-227
    - new code estimation, 244-263

- object-oriented size measures, 238
  - process of function point counts, 228-234
  - UML-based sizing, 209-213
  - Web objects (sizing), 216-217
  - scope of, 4
  - selling prices, 459
  - testing, 296-297
  - types of, 7
  - WIMS, 28-44
  - profiles, 481-483, 749
  - profit, 454, 614-619
  - Program Evaluation and Review Technique.
    - See PERT
  - Progress, tracking, 586
  - projects, 568, 609-610
    - changes to, 13
    - closeout forms, 498
    - costs, 447
    - estimate preparation
      - architecture of products, 171-173
      - goals and constraints, 174-177
      - identification of products, 162-165
      - identification of services, 162-165
      - initial information requirements, 156
      - key diagrams, 157-158
      - operational concept, 159-161
      - requirements of products, 165-171
    - estimation notebooks, 77
    - evaluating, 464-465
    - EVM, 585-598
    - Humber Bridge project (unprecedented systems), 16-17
    - life cycle models
      - categorizing, 275-286
      - delivery, 299-304
      - elements of, 274
      - extending, 288-297
      - selection of, 287
    - management, 54
    - planning, 537
    - quality, 687
    - risks, 421
    - schedule forms, 497
    - scope, 4, 64
    - staffing, 353-354
    - totaling, 341
    - tracking systems, 601-602
  - properties
    - Excel, 837
    - of objects, 9
    - relative degree of, 808
  - proportionality relations, 110
  - prototyping, 248, 299
  - proxies for Web development, 217
  - proxy-based estimation, 54-55
  - PRR (product release review), 281
  - PSLOC (physical source lines of code), 235
  - Putnam, Lawrence, 354, 417
- Q**
- QNMs (queuing network models), 661
  - quadratic mean, 813
  - quality
    - assurance, 54
    - CoQ, 728-730
    - products. *See* products, quality
  - quantitative analogy techniques, 108-112
  - quantitative historical data, 83
  - quantitative predictions, 720
  - quantitative process management, 722
  - quantities, 7
    - changes to, 13
    - defining, 686
    - EVM, 585-598
    - good estimates, 50-53
    - IDIQ, 610-611
  - queries, EQ (external query), 219
  - queuing
    - network models (QNMs), 661
    - models, 649-652, 655-665
- R**
- RADC (Rome Air Development Center)
    - model, 690-694
  - Raffo, David, 760
  - ranges, 236, 828
  - ranking
    - AHP, 778-784
    - decision-making processes, 765
    - MAUT, 775-776
    - multiple criteria, 774
    - two-dimensional prioritization schemes, 772
    - voting techniques, 766-772
  - Rapid Prototyping Life Cycle Model, 286
  - rates
    - for cost-reimbursable government contracts, 614-619
    - failure, 752
    - of fluid flow, 751
  - ratings
    - complexity, 216
    - preference, 775, 778
    - SU, 255
    - UNFM, 256
  - Rational Unified Process (RUP) Model, 280
  - ratios
    - backfiring, 236
    - CR, 783
    - scales, 110, 808
    - time, 489
  - Rayleigh curve, 354-363
  - Rayleigh, Lord John, 354
  - readability (measures of), 711
  - recalibration, 700
  - recapture, measuring defects using, 706
  - Rechtin, Eberhard, 292
  - record element types (RETs), 219
  - recording
    - defining records, 640
    - information (WIMS), 30, 33
    - Linear Method, 49, 68
      - assumption of linearity, 66
      - criteria for good estimates, 50-53
      - documentation, 69-73
      - managing information, 76
      - process of, 57-64
      - proxy-based estimation, 54-55
      - sensitivity analysis, 66
      - standard forms, 73-74
      - support effort estimation, 64-65
      - types of resources, 53-54
  - resources, 61

## 914 INDEX

- risks, 73
  - units, 73
  - reduction
    - of bid prices, 627, 630
    - of costs, 466-467, 469-470
  - redundant items, 52
  - reference books for Excel, 826-827
  - regression, 510, 519
  - Reifer, Don, 162, 216, 432
  - relationships, 320
    - assumption of linearity, 66
    - linear, 54. *See also* Linear Method
    - precedence, 321
    - user requirements and deliverable items, 158
  - relative addresses (Excel), 828
  - relative degree of properties, 808
  - releases (maintenance), 130-134
  - reliability, 685, 698-703
  - reliability growth models (RGMs), 698
  - replacing SLOC, 487
  - replanning (periodic), 529
  - reports, 507, 603
  - representation problems, 775
  - representative values of adaptation
    - parameters, 253
  - requirements
    - architecture, 15
    - changes to, 13
    - CMMI metrics, 581
    - lists, 159
    - of products. *See* products, requirements
    - size management, 203
  - requirements traceability matrix (RTM), 167, 170
  - reserves
    - management, 455, 625
    - risks. *See* risks, reserves
    - scheduling, 455
  - residual error (R), 817
  - resource loaded network (RLN), 308, 320, 586
  - resources
    - assumption of linearity, 66
    - computers (types of), 640
    - environmentals, 61
    - good estimate criteria, 50-53
    - Linear Method, 53-54
    - pc (production coefficient), 57-59
    - product critical resources forms, 485
    - ROM calculations, 641-642
    - simulation, 665-670
    - tasks, 327
    - totaling, 341
    - usage matrices, 642
  - responses for identified risks, 422
  - responsibilities for estimation, 789-799, 803-804
  - results, 71, 104-105, 107
  - RETs (record element types), 219
  - reused code
    - comparison to building code, 262
    - cost of, 260-261
    - mitigation of, 198-200
    - SLOC, 243
  - reverse backfiring function points, 249-251
  - reviewing
    - cost estimates, 372
    - estimation and measurement, 542
    - PERT, 112-117
  - productivity, 90
  - project scope, 64
  - risk reviews, 117-119
  - task networks, 321
  - revisions, 526, 537
  - rework, tracking, 582
  - RGMs (reliability growth models), 698
  - Risk Matrix Method, 443
  - risks
    - buyer-specific, 429
    - cumulative cost, 444
    - mitigation of, 62
    - overseas (WIMS), 38
    - performance, 633
    - recording, 73
    - reduction of costs, 469
    - reserves, 421
      - calculating, 438-439
      - deferring mitigation tasks, 440-442
      - defining, 422-423
      - identification of, 426-432
      - impact of, 433-443
      - management, 424-426
      - tracking, 443
      - updating, 443
    - reviews, 117-119
    - of U.S. government contracts, 620-622
  - RLN (resource loaded network), 308, 320, 586
  - Roetzheim, William, 110
  - roles
    - basic software size estimation, 186-189
    - for estimation, 789-799, 803-804
  - ROM (rough order of magnitude) calculations, 641-642
  - Rome Air Development Center (RADC)
    - model, 690-694
  - rough order of magnitude. *See* ROM
  - Row-Column references (Excel), 828
  - RTM (requirements traceability matrix), 167, 170
  - rules
    - backward pass/forward pass, 329
    - counting (function points), 218-221
  - Rumbaugh, James, 280
  - RUP (Rational Unified Process) model, 280
- ## S
- Saaty's preference ratings, 778
  - safe values, selection of, 119
  - safety-critical software development, 295
  - Sage, Andrew, 470
  - salary-related taxes (fringe costs), 452
  - samples
    - averages, 811
    - correlation coefficient, 814
    - data sets, 810
  - SAT (site acceptance test), 569
  - scaling
    - applying, 535
    - approaches (Herron, Gaffney), 232-234
    - measurement, 807-809
    - ratio, 110
    - statistics, 810-811
  - scan rates, 488, 493
  - schedule performance index (SPI), 589-591

- scheduling
  - allocation of, 352-361, 363-372
  - Bottom-Up Method, 307-308, 320-331
  - compression, 349-350
  - constraints, 387-389
  - core effort and (parametric models), 378-379
  - earned value measurement (EVM), 585-598
  - project schedule forms, 497
  - reserves, 455
  - risks, 422
- schematic view of WBS (work breakdown structure), 312
- schemes, 771-772
- Schneider, Geri, 210
- scientific method of measurement, 82
- scope
  - assumed, 69
  - objectives, 70
  - parametric models, 381
  - projects, 64
  - reduction of costs, 467
- script files, sizing, 181
- searching (Excel), 847
- SEER-SEM model, 414
- selection
  - of automated estimation tools, 403-405
  - of best measure estimation accuracy, 820
  - of COTS (commercial off-the-shelf), 264
  - of estimation methods, 530-532
  - of measures (metrics), 97-99
  - of performance measurement, 671
  - of project life cycles, 287
  - of reused code or building code, 262
  - of risk reserve, 433-443
  - of safe values, 119
  - of size measures, 181
  - techniques
    - AHP, 778-784
    - decision-making processes, 765
    - MAUT, 775-776
    - multiple criteria, 774
    - two-dimensional prioritization, 772
    - voting techniques, 766-772
- selling prices, 459
- sensitivity analysis, 66
- sequences, 819
- series, 823
- services, 5
  - demand, 657
  - generic WBS, 568
  - identification of, 162-165
  - queuing models, 651
  - WIMS, 27-37, 38-45
- SetFooter (Excel), 856
- setting bid prices, 626
- Sheppard, W. F., 737
- Shepperd, Martin, 82, 99, 815
- Sheskin, David, 815
- shoehorn effect, 634
- Siegel, Sidney, 815
- simple lists, 714
- simple scaling, applying, 535
- simulation, 665-666, 668-670, 753
- single groups (bins), 811
- single queues, operational laws for, 652, 655
- Single Transferable Vote (STV), 771
- sinks, 751
- site acceptance test (SAT), 569
- size
  - basic estimation, 179
  - growth and volatility, 194-196
  - hardware, 191
  - implementation, 203-204
  - mitigation of reused code, 198-200
  - operational concept, 186-189
  - process of, 180-185
  - tracking, 201-202
  - COCOTS, 265-267
  - constraints, 387-389
  - COTS, 264
  - function points, 217, 226-237
  - measurement of, 83-86
  - modules, 248, 780-784
  - new code estimation, 244-254, 256-263
  - object-oriented size measures, 238
  - parametric models, 412-414
  - product size forms, 483
  - prototypes, 248
  - SLOC, 239-243
  - tracking, 196, 513-516
  - UML-based sizing, 209-213
  - Web objects, 216-217
- SLOC (source lines of code)
  - defining, 239-243
  - replacing, 487
- Smith, Connie, 676
- soft reserves, 625
- software. *See* Excel
- Software Engineering Institute, The, 93
- software performance engineering (SPE), 673-676
- software requirements review (SRR), 88, 381
- software sustainment, 127
- software trade estimation, 389-390
- software understandability (SU), 255
- Sommerville, Ian, 685
- SOP (start of project), 88
- sorting (Excel), 847
- source lines of code. *See* SLOC
- SOW (statement of work), 28, 42
- SPC (statistical process control), 737-741
- SPE (software performance engineering), 673-676
- Spearman rank correlation coefficient, 833
- special causes, 737
- specifications
  - limits, 738
  - products, 170-171
- SPI (schedule performance index), 589-591
- spiral project life cycles, 280
- spreadsheets. *See* Excel
- SQL (structured query language), 35
- SRR (software requirements review), 88, 381
- stable processes, 737
- staffing, 342-352, 370-372
- staged defect removal models (DRMs), 742
- Staged Development Model, 285
- stakeholders, 16, 684
- stamps, 76
- Stanberry, Scott, 630
- standard deviation, 813
- standard forms, 73-74
- start of project (SOP), 88
- state taxes, 452

## 916 INDEX

- statement of work (SOW), 28, 42
  - statements
    - LSTMT, 249
    - mission, 162
  - statistical models, 377, 733
  - statistical process control (SPC), 737-741
  - statistics, 741, 810-819, 831-833
  - status, 505-512, 590
  - Stensrud, Erik, 818
  - stepwise staff increases, 370-372
  - Stewart, Marilyn, 15
  - stopping partitioning, 318
  - stories (user), 186
  - structured query language (SQL), 35
  - STV (Single Transferable Vote), 771
  - SU (software understandability), 255
  - subcontracted items, 53
  - subsystems, 578
  - success criteria, 174-177
  - summaries
    - peer reviews, 492
    - project effort summary forms, 493-495
    - WBS, 319
  - summing (ESUM), 212
  - support
    - activities, 54
    - effort estimation (Linear Method), 64-65
    - generic WBS, 572-573
  - suppressed markers, 511
  - surcharges, 615
  - Svendsen, Niels, 705
  - Swanson, E. Burton, 126
  - Sylvester, Richard, 15
  - symbols, 654, 752
  - systems, 750
    - architecture, 15
    - engineering, 289-290
    - operational concept, 159-161
    - unprecedented, 15-17
- T**
- T&M (time and materials) contracts, 616
  - tables, 369-372, 848
  - tabulation of elements, 60
  - tackling unprecedented situations, 552
  - tailoring standard processes, 720
  - target cost (TC), 586
  - targets, 819
  - tasks, 319-327, 335, 587
  - taxes, 452
  - TC (target cost), 586
  - TCPI (To Complete Performance), 589
  - TDI (total degree of influence), 220, 223
  - TDP (technical data package), 280, 299
  - teams, 333-335, 426
  - technical data package (TDP), 280, 299
  - technical editors, 64
  - Technical Performance Measures (TPMs), 634-636
  - technical risk, 422
  - technologies, 551-552
  - templates
    - data collection, 479-480
    - effort collection worksheets, 495
    - product critical resources forms, 485-491
    - product size forms, 483
    - project closeout forms, 498
    - project effort summary forms, 493, 495
    - project profile forms, 481-483
    - project schedule forms, 497
  - Excel, 836
  - testing, 54
    - CUI, 594
    - defects, 697
    - FAT, 381
    - products, 296-297
    - regression, 510
    - status, 507-512
  - text
    - deleting, 720
    - HTML, 216
    - UML, 210
  - Thayer, Richard, 161, 315
  - theoretical (parametric) models, 377
  - theory, queuing, 658-661
  - third generation language (3GL)
    - components, 213
  - time
    - backlog *vs.*, 511
    - buffer, 283
    - cumulative bugs *vs.*, 509
    - defining, 685
    - delay, 606
    - distribution functions, 353-354
    - handling, 668
    - ratios, 489
    - reporting, 603
    - schedule variances, 591-593
    - sequence of estimates (statistics), 819
    - stamps, 76
    - updating, 528-529
  - time and materials (T&M) contracts, 616
  - time-phased budgets, 585-598
  - To Complete Performance Index (TCPI), 589
  - Tockey, Steve, 432, 457
  - tools
    - ARM, 712
    - automated estimation tool selection, 403-405
    - Crystal Ball, 66
    - Excel. *See* Excel
    - scheduling, 330-331
    - testing support, 298
    - UML. *See* UML
  - Top-Down Method, 341-342
    - effort and schedule allocation, 352-372
    - effort, duration, and staffing, 342-346
    - planned and actual availability
      - comparisons, 346-347
    - schedule compression, 349-350
  - total cost of ownership, 461-462
  - total degree of influence (TDI), 220, 223
  - total float, 323
  - totaling resources, 341
  - TPMs (Technical Performance Measures), 634-636
  - tracking
    - accounting systems, 606-607
    - charge numbers, 603-605
    - data collection, 481-491, 492-499
    - HPTs, 609-610
    - maintenance costs, 142
    - progress, 586
    - project systems, 601-602

reused code (mitigation of), 200  
 rework, 582  
 risk reserves, 443  
 size, 196, 201-202  
 status, 505-515, 517-521  
 traffic equations, 661  
 training, 54, 572  
 transactions, 640  
 transitions, 571-648  
 travel costs, 41, 53  
 trees, decision, 774  
 trending errors, 703-705  
 trendlines, 517, 698  
 trends, sizing, 199  
 triangular distributions, 119  
 troubleshooting  
   Excel, 837-839  
   status, 521  
   VUSTRs, 507  
 true criterion, 775  
 two-dimensional prioritization schemes, 772  
 types  
   of computer resources, 640  
   of costs, 448-453  
   of deliverables, 163  
   of elements, 59  
   of measurement, 94, 807-809  
   of parametric models, 377  
   of precedence relations, 321  
   of product performance, 633-636  
   of quantities, 7  
   of releases, 131  
   of resources, 53-54  
   of risk, 422  
   of scales, 807-811  
   of statistics, 810-811

**U**  
 u-plot, 701  
 U.S. commercial bids, 624  
 U.S. government  
   rate types for contracts, 614-619  
   risk of contracts, 620-622  
 U.S. Navy, 112  
 UCL (upper control limit), 737  
 UCPs (use case points), 209-213  
 UFPs (unadjusted function points), 220  
 UKSMA (United Kingdom Software  
   Measurement Association), 226  
 UML (Unified Modeling Language), 209-213  
 unadjusted function points. *See* UFPs  
 unadjusted use case points. *See* UUCPs  
 unbiased estimates, 813  
 uncertainty, 9-10  
   calculations, 111  
   maintenance cost optimization, 147  
   recording, 68  
   risks, 421. *See also* risks  
 UNFM (unfamiliarity), 256  
 Unified Modeling Language, 209-213  
 uniformity of partitioning (PERT), 116  
 unique products, 300-301  
 unit test complete (UTC), 89, 325  
 United Kingdom Software Measurement  
   Association (UKSMA), 226

United States Federal Aviation  
   Administration, 295  
 units, 57-63, 73  
 unmodified code, 259  
 unprecedented systems, 15-17  
 updating  
   estimates, 525-535  
   maintenance cost models, 142  
   risk reserves, 443  
 upper control limit (UCL), 737  
 use case points. *See* UCPs  
 users  
   abuse, 149  
   requirements, 158  
   stories, 186  
   training, 54  
 UTC (unit test complete), 89, 325  
 UUCPs (unadjusted use case points), 211

**V**  
 VAF (value adjustment factor), 220  
 validated unique problem reports. *See* VUPRs  
 validated unique software defects. *See* VUSDs  
 validated unique software trouble reports.  
   *See* VUSTRs  
 validation  
   data (Excel), 839  
   elements, 61  
   parametric models, 393-394  
 value adjustment factor (VAF), 220  
 values  
   accuracy of, 50  
   adaptation parameters, 253  
   asymmetry of limit values (PERT), 116  
   automated estimation tool selection, 403-405  
   earned measurements, 537-539  
   earned value, 537-539  
   EVM, 585-598  
   error bars, 516  
   modes, 813  
   MVA, 663  
   of objects, 9  
   PERT, 112-119  
   productivity, 212  
   products, 685  
   safe, 119  
   trendlines, 517  
 Vandeville, Joseph, 760  
 variances in costs and schedules (EVM),  
   588-593  
 viewing Excel, 839  
 Visual Basic, Excel, 849-856  
 volatility  
   basic software size estimation, 194-196  
   management, 204  
   measurements of, 521  
 voting techniques, 766-772  
 VUPRs (validated unique problem  
   reports), 129  
 VUSDs (validated unique software  
   defects), 134  
 VUSTRs (validated unique software trouble  
   reports), 507

## 918 INDEX

## W-Z

- warehouse inventory management system.
  - See* WIMS
- WBS (work breakdown structure), 310-319
  - elements of, 560
  - generic, 562-563, 567-579
- Web pages, sizing, 216-217
- Web sites
  - for Excel, 827-828
  - performance, 643-648
- Web-based system models, 643-648
- weighted estimation errors, 819
- weights
  - actors, 210
  - Dutch Method, 227-230
  - feature points, 220
  - function points, 220
  - NESMA, 230
- Weiss, David, 97
- Wide-Band Delphi technique, 107. *See also*
  - Delphi technique
- Wieczorek, Isabella, 417
- Williams, Cindy, 778
- Wilson, Scott, 282
- WIMS (warehouse inventory management system)
  - planning, 28
  - Planning Workbooks, 44
  - recording information, 30-33
  - structuring element questions, 35-42
- Winters, Jason, 210
- Word, labeling, 834-835
- word frequencies, counting, 712
- work breakdown structure. *See* WBS
- work packages, 313-316, 318-319
- workbooks
  - Excel, 828
  - Planning Workbooks, 44-45
- worksheets, 495. *See also* Excel
- Wyskida, Richard, 815
- Zuse, Horst, 378, 815