

Index

- Abbreviated syntax
 - in RDF, 1050
 - in XPath, 685
 - in XSLT, 596
- Absolute location paths, 687
- Abstract modules, 991
- Abstract Schema module, 433–434
- acceptNode method
 - in CustomFilter, 485
 - in NodeFilter, 465
- ACM (Association for Computing Machinery), 7
- Acrobat, 818
- Activity Areas, 85–88
- actuate attribute, 872–876
- addCDElement method, 467–468
 - ECMAScript version, 472–473
 - in TryDOM2Parser, 482–484
 - in TryJAXP, 520–522
 - in TryJDOM, 499, 502–503
- addContent method, 499
- address1.xml file, 263–264
- addressType.xsd file, 277
- Adjacent selectors, 553
- Adler, Sharon, 782
- Advanced Research Project Agency. *See* ARPA
- Aelfred2 parser
 - for DOM, 448
 - for SAX, 394
- :after pseudo-element, 564, 566
- AIML (Astronomical Instrument Markup Language), 61, 111
- all element, 287–290
- Alternate character set support, 78–83
- Alternatives in RDF, 1043
- Amaya
 - for XHTML, 986–989
 - for XPointer, 931
- American National Standards Institute. *See* ANSI
- & entity reference
 - in XML, 124–125
 - in XPointer, 931
 - in XSLT, 661
- Ampersand (&)
 - for elements, 141
 - for entities, 124–125, 172, 176
 - in XPointer, 931
 - in XSLT, 661
- ancestor axis, 694
- ancestor-or-self axis, 694
- Ancestors
 - in XML, 121
 - in XPath, 682
- Andreessen, Marc, 11
- annotation element, 338
- Annotations in schemas, 338–339
- Anonymous datatypes, 282
- Anonymous nodes, 1037–1038
- Anonymous type definitions, 316
- ANSI (American National Standards Institute), 6
- ANSI ASC X12/XML specification, 1071
- ANY content models, 140, 148
- any element, 334
- anySimpleType datatype, 300
- anyType datatype, 276, 293, 299
- anyURI datatype, 297
- Apache XML Project, 70, 1071
- APIs, 377–378
- ' entity reference, 124
- Apostrophes (')
 - for attributes, 109
 - for entity references, 124
- appInfo element, 334, 338
- Applet/Object Modules, 992
- Aquilent. *See* AIML and IML.
- arc-type elements, 877
- arc-type links, 857–858, 878–880

- Architecture Domain, 87
- Arciniegas, Fabio, 362
- arcrole attribute, 872–874, 880
- Areas in XSLFO, 829, 835–836
- Arguments
 - in expressions, 148–149
 - in XPath functions, 724
- ARPA (Advanced Research Project Agency), 4, 7
- ARPANET, 7–9
- ASCII character set, 79
- ASCII documents, encoding for, 109
- ASCII XML Tree Viewer utility, 602–604
- Asian languages, encoding for, 109
- Associating CSS
 - with HTML, 548–552
 - with XML, 554
- Association for Computing Machinery (ACM), 7
- Asterisks (*)
 - for occurrence indicators, 143–144
 - in regular expressions, 307
 - in XPath
 - for attributes, 628
 - for node tests, 612, 711–713
- Astronomical Instrument Markup Language.
 - See AIML
- At signs (@) in XPath, 685
 - for attributes, 628–629
 - for node tests, 612
- Atkinson, Bill, 5
- ATTLIST keyword, 152–153
- attr function, 565
- Attr interface, 446, 463
- Attr node type, 439
- Attribute axis, 629, 686, 695, 711
- attribute element, 276, 283–284
- attributeFormDefault attribute, 341
- attributeGroup element, 334
- Attribute information items, 238–239, 380
- Attribute minimization
 - in XHTML 1.0 vs. HTML 4.01, 952–953
 - in XML, 106
- Attribute node type
 - template rules for, 612
 - in XPath, 706, 708
- Attribute selectors, 553, 561
- Attributes, 105–106
 - case sensitivity of, 112, 118
 - in DOM
 - access to, 463–464
 - for nodes, 438
 - in DTDs, 151–152
 - declarations in, 152–153
 - default values and fixed values in, 157–162
 - vs. elements, 162–163
 - types of, 151–157
 - in XHTML, 1003
 - in EMPTY content model, 147
 - with empty elements, 327–329
 - in HTML 4.01, 952
 - in IDL, 441
 - interface, 385, 389
 - in Modularization of XHTML, 991
 - in namespaces, 218, 231–233
 - order of, 109
 - in SAX, 389
 - in schemas, 274–275
 - declarations and occurrence of, 283–287
 - groups for, 336–337
 - values
 - for datatypes, 314–318
 - in DTDs, 151–152, 157–162, 285
 - functions in, 822
 - quotes for, 121–122
 - templates for, 647, 677–679
 - in XHTML 1.0, 949–950, 952, 1003
 - in XLink, 855–856, 872–874
 - in XPath, 721–722
 - in XSLT
 - accessing, 628–634
 - for reuse, 634–637
 - templates for, 677–679
- Axes in XPath, 684–686, 693–705
- b-icn-asxhtml.html file, 971–975
- b-icn-asxml-strict-clean.xml file, 979–982, 985
- b-icn-asxml-strict-clean-enc.xml file, 983–985
- B-nodes in RDF, 1037–1038
- B2B document exchange, 358
- Backslashes (\) in regular expressions, 308–309
- bad-ex.html file, 957–964
- Bags in RDF, 1043
- Ball, Steve, 784
- band-on-the-run.xml file, 882–883
- band-on-the-run-arc.xml file, 889–890
- band-on-the-run-fixed.xml file, 887–888
- Barcode generator, 77, 81
- Bare name XPointers, 916–917
- base attribute for namespaces, 232–233
- Base types, 293

- Base URIs, 232–233
- base64Binary datatype, 298
- Basic conformance in XSLFO, 832
- Basic Forms module, 940
- basic-link objects, 833, 840
- Basic Tables module, 940
- Bayes, Chris, 783
- before-float-reference-area region, 844–845
- before-floats objects, 844
- :before pseudoelement, 564, 566
- Berners-Lee, Tim, 6, 9–12, 15, 1030
- bidi-override objects, 833, 847
- Big Picture diagram, 89. *See also* inside front cover
- Bina, Eric, 11
- bindings
 - in DOM, 426
 - in Java, 443–445, 508
- BizTalk.org, 358, 1071
- Blank nodes in RDF, 1037–1038
- block objects, 833, 838
- block-container objects, 833, 838
- Block-level objects, 832–833
- Block Presentation module, 996–997
- block-progression-direction, 845
- block value, 555, 559
- Boag, Scott, 523–524
- Body, document, 112–113
- Body constructs in XSLFO, 838–840
- body-start function, 822
- body tag, 736
- bogus-pi processing instruction, 685
- boolean datatype
 - in XML, 297
 - in XPath, 716
 - functions for, 732–733
 - operands for, 723
- boolean function, 733
- Borden, Jonathan, 1007
- border property, 542
- border-color property, 545
- border-style property, 545
- Bourret, Ronald, 212–213, 225, 260
- Braces ({ })
 - for attribute value templates, 677
 - in CSS, 543
 - in regular expressions, 307–308
 - in XPath expressions, 678
- Brackets ([])
 - for internal subsets, 167
 - for properties, 237
 - in regular expressions, 307
 - for XPath predicates, 632, 684
- Bray, Tim, 259, 1007
- Breaks in XSLFO, 845–846
- Brown, Mike J., 602
- Brownell, David, 381
- Browser bloat
 - in HTML, 939–940
 - well-formedness for, 131
- Browser paradigm, constraints from, 37–38
- Browsers
 - extensions for, 36, 938–939
 - for XPointer, 904
 - for XSLFO, 802–803
- Bruce, Tom, 11
- Build.bat file, 497
- Build.sh file, 497
- Built-in datatypes, 296–300
- Bush, Vannevar, 4
- Business-to-business (B2B) document exchange, 358
- byte datatype, 298
-
- \c in regular expressions, 308
- c6-attr-set.xml file, 634
- c6-attr-sets.html file, 636
- c6-attributes.html file, 631
- c6-attributes.xml file, 629–631
- c6-axis.xml file, 696, 702–705
- c6-choose.html file, 624
- c6-choose.xml file, 622–623
- c6-copy.xml file, 637–639
- c6-copy-of.xml file, 642
- c6-escape.html file, 664
- c6-escape.xml file, 662–663
- c6-filter.xml file, 604–605, 610–611
- c6-filter-no-text.xml file, 609
- c6-for-each.xml file, 648–650, 668
- c6-for-each2.xml file, 652
- c6-identity.xml file, 640–641
- c6-identity2.xml file, 678
- c6-if.xml file, 617
- c6-if.xml file, 617
- c6-loopControl.xml file, 672
- c6-math.html file, 737
- c6-math.xml file, 733–736
- c6-nodes.html file, 716
- c6-nodes.xml file, 713–715
- c6-param.html file, 671
- c6-param.xml file, 668, 670–671

- c6-param-cmdline.xml file, 673–674
- c6-param-return.xml file, 675–677
- c6-sort.xml file, 654, 732
- c6-sort2.xml file, 654
- c6-sort3.xml file, 656–658
- c6-strings.html file, 732
- c6-strings.xml file, 726, 729–730
- c6-table.xml file, 624–628
- c6-template.xml file, 615–616
- c6-xml.xml file, 644–645
- c6-xml.xml file, 647–648
- c6-xpath.xml file, 687, 689–692
- c6-xpath-pass2.xml file, 692
- c6-xslt-func.xml file, 620
- c6-xslt-function.xml file, 751–755
- c8-node-values.txt file, 712
- c8-node-values.xml file, 709–710
- c14n specification, 1063
- Callbacks, 382
- CALS. *See* Computer-aided Acquisition and Logistical Support initiative
- CamelCase convention, 119
- Candidate Recommendations. *See* CRs
- canon1.xml file, 246–247
- Canonical form, 242
- Canonical XML, 95, 240–241
 - example, 242–248
 - need for, 241
 - reference materials for, 250–251
 - summary, 249–250
 - terminology for, 242
- Canonical XML Processor product, 243, 248
- Carets (^)
 - in regular expressions, 307
 - in XPointer, 931
- Carriage returns, 122
- Cascading in CSS, 545–546
- Cascading Style Sheets. *See* CSS
- Case conventions, 118–119
- Case-sensitivity
 - in declarations, 108
 - in DTDs, 112
 - of elements and attributes, 118
- case-study.xml file, 768–774, 776–779
- catalog1.xml file, 243, 246
- catalog2.xml file, 244
- cd-ext.xml file, 325
- cd-ext.xsd file, 323–324
- cd-restrict.xml file, 327
- cd-restrict.xsd file, 326
- CDATA datatype, 115, 154–155. *See also* PCDATA
- CDATA sections
 - in HTML 4.01, 954
 - in XHTML 1.0, 954, 985
 - in XML, 126–127
- CDATASection interface, 446
- CDATASection node type, 439
- ceiling function, 734, 736
- Cerf, Vinton, 8
- CERN (Conseil European pour le Recherche Nucleaire), 9
- CERT (Computer Emergency Response Team), 8
- Ch10-CSS-CDver.xml file, 765, 772
- Character data, 113–114, 127
 - entities for. *See* Entities
 - in mixed content models, 145
 - in parsing, 115
- Character information items, 239
- character objects, 834, 847
- Character-points, 930
- Character sets, 78–83, 109
- CharacterData interface, 446
- characters method, 388, 401, 403, 414
- Chemical Markup Language (CML), 60
- Chess Viewer, 76, 79–80
- child axis, 694
- Child, 113, 121
 - in CSS, 545, 553
 - for datatypes, 319–321
 - in DTDs, 256
 - in mixed content models, 145–146
 - XPath, 682, 686, 694, 711
 - XPointer sequences, 917–919
 - XSLFO areas, 836
- choice element, in XML Schema, 287–288
- Choices, in DTDs, 142
- CHTML (Compact HTML), 1005
- Circumflex (^) character
 - in regular expressions, 307
 - in XPointer, 931
- Cited information, 841
- Clark, James, 11, 248, 362, 587, 803
- Clark1.xml file, 248
- class attribute, 544, 549, 555
- Class selectors, 553
- Classes
 - in RDF, 1039–1041
 - in SAX, 385–386
- Client-side data manipulation, 68
- CML (Chemical Markup Language), 60

- CNRI (Corporation for National Research Initiatives), 8
- Cocoon publishing framework, 70–71, 590
- Collection DTD, 435–438
 - collection1.xml file, 195–196
 - collection1-dtdgen-web.dtd file, 196
 - collection1-spy.dtd file, 197–198
 - collection1-turbo.dtd file, 198–199
 - collection2.dtd file, 265–266, 404–405
 - collection2.xml file, 382–384, 414
 - collection2.xsd file, 267–270, 281–282
 - collection2-bug.xml file, 410–411
 - collection2-invalid-Title.xml file, 412–413
 - collection2-xsi.xml file, 270–272
 - collection3.dtd file, 436
 - collection3-bad-Last.xml file, 461, 506
 - collection3-bad-Titles.xml file, 462, 506
 - collection3-bad-Type.xml file, 462
 - collection3-frag.nrg file, 363–364
 - collection3-frag.xml file, 437, 459–461
 - collection4-frag.xml file, 525
 - collection5.css file, 866
 - collection5.dtd file, 869
 - collection5.xml file, 570–571, 863
 - collection5-0.css file, 558–562
 - collection5-0.xml file, 556–565
 - collection5-gen-text.css file, 566–569
 - collection5-gen-text.xml file, 566, 570
 - collection6-Title-2nd.xml file, 651–653
 - collection6-Titles-2nd.xml file, 655–656
 - collection6.xml file, 599–604, 623, 631, 648, 654, 715, 758
 - collection7.xml file, 757, 760
 - collection8.xml file, 707
 - collection9.dtd file, 870–872
 - collection9.xml file, 864–868
 - collection10.dtd file, 912–913
 - collection10.xml file, 908–912
- Collections of pages, 38
- Colons (:)
 - in CSS, 543
 - for namespaces, 214–215
 - for XPath node tests, 710
 - for XSLT attributes, 629
- Color in CSS, 543
- color-profile objects, 847
- color property, 543
- Column properties, 840
- Combining
 - XHTML documents, 986–989
 - XML documents, 181–182
- Commas (,) for elements, 141
- Comment information items, 239
- Comment interface, 446
- comment() node test in XPath, 612, 711
- Comment node type
 - in DOM, 439–440
 - in XPath, 706, 708
- Comments
 - in CSS, 543
 - in DTDs, 151
 - in XML, 123
- Commerce One, 259–260. *See also* SOX
- Compact HTML. *See* CHTML
- Compatibility in XSLFO, 802–803
- Compiling applications
 - DOM, 447–449
 - SAX, 393–395
- Complete conformance in XSLFO, 832
- Complex content, 293–295
- Complex datatypes, 293–295, 314
 - extending, 322–325
 - restricting, 325–327
- complexContent datatype, 295
- complexContent element, 314–315, 319
- complexType element, 263, 267, 287, 293–295, 314–315
- Components in schemas, 272–273
- Compositors in model groups, 287
- Compound properties, 831
- Compressed Unicode, 79
- Computer-aided Acquisition and Logistical Support (CALs) initiative, 6
- Computer Emergency Response Team. *See* CERT
- concat function, 621, 727, 731
- Concatenation for extended datatypes, 324
- conditional-page-master-reference objects, 843
- Conditionals in XSLT, 617–620
- config.txt file, 970–971
- Conflicts, name, 213–214
- Conformance
 - in XHTML 1.0, 945–946
 - in XHTML 1.1, 1016
 - in XSLFO, 832
 - in XSLT, 593
- Conseil Europeen pour le Recherche Nucleaire. *See* CERN
- Constraining
 - attribute values, 314–318
 - simple types, 301–306
- Constraining facets, 291, 301–306

- Constraints
 - in RDF, 1041–1043, 1056
 - XSLFO properties for, 830–831
- Consumers, 377–378
- Container elements, 46
- Container nodes, 907, 929
- Containers in RDF, 1043–1044
 - miscellaneous vocabulary in, 1044–1045
 - for serialization, 1048–1050
- contains function, 632, 727, 756
- Content-based formatting in XSLFO, 825–826, 838
- Content models
 - for DTDs, 139–141
 - ANY, 148
 - deterministic, 151
 - EMPTY, 147
 - mixed, 145–146
 - internal parameter entities for, 183, 185–186
 - for schemas, 287–290
 - generic, 333–334
 - mixed, 332–333
- Content of elements, 106–107, 113
 - changes in, 37
 - handling, 37–38
 - rating for, 1032
- ContentHandler interface, 385, 387–389, 404
- Context
 - in SAX, 387–389
 - in XSLT, 583–584
- Context nodes
 - in XPath, 693
 - in XSLT, 607–609, 623
- Context sensitivity of editors, 63
- Converting
 - DTDs to schemas, 348–353
 - HTML to XHTML 1.0, 965–974
 - XML to XML, 581–582, 637–644
- Coordination Groups, 85, 88
- Copies, XML to XML
 - deep, 641–644
 - shallow, 637–641
- CORBA, 426
- Core data model of RDF, 1036–1038
- Core module
 - in DOM Level 2, 431
 - in DOM Level 3, 433–434
 - in Modularization of XHTML, 992
 - in Modularization of XHTML in XML Schema, 1021
- Core namespaces, 233
- Core Working Group, 87
- Corporation for National Research Initiatives.
 - See* CNRI
- Costello, Roger, 343
- count function, 715, 725, 737
- Cover, Robin, 162, 861
- Covering ranges, 922–925
- Cowan, John, 260
- CRs. *See* Candidate Recommendations
- createAttribute method, 447, 467
- createComment method, 447
- createElement method, 447
- createNodeIterator method, 457, 464–465
- CreateObject method, 474
- createText method, 447
- createXMLReader method, 404
- Crimson parser
 - crimson.jar file, 510
 - for DOM, 448
 - for SAX, 394
- Cross-disciplinary semantic drift, 1030
- CRs (Candidate Recommendations), 86
- CSS (Cascading Style Sheets), 19, 92–93, 539–540, 1063
 - associating
 - with HTML, 548–552
 - with XML, 554
 - benefits of, 540–541
 - element names and display property in, 554–555
 - embedded, 546–547
 - external, 547–552
 - with generated text, 563–569
 - inheritance and cascading in, 545–546
 - with Internet Explorer 5.5, 552, 570–571
 - limitations of, 572–574
 - reference materials for, 575–577
 - rendering example, 555–560
 - rules, declarations, properties and values in, 541–546
 - selectors in, 541–546, 552–553
 - in Tidy, 974
 - in XML, 797
 - in XSLFO, 801–803
 - vs. XSLT, 591
- CSS Level 1, 93
- CSS Level 2, 93
- Curly braces ({}). *See* Braces
- current function, 749
- Current node-list, 607
- Current node, 607–609
- CustomFilter class, 485
- cXML specification, 1071

- \D in regular expressions, 307
- DARPA (Defense Advanced Research Project Agency), 4
- Data
 - description of, 39
 - device-dependent display of, 69–71
 - in HTML, 36
 - JAXM for, 508
 - meaningfulness of, 36–37
 - metadata, 65–67
 - representation format and syntax for, 40
 - self-describing, 61–65
 - views of, 68–69
- Data-centric documents, 49–50, 133
- Data islands, 67
- Database-neutrality, 56
- data-type attribute, 649
- Datatypes, 290–291
 - adding element children, 319–321
 - adding elements to (user-defined) type, 321–322
 - attribute values for, 314–318
 - built-in, 296–300
 - definition summary, 329–331
 - derivation of, 293–295, 300
 - with facets, 301–306
 - limitations of, 331–332
 - by list, 311–312
 - by union, 313–314
 - in DTDs, 254–255
 - empty elements, 327–329
 - extension of, 322–325
 - object-oriented analogy for, 291–293
 - regular expressions for, 307–311
 - restricting, 293–294, 318–319, 325–327
 - in XPath, 716–717
- Datatypes module, 999
- date datatype, 292, 298
- dateTime datatype, 299
- dc prefix, 1035
- dc:creator property, 1042
- DDML (Document Definition Markup Language), 260–261
- decimal datatype, 297
- Decisions in XSLT, 622–624
- Declarations
 - attribute-list, 152–153
 - in CSS, 541–546
 - document type, 107, 110–112, 239. *See also* DTDs
 - element content models, 141
 - element type, 140
 - namespace, 216–219
 - in schemas, 275–278, 283–287
 - XLinks, 868–869
 - XML, 107–109
- declarations objects, 847
- Deep copies, XML to XML, 641–644
- Default
 - datatype, 276
 - DTD values, 151–152, 157–162, 285
 - namespaces, 219–223, 341–343, 816
 - templates, 585–586
 - views, 47–48
 - XPath axis, 685
 - XSLT template rules and node tests, 611–614
- DefaultHandler class, 386–387
- Defense Advanced Research Project Agency (DARPA), 4
- Definitions
 - for named templates, 668–671
 - in schemas, 275–278
- Deprecated features
 - HTML 4.0, 940
 - XHTML 1.0, 950
 - XHTML 1.1, 1014
- depthFirstTraversal method
 - in TryDOM2Parser, 457, 479
 - in TryJAXP, 518
- depthFirstTraversal2 method, 479–480
- Derivation of datatypes, 293–295, 300
 - with facets, 301–306
 - limitations of, 331–332
 - by list, 311–312
 - by union, 313–314
- descendant axis, 686, 694, 697
- descendant-or-self axis, 694, 718
- Descendant selectors, 553
- Descendants
 - in XML, 121
 - in XPath, 682
- Descriptive markup, 5
- Deterministic content models, 151
- Device-dependent data display, 69–71
- DHTML (Dynamic HTML)
 - in DOM, 428
 - W3C position on, 92
- difference function, 756
- Digital signatures in Canonical XML, 241
- Digits in regular expressions, 307
- Direct properties in XSLFO, 830–831

- Directed labeled graphs (DLGs)
 - with links, 880
 - in RDF, 1037
- DISA, 1071
- disable-output-escaping attribute, 661–664, 775
- display property, 554–555, 559, 563
- Displaying XHTML, 984–986
- Distributed applications, 67
- DLGs. *See* Directed labeled graphs
- DNS. *See* Domain Name System
- DOCTYPE declaration
 - in XHTML 1.1, 1016
 - in XHTML Basic, 1006
- Document-centric focus, 133
 - vs. data-centric, 49–50
 - in DTDs, 254
- Document class, 499
- Document Content Description, 259
- Document Definition Markup Language. *See* DDML
- Document element, 119, 440, 595
- Document entities, 170
- Document Formats Domain, 87
- document function, 749, 757–758, 760
- Document information items, 238
- Document interface, 445, 447
- Document Model Module
 - in RDDL, 1010
 - in XHTML 1.1, 1016–1017
- Document nodes
 - in DOM, 439–440, 470
 - in XSLT, 595
- Document Object Model. *See* DOM
- Document Object Model Working Group, 88
- Document order in XPath, 682
- Document reuse, 177–181
- Document structure, 39, 107
 - body, 112–113
 - document type declarations, 110–112
 - XML declarations, 107–109
- Document Style Semantics and Specification Language. *See* DSSSL
 - for SGML, 587
 - in XML, 797–798
 - in XSLFO, 803–804
- Document type declarations, 107, 110–112, 239
- Document Type Definitions. *See* DTDs
- documentation element, 334, 338
- DocumentBuilder class, 513
- DocumentBuilderFactory class, 513–514
- DocumentFragment interface, 446
- DocumentFragment node type, 439
- DocumentImpl class, 447
- DocumentTraversal interface, 447
- DocumentType interface, 446
- DocumentType node type, 439–440
- DOM (Document Object Model), 19, 54, 423–424, 1063
 - advantages and disadvantages of, 532
 - attribute access in, 463–464
 - for client-side data manipulation, 68
 - compiling and running applications in, 447–449
 - DHTML comparison, 428
 - document-centric view in, 133
 - DOM2 output with valid input, 459–461
 - error handling in, 455–456
 - examples
 - with additional processing requirements, 454–455
 - complete, 476–486
 - minimal, 452–454
 - with well-formedness and validation error handling, 461–463
 - feature support in, 434–435, 456–457
 - historical perspective, 424–426
 - interfaces and methods in, 445–447
 - generic, 427–428
 - node, 438–440
 - Java binding for, 443–445
 - with JAXP, 448, 513
 - vs. JDOM, 495–497
 - levels in, 429–430
 - Level 2 specifications, 431–432
 - Level 3 specifications, 432–434
 - markup languages using, 474–476
 - Microsoft version, 473–474
 - namespaces in, 229–230
 - node IDL definition in, 441–443
 - NodeList and NamedNodeMap in, 440–441
 - nodes in, 425–426
 - adding, changing, and removing, 466–469
 - filtering, 464–466
 - properties for, 457–459
 - parsing in, 378–379
 - purpose of, 91–92
 - reference materials for, 488–492
 - script access to, 472–473
 - serializing trees in, 469–472
 - specifications and key resources for, 428–429
 - summary, 486–487

- tree vs. event model in, 426–427
 - Xerces packages for, 449–452
 - DOM for MathML 2.0, 474–475
 - DOM for SMIL Animation, 475
 - DOM for SVG 1.0, 475–476
 - dom2-it.bat file, 449
 - dom2Traversal method, 478
 - dom2TraversalFilter method, 465–466, 478–479
 - dom4j API, 494
 - Domain Name System (DNS), 8
 - Domain-specific vocabularies, 56–62
 - Domains in W3C, 86–88
 - DOMBuilder class, 495, 499, 505–506
 - DOMException interface, 446, 455
 - DOMImplementation interface, 434, 446
 - DOMParser class, 452
 - DOMResult class, 524
 - double datatype, 297
 - Double quotes ("")
 - for attributes, 109, 121–122, 952
 - in CSS, 544
 - for default values, 159
 - for entity references, 124
 - in XPointer, 915
 - Drivers
 - in XHTML, 1000–1001
 - in XHTML 1.1, 1016
 - in XHTML Basic, 1006
 - in XHTML DTD modules, 1003–1004
 - DSSSL (Document Style Semantics and Specification Language), 92
 - for SGML, 587
 - in XML, 797–798
 - in XSLFO, 803–804
 - dt: namespace prefix, 235
 - DTD modules
 - in Modularization of XHTML, 994
 - in XHTML, 1000–1004
 - dtd2xs tool, 347
 - DTDGenerator application, 194, 197
 - DTDGenerator FrontEnd service, 194, 196–197
 - DTDHandler interface, 386
 - DTDs (Document Type Definitions), 6, 40, 43–49
 - attributes in, 151–152
 - declarations in, 152–153
 - default values in, 151–152, 157–162, 285
 - vs. elements, 162–163
 - fixed values in, 157–162
 - types, 151–157
 - in XHTML, 1003
 - available DTDs, 356–357
 - content models in, 139–141
 - ANY, 148
 - deterministic, 151
 - EMPTY, 147
 - mixed, 145–146
 - converting to schemas, 348–353
 - in declarations, 107–108
 - elements in. *See* Elements
 - entities in. *See* Entities
 - external subset, 166, 168–169
 - internal subset, 167–168
 - invoice example, 163–165
 - limitations of, 90, 253–258
 - namespaces in, 224–225, 257
 - need for, 137–139
 - notations in, 192–194
 - occurrence indicators, 143–145
 - reference materials for, 208–210
 - vs. schemas, 273–275, 359
 - structure, 205–206
 - summary, 206–207
 - in XHTML 1.0, 945–951
 - XLinks in
 - declaring, 868–869
 - verifying, 869–872
 - from XML instances, 194–199
 - XML instances from, 199–205
 - dumpDocumentNode method, 482
 - dumpNode method
 - in TryDOM2Parser, 457, 480–482
 - in TryJAXP, 518–520
 - duration datatype, 298
 - Dynamic HTML. *See* DHTML
 - Dynamic properties in XSLFO, 846–847
 - Dynamic pseudo-classes selector, 553
-
- E-commerce, 97, 1071–1073
 - EAI (Enterprise Application Integration), 358
 - EBNF (Extended Backus-Naur Form), 108
 - ebXML (Electronic Business XML) specification, 1072
 - ECMAScript, 91, 426
 - ECML (Electronic Commerce Modeling Language), 1072
 - eCoFramework Project, 1071
 - Electronic Business XML. *See* ebXML
 - Electronic Commerce Modeling Language. *See* ECML
 - Electronic Manuscript Project, 6
 - element-available function, 749, 756–757

- Element class, 496
- element element, in XML Schema, 263, 267
- Element information items, 238, 380
- Element interface, 446
- Element node type
 - in DOM, 439–440
 - template rules for, 612
 - in XPath, 706, 708
- Element type declarations, 140
- Element types, 215
- elementFormDefault attribute, 341
- elementRule element, 361
- Elements, 105–106
 - vs. attributes, 162–163
 - case-sensitivity of, 118
 - content models for, 140
 - in CSS, 554–555
 - for datatypes
 - adding, 321–322
 - children, 319–321
 - in DTDs, 139–141
 - attributes, attribute types, and default values, 151–152
 - comments, 151
 - content models for. *See* Content models
 - expressions, 148–151
 - occurrence indicators for, 143–145
 - sequencing and choosing events in, 141–142
 - empty, 120, 327–329, 953
 - hierarchy of, 121
 - in HTML, 36, 952
 - in schemas, 274–278
 - group, 334–336
 - import and include, 344–347
 - repeatability of, 278–280
 - with search engines, 67
 - in XHTML 1.0, 949–950, 952
 - in XHTML 1.1, 1015–1016
 - in XHTML DTD modules, 1003
 - in XSLT, 738–743
- embed value for xlink:show, 875
- Embedded CSS, 546–547
- employee-BJB.xml file, 130–131
- employee.dtd file, 46–47, 128
- employee-directory.html file, 41–46
- Employee Markup Language, 47
- employee-Miss-Elt.xml file, 129–130
- employee-sort1.xml file, 51
- employee-WF.xml file, 129
- EMPTY content models, 140, 147
- Empty elements, 120
 - with and without attributes, 327–329
 - in XHTML 1.0 vs. HTML 4.01, 953
- encoding attribute, 178
- end-point function, 920–921
- End tags, 105, 120–121
- endDocument method
 - in ContentHandler, 388
 - in TryContentHandler, 400
- endElement method
 - in ContentHandler, 388–389
 - in TryContentHandler, 401
- Ending resources in XLink, 858
- endPrefixMapping method, 414
 - in ContentHandler, 388
 - in TryContentHandler, 401, 403
- Engelbart, Douglas, 5
- Enterprise Application Integration. *See* EAI
- Entities, 169–170
 - in converting HTML to XHTML 1.0, 968
 - document, 170
 - general, 170–171
 - external, 177–182
 - internal, 171–174
 - special character, 175–177
 - in XSLT, 660
 - in HTML 4.01, 1075–1082
 - in Modularization of XHTML, 994
 - parameter, 182
 - external, 188–192
 - internal, 182–187
 - references for, 124–126
 - unparsed, 193–194
 - in XML document structure, 107
 - in XSLT, 660–661
- ENTITIES datatype, 296
- entity-combine.xml file, 182
- ENTITY datatype, 296
- Entity information items, 380
- Entity interface, 446
- Entity node type, 439
- EntityReference interface, 446
- EntityReference node type, 439
- EntityResolver interface, 386
- Enumerated values, 155, 160
- enumeration facet, 301, 304, 323
- environment, setting up an. *See* Appendix D
- Error handling and reporting
 - in DOM, 455–456
 - in JDOM, 506
 - in SAX, 381–384, 390–391, 410–413

- error level in SAX, 390
 - error method
 - in ErrorHandler, 524
 - in MyErrorHandler, 522
 - in TryContentHandler, 402
 - in TryErrorHandler, 403
 - in TrySAXErrorHandler, 486
 - ErrorHandler class
 - in DOM, 455
 - in JAXP, 512–513
 - in SAX, 385, 390–391, 404
 - ErrorListener interface, 524
 - Escaping
 - in XPointer, 931
 - in XSLT, 660–664
 - Event-based model
 - in SAX, 426–427
 - vs. tree-based, 132–133
 - Events, XML, 1019–1020
 - Events module
 - in DOM Level 2, 431
 - in DOM Level 3, 433–434
 - Exclamation points (!)
 - in comments, 123
 - in CSS rules, 546
 - EXML API, 494
 - Explicit stylesheets, 616–617
 - Expressions
 - in DTDs, 148–151
 - regular, 307–311
 - in XPath, 678–679
 - for XSLFO properties, 830–831
 - in XSLT, 609–611
 - exsl: namespace prefix, 235
 - EXSLT initiative, 783–784
 - Extended Backus-Naur Form. *See* EBNF
 - Extended conformance in XSLFO, 832
 - Extended interfaces in DOM, 435
 - Extended links, 857, 877–878, 881–890
 - extended-type XLink elements, 877–878
 - Extensible HyperText Markup Language. *See* XHTML
 - Extensible Markup Language. *See* XML
 - Extensible Markup Language (XML) Activity Statement, 87
 - Extensible Stylesheet Language. *See* XSL
 - Extensible Stylesheet Language Formatting Objects. *See* XSLFO
 - Extensible Stylesheet Language Transformations. *See* XSLT
 - Extensible User Interface Language (XUL), 62
 - extension element, 267, 319, 323, 757
 - extension-element-prefixes attribute, 681
 - Extensions
 - browser-specific, 36
 - in datatypes, 293–294, 322–325
 - in XSLT, 738, 756–757
 - External CSS, 547–552
 - External DTD subsets, 166–169
 - External entities, 126
 - for document combining, 181–182
 - for document reuse, 177–181
 - parameter, 188–192
 - external-entity.xml file, 178–179
 - external-entity2.xml file, 180
 - external-graphic objects, 834, 839
 - external-param.dtd file, 189
 - external-param.ent file, 188–189
 - Extraneous elements, 63
- Facets
 - constraining simple types with, 301–306
 - in datatypes, 291–292
 - regular expressions for, 307–311
 - FactoryConfigurationError class, 514
 - false function, 733
 - Fatal errors, 131, 411
 - fatalError level in SAX, 390
 - fatalError method
 - in ErrorHandler, 411
 - in ErrorListener, 524
 - in MyErrorHandler, 522
 - in TryContentHandler, 402
 - in TryErrorHandler, 403
 - in TrySAXErrorHandler, 485
 - Features
 - in DOM, 434–435, 456–457
 - in SAX, 391–392
 - Filtering
 - in DOM, 464–466
 - in SAX, 416–417
 - in XSLT, 604–605, 610–611
 - final attribute, 331–332
 - finalDefault attribute, 331
 - First-child pseudo-class selectors, 553
 - 1st Page 2000 for Windows, 966
 - Fitzgerald, Mike, 362
 - fixed attribute, 285–286, 331
 - Fixed attribute values, 159–162
 - Fixed presentation in HTML, 939
 - Fixed-size folios, 796
 - float datatype, 297

- float objects, 835, 843–845
- floor function, 734, 736
- Flow semantics in XSLFO, 811–812, 826, 832–835
- fo: namespace prefix, 234
- Focus entities, 185
- following axis, 694, 698–699
- following-sibling axis, 695, 699
- font-family property, 542–543
- Font size
 - in CSS, 541
 - in XSLFO, 831
- font-size property, 541
- Footers in XSLFO, 841
- footnote objects, 843, 845
- footnote-body objects, 845
- footnote-reference-area region, 844–845
- Formal Public Identifiers. *See* FPIs
- format attribute, 632
- format-number function
 - in XPath, 737–738
 - in XSLT, 677, 750, 757, 759
- Formatting in XSLFO. *See* XSLFO
- Formatting objects
 - rendering with, 75–78
 - in XSL, 75–76
 - in XSLFO, 828
- Forms Modules, 992
- 4XPointer, 931
- FPIs (Formal Public Identifiers), 111, 946
- fractionDigits facet, 302, 305
- Fragment identifiers, 854, 906, 956
- FrameMaker, 765–767
- Frameset DTDs, 945
- Framework schema modules, 1021
- Frankston, Charles, 259
- from attribute, 873–874, 879–880
- from-parent function, 831
- Fuchs, Matthew, 259
- Full syntax for RDF serialization, 1045–1047
- Full-text searches, 1030
- Full XPointers, 914–916
- Fuller, Jim, 783
- function-available function, 750, 756
- Functional capabilities of XSLT, 591
- Functions in attribute values, 822
- Fundamental facets, 291
- Fundamental interfaces, 435

- Gates, Bill, 15
- GCA (Graphic Communications Association), 6

- gDay datatype, 299
- GenCode (generic coding), 6
- General entities, 170–171
 - external, 177–182
 - internal, 171–174
 - special character, 175–177
 - in XSLT, 660
- Generalized Markup Language (GML), 5–7
- generate-id function, 750, 761–762
- Generated text, CSS with, 563–569
- Generic body constructs in XSLFO, 838–840
- Generic interfaces in DOM, 427–428
- Generic View in DOM Level 3, 434
- generic xsd:any content model, 333–334
- getAttributes method, 463
- getChildNodes method, 443
- getChildren method, 503
- getData method, 457
- getDocument method, 452
- getFeature method
 - in SAXParserFactory, 514
 - in XMLReader, 392
- getLength method
 - in Attributes, 403
 - in NamedNodeMap, 463
 - in NodeList, 452
- getLocalName method, 403
- getNamespaceURI method, 443
- getNextSibling method, 443
- getNodeName method, 457
 - in Attr, 463
 - in Node, 443
- getNodeValue method, 443, 457
 - in Attr, 463
 - in Node, 443
- getOwnerDocument method, 447
- getParseExceptionInfo method, 522
- getProperty method, 514
- getRootElement method, 499
- getSpecified method, 463
- getTarget method, 457
- getType method, 403, 406
- getValue method, 403, 406
- Global attributes in XLink, 856
- Global scope in schemas, 281–283
- GML (Generalized Markup Language), 5–7
- gMonth datatype, 299
- gMonthDay datatype, 299
- Goddard Space Flight Center. *See* NASA
- Goldfarb, Charles, 5–6

- Goldstein, Robert F., 15
- Gopher, 8
- GoXML search engine, 67
- GOXML Transform, 67
- Granular updates, 67–68
- Graphic Communications Association (GCA), 6
- Graphical User Interfaces. *See* GUIs
- Graphics
 - resolution-independent, 71–75
 - W3C standards for, 96
 - in XSLFO, 839
- Graphs, directed labeled
 - with links, 880
 - in RDF, 1037–1038
- Greater than signs (>)
 - in comments, 123
 - in entity references, 124
 - in processing instructions, 123–124
- Grosso, Paul, 718
- Grouping selector, 553
- Groups and group elements
 - in schemas, 334–337
 - in XSLFO, 832–835
- > entity reference, 124
- GUIs (Graphical User Interfaces), 62
- gYear datatype, 299–300
- gYearMonth datatype, 299

- Hackers, 8
- handleException method, 528
- Harold, Elliott Rusty, 385, 447, 495
- hasFeature method, 434, 456
- head tag, 736
- Headers in XSLFO, 841
- Hello example in XSLT, 595–597
- hello.html file, 596
- hello-alt.xml file, 596
- hello-goodbye.xml file, 666
- hello-goodbye-html.xml file, 666–668
- hello-italics.xml file, 596–597, 659–660
- hello-pi.xml file, 659–660
- Hello World program
 - in SAX, 395–398
 - in XSLFO, 817–819
- hello.xml file, 595, 660, 665
- hello-xml-default.xml file, 665
- hello.xml file, 595
- hellofo.fo file, 817–818
- here function, 920, 922
- Heterogeneous databases, 56

- Hexadecimal character references, 661
- hexBinary datatype, 298
- Hierarchical data
 - elements, 121
 - modeling, 49
 - structures for, 43
- Higher-order statements in RDF, 1052–1053
- History of XML and the Internet, 3–4
 - ARPANET, 7–9
 - DOM, 424–426
 - GML and SGML, 5–7
 - HTML, 9–12
 - hypertext and early user interfaces, 4–5
 - premodern, 15–19
 - RDF, 1031–1033
 - reference materials for, 28–31
 - schemas, 258–261
 - summary, 27
 - timelines, 12–14. *See also* pullout poster
 - ultramodern, 19–27
 - XLink, 860–861
 - XPointer, 908
 - XSLT, 587–588
- Holman, G. Ken, 616, 795–847
- Host Language in XHTML, 940–942, 992, 995, 1000, 1004–1005, 1015
- href attribute
 - for locator-type links, 879
 - in XLink, 873–874
- HTML (HyperText Markup Language), 6
 - in Big Picture diagram, 89
 - converting to XHTML 1.0, 965–974
 - CSS with
 - associating, 548–552
 - embedded, 546–547
 - external, 547
 - history, 9–12
 - limitations of, 35–40
 - linking in, 853–855
 - with XPointer, 904
- HTML 4.01, 942
 - character entities for, 1075–1082
 - sloppy example, 957–959
 - validating, 959–960
 - with W3C validator, 960–964
 - with XML Validator, 964–965
 - vs. XHTML 1.0, 951–956
- .html extension, 985
- HTML-Kit editor, 966–967
- HTML module, 432
- HTML tables in XSLT, 624–627

- HTML Tidy. *See* Tidy application
- HTML Validation Service, 960
- HTML Working Group Roadmap page, 945
- HTMLspecial set, 661
- HTMLsymbol set, 661
- HTML+TIME tutorials, 58
- HTTP, 10
- Hunter, Jason, 495
- Hybrid document type, 991
- HyperCard, 5
- Hyperlinks in XLink, 858
- Hypermedia/Time-based Structuring Language. *See* HyTime
- Hypertext, 4–5
- HyperText Markup Language. *See* HTML
- HyperText Markup Language Activity Statement, 945
- HyperText Markup Language Home Page, 945
- Hypertext Module
 - in HTML, 940
 - in Modularization of XHTML, 992
 - in XHTML 1.1, 1015
 - in XHTML Basic, 1005
- HyTime (Hypermedia/Time-based Structuring Language), 39, 860–861

- \i in regular expressions, 308
- IAB (Internet Activities Board), 8
- ID datatype, 155–157, 296, 725, 916–920
- id function, 725, 916–917, 919–920
- ID selectors, 553
- IDEAlliance (International Digital Enterprise Alliance), 1072
- Identity transforms, 640
- IDL (Interface Definition Language), 426
- IDREF datatype, 155–157, 296
- IEC (International Electrotechnical Commission), 804
- IETF (Internet Engineering Task Force), 8
- ignorableWhitespace method
 - in ContentHandler, 388
 - in TryContentHandler, 401
- Images module, 940
- IML (Instrument Markup Language), 61, 111
- Immediate children, 282
- Implementation-defined formatting semantics, 803
- Implicit stylesheets, 616–617
- #IMPLIED keyword, 157–158
- import element, 344–347
- !important keyword, 546
- Importing
 - schemas, 339, 344–347
 - in XSLT, 679–681
- Inbound links
 - in XLinks, 890–891, 895
 - in XPointer, 922
- INCLUDE conditional section, in DTDs, 996–997
- include element, 344–347
- include-ignorable-whitespace feature, 471–472
- Including in XSLT, 679–681
- Indexes in XPointer, 929
- Information items, 237–239, 380
- Information Set (Infoset), 95, 237–238, 1068
 - contents of, 238–240
 - with parsing, 379–380
 - reference materials for, 250
 - summary, 249–250
- Infrastructure, W3C for, 94–96
- Inheritance
 - in CSS, 545–546
 - in RDF, 1034
 - in XSLFO, 828, 836
- inherited-property-value function, 822, 831
- initial-property-set objects, 838
- inline-container objects, 834, 838
- Inline elements, 545
- inline objects, 834, 838
- Inline-level objects, 833–835
- Inline Presentation Elements module, 996, 999
- inline-progression-direction, 845
- inline value, 555
- insertBefore method, 441
- Instance Tree, 828
- Instances
 - from DTDs, 199–205
 - DTDs from, 194–199
 - invoice example, 165–166
 - in RDF, 1039–1041
 - schema, 270–272
 - in XForms, 1018
 - in XSLFO
 - generation of, 815–816
 - interpretation of, 814–815
- instream-foreign-object objects, 834, 839
- Instructions in XSLT, 583, 744–748
- Instrument Markup Language. *See* IML
- integer datatype, 293, 298
- Interaction Domain, 87

- Interactive objects, 846–847
- Interest Groups, 85
- Interface Definition Language. *See* IDL
- Interfaces
 - in DOM, 445–447
 - generic, 427–428
 - node, 438–440
 - in SAX, 385–386
- Internal DTD subsets, 167–169
- Internal entities, 171–174
- internal-entity.xml file, 172
- internal-entity3.xml file, 174
- internal-entity4.xml file, 176
- internal-external-subset.xml file, 169
- Internal nodes, 438
- internal-param.dtd file, 186–187
- internal-param.xml file, 187
- Internal parameter entities, 182–187
- internal-subset.xml file, 168
- Internal subsets. *See* Internal DTD subsets
- International Digital Enterprise Alliance.
 - See* IDEAlliance
- International Organization for Standardization.
 - See* ISO
- Internet Activities Board. *See* IAB
- Internet Engineering Task Force. *See* IETF
- Internet Explorer
 - CSS in, 552, 570–571
 - default view in, 47–48
- Internet Research Task Force. *See* IRTF
- InterNetworking Working Group. *See* INWG
- InterNIC, 9
- Interoperability in JDOM, 496
- Intrinsic Events module, 999
- invalid-internal.xml file, 226
- invoice.dtd file, 164–165
- invoice.xml file, 165
- Invoice-spy.dtd file, 201–202
- Invoice transformation, 648
- invoice-turbo.xml file, 200
- invoice-XMLGen1.xml file, 202–204
- invoice-XMLGen3.xml file, 204–205
- Invoking named templates, 668–671
- INWG (InterNetworking Working Group), 7–8
- IRTF (Internet Research Task Force), 8
- ISO (International Organization for Standardization), 6, 804
- ISO character encoding, 109
- isogr3.ent file, 192
- item method, 463
- Iterators
 - in JDOM, 503–504
 - in XSLT, 648–654
- iXSLT processor, 592
- Japanese encoding, 82
- Japanese Standards Association. *See* JSA
- Java programming language, 91, 493–495
 - in DOM, 443–445
 - parsers for, 380
 - SAX with. *See* SAX
- Java Architecture for XML Binding. *See* JAXB
- Java API for XML Messaging. *See* JAXM
- Java API for XML Processing. *See* JAXP
- Java API for XML Registries. *See* JAXR
- Java Community Process. *See* JCP
- Java Database Connectivity. *See* JDBC
- Java Parser for schemas, 348
- Java Specification Requests. *See* JSR
- Java XML Pack, 495, 507–509
- JavaScript, 91, 424–426, 428, 474, 489
- Javax.xml.parsers package, 511
- Javax.xml.transform packages, 511, 528
- JAX-RPC API, 494
- JAXB (Java Architecture for XML Binding), 494, 507–508
- Jaxen API, 494
- JAXM (Java API for XML Messaging), 494, 507–508
- JAXP (Java API for XML Processing), 494, 507–510
 - advantages and disadvantages of, 533
 - components and packages for, 510–511
 - with DOM, 448, 513
 - example, 514–523
 - parsing in, 378–379
 - reference materials for, 534–536
 - with SAX, 513
 - specifications supported by, 511
 - summary, 530–531
 - system properties for, 513–514
 - validation in, 512
 - working with, 511–512
- jaxp-it.bat file, 511–512
- jaxp.jar file, 510
- JAXP1.1 parser, 394
- JAXR (Java API for XML Registries), 494, 508
- JCP (Java Community Process), 493, 507
- JDBC (Java Database Connectivity), 67

- JDOM, 494
 - advantages and disadvantages of, 533
 - vs. DOM, 495–497
 - output with valid input, 504–506
 - packages in, 497
 - parsing in, 507
 - reading and writing with, 499–503
 - reference materials for, 534–536
 - summary, 507
 - well-formedness and error handling in, 506
 - working with, 497–499
- jdom-it.bat file, 498–499
- Jelliffe, Rick, 364
- JSA (Japanese Standards Association), 360
- JSR (Java Specification Requests) page, 493
- JTidy application, 966

- Kay, Michael, 194, 523, 592
- Keeps, 845–846
- key function, 751, 755, 757, 759
- keyword attribute, 911–912
- Keywords
 - in searches, 1030
 - uppercase, 118
- Kimber, W. Eliot, 861
- Kohsuke, Kawaguchi, 362
- Kroll, Ed, 11

- label attribute, 872–874, 879
- label-end function, 822
- lang attribute
 - for namespaces, 231–232
 - in XHTML, 947
 - in XML, 338
- lang function, 733
- Lang() pseudo-class selector, 553
- language datatype, 297
- Languages
 - attribute for, 231
 - DOM bindings for, 426
- Lassila, Ora, 1029–1056
- Last Call Working Drafts, 86
- last function, 618, 685, 725
- Latin1 predefined entity set, 126
- Layout-based formatting in XSLFO, 825–826
- layout-master-set, 817
- Leaders in XSLFO, 834, 839–840

- Leaf nodes
 - in DOM, 438
 - in XPath, 713, 715
- Legacy browsers with XSLFO, 802–803
- Legacy Module, 949
- Legal name characters, 116–118
- length facet, 301, 304
- Less than signs (<)
 - for comments, 123
 - for entity references, 124–125
 - for processing instructions, 123–124
 - in XPointer, 931
- Lexical space in datatypes, 291
- libxml implementation, 931
- Line feeds, 122
- Link object, 840
- Link pseudo-class selectors, 553
- Link-Title template, 769–770
- Link types, 854–855
- linkbase-ex.xml file, 895
- Linkbases, 93, 895
- Linking, 93–94. *See also* XLink
 - limitations of, 38–39, 853–855
 - in XSLFO, 839
- Linking elements, 858
- Linking Working Group, 87
- list-block objects, 833, 839
- listener element, 1019
- list-item objects, 839
- List Module
 - in XHTML 1.1, 1015
 - in XHTML Basic, 1005
- Lists
 - datatype derivation by, 294, 311–312
 - in JDOM, 503
- Lists module, 940
- Literals
 - in DTDs, 155
 - in RDF, 1038
 - in XSLT, 584, 606–607
- Load and Save module, 433–434
- local-name function, 623, 725. *See also* name function
- Local names, 215
- Local resources in XLink, 861–862, 890
- Local scope in schemas, 281–283
- Location paths
 - in XPath, 684–692
 - in XSLT, 718
- Location-sets, 907
- Locations, 905, 907

- Locator interface, 385
- Locator link types, 857, 878–879
- locator-type elements, 877
- Logicsheets, 70
- long datatype, 298
- Long-Term JavaBeans Persistence API, 494
- Loop control in XSLT, 672–673
- Lorie, Ray, 5
- lowerCamelCase convention, 119, 151–152
- Lowercase characters for elements and attributes, 112, 118, 952
- < entity reference
 - in XML, 124–125
 - in XPointer, 931
 - in XSLT, 661
- Lubell, Josh, 362
- lxml: namespace, 235

- m: namespace prefix, 236
- m12n specification, 1063
- Macherius, Ingo, 260
- Machine-readable metadata, 66
- Machine-understandable items
 - metadata, 66
 - structure, 39
- main-reference-area region, 844–845
- Makoto, Murata, 362
- Malhotra, Ashok, 259
- Maloney, Murray, 259–260
- Mandatory attributes, 158
- Mapping in XSLT, 644–648
- Margin properties, 544–545
- marker objects, 843
- Markup, 113–115
- Markup languages, W3C for, 89–90
- Match and select patterns in XSLT, 583, 605–606
- match attribute
 - in XPath, 686
 - in XSLT, 607, 755
- MathML (Mathematical Markup Language)
 - specification, 56–66, 1063
 - in DOM, 474
 - modules in, 191–192
 - with XHTML, 986–989
- mathml2.dtd file, 191
- mathml2-qname-1.mod file, 191
- maxExclusive facet, 302, 304–305
- maxInclusive facet, 302–303, 305
- maxLength facet, 301, 303
- maxOccurs attribute, 278–280
- McLaughlin, Brett, 495
- Meanings in Semantic Web, 1030
- Media type support in XSLFO, 802
- Megginson, David, 16, 133, 381, 385, 417
- merge-property-values function, 831
- META element, 611, 1031
- metaclasses in RDF, 1040
- Metadata, 90–91, 1033–1034
 - in DTDs, 254
 - in RDF, 38, 1034
 - in XML, 65–67
- Metadata Activity, 1031
- Metalanguages, 7, 39
- Microsoft Data Source Objects, 68
- Microsoft XSL, 779–781
- Milestone releases of Mozilla, 68
- Milowski, Alex, 259
- MIME types, notations for, 192
- MinDOM2Parser.java file, 452–454
- minExclusive facet, 302, 304–305
- minimal-xhtml.html file, 946–947
- minimal-xhtml.xml file, 948–949
- minInclusive facet, 301, 303, 305
- minLength facet, 301, 303
- minOccurs attribute, 278–280
- MinSAX2Parser.java file, 396–398
- Minus signs (–)
 - in comments, 123
 - in regular expressions, 307
- Miscellaneous Modules, 993
- Mixed content models, 49, 107, 140
 - of DTD elements, 145–146
 - in schemas, 332–333
 - with XLink, 886
- mml: namespace prefix, 236
- mode attribute, 688–689
- Model and Syntax Specification (RDF), 1034
- Model groups, 287–290
- Models of statements in RDF, 1053
- Modes in XPath, 687–689
- Modular Framework, 994
- Modularization of XHTML, 90, 942–943, 990, 1066
 - for device-dependent data display, 69
 - drivers for, 1000–1001
 - modules in
 - abstract and implementations of, 991
 - anatomy of, 991–999
 - DTD, 1000–1004
 - and XHTML 1.1. *See* XHTML 1.1

- Modularization of XHTML in XML schema, 944, 1020–1022, 1067
- module element, 361
- Modules in XHTML 1.1, 1015–1016
- Monitor dependence in HTML, 37
- Montulli, Lou, 11
- Mosaic browser, 11
- Mosher, Ed, 5
- Mozilla browser, 68
- Mozilla.org site, 68
- Mozquito XForms, 1018
- MSXML 3.0 parser
 - for DOM, 448
 - for SAX, 394
- multi-case objects, 847
- multi-properties objects, 834, 846
- multi-property-set objects, 846
- multi-switch objects, 834, 847
- multi-toggle objects, 834, 847
- Multidirectional links, 855, 858
- Multiple decisions in XSLT, 622–624
- Multiple inheritance, 1034
- Multiple links, 855
- multiway link, 878
- Murray-Rust, Peter, 381
- Music Markup Language, 60
- Myer, Eric, 540
- MyErrorHandler class, 522
- myml-1_0.dtd file, 1000

- \n in regular expressions, 308
- NACA (National Advisory Committee for Aeronautics), 4
- name attribute, 955–956
- Name characters, legal, 116–118
- Name datatype, 297
- name function, 632, 649, 715, 726. *See also* local-name function
- name-tests.xml file, 116
- Named templates in XSLT, 668–677
- NamedNodeMap interface, 440–441, 446, 463
- namespace attribute, 345
- Namespace-aware validating parsers, 231
- namespace axis, 695
- Namespace information items, 239
- Namespace node type
 - template rules for, 612
 - in XPath, 706, 708
- namespace-uri function, 726

- Namespaces, 19, 94, 211–213, 1068
 - common, 233–237
 - declaring, 216–219
 - default, 219–223, 341–343, 816
 - in DTDs, 224–225, 257
 - need for, 213–214
 - in RDF, 1035–1036
 - reference materials for, 250–251
 - in SAX, 393
 - in schemas, 224–225, 235, 339–344
 - prefixes, 233–237
 - special attributes for, 231–233
 - summary, 248–249
 - support and use of, 229–231
 - targets of, 229, 339–343
 - terminology for, 214–216
 - validating documents with, 225–229
 - in XHTML, 1002–1003
 - in XPath, 614
 - in XSLFO, 614, 800–801, 816
 - in XSLT, 229–230, 614
- NASA (National Aeronautics and Space Administration), 4. *See also* AIML and IML
- National Advisory Committee for Aeronautics.
See NACA
- National Aeronautics and Space Administration.
See NASA
- National Center for Supercomputing Applications (NCSA), 11
- National Science Foundation. *See* NSF
- Navigation tools, 796
- NCName datatype, 297
- negativeInteger datatype, 298
- Nelson, Ted, 5
- Nested elements
 - start and end tags, 121
 - in XHTML 1.0 vs. HTML 4.01, 951
- Netscape
 - CSS in, 552
 - default view in, 47–48
 - XUL for, 62
- Network Control Protocol (NCP), 8
- Neutral objects, 834
- new value for xlink:show, 875
- newDocumentBuilder method, 514
- newInstance method, 514
- Newlines in regular expressions, 308
- nextNode method, 464
- Nielsen, Jakob, 1016
- NLS system, 5

- NMTOKEN datatype, 116, 118, 154–156, 160–161, 197, 296
- NMTOKENS datatype, 116, 154, 296
- NodeFilter class, 465
- node function, 629
- Node IDL definition, 441–443
- Node interface, 438–440, 445
 - definition, 442–443
 - for Java binding, 443–445
- NodeList interface, 440–441, 446
- Node lists in XPath, 693
- node() node test in XPath, 612, 711, 713
- Node points, 929–930
- Node-set datatype and functions, 716, 724–726
- Node tests
 - in XPath, 684, 710–716
 - in XSLT, 611–614
- Nodes
 - in DOM, 425–426
 - adding, changing, and removing, 466–469
 - filtering, 464–466
 - properties for, 457–459
 - in RDF, 1037–1038
 - in XPath, 583, 724–726
 - tests, 710–716
 - types, 705–706
 - values, 707–710
 - in XSLFO, 828
 - in XSLT, 586, 607–611
- Non-Unicode encoding, 80, 82–83
- none value
 - for xlink:actuate, 876
 - for xlink:show, 875
- nonNegativeInteger datatype, 293, 298
- nonPositiveInteger datatype, 298
- Nontextual information in XSLFO, 839
- Nonvalidating parsers, 131–132
- normalize-space function, 728, 730–731
- normalizedString datatype, 297
- not function, 732–733
- NOTATION datatype, 154, 192, 296
- Notation information items, 239
- Notation interface, 446
- Notation node type, 439
- Notations in DTDs, 154, 192–194
- NOTATIONS datatype, 154, 192
- Notes in W3C recommendation process, 85
- NoteTab editor, 966
- NSF (National Science Foundation), 8
- number function, 734
- Numbers and numeric datatypes
 - in XML, 297–298
 - in XPath, 716
 - functions for, 733–738
 - operands, 723
 - return types, 725
- OAGI (Open Applications Group), 1072
- OAGIS (Open Applications Group Integration Specification), 358
- OASIS (Organization for the Advancement of Structured Information Standards), 21, 356, 1073
- object element, 988–989
- Object models, 91–92
 - in DOM, 425
 - in Java, 91
- Object module, 1016
- Object-oriented analogy for datatypes, 291–293
- Object property, 1053
- Objects
 - in RDF, 1036–1038
 - in XHTML, 988–989
- Objects module, 940
- Occurrence indicators
 - in content models, 146, 150
 - in DTDs, 143–145
 - in schemas, 278–280
- Ogbuji, Uche, 783
- omit-xml-declaration, 665
- On-Line System, 5
- One-way linking, 38–39
- onLoad value for xlink:actuate, 876
- onRequest value for xlink:actuate, 876
- Ontological approach, 1030, 1039–1045
- Open Applications Group. *See* OAGI
- Open Applications Group Integration Specification. *See* OAGIS
- Operators in XPath, 723–724
- Optional items
 - attributes, 158, 285–286
 - function arguments, 724
 - occurrence indicator elements, 143
- "Or" connectors, 141
- Order of elements, 141
- org.apache packages, 449–452
- org.dom package, 498
- org.jdom packages, 498

- org.w3c package, 451
- org.xml package, 451
- org.xml.sax package, 385, 394
- org.xml.sax.helpers package, 385, 387
- Organization for the Advancement of Structured Information Standards. *See* OASIS
- origin function, 920, 922
- Ornamentation in XSLFO, 802
- other value
 - for xlink:actuate, 876
 - for xlink:show, 875
- Out-of-line objects, 835
- Outbound links, 890–891
- Output escaping in XSLT, 660–664
- Overlapping elements, 951

- \p in regular expressions, 308
- P3P (Platform for Privacy Preferences), 91
- padding properties, 542, 544–545
- Page collection, specifying, 38
- page-number objects, 834, 842
- page-number-citation objects, 834, 838
- page-sequence-master objects, 843
- Pages
 - in DSSSL, 803
 - in XSLFO, 826, 836–838
 - areas for, 829
 - formatting, 811–812, 837–838
 - sequencing, 841–843
- Palo Alto Research Center (PARC), 5
- Parameter entities, 182
 - external, 188–192
 - internal, 182–187
 - in Modularization of XHTML, 998
- Parameters in XSLT, 668–677
- Parent areas in XSLFO, 836
- parent axis, 694, 699
- Parentheses, ()
 - for content models, 145, 147, 150
 - for element groups, 141
 - in regular expressions, 308
 - in XML expressions, 149
 - in XPath expressions, 724
 - in XPointer, 931
- Parents
 - in XML, 121
 - in XPath, 682
- parse method
 - in DOMParser, 452
 - in XMLReader, 404
- Parse types in RDF, 1050–1051
- Parsed character data. *See* PCDATA
- Parsed entities, 171, 177–182
- Parser driver classnames, 393
- Parser independence, 427
- ParserConfigurationException class, 514
- Parsers and parsing, 39, 91–92, 114–115, 377–378
 - approaches to, 378–379
 - with DOM. *See* DOM
 - event-based vs. tree-based, 132–133
 - Infosets with, 379–380
 - with Java parsers, 380
 - with JAXP. *See* JAXP
 - with JDOM. *See* JDOM
 - reference materials for, 134–135
 - with SAX. *See* SAX
 - summary, 133–134
 - validating and nonvalidating, 131–132
- Particles in model groups, 287
- Parts, XPointer, 914
- Passing XSLT parameters, 668–677
- Patrick, John, 939
- pattern facets, 301, 307–311
- Patterns in XSLT, 583, 605–606, 717–723
- Pawson, Dave, 783
- PCDATA (parsed character data), 115, 145–146. *See also* CDATA
- Percent signs (%) for parameter entities, 183
- Perimeter regions, 836–837
- Periods (.)
 - in regular expressions, 307
 - in XPath node tests, 612
- Phone numbers, pattern facets for, 309–310
- PI (processing instructions), 123–124
 - in Information Sets, 239
 - in XSLT, 658–660
- PICS (Platform for Internet Content Selection), 67, 1031–1032
- PICS labels, 67
- Platform for Internet Content Selection. *See* PICS
- Platform for Privacy Preferences. *See* P3P
- Plus signs (+)
 - in occurrence indicators, 143–144
 - in regular expressions, 307
- PNG (Portable Network Graphics), 96
- Pointer language. *See* XPointer
- Pointing, 93–94
- Points, 907, 929–930
- Portability issues in XSLFO, 830
- position function, 653–654, 725
- position method, 618

- positiveInteger datatype, 298
- Potter, Daniel, 307
- Pound signs (#)
 - in DOM nodeName, 438
 - in fragment identifiers, 854, 906, 956
 - in XPointer, 914, 918
- Precedence in XPath expressions, 724
- preceding axis, 695–696, 699
- preceding-sibling axis, 695–696, 699
- predefined-entities.xml file, 125–126
- Predicate property, 1053
- Predicates
 - in RDF, 1036, 1038, 1053
 - in XPath, 632, 684
 - in XSLT, 607
- Prefixes, 214–216, 224, 233–236
- Presentation
 - in HTML, 37, 39, 939
 - vs. structure, 41–43
- Presentation module, 990, 995–998
- President's Science Advisory Committee. *See* PSAC
- Primary schema components, 272
- Primary sort keys, 655–657
- Primitive datatypes, 294, 300
- printChildren method, 503
- Procedural markup languages, 5
- Processing in Apache, 70
- processing-instruction() node test in XPath, 612, 711
- processing instruction node type, 706, 708
- Processing instructions. *See* PI
- ProcessingInstruction interface, 440, 446
- processingInstruction method
 - in ContentHandler, 388
 - in TryContentHandler, 401
- ProcessingInstruction nodes, 439–440, 457
- prodInfo.dtd file, 176
- prodInfo.xml file, 178–179
- Prohibited attributes, 285
- Project Mercury, 4–5
- Prolog, XML, 107
- Properties
 - in CSS, 541–546
 - for DOM nodes, 457–459
 - for information items, 237
 - in JAXP, 513–514
 - in RDF, 1038, 1041–1043
 - in SAX, 391–392
 - in XSLFO, 801–802, 830–832, 846–847
- Proposed Recommendations. *See* PRs
- Proprietary DOM interfaces, 427
- PRs (Proposed Recommendations), 86
- PSAC (President's Science Advisory Committee), 4
- Pseudo-class selectors, 553
- Pseudo-classes in CSS, 544
- PUBLIC identifier, 994, 1008
- Pull stylesheets, 616–617
- purc.xml file, 798
- Push stylesheets, 616–617
- QName datatype, 297
- Qualified local elements, 341
- Qualified names, 214–216
 - context nodes, 623
 - in XHTML DTD modules, 1002–1003
- Qualified Names Module, 1003, 1009–1010
- Qualified Names template, 1003
- Quantified values in RDF, 1039
- Query Working Group, 88, 94
- Querying, 93–94
- Question marks (?)
 - for occurrence indicators, 143–144
 - in processing instructions, 123–124
 - in regular expressions, 307
 - in XPath functions, 724
- " entity reference, 124
- Quotation marks (" ")
 - for attribute values, 109, 121–122, 952
 - in CSS, 544
 - for default values, 159
 - for entity references, 124
 - in XPointer, 915
- \r in regular expressions, 308
- Raggett, Dave, 11, 965
- range function, 920, 926
- range-inside function, 920, 926
- Range module, 432
- range-to function, 920, 922–926
- Ranges
 - in DOM Level 2, 432
 - in DTDs, 255
 - in XPointer, 907, 920, 922–926
- rdd-excerpt.html file, 1013
- RDDL (Resource Directory Description Language), 1007–1008, 1064
 - modules in
 - Document Model Module, 1010
 - Qualified Names Module, 1009–1010
 - resource, 1010–1011
 - XLink, 1011

- RDDL (*continued*)
 for namespaces, 229
 RDDL DTD, 1008–1009
 sample document, 1011–1014
 rddl-resource-1.mod file, 1010–1011
 rddl:resource element, 1007
 rddl-xhtml.dtd file, 1008
 RDF (Resource Description Framework), 38, 66, 259,
 1029, 1064
 benefits of, 1033–1034
 core data model of, 1036–1038
 history of, 1031–1033
 model theory for, 1056
 motivation for, 1029–1030
 ontological description using, 1039–1045
 rdf:about attribute, 1046–1047, 1052
 rdf:aboutEach attribute, 1049–1050
 rdf:bagID attribute, 1055
 rdf:Description elements, 1051, 1055
 rdf:ID attribute, 1052, 1056
 rdf:li element, 1048
 rdf: namespace prefix, 235, 1035
 rdf:object element, 1053
 rdf:parseType attribute, 1050–1051
 rdf:predicate element, 1053
 rdf:Property class, 1041, 1044
 rdf:resource attribute, 1046–1047
 rdf:subject element, 1053
 rdf:type property, 1039, 1043–1044, 1055
 rdf:value property, 1039
 rdfs:Class class, 1040
 rdfs:comment property, 1044
 rdfs:ConstraintProperty class, 1056
 rdfs:ConstraintResource class, 1056
 rdfs:ContainerMembershipProperty class, 1044
 rdfs:domain constraint, 1042
 rdfs:isDefinedBy property, 1045
 rdfs:Literal class, 1040
 rdfs: namespace prefix, 235, 1035
 rdfs:range constraint, 1042
 rdfs:Resource class, 1040
 rdfs:seeAlso property, 1044
 reference materials for, 1057–1059
 serialization syntax for, 1045–1052
 specifications for, 1034–1036
 statements in, 1038, 1052–1056
 terminology for, 1034–1036
 RDF Model and Syntax Working Group, 1032
 readDOMDocument method, 499, 501, 503
 Reading with JDOM, 499–503
 readSAXDocument method, 499, 502–503
 Recommendations (RECs), 84, 86
 recording9.dtd file, 886–887
 ref attribute, 156, 277, 337
 Reference orientation in XSLFO, 836
 References in schemas, 277
 region-after objects, 842
 region-before objects, 842
 region-body objects, 838
 region-end objects, 842
 region-start objects, 842
 Regions in XSLFO, 836–838, 842
 Registries for schemas, 356–359
 Regular expressions, 307–311
 Regular Language description for XML.
 See RELAX
 Regular Language description for XML, Next
 Generation. *See* RELAX NG
 Reified statements, 1053–1054
 Related attribute declarations, 183
 Relative location paths, 687
 Relative URI support, 896–897
 RELAX (Regular Language description for XML),
 20, 360–362
 RELAX NG (Regular Language description for XML,
 Next Generation), 362–364, 1064
 RELAX NG Converter, 348–349
 Remote resources in XLink, 861–862, 878, 890
 Rendering
 in Apache, 70
 with formatting objects, 75–78
 in XSLFO, 825–826
 RenderX barcode generator, 77, 81
 Repeatability
 in DTDs, 143, 256
 in schemas, 278–280
 repeatable-page-master-alternatives objects, 843
 repeatable-page-master-reference objects, 843
 replace value for xlink:show, 875
 Repositories for schemas, 356–359
 Required elements
 attributes, 285–286
 in DTDs, 142–143
 #REQUIRED keyword, 155, 157–158
 Resolution
 for graphics, 71–75
 in HTML, 37
 Resource Description Framework. *See* RDF
 Resource Directory Description Language. *See* RDDL
 Resource module in RDDL, 1010–1011
 resource-type elements, 877, 883
 resource-type links, 857, 878–880, 890

- Resources
 - in RDF, 1037
 - in XLink, 857–858, 861–862, 878–880, 890
 - in XPointer, 908
- Restricting datatypes, 293–294, 318–319, 325–327
- restriction element, 267, 319–321, 328
- Result interface, 524
- Result tree fragments
 - in XPath, 716–717
 - in XSLT, 621
- Result trees in XSLT, 584, 606–607
- retrieve-marker objects, 834, 843
- Return characters in regular expressions, 308
- Returning values from named templates, 675–677
- Reusable datatypes in schemas, 282
- Reuse in XSLT
 - of attributes, 634–637
 - including and importing, 679–681
 - named templates and passing parameters for, 668–677
- reverse axis, 696
- Reverse document order in XPath, 682
- Rice, Stanley, 6
- Rich Site Summary. *See* RSS specification
- role attribute, 872–874, 879
- Root Element node, 440
- Root elements
 - in DOM, 440
 - namespace declarations in, 219
 - syntax rules, 119–120
 - in XSLT, 739–743
- Root nodes
 - template rules for, 612
 - in XPath, 706, 708
 - in XSLT, 595
- RosettaNet, 1072
- round function, 734, 736
- RSS (Rich Site Summary) specification, 1064
- Ruby Annotation specification, 943, 1067
- Ruby Module, 940
- Rules
 - in CSS, 541–546
 - in DTD, 47
 - syntax. *See* Syntax rules
 - for templates, 611–614
- Running applications. *See also* Appendix D, Setting Up Your XML Environment
 - DOM, 447–449
 - SAX, 393–395
 - runParser method, 398–400
 - Runtime environment, passing parameters in, 673–674
 - Russian encoding, 83
- \s in regular expressions, 307
- SAX (Simple API for XML), 16, 92, 1064
 - advantages and disadvantages of, 531–532
 - application sequence in, 385–386
 - compiling and running applications with, 393–395
 - ContentHandler for, 387–389
 - data-centric view in, 133
 - development of, 381
 - error reporting in, 390–391
 - event handler model in, 381–384
 - examples
 - with error results, 410–413
 - minimal, 395–398
 - with representative input, 414–416
 - robust, 398–404
 - with valid parse results, 404–410
 - features and properties in, 391–392
 - filters in, 416–417
 - interfaces and classes for, 385–386
 - JAXP with, 513
 - parser driver classnames for, 393
 - parsing with, 378–379
 - reference materials for, 419–421
 - SAX1 vs. SAX2, 392–393
 - summary, 418
 - XMLReader for, 389–390
- sax2-it.bat file, 393–395
- saxon:difference function, 756
- SAXBuilder class, 497, 499, 505–506
- SAXException class, 391, 412, 455, 461–462
- SAXNotRecognizedException class, 391
- SAXNotSupportedException class, 391
- saxon-it.bat file, 593
- saxon: namespace prefix, 235
- SAXON processor, 194, 592
- SAXParseException class, 391
- SAXParser class, 513–514
- SAXParserFactory class, 513–514
- SAXPath API, 494
- SAXResult class, 524
- Scalable Vector Graphics. *See* SVG
- schema element, 267
- Schema for Object-oriented XML. *See* SOX
- Schema modules, 1021
- Schema Specification, 1034, 1040–1041

- Schema Working Group, 87
- schemaLocation attribute, 341–342, 345–346
- Schemata
 - in PICS, 1032
 - in RDF, 1051–1052
- Schematron tool, 364
- scollection2-ElementLocal.xsd file, 282–283
- Scope
 - of anonymous type definitions, 316
 - of namespace declarations, 216–217
 - in schemas, 281–283
 - of XSLT variables, 619, 621
- Screen resolutions, 37
- script elements, 954–955
- Scripting
 - for DOM, 472–473
 - W3C role in, 91–92
 - in XHTML 1.0 vs. HTML 4.01, 954–955
- Search engines
 - focus problems in, 38
 - XML with, 67
- Search keywords, 1030
- Secondary schema components, 272
- Secondary sort keys, 655–657
- select attribute
 - in XPath, 686
 - in XSLT, 607, 649
- Selecting DTD elements, 141–142
- Selectors in CSS, 541–546, 552–553
- self axis, 695, 699
- Self-describing data, 61–65
- Semantic drift, 1030
- Semantic Web, 1029–1031
- Semicolons (;)
 - in CSS, 543
 - for entities, 172, 176, 661
- sequence element, 263, 287–288
- Sequences
 - of DTD elements, 141–142
 - in RDF, 1043
 - in XML Schema. *See* xsd:sequence element
 - of XSLFO pages, 841–843
- Serialization, 379
 - in DOM, 469–472
 - in RDF, 1045–1052
- serializeDOM method, 484
- Server-side XSLT transformations, 590
- setAttribute method
 - in Node, 467
 - in TryJDOM, 499
- setAttributeNode method, 467
- setDocumentLocator method
 - in ContentHandler, 388
 - in TryContentHandler, 401
- setErrorHandler method, 512–513
- setFeature method, 506
 - in SAXParserFactory, 514
 - in XMLReader, 392–393, 404
- setNodeValue method, 443, 467
- setPreserveSpace method, 470–471
- setText method, 499
- setValidating method, 512, 514
- SGML (Standard Generalized Markup Language),
 - 6, 39
 - in Big Picture diagram, 89
 - DSSSL for, 587
 - DTDs in, 254
 - history of, 5–7
 - and XHTML 1.0 vs. HTML 4.01, 955
- Shallow copies, XML to XML, 637–641
- short datatype, 298, 339
- Shorthand properties, 831–832
- show attribute, 872–875. *See also* xlink:show
- showtree.xml file, 602
- Side-effect free programming in XSLT, 586
- Simple API for XML. *See* SAX
- Simple content, 293–295
- simpleContent element, 267, 295, 314
- Simple datatypes, 293–295
- Simple Object Access Protocol. *See* SOAP
- simple-page-master objects, 838
- simpleTrAX.java file, 526–530
- simpleType element, 267, 284–285, 293–295, 305
- simple-type links, 857, 859, 861–862, 869–872
- single-page-master-reference objects, 843
- Single quotes (')
 - for attribute values, 109
 - for entity references, 124
- Singletons in XPointer, 907
- skippedEntity method
 - in ContentHandler, 388
 - in TryContentHandler, 402
- SKU numbers, pattern facets for, 311
- Slashes (/)
 - in XPath, 612, 722
 - in XPointer, 919
- Small information appliances, 1005
- SMIL (Synchronized Multimedia Integration Language), 57–59, 1064
- SMIL (Synchronized Multimedia Integration Language) Animation, 475
- smil: namespace prefix, 236

- Smith, Donald, 294
- SOAP (Simple Object Access Protocol), 20, 1065
- Sort keys, 655–658
- Sorting in XSLT, 648–658
- SourceForge project, 966–967
- Source interface, 524
- Source trees, 584, 606–607
- source.xml file, 581
- SOX (Schema for Object-oriented XML), 259–260, 1065
- space attribute, 231
- space-before property, 831
- Space characters. *See also* White space
 - in declarations, 108
 - significance of, 122
- Spacing in XSLFO, 845–846
- Spanning element boundaries in matches, 928
- Special characters
 - in DTDs, 175–177
 - in XSLT, 660–664
- Special predefined entity set, 126
- Specifications
 - e-commerce, 1071–1073
 - summary, 1063–1069
- Sperberg-McQueen, C.M., 15
- Sports Markup Language (SportsML), 60
- Square brackets ([]). *See* Brackets
- St. Laurent, Simon, 61, 98, 260
- Stacking rules in XSLFO, 845–846
- Stacks in SAX, 389
- Standard Generalized Markup Language. *See* SGML
- Standards
 - in HTML, 938
 - vs. recommendations, 84
 - of W3C. *See* W3C
- startDocument method
 - in ContentHandler, 388
 - in TryContentHandler, 400
- startElement method, 406
 - in ContentHandler, 388–389
 - in MinSAXParser, 396, 398
 - in TryContentHandler, 400–401, 403
- Starting resources in XLink, 858
- start-point function, 920–921
- startPrefixMapping method, 414
 - in ContentHandler, 388
 - in TryContentHandler, 401, 403
- Start tags, 105, 120–121
- starts-with function, 727
- Statements in RDF, 1038, 1052–1056
- Static content in XSLFO, 841–843
- static-content objects, 842
- Steps in XPath, 684–692
- str:capitalise element, 681
- str:subst element, 681
- str:subst template, 680
- Streaming model, 382
- StreamResult class, 524, 530
- StreamSource class, 530
- Strict DTDs in XHTML 1.0, 945–947, 949–950
- string datatype, 297
- string function, 727
- string-length function, 728, 730
- string-range function, 920, 927–929
- Strings
 - constrained by facets, 323
 - datatypes for, 297, 716
 - XPath functions for, 726–731
 - XPointer matching of, 927–929
- Striped syntax, 1045
- Structure
 - in HTML, 36
 - vs. presentation, 41–43
- Structure Module
 - in HTML, 940
 - in XHTML 1.1, 1015
 - in XHTML Basic, 1005
- style attribute, 549, 775
- style elements in XHTML vs. HTML, 954–955
- Style module, 432
- Stylesheets
 - CSS. *See* CSS
 - in XSLT, 584, 615–617
- Stylesheet trees, 584
- Styling in XSLFO, 804–806
- Subclassing in DTDs, 255–256
- Subject property, 1053
- Subjects in RDF, 1037–1038, 1053
- Submissions in W3C recommendation process, 84–85
- Submit Protocol, 1018
- Subproperties in RDF, 1041–1043
- Subregions in XSLFO, 837
- Sub-resources in XPointer, 908
- Subsets in DTDs, 166–169
- substring function, 728
- substring-after function, 728, 731
- substring-before function, 727, 731
- sum function, 734
- SVG (Scalable Vector Graphics), 1065
 - with XHTML, 986–989
 - with XML, 71–75
- SVG 1.0, 475–476
- svg: namespace prefix, 236

- SVG Viewer, 72, 989
- Symbols entity set, 126
- Synchronized Multimedia Integration Language (SMIL), 57–59
- Syntax rules, of XML, 115
 - attribute values, 121–122
 - case conventions, 118–119
 - case-sensitivity, 118
 - CDATA sections, 126–127
 - comments, 123
 - elements
 - empty, 120
 - hierarchy, 121
 - root, 119–120
 - entity references, 124–126
 - keywords, 118
 - legal name characters, 116–118
 - nesting, 121
 - processing instructions, 123–124
 - reference materials for, 134–135
 - start and end tag matching, 120
 - summary, 133–134
 - for well-formedness, 115–116
 - white space, 122–123
- SYSTEM identifier, 192, 994, 1008
- System properties for JAXP, 513–514
- system-property function, 751, 756

- \t in regular expressions, 308
- table-and-caption objects, 833, 840
- table-body objects, 841
- table-caption objects, 840
- table-cell objects, 841
- table-column objects, 841
- table element, 149–150
- table-footer objects, 841
- table-header objects, 841
- Table model in CSS, 569
- Table Modules, 992
- table objects, 833, 840
- table-row objects, 841
- Tables
 - in XSLFO, 840–841
 - in XSLT, 624–627
- Tabs characters
 - in regular expressions, 308
 - significance of, 122
- TAG (Technical Architecture Group), 88
- Tags
 - in HTML, 36
 - with search engines, 67
 - in XML, 105–106
- Target namespaces, 339–343
- Target node, 1019
- target.xml file, 582
- targetNamespace attribute, 339, 341
- Tchistopolskii, Paul, 194
- TCP/IP (Transmission Control Protocol/Internet Protocol), 8
- Techexplorer Hypermedia Browser, 56
- Technical Architecture Group. *See* TAG
- Technology and Society Domain, 87
- TEI (Text Encoding Initiative), 39, 861
- TEI Extended Pointer language, 908
- Telenet network, 8
- template.dtd file, 1001
- Templates
 - for XHTML DTD modules, 1002–1003
 - in XSLT, 583, 807
 - attribute value, 647, 677–679
 - default, 585–586
 - for match and select patterns, 605–606
 - named, 668–677
 - rules for, 611–614
- Tennison, Jeni, 363, 602, 783
- Terminal nodes
 - in DOM, 438
 - in XPath, 713, 715
- Terminating tags, 953
- test attribute, 618
- tester.css file, 542–543
- tester.html file, 548–550
- Text
 - for external entities, 178–179
 - in mixed content models, 145
- Text Encoding Initiative. *See* TEI
- Text Extension modules, 992, 995
- Text format, resolution-independent graphics in, 71–75
- Text interface, 446
- Text Module
 - in HTML, 940
 - in XHTML 1.1, 1015
 - in XHTML Basic, 1005
- text() node test in XPath, 612, 711
- Text node type
 - in DOM, 439
 - in XPath, 706, 708
- "Then" connectors, 141
- Thin clients, 1005

- Third-party links
 - in XLinks, 890–895
 - in XPointer, 922
- Thompson, Henry S., 259, 351
- Tidy application, 965
 - converting HTML to XHTML 1.0 with, 971–974
 - options and configuration file for, 967–971
 - Tidy-enabled applications, 966–967
- TidyGUI application, 966
- time datatype, 298–299
- timeline9.dtd file, 894
- Timeline poster. *See* pullout
- title attribute, in XLink, 872–874, 879
- TitleCase convention, 119
- title objects, 838
- title-type link element, 857, 877–878, 881
- to attribute, in XLink, 873–874, 879–880
- token datatype, 297
- Top-level domains, 8
- Top-level elements in XSLT, 605, 619, 739–743
- totalDigits facet, 302, 304–305
- Training materials publishing example (G. Ken Holman), 819–823
- transform: namespace prefix, 234
- Transformation API for XML. *See* TrAX
- Transformation by example, 806–810
- Transforms. *See* XSLT
- Transitional DTDs, 945, 949, 951
- Translatable vocabularies, 799–800
- translate function, 728
- Transmission Control Protocol/Internet Protocol.
See TCP/IP
- Traversal
 - in DOM, 432, 452–453
 - in XLink, 858, 880
- Traversal attributes, 880
- Traversal module, 432
- traverseTree method, 452–453
- TrAX (Transformation API for XML), 523–530
- trax-it.bat file, 529–530
- Tree-based model
 - in DOM, 426–427
 - vs. event-based, 132–133
- Tree Regular Expressions for XML. *See* TREX
- Tree Viewer utility, 602
- TREX (Tree Regular Expressions for XML), 362
- true function, 733
- try-import-string.xml file, 679–681
- Try2DOMParser.java file, 468
- Try3DOM2Parser.java file, 468–469
- TryContentHandler class, 400–403
- TryDOM2Parser.java file, 455–456, 459, 476–486
- TryErrorHandler class, 402–403
- TryJAXP.java file, 511–512, 514–523
- TryJDOM.java file, 499–505
- tryParse method, 477–478
- TrySAX2Parser.java file, 398–402, 405–406
- TrySAXErrorHandler class, 485–486
- tryTrAX.xml file, 525–526, 530
- Tunncliffe, William, 6
- TurboXML product
 - for converting DTDs to schemas, 349–351
 - for DTD generation, 198–199
 - for instance generation, 199–200
 - for editing schemas, 347
- type attribute
 - in XLink, 873–874
 - in XPath, 685
- Type selectors, 553
- typeToName method, 459
 - in TryDOM2Parser, 484–485
 - in TryJAXP, 520
- UBL (Universal Business Language), 21, 1072
- UCC (Uniform Code Council), 1073
- UDDI (Universal Discovery Description and Integration), 1073
- Ultramarine Core Style, 551
- Unexpanded entity reference information items, 239
- Unicode character set support, 78–83
- Unicode Consortium, 78
- Unicode encoding, 109
- Unidirectional linking, 839, 855
- Uniform Code Council. *See* UCC
- Uniform Resource Identifiers. *See* URIs
- Uniform Resource Locators. *See* URLs
- Union datatype derivation, 294, 313–314
- unique function, 919
- Units in CSS, 544
- Universal Business Language. *See* UBL
- Universal Discovery Description and Integration.
See UDDI
- Universal names, 215
- Universal Product Code/European Article
Numbering. *See* UPC/EAN barcode
- Universal selector, 553
- Unknown elements, 63–64
- Unparsed entities, 171, 193–194
- Unparsed entity information items, 239
- unparsed-entity-uri function, 751

- unsignedByte datatype, 298
 - unsignedInt datatype, 298
 - unsignedLong datatype, 293, 298
 - unsignedShort datatype, 298
 - UPC/EAN (Universal Product Code/European Article Numbering) barcode, 77
 - UpperCamelCase convention, 119, 151
 - Uppercase characters for elements and attributes, 112, 118, 952
 - URIs (Uniform Resource Identifiers), 10
 - base, 232–233
 - for namespaces, 213–216
 - in RDF, 1035–1038, 1041
 - relative, 896–897
 - URLs (Uniform Resource Locators), 11
 - use attribute
 - in attribute declarations, 285–286
 - in XSLT, 755
 - User-defined datatypes
 - adding elements to, 321–322
 - restricting, 318–319, 325–327
 - User interfaces
 - history, 4–5
 - in XForms, 1018
 - XUL for, 62
 - User-selected and user-specific data views, 68–69
 - UTF-8 encoding, 79, 109, 611
 - UTF-16 encoding, 109
-
- Valid documents, 115, 128–132
 - valid-external.dtd file, 226
 - valid-internal.xml file, 226
 - Validating parsers, 62–63, 131–132
 - Validation, 40, 62–65
 - documents with namespaces, 225–229
 - in DOM, 461–463
 - HTML 4.01, 959–960
 - with W3C validator, 960–964
 - with XML Validator, 964–965
 - in JAXP, 512
 - with parsers, 378
 - in SAX, 390–391
 - in XML Schema, 350–351
 - XML Spy for, 354–356
 - xsv for, 351–354
 - XHTML 1.0, 974–975
 - encodings in, 981–983
 - fixing errors in, 979–981
 - with W3C validator, 975–976
 - with XML validator, 976–978
 - ValidRange element, 153, 160
 - Value space in datatypes, 291
 - Values, 106
 - attribute
 - for datatypes, 314–318
 - in DTDs, 151–152, 157–162, 285
 - functions in, 822
 - quotes for, 121–122
 - templates for, 647, 677–679
 - in CSS, 541–546
 - Variables in XSLT, 617–622. *See also* Parameters in XSLT
 - Verifiable languages, 40
 - Verifying XLinks, 869–872
 - version attribute, 178
 - Vertical bars (|)
 - for choices, 142
 - for elements, 141
 - in regular expressions, 307
 - Vertical Industries Directory of DTDs, 356–357
 - Views in XML, 68–69
 - Views module, 431
 - Visual presentations, 39
 - Visual View in DOM Level 3, 434
 - Vocabularies
 - domain-specific, 56–62
 - in HTML, 808
 - in XSL, 808
 - in XSLFO, 797–798, 824–825
 - flow semantics, 811–812
 - structure of, 829–830
 - translatable, 799–800
 - in XSLT, 806
 - Voice Extensible Markup Language (VoiceXML), 20, 58, 1065
 - \w in regular expressions, 307
 - \W in regular expressions, 308
 - W3C (World Wide Web Consortium)
 - domains, activities, and working groups in, 86–88
 - for graphics standards, 96
 - for linking, pointing, and querying, 93–94
 - for markup languages, 89–90
 - recommendation process by, 84–86
 - for schema and metadata, 90–91
 - for scripting, object models, and parsing, 91–92
 - specifications summary, 96–97
 - for stylesheets, 92–93
 - for support and infrastructure, 94–96
 - for XSLFO, 805–806

- W3C Core Styles, 550–551
- W3C validator
 - for HTML 4.01, 960–964
 - for XHTML 1.0, 975–976
- W3C Working Group, 803
- WAI (Web Accessibility Initiative) in W3C, 87
- Walsh, Norman, 362, 587, 718
- WAP (Wireless Application Protocol), 58
- warning level in SAX, 391
- warning method
 - in ErrorListener, 524
 - in MyErrorHandler, 522
 - in TryContentHandler, 402
 - in TryErrorHandler, 403
 - in TrySAXErrorHandler, 486
- WDs (Working Drafts)
 - production of, 85–86
 - vs. recommendations, 84
- Web
 - forms, 1018
 - history. *See* History
 - improvements needed in, 35–40
- Web Accessibility Initiative. *See* WAI
- Web-enabled applications, 38
- Web Services Description Language. *See* WSDL
- Web Services Working Group, 88
- Webber, David, 362
- Well-formed documents, 40, 47, 62–63
 - in DOM, 461–463
 - in JDOM, 506
 - rules for, 115
 - in SAX, 390–391
 - syntax rules for, 115–116
 - vs. valid, 128–132
 - in XHTML 1.0 vs. HTML 4.01, 951
- WGs (Working Groups), 85–88
- White space
 - attribute for, 231
 - in declarations, 108
 - in regular expressions, 307
 - significance of, 122–123
 - in XHTML 1.0 vs. HTML 4.01, 953
- White-space-only text nodes, 828
- whiteSpace facet, 301, 305
- Wildcards in XSLT, 738
- wings-timeline.xml file, 893–894
- wings-xmlbase.xml file, 896–897
- Wireless Application Protocol. *See* WAP
- Wireless Markup Language (WML), 58, 1005, 1065
- Words in regular expressions, 307
- Working Drafts. *See* WDs
- Working Groups. *See* WGs
- World Wide Web Consortium. *See* W3C
- wrapper objects, 834, 838
- Writing
 - in JDOM, 499–503
 - in XSLFO, 836
- WSDL (Web Services Description Language), 1073
- X-Smiles browser, 1018, 1020
- X2X product
 - for XLink, 858
 - for XPointer, 931
- xalan-cs.bat file, 773
- xalan:difference function, 756
- xalan-it.bat file, 593–595
- xalan.jar file, 510
- xalan: namespace, 235
- xalan-PARAM.bat file, 673
- Xalan processor, 592–594
- xCBL (XML Common Business Library), 1073
- XDK (XML Developer's Kit), 592
- XDK for Java parser
 - for DOM, 448
 - for SAX, 394
- XDR (XML-Data Reduced) specification, 259, 1065
- Xerces packages, 449–452
- Xerces parser
 - for DOM, 448, 469–471
 - for SAX, 394–395
- xf: namespace prefix, 236
- XForms, 92, 944, 1018, 1066
- XForms Model, 1018
- XHTML (Extensible HyperText Markup Language), 20, 40, 118, 937–938, 1066
 - in Big Picture diagram, 89–90. *See also* inside front cover
 - combining with other vocabularies, 986–989
 - displaying, 984–986
 - family overlap in, 940–941
 - future, 1017
 - host language, 1004. *See also* Host Language in XHTML
 - modularization of. *See* Modularization of XHTML
 - need for, 938–940
 - reference materials for, 1024–1027
 - specifications, 941–945
 - summary, 1022–1024
 - XForms, 1018
 - XML events, 1019–1020

- XHTML 1.0, 942, 1066
 - conforming documents in, 945–946
 - converting HTML to, 965–974
 - DTDs for, 948–951
 - example, 946–948
 - vs. HTML 4.01, 951–956
 - validating, 974–975
 - encodings in, 981–983
 - fixing errors in, 979–981
 - with W3C validator, 975–976
 - with XML validator, 976–978
- XHTML 1.0 Transitional, 940
- XHTML 1.1, 943, 1014, 1066
 - conforming documents in, 1016
 - Document Model Module in, 1016–1017
 - modules and elements in, 1015–1016
- XHTML 2.0, 1022, 1067
- XHTML Basic language, 940, 942, 1066
 - overview, 1004–1006
 - RDDL for, 1007–1014
- xhtml-basic.dtd file, 1006
- xhtml.cat file, 994
- XHTML Catalog Data File, 994
- xhtml-datatypes-1.mod file, 999
- xhtml-inlpres-1.mod file, 999
- xhtml-math11-f.dtd file, 191
- %xhtml-model.mod entity, 1016
- XHTML Modularization page, 945
- xhtml: namespace prefix, 234
- xhtml-pres-1.mod file, 995–996
- xhtml-special.ent file, 977
- xhtml1-strict.dtd file, 981
- xhtml1-transitional.dtd file, 981
- xi:include element, 865, 870
- xi: namespace prefix, 234
- XInclude (XML Inclusions), 96, 866, 1067
- XLink (XML Linking Language), 93–94, 1067
 - attributes in, 855–856, 872–874
 - in DTDs
 - declaring, 868–869
 - verifying, 869–872
 - history of, 860–861
 - implementations for, 898
 - linkbases in, 895
 - links in, 856–857
 - arc types, 879–880
 - behavior of, 875–876
 - extended, 877–878, 881–890
 - locator types, 878–879
 - outbound and inbound, 890–891
 - resource types, 879
 - simple, 861–868
 - third-party, 890–895
 - title types, 881
 - reference materials for, 900–902
 - relative URI support in, 896–897
 - specifications for, 859–860
 - summary, 898–900
 - support for, 858–859
 - terminology and concepts in, 857–858
 - and XPointer relationship, 906
 - xlink:actuate attribute, 634, 870, 872–876
 - xlink:arcrole attribute, 872–874, 1007
 - xlink:from attribute, 884
 - xlink:href attribute, 634
 - xlink:label attribute, 872–874, 883–884
 - XLink module, 1011
 - xlink-module-1.mod file, 1011
 - xlink: namespace prefix, 234, 856
 - xlink:role attribute, 872–874, 885, 1007
 - xlink:show attribute, 634, 870, 872–875
 - xlink:title attribute, 870, 872–874, 883
 - xlink:type attribute, 634, 856–857
- XLink Design Principles document, 860
- XLink Requirements document, 860
- XLink2HTML product, 858
- XLinks. *See* XLink
- XLip for XPointer, 931
- XML (Extensible Markup Language), 1067
 - applications of, 67–84
 - benefits of, 39–40
 - Canonical. *See* Canonical XML
 - document-centric vs. data-centric documents in, 49–50
 - document structure in, 107–113
 - for domain-specific vocabularies, 56–62
 - DTDs for. *See* DTDs
 - elements in, 105–107
 - events in, 1019–1020
 - for granular updates, 67–68
 - history of, 15–27
 - as HTML complement, 62
 - Infosets in. *See* XML Information Set
 - markup in, 113–115
 - for metadata, 65–67
 - name and name characters, 116–118
 - namespaces in. *See* Namespaces
 - presentation vs. structure in, 41–43
 - reference materials for, 98–104
 - relative URI support in, 896–897
 - rendering with formatting objects in, 75–78
 - SAX for, 417

- schemas for. *See* XML Schema
- summary, 97–98
- syntax of. *See* Syntax rules
- for validated, self-describing data, 62–65
- W3C role in. *See* W3C
- well-formed and valid documents in, 128–132
 - in XSLFO, 797–801, 813–814
- XML Activity Statement, 87
- XML Base, 95, 1067
- xml:base attributes, 95, 232–233
- XML canonicalization method, 242
- XML Common Business Library (xCBL), 1073
- XML Coordination Group, 88
- XML Core Working Group, 87
- XML Cover Pages, 861
- XML-Data Reduced (XDR) specification, 259, 1065
- XML Data Source Object (XML DSO), 68
- XML-Data specification, 258–259
- XML Datatypes Library, 348
- XML Developer's Kit. *See* XDK
- XML/EDI group, 1073
- xml-events identifier, 1019
- XML Events specification, 943–944, 1067
 - .xml extension, 985–986
- XML Generator product, 199, 202–205
- XML Global Technologies, 67
- XML Inclusions. *See* XInclude
- XML Information Set (Infoset), 95, 237–240, 1068
- XML Instance Generator, 348
- xml:lang attribute, 231–232, 338, 947, 1048
- XML Linking Language. *See* XLink
- XML Linking Working Group, 87
- XML Name, 116
- xml: namespace prefix, 234
- XML Namespace FAQ, 212–213
- XML Namespaces specification, 1068
- XML.org, 356–359, 1073
- XML Parser, 348
- XML Path Language. *See* XPath
- XML prolog, 107
- XML Protocols Working Group, 88
- XML Query Language (XQuery), 21, 94, 1069
- XML Query Working Group, 88, 94
- XML Schema, 90–91
 - alternatives to, 360–364
 - annotations in, 338–339
 - attributes in, 274–275
 - declarations and occurrence of, 283–287
 - groups for, 336–337
 - components in, 272–273
 - concepts and terminology in, 272–290
 - content models for, 287–290
 - generic, 333–334
 - mixed, 332–333
 - converting DTDs to, 348–353
 - datatypes for. *See* Datatypes
 - declarations and definitions in, 275–278
 - vs. DTDs, 273–275, 359
 - elements in, 274–278
 - group, 334–336
 - import and include, 344–347
 - repeatability of, 278–280
 - examples
 - basic, 262–264
 - collection, 265–272
 - history of, 258–261
 - keywords in, 273–275
 - limitations of, 359
 - miscellaneous topics, 359–360
 - model groups in, 287–290
 - Modularization of XHTML in, 1020–1022
 - namespaces in, 224–225, 235, 339–344
 - need for, 253–258
 - reference materials for, 367–373
 - repositories and registries for, 356–359
 - scope in, 281–283
 - software for, 347–348
 - specifications for, 261
 - summary, 364–366
 - validation of, 350–351
 - XML Spy for, 354–356
 - xsv for, 351–354
- xsd:all element, 287–290
- xsd:annotation element, 338
- xsd:any element, 334
- xsd:anyType datatype, 293
- xsd:appInfo element, 334, 338
- xsd:attribute element, 263, 276, 283–284
- xsd:attributeGroup element, 334, 336–337
- xsd:choice element, 287–288
- xsd:complexContent element, 314–315, 319
- xsd:complexType element, 263, 267, 287, 293–295, 314–315
- xsd:date datatype, 292
- xsd:documentation element, 334, 338
- xsd:element element, 263, 267, 275, 280–281, 284
- xsd:enumeration facet, 323
- xsd:extension element, 267, 319, 323
- xsd:group element, 334–335
- xsd:import element, 344–345
- xsd:include element, 344
- xsd:integer datatype, 293

- XML Schema (*continued*)
 - xsd: namespace prefix, 235, 274
 - xsd:nonNegativeInteger datatype, 293
 - xsd:restriction element, 267, 302, 319–321, 328
 - xsd:schema element, 263, 267, 273
 - xsd:sequence element, 263, 287–288
 - xsd:short datatype, 339
 - xsd:simpleContent element, 267, 314
 - xsd:simpleType element, 267, 284–285, 293–295
 - xsd:string datatype, 323
 - xsd:unsignedLong datatype, 293
 - xsi: namespace prefix, 235, 274
 - xsi:schemaLocation attribute, 341–342, 345–346
- XML Schema Best Practices Web site, 343
- XML Schema Quality Checker, 348
- XML Schema Validator (xsv) tool, 347–348, 351–354
- XML Schema Working Group, 87
- XML Signature specification, 1068
- XML-Signature Syntax and Processing, 96
- xml:space attribute, 231
- XML Spy product, 64–65
 - for DTDs
 - converting to schemas, 349–350, 352–353
 - generating, 197
 - for instance generation, 199–202
 - for schemas
 - creating, 347
 - validating, 354–356
- xml-stylesheet processing instruction, 555, 658–660
- XML syntax rules. *See* Syntax rules
- XML Topic Maps. *See* XTM
- XML to XML copies, 637–644
- XML Validator parser, 130
 - for HTML 4.01, 964–965
 - for XHTML 1.0, 976–978
- xml4j parser
 - for DOM, 448
 - for SAX, 394
- xmlcanon product, 243, 248
- XmlDocument class, 523
- XMLFilter interface, 386, 416–417
- XMLFilterImpl class, 416–417
- xmlns attribute, 216, 219–220, 224, 227–229, 231
- xmlns: limited namespace, 234
- XMLOutputter method, 505–506
- XMLP (XML Protocol) specification, 1068
- XMLReader interface, 385, 389–392, 417
- XMLReaderFactory class, 386
- XMLReaderFactory method, 389
- XMLSchema.xsd file, 338–339
- xmlsetup.bat file, 394, 498, 594
- XMLValidate, 348
- XMLWriter filter, 417
- xp parser, 394
- XPath (XML Path Language), 54–56, 93, 579–583, 1068
 - axis in, 684–686, 693–705
 - concepts in, 681–682
 - datatypes in, 716–717
 - functions in, 724
 - boolean, 732–733
 - node-set, 724–726
 - numeric, 733–738
 - string, 726–731
 - location paths and steps in, 684–692
 - model for, 682–684
 - namespaces for, 614
 - nodes in, 583
 - functions for, 724–726
 - tests, 710–716
 - types, 705–706
 - values, 707–710
 - operators in, 723–724
 - XPath 2.0, 782–783
 - XPointer relationship, 905–906
 - vs. XSLT patterns, 717–723
- XPath module, 433
- XPathTester utility, 55
- XPointer, 21, 93–94, 903–904, 1068
 - bare name, 916–917
 - character points in, 930
 - child sequences in, 917–919
 - code example, 908–913
 - escaping in, 931
 - full, 914–916
 - functions in, 919–929
 - historical perspective, 908
 - implementations, 931
 - keyword, 914
 - node points in, 929–930
 - reference materials for, 933–934
 - specifications for, 904–905
 - summary, 932
 - terminology and concepts for, 907–908
 - XLink relationship, 906
 - XPath relationship, 905–906
- XQuery (XML Query Language), 21, 94, 1069
- xs: namespace prefix, 263

- xsbrowser tool, 347
- XSD (XML Schema Definition) Language, 90, 257
- XSDL (XML Schema Definition Language). *See* XSD
- XSL (Extensible Stylesheet Language), 40, 75, 580
 - vs. CSS, 93
 - in XSLFO, 811–813
- XSL Working Group, 88
- XSLFO (Extensible Stylesheet Language Formatting Objects), 76–77, 81, 580, 795–797, 813, 1069
 - areas in, 829, 835–836
 - body constructs in, 838–840
 - conformance in, 832
 - CSS in, 801–803
 - DSSSL in, 803–804
 - examples
 - Hello World, 817–819
 - training materials publishing, 819–823
 - floats and footnotes in, 843–845
 - formatting in
 - layout-based vs. content-based, 823–825
 - vs. rendering in, 825–826
 - formatting object groupings in, 832–835
 - information representation objectives in, 798–799
 - instances in
 - generating, 815–816
 - interpreting, 814–815
 - interactive objects in, 846–847
 - namespaces for, 614, 800–801, 816
 - pages in, 826, 836–838
 - areas for, 829
 - formatting, 811–812, 837–838
 - sequencing, 841–843
 - processing model in, 826–829
 - properties in, 801–802, 830–832, 846–847
 - reference materials for, 848–849
 - software lists for, 590
 - stacking rules in, 845–846
 - static content in, 841–843
 - styling in, 804–806
 - tables in, 840–841
 - vocabularies in, 797–798, 824–825
 - flow semantics, 811–812
 - structure of, 829–830
 - translatable, 799–800
- XML in, 797–801, 813–814
- xsl-before-float-separator region, 836, 844
- xsl-footnote-separator region, 836, 844
- xsl-region-regions, 836–837
- XSL in, 811–813
- XSLT in, 806–811
 - XSL Formatter tool, 818
 - XSL Formatting Objects. *See* XSLFO
 - XSLT (Extensible Stylesheet Language–Transformations), 20, 50, 1069
 - attributes in
 - accessing, 628–634
 - for reuse, 634–637
 - templates for, 677–679
 - case study
 - basic structure and pitfalls in, 767–769
 - chapter information in, 771–773
 - final solution, 775–779
 - generated XML structure in, 763–767
 - link extraction in, 769–771
 - link sorting in, 773–774
 - problem statement and goals in, 762–763
 - styles in, 774–775
 - concepts in, 597–599
 - conditionals in, 617–620
 - vs. CSS, 591
 - current node and context nodes in, 607–609, 623
 - elements in, 738–743
 - examples, 597–599
 - collection6.xml, 599–604
 - Hello, 595–597
 - extensions for, 781–785
 - filtering in, 604–605, 610–611
 - functional capabilities of, 591
 - functions in, 749–762
 - historical perspective of, 587–588
 - HTML tables in, 624–627
 - instructions in, 583, 739–748
 - invoice transformation, 648
 - iterating in, 648–654
 - mapping in, 644–648
 - and Microsoft XSL, 779–781
 - multiple decisions in, 622–624
 - namespaces in, 229–230, 614
 - node and expression values in, 609–611
 - output methods in, 665–668
 - overview, 579–583
 - passing parameters in, 668–677
 - patterns in, 583, 605–606, 717–723
 - processing instructions in, 658–660
 - processing model for, 583–586
 - processors for
 - choosing, 592–593
 - Xalan, 593–594
 - reference materials for, 786–794

- XSLT (*continued*)
- server-side transformations in, 590
 - software lists for, 590
 - sorting in, 648–658
 - source trees, result trees, and literal result elements in, 606–607
 - special characters in, 660–664
 - specifications for, 589
 - stylesheets in, 93, 615–617
 - summary, 785–786
 - templates in, 583, 807
 - attribute value, 647, 677–679
 - default, 585–586
 - for match and select patterns, 605–606
 - named, 668–677
 - rules for, 611–614
 - variables in, 617–622
 - XML with, 50–56, 798
 - deep copies, 641–644
 - shallow copies, 637–641
 - in XSLFO, 806–811
 - xsl:apply-imports instruction, 744
 - xsl:apply-templates instruction, 583–584, 606–608, 624, 629, 648, 652–653, 655–656, 683, 687–688, 718, 744
 - xsl:attribute element, 634, 636, 641, 643–646, 745
 - xsl:attribute-set element, 634, 644, 741
 - xsl:call-template instruction, 584, 669–670, 672, 745
 - xsl:choose element, 621–623, 745
 - xsl:comment instruction, 745
 - xsl:copy instruction, 639–640, 746
 - xsl:copy-of instruction, 641–644, 746
 - xsl:decimal-format element, 741
 - xsl:document element, 584
 - xsl:element element, 634, 641, 643–644, 746
 - xsl:fallback instruction, 746
 - xsl:for-each instruction, 616, 632, 648–649, 655, 668, 746
 - xsl:if element, 618, 623, 731, 746
 - xsl:import element, 679, 739, 741
 - xsl:include element, 679, 741
 - xsl:key element, 718, 741, 749, 755
 - xsl:message instruction, 747
 - xsl: namespace prefix, 234
 - xsl:namespace-alias element, 742
 - xsl:number element, 649, 651, 653, 718, 747
 - xsl:otherwise element, 622–623, 747
 - xsl:output element, 605, 665, 667, 742
 - xsl:param element, 669, 673, 742
 - xsl:preserve-space element, 742
 - xsl:processing-instruction instruction, 747
 - xsl:script mechanism, 782–783
 - xsl:sort instruction, 607, 648–649, 652–653, 655–656, 668, 748
 - xsl:strip-space element, 743, 767
 - xsl:stylesheet element, 605, 614, 658, 679, 681, 739–740
 - xsl:template element, 583, 605, 616, 718, 731, 743
 - xsl:text instruction, 608, 748
 - xsl:transform element, 740
 - xsl:use-attribute-sets element, 634, 636
 - xsl:value-of element, 595, 608–609, 616, 688, 748
 - xsl:variable element, 619–620, 675, 743, 758
 - xsl:vendor string, 757
 - xsl:vendor-url property, 757
 - xsl:when element, 622–623, 748
 - xsl:with-param instruction, 669–670, 673, 676, 748
- XSLT 2.0, 781–782
- XSL Transformations. *See* XSLT
- XSLTSL (XSLT Standard Library), 784–785
- xsv (XML Schema Validator) tool, 347–348, 351–354
- XT processor, 592
- XTM (XML Topic Maps) specification, 1069
- XTooX product, 858
- XUL (Extensible User Interface Language), 62
- Zip Code schema, 344–346
- zipcode-Import.xsd file, 344–346
- ZVON.org, 213, 233, 370, 901