



Index

- Accept/Reject rule, 160
- AcceptChanges() method, 198–200
- AcceptRejectRule, 134
- Access
 - database access, listing of, 5
 - SQL Server, 17–19
- Active Server Pages. *See* ASP
- ActiveX Data Objects. *See* ADO
- ActiveX Data Objects for .NET. *See* ADO.NET
- Add() method, 229
- Add value, 124
- Added value, 209
- Addhandler, 41
- AddWithKey value, 124
- ADO (ActiveX Data Objects), 4
 - connectivity dependence of, 5, 8
 - managed code in, listing of, 6–7
- ADO.NET (ActiveX Data Objects for .NET)
 - classes, connecting to database using, 19
 - connection life, 9
 - data structures in, 10–15
 - managed providers in, 15–19
 - namespaces in, 10
- AllowDBNull, 98
- ANSI (American National Standards Institute), 82
- API (application program interface), 3
- ArgumentException value, 129
- ArrayList class, 102
- ASP (Active Server Pages), 4
- Asterisk (*), 83, 208
- Attribute mapping, 270
- Attributes, specifying columns and, 271
- Authentication, 26–29
- Auto-incremented value, 130
- Auto value, 279
- AutoIncrement column, 146–147
- BaseCatalogName value, 99
- BaseColumnName value, 99
- BaseSchemaName value, 99
- BaseTableName value, 99
- Batch queries, 76–79
- BeginEdit() method, 195
- BeginLoadData() method, 196
- BeginTransaction connection, 73
- Binding. *See* Data binding
- Binding object, 296
- BindingContext property, 305
- brackets ([]), 87
- Business object layers
 - best practices, 326
 - using Typed Datasets as, 170–171
 - create table method, 175–176
 - CreateNameDataTable() method, 178
 - notification registration, 171–172
- Caching
 - best practices, 327
 - client caching, 311–312
 - server caching, 311
- CancelEdit() method, 196
- Cascade value, 134
- catch block, 49
- Celko, Joe, 82

- ChangeDatabase() method, 31–33
- Chaos isolation level, 73
- Char string type, 59
- CheckBox, 294
- Child relations, 208
- Client caching, 311–312
- CloseConnection value, 90
- Code, examples. *See* Listings
- ColumnChanged event, 139, 140
- ColumnChanging event, 139, 140
- ColumnMappings, 117–118, 270
- ColumnName value, 98
- ColumnOrdinal value, 98
- Columns. *See also* DataColumnms
 - as attributes, 271
 - AutoIncrement column, 146–147
 - expression, 147–149
 - schema, 142–146
- ColumnSize value, 98
- COM (Component Object Model), 4
- COM+, 76
- ComboBox, 294
- Command class, 10, 18
- Command line options, 165–166
- CommandBehavior flag, 89
- CommandBehavior.KeyInfo option, 94
- CommandBuilder, 15, 218–219, 233–234
- CommandBuilder.RefreshSchema()
 - method, 223
- Commands
 - CommandType, 55
 - creating, 53–54
 - DELETE, 221, 229–230
 - executing, 55–57
 - Fill, 117
 - INSERT, 221, 227–229
 - overview, 53
 - parameters, 57–60
 - result sets, 57
 - stored procedures, 54
 - TableDirect, 54
 - Text, 54
 - UPDATE, 221, 230–231, 233
- CommandType enumeration
 - described, 55
 - Text, 55
 - StoredProcedure, 55
 - TableDirect, 55
- Commit method, 73
- Comparison operators, 208
- Component Object Model. *See* COM
- Compound expressions, 208
- Concurrency
 - destructive
 - defined, 218
 - implementing, 247–251
 - optimistic
 - defined, 218
 - implementing, 220–222
 - row identification, 222
 - pessimistic
 - defined, 218
 - implementing, 243–247
 - violations, handling, 237–243
- Connection class, 18
- Connection strings. *See* Connections
- Connection Timeout
 - OLE DB connection strings and, 27
 - overview, 30
 - SQL server connection strings and, 26
- ConnectionFactory class, 43–45, 328–329
- Connections
 - ChangeDatabase() method, 31–33
 - command relationship and, 22
 - Connection object, 23
 - connection pooling
 - ODBC Managed Provider, 36–39
 - OLE DB Managed Provider, 34–36
 - Oracle Managed Provider, 36
 - SQL Server Managed Provider, 33–34
 - connection strings
 - best practices, 329
 - ODBC connection strings, 28–29
 - OLE DB connection strings, 26–27
 - Oracle connection strings, 28
 - overview, 24–25
 - SQL Server connection strings, 26
 - error handling, 47–49
 - events, 39–43
 - integrated security, 30–31
 - opening and closing of, 24
 - simple listing of, 22
 - SqlConnection.ConnectionTimeout
 - property, 25
- Connectivity
 - in ADO
 - advantages of, 7–9
 - dependence, 5, 8
 - in ADO.NET, listing of, 9
- Constraint class, 10, 12

- Convert.ChangeType() method, 195
- COUNT function, 83
- Create, Read, Update, Delete (CRUD), 170, 194
- CreateNameDataTable() method, 178
- CRUD (Create, Read, Update, Delete), 170, 194
- CurrencyManager class, 304–306
- CurrentRows value, 209
- Cursors, 338

- /d command line option, 165
- DAO (Data Access Objects), 4
- Data binding
 - in ASP.NET
 - complex binding, 308–309
 - data control binding, 309
 - to DataReader, 310
 - overview, 306–307
 - performance considerations, 310–312
 - simple binding, 307–308
 - CurrencyManager class, 304–306
 - overview, 293
 - in Windows Forms
 - complex binding, 297–299
 - DataGrid binding, 299–302
 - master detail binding, 302–304
 - overview, 294–296
 - simple data binding, 296–297
- Data caching on Web servers, 319–320
- Data Source Name. *See* DSN
- Data warehouses, 324
- DataAdapter class, 13, 112
- DataAdapter.ContinueUpdateOnError property, 239
- DataAdapter.Fill() method, 116–117, 119
- DataAdapter.FillSchema() method, 125
- DataAdapter.RowUpdating() method, 223
- DataAdapter.SelectCommand() method, 223, 257
- DataAdapter.Update() method, 14, 219, 221, 222, 224, 243
- Database administrators (DBAs), best practices, 327
- Database transactions. *See* Transactions
- Databases
 - creating datasets from, 112–119
 - isolating developers from, 327–328
 - ODBC connection strings and, 29
 - OLE DB connection strings and, 27
 - performance, 325
 - relational, 131–133
 - SQL server connection strings and, 26
- DataBind() method, 307
- DataBindings property, 296
- DataColumn class, 10
- DataColumnChanged event, 141
- DataColumnChanging event, 141
- DataColumn.Expression property, 207, 210
- DataColumnMapping object, 117–118
- DataColumns. *See also* Columns
 - convertible values, adding, 194–195
 - structure of, controlling, 269–271
- DataConstraint, 110
- DataGrid, 294, 299–302, 309
- DataGrid.SetDataBinding() method, 300
- DataList, 309
- dataMember, 297
- DataReader
 - accessing data from, 87–89
 - best practices, 328
 - columns, retrieving, 87
 - construction, 86
 - data binding to, 310
 - functionality of, 87
 - how to use, 11
 - locking records in, 94
 - metadata, working with, 96–99
 - OdbcDataReader class, 85
 - OleDbDataReader class, 85
 - overview, 85
 - SqlDataReader class, 85
- DataRelation class, 10, 12
- DataRelationCollection.Add() method, 131
- DataRepeater controls, 309
- DataRow class, 10, 110
- DataRowAction, 140
- DataRowChanged event, 141
- DataRowChangeEventArgs, 140
- DataRowChanging event, 141
- DataRowCollection class, 187
- DataRowCollection.Add() method, 189
- DataRowCollection.InsertAt() method, 190
- DataRowCollection.Remove() method, 190
- DataRowCollection.RemoveAt() method, 190
- DataRow.Delete() method, 190
- DataRow.HasVersion() method, 200
- DataRows. *See also* Rows
 - indexers, 192
 - values, reading, 191–192
- DataRowVersion enumeration, 199

- DataSet schema
 - AutoIncrement column, 146–147
 - best practices, 326
 - column schema, 142–146
 - creating, listing of, 135–136, 167–168
 - defined, 122
 - reason for, 122, 124
 - as XSD document, 282–285
 - XSDs to define, 126–127
- DataSet.AcceptChanges() method, 282
- DataSet.Merge() method, 213–215, 280
- DataSet.ReadXml() method, 276, 282
- DataSets. *See also* Typed DataSets
 - classes related to, 10
 - constraints in, 133–134
 - creating
 - from databases, 112–119
 - programmatically, 121–122
 - from XML, 119–121
 - data, getting into XML, 264–269
 - event-driven, 171–173
 - filling
 - with MissingSchemaAction.Error, 125
 - with XML, 276–280
 - listing of, 12–13
 - managed providers and, 110–111
 - merging, 213–215
 - multi-table, dealing with, 251–254
 - navigating, 202–205
 - objects, list of, 110
 - overview, 11–12, 109
 - relationships between objects in, 12
 - saving as XML, 271–273
 - scaling architecture, 323
 - scaling out, 321
 - structure of, 110, 111, 152
 - transforming with XSLT, 291
 - triggers (events), 139–141
- DataSet.WriteXML() method, 273, 279
- DataSource, 297, 298, 308
- DataTable
 - defined, 110
 - multiple, 114–115
- DataTable.AcceptChanges() method, 198
- DataTable.DefaultView() method, 205
- DataTable.HasErrors property, 239
- DataTableMapping, 118
- DataTable.NewRow() method, 189
- DataTable.NewRowFromBuilder()
 - method, 181
- DataTable.Select() method, 210
- DataTextField property, 308
- DataTextFormatString property, 308
- DataType value, 98
- DataValueField property, 308
- DataGridView class
 - filtering with, 206–209
 - overview, 205–206
 - searching with, 212–213
 - sorting with, 206
- DataGridView.Find() method, 212–213
- DataGridView.FindRows() method, 212–213
- DataGridView.RowFilter() method, 206
- DataGridViewRowState enumeration, 209
- DataGridView.Sort property, 206, 212
- Date filters, 207
- DBAs (database administrators), 327
- DBConcurrencyException, 237–238
- DBNull value, 59, 194
- DbType parameter, 59, 98
- DELETE command, 221, 229–230
- Delete rule, 160
- DeleteCommand, 14–15, 112
- Deleted value, 209
- DeleteRule, 133
- Deleting rows, 190–191
- Destructive concurrency
 - defined, 218
 - implementing, 247–251
- Dialog boxes
 - Edit Key, 162
 - Edit Relation, 158, 160–161
- DiffGram, 273, 280–282
- Direction value, 227
- DisplayMember, 298, 299
- Disposed event, 40
- DLLImport, 37
- DropDownList control, 308
- DSN (Data Source Name)
 - creating, 28
 - disadvantages of, 29
 - overview, 28
- Duplication, 321–322
- Edit Key dialog box, 162
- Edit Relation dialog box, 158, 160–161
- Element mapping, 270
- _empty value, 166
- EndEdit() method, 195
- EndLoadData() method, 196

- Equality operator (==), 207
- Equals sign (=), 25, 207
- Error Goto syntax, 47
- Errors
 - DataTable.HasErrors property, 239
 - handling, 47–49
- Event-driven DataSets, 171–173
- Event handling, 41
- Events
 - ColumnChanged, 139, 140
 - ColumnChanging, 139, 140
 - DataColumnChanged, 141
 - DataColumnChanging, 141
 - DataRowChanged, 141
 - DataRowChanging, 141
 - Disposed, 40
 - InfoMessage, 40, 43
 - RowChanged, 139, 140, 171
 - RowChanging, 139, 140, 171
 - RowDeleted, 139
 - RowDeleting, 139
 - RowUpdating, 223
 - StateChange, 40, 43
- Ewald, Tim, 76
- Example code. *See* Listings
- ExecuteNonQuery() method, 55, 78
- ExecuteReader() method, 56, 89–90
- ExecuteScalar() method, 56
- ExecuteXmlReader() method, 56–57
- Expression columns, 147–149
- Expressions
 - compound expressions, 208
 - wildcard, 208
 - XPath, 288–291
- Extensible Markup Language. *See* XML
- Extensible Stylesheet Language. *See* XSL
- Field class, 92–93
- Fill() method, 113, 117
- FillSchema() method, 125
- Filtering
 - with DataView class, 206–209
 - date filters, 207
 - text filters, 207
- finally block, 48–49
- Find() method, 212
- ForeignKeyConstraint, 12, 133, 138–139
- Fragment value, 279
- FROM clause, 83
- FullName property, 155, 298
- GetChanges() method, 274, 282
- GetChildRows() method, 205
- GetName() method, 89
- GetOrdinal() method, 89
- GetParentRows() method, 205
- GetRowType() method, 181
- GetSchemaTable() method, 96
- GUID (Globally Unique Identifier), 130
- Hash sign (#), 207
- Hidden mapping, 270
- HTTP (Hypertext Transfer Protocol), 7
- IDataInitialize::GetDataSource() method, 36
- IDataReader interface, 101
- IDbCommand interface, 10
- IDbCommand.ExecuteNonQuery()
 - method, 10
- IDbCommand.ExecuteReader()
 - method, 86, 94
- IDbCommand.ExecuteScalar() method, 10
- IDbConnection interface, 44
- IDbTransaction interface, 217
- IDENTITY field, 257–258
- Ignore value, 124
- IgnoreSchema, 273, 279
- IIS (Internet Information Server), 4
- IList, 298
- In-place editing, 338
- Indexers, 153, 192
- InferSchema directive, 121, 280
- InfoMessage event, 40
- Input direction type, 59
- InputOutput direction type, 59
- INSERT command, 221, 227–229
- InsertCommand, 14–15, 112
- Instant SQL Programming*, 82
- Integrated security
 - connections and, 30–31
 - OLE DB connection strings and, 27
 - Oracle Provider connection strings
 - and, 28
 - SQL server connection strings and, 26
- Interfaces
 - IDataReader, 101
 - IDbCommand, 10
 - IDbConnection, 44
 - IDbTransaction, 217
- Internet, ADO release and, 4
- Internet Information Server. *See* IIS

- InvalidCastException, 88, 194
- IsAutoIncrement value, 99
- IsDBNull() method, 91, 93
- IsDirty flag, 198
- IsKeyColumn value, 98
- IsLong value, 98
- IsNull() method, 194
- IsNullable value, 59
- Isolation levels, for transactions, 73–74
- Isolationlevel parameter, 217
- IsolationLevel enumeration
 - Chaos, 73
 - ReadCommitted, 74
 - ReadUncommitted, 74
 - RepeatableRead, 74
 - Serializable, 74
- IsOnPrimaryKey property, 138
- IsReadOnly value, 98
- IsRowVersion value, 98
- IsUnique value, 98

- JOIN clause, 83–84

- KeyInfo value, 90

- /l command line option, 165
- ListBox, 294, 299, 304, 308
- Listings
 - ADO (ActiveX Data Objects)
 - connection usage in ADO.NET, 8
 - database access, 5
 - managed code in, 6–7
 - ADO.NET (ActiveX Data Objects for .NET), connection life, 9
 - batch queries, executing, 77–78
 - ChangeDatabase() method, 31–33
 - ColumnMappings, 117–119
 - columns
 - as attributes, 271
 - expression, 147–148
 - commands
 - CommandType, 55
 - creating, 53–54
 - connections
 - connection factories, 43–45
 - connection pooling, 38–39
 - events, 40–42
 - life cycle of, 23
 - simple example of, 22
 - CurrencyManager class, 305

 - Data binding
 - complex binding, 298, 299
 - DataGrid binding, 300, 301
 - to DataReader, 310
 - master detail, 302, 303
 - simple, 297
 - DataAdapters, multiple, 219–220
 - DataColumn.MappingType, 269–270
 - DataColumns, 193–194
 - DataReader
 - columns, retrieving, 87
 - SqlDataReader, 85
 - System.Convert class, 88
 - typesafe access, 88
 - DataRows
 - batch changes to, 196
 - indexers, 192
 - values, reading, 191–192
 - DataSet schema
 - creating, 135–137, 166–168
 - as XSD document, 283–285
 - DataSets, 12–13
 - creating from database, 113
 - creating programmatically, 121–122
 - events, 140–141
 - filling with
 - MissingSchemaAction.Error, 125
 - handling deletes with, 252–253
 - handling inserts with, 254
 - inheriting, 127
 - loading with XML document, 119
 - navigating, 202, 204–205
 - reading XML into, 278–279
 - saving as XML, 272–273
 - updating database from, 14–15
 - XML representation of, 264–266
 - DataTables
 - bulk loading into, 197
 - searching, 210–211
 - DataView
 - searching with, 212–213
 - sorting, 206
 - DBConcurrencyException, 237–238
 - DELETE command, 225, 229–230
 - Destructive concurrency, 247–251
 - DiffGrams
 - exchanging changes between datasets
 - using, 280–282
 - generating, 274–275
 - Error handling, 47–48

- ExecuteXmlReader(), 57
- Field class, 92–93
- finally block, 48–49
- INSERT command, 225, 228–229
- nested tables, 267–269
- Null, checking for, 91–92
- OLE DB schema information,
 - retrieving, 46
- optimistic concurrency, implementing, 220–221
- parameters
 - creating, 60
 - queries, calling, 67
- pessimistic concurrency, 243–247
- PrimaryKey property, 128–129
- results, multiple, 95
- rows
 - adding, 189
 - deleting, 190–191
 - IDENTITY field, 257–258
 - inserting, 190
 - RowState, 200–202
- SQL Server
 - access through OLE DB, 16–17
 - access through SqlClient Managed Provider, 17–18
- SQLException handling, 50
- stored procedures
 - calling, without parameter objects, 69
 - calling, without transactions, 71
 - wrapping, 60–66
- TableMappings, 116–117
- transactions
 - rolling back, 74–75
 - updating database using, 255–256
 - using, 71–72
- Typed DataSets, 169
 - capturing events from, 171–172
 - creating an XSD from, 164–165
 - default behavior of, changing, 177
 - simple example of, 154
- UPDATE command, 224–225, 231–232
- XmlDataDocument, 286–288, 291
- XPath expressions, searching datasets with, 288–289
- LoadData() method, 197
- LoadDataRow() method, 197–198
- Loading into DataTables, 196–198
- Local Project Items, Data folder, 155
- Locking records, in DataReader, 94
- MappingType, 270
- Master detail data binding, 302–304
- MAX function, 83
- Merging datasets, 213–215
- Methods
 - AcceptChanges(), 198–200
 - BeginEdit(), 195
 - BeginLoadData(), 196
 - CancelEdit(), 196
 - ChangeDatabase(), 31–33
 - CommandBuilder.RefreshSchema(), 223
 - Commit, 73
 - Convert.ChangeType(), 195
 - CreateNameDataTable(), 178
 - DataAdapter.Fill(), 116–117, 119
 - DataAdapter.FillSchema(), 125
 - DataAdapter.RowUpdating(), 223
 - DataAdapter.Update(), 14, 219, 221, 222, 224, 243
 - DataBind(), 307
 - DataGrid.SetDataBinding(), 300
 - DataRelationCollection.Add(), 131
 - DataRowCollection.Add(), 189
 - DataRowCollection.InsertAt(), 190
 - DataRowCollection.RemoveAt(), 190
 - DataRow.Delete(), 190
 - DataRow.HasVersion(), 200
 - DataRow.IsNull(), 94
 - DataSet.AcceptChanges(), 282
 - DataSet.Merge(), 213–215, 280
 - DataSet.ReadXml(), 276, 282
 - DataSet.WriteXML(), 273, 279
 - DataTable.AcceptChanges(), 198
 - DataTable.DefaultView(), 205
 - DataTable.NewRow(), 189
 - DataTable.NewRowFromBuilder(), 181
 - DataTable.Select(), 210
 - DataRow.Find(), 212–213
 - DataRow.FindRows(), 212–213
 - DataRow.RowFilter(), 206
 - EndEdit(), 195
 - EndLoadData(), 196
 - ExecuteNonQuery(), 55, 78
 - ExecuteReader(), 56, 89–90
 - ExecuteScalar(), 56
 - ExecuteXmlReader(), 56
 - Fill(), 113
 - FillSchema(), 125
 - GetChanges(), 282
 - GetChildRows(), 205

- Methods (*continued*)
 - GetName(), 89
 - GetOrdinal(), 89
 - GetParentRows(), 205
 - GetRowType(), 181
 - GetSchemaTable(), 96
 - IDataInitialize::GetDataSource(), 36
 - IDbCommand.ExecuteNonQuery(), 10
 - IDbCommand.ExecuteReader(), 86, 94
 - IDbCommand.ExecuteScalar(), 10
 - IsDBNull(), 91, 93
 - LoadData(), 197
 - LoadDataRow(), 197–198
 - MoveNext(), 11
 - NameDataTable(), 177
 - NewRowFromBuilder(), 181
 - NextResult(), 95
 - OleDbConnection.
 - GetOleDbSchemaTable(), 45
 - OleDbConnection.ReleaseObjectPool(), 34
 - Read(), 86, 95
 - ReadXml(), 120, 278
 - Register, 172
 - RejectChanges(), 198–199
 - ReleaseObjectPool(), 34
 - Rollback, 73
 - Save, 74
 - TableMappings.Add(), 119
 - ToString(), 101
 - ToStringArray(), 103
 - WriteXml(), 276, 282
 - WriteXmlSchema(), 282, 283
- Microsoft Developer Network (MSDN), 26–27
- Microsoft Message Queue (MSMQ), 322
- Migration strategies to ADO.NET
 - ADO applications, rearchitecting, 331
 - command objects, migrating, 342–343
 - connections, migrating, 340–342
 - database manipulation code, 335–338
 - database reporting code, 332–335
 - recordsets, migrating, 343–345
- MissingSchemaAction property, 124–125
- MissingSchemaAction.Add property, 215
- ModifiedCurrent value, 209
- ModifiedOriginal value, 209
- MoveNext() method, 11
- MSDN (Microsoft Developer Network), 26–27
- MSMQ (Microsoft Message Queue), 322
- /n command line option, 165
- NameDataTable() method, 177
- Namespaces
 - overview, 10
 - relationships among, 11
 - System.Data, 10–11, 18, 110
 - System.Data.Common, 18, 111
 - System.Data.Odbc, 19, 111
 - System.Data.OleDb, 19, 111
 - System.Data.OracleClient, 19, 111
 - System.Data.SqlClient, 19, 111
- Nested tables, 267–269
- NewRowFromBuilder() method, 181
- NextResult() method, 95
- None value, 134, 209
- Null
 - IsDBNull() method, 91, 93
 - overview, 90
 - verbose checking for, 91–92
- _null value, 166
- nullValue attribute, 166
- NumericPrecision value, 98
- NumericScale value, 98
- NVarChar string type, 59
- /o command line option, 166
- Object oriented programming (OOP), 315
- ODBC Managed Provider
 - connection pooling and, 36–39
 - connection strings and, 28–29
- ODBC (Open Database Connectivity), 3
- OdbcCommandBuilder, 223
- OdbcDataReader class, 85
- OdbcTransaction object, 71
- OLE DB Managed Provider
 - connection pooling, 34–36
 - connection strings, 26–27
 - overview, 15–16
 - schema information retrieving, 45–46
 - SQL Server access through, 16–17
- OLE DB (OLE for Databases), 4
- OleDbCommand class, 10
- OleDbCommandBuilder, 15, 223
- OleDbConnection class, 34
- OleDbConnection.GetOleDbSchemaTable()
 - method, 45
- OleDbConnection.ReleaseObjectPool()
 - method, 34
- OleDbDataReader class, 85
- OleDbSchemaGuid class, 46

- OLEDB_SERVICES Registry key, 35
- OleDbTransaction object, 71
- OOP (object oriented programming), 315
- Open Database Connectivity. *See* ODBC
- Operators, comparison operators, 208
- Optimistic concurrency
 - defined, 218
 - implementing, 220–222
 - row identification in, 222
- Oracle Managed Provider
 - connection pooling, 36
 - connection strings and, 28
- OracleCommandBuilder, 223
- ORDER BY clause, 84–85, 100
- OriginalRows value, 209
- Output direction type, 59

- ParameterName, 59
- Parameters
 - creating, 60
 - direction, 59
 - name of, 59
 - objects, alternatives to, 68–69
 - overview, 57
 - precision, 60
 - queries, 67
 - scale, 60
 - size, 59
 - types, 59
 - value of, 60
- Parameters class, 18
- Parent relations, 208
- Passwords, ODBC connection
 - strings and, 29
- Percent sign (%), 208
- Performance. *See* Scalability and performance
- Pessimistic concurrency
 - defined, 218
 - implementing, 243–247
- Position property, 305
- Precision, of parameters, 60
- PrimaryKey, 15
- PrimaryKey property, 128, 130
- Prothman, Carl, 25

- Queries
 - batch queries, 76–79
 - calling, without using parameters, 68–69
 - parameterized, 67
- Read() method, 86, 95
- ReadCommitted isolation level, 74
- ReadSchema value, 280
- ReadUncommitted isolation level, 74
- ReadXml() method, 120, 278
- Recordset, 11
- Register method, 172
- Registry key, OLEDB_SERVICES, 35
- RejectChanges() method, 198–200
- relational databases, 131–133
- ReleaseObjectPool() method, 34
- RepeatableRead isolation level, 74
- Replacement value, 166
- Resource pooling, 34
- Result sets
 - defined, 57, 94
 - multiple, 95
 - NextResult() method, 95
- ReturnValue direction type, 59
- Rollback method, 73
- RowChanged event, 139–140, 171
- RowChanging event, 139–140, 171
- RowDeleted event, 139
- RowDeleting event, 139
- RowError property, 239
- RowFilter property, 206, 212
- Rows. *See also* DataRows
 - adding, 189
 - batch changes to, 195–196
 - deleting, 190–191
 - IDENTITY field, 257–258
 - lifecycle of, 199
 - optimistic concurrency, row identification in, 222
 - versions, 198–200
- Rows() property, 187
- RowSet, 11
- RowState, 200–202, 209
- RowUpdating event, 223
- Save method, 74
- Saving dataset data as XML, 271–273
- Scalability and performance
 - best practices, 325–329
 - coupling components in systems, 315–316
 - data caching on Web servers, 319–320
 - Duplication, 321–322
 - overview, 313–314
 - scalable systems, designing, 314–315
 - Segmentation, 321–322
 - synchronization, 322

- Scale, of parameters, 60
- Schema, OLE DB, 45–46
- Schema rowsets, 45
- SchemaOnly value, 90
- Searching
 - DataTables, 210–211
 - DataGridView, 212–213
- Security. *See* Integrated security
- Segmentation, 321–322
- SELECT statement, 82
 - FROM clause, 83
 - JOIN clause, 83–84
 - ORDER BY clause, 84–85
 - WHERE clause, 83
- SelectCommand property, 112, 124
- SelectedValue value, 299
- SelectSingleNode property, 291
- Sells, Chris, 185
- SequentialAccess value, 90
- Serializable isolation level, 74
- Server caching, 311
- Server Explorer, 158
- Servers
 - ODBC connection strings and, 29
 - OLE DB connection strings and, 27
 - Oracle Provider connection strings and, 28
 - SQL server connection strings and, 26
- SetDefault value, 134
- setNull value, 134
- SimpleContent mapping, 270
- SingleResult value, 90
- SingleRow value, 90
- Size, of parameters, 59
- Sort property, 206
- SourceColumn value, 227
- SourceVersion value, 227
- sp_stored_procedure, 59
- SQL for Smarties: Advanced SQL Programming*, 82
- SQL Server, access
 - through OLE DB, 16–17
 - through SQL Server Managed Provider, 17–19
- SQL Server Managed Provider
 - connection pooling, 33–34
 - connection strings, 26
 - overview, 15–16
 - SQL Server access through, 17–19
- SQL (Structured Query Language), 82
- SqlCommand class, 10
- SqlCommandBuilder, 223
- SqlConnection.ConnectionTimeout property, 25
- SqlDataAdapter class, 113
- SqlDataReader class, 85
- SQLException handling, 50
- SqlTransaction object, 71
- Stamp field, 232
- StateChange event, 40, 43
- Stored procedures
 - calling
 - without parameter objects, 69
 - without transactions, 71
 - defined, 54
 - wrapping, 60–66
- Structure Query Language. *See* SQL
- Synchronization, 322
- System.Convert class, 88
- System.Data namespace, 10–11, 18, 110
- System.Data.Common namespace, 18
- System.Data.Odbc namespace, 19, 111
- System.Data.OleDb namespace, 19, 111
- System.Data.OracleClient namespace, 19, 111
- System.Data.SqlClient namespace, 18, 111
- System.Object instance, 193
- System.Object.Empty instance, 198
- TableDirect command, 54
- TableMappings property, 115–117
- TableMappings.Add() method, 119
- Tables
 - adding to Typed DataSets, 158
 - nested, 267–269
- TDS (Tabular Data Stream), 18
- Text command, 54
- Text property, 296
- TextBox, 294, 307
- _throw value, 166
- Timestamp field, 229
- ToString() method, 101
- ToStringArray() method, 103
- Transactional COM+ Programming*, 76
- Transactions
 - BeginTransaction connection, 73
 - calling stored procedures without, 71
 - isolation levels, 73–74
 - OdbcTransaction objects, 71
 - OleDbTransaction object, 71

- overview, 69–70
 - rolling back, 74–76
 - SavePoints, 74–76
 - SqlTransaction object, 71
 - updating databases using, 254–257
- try-catch-finally construct, 47–48
- Typed DataSets. *See also* DataSets
 - adding tables to, 158
 - best practices, 326
 - creating
 - using Visual Studio .NET, 155–163
 - using XSD.exe, 164–166
 - default behavior of, changing, 177
 - defined, 151
 - deriving from, 173–185
 - generated code, customizing with
 - annotations, 166–168
 - inheriting from, 174
 - simple example of, 154
 - structure of, 152
 - using as business object layer
 - create table method, 175–176
 - CreateNameDataTable, 178
 - notification registration, 171–172
 - overview, 170–171
- typedChildren attribute, 166
- typedName attribute, 166
- typedParent attribute, 166
- typedPlural attribute, 166

- UI (user interface) element, 308
- Unchanged value, 209
- UniqueConstraint, 133, 138
- Universal data access, history of, 3–7
- UPDATE command, 221, 230–232, 233
- Update() method, 15
- Update rule, 160
- UpdateCommand, 14–15, 112
- UpdateRule, 133
- User ID
 - ODBC connection strings and, 29
 - OLE DB connection strings and, 27
 - SQL server connection strings and, 26
- User interface (UI) element, 308

- ValueMember, 298–299
- VarChar string type, 59

- VB (Visual Basic), 3
- Visual Studio .NET, creating Typed
 - DataSets using, 155–163
- Volatile data, 324
- VT objects, 4

- Web servers, data caching on, 319–320
- WHERE clause, 83
- Wildcard expressions, 208
- Windows Forms, data binding in, 294–296
 - complex binding, 297–299
 - master detail binding, 302–304
 - simple binding, 296–297
- Wrapping stored procedures, 60–66
- WriteSchema, 273–274
- WriteXml() method, 276, 282
- WriteXmlSchema() method, 283

- XML (Extensible Markup Language)
 - creating datasets from, 119–121
 - filling datasets with, 276–280
 - getting dataset data into, 264–269
 - namespace within datasets, 275
 - .NET and, 263
 - saving dataset data as, 271–273
- XML deserialization, 172
- XML Schema Document. *See* XSD
- XML serialization, 172
- XmlDataDocument, 286–291
- XmlDocument, 289
- XmlNamespaceManager, 290
- XmlReadMode.InferSchema, 120
- XmlWriteMode enumeration, 273
- XmlWriteMode.DiffGram, 273–275
- XmlWriteMode.WriteSchema mode,
 - 273–274
- XPath expressions, 288–291
- XSD document, DataSet schema as,
 - 282–286
- .XSD file, defining dataset schema using,
 - 126–127
- XSD (XML Schema Document), creating
 - Typed DataSets using, 164–166
- XSL (Extensible Stylesheet Language), 286
- XSLT, transforming datasets with, 291

