

Index

Numbers

1-DOF Menus, 261–262

2D

- device interaction techniques, 19
- mice as desktop input device, 91–92

2D adaptations, 336–340

- 2D interaction with 3D objects, 339–340
- 2D UI as element of 3D environment, 336–339

adapted 2D menus, 260–261

interface controls for 3D manipulation, 172

overlying 2D UI on a 3D world, 336

overview of, 336

3D mice, 110–114

- handheld, 111–113
- overview of, 110
- user-worn, 113–114

3D sound

- auralization, 64
- binaural cues, 60
- external speaker configurations, 65–66
- generation, 62
- head-related transfer functions, 61

headphone configurations, 64–65

localization cues, 59–60

reverberation cues, 62

sampling, 63–64

sound intensity cues, 62

spectral and dynamic cues, 61

vision and environmental familiarity cues, 62

3D UIs. *See* 3D user interfaces

3D user interfaces (3D UIs)

applications, 8–9, 22–25

AR interfaces, 394–395

defined, 7

design strategies. *See* Design strategies

future of. *See* Future of 3D UIs

history of, 11–13

importance of, 4–6

influences on design of, 15–18

interaction techniques, 19

manipulation. *See* Selection and manipulation

mathematics. *See* Mathematics of 3D UIs

software tools, 21

- 3D user interfaces (3D UIs) (*cont.*)
 - technological background, 16–17
 - terminology, 6–8
 - usability evaluation, 21–22
 - what they are, 3–4
- 3D widgets
 - desktop manipulation, 174–175
 - as graphical menu, 263–265
 - overview of, 19
- 6-DOF devices
 - desktop input, 95–96
 - recommended reading, 134

A

- Absolute amplification, 170
- Abstract information, 414
- Accommodation
 - practical application of 3D displays and, 409
 - in visual perception, 37, 39
- Accommodation-convergence mismatch, 39, 409
- Acoustic shadows, 60
- Acoustic tracking devices, 98–99
- Active input devices, 89
- Active travel techniques, 189
- Adapted 2D menus, 260–261
- Aerial perspective, 36
- Aesthetics, of 3D development, 342–344
- Affordances, manipulation, 148
- Age, as basis of user groups, 327
- Agents, in AR, 403–404
- Aggregation of techniques, 3D manipulation, 163–164
- Alphanumeric symbols, 293
- Ambient sound, 67
- Amplitude panning, 66
- Anaglyphic stereo, 41–42
- Annotation
 - 3D sound applications, 67
 - design, 288
 - Virtual Annotation system, 306
- Aperture, pointing techniques, 153–156
- Application-level factors, system control, 258
- Application-specific manipulation tasks, 143
- Applications
 - 3D sound, 66–67
 - 3D UIs, 22–25
 - killer apps, 417–418
 - list of common, 8–9
 - mapping to devices, tasks, and techniques, 409
- AR (augmented reality)
 - advantages/disadvantages of tangible AR, 402–403
 - agents, 403–404
 - augmented surfaces, 395–397
 - data browsers, 391–394
 - defined, 7
 - design of tangible AR, 398–400
 - interfaces, 394–395
 - overview of, 387–389
 - recommended reading, 406
 - tangible interaction and, 397–398
 - time-multiplexed interaction in tangible AR, 400–402
 - transitional interfaces, 404–405
 - virtual interfaces brought into real world with, 390–391
 - what it is, 389–390
- ARCBALL, 177–179, 219
- Architecture
 - 3D environments used for, 23
 - design, 241
 - recommended reading, 347
- Arm exoskeleton, 73
- Arm-mounted displays, 52–54
 - advantages/disadvantages, 53–54, 79
 - overview of, 52–53
- Art, in 3D environments, 23
- Artificial cues, wayfinding
 - audio and olfactory, 250
 - compasses, 246–247
 - landmarks, 248
 - maps, 242–246

- overview of, 242
 - reference objects, 248
 - signs, 247–248
 - Asymmetric bimanual tasks, 324
 - Asymmetric bimanual techniques, 325–327
 - Audio cues, wayfinding, 236, 250
 - Auditory displays
 - 3D applications, 66–67
 - 3D sound generation, 62
 - 3D sound localization cues, 59–60
 - 3D sound sampling and synthesis, 63–64
 - auralization, 64
 - binaural cues, 60
 - external speakers, 65–66
 - head-related transfer functions, 61
 - headphones, 64–65
 - overview of, 59
 - recommended reading, 84–85
 - reverberation cues, 62
 - sound intensity cues, 62
 - spectral and dynamic cues, 61
 - vision and environmental familiarity cues, 62
 - Augmented reality. *See* AR (augmented reality)
 - Augmented surfaces, 395–397
 - disadvantages, 397
 - examples of, 395–396
 - tangible interaction and, 397
 - Auralization, 3D sound, 64
 - Autostereoscopic displays, 56–59
 - 3D imagery and, 59
 - choosing them, 80
 - holographic displays, 58
 - lenticular displays, 56
 - overview of, 56
 - recommended reading, 84
 - volumetric displays, 57–58
- B**
- Bat tracking device, 111
 - Bicycles, 198
 - Bimanual interaction. *See* Two-handed interaction
 - Binaural cues, 3D sound localization, 60
 - Binocular disparity cues, visual depth, 38
 - Binocular Omni-Orientation Monitor (BOOM), 52
 - Binocular rivalry, 38
 - Bioelectric input devices, 120
 - Body-referenced haptic devices, 73–74, 81
 - Body-referenced menus, 266
 - BOOM (Binocular Omni-Orientation Monitor), 52
 - Brain input devices, 120–121
 - Bulldozer technique, two-joystick navigation, 222
 - Button devices, 128
- C**
- C³ (command and control cube), 264–265
 - Cabling
 - as tether and encumbrance in 3D interfaces, 408
 - user comfort and, 329
 - walking and, 192
 - Camera-based recognition, of gestures, 272
 - Camera-in-hand steering, 203–204
 - Canonical manipulation tasks, 141–143
 - Cartoon rendering, 342–343
 - CAT (Control Action Table), 117–118
 - Cathode ray tube (CRT), 50
 - CAVE, 43
 - CavePainting Table, 116–117
 - Chameleon system, 392
 - Chord keyboard, 91, 296–297
 - Cirrin text input technique, 300–301
 - Classification of techniques. *See also* Taxonomies
 - evaluation, 367–369
 - manipulation, 147–150
 - system control, 259
 - travel, 189–192
 - Clutching, 146, 180, 277
 - Cognition
 - 3D UIs and, 15

- Cognition (*cont.*)
 - cognitive ability as basis of user groups, 328
 - recommended reading, 253–254
 - Cognitive maps, 230
 - Cognitive walkthrough, 355
 - Collaboration
 - 3D environments used for, 23
 - 3D sound applications for, 67
 - 3D UI applications for, 9
 - between multiple users, 414–415
 - Colocated widgets, 263
 - Color, in real-world design, 241
 - Comfort, 3D UI design, 328–330
 - Command and control cube (C³), 264–265
 - Commands, system control, 255–256
 - Communication between users, symbolic input, 289
 - Comparative evaluation, 22, 356
 - Compasses, wayfinding, 246–247
 - Compliance
 - directional, 170–171, 318
 - feedback displacement and, 317
 - nulling, 171, 318
 - real world with virtual world, 277
 - spatial, 318
 - temporal, 318–319
 - Computer-driven Upper Body Environment (CUBE), 43
 - Computers. *See also* HCI (human-computer interaction)
 - connecting home-brewed input devices to, 124–126
 - graphics, 83–84
 - Constraints
 - 3D UI design, 322–323
 - defined, 322
 - disadvantages, 323
 - on DOF, 339
 - manipulation, 149
 - in semiautomated steering, 206
 - types/uses of, 322–323
 - Construction, 3D environments used for, 23
 - Context-aware information displays, 392
 - Context-sensitivity, of widgets, 263
 - Control Action Table (CAT), 117–118
 - Control-body linkage, 257
 - Control-display mappings
 - defined, 27
 - simple virtual hand and, 159–160
 - as software component of interaction techniques, 135
 - Control, manual
 - dimensions, 144–145
 - recommended reading, 181
 - Controls
 - 2D controls for 3D manipulation, 172
 - system. *See* System control
 - Convergence
 - practical application of 3D displays and, 409
 - in visual perception, 37, 39
 - Cooperative manipulation, 324
 - Costs
 - analysis in sequential approach, 380–381
 - analysis in testbed approach, 380–381
 - quantifying benefits of 3D UIs, 416–417
 - Cross-task techniques, 211, 214, 225, 412, 413
 - Crosstalk, 65
 - CRT (cathode ray tube), 50
 - CUBE (Computer-driven Upper Body Environment), 43
 - Cubic Mouse, 111–112, 277
 - Curvature, of travel paths, 187
 - Cybersickness
 - feedback and, 317
 - FOV (field of view) and, 235
 - short sessions as solution for, 330
 - surround-screens and, 45
 - usability evaluation and, 22, 359, 364
 - Cycles, physical locomotion, 198–199
- D**
- Dasher text input technique, 300–301
 - Data browsers, 391–394
 - Data gloves
 - bend-sensing, 106–108

- combining bend-sensing and pinch input data, 109–110
 - overview of, 106
 - Pinch Gloves, 108–109
 - recommended reading, 134
- Decision-making, wayfinding, 230
- Degrees of freedom. *See* DOF (degrees of freedom)
- Demonstrations, as evaluation method, 357
- Depth cues, visual, 34–40
 - binocular disparity and stereopsis, 38
 - monocular, static, 34–36
 - motion parallax, 37–38
 - oculomotor, 37
 - recommended reading, 84
 - relevance, 38–40
- Design
 - annotation of, 288
 - architecture, 241
 - gestural commands, 272–273
 - graphical menus, 265
 - influences of 3D UIs on, 15–18
 - real-world principles for, 241–242
 - system control tools, 276–277
 - tangible AR, 398–400
 - UIs (user interfaces), 3
 - voice commands, 268–269
- Design guidelines
 - evaluation, 382–384
 - evaluation leads to creation of, 350
 - input devices, 126–133
 - landmarks, 249
 - maps, 243–245
 - output devices, 77–83
 - rotation interaction techniques, 169
 - selection and manipulation techniques, 179–181
 - symbolic input, 306–310
 - system controls, 280–282
 - travel, 222–226
 - wayfinding, 251–253
- Design strategies, 3D UIs, 313–347
 - 2D UI adaptations, 336–340
 - application design, 8
 - approaches, 19–20
 - constraints, 322–323
 - designing for humans, 314
 - development process, 345–347
 - feedback compliance, 317–319
 - feedback dimensions, 316–317
 - feedback overview, 315–316
 - feedback substitution, 319–320
 - future developments, 412–415
 - human factors, 315
 - invention, 314–315, 331
 - magic and aesthetics, 340–344
 - overview of, 19–20, 313–314
 - passive haptic feedback, 320–322
 - real-world metaphors, 333–335
 - reality simulation, 331–333
 - recommended reading, 347
 - two-handed control, 323–327
 - user comfort, 328–330
 - user groups, 327–328
- Designing for humans. *See* Human-based design
- Desktop camera control techniques, 220–222
- Desktop devices, 90–96
 - 2D mice and trackballs, 91–92
 - 6-DOF devices, 95–96
 - joysticks, 93–95
 - keyboards, 91
 - overview of, 90–91
 - pen-based tablets, 92–93
- Desktop manipulation techniques
 - 3D widgets, 174–175
 - ARCBALL technique, 177–179
 - overview of, 171–174
 - Virtual Sphere techniques, 175–177
- Development
 - aesthetics, 342–344
 - environment for 3D UIs, 413
 - future of 3D UIs, 412–415
 - iterative, 311, 350
 - process for 3D UIs, 345–347
 - tools for 3D applications, 21

- Device-independence, 413–414
- Device-referenced menus, 266
- Devices
 - communication with, 28
 - desktop. *See* Desktop devices
 - eye tracking, 105–106
 - input. *See* Input devices
 - locomotion, 197–199, 226
 - output. *See* Output devices
 - physical-force-based, 220
 - placement, 145–146
 - tracking. *See* Tracking devices
 - usability evaluation of, 21
- Digital ink, 302, 309
- Digital voice, 306
- Dimensions, of feedback, 316–317
- Direct human input devices, 118–121
 - bioelectric input, 120
 - brain input, 120–121
 - overview of, 118–119
 - speech input, 119–120
- Direction/target selection, travel, 190
- Directional compliance, 170–171, 318
- Direct manipulation, 158–162
- Display devices. *See also* Output devices
 - 3D, 17–18
 - AR systems, 390
 - overview of, 29
- Display geometry (screen shape), 33
- Distance, as characteristic of travel, 187
- Districts, legibility techniques, 240
- DOF (degrees of freedom)
 - 6-DOF devices, 95–96
 - constraints used to reduce, 323, 339
 - control dimensions and, 144–145
 - defined, 6
 - Go-Go technique and, 162
 - input devices, 88
 - terrain following and, 188
- Dynamic alignment tools, 323
- Dynamic perceptual cues
 - sound localization, 61
 - visual, 38
- E**
 - Edges, legibility techniques, 240
 - Education, 3D environments used for, 23
 - Egocentric reference frames, wayfinding, 232–234
 - Egomotion, 232
 - Entertainment, 3D environments used for, 23
 - Environment design, wayfinding
 - legibility techniques, 239–241
 - overview of, 239
 - real-world design principles, 241–242
 - Environmental familiarity cues, 3D sound
 - localization, 62
 - Ergonomics
 - haptic displays, 71
 - input device, 127
 - visual displays, 33–34
 - Evaluation. *See* Usability evaluation
 - Evaluators, 351, 362–363. *See also* Usability evaluation
 - Exocentric reference frames, wayfinding, 232–234
 - Exploration tasks
 - travel, 185
 - wayfinding, 231
 - Extensible 3D (X3D) standard, 24
 - External speakers, 65–66, 80
 - Eye tracking
 - devices, 105–106
 - recommended reading, 134
- F**
 - Fatigue issues, 330
 - Feedback
 - dimensions, 316–317
 - overview, 315–316
 - passive haptic, 320–322
 - Pinch Keyboard and, 297
 - recommended reading, 347
 - system control and, 285
 - Feedback compliance, 317–319

- Feedback displacement, 317
 - Feedback substitution, 67, 316, 319–320
 - Field of regard (FOR), 31–32, 44
 - Field of view. *See* FOV (field of view)
 - Filenames, symbolic input, 289
 - FingerSleeve, 113–114
 - Fishtank virtual reality, 42
 - Fitts's Law, 132, 134, 350, 368
 - Fixed object manipulation, travel, 215–216
 - Flashlight, pointing techniques, 153–154
 - Flex and Pinch input system, 109–110
 - Fly Mouse, 99, 111
 - Flying carpet technique, 342
 - FOR (field of regard), 31–32, 44
 - Force control, 145
 - Force-feedback steering wheels, 72
 - Force-reflecting joysticks, 72, 220
 - Form-factors, 145–146
 - Formative evaluation, 22, 355–356
 - FOV (field of view)
 - surround-screens and, 44
 - visual displays and, 31–32
 - wayfinding support, 235
 - Future of 3D UIs, 407–427
 - design and development issues, 412–415
 - interaction techniques, 410–412
 - killer apps, 417–418
 - quantifying benefits of, 416–417
 - standards, 417
 - technology issues, 407–409
 - usability evaluation issues, 415–416
- G**
- GAITER system, 195
 - GaitMaster, 197
 - Gaze-directed steering, 200–201
 - Gaze direction, 106
 - Geometrical coherence, 322
 - Gestural commands
 - design and implementation, 272–273
 - input with, 272
 - overview of, 270
 - techniques, 271–272
 - Gestures and datagloves, 106–107
 - Gesture-based symbolic input, 303–304
 - Global landmarks, 249
 - Global positioning systems. *See* GPS (global positioning systems)
 - Glove-based recognition, gestures, 272
 - GloveTalk systems, 303
 - Go-Go technique, 160–162
 - GPS (global positioning systems)
 - AR systems and, 392
 - hybrid trackers and, 105
 - tracking and, 194–195
 - Grabbing the air, travel, 214–215
 - Graffiti, 300
 - Graphical menus
 - 1-DOF menus, 261–262
 - 3D widgets, 263–265
 - adapted 2D menus, 260–261
 - overview of, 260
 - placement, 265–266
 - practical applications of, 267–268
 - representation and structure of, 266–267
 - selection of, 266
 - TULIP menus, 262–263
 - Graphical user interfaces (GUIs), 11–12
 - Graphics
 - 3D UIs drive research in, 24
 - 3D interactive, 16
 - standards, 24
 - Grasp, 145–146, 181
 - Ground-referenced haptic devices, 72–73, 81
 - Guiard's principles, two-handed interaction, 324–325
 - Guided navigation technique, 206–207
 - Guidelines. *See* Design guidelines
 - Guidelines-based expert evaluation, 355
 - GUIs (graphical user interfaces), 11–12

H

- Hand-centered object manipulation extending
 - ray casting (HOMER), 164–165
- Hand-force-feedback displays, 73–74
- Handheld 3D mice, 111–113
- Handheld widgets, 262
- Hands-free 3D interface, 410
- Haptic cues
 - human motor subsystem, 69–70
 - kinesthetic, 69
 - overview of, 68
 - tactile, 68–69
- Haptic displays, 68–77
 - 3D applications, 77
 - body-referenced, 73–74
 - combination devices, 75
 - ergonomics, 71
 - ground-referenced, 72–73
 - guidelines for choosing, 81
 - haptic cues, 68
 - haptic presentation capability, 70
 - human motor subsystem and, 69–70
 - kinesthetic cues, 69
 - overview of, 68
 - passive devices, 75–76
 - recommended reading, 85
 - resolution, 71
 - tactile cues, 68–69
 - tactile devices, 74–75
 - types of, 71–72
- Haptic perception, 69
- Haptic presentation capability, 70
- Haptic rendering software, 68
- Hardware. *See* Output devices, Input devices
- HARK, 268
- HCI (human-computer interaction)
 - 3D interaction and, 5
 - applying to VR systems, 13
 - defined, 6
 - impact of 3D UIs on, 25
 - principles, 15–16
- Head-crusher variation, image-plane techniques, 157–158
- Head-mounted displays. *See* HMDs (head-mounted displays)
- Head-mounted projective display (HMPD), 50
- Head-referenced menus, 266
- Head-related transfer functions (HRTFs), 61, 63–64
- Head tracking, viewpoint orientation, 217–218
- Headphones, 64–65, 80
- Health, sanitation issues with public systems, 330
- Help, 3D sound applications, 67
- Hemispherical displays, 47–49, 79
- Heritage sites, 3D applications for, 9
- Heuristic evaluation
 - of 3D UIs, 415
 - as evaluation method, 355
 - selecting heuristics for, 365
- HiBall tracking system, 193–194
- HMDs (head-mounted displays), 49–52
 - advantages of, 50–51
 - AR displays and, 390
 - arm-mounted compared with, 53
 - disadvantages, 51–52
 - guidelines for choosing, 79
 - keyboards and, 91
 - overview of, 49
 - recommended reading, 84
 - types of, 50
- HMPD (head-mounted projective display), 50
- Holographic displays, 58
- Homemade input devices
 - connecting to computers, 124–126
 - strategies for building, 122–124
- HOMER (hand-centered object manipulation extending ray casting), 164–165
- Homogeneous coordinates, 427
- HRTFs (head-related transfer functions), 61, 63–64
- Human-based design
 - constraints, 322–323
 - feedback compliance, 317–319
 - feedback dimensions, 316–317

- feedback generally, 315–316
 - feedback substitution, 319–320
 - overview of, 314–315
 - passive haptic feedback, 320–322
 - two-handed interaction, 323–327
 - user groups, 327–330
 - Human-computer interaction. *See* HCI
 - (human-computer interaction)
 - Human factors
 - 3D UI design, 314, 315
 - system control, 257, 285
 - Human motor subsystem, 69–70
 - Hybrid haptic devices, 75, 81
 - Hybrid tracking devices, 103–105
- I**
- IHL (inside-the-head localization), 65, 66
 - IID (interaural intensity difference), 60–61
 - The Image of the City* (Lynch), 239
 - Image-plane, pointing techniques, 156–158
 - Immersion
 - importance of, 4
 - quantifying the benefits of, 416–417
 - sensory, 408
 - with HMDs, 50
 - Inertial tracking devices, 100–101
 - Information-rich virtual environment (IRVE), 414
 - Input conditions, travel, 190
 - Input devices, 87–133
 - 3D, 17
 - 3D mice, 110–114
 - communication with, 28
 - defined, 6
 - desktop. *See* Desktop devices
 - direct human input, 118–121
 - evaluating, 132
 - guidelines for choosing, 126–128
 - home-made, 122–126
 - modalities for virtual and physical objects, 395
 - overview of, 87–90
 - recommended reading, 133–134
 - selection and manipulation, 143–144
 - special-purpose, 114–118
 - system control and, 257–258
 - taxonomies, 128–132
 - tracking. *See* Tracking devices
 - user comfort and, 329
 - Inside-out approach, wide-area tracking, 193
 - Inside-the-head localization (IHL), 65, 66
 - Instantaneous gestures, gesture-based
 - symbolic input, 303–304
 - Instrumental feedback, 317
 - Integrated camera controls, 220–222
 - Integration, of control, 144–145
 - Intelligent constraints, 323
 - Interaction aids, 20
 - Interaction seams, 395
 - Interaction Slippers, 115–116
 - Interaction style, 256
 - Interaction techniques
 - 3D interaction, 7, 19
 - defined, 6–7
 - feedback and, 316
 - future of 3D UIs and, 410–412
 - HCI and 3D interaction, 5
 - integration for multiple tasks, 411–412
 - list of, 19–20
 - mapping to applications, tasks, and devices, 409
 - modeling and, 137
 - navigation (travel). *See* Travel
 - navigation (wayfinding). *See* Wayfinding
 - optimizing for specific domains, 412
 - overview of, 135–137
 - seamless 3D UIs, 413
 - selection and manipulation. *See* Selection and manipulation
 - symbolic input. *See* Symbolic input
 - system control. *See* System control
 - usability evaluation, 22
 - Interaural intensity difference (IID), 60–61
 - Interaural time difference (ITD), 60–61

Interviews, as evaluation method, 357

Inventing 3D UIs

- 2D UI adaptations, 336–340
- magic and aesthetics, 340–344
- overview of, 314–315, 331
- real-world metaphors, 333–335
- simulating reality, 331–333

IRVE (information-rich virtual environment), 414

Isometric joystick, 94–95

Isomorphism

- in 3D design, 331
- 3D manipulation and, 147–148
- simple virtual hand and, 160

Isotonic joystick, 94

ITD (interaural time difference), 60–61

Iterative development, 311, 350

J

Joysticks

- as desktop input device, 93–95
- force-reflecting, 72
- isometric, 94–95
- two-joystick navigation, 222
- velocity control, 220

K

Keyboards, 294–299

- chord keyboard, 296–297
- comparing techniques, 307–308
- as desktop input device, 91
- low key-count keyboards, 295
- miniature keyboards, 294–295
- overview of, 294
- Pinch Keyboard, 297–298
- QWERTY layout, 290–291
- soft keyboards, 298–299

Kinesthetic system

- cues, 69
- haptic perception and, 69

L

Labels, symbolic input, 289

Landmark knowledge, as spatial knowledge, 232

Landmarks

- artificial landmarks as wayfinding aid, 248
- design guidelines, 249
- global and local, 249
- legibility techniques, 240

Latency, temporal incomppliance, 318–319

Law of steering, 134

Layout sketches, 251

LCD (liquid crystal displays)

- HMDs use of, 50
- refresh rates, 40

Leaning curves, keyboards, 306

Legibility techniques, 239–241

Lego Interface Toolkit, 124

Lenticular displays, 56

Light-scanning displays. *See* VRDs (virtual retinal displays)

Light transfer, visual displays, 33

Lighting, in visual depth perception, 36

Linear perspective, visual depth perception, 35–36

Liquid crystal displays (LCD)

- HMDs use of, 50
- refresh rates, 40

Local landmarks, 249

Localization, sound

- 3D applications facilitating, 67
- binaural cues, 60
- defined, 59
- head-related transfer functions, 61
- reverberation cues, 62
- sound intensity cues, 62
- spectral cues, 61
- vision and environmental familiarity cues, 62

Locator devices, 128

Locomotion devices. *See also* Physical locomotion

cycles, 198–199
 GaitMaster, 197
 omni-directional treadmill, 196–197
 recommended reading, 226
 Uniport, 198–199
 walking-in place, 197–198
 Low key-count keyboards, 295

M

Magic (nonisomorphism)
 in 3D design, 331
 interaction techniques, 340–342
 Magnetic tracking devices, 97–98
 Maneuvering tasks
 travel, 186–187
 wayfinding, 231
 Manipulation. *See* Selection and manipulation
 Manual manipulation travel techniques,
 214–216
 fixed object manipulation, 215–216
 grabbing the air, 214–215
 Maps, 242–246
 examples, 246
 legibility of, 244
 mental notations and, 244
 orientation of, 243–244
 overview of, 242
 scale of, 243
 size of, 245
 target specification, 211–213
 you-are-here (YAH), 243
 Markup, symbolic input, 290, 294
 Mathematics of 3D UIs, 419–427
 matrices, 422–423
 points, 421–422
 quaternions, 424–426
 recommended reading, 426–427
 scalars, 420
 vectors, 420–421
 Matrices, 422–423, 426–427

MAUVE (Multi-Attribute Usability evaluation tool for Virtual Environments),
 366
 Mechanical tracking devices, 98
 Medicine, 3D environments used for, 23
 MEMS (microelectronic mechanical systems),
 100
 MetaDesk system, 395
 Metaphors
 classification of manipulation techniques
 by, 148
 classification of travel techniques by,
 191–192
 real-world metaphors as basis of 3D UI
 design, 333–335
 Metrics
 system performance, 357
 task performance, 358
 testbed approach, 372
 user preference, 358–360
 Metropolis keyboard, 299
 Mice
 2D, 91–92
 3D. *See* 3D mice
 Microelectronic mechanical systems
 (MEMS), 100
 Microphones, 119
 MIDI (Musical Digital Instrument Device
 Interface), 125–126
 Migration, between platforms, 413–414
 Mimic gestures, 272
 Miniature keyboards, 294–295
 Modeling tools, 21
 Monitoring input devices, 89
 Monitors, 40–42
 guidelines for choosing, 78
 overview of, 40–41
 stereo glasses used in conjunction with,
 41–42
 Monocular (static) cues, visual depth,
 34–36, 39
 Motion cues, wayfinding support, 235–236

- Motion parallax cues, visual depth, 37–38
 - Motion trackers, 96–105
 - acoustic tracking, 98–99
 - hybrid tracking, 103–105
 - inertial tracking, 100–101
 - magnetic tracking, 97–98
 - mechanical tracking, 98
 - optical tracking, 101–103
 - overview of, 96–97
 - recommended reading, 133
 - Motor abilities, as basis of user groups, 328
 - MR (mixed reality). *See also* AR (augmented reality)
 - application evaluation, 415–416
 - defined, 7–8
 - relationship of AR and VEs in, 388
 - seamless interaction with real and virtual world, 411
 - Multi-Attribute Usability evaluation tool for Virtual Environments (MAUVE), 366
 - Multimethod evaluation approaches
 - comparing, 378–382
 - overview of, 369
 - sequential approach, 375–378
 - testbed approach, 370–374
 - Multimodal interaction, 20
 - advantages of, 278–279
 - combining techniques for, 280
 - put-that-there technique, 279
 - Multisensory output, wayfinding, 236–237
 - Musical Digital Instrument Device Interface (MIDI), 125–126
- N**
- Naive search tasks, travel, 186
 - Naturalism
 - in 3D design, 331
 - in real-world design, 241
 - NaviCam system, 392
 - Navigation (travel). *See* Travel
 - Navigation (wayfinding). *See* Wayfinding
 - Nodes, legibility techniques, 240
 - Nonisomorphic interaction
 - 3D manipulation and, 148
 - object rotation and, 168
 - viewpoint rotation and, 218–219
 - Nonisomorphism (magic)
 - in 3D UI design, 331
 - interaction techniques, 340–342
 - Nulling compliance, 171, 318
 - Numeric input
 - gesture-based symbolic input, 303
 - symbolic input, 310
- O**
- Object manipulation. *See also* Selection and manipulation
 - bimanual interaction and, 326
 - symbolic input and, 289
 - Occlusion
 - map size and, 245
 - in vision-based trackers, 103
 - in visual depth perception, 35
 - Oculomotor cues, visual depth, 37, 39
 - ODT (omnidirectional treadmill), 196
 - Olfactory cues, wayfinding, 250
 - Omnidirectional treadmill (ODT), 196
 - Operational feedback, 317
 - Optical see-through displays, 390
 - Optical tracking devices, 101–103, 134
 - Orbital viewing, travel viewpoint orientation, 218
 - Orientation. *See also* Viewpoint orientation, travel
 - of maps, 243–244
 - spatial orientation, 230
 - Osiose, 343–344
 - Output devices, 29–86
 - AR systems, 390
 - auditory displays. *See* Auditory displays
 - communication with, 28
 - defined, 6
 - guidelines for choosing, 77–83
 - haptic displays. *See* Haptic displays

- overview of, 29–30
- recommended reading, 84–86
- user comfort and, 329
- visual display. *See* Visual displays
- Outside-in approach, wide-area tracking, 193

- P**
- Parameters, symbolic input, 289
- Passive haptic devices, 75–76, 81
- Passive haptic feedback. *See* Props (passive haptic feedback)
- Passive input devices, 89
- Passive travel techniques, 189
- Path analysis, 251
- Paths, legibility techniques, 240
- Paths, travel
 - curvature of, 187
 - drawing a path in route planning, 207–208
 - marking points along a path in route planning, 208–209
- PDAs (personal digital assistants), 92
- Pen-and-tablet technique, 258, 276, 337–339, 411
- Pen-based symbolic input, 300–302
 - overview of, 300
 - pen-stroke gesture recognition, 300–302
 - unrecognized pen input (Digital Ink), 302
- Pen-based tablets
 - as desktop input device, 92–93
- Pen-stroke gesture recognition, 300–302
- Perception
 - 3D UIs and, 15
 - auditory, 59–62
 - haptic, 68–70
 - perceptual ability as basis of user groups, 328
 - recommended reading, 84, 253–254
 - visual, 34–40
- Perceptual information, 414
- Performance metrics. *See* Metrics
- Performance models
 - evaluation based on, 365
 - evaluation leads to, 350
- Personal digital assistants (PDAs), 92
- Phicons (physical icons), 395, 397
- Physical characteristics, as basis of user groups, 328
- Physical environment, evaluation issues, 360–362
- Physical-force-based devices, 220
- Physical icons (phicons), 395, 397
- Physical locomotion, 192–199
 - cycles, 198–199
 - simulated walking, 196–198
 - walking, 192–195
 - walking in place, 195
- Physical props. *See* Props (passive haptic feedback)
- Physical reality constraints, 322
- Physical travel techniques
 - classification of travel techniques, 189
- Pick devices, 128
- Pinch Gloves, 108–109, 297–298, 304
- Pinch Keyboard, 297–298, 304
- Placement
 - of graphical menus, 265–266
 - of system control, 284
- Platforms, interoperability between, 413–414
- Pointing-based steering, 201–202
- Pointing techniques, 150–158
 - aperture, 153–156
 - flashlight, 153–154
 - image-plane, 156–158
 - overview of, 150–151
 - ray-casting, 151–153
 - two-handed pointing, 153
- Points, mathematics, 421–422
- Polarization multiplexing, 41
- Polyshop, 271, 327
- Position control vs. force control, 145
- Positioning, as manipulation task, 142

Postures, 106–108, 270. *See also* Gestural commands

Precision grasp, 145–146

Presence

- evaluators interrupting, 362
- importance of, 4
- metrics for, 359
- recommended reading, 254
- usability evaluation and, 22
- user-centered wayfinding support, 237
- wayfinding and, 229

Primed search tasks, travel, 186

Procedural (or route) knowledge, 232

Props (passive haptic feedback), 320–322

- as design technique, 321
- disadvantages, 321–322
- manipulation performance and, 146
- overview of, 320
- physical props compared with virtual tools, 274
- steering techniques, 204
- transparent props for 2D interaction in VE, 339–340

Prototypes

- 3D UI applications, 8
- design and development, 311
- evaluation, 354

ProVIT case study, 282–285

Psychiatry

- 3D environments for, 23
- applications for, 8

Psychology, 25

Public systems, 330

Push-to-talk schemes, 119

Q

Quaternions, 168–169, 177–179, 424–426, 427

Questionnaires, as evaluation method, 356

QWERTY layout

- physical keyboards, 290–291
- virtual keyboard, 299

R

Radio frequency identification (RFID), 275

Ray-casting

- pointing technique, 151–153
- ZoomBack technique, 213

Reactive feedback, 317

Real world

- AR brings virtual interfaces into, 390–391
- compliance, 277
- design principles, 241–242
- metaphors for 3D design, 333–335
- recommended reading, 347
- relevance of 3D interaction, 4–5
- seamless interaction with virtual world, 411

Recommended reading

- 3D UI design, 347
- AR (augmented reality), 406
- evaluation, 384
- input devices, 133–134
- mathematics of 3D UIs, 426–427
- output devices, 84–86
- selection and manipulation, 181–182
- symbolic input, 310
- system control, 285
- travel, 226
- wayfinding, 253–254

Reference objects, wayfinding, 248

Refresh rate

- monitors, 40
- visual displays, 33

Registration, AR systems, 390

Representation, system control, 266–267

Requirements gathering, for design and development, 311

Resolution

- haptic displays, 71
- spatial resolution of visual display, 32

Responsive Workbench, 46–47

Reverberation cues, 3D sound localization, 62

RFID (radio frequency identification), 275

Ring menu, 261

Ring Mouse, 113

- Rotation
 - bimanual interaction and, 326
 - as manipulation task, 142
 - Rotation interaction techniques, 168–171
 - absolute and relative mappings, 170
 - ARCBALL, 177–179
 - designing rotation mappings, 169
 - overview of, 168–169
 - usability properties of, 170–171
 - Rotational mappings, 169, 182
 - Route-planning
 - drawing a path, 207–208
 - manipulating a user representation, 209–210
 - marking points along a path, 208–209
 - overview of, 206–207
 - Route (procedural) knowledge, 232
- S**
- Sanitation issues, public systems, 330
 - Scalars, mathematics, 420
 - Scale, of maps, 243
 - Scaled-world grab, 165–166, 216–217
 - Scaling, bimanual interaction, 327
 - Scenarios
 - as evaluation tool, 352
 - of symbolic input, 288–290
 - Scientific visualization, 8–9
 - Screen shape (display geometry), 33
 - Search tasks
 - strategies for, 237–238
 - travel task, 185–186
 - wayfinding task, 231
 - Selection and manipulation, 139–182
 - 3D manipulation tasks, 140–141
 - 3D widgets, 174–175
 - application-specific manipulation tasks, 143
 - ARCBALL technique, 177–179
 - canonical manipulation tasks, 141–143
 - classification of manipulation techniques, 147–150
 - combining techniques for, 163–164
 - control dimensions and integrated control, 144–145
 - design guidelines, 179–181
 - desktop manipulation techniques, 171–174
 - device placement and form-factor, 145–146
 - fishing-reel technique, 158
 - flashlight and aperture techniques, 153–156
 - force vs. position control, 145
 - Go-Go technique, 160–162
 - of graphical menus, 266
 - HOMER, 164–165
 - image-plane techniques, 156–158
 - input devices and, 143–144
 - overview of, 139–140
 - pointing techniques, 150–151
 - ray-casting techniques, 151–153
 - recommended reading, 181–182
 - rotation interaction techniques, 168–171
 - scaled-world grab, 165–166
 - simple virtual hand, 159–160
 - two-handed pointing, 153
 - used for travel, 211
 - virtual hand techniques, 158–159
 - Virtual Sphere techniques, 175–177
 - Voodoo Dolls, 166–168
 - World-in-Miniature (WIM), 162–163
 - Semiautomated steering, 206
 - Senseboard, 299
 - Senses
 - feedback dimensions, 316
 - sensory immersion, 408
 - sensory substitution, 67, 316, 319–320
 - Sequential approach, 375–378
 - benefits of, 381
 - case studies, 377–378
 - comparing with testbed, 378–382
 - cost benefit analysis with, 376–377
 - costs of, 380–381
 - evolution of, 375
 - goals of, 378–379

- Sequential approach (*cont.*)
 - results of, 381–382
 - serial nature of, 376
 - steps in, 375–376
 - when to use, 379–380
- Shadows
 - for object manipulation, 333
 - in visual depth perception, 36
- ShapeTape, 114–115
- Sign language, 272, 303
- Signs, wayfinding aids, 247–248
- Simple virtual hand, 159–160
- Simulated walking, 196–198
- Simulation
 - 3D environments used for, 22–23
 - 3D UI design based on, 331–333
 - simulated walking, 196–198
 - simulator sickness, 359–360
 - simulator systems, 18
- Single-character, speech recognition, 305
- Situation awareness, 230
- SKETCH, 273, 340
- Soft keyboards, 298–299
- Software
 - haptic rendering, 68
 - speech recognition, 268
 - tools, 21, 68
- Sonification, 67
- Sound. *See* 3D sound
- Sound intensity cues, 3D sound localization, 62
- Sound localization. *See* Localization, sound
- Space-multiplexed interactions, 400
- Spatial compliance, 317–318
- Spatial knowledge
 - transferring to real world, 228
 - types of, 231–232
- Spatial orientation, 230
- Spatial perception, of humans, 15
- Spatial resolution
 - haptic displays, 71
 - visual displays, 32
- Spatial seams, augmented surfaces, 397
- Speakers, external, 65–66, 80
- Special-purpose input devices, 114–118
 - CavePainting Table, 116–117
 - Control Action Table (CAT), 117–118
 - Interaction Slippers, 115–116
 - overview of, 114
 - ShapeTape, 114–115
- Specified trajectory movement, wayfinding, 231
- Spectral cues, 3D sound localization, 61
- Spectral multiplexing, 41
- Speech-connected gestures, 271
- Speech input devices, 119–120
- Speech recognition
 - design and implementation, 268–269
 - engine, 268
 - practical application, 269–270
 - single-character, 305
 - speech-based symbolic input, 304–305
 - unrecognized speech input, 306
 - whole-word, 305
- Spotlight, pointing techniques, 153–156
- Standards, 3D UI, 24, 417
- Static (monocular), visual depth cues, 34–36, 39
- Statistical variability, 366–367
- Steering techniques, 199–206
 - camera-in-hand steering, 203–204
 - gaze-directed steering, 200–201
 - overview of, 199–200
 - physical steering props, 204
 - pointing-based steering, 201–202
 - semiautomated steering, 206
 - torso-directed steering, 202–203
 - virtual motion controller, 205–206
- Stereo glasses, 41–42
- Stereopsis, visual depth cue, 38
- Stereoscopic viewing, 41
- Sticky-finger technique, 157
- String devices, 128
- Stroke devices, 128
- Stroke, in pen-stroke gesture recognition, 300

- Structure, system control, 266–267
 - Subjects, 351. *See also* Users
 - Summative evaluation, 22, 356
 - Surface-based recognition, 272
 - Surround-screen displays, 43–46
 - active viewpoints, 45–46
 - advantages, 44
 - disadvantages, 45
 - guidelines for choosing, 78
 - overview of, 43
 - types of, 43–44
 - Survey knowledge, 232
 - Sutherland, Ivan, 12
 - Swept volume techniques, 57
 - Symbolic gestures, 272
 - Symbolic input, 287–312
 - for 3D UIs, 291–292
 - beyond text and number entry, 310
 - design guidelines, 306–310
 - gesture-based, 303–304
 - history of, 290–291
 - importance of, 288
 - keyboard-based, 294–299
 - need for development in, 410–411
 - overview of, 137, 287–288
 - pen-based, 300–302
 - recommended reading, 310
 - scenarios for, 288–290
 - speech-based, 304–306
 - tasks, 293–294
 - techniques, 294
 - Symbols, alphanumeric, 293
 - Symmetric bimanual tasks, 324
 - Symmetric bimanual techniques, 327
 - System control, 255–285
 - 1-DOF menus, 261–262
 - 3D widgets, 263–265
 - adapted 2D menus, 260–261
 - classification of techniques, 259
 - defined, 256
 - design and implementation, 265
 - design guidelines, 280–282
 - gestural commands, 270–273
 - graphical menus, 260
 - human factors, 257, 285
 - input devices, 257–258
 - multimodal techniques, 278–280
 - overview of, 137, 255–257
 - placement, 265–266
 - practical applications of, 267–268
 - ProVIT case study, 282–285
 - recommended reading, 285
 - representation and structure, 266–267
 - selection, 266
 - system- and application- level factors, 258
 - tools, 274–278
 - TULIP menus, 262–263
 - voice commands, 268–270
 - System-level factors, 258
 - System performance, 357
 - Systems, translations between users
 - and, 27
- T**
- Tactile augmentation, 321
 - Tactile maps, wayfinding, 236–237
 - Tactile system
 - cues, 68–69
 - guidelines for choosing tactile devices, 81
 - haptic devices, 74–75
 - haptic perception and, 69
 - Tangible AR
 - advantages/disadvantages, 402–403
 - design of, 398–400
 - overview of, 397–398
 - time-multiplexed interaction in, 400–402
 - Tangible interaction, 397
 - Tangible user interfaces (TUIs), 275–276, 397
 - Target-based travel
 - map-based or WIM-based target specification, 211–213
 - overview of, 210–211
 - visibility of target, 187–188
 - ZoomBack technique, 213
 - Task analysis, 352

Tasks

- classification of manipulation techniques
 - by, 148
 - composite/universal, 19
 - context, 164
 - integrated interaction techniques for multiple, 411–412
 - mapping to applications, devices, and techniques, 409
 - manipulation, 140–143
 - parameters, 142–143
 - performance metrics, 358
 - symbolic input, 293–294
 - travel, 185–187
 - unimanual vs. bimanual, 324
 - wayfinding, 231
- Taxonomies. *See also* Classification of techniques
- building in testbed approach, 370–372
 - as evaluation tool, 352–354
 - input device, 128–132
 - technique decomposition, 353
- Technique components, 353
- Technique integration, 164, 411
- Technologies
- background for 3D UIs, 16–17
 - future of 3D UIs and, 407–409
 - supporting 3D UIs, 5
- Teddy, 273
- Telepresence systems, 18
- Temporal compliance, 317–318
- Temporal resolution, 71
- Testbed approach, 370–374
- benefits of, 381
 - case studies, 374
 - comparing with sequential approach, 378–382
 - costs of, 380–381
 - goals of, 378–379
 - initial evaluation, 370
 - outside factors, 372
 - overview of, 370
 - performance metrics, 372

- results analysis, 373–374
 - results, applying, 381–382
 - taxonomy, 370–372
 - testbed experiment, 373
 - when to use, 379–380
- Text entry, symbolic input, 310
- Texture gradient, in visual depth perception, 36
- Texture, in real-world design, 241–242
- Think aloud protocol, 361
- Three-Up, Labels in Palm (TULIP) menu, 262–263
- Thumbscript, 304
- Tiles system, 399–400
- Time-multiplexed interactions, 400–402
- Time-to-target tests, 251
- Tools, evaluation, 352–354
- Tools, system control, 274–278
- design and implementation, 276–277
 - overview of, 274
 - practical application, 278
 - techniques, 275–276
- Torso-directed steering, 202–203
- Touch. *See* Haptic displays
- Tourism, 3D UI applications for, 9
- Trackballs, 91–92
- Tracking
- AR systems and, 390
 - GPS, 194–195
 - head tracking, viewpoint orientation, 217–218
 - integrated control for manipulation, 144–145
 - wide-area, 193
- Tracking devices, 96–109
- acoustic tracking, 98–99
 - bend-sensing gloves, 106–108
 - data gloves, 106
 - eye tracking, 105–106
 - hybrid tracking, 103–105
 - inertial tracking, 100–101
 - magnetic tracking, 97–98
 - mechanical tracking, 98

- motion trackers, 96–97
 - optical tracking, 101–103
 - overview of, 96
 - Pinch Gloves, 108–109
 - Trails, wayfinding aids, 249
 - Training
 - 3D environments used for, 22–23
 - transfer, 254
 - Transaural audio, 66
 - Transfer functions, 27, 159
 - Translations, between user and system, 27
 - Travel, 183–226
 - camera-in-hand steering, 203–204
 - classification of techniques, 188–192
 - cycles, 198–199
 - design guidelines, 222–226
 - drawing a path, 207–208
 - exploration, 185
 - gaze-directed steering, 200–201
 - integrated camera controls, 220–222
 - maneuvering, 186–187
 - manipulating a user representation, 209–210
 - manual manipulation techniques, 214–216
 - marking points along a path, 208–209
 - motor component of navigation, 183
 - overview of, 136, 183–184
 - physical locomotion, 192
 - physical steering props, 204
 - pointing-based steering, 201–202
 - recommended reading, 226
 - relationship to wayfinding, 136–137
 - route-planning, 206–207
 - scale issues, 410
 - search tasks, 185–186
 - semiautomated steering, 206
 - simulated walking, 196–198
 - steering techniques, 199–200
 - target-based, 210–213
 - task characteristics, 187–188
 - tasks, 184–185
 - torso-directed steering, 202–203
 - travel-by-scaling, 216–217
 - velocity specification, 219–220
 - viewpoint orientation techniques, 217–219
 - virtual motion controller, 205–206
 - walking, 192–195
 - walking in place, 195
 - Travel-by-scaling techniques, 216–217
 - Treadmill, for simulated walking, 196
 - Triggers, 150
 - TUIs (tangible user interfaces), 275–276, 397
 - TULIP (Three-Up, Labels in Palm) menus, 262–263
 - Two-handed interaction, 323–327
 - asymmetric techniques, 325–327
 - grabbing the air, 215
 - Guiard's framework, 324–325
 - in list of interaction techniques, 20
 - overview of, 323–324
 - pointing techniques, 153, 202
 - symmetric techniques, 327
 - tangible AR, 402
 - Voodoo Dolls, 166–168
- ## U
- UbiComp (ubiquitous computing), 8
 - UIs (user interfaces)
 - 3D. *See* 3D user interfaces
 - AR, 394–395, 404–405
 - components, 3–4
 - defined, 6
 - design, 3
 - design principles, 15–16
 - graphical, 11–12
 - tangible, 275–276, 397
 - UniCam, 221
 - Unimanual tasks, 324
 - Uniport, 198–199
 - Unrecognized pen input (digital ink), 302, 309
 - Unrecognized speech input, 306
 - Usability, 7, 351
 - Usability engineering, 311, 384

- Usability evaluation, 349–384
 - 3D UIs, 21–22
 - approaches, 351, 378–382
 - classification of techniques, 367–369
 - defined, 7
 - evaluation type issues, 365–367
 - evaluator issues, 362–363
 - formative vs. summative, 22
 - future of 3D UIs, 415–416
 - guidelines, 382–384
 - heuristics for, 415
 - methods, 351, 354–357
 - metrics, 357–360
 - miscellaneous issues, 367
 - MR applications, 415–416
 - multimethod approaches, 369
 - overview of, 349–350
 - physical environment issues, 360–362
 - purposes of, 350
 - recommended reading, 384
 - sequential approach, 375–378
 - terminology for, 351
 - testbed approach, 370–374
 - tools, 352–354
 - user issues, 363–365
- User-centered wayfinding support, 234–235
 - field of view (FOV), 235
 - motion cues, 235–236
 - multisensory output, 236–237
 - presence, 237
 - search strategies, 237–238
- User comfort
 - 3D UI design and, 328–330
 - metrics for, 359
- User groups, 327–328
 - based on age, 327
 - based on perceptual, cognitive, and motor ability, 328
 - based on physical characteristic, 328
 - based on prior experience, 327–328
- User interfaces. *See* UIs (user interfaces)
- User task analysis, 352
- User-worn 3D mice, 113–114
- Users
 - collaboration between multiple, 414–415
 - defined, 351
 - evaluation issues related to, 363–365
 - metrics for user preferences, 358–360
 - sensory immersion, 408
 - translations between systems and, 27
- V**
- Variables, in evaluation, 366–367
- Vectors, 420–421, 426
- Velocity/acceleration
 - travel, 190
- Velocity specification, travel, 219–220
- VEs (virtual environments). *See also* VR (virtual reality)
 - defined, 7
 - evaluation issues, 360–362
 - information-rich virtual environment (IRVE), 414
 - MAUVE (Multi-Attribute Usability evaluation tool for Virtual Environments), 366
- ViaVoice (IBM), 268
- Video see-through displays, 390
- Viewpoint orientation, travel
 - head tracking, 217–218
 - nonisomorphic rotation, 218–219
 - orbital viewing, 218
 - Virtual Sphere, 219
- Virtual Annotation system, 306
- Virtual body, 237
- Virtual environments. *See* VEs (virtual environments)
- Virtual hand techniques, 158–162
 - Go-Go, 160–162
 - overview of, 158–159
 - simple virtual, 159–160
 - World-in-Miniature (WIM), 162–163
- Virtual keyboards. *See* Soft keyboards
- Virtual menus, 326
- Virtual motion controller (VMC), 205–206

- Virtual Notepad system, 302, 338
 - Virtual reality. *See* VR (virtual reality)
 - Virtual retinal displays (VRDs), 54–55, 79
 - Virtual Sphere, 175–177, 219
 - Virtual tools, 275
 - Virtual travel
 - classification of travel techniques, 189
 - wayfinding aids, 228
 - Virtual Tricorder, 276, 342
 - Virtual worlds, compliance with real world, 277
 - Vision cues, 3D sound localization, 62
 - Visual depth. *See* Depth cues, visual displays
 - Visual displays, 31–59
 - arm-mounted, 52–54
 - autostereoscopic, 56–59
 - binocular disparity and stereopsis and, 38
 - depth cue relevance, 38–40
 - depth cues, 34
 - display geometry, 33
 - ergonomics, 33–34
 - field of regard and field of view, 31–32
 - head-mounted, 49–52
 - hemispherical, 47–49
 - light transfer, 33
 - monitors, 40–42
 - monocular (static) depth cues, 34–36
 - motion parallax depth cues, 37–38
 - oculomotor depth cues, 37
 - overview of, 31
 - refresh rate, 33
 - spatial resolution, 32
 - surround-screen, 43–46
 - types of, 40
 - virtual retinal, 54–55
 - workbenches, 46–47
 - Visualization, 17, 23
 - VMC (virtual motion controller), 205–206
 - Voice commands
 - design and implementation, 268–269
 - overview of, 268
 - practical application, 269–270
 - Volumetric displays, 57–58, 409
 - Voodoo Dolls, 166–168
 - VR (virtual reality)
 - AR as alternative to, 387–388
 - defined, 7
 - history of 3D UI and, 12–13
 - seamless interaction with real world, 411
 - surround-screens and, 43
 - technological background for 3D UIs, 18
 - VRDs (virtual retinal displays), 54–55, 79
 - VRML specification, 24
- W**
- W3C (World Wide Web Consortium), 24
 - Walking, 192–195
 - Walking in place, 195
 - Wayfinding, 227–254
 - artificial cues, 242
 - artificial landmarks, 248–249
 - audio and olfactory cues, 250
 - compasses, 246–247
 - design guidelines, 251–253
 - egocentric and exocentric reference frames, 232–234
 - environment-centered support, 239
 - environment design, 239
 - evaluating wayfinding aids, 250–251
 - field of view (FOV), 235
 - legibility techniques, 239–241
 - maps, 242–246
 - motion cues, 235–236
 - multisensory output, 236–237
 - overview of, 136, 227–229
 - presence and, 237
 - real-world design principles, 241–242
 - recommended reading, 253–254
 - reference objects, 248
 - relationship to travel, 136–137
 - search strategies, 237–238
 - signs, 247–248
 - spatial knowledge and, 231–232
 - tasks, 231
 - theoretical foundations of, 229–230

- Wayfinding (*cont.*)
trails, 249
user-centered support, 234–235
- Whole-word
speech recognition, 305
- Wide-area tracking, 193
- Widgets
3D, 19, 174–175, 263–265
handheld, 262
- WIM (World-in-Miniature)
as an AR technique, 392–393
as a manipulation technique, 162–163
as a route-planning technique, 209–210
as a target-specification technique, 211–213
- WIMP (windows, icons, menus, and pointers), 91
- Windows, icons, menus, and pointers (WIMP), 91
- Wizard of Oz approach (WOZ), 354
- Word-level techniques, symbolic input, 300
- Workbenches, 46–47, 78
- World-in-Miniature. *See* WIM (World-in-Miniature)
- World-referenced menus, 266
- World Wide Web Consortium (W3C), 24
- WOZ (Wizard of Oz) approach, 354
- X**
X3D (Extensible 3D) standard, 24
- Y**
You-are-here (YAH) maps, 243
- Z**
ZoomBack technique, 213