

# Index

## A

- a/an*, usage of, 136
- abnormal reuse of scripts, 100–103
- abnormal scripts, for rule violation, 101–102
- actions, *vs.* knowledge, 55
- actor
  - definition of, 94
  - elimination and loss of business rules, 96
  - as rule subject, 115
  - in scripts, 94
  - in system design, 97
- adaptability
  - in architecture, 22
  - business rules and, 9, 49
  - challenges from, 89
- after*, usage of, 129
- alerter rule, 154
- all*, usage of, 136
- analysis paralysis, 196–198
- anchor
  - antecedent and, 280
  - in Pattern-R rule type, 277, 283
- AND
  - in decision criteria, 169
  - higher-order rule types and, 303–304
  - implicit in right-hand terms, 241
  - in left-hand expressions, 244
  - in right-hand terms, 241
- and*, usage of, 132–134
- ANDed conditions, 138–139
- ANDed outcomes, 170
- antecedent. *See also* left-hand term
  - anchor and, 280
  - in IF-THEN connective, 231
  - notation for, 239–240
- Appleton, Daniel S., 183*t*
- Architecture Framework. *See Zachman Architecture Framework.*
- arithmetic operations
  - in computation rule, 142*t*
  - in higher-order rule types, 305
- array, definition of, 166*n*
- artificial intelligence (AI), 229, 254*n*
- ascending rule type, 135
- assembly, of Pattern-R rule types, 276, 280–284, 307
- at least one*, usage of, 136
- atomic form of rules
  - ANDs in right-hand terms of rules, and, 245
  - in business rule definition, 185
  - for decision tables, 170
  - ORs in left-hand terms of rules, and, 245
  - vs.* strictly ANDed, 138
  - vs.* strictly ORed, 139
- atomic test, for terms, 55
- attributes
  - in data models, 64
  - in relvar, 259
  - vs.* term, 206

---

Note: Page numbers followed by *f*, *t*, and *n* represent figures, tables, and notes, respectively.

- automated decision making, assumption about, 189–190
- automated rule, statement level of, 125
- automatic training, 28–29, 89, 98
- automatic value-adding behavior, 80
- AVERAGE, in higher-order rule types, 305
- axiom, 249*n*, 307
- B**
- backward chaining, 250–251
- base fact, definition of, 264
- basic test, for terms, 55
- before*, usage of, 129
- behavior
  - adaptive, 49
  - consistency in, and business model, 65
  - influencing, with business rules, 7, 82–84
- Boolean, definition of, 231
- Boolean expression
  - definition of, 232
  - function names in, 237
- Boolean variable. *See* truth-valued variable
- both*, usage of, 133
- bracket, of decision table, 161
- brain drain, knowledge management and, 27
- bridges and interfaces, management of, 19–21
- Burlton, Roger T., 182–183
- business
  - challenges facing, 88–89
  - event defined for, 71
  - normal and abnormal circumstances of, 100–103
- business analyst role of, 39–41
- business capacity
  - aspects of, 193*t*
  - business goals and, 194
  - definition of, 45*n*
  - fact model and, 202
- Business Connectivity Map, 37
- business goals
  - achievement of, 194
  - in Policy Charter, 38–39, 197*f*
- business intelligence, data for, 16
- business logic
  - in business logic server, 228
  - knowledge in, 8
  - vs.* processing logic, in rule expression, 110
  - in rules management, 180
- business logic server
  - business logic in, 228
  - constraint enforced by, 247–250
  - definition of, 227
  - vs.* expert system shell, 229
  - forward chaining *vs.* backward chaining, 250–251
  - integrity in, 267
  - logical deduction by, 272
  - rule execution and, control over, 239
  - Rule Independence and, 227–228
  - sequence and, 309
  - terms and their meaning to, 240
- business logic technology
  - in making agreements and deals, 15
  - in knowledge management, 27
  - logic traces by, 81
  - projector rules and, 80*n*
  - update events and, 75–76
- business manager's perspective
  - about, 223–224
  - fact at, 255
  - IF...THEN... syntax at, 256, 297
  - predicate at, 254–255
  - rule expression at, 255–256, 297
  - rule reduction at, 245
  - rule specification at, 238*n*
- business milestones, in business model, 37
- business model
  - in Zachman Architecture Framework, 61*n*
  - business analyst and, 40–41

- in business rules approach, 193–194
  - in business systems development, 32–33, 35–38
  - fact model in, 205–206
  - factors in, 36–37
  - ownership of, 194
- business people. *See* workers.
- business perspective
  - in fact model, 203
  - vs.* system perspective, in business rule definition, 184
- business problem, recognition of, 198
- business process engineer, business analyst and, 40
- business process owners, in business model development, 36
- business process rules, 191–192
- business questions
  - in business model, 194
  - in business-driven approach, 35
  - form of, 35
- business risk, and the Policy Charter, 38–39, 194–196, 197*f*
- business rule(s). *See also* rule; Rule Book; rule, expression of; rule statement
  - adaptability and, 9, 49
  - in automated decision making, 189–190
  - behavior influenced by, 82–84
  - business analyst and, 41
  - in business logic server, 228
  - in business system architecture, 48–49
  - collaborations enabled by, 94
  - databasing of, 180
  - definition of, 3, 183–186
  - as error messages, 29, 73
  - exceptions to, 84–85
  - execution of, control over, 239
  - facts and, 58–59, 61, 69–70, 111–113, 256
  - fact model and, 111, 112*f*
  - influence of, on behavior, 7
  - instance-level terms in, 57
  - knowledge management and, 26–27
  - lack of, 4–5
  - levels of, 124–125
  - logic, isolating, in, 119–120
  - loss of, 96
  - management of. *See* rule management
  - number of, and cost, 85
  - in Policy Charter, 38–39, 197*f*
  - posting, 7
  - in procedural view, 70
  - procedure and, 7, 110, 115, 187–188
  - process and, 86, 182–183
  - questions about, 180, 181*t*
  - recording, in business model, 37
  - relationships between, traceability of, 180–181, 181*t*
  - as requirements, 61, 73–74
  - risk and, 194
  - sample of, 69
  - sequence and, 186–188, 309
  - vs.* software, 182
  - source of, 7–8, 76
  - storage for. *See* repository, for rules; rulebase
  - terms in, 61, 69–70, 111–112
  - tradeoffs and, 194
  - training and, 29, 98
  - types of. *See specific types*
  - violation of. *See* violation
  - vs.* workflow, 115
  - writing, 7
- business rule approach
  - business model in, 193–194
  - coding and, 31–32
  - control in, 69
  - customer expectations, setting under, 18
  - as customer interface, 18
  - fact model in, 111, 112*f*
  - facts in, 58–59, 61, 69–70, 111–113, 256
  - facts in, formal basis for, 253–254

- business rule approach, *continued*
    - isolation of rules from implementation algorithms, 250
    - vs. other approaches, 192–196
    - principles of, 7–9
    - process in, simplification of, 87–88
    - real-time compliance in, 79
    - requirements gap and, 74
    - reuse in, 99
    - rules in, 67–70
    - rules in, formal basis for, 231–235
    - terms in, 54–56
    - terms in, formal basis for, 235–236
    - thin processes in, 49
    - tracks in, 223, 224
    - visible logic in, 82
    - work in, 90
  - The Business Rule Book* (Ross), 183*t*, 222, 275
  - business rule management. *See* rule management
  - Business Rules and Information Systems* (Morgan), 184*t*
  - Business Rules Applied: Building Better Systems Using the Business Rule Approach* (von Halle), 184*t*
  - Business Rules Group, 184*t*
  - Business Rules Manifesto*, 103–105
  - “Business Rules: The Missing Link” (Appleton), 183*t*
  - business services, redeployments of, 12
  - business systems
    - architecture of, as business problem, 73
    - components of, 45–50
    - control in, 67
    - event defined for, 71
    - processes and procedures in, 87–88
    - structure in, 51
    - scope of, facts in, 58–59
  - business systems development
    - decision points in, 189
    - participation in, 33
    - traditional, 32–34
  - business tactics, 194
  - business workers. *See* workers.
  - business-driven approach, 33–34, 86
  - by*, usage of, 129
- C**
- calculus, definition of, 219. *See also* predicate calculus
  - Capturing Business Rules* (Ross and Lam), 184*t*
  - cardinality, 65, 211–212, 211*f*
  - causation, 288
  - Chisholm, Malcolm, 184*t*
  - class (predicate calculus)
    - vs. instance, 225
    - at system developer’s perspective, 237, 238
    - at technical designer’s perspective, 237
  - class diagram. *See* data model
  - class term (predicate calculus)
    - attributes of, 315
    - in fact type, 263
    - instance terms and, 266, 316
    - predicate and, 257, 268
    - representation of, 262
    - subtypes for, 316
    - use of, 238, 262
    - use of term, 225
  - coding, 31–32, 91
  - column, in decision table, 161
  - commands, in rule expression, 115–116
  - commercial products, rule support in, 226
  - compacted value chain, automating, 95–96
  - comparative operators, in higher-order rule types, 304–305
  - completeness, in decision tables, 170–172
  - complex expression, logical connective in, 243–244
  - composite logical function, in Pattern-R rule type, 280*n*

- computation, embedded, 118–119
  - computation logic, reuse of, 118
  - computation rule
    - decision table for, 175*t*
    - definition of, 142*t*
    - sample of, 69
    - templates for, 148, 158*t*
  - computed term, 165, 296
  - computed yield value, in Pattern-R rules, 276
  - concept. *See also* term
    - definition of, 55
    - logical connections between, 58
    - vs.* name, 236
    - term and, 55
  - Concepts Catalog, 37, 56, 205
  - conclusion, 232. *See also* consequent
  - condition. *See also* qualification
    - anchor as, 282*n*
    - vs.* constraint, 295
    - definition of, 235
    - embedded, 246–247
    - higher-order, 282*n*
    - in Pattern-R rule type, 278, 279, 303–304
    - vs.* producer, 294
    - R-Notation for, 271, 272
    - rule type indicator for, 242–243
    - truth-valued function as, 282
  - conditional expressions. *See* logical expression
  - conflict, business goals and tactics and, 194
  - conflict, in decision tables, 174
  - connectivity, in business model, 37
  - consequent. *See also* right-hand term
  - correspondent and, 281
    - definition of, 232
    - in IF-THEN connective, 231
    - notation for, 239–240
  - consistency, rules and, 221, 265*n*
  - consolidated business logic
    - completeness of, 163
    - from decision table, 161
  - constants, in logical formulas, 220
  - constraint. *See also* rejector type rules
    - vs.* condition, 295
    - definition of, 234
    - enforcement of, 247–250, 311–312
    - meaning of, 248
    - in Pattern-R rule type, 278, 280
    - in relvar predicate, 260
    - R-Notation for, 272
    - vs.* rule, 295
    - rule type indicator for, 241–242
    - truth value of, 242*n*
    - truth-valued function as, 282
  - content management, business rules
    - for, 19
  - context, in rules, 115–116
  - control
    - in business, 47
    - rules for, 67–70, 85–86
    - vs.* structure, 209
  - copier rule, 143*t*, 153–154
  - core concepts. *See* concept; term
  - correct. *See* truth
  - correspondents, 277, 281, 284
  - cost
    - vs.* business benefit, 195
    - of business rules, 85
    - scripts and, 95
  - CRUD (create, retrieve, update, delete),
    - as rule subject, 116
  - customer
    - defining, 55
    - reference data for, 17
  - customer expectations, business rule
    - approach in, 18
  - customer process, 16
  - customer relationship management (CRM), reempowerment and, 13
  - cyclic rule type, 275, 303
- D**
- data
    - business logic server and, 228
    - data model and, 206

- data, *continued*
  - in discussion of formal logic, 226
  - vs. fact, 265
  - fact models and, 203
  - logicbase and, 228
  - perception of, 261
- data feeds, management of, 19–21
- data integration, 20–21
- data model
  - attributes in, 206
  - audience for, 207
  - cardinality in, 65
  - data in, 206
  - database design and, 206–207, 209
  - vs. fact model, 51–53, 57, 206–207
  - “has a” facts in, 64
  - “is a category of” facts in, 64
  - optionality in, 65
  - vs. rules, 209
  - in system model, 206
  - time in, 207
  - type codes in, 207–208
  - type in, 226
  - vocabulary in, 52
- data quality, rejector rule and, 78
- data toggle
  - decision table for, 175*t*
  - definition of, 143*t*
  - template for, 152–153, 160*t*
- data type. *See* type (data type)
- database
  - constraint in, 248
  - in discussion of formal logic, 226
  - perception of, 261
  - for rules, 180
- database access, ad hoc, 95
- database design
  - change in, 209
  - data model and, 206–207
  - fact models and, 203
  - referential integrity in, 267
- database predicate, definition of, 260
- data-driven reasoning, 250–251
- deal-making, business rules in, 13–15
- decision criteria
  - complex sets of, 168–174
  - evaluation terms and, 161, 165
  - inapplicable, 170–171
  - irrelevant, 169, 170–171
  - possible combinations of, 172
- decision management platform. *See* business logic server
- decision points, in business system development, 189
- decision procedure, in formalization, 307
- decision set, definition of, 162*n*
- decision table
  - ANDed outcomes in, 170
  - ANDs of decision criteria in, 169
  - brackets and, 161
  - completeness of, 170–172
  - with complex decision criteria, 168–174
  - conflict in, 174
  - by functional category, 174–176
  - header-and-body format for, 168–170
  - missing rules identified from, 163
  - multiple array, 166–168
  - with one evaluation term, 162–163
  - split row, 165–166
  - subsumation in, 172–173
  - with three or more evaluation terms, 164–168
  - with two evaluation terms, 163–164
  - use of, 161–174
  - validity in, 172–174
- decision-making logic, auditing, 82
- Declaration of Rule Independence, in Business Rules Manifesto, 103–105
- “declarative,” meaning of, 239, 309
- deduction, relvar Golden Rule and, 260
- deductive axiom, 249*n*
- derivation rule
  - decision table for, 175*t*
  - definition of, 142*t*
  - templates for, 148–150, 159*t*

- derived fact, 264, 266*n*
- derived Pattern-R rule type, definition of, 280*n*
- derived rule type, rules of production for, 307
- derived term, 165, 296
- descending rule type, 135
- dictionary, for term definitions, 203
- disintermediation, 26, 96, 190
- documentation, of workflow tasks, 37
- domain. *See* type (data type)
- domain of discourse, of fact model, 54*n*
- during, usage of, 129
  
- E**
- each*, usage of, 136–138
- eDeals, 15
- effectiveness, 45, 49
- either*, usage of, 133
- embedded computation, 118–119
- embedded condition, 246–247
- embedded rule, 188
- enabler rule, 142*t*, 150–153
- enforcement
  - of constraint, 247–250, 311–312
  - level of rules, 83, 130
- enterprise architecture, *see Zachman Architecture Framework*
- Entity Modeling: Techniques and Application* (Ross), 183*t*
- “equal to” (=), 148, 158*t*, 304
- error messages, 29, 73, 84
- eSubscription, 23
- etcetera, in rule expression, 120
- evaluation term
  - in decision tables, 161–168
  - simple, 165
- event
  - definition of, 71
  - generalizing time and, 213, 213*f*
  - in process and procedure, consistency and, 76
  - rules and
    - difference between, 70
    - production of, 71–72, 71*f*, 74*f*, 75*f*
    - as subject, 116–117
    - violation by, 72–74
  - event, update. *See* update events
- exceptions
  - cost of, 85
  - name for, 243
  - permission statement and, 127
  - as rules, 84–85
- executive rule, 69, 143*t*, 154–155, 293*n*
- Existence Principle, 266–269
  - built-in fact types and, 315–317
  - in R-Notation, 269, 313, 314
- EXISTS, 220, 304
- expert system, 229, 254*n*
- expert system shell, *vs.* business logic server, 229
- expert-system applications, decision points in, 189
- expression. *See* rule(s), expression of; complex expression
- external predicate, 259
  
- F**
- fact. *See also* business rule.
  - about, 58–59
  - assertion and, 255, 262
  - at business manager’s perspective, 255
  - base, 264
  - in business rule definition, 185
  - in business system architecture, 45–46, 48
  - vs.* data, in business manager’s perspective, 265
  - definition of, 58
  - definition in formal logic of, 253–254
  - derived, 264, 266*n*
  - expression of, 59
  - vs.* fact instance, 263–264
  - in fact model, 201
  - vs.* fact statement, 254*n*

- fact, *continued*
- vs. fact type, 263–264
  - graphical expression of, 63, 63*f*
  - Halpin on, 299
  - implicit, 63, 63*f*, 64
  - knowledge and, 59
  - as logical connections, 58
  - minimum set of, 65–66
  - with more than two terms, 313–314
  - in Pattern-R rule type, 278, 279
  - as predicate, 269
  - procedures based on, 90–91
  - vs. process, 59
  - purpose of, 54
  - as requirement, 60–61
  - reversibility of, 270, 313–314
  - R-Notation for, 269–271
  - vs. rule, 59
  - in rules, 61, 69–70, 111–112, 256
  - with single term, 314
  - storage for. *See* factbase
  - at system developer's perspective, 256–257
  - term and, 58
  - term in formal logic and, 255, 262
  - truth of, 255, 261
  - unification of, 65, 270
  - uniqueness of, 65
- fact instance, 263–264
- fact model
- in Architecture Framework, 61*n*
  - audience for, 207
  - base fact types in, 265
  - for business knowledge, 61
  - in business model, 37, 205–206
  - in business rule definition, 185
  - cardinality and, 65
  - coordination of, 53
  - vs. data model, 51, 52–53, 57, 206–207
  - definition of, 46
  - goal for, 202–203
  - graphical expression of, 60–63, 63*f*
  - implicit facts in, 64
  - importance of, 51
  - level of detail for, 202*n*
  - optionality and, 65
  - purpose of, 53, 201–202
  - in rule expression, 111, 112*f*
  - scope of, 54*n*
  - sentences in, 60
  - shared knowledge and, 59
  - technical knowledge and, 53
  - testing, 59*n*, 202
  - type codes and, 207–208
  - vocabulary in, 53
- fact name
- for more than two terms, 314
  - semantic equivalence of, to fact type, 316–317
  - at system developer's perspective, 258
- fact statement
- vs. fact, 254*n*
  - in fact modeling, vs. graphics, 60
  - graphical representation of, 62
  - writing, 62
- fact type
- definition of, 263
  - vs. fact, 263–264
  - rules implied by, 267
  - semantic equivalence of, to fact name, 316–317
- factbase
- definition of, 227, 264
  - instance in, 264
  - vs. rulebase, 228
- factors, in business model, 36–37
- fire, definition of, 72*n*
- first-order predicate calculus. *See* predicate calculus
- the following*, usage of, 132–134, 136
- FORALL, 220, 304
- formal logic
- business manager's perspective and, 224
  - definition of, 219
  - notation for, 221

- forward chaining, 250–251  
*Foundation for Future Database Systems: The Third Manifesto* (Date and Darwen), 258
- fragments, predicate calculus and, 220, 265–266
- frozen rule type, 135, 275, 303
- function  
 name of, as term, 236  
 producer rules as, 79, 296  
 result of, as term, 296
- functional categories of rules, 77–80, 125–126, 141–143, 174–176
- function-type term, 237
- G**
- geographical areas, reference data for, 17
- glossographer, 204–205
- goal-driven reasoning, 250–251
- Golden Rule, for relvars, 260governing rule, statement level of 14, 124–125
- graphical expression  
 of fact model, 60–63, 63f  
 of Policy Charter, 196  
 of sentences, 62
- “greater than” (>), in higher-order rule types, 304
- ground axiom, 249n
- GUIDE Business Rules Project Report*, 183t, 185
- guidelines, rules as. *See* suggestors
- H**
- Halpin, Terry, 257, 299
- hardware/software environments, purpose of, 34
- HASA fact type, 64, 315
- header-and-body decision table format, 168–170
- heading, of relvar, 260, 291–292
- heuristics, rules for, 69, 82–83
- higher-order conditions, 282n
- high-impact sponsorship, 195
- Horn clauses, rule translation to, 241
- I**
- if*, usage of, 114, 128, 150
- IF-THEN connective  
 form of, 231  
 vs. IF...THEN... syntax, 234
- IF...THEN... syntax  
 at business manager’s perspective, 256, 297  
 causation and, 288  
 decision tables and, 169n  
 vs. IF-THEN connective, 234  
 in knowledgebase, 229  
 in rejectors, 126, 297  
 rule expression in, 256, 297  
 in rules, 126
- implicit AND, in right-hand terms, 241
- implicit fact, 63, 63f, 64
- implicit qualification, 284
- implicit verb phrases, 260
- “implies,” 238, 288
- imprint rule  
 decision table for, 176t  
 definition of, 143t  
 template for, 153, 160t
- individual thing, name of, as term, 235–236
- inference  
 in constraint enforcement, 247–248, 311–312  
 definition of, 80  
 in logical view, 273  
 relvar and, 260, 271
- inference rule  
 constraints and, 248  
 decision table for, 175t  
 definition of, 142t  
 derived fact and, 264  
 logic traces for, 81  
 sample of, 69  
 template for, 150–151, 159t
- information engineering, 194

- INST fact type, 316
- instance
- vs.* class, 225
  - in data model, *vs.* fact model, 57, 207–208
  - in factbase, 264
  - at system developer's perspective, 237
  - at technical designer's perspective, 237
- instance models, 57, 208, 265*n*
- instance term
- class terms in formal logic and, 266, 316
  - Existence Principle for, 266
  - predicate of, 268
  - use of, 238, 262
  - use of term, 225
- instance verifiers, 304
- integration
- in business, 48–49
  - data, 20–21
  - of support services, 18
- integrity. *See* consistency
- integrity constraint. *See* constraint
- internal predicate, 259, 260
- is*, in inference rule, 151, 158*t*
- ISA fact type, 64, 278, 279, 316
- IT-driven business, business systems development in, 33–34
- K**
- KEY shorthand, 275–276
- keywords, in rules, 157–160
- knowledge
- vs.* actions, 55
  - in business logic, 8
  - business rules and, 26–27
  - capturing, 35
  - in fact model, 53, 55, 61, 201–202
  - retention 27, 96
  - structure of (*See* structure)
  - structured, in business, 45–46
  - tacit, 27, 186
  - vs.* work, 182
- knowledge automation, term standardization and, 57
- knowledge companion, workers and, 28–29
- knowledge management, about, 25–26
- knowledge principle, 182, 191
- knowledge retention, 27, 96
- knowledge transfer, term standardization and, 57
- knowledgebase, definition of, 229
- L**
- labels, in decision table, 161
- Lam, Gladys S. W., 38, 184*t*
- left-hand expression, 243–246
- left-hand term, 240, 241, 245. *See also* antecedent
- “less than” (<), in higher-order rule types, 304
- level of detail, for fact models, 202*n*
- lexicographer, 205
- lighter side of rules, 120–122, 134, 140, 214–215
- limited (LIM) rule type, 278, 283
- logic, isolating, 119–120
- logic traces, 81–82
- logical connections. *See* fact
- logical connective, in complex expressions, 243–244
- logical deduction. *See* inference
- logical expression, definition of, 232
- logical formulas, composition of, 220
- logical function, composite, in Pattern-R rule type, 280*n*
- logical implication. *See* rule, formal basis for
- logical operation, 142*t*, 148, 169
- logical operators, 232, 277, 304*n*
- logical quantifiers, in logical formulas, 220
- logical view, 272, 273
- logicbase, 227–228
- lower-order rules, definition of, 277*n*

**M**

*Managing Reference Data in Enterprise Databases* (Chisholm), 184*t*

mandatory rule type, 135–136, 275, 303

*may*

- in permission statement, 147, 158*t*
- usage of, 127, 130

*may...only if*

- in rejector rule, 146, 158*t*
- usage of, 132

*may...only [preposition]*, in rejector rule, 146–147, 158*t*

*means*, in derivation rule, 149, 159*t*

middlemen, eliminating, 96

milestones, in business model, 37

Monitor Rule example, 277–280, 283

Morgan, Tony, 184*t*

motivation, 36, 38–39

multicolumn equivalence, in decision tables, 169

multiple-array decision table, 166–168

*must*

- vs. may*, 130
- in rejector rule, 145, 158*t*
- vs. shall*, 129
- vs. should*, 130
- usage of, 126

*must be computed as*, in computation rule, 148, 158*t*

*must be considered*, in inference rules, 150, 159*t*

*must be created/deleted*, 152, 160*t*

*must be displayed*, in presentation rule, 154, 160*t*

*must be enabled/disabled*, in process toggle, 152, 160*t*

*must (not) be enforced*, for rule toggle, 151, 159*t*

*must be executed*, in process trigger, 155, 160*t*

*must be fired*, in rule trigger, 155, 160*t*

*must be set to*, in imprint rule, 153, 160*t*

*must be taken to mean*, in derivation rule, 149, 159*t*

*must not*

- vs. no*, 131
- in rejector rule, 146
- usage of, 126

mutually exclusive rule type (ME), 135, 275, 279, 284, 303–305

mutually prohibited rule type, 135

**N**

name

- of fact, 256
- of predicate, 256
- in relvar, 258
- as term, 235–236, 236

*need not*

- in permission statement, 147, 158*t*
- usage of, 127

neology, definition of, 204

new technology, in IT-driven business, 33

*no*, usage of, 131

nonlogical operators, in Pattern-R rule type, 277

non-truth-value function, process as, 237

normal reuse, of scripts, 99–100

NOT, 232, 303

*not...any*, *vs. no*, 131

*not...not*, usage of, 131–132

**O**

object (in predicates)

- at business manager's perspective, 255
- defining, 255
- definition of, 257
- Halpin on, 299
- identification of, 255
- at system developer's perspective, 258

*on or before*, usage of, 129

one-size-fits-all script, 97–98

- only*, usage of, 126
- ontology, definition of, 208
- operating rules, 124, 125
- operational knowledge, 27, 59
- operational needs, *vs.* business intelligence, 16
- operational-level managers, in business model development, 36
- optionality, 65
- OR
  - definition of, 232
  - higher-order rule types and, 303–304
  - in left-hand expressions, 244–246
  - in right-hand terms, 241
- or*, usage of, 132–134
- ORed conditions, usage of, 139–140
- organizational structure, flattened hierarchies for, 95
- outcome, of decision table, 161
  
- P**
- parentheses, embedded, in expressing rules, 132
- patterns, productivity and, 275–276
- Pattern-R approach, formalization of, 307–308
- Pattern-R rule type
  - anchor in, 277, 283
  - assembly of, 276, 280–284, 307
  - composite logical function in, 280<sup>n</sup>
  - computed yield value in, 276
  - condition in, 278, 279
  - constraint in, 278, 280
  - correspondents in, 277, 284
  - definition of, 275
  - derived, 280<sup>n</sup>, 307
  - givens for, 278, 279
  - fact basis for, 278, 279
  - name of, 277
  - operators in, 277, 303–305
  - qualifications in, 278, 283
  - at technical designer's perspective, 276–277
  - truth value in, 276
  - truth-valued function in, 275, 281–283, 284
  - yield-value function in, 275, 276, 280–281, 283–284
- permission statement, 126–127, 147, 158<sup>t</sup>
- permission word, 127, 130
- points-over-time relationships, 212<sup>f</sup>, 213
- Policy Charter
  - about, 38–39, 195–196
  - absence of, 198
  - business goals in, 38–39
  - in business model, 36, 193
  - fact model and, 205
  - in high-impact sponsorship, 195–196, 197<sup>f</sup>
- predicate
  - in Aristotelian logic, 219
  - atomic form of, 220
  - at business manager's perspective, 254–255
  - class term and, 257, 268
  - definition of, 219, 257, 262
  - external, 259
  - fact and, 253–254, 269
  - of instance term, 268
  - internal, 259
  - meaning of, Date and Darwin, 301–302
  - in predicate calculus, 219
  - vs.* proposition, 257
  - in relational approach, 301
  - of relvar, 258–262, 291–292
  - in R-Notation, 269
  - at system developer's perspective, 256–257
  - at technical designer's perspective, 258–262
  - term as, 269
- predicate calculus
  - causation and, 288
  - definition of, 219–220
  - fragments and, 220, 265–266

- predicate in, 219, 257
  - rules in, 231
  - subject in, 219, 268
- premise, definition of, 232
- presentation rule, 143*t*, 154, 160*t*, 176*t*
- procedural view, of requirements
  - development, 67–68, 70
- procedure(s). *See also* script(s)
  - adaptability and, 89
  - basis for, 90–93
  - development of, Rule Book in, 77
  - events in, and consistency, 76
  - rejector and, 78
  - Rule Independence and, 7, 76, 102–103, 187–188
  - rules, distinction between, 115
  - sequence of, 309
  - simplification of, 90–91
  - terms and, 55
- process. *See also* thin processes; procedures; scripts
  - in business system architecture, 48
  - control over, with rules, 86
  - development of, Rule Book in, 77
  - events in, and consistency, 76
  - execution of, control over, 239
  - fact and, 59
  - functioning of, 87
  - as non-truth-value function, 237
  - rule creation as, 239
  - rules and
    - distinction between, 182–183
    - independence of, 76, 103
    - sequence of, 309
    - simplification of, 87–88
    - terms and, 55
  - process toggle, 143*t*, 152, 160*t*, 175*t*
  - process trigger, 143*t*, 154–155, 160*t*, 176*t*
  - processing logic, *vs.* business logic, in rule expression, 110
  - producer type rules
    - about, 79, 295
    - vs.* condition, 294
    - definition of, 142*t*, 294
    - as function, 79
    - functions as, 296
    - templates for, 148–150
  - product families, reference data for, 17
  - product release process, 16
  - production configurations, reference data for, 17
  - productivity
    - projector rules for, 142*t*
    - rule-based functions and, 79
  - product/service rules, 190–192
  - programming languages, type in, 226
  - projector type rules
    - about, 79–80, 80*n*, 295
    - definition of, 142*t*, 293–294
    - templates for, 150–155
  - projects
    - kinds of, in business-driven approach, 34
    - managing by benefit, rather than cost, how to, 195–196
  - proposition
    - definition of, 220
    - vs.* predicate, 257
    - in relational approach, 301
  - provisioning process, reempowerment for, 15–18, 17*t*
- Q**
  - qualification
    - bulleted. *See* bulleted condition
    - implicit, 284
    - NOT for, 303
    - in Pattern-R rule type, 278, 283
    - in rule expression, 117, 128
  - quantifiers, in higher-order rule types, 304
  - query. *See* condition; producer type rules
- R**
  - real-time compliance, 29, 79
  - recapture projects and business rules, 12–13

- redeployment projects and business
  - rules, 12
- redocumentation projects and business
  - rules, 12–13
- reduction of rules at business manager's
  - perspective, 245
- reempowerment projects and business
  - rules, 13, 15–18
- reengineering projects
  - business rules in, 11, 76–77
  - in Policy Charter, 196
- reference data, from provisioning
  - process, 17–18
- referential integrity, 267
- rejector type rules
  - about, 78, 294
  - in constraint enforcement, 247
  - decision table for, 175*t*
  - definition of, 142*t*, 293
  - early testing of, 190
  - flip side of, 126–127
  - IF...THEN... syntax in, 126, 297
  - normal and abnormal business
    - circumstances and, 101
  - pattern-based specification for,
    - 275–276
  - templates for, 145–147, 158*t*
- relation
  - null in, 301
  - in relvar, 261
- relation variable. *See* relvar
- relational approach, semantics in,
  - 301–302
- relationship. *See also* fact
  - generalizing, 209–210, 210*f*, 211*f*
  - Halpin on, 299
- relvar
  - defining, 291
  - definition of, 258
  - Golden Rule for, 260
  - predicate of, 291–292
- repository, for rules, 180
- requests, and scripts, 92
- requirements
  - business analyst and, 40–41
  - coherency of, 61
  - from business model, 37
  - in business systems development,
    - 32–33
  - in business-driven approach, 34
  - development of, 67–68, 107–108
  - fact as, 60–61
  - in IT-driven business, 33–34
  - rules as, 29, 61, 73–74
  - system-level, data model and, 206
  - term as, 60–61
- requirements gap, business rule
  - approach and, 74
- restrictions, rules for, 69
- retention projects, for knowledge, 12–13
- reuse
  - in business rule definition, 185
  - of computation logic, 118
  - of logic, 119
  - of scripts, 99–103
- reverse engineering projects, and business
  - rules, 12–13
- reversibility, of facts, 270, 313–314
- revitalization projects, and business
  - rules, 12
- right-hand term, 240, 241. *See also*
  - consequent
- risk, business. *See* business risk
- R-Notation
  - built-in fact types in, 315–317
  - for facts, 269–271, 313–314
  - formal logic and, 221
  - for higher-order rules, 276
  - name of, 221*n*
  - for Pattern-R rule types, 276
  - for rules, 238–247
- role, Halpin on, 299
- Ross, Ronald G., 183*t*, 184*t*
- row
  - in decision table, 161
  - in relvar, 261

- rule. *See also* business rule(s); rules, expression of.
- abnormal scripts for violation of, 101–102
  - atomic form of. *See* atomic form of rules
  - in automated decision making, 189–190
  - behavior influenced by, 7, 82–84
  - capture of, *vs.* workflow capture, 190
  - vs.* cardinality, 65
  - chaining, backward and forward, and, 250–251
  - coherency of, 61
  - computation logic, reuse of, 118
  - conflicts in, 174
  - constraint and, 234, 295
  - control from, 47–48, 67–70, 85–86
  - data model, generalizing, and, 209–214
  - databasing of, 180
  - declaring in formal logic of, 239
  - decision tables and, 161–176
  - embedding in procedures and processes, 188
  - enforcement level of, 83, 130
  - as error messages, 29, 73
  - events and
    - difference between, 70
    - production of, 71–72, 71*f*, 74*f*, 75*f*
    - violation by, 72–74
  - exceptions to, 84–85
  - execution of, control over, 239
  - events and, 70–75
  - fact model and, 111, 112*f*
  - vs.* facts, 59
  - formal basis for, 231–235
  - functional categories of, 77–82, 125–126, 141–143, 174–176
  - isolation from implementation
    - algorithms, 250
  - levels of, 124–125
  - in logicbase, 228
  - management of. *See* rule management
  - missing, 163
  - name for, 243
  - normal and abnormal business circumstances and, 100–103
  - notation for, 238
  - number of, and cost, 85
  - vs.* optionality, 65
  - perspectives on, 223–224
  - in Policy Charter, 38–39, 197*f*
  - posting, 7
  - in predicate calculus, 231
  - in procedural view, 70
  - procedure and, 7, 110, 115, 187–188
  - process and, 86, 182–183
  - as query. *See* condition
  - questions about, 180, 181*t*
  - reduction at business manager's perspective, 245
  - referencing, 243
  - relationships between, traceability of, 180–181, 181*t*
  - as requirements, 61, 73–74
  - risks and, 194
  - sample of, 69
  - scripts and, 187–188
  - sequence and, 186–188, 309
  - vs.* software, 182
  - spectrum of, 80–82
  - storage for. *See* repository, for rules; rulebase
  - as suggestions and guidelines, 82–84
  - support for, in commercial products, 226
  - terms in, 61, 69–70, 111–112
  - as test. *See* condition
  - tradeoffs and, 194
  - training and, 29, 98
  - translation of, to Horn clauses, 241
  - truth value of, evaluation of, 287–288, 288*t*
  - types of. *See specific types*

- rule, *continued*
  - use in formal specification of other rules, 246–247
  - violation of. *See* violation
  - vs. workflow, 115
- Rule Book
  - about, 77
  - fact model and, 206
  - for knowledge retention, 96
  - in training, 99
  - unscripted work and, 95
- rule engine. *See* business logic server
- rule, expression of. *See also* rule; RuleSpeak; rule statement.
  - a/an*, usage of, 136
  - actor as subject in, 115
  - after*, usage of, 129
  - all*, usage of, 136
  - and*, usage of, 132–134
  - ANDed conditions, 138–139
  - at business manager’s perspective, 255–256, 297
  - at least one*, usage of, 136
  - before*, usage of, 129
  - both*, usage of, 133
  - bulleted condition, vs. *or* and *and*, in 132
  - by*, usage of, 129
  - capitalization, of class terms, 262
  - commands in, 115–116
  - computation in, embedded, 118–119
  - context in, 115–116
  - CRUD (create, retrieve, update, delete), as rule subject in, 116
  - declarative form for, 70
  - during*, usage of, 129
  - each*, usage of, 136–138
  - embedded computation in, 118–119
  - embedded condition, 246–247
  - embedded rule, 188
  - “equal to” (=), 148, 158*t*, 304
  - etcetera in, 120
  - events as subject in, 116–117
  - fact missing in, 112–113
  - fact model and, 111, 112*f*
  - fluff in, 113
  - the following*, usage of, 132–134, 136
  - fundamental concepts of, 125–129
    - if* clause in, 114, 128, 150
    - guidelines for, 109–122
    - how of enforcement in, 109
    - IF...THEN... syntax for, 116, 256, 297
  - implementation of, rule sentence templates and, 124
  - impossibility in, 111
  - indefinite words in, 120
  - inscrutability in, 110–111
  - is*, in inference rule, and 151, 158*t*
  - isolating logic in, 119–120
- levels of, 124–125
- may
  - in permission statement, 147, 158*t*
  - usage of, 127, 130
- may...only *if*
  - in rejector rule, 146, 158*t*
  - usage of, 132
- may...only [preposition]*, in rejector rule, 146–147, 158*t*
- means*, in derivation rule, 149, 159*t*
- must
  - vs. *may*, 130
  - in rejector rule, 145, 158*t*
  - vs. *shall*, 129
  - vs. *should*, 130
  - usage of, 126
- must be computed as*, in computation rule, 148, 158*t*
- must be considered*, in inference rules, 150, 159*t*
- must be created/deleted*, 152, 160*t*
- must be displayed*, in presentation rule, 154, 160*t*
- must be enabled/disabled*, in process toggle, 152, 160*t*

- must (not) be enforced*, for rule toggle, 151, 159*t*
- must be executed*, in process trigger, 155, 160*t*
- must be fired*, in rule trigger, 155, 160*t*
- must be set to*, in imprint rule, 153, 160*t*
- must be taken to mean*, in derivation rule, 149, 159*t*
- must not
  - vs. *no*, 131
  - in rejector rule, 146
  - usage of, 126
- need not
  - in permission statement, 147, 158*t*
  - usage of, 127
- no*, usage of, 131
- not...any*, vs. *no*, 131
- not...not*, usage of, 131–132
- on or before*, usage of, 129
- only*, usage of, 126
- or*, usage of, 132–134
- parentheses, embedded in, 132
- vs. processing logic, 110
- qualification in, 117, 128
- shall*, usage of, 129
- should not*, usage of, 126
- should*, usage of, 126, 130, 157
- some*, usage in, 136–138
- strictly ANDed conditions, usage in, 138–139
- strictly ORed conditions, usage in, 139–140
- subject missing in, 114–115
- subject of (*See* subject)
- timing clause in, 114
- unless/except* in, 159*t*
- value referenced in, 129
- when of enforcement in, 109–110
- when*, usage of, 128, 153, 155
- where of enforcement in, 109
- who of enforcement in, 109–110
- Rule Independence
  - abnormal reuse and, 102–103
  - business logic server and, 227–228
  - chaining, backward and forward, and, 250–251
  - procedures and, 7, 76, 102–103, 187–188
  - declaration of, in Business Rules Manifesto, 103–105
  - definition of, 49
  - dimensions of, 250
  - one-size-fits-all scripts and, 98–99
  - procedures based on, 91–93
  - in rule management, 86
  - thin processes and, 86, 91
  - value of, 77
- rule keywords, 157–160
- rule management
  - basic principles of, 179–181
  - business-side, 77
  - necessity of, 8
  - purpose of, 179
  - repository for, 22–24, 179–181
  - Rule Independence in, 86
  - support for, 179–181
- rule mining, 12–13, 96
- rule notation, 238–247
- rule processing server. *See* business logic server
- rule sentence templates
  - about, 123–124
  - basic, 157–160
  - for permission statements, 147
  - for producers, 148–150
  - for projectors, 150–155
  - for rejectors, 145–147, 158*t*
  - implementation of, 124
  - shorthand
    - for computation rules, 148
    - for derivation rules, 149–150
    - inference rule, 151
  - using, success factors in, 124–125
- rule statement. *See also* rules, expression of.
  - as error messages, 29, 73
  - for decision tables, 170–171
  - IF...THEN... syntax for, 234

- rule statment, *continued*
  - vs.* programming statement, 234*n*
  - vs.* rule, 68*n*, 108*n*
- rule toggle
  - decision table for, 175*t*
  - definition of, 143*t*
  - template for, 151, 159*t*
- rule trigger
  - decision table for, 176*t*
  - definition of, 143*t*
  - template for, 155, 160*t*
- rule type indicator, notation for, 241–242
- rule words, 126
- rulebase, 227–229
- rules of engagement, in customer relationship management, 13
- rules of production, in formalization, 307
- RuleSpeak
  - decision tables and, 234
  - guidelines for, 109–123
  - introduction to 107
  - rule sentence templates of, 145–160
  - rule sentence template, usage of, 125–140
  - rule types and, 135–136
- S**
- scope, 54*n*, 58–59, 94
- script(s)
  - abnormal usage, 100–103
  - actors in, 94
  - definition of, 77*n*, 92
  - initiation of, 93
  - one-size-fits-all, 97
  - prescribed, definition of, and, 92
  - reuse of, 99–103
  - for rule violation, 100–103
  - requests and, 92
  - rules in, 187–188
  - for work, 92–93
- SEM fact type, 316–317
- semantic model, fact model and, 61*n*
- sequence
  - business rules and, 186–188
  - determination of, 309
- shall*, usage of, 129
- shorthand templates
  - for computation rule, 148
  - for derivation rule, 149–150
  - for inference rule, 151
- should not*, usage of, 126
- should*, usage of, 126, 130, 157
- showstoppers, in business system development, 38
- smart dialog, 26
- software, *vs.* business rule, 182
- some*, usage of, 136–138
- specialization, 45, 48–49
- split-row decision table, 165–166
- sponsor, role in projects, 195–196
- staging, in business model, 37
- stimulus/response rule. *See* projector type rules
- structure
  - in business system architecture, 45–46
  - in business model, 37
  - vs.* control, 209
- subject
  - actor as, 115
  - in Aristotelian logic, 219
  - at business manager's perspective, 255
  - CRUD (create, retrieve, update, delete) as, 116
  - as decision table header, 168
  - defining, 255
  - event as, 116–117
  - identification of, 255
  - missing, 114–115
  - placement of, 126
  - plural, 113–114
  - in predicate calculus, 219, 268
  - of sentence, 140
  - vs.* term, 55

- subject matter experts, in business
    - model development, 36
  - subsummation, 173–174
  - SUBTRACT, in higher-order rule types, 305
  - subtypes, 64, 316
  - suggestors, 82–83
    - in business rule definition, 185
    - enforcement level of, 83–84
    - expression of, 83
    - firing of, 83
    - in rule templates, 157
  - SUM, in higher-order rule types, 305
  - supply chain, business rule approach in, 18
  - system analyst, business analyst and, 40
  - system design
    - actors and, 97
    - system model in, 38
  - system developer's perspective
    - about, 224
    - classes at, 237
    - fact at, 263–264
    - instances at, 237
    - objects (in formal logic) at, 258
    - predicate at, 256–257
    - rule reduction at, 245
    - terms at, 225
    - type at, 226
    - variables at, 238
  - system development, data models in, 52
  - system model, 37, 206
  - system perspective, *vs.* business perspective, 184
  - system-level requirements, data model and, 206
- T**
- tacit knowledge, 27, 186
  - tactics and policies. *See* Policy Charter.
  - technical designer's perspective
    - about, 224
    - Existence Principle at, 266*n*
    - fact at, 263–264
    - Pattern-R rule defined at, 276–277
    - predicate at, 258–262
    - rule reduction at, 245
    - technology-dependence of, 225, 258
    - terms at, 225–226, 288
    - type at, 226
    - variables at, 237
  - technical knowledge, fact model and, 53
  - template. *See* rule sentence templates
  - term. *See also* business rule.
    - about, 54–56
    - vs.* actions, 55
    - atomic test for, 55
    - vs.* attributes, 206
    - business logic servers and the meaning of, 240
    - in business rule definition, 185
    - in business system structure, 45–46, 48
    - changes in, 56
    - class as, 225
    - computed, 165
    - and concept, 55
    - in data model, 57
    - in decision tables. *See* evaluation term
    - defining, 55, 203
    - definition of, 54
    - derived, 165
    - fact and, 255
    - in fact model, 57, 201
    - formal basis for, 235–236
    - function result as, 296
    - instance-level, 57, 225
    - meaning of, to business logic server, 240
    - minimum set of, 65–66
    - non-truth-value function and, 237
    - objects (in formal logic) and, 255
    - order of, in relvar, 259
    - as predicate, 269
    - in predicate logic, Part V
    - vs.* procedures, 55

- term, *continued*
  - procedures based on standardized, 90–91
  - vs. processes, 55
  - purpose of, 54
  - in relvar, 258, 259
  - as requirement, 60–61
  - in rule, 61, 69–70, 111–112
  - vs. rule subject, 55
  - in rule theory, 235–236
  - standardization of, 57
  - subjects and, 255
  - at technical designer's perspective, 225–226, 288
  - testing, 55
  - unification of, 65
  - uniqueness of, 65
- terminator, 204–205
- terminologist, 205
- test. *See* condition; producer type rules
- thin processes
  - in business rule approach, 49
  - definition of, 91
  - Rule Independence and, 86, 91
- thinking tools, in business knowledge capture, 35
- The Third Manifesto [Foundation for Future Database Systems]* (Date and Darwen), 258
- time
  - in data model, 207
  - generalizing, 212–214, 212*f*, 213*f*
- time bracket, 128–129
- time shock
  - challenges from, 88
  - immunity from, 98
  - scripts and, 97
- timed rule type, 275, 303
- timing clause, in rule expression, 114
- timing, rules for, 69
- toggle rule. *See* enabler rule
- traceability, for rules, 124, 180–181, 181*t*
- tradeoffs, business rules and, 194
- training
  - automatic, 28–29, 89, 98
  - challenges from, 88–89, 97–99
  - necessity of, 27
  - Rule Book in, 99
- transformations, in business model, 37
- trigger. *See* executive rule
- trigger event, definition of, 80
- true facts, in relvar, 261
- truth
  - of assertion, 255
  - vs. consistency, 221, 265*n*
  - of fact, 255
- truth table, for rule, 287–288, 288*t*
- truth value
  - definition of, 231
  - in Pattern-R rules, 276
  - of rule, evaluation of, 287–288
- truth-valued expression. *See* logical expression
- truth-valued function
  - comparative operators in, 304–305
  - as condition, 282
  - as constraint, 282
  - name of, 277, 281
  - in Pattern-R rule type, 275, 281–283, 284
  - at technical designer's perspective, 276–277
  - variable for, 282
- truth-valued variable, definition of, 232
- tuples, 261, 301
- type (data type)
  - definition of, 264
  - in factbase, 264
  - null in, 301
  - in programming languages, 226, 261
  - in relvar, 258, 259, 292
  - for yield value, 281
- type (class), in data model, 57, 226
- typing, of rules, 135–136, 275–284

**U**

U (upper), in Pattern-R rule type, 278  
 unification  
   of fact, 65, 270  
   of term, 65  
 Union Rule example, 279–280, 284  
 unique rule type, 135, 275, 303  
 uniqueness, 65  
 “universal and,” 138*n*  
 universal content repository  
   for data management, 19  
   management of, eSubscriptions in,  
     23–24  
   as staging area, 21  
*unless/except*, in rule expression, 159*t*  
 update events  
   business logic technology and, 75–76  
   definition of, 71  
   procedures and, 86  
   processes and, 86  
   producer rules and, 79  
   projector rules and, 79–80  
   rejector rules and, 78

**V**

validation rules. *See* rejector type rules  
 validity. *See also* consistency  
   of decision tables, 172–174  
   definition of, 220  
 value. *See also* instance  
   in decision table completeness, 170  
   in factbase, 264  
   referencing, in rules, 129  
   relation as, 258  
 value chain, compacted, automating,  
   95–96  
 value-adding behavior, automatic, from  
   projector rules, 80  
 variables. *See also* class  
   in automated system, 291  
   in factbase, 264  
   in logical formulas, 220  
   name of, as term, 236

  relation (*See* relvar)  
   for truth-valued functions, 282  
   for yield value, 281  
 verb phrases, implicit in predicates,  
   260  
 violation, of rules  
   abnormal scripts for, 101–102  
   error messages for, 29  
   events and, 72–74  
   rejector and, 78  
   script for, 100–103  
 visible logic, in business rule approach,  
   82  
 vocabulary  
   in data models, 52  
   development of, 22, 37, 53  
   in fact model, 56, 58, 202, 203  
   management of, 180  
 von Halle, Barbara, 184*t*

**W**

Web content management, business  
   rules for, 19  
 Web, for business service redeployment,  
   12  
*when*, usage of, 128, 153, 155  
 wordsmithing, in business rules  
   projects, 204–205  
 work  
   in business rule approach, 90  
   definition of, 91  
   rules and, revolutionizing, 88  
   scripts for, 92–93  
   unscripted, 95  
 work avoidance, 189–190  
 workers.  
   in-line training, 28–29  
   knowledge of, 35  
   questions from, about rules, 180, 181*t*  
   time shock and, 97  
 workflow  
   capturing, *vs.* rules capture, 190  
   *vs.* rules, 115

workflow models  
in business model, 36  
business process rules and, 192  
fact model and, 205–206

**Y**

yield-value function  
comparative operators in, 305  
indeterminate results from, 282–283

in Pattern-R rule type, 275, 276,  
280–281, 283–284  
at technical designer's perspective,  
276–277

**Z**

Zachman Architecture Framework,  
35–36, 61*n*, 193*n*, 202*n*  
Zachman, John, 35–36, 61*n*, 193*n*, 202*n*





[www.informit.com](http://www.informit.com)

## YOUR GUIDE TO IT REFERENCE



### Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



### Online Books

Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.



### Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.

Wouldn't it be great  
if the world's leading technical  
publishers joined forces to deliver  
their best tech books in a common  
digital reference platform?

They have. Introducing  
**InformIT Online Books**  
powered by Safari.

■ **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

**Get your first 14 days FREE!**

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/onlinebooks> for details.

POWERED BY  
**Safari**  
TECH BOOKS ONLINE

**informIT**  
**Online Books**

**informit.com/onlinebooks**

# Register Your Book

at [www.awprofessional.com/register](http://www.awprofessional.com/register)

You may be eligible to receive:

- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests

## Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department  
Addison-Wesley Professional  
75 Arlington Street, Suite 300  
Boston, MA 02116 USA  
Email: [AWPro@aw.com](mailto:AWPro@aw.com)

Visit us on the Web: <http://www.awprofessional.com>

