




INDEX


Numbers

- 1.25:1, 71
 1.33:1, 9, 70
 1.76:1, 33
 1.78:1, 10, 70
 1.85:1, 10, 71
 1080/24p, 35
 1080/60i, 35
 1080/60p, 35
 1280x720, 42
 1394. *See* IEEE 1394
 15fps, 71
 16:9, 70
 1s and 0s, 205
 2.35:1, 10, 32, 71
 2.40:1, 32
 22:11:11, 370
 22:22:22, 370
 24/7, 149, 200, 327, 340
 24p, 6
 28.8Kbps, 84
 29.97fps, 34
 2:2 pulldown, 8
 2K, 17, 37
 35mm film, 16
 3:2 pulldown, 7, 9
 3D, 86
 interactive content, 86
 walkthroughs, 104, 131
 3G, 310
 3GP, 333
 3GPP (Third Generation Partnership Project), 310, 333, 389
 4096x3072, 38
 480/60i, 35
 480/60p, 35
 4:1:1, 94
 4:2:0, 94
 4:2:2, 93, 370
 4:3, 9, 70-71
 4:4:4, 93, 370
 4:4:4:4, 95
 4K, 17, 37
 4onIP, 381
 50i, 6
 576/50i, 35
 576/50p, 35
 59.94, 34
 59.94 fps, 34
 60 fps, 34
 60i, 6
 640x480, 38
 68040, 82
 6:4:4, 95
 700Kbps, 158
 70mm film, 16
 720/24p, 35
 720/30p, 35
 720/60i, 35
 802.11, 205
 80386, 82
 80486, 84
 8mm, 40

A


- advanced scalable texture profile.
See MPEG-4
 advanced simple profile.
See MPEG-4
 advanced video coding (AVC). *See* MPEG-4
 advertisements, 147, 169, 330
 banners, 330
 bumper, 170
 commercial, 147
 consumption, 167
 demographics, 147
 embedded, 170
 flash, 147
 global, 147
 guaranteed impressions, 170
 impressions, 171
 insertion, 168
 Internet, 149
 interstitial, 147, 170, 330
 inventory, 330
 measurement, 167
 national, 147
 pop-up, 170
 providers, 330
 Real Networks, 185
 regional, 147, 171
 reporting, 168
 syndication, 171
 targeted, 331
 tools, 171
 tracking, 167-168
 URL, 170
 video clips, 147
 algorithms
 encryption, 281
 multicast, 235
 strong, 283






452 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO


- Amiga Computers, 79-81
- analog
 - cameras, 47
 - capture. *See* videos, capture
 - defined, 10
 - media degradation, 12
 - quality compared to digital, 12
 - storage, 11
 - storage degradation, 12
 - tape, 12
 - tape formats, 47
 - versus digital, 10
 - video tapes, 11
- analog to digital conversion. *See* conversion, analog to digital
- anamorphic DVDs, 33
- anamorphic film, 32
- anamorphic projection, 33
- Andreessen, Mark, 306
- animation, 101
- Animation Framework eXtension (AFX). *See* MPEG-4
- announcements, staggered, 333
- anonymous tracking, 174
- ANSI, 309-310
- AOL, 330
- Apple, 185, 314
 - iPod, 28, 357
 - iTunes, 215, 314
 - MOV, 139
 - QuickTime, 82, 131
- application development, 330, 353
- application layer. *See* layers, application
- applications/mpeg4-iod, 381
- applications/mpeg4-iod-xmt, 381
- archival, defined, 329
- art gallery, 73
- artifacts
 - blocking, 96
 - green blocks, 336
- .asf, 124, 128, 135
- aspect ratio, 29, 70, 351
 - 1.33:1, 9
 - 1.76:1, 33
 - 1.85:1, 10
 - 16:9, 33
 - 2.35:1, 10, 32
 - 2.40:1, 32
 - 4:3, 9
- comparison, 10
- DV, 30
- film, 31
- HTDVs, 10
- information, 352
- letterbox, 31
- pixels, 29-30, 37
- preserving resolution, 33
- assembly line, 301
- .asx, 126, 155
- asymmetric encryption, 285
- Asynchronous Transfer Mode (ATM), 205
- asynchronous viewing, 154
- Atari Computers, 79
- audience, 143
 - large, 147
 - measurement, 167
 - player version, 343
 - statistics, 167
 - tracking, 167, 343
- audio
 - bit rate, 350
 - channels, 373
 - coding, 356
 - configuration, 351
 - corruption, 344
 - demultiplexing, 348
 - diagnosis, 343
 - drift, 349
 - frequency, 349
 - high quality, 375
 - high-efficiency, 376
 - low bit rates, 351
 - low delay, 375
 - Macintosh, 78
 - MAUI, 376
 - metallic, 350
 - muddy, 350
 - natural, 376
 - no video, 343
 - originals, 351
 - pops, 351
 - sampling, 16, 78
 - speech, 373
 - streaming, 62, 134
 - structured, 374
 - synch drift, 348
 - synchronization, 348
 - synthetic, 373
 - troubleshooting, 343-344
 - video synchronization, 115
 - voice, 350
- Audio Video Interleaved (AVI), 115, 126-128, 132, 349
- audiovisual coding, 356
- auditing, 168
- authoring systems, 137
- auto-install, 339, 345
- auto-update, 341
- automatic resends, 208
- AVC, 383, 388
 - block shape, 383
 - block size, 383
 - blockiness, 383
 - complexity, 384
 - CPU power, 384
 - deblocking filter, 384
 - decoder, 384
 - file formats, 388
 - motion detection, 384
 - techniques, 384
- AVI (Audio Video Interleaved), 115, 126-128, 132, 349
- Avid, 318






B


- back channel, 379
- backbone
 - defined, 192
 - ISP, 201
- background sprites, 360
- backups, 326-327
- backward compatibility, 147, 304
 - MPEG-4, 362
- bad economy, 310
- bad frames, 349
- bandwidth, 56, 147, 158, 198, 326
 - 20Kbps, 336
 - 40Kbps, 336
 - awareness, 156-157
 - broadband, 62, 147, 158
 - bulk rate, 332
 - capacity, 341
 - choosing, 62
 - comparison, 56, 158
 - contention, 223
 - control, 229
 - cost, 62, 196, 332
 - donation, 332
 - download scheduling, 332
 - gigabytes transferred, 332
 - guaranteed, 242
 - guarantees, 229
 - increase, 342
 - insufficient, 349
 - interference, 162
 - limiting, 179
 - limits, 341
 - modems, 62, 69, 147, 158, 336, 341
 - off-hours, 332
 - peer-to-peer, 204, 332
 - providers, 242, 332
 - provisioning, 346
 - public access, 332
 - quality, 332
 - reduction, 64, 69
 - reservation, 242
 - scalability, 75
 - sufficient, 341
 - T-1, 196
 - targeting, 64
 - tax benefits, 332
 - throttling, 162
 - tracking, 168
 - usage, 182
 - variability, 195
 - varying, 159-161
 - wasted, 160
 - web, 332
- banner ads, 168, 330
- basic animated texture profile. *See* MPEG-4
- batch processing, 321
- best-effort delivery, 193, 244. *See also* quality of service
- BetaSP, 49
- better logging, 168
- BGMP (Border Gateway Multicast Protocol), 238
- bidirectional frames, 102
- BIFS, 389
- big three, 186
- billing, 175, 310
- bit rates, 68, 145, 157-158, 162, 168, 182, 195, 322, 331-333, 339
 - audio, 350
 - balancing, 319
 - choosing, 319
 - downgrade, 162
 - higher, 336
 - multiple, 86, 161
 - reduction, 350
 - setting, 67
 - tracking, 168
- bit rates. *See* bandwidth
- BitTorrent, 249
- black and white photographs, 90
- blocks, 96
 - green, 336
 - size, 383
- blogging, 324
- blue screen, 41, 104
- blurry video, 336
- board of director meetings, 149
- Border Gateway Multicast Protocol (BGMP), 238
- bottlenecks, 198
- branch offices, 220
- branding, 330
- brightness, 90
- broad reach, 147
- broadband, 56, 147, 158, 324, 337
 - adoption rate, 310
 - movies, 250
- broadcasts, 196
 - audience, 147
 - efficient, 151
 - equipment, 182
 - events, 149
 - Internet, 39
 - live, 326
 - media, 195
 - scalability, 176
 - scope, 147
 - standards, 33, 182
 - television, 235
 - video, 220
- broadcasters, 147, 151
- brokerage companies, 223
- brownouts, 198
- browser wars, 306-307
- brute force, 284
- buffering, 149, 164, 342, 350
 - defined, 145-146
 - preferences, 350
 - reduction, 165, 350
 - settings, 350
 - start time, 350
- bulk archiving, 340






454 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- bumper ads, 170
 businesses, 220
 busy routers, 194
 “Buzzword Translators”
 broadcast, 152
 clip, 155
 Fast Cache, 165
 Fast Reconnect, 165
 Fast Recovery, 165
 Fast Start, 165
 Fast Streaming, 165
 Forward Error Correction, 165
 Instant On, 165
 Intelligent Streaming, 163
 live video, 152
 mount points, 172
 multicast, 152
 narrowcast, 152
 publishing points, 172
 Rapid Playback Features, 165
 reference movies, 163
 reflected multicast, 152
 simulated live broadcast, 152
 simulcast, 152
 stations, 172
 stream thinning, 163
 SureStream, 163
 TurboPlay, 165
 video clip, 155
-
- C**
-
- C, 378
 C++, 378
 C-VHS, 48
 cable, 151, 205
 cable modems. *See* bandwidth, broadband
 cables, 205, 318
 caching, 166, 174, 199
 edge, 333
 on-demand, 178
 transient copies, 204
- cameras
 pan, 52
 zoom, 52
 capacity, 175, 341
 capture
 analog, 335, 349
 audio, 76
 CPU speed, 335
 DV, 349
 high resolution, 39
 process, 346
 real time, 335
 video, 15, 37
 car chases, 104
 cartoons, 104
 Cb, 26
 CCD (charge-coupled device)
 defined, 42
 one vs. three, 42
 resolution, 43
 CD audio, 78
 CD-Interactive (CD-I), 82-83, 130
 CDNs, 178, 185, 198, 324, 327, 331-332, 342, 346
 effectiveness, 199
 failure, 200
 peer-to-peer, 203
 pre-caching, 199
 real-time media, 200
 CDs, 131, 271
 cel animation, 101
 cell phones. *See* mobile phones
 cellular networks, 379
 CELP, 375
 center-based tree. *See* multicast, center-based tree
 CEOs, 149, 220
 CERN (European nuclear research center), 306
 channels, 329, 340
- charge-coupled device (CCD)
 defined, 42
 one vs. three, 42
 resolution, 43
 checksums, 120, 209
 chips, 382
 chroma keying, 41, 104
 chrominance, 90-91
 CIF, 71, 82
 Cinepak. *See* codecs, Cinepak
 circuits, switching, 190, 244
 Class A IP addresses, 232
 Class B IP addresses, 232
 Class C IP addresses, 232
 Class D IP addresses, 232
 Class E IP addresses, 232
 click-through license, 276
 client-side software, 332
 clips, *See* video, clips
 CMYK, 89
 codecs, 60, 63, 66, 68, 71, 74, 76, 80, 83, 100, 341
 appropriate, 350
 asymmetric, 65
 audio, 80, 84
 auto-download, 128
 best, 60
 bitstream, 313
 built-in, 59
 choosing, 110
 Cinepak, 82
 complex, 347
 complexity, 65, 72
 defined, 58
 divergence, 132
 downloading, 66
 efficiency, 60
 final, 329
 Flash, 137
 hardware, 128
 history, 76
 hybrid, 337
 incompatibility, 65, 127
 Internet, 110
 iPIX, 104
 JPEG, 89




- lock-in, 66
- low bit rate, 85, 373
- Macromedia Flash, 85
- metrics, 60
- missing, 343-344
- modem, 85
- motion JPEG, 104
- MP3, 84
- MPEG-1 Layer III, 84
- parametric, 373
- photographic, 88
- preinstalled, 66
- proprietary, 127, 304
- Quake, 85
- quality, 72
- software, 59
- sophisticated, 336
- Sorenson, 83, 132
- Sorenson Spark, 85, 137
- speech, 373
- storage, 134
- symmetric, 65
- techniques
 - color space transform, 89
 - DCT, 85
 - JPEG, 89
 - predictive information, 102
 - spacial, 88-89
 - temporal compression, 88
 - wavelets, 85
- text compression, 337
- third party, 66, 343-344
- unavailable, 343
- unrecognized, 343
- video, 336
- voice, 68, 104, 350
- wavelets, 337
- Web3D, 104
- ZIP, 100
- code
 - audiovisual, 356
 - error correcting, 167
- coefficients, 97
- collocation, 176
- color
 - channels
 - brightness, 90
 - luminance, 90
 - Y, 91
 - components, 26
 - gamma, 351
 - palettes, 78
 - quality, 23
 - resolution, 39-41
 - sampling, 16, 78
 - space, 89, 92
 - variation in analog quality, 23
- commercials. *See* advertisements
- Compact Disks. *See* CDs
- composite video. *See* videos, composite
- compositing, 103
- compression, 55, 60, 63, 66, 68, 71, 74, 76, 80, 83, 100, 103
 - 1-pass, 74
 - 2-pass, 74
 - 12:1, 84
 - advanced settings, 72
 - artifacts
 - blocking, 96
 - mosquito noise. *See* mosquito noise
 - ringing. *See* ringing
 - asymmetric, 65
 - audio, 76
 - block-based, 337
 - codecs, 57
 - complexity, 65
 - constant bit rate, 73
 - decision-making, 60
 - defined, 57
 - delivery method, 61
 - file size, 61
 - frequencies, 96
 - hardware, 340
 - high, 151
 - history, 76
 - intraframes, 89
 - key frames, 74
 - lossless, 46, 100
 - multi-bit rates, 66
 - one-time, 66
 - quality, 72
 - real-time, 81
 - run-length encoding, 79
 - settings, 66
 - source material, 346
 - spacial, 88, 100
 - speed, 74
 - symmetric, 65
 - techniques, 335
 - bidirectional frames, 102
 - DCT, 98
 - entropy techniques, 100
 - Fourier transforms, 96
 - motion compensation, 104
 - object coding, 102, 104
 - quantization, 99
 - vector coding, 104
 - vector compression, 102
 - ZIP, 100
 - temporal, 88, 100
 - terminology, 110
 - text, 337
 - theory, 57
 - tools, 66
 - tradeoffs, 57, 73, 347
 - variable bit rate, 73
 - video, 23, 56
- computational complexity, 313
- computers
 - CPU speed, 340
 - display progressive frames, 39
 - graphics, 51




456 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- hardware, 280
 - industry, 272
 - speed, 335
 - television outputs, 264
 - concerts, 69, 172, 190
 - conferencing, video, 71, 81
 - conformance, 358, 377
 - connections
 - choke, 164
 - circuit-switched, 190
 - clogged, 164
 - diagnosis, 340
 - failure, 208
 - maintained, 167
 - quality, 162
 - sharing, 341
 - statistics, 168
 - connectors
 - video, 24
 - video. *See* videos, connectors, 25
 - Constant Bit Rate (CBR), defined, 74
 - consumers
 - expectations, 175
 - experience, 175
 - container formats, 122, 131, 138
 - content
 - billing, 147
 - control, 147, 197, 251
 - licensing, 272
 - limited-time rental, 272
 - management, 171, 339
 - paid, 147
 - pay-per-view, 272
 - programming, 147
 - providers, 204
 - purchase, 272
 - resale, 272
 - restrictions, 174
 - server-based, 145
 - sharing, 251
 - subscription, 272
 - supply chain, 272
 - tracking, 167
 - Content Delivery Networks (CDNs), 178, 198
 - Content Scrambling System (CSS), 133, 250
 - continents, 342
 - control tags (Flash), 137
 - controlled network environments, 151
 - conversion, 335
 - analog to digital, 13-14
 - digital to analog, 15, 335
 - film to video, 7
 - from film, 320
 - generations, 8
 - quality, 322
 - video, 8
 - cookies, 331
 - copper wires, 205
 - copy protection, 27, 251
 - DVD, 272
 - enforcement, 273
 - Macrovision, 264
 - copyright law, 117, 277
 - core profile. *See* MPEG-4
 - core scalable profile. *See* MPEG-4
 - core studio profile. *See* MPEG-4
 - corporate broadcasts, 221
 - corporate networking, 152, 197, 333, 379
 - corporate streaming, 341
 - corporate webcasts, 197
 - cosine waves, 96
 - cost per viewer, 149
 - costs
 - bandwidth, 175
 - fixed, 197
 - hosting, 175
 - sharing, 332
 - CPUs, 382
 - general purpose, 382
 - power, 348-349
 - specialized, 382
 - speed, 326, 347-348
 - Cr, 26
 - cracking hardware, 280
 - creative department, 351
 - credentials, 278
 - credit card processing, 229
 - CSS. *See* Content Scrambling System
 - curse of popularity, 196
 - custom applications, 330
 - custom media player, 330
 - custom players, 330
 - custom software development, 353
-
- ### D
-
- D-1, 42
 - D-2, 42
 - D-5, 42
 - D-9, 42
 - D-VHS, 41
 - DAI, 361, 380
 - Darwin Streaming Server, 185
 - .dat, 128, 133
 - data channels, two-way, 209
 - data corruption, 347
 - Data Encryption Standard (DES), 284
 - data link layer. *See* layers, data link
 - databases, 174
 - DCT (Discrete Cosine Transforms), 85, 98
 - de facto
 - defined, 305
 - standards, 304
 - deblocking filters, 337
 - De-CSS (Content Scrambling System), 133, 250
 - de-interlacing, 39, 320, 336-337, 346
 - decentralized. *See* peer-to-peer
 - decompression, 58, 100
 - decryption, 275-276, 294
 - keys, 260, 341




- DeCSS, 134, 334
- definition tags (Flash), 137
- delay
 - modems, 194
 - reducing, 199
 - sensitivity, 195
- demographics, 147, 170, 330
- demultiplexing, 348
- DES (Data Encryption Standard), 284
- designated shared root routers, 233
- different broadband speeds, 147
- DigiBeta, 41
- Digital 8mm cameras, 40
- Digital Audio Tape (DAT), 78
- digital backdrop, 41
- digital cable, 147
- digital certificates. *See* encryption
- digital filmmaking, 44
- digital media, 12
- digital recording, 340
- digital rights management, 257
 - chain, 260
 - compromises, 251
 - cracks, 250
 - difficulties, 251
 - foolproof, 250
 - keys, 257
 - unbreakable, 251
 - work-arounds, 251
- Digital Rights Management. *See* DRM
- Digital Satellite Systems (DSS), 83
- digital signatures, 120, 290-291
- digital storage, 12
- digital tape formats. *See* tape formats
- digital to analog conversion, 15, 335
- digital transmission. *See* videos, digital
- digital video cable, 27
- digital video cameras, 42
- Digital Video Recorders (DVR), 147, 170
- Digital Videotape (DV), 39
- Digital Visual Interface (DVI), 27
- dirty heads, 335
- Discrete Cosine Transforms (DCT), 85, 98-99
- dish networks, 296
- Distance Vector Multicast Routing Protocol (DVMRP). *See* multicast, DVMRP
- Distribution, peer-to-peer, 332
- DivX, 128, 348
- DMIF, 379-380
- DNS (Domain Name System), 210, 215, 340
- documentaries, 104
- domain name service, 340
- Domain Name System (DNS), 210, 215, 340
- dot-com crash, 310
- dots per inch, 16
- downloads, 144-145
 - defined, 146
 - music, 314
 - off-hours, 333
 - players, 331
 - preventing, 174
 - scheduling, 332-333
- downsampling, 93
- dpi, defined, 16
- DRM, 118, 320, 328, 341
 - backups, 277
 - better mouse traps, 298
 - built-in, 294
 - buyers, 270
 - circumvention, infringing, 299
 - compromised, 278
 - conditions, 280
 - consumers, 270
 - copyright law, 277
 - device copying, 292
 - device revocation, 292
 - devices, 273, 277, 292
 - difficulty, 270
 - digital objects, 270
 - digital signatures, 290
 - effective, 295-296
 - encryption, 273, 276
 - enforcement, 270, 273
 - example, 289
 - existing customers, 298
 - fair uses, 277
 - FairPlay, 314
 - file wrapper, 295
 - hardware, 280, 297
 - integrated, 294
 - intelligence, 275
 - interoperability, 386
 - IPMP, 386
 - keys, 276
 - license, 276-277
 - license acquisition, 295
 - lock box, 331
 - MP3, 271
 - number of copies, 292
 - objects, 272
 - price, 292
 - protection, 271
 - requires cooperation, 270
 - rights description, 270
 - rights description language, 272
 - rights management, 292
 - rights verification, 294
 - rule expression, 272
 - sellers, 270




458 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- software, 297
 - technical, 273
 - time, 292
 - tools, 282
 - transaction, 289
 - trusted computing, 280
 - trusted parties, 295
 - under the hood, 273
 - updatability, 292
 - updatable, 298
 - value chain, 270
 - versus encryption, 295
 - weakness, 278
 - well tested, 298
 - working, 297
 - wrappers, 118
 - dropout, 166
 - dropped frames, 69, 168, 349
 - DSL. *See* bandwidth
 - DSS, 296
 - duplicate packets, 194
 - DV, 126, 318
 - cameras
 - price, 42
 - progressive mode, 44
 - defined, 39
 - DigiBeta is higher
 - quality, 41
 - import, 349
 - locked audio and video, 349
 - pixel aspect ratio, 30
 - quality, 40
 - tape, 39
 - theatrical projection, 44
 - DV100, 42
 - DV25. *See also* DV
 - DV50, 41
 - DVC, defined, 40
 - DVCam, 40
 - DVCPRO, 40
 - DVDs, 8, 10, 71, 83, 133, 250, 318
 - anamorphic, 33
 - encryption, 334
 - exporting to, 53
 - forum, 310, 315
 - import, 334
 - playback on computers, 39
 - players, 303
 - professionally mastered, 334
 - players, 352
 - quality, 158, 222, 319
 - ripper, 334
 - video capture from
 - DVD, 46
 - widescreen, 33
 - DVI, defined, 27
 - DVMRP. *See* multicast, DVMRP
-
- ### E
-
- e-commerce, 175, 310
 - e-mail, staggered, 333
 - edge networking, 200
 - edge servers, 200
 - edges, jagged, 337
 - editing, 52
 - MPEG-2, 335
 - RAW, 335
 - efficient playback, 115
 - efficient seeking, 116
 - efficient trees, defined, 232
 - egocasts, 221
 - elementary streams. *See* MPEG-4
 - embed tags, 325
 - embedding, 330
 - emulation, 338
 - encoders
 - hardware, 325-327
 - native, 66
 - encoding, 328, 342
 - automated, 328
 - bit rates, 319
 - frames, 337
 - just in time, 325
 - parameters, 67
 - two-pass, 336, 346
 - VBR, 336, 346
 - encryption, 118, 120, 274, 341
 - 64 bits, 283
 - algorithms
 - examples, 284, 287
 - simple, 281
 - strong, 283
 - asymmetric, 285, 290
 - basics, 281
 - breaking locks, 275
 - brute force attack, 284
 - certificate authorities, 291
 - changing the locks, 282
 - compromised, 282
 - concepts, 280
 - cost to crack, 276
 - credentials, 278
 - decryption, 275
 - digital signatures, 290
 - effective, 280
 - enforcement, 280
 - foolproof, 285
 - handshake, 285
 - hard problems, 287
 - hardware, 296
 - hashes, 290
 - hashing, 287-288
 - interception, 275
 - keys, 260, 274, 276, 281
 - authorities, 291
 - management, 289
 - private keys, 285
 - public keys, 285
 - revocation, 289-290
 - license, 279
 - long keys, 284
 - media file, 274
 - one-time pad, 282
 - overview, 275
 - per viewer, 296
 - plaintext, 281, 283
 - positive identification, 285



- reverse engineering, 284
 - rights, 278
 - secure messages, 275
 - secure web pages, 291
 - security by obscurity, 257, 279
 - short keys, 276
 - short passwords, 276
 - signing, 286
 - simple, 281
 - single key, 278
 - standards, 276
 - strength, 287
 - symmetric, 276
 - defined, 283
 - explained, 284
 - technology, 273
 - time to crack, 276
 - tools, 274, 282
 - trust, 291
 - trusted, 275
 - versus DRM, 295
 - weaknesses, 275
 - enhancement layers, 374-375
 - enterprises, 174, 220
 - end-to-end configuration, 246
 - traffic shaping, 243
 - multicast, 151, 197, 332
 - networks, QoS, 243
 - streaming, 176
 - entertainment industry, 272
 - entropy coding, 100
 - errors
 - correcting codes, 167
 - detection, 208
 - logging, 168
 - tracking, 168
 - Europe, 320, 342
 - even field, 5
 - expectations, 175
 - experience, 147, 149, 157-158, 175, 327, 330-331, 336, 338, 340-342, 351, 353
 - experience tracking, 167
 - exporting to DVDs, 53
 - extrapolation, 170
- F**
-
- failure points, 201
 - failure rates, tracking, 168
 - fair uses, 277
 - falling back, 214
 - Fast Cache, 165
 - fast forward. *See* VCRs, controls
 - Fast Reconnect, 165
 - Fast Recovery, 165
 - fast start, 164-165, 180, 332, 350
 - Fast Streaming, 165
 - fault tolerance, 175-177
 - FEC. *See* forward error correction
 - fiber optics, 205
 - fields, 5, 320
 - defined, 5
 - even, 5
 - odd, 5
 - See also* frame, 5
 - fields per second, 34
 - fight scenes, 104
 - file creator, 117
 - file formats, 137, 322
 - 2-gigabyte limit, 132
 - associations, 344
 - AVC, 388
 - container files, 122, 138
 - containers, 131
 - copy protection, 136
 - Flash, 138
 - hypothetical, 122
 - IFF, 132
 - index, 119
 - index files, 122
 - integrity, 120
 - ISO, 385
 - legal rights, 135
 - licensing, 135
 - motion JPEG, 128, 133
 - MP4, 138
 - MPEG-4, 385, 387
 - patents, 135
 - piracy, 136
 - playback, 128
 - playlists, 122
 - progressive, 138
 - raw, 122, 125
 - re-indexing, 119
 - re-sequencing, 119
 - script files, 122
 - segments, 140
 - streamed, 138
 - tracks, 139
 - video CD, 133
 - VOB, 134, 334
 - files
 - formats. *See* file formats
 - integrity, 120
 - manual opening, 345
 - sharing, 331
 - storage, 329
 - translation, 111
 - type associations, 344-345
 - wrapper, 295
 - filmmaking, 44, 52
 - films, 101, 320
 - 16mm, 44
 - 24fps, 36
 - 2K resolution, 17
 - 35mm, 16, 45
 - 70mm, 16
 - 8mm, 44
 - anamorphic, 32
 - aspect ratio, 31
 - capture, 45, 47, 346
 - conversion, 7
 - converting to digital, 47
 - digitizing, 45
 - film looks with DV
 - cameras, 44
 - flicker, 3
 - formats, 44
 - frame rate, 3
 - high resolution, 46
 - importing, 45



460 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

letterbox, 31
 lip synch, 36
 motion fidelity, 7
 projection, 8
 resolution, 17, 32
 scanning, 37
 sizes, 334
 Super 8, 44
 transfer to video, 6
 filters
 de-blocking, 337
 de-interlacing, 336
 financial incentives, 196
 firewalls, 167, 333, 340-341
 corporate, 341
 streaming, 215
 traversal, 215
 Firewire. *See* IEEE 1394
 fixed costs, 197
 fla, 128
 Flash MX, 83, 85, 104, 137,
 186, 314, 330
 flicker, 3
 elimination, 6
 in video, 3
 masking, 37
 reduction, 3
 flipbooks, 2, 7
 flow control, 208
 .flv, 128
 flying spot scanning, 14
 fonts, 337
 formats, 339
 conversion, 321
 digital, 335
 film. *See* films
 high quality, 335
 native, 79
 organization, 339
 output, 335
 quality, 322
 standards, 339
 translations, 322
 forward error correction
 (FEC), 165-166, 246

Fourier transforms, 96
 Fourier, Jean Baptiste
 Joseph, 96
 frame rates, 68
 defined, 68
 divisors, 347
 film, 3
 fractional, 69
 increase, 336
 low, 70, 347
 native, 336
 reducing, 69
 video, 2-3, 347
 frames, 320
 bad, 349
 bidirectional, 102
 bits, 337
 clouds, 201
 dropping, 75, 347, 349
 encoding, 337
 extraction, 320
 intra, 102, 336
 key, 336
 lost, 348
 rates. *See* frame rates
 video, 2
 free media players, 331
 frequencies, 96
 frequency transforms, 95
 ftp, 210
 fulfillment, 341
 future proofing, 313


G

G2 Player (RealNetworks),
 86
 gamma, 351
 General MIDI, 373
 GIF, 111, 137
 gigabytes, 332
 glitches, 166
 Globally Unique IDs
 (GUIDs), 135


graphics
 palettes, 78
 placement, 138
 vector based, 137
 Graphics Interchange
 Format (GIF), 78
 green screen, 41
 Group Membership
 Protocols (GMP), 231
 guaranteed delivery, 208
 GUIDs (Globally Unique
 IDs), 135

H

H.261, 65, 71, 80, 82
 H.263, 71, 82, 102, 356
 H.264, 383
 H.26L, 383
 hacks, 214, 270
 color video, 23
 digital rights manage-
 ment, 257
 fake video card, 261
 hardware, 280, 297
 key extraction, 257
 saving streams to disk,
 254
 screen capture, 260
 software, 278, 297
 streaming, 214
 handhelds, 166, 186, 333,
 338
 handshake, 285
 hard disks, crashing, 175
 hard math, 286
 hardware
 broadcasting equipment,
 182
 dongles, 296
 encoders, 327
 MPEG-4, 382
 Harmonic and Individual
 Lines plus Noise (HILN).
 See MPEG-4, HILN




- hashing, 287-288
 HDTVs (high definition television), 10, 71, 83, 309, 358, 370, 383
 head start, 164
 heads, dirty, 335
 Hi8, 40
 high definition television.
 See HTDVs
 high frequency, 96, 100
 high-bandwidth applications, 196
 higher bit rates, 336
 hint track, 121
 hops, 194
 horizontal resolution. *See* resolution, horizontal
 hosting costs, 175
 hosting providers, 323, 342
 hosts, 206-207
 hotels, 147
 HTML, 138, 306
 Active-X controls, 345
 autoinstallation, 345
 custom, 339
 embed tags, 345
 extensions, 306
 media players, 352
 object tags, 345
 HTTP, 144, 204, 210-212, 341
 request, 144
 streaming, 158, 324
 tunneling, 146, 216
 https, 291, 293
 hubs, 241
 human eyes, 90
 human visual system, 99
 HVXC, 375
-
- I**
- I-frames, 336
 IBM-PC Computers, 79
 ICY, 214
 ID Software, 85
 IE6, 352
 IEC (International Electrotechnical Commission), 308
 IEEE, defined, 28
 IEEE 1394, 28, 41
 IETF (Internet Engineering Task Force), 212, 309, 381
 IGMP, 231
 IGMPv3, 231
 images. *See* graphics
 importing, 320
 digital, 335
 direct, 335
 USB 1.1, 335
 video, 37
 impressions, 170-171
 index files, 122, 329
 index segment, 116
 installed user base, 186
 instant gratification, 147, 156
 Instant On, 165, 180, 332, 350
 instant play, 147
 Intel Pentium, 84
 Intellectual Property Management and Protection (IPMP).
 See MPEG-4, IPMP, 386
 intended audience, 143
 interactive CD-ROM, 82
 interactive content, 103
 interactive multimedia, 82
 interframes, 81, 102
 interlaced frames per second, 34
 interlacing, 5-6, 8
 defined, 4
 reasons for interlaced television, 5
 interleaving, 115
 intermediate frames, 75
 internal resolution, 43
 international, 342
 Internet, 84
 advertising, 149
 alternate routes, 194
 backbone, 192
 bandwidth, 56
 guarantees, 243
 variability, 195
 basics, 190
 best-effort delivery, 193
 bottlenecks, 195
 broadband, 39, 56, 62
 broadcasting, 196
 brownouts, 193, 198
 busy routers, 194
 causes of delay, 195
 channel variation, 195
 circuit switching, 193
 clients, 202
 clogged, 164
 cloud, 201
 complexity, 193
 congested, 206
 connection, 52, 164
 delays, 194-195
 delivery, 58
 different routes, 193
 edge, 198
 experience, 175
 failure, 201
 filming video for Internet, 44
 firewalls, 194
 helper applications, 344
 hops, 194
 hosts, 206
 infrastructure, 212
 intercontinental, 192
 IP addresses, 231
 last mile, 201
 latency, 194
 link lost, 194
 locality services, 171, 174



462 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- long-haul connections, 192, 198
 - Mbone, 240
 - multicasting, 196
 - multimedia backbone, 240
 - nerve centers, 192
 - networks, 341, 379
 - one-to-one medium, 196
 - overflows, 194
 - packets, 206
 - loss, 194, 347
 - switching, 190, 193
 - peering, 192
 - popularity, 84, 196
 - ports. *See also* ports
 - protocol version 6, 240
 - providers, 192
 - public exchange points, 192
 - publishing, 147
 - QoS, 243
 - radio, 62, 235, 327
 - real-time, 202
 - rerouting, 194
 - routers, 206
 - routes, 193
 - servers, 202
 - slowest link, 195
 - sluggishness, 157
 - television, 147, 186, 250, 327
 - Tier-1 providers, 192
 - Tier-2 providers, 192
 - traffic, 198
 - transport
 - conceptual, 190
 - packets, 190
 - tunneling, 196
 - TV shows, 250
 - unicast, 196
 - video distribution, 250
 - webcasting, 196
 - Internet Engineering Task Force (IETF), 212, 309
 - Internet Explorer, 306, 339, 345
 - Internet Group Management Protocol (IGMP), 231
 - Internet Protocol (IP), 206
 - Internet Protocol version 6 (IPv6), 240
 - Internet service providers (ISPs), 190
 - Internet Streaming Media Alliance (ISMA), 310
 - Internet television broadcasters, 147
 - Internet TV, 186
 - Internet video, 56
 - creation, 51
 - difficulties, 188
 - growth rate, 310
 - high quality, 51, 53
 - high quality cinematic video, 53
 - terminology, 180
 - interoperability, 111, 180, 203
 - interpolated frames, 115
 - interpolation, 43
 - interstitials, 170, 330
 - intraframes, 89, 102, 335
 - intranets, 379
 - inventory, 229
 - inverse Telecine, 8-9, 320, 346
 - IP addresses, 168, 206, 231, 340
 - class A-E, 232
 - classes, 231-232
 - iPIX plugin, 104
 - IPMP, 386
 - IPMP-X, 387
 - iPod, 28
 - IPv6, 240
 - ISMA (Internet Streaming Media Alliance), 310
 - ISO base media format, 385-388
 - ISO/IEC/JTC 1/SC29/WG 11, 359
 - ISPs (Internet Service Providers), 190, 342
 - last mile, 201
 - overcommitted, 346
 - provisioning, 346
 - IT
 - configuration, 341
 - managers, 341
 - Iterated Systems, 85
 - ITU-R, 308
 - ITU-T, 308
 - ITU (International Telecommunication Union), 308
 - iTunes, 215, 314, 330
-
- ### J
-
- jagged edges, 337
 - JPEG (Joint Photographic Experts Group), 81, 88, 99-100, 111, 137
 - judder, defined, 8
-
- ### K
-
- Kazaa, 249
 - key frames, 74, 115, 335-336, 347
 - frequency, 336
 - natural, 75
 - key storage, 292
 - keynote speeches, 149
 - keys, 275. *See also* encryption
 - client side, 290
 - revocation, 289
 - server side, 289
 - updating, 290
 - kung-fu movies, 53




L

large audiences, 151
 laserdiscs, 334
 last mile, 201
 latency, 341-342
 layers, 204-205
 application, 210
 data link, 205
 network, 206
 physical, 205
 transport, 207, 379
 lectures, 319
 legal problems, 204
 lens. *See* videos, cameras,
 lens quality
 letterboxes, 338
 levels. *See* MPEG-4, levels
 library, 328
 licensing, 274, 279, 312,
 339, 343
 lighting, 52
 lines of horizontal resolu-
 tion, 19, 22
 broadcast video, 22, 24
 confusing terminology,
 19
 defined, 19
 DVDs, 22
 how to measure, 20
 VCR, 22
 Linux, 133
 live, 326
 defined, 149
 live broadcasts, 147, 149,
 172, 175-176, 326-327
 live events, 326
 live media, 151
 live radio, 327
 live streaming, 63, 147, 326
 load balancing, 176, 333
 locality services, 171, 331
 locked audio and video.
 See DV
 locks, breaking, 275

log files, 168-169
 logging, 168
 logs. *See* log files
 long-haul connections, 192
 long-haul transmission, 198
 lost frames, 348
 low delay, 147
 low frequency, 96, 99
 lowering resolution for
 video, 39
 luma, 91
 luminance, 90


M


.m3u, 128
 M4IF. *See* MPEG Industry
 Forum
 Macintoshes, 131, 351
 audio, 78
 Macromedia, 186, 314, 339
 Flash, 59-60, 62, 85,
 103-104, 306, 314
 Shockwave, 306
 Macrovision, 264
 main profile. *See* MPEG-4
 major labels, 314
 many-to-many, 235
 marketing, 146
 Mbone, 196, 240
 MD5, 288
 measurement, 167
 media
 capture, 346
 companies
 control, 278
 influence, 278
 power, 278
 dark, 346
 degradation, 12
 delivery, real-time, 202
 delivery system, 328
 encryption, 274
 formats, 322, 332
 handlers, hijacking, 344
 license, 274
 location, 182
 organization, 339
 playback preferences,
 344
 players, 173
 advertisements, 353
 auto-installation,
 345, 353
 big three, 170
 browser windows,
 353
 buffering, 342
 codecs, 342
 configuration, 344
 controlling, 352
 custom, 353
 customization, 330
 development, 353
 downloads, 327
 DRM, 290
 embedding, 345, 353
 encryption, 290
 features, 339
 flexible, 339
 free, 331
 file types, 344
 graphics, 330
 newest, 344
 preferences, 344
 quality, 346
 server-based, 174
 sharing, 251
 source material, 346
 third party, 353
 upgrades, 292
 unfamiliar, 334
 value of originals, 12
 portals, 170
 servers, 145, 160, 181,
 347
 front-end, 177
 advertising, 182
 alternatives, 181
 big three, 181, 184
 bit rates, 182




464 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO


- business, 184
- caching, 177
- controlling viewer-ship, 179
- corporate, 184
- crashes, 177
- cross-platform, 185
- drawbacks, 180-182
- edge servers, 200
- enterprise, 184
- expense, 181
- feature race, 181
- firewalls, 176
- Flash, 186
- formats, 181
- hierarchies, 176-177
- interoperability, 180
- limiting bandwidth, 179
- live broadcasts, 177
- lowest common denominator, 181
- Macromedia, 186
- maintainance, 181
- matched, 184
- millions of viewers, 179
- missing features, 182
- MPEG-4, 184
- multiformat support, 181
- operating costs, 181
- playback time, 182
- playlists, 177
- position, 350
- QuickTime, 180
- Real, 134, 180
- RealNetworks, 177
- redundancy, 177
- reflection, 176
- required client software, 182
- required server software, 182
- source, 177
- special features, 181
- switching, 177
- terminology, 180
- updates, 181
- video, 323
- whether to use, 182
- Windows Media, 180
- youth, 180
- supply chain, 270
- transmission, scalable, 196
- value chain, 270
- versions, 341, 344
- web browsers, 345
- wrong, 344
- misconfiguration, 342
- megapixels, 17
- metadata, defined, 117
- microphones, 52
- Microsoft, 86-87, 213, 314
 - digital rights management, 250
 - Internet Explorer, 306
 - MPEG-4, 315
 - PowerPoint, 104
 - standards, 315
 - WM9, 315
- MIDI. *See* Musical Instrument Digital Interface
- MIME types, 346, 381
- MiniDV, 40
- mirror sites, 332, 343
- MLD, 231
- MLDv2, 231
- MMS over HTTP, 213
- MMST, 213
- MMSU, 213
- mobile devices, 186, 247, 314
- mobile network connections, 166
- mobile phones, 139, 166, 314, 333, 383
- mobile wireless devices, 310
- MOD (module) files, 80
- modems, 69, 147, 158, 194, 336
 - audio, 336-337
 - broadcasting, 69
 - muting, 337
 - slide shows, 336
 - smooth motion, 336
 - thumbnails, 336
 - video, 336
- monitors
 - expensive, 351
 - high quality, 351
- Moore's Law, 284
- MOSPF (Multicast Extensions to Open Shortest Path First), 236
- mosquito noise, 100
- motion, 53, 336
 - JPEG, 104, 128
 - picture film, 101
 - simulation, 36
- mount points, 172
- MOV, 139, 344, 348
- .mov, 126, 131, 155
- movies, 71, 249. *See also* video
 - downloaded, 158, 250
 - feature length, 250
 - piracy stance, 249
 - silent, 2
 - still frames, 320
 - theaters, 274
 - tickets, 274
 - trailers, 324
- Moving Picture Experts Group (MPEG), 309
- Mozilla, 339
- MP3, 83, 132, 249, 309, 327, 350, 374
 - predecessor, 80
 - radio, 327
 - ripping, 134
 - streaming, 149
- .mp3, 126
- MP4, 138-139, 344, 387






- .mp4, 124, 128, 387
- MPEG, 65, 81, 104, 133, 311, 314, 335, 348
 - bitstream, 313
 - conformance points, 358
 - future proof, 313
 - levels, 358
 - licensing, 312
 - parts, 357
 - profiles, 357
 - stream, 133
- MPEG Industry Forum (M4IF), 309
- MPEG LA, 309
- MPEG-1, 82, 87, 102, 130, 133, 304, 309, 329, 359
 - Layer III. *See* MP3
- MPEG-2, 65, 83, 87, 102, 133, 304, 309, 321, 329, 334, 340, 359, 379
 - AAC, 374
 - upgrade path, 383
 - versus AVC, 383
 - VOB, 334
- MPEG-21, 273, 357, 359
- MPEG-3, 83, 309
- MPEG-4, 87, 102, 184, 186, 273, 321, 329, 333, 340, 355, 359, 379
 - 3D toolset, 388
 - 3GPP, 389
 - AAC, 357
 - Animation Framework eXtension (AFX), 389
 - application engine, 385
 - audio, 357
 - AVC, 383-384
 - background sprites, 360
 - backward compatibility, 362
 - BIFS, 385
 - block size, 383
 - BSAC, 375
 - CELP, 373
 - chips, 382
 - competition, 66
 - compliance, 104, 378
 - conformance points, 358
 - deblocking, 384
 - Delivery Multimedia Integration Framework (DMIF), 361
 - DMIF Application Interface (DAI), 361
 - DRM, 386
 - elementary streams, 359
 - email, 381
 - enhancement layers, 374-375
 - error resilience, 389
 - extensions, 87
 - file formats, 385, 387
 - hardware, 382
 - hardware decoders, 382
 - HILN, 375
 - HVXC, 373
 - informative parts, 378
 - Internet Protocol, 381
 - IPMP, 386
 - IPMP-X, 387
 - iPod, 357
 - ISO, 385, 387
 - levels, 358
 - MOV, 385
 - MP4, 387
 - Multi-user worlds, 389
 - multiplexer, 361
 - natural video, 359
 - normative parts, 378
 - on IP, 381
 - open source, 323
 - OpenType, 385
 - optimized software, 381
 - overlay, 389
 - parts, 357
 - profiles, 357
 - advanced coding efficiency, 368
 - advanced core, 368
 - advanced real time simple, 368
 - advanced scalable texture, 369
 - advanced simple, 371
 - basic animated texture, 366
 - core, 364
 - core scalable, 367
 - core studio, 371
 - fine granularity scalability, 372
 - hybrid, 367
 - Main, 364
 - N-bit, 365
 - scalable texture, 365
 - simple, 362, 365, 369
 - simple scalable, 363
 - reference software, 378
 - sample banks, 373
 - SAOL, 373
 - SASBF, 373
 - SBR, 376
 - scene description, 385
 - simple profile, 333
 - simple visual profile, 358
 - sprites, 360
 - streams, 360
 - support, 356
 - synchronization, 361
 - synthetic audio, 359
 - systems, 385
 - textures, 360
 - tools, 356
 - transport, 361, 381
 - TTSI, 373
 - TwinVQ, 374
 - upgrades, 383
 - video games, 388
- MPEG-7, 273, 357, 359
- MPEG. *See* Moving Picture Experts Group
- MS DRM
 - version 1, 250
 - version 2, 250






466 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- multicast, 151, 196, 332-333
 - (* ,G), 234
 - (S,G) pair, 234
 - abbreviations, 230
 - academic, 230
 - acronyms, 247
 - actions, 231
 - addresses, 231
 - algorithms, 235
 - assumptions, 230
 - bandwidth control, 229
 - BGMP, 238
 - broadcasts, 235
 - center-based tree, 238
 - central router, 238
 - channels, 232
 - Class D addresses, 232
 - commercial, 240
 - complicated, 230
 - concepts, 225
 - core-based trees, 238
 - deciphering documentation, 247
 - dense mode, 235-237
 - density, 235
 - designated shared roots, 233
 - distance vectors, 236
 - DVMRP, 236
 - efficient trees, 232
 - enterprise, 151
 - error-resilience, 246
 - fault-tolerance, 246
 - flooding, 235-236
 - flows, 235
 - G, 234
 - group membership, 231
 - groups, 231-232
 - guaranteed, 246
 - high bandwidth, 242
 - hosts, 232
 - hubs, 241
 - IP addresses, 231
 - islands, 240
 - join messages, 226
 - leave message, 228
 - listener discovery, 231
 - many-to-many, 235
 - messages
 - join, 226
 - leave, 228
 - subscribe, 235
 - unsubscribe, 235
 - mobile, 247
 - modes
 - dense, 235
 - sparse, 235
 - MOSPF, 236
 - nonstandard, 246
 - old protocols, 242
 - one-to-many, 235
 - OSPF, 236
 - PIM-DM, 237
 - protocols
 - BGMP, 238
 - CBT, 238
 - DVMRP, 236
 - independent, 237
 - MOSPF, 236
 - old, 242
 - PIM-DM, 237-238
 - PIM-SM, 238
 - pruning, 236
 - quality of service (QoS), 242
 - redundancy, 246
 - reliability, 246
 - reliable, 246
 - rendezvous points (RP), 238
 - replacements, 238
 - research, 230, 240
 - root, 232
 - routers, 241
 - S, 234
 - S,G notation, 234
 - scalability, 333
 - security issues, 235
 - shared trees, 233
 - shortest path source-trees, 238
 - simplified, 220
 - single source, 235
 - source filtering, 231
 - source trees, 232
 - sparse mode, 235-238
 - standards, 230, 240
 - subscribers, 235
 - subscriptions, 226
 - summarized, 247
 - switches, 241-242
 - trees, 226, 232
 - tunnels, 196, 240
 - unidirectional, 235
 - unsubscribe, 235
 - vendor-specific terms, 247
 - wireless, 247
 - Multicast Extensions to Open Shortest Path First (MOSPF), 236
 - Multicast Listener Discovery (MLD), 231
 - multicast shortest path trees, 232
 - multicasting, 151, 196, 220, 223
 - multimedia, 82, 138
 - multimedia backbone (Mbone), 196, 240
 - multiple bit rate (MBR), 86, 134, 162
 - multiplexing, 348, 361
 - museums, 104
 - music
 - downloads, 314
 - videos, 100, 319
 - Musical Instrument Digital Interface (MIDI), 80, 373
-
- ### N
-
- Napster, 84, 202, 249, 330
 - National Center for Supercomputing Applications (NCSA), 306
 - native graphics formats, 79
 - NATs, 341
 - natural key frames, 75
 - natural video, 359





NetMeeting, 213
 Netscape, 306, 339
 Netscape Navigator, 306
 networks, 157, 379
 awareness, 157, 163
 automatic resends, 208
 bottlenecks, 198
 cached copies, 204
 cellular, 379
 choke, 164
 circuit-switched, 190
 conditions, 348
 configuration, 342
 connections, 166, 208
 corporate, 197, 379
 diagnosis, 341
 disconnection, 342
 delays, 379
 edges, 179, 333
 efficient, 223
 error detection, 208
 error-prone, 202
 flow control, 208
 guaranteed delivery, 208
 hubs, 241
 infrastructure, 223
 Internet Protocol version
 6 (IPv6), 240
 last mile, 201
 latency, 341
 layers, 204, 206
 long haul connections,
 192
 mobile, 247
 multicasting, 196, 220
 optimization, 176
 P2P, 202
 packets, 121, 190, 208,
 246, 254
 duplicate, 194
 loss, 166-167, 347,
 349
 switching, 190
 peer-to-peer, 202-203
 pipes, 220
 protocols, 204, 244

proxy servers, 224
 quality, 346
 redundancy, 167
 relay servers, 224
 restricted, 213
 routers, 190, 220
 speed, 208
 sub-branches, 220
 switches, 241
 T-1, 326
 traffic, 192, 243
 transmission, 208
 transport, 209, 379
 tunneling, 196
 wireless, 205, 247
 network address translation
 (NAT), traversal, 215
 news, 104
 broadcasts, 69
 channels, 223
 sites, 64
 Nielson ratings, 170
 non-square projection, 29
 nonprofit, 332
 normative, defined, 378
 North America, 320
 .nsv, 124, 128
 NTSC, 34
 Nullsoft, 149, 186, 214
 Nullsoft Video (NSV), 128,
 215


O


object tags, 325
 octet streams, 346
 odd field defined, 5
 off-hours, 332-333
 .ogg, 128
 one-time pad, 282
 one-to-one medium, 196
 one-way communication, 166
 one-way transmission, 188
 ones and zeros, 205
 open or save, 345
 open source, 133-136, 185,
 323

open standards, 328
 operating systems, 338,
 344-345
 output format, 335
 overcommitment, 346

P


P2P. *See* networking, peer-
 to-peer
 packetization, 121
 packets, 121, 167, 190, 246
 defined, 206
 duplicate, 194
 duplication, 246
 loss, 162, 166, 179,
 200-201, 246, 347
 defined, 193
 logging, 168
 missing, 209
 ordering, 209
 out-of-order, 246
 resends, 208-209
 switching, 190, 192-193
 PAL, 34-35
 passwords, 252
 hashing, 288
 insecurity, 280
 sticky notes, 280
 patents, software, 135
 payments, 147, 274, 341
 Pb, 26
 PDAs, 166, 333
 peer-to-peer, 332-333
 bandwidth savings, 204
 CDNs, 203
 cost savings, 204
 defined, 202
 edge nodes, 202
 interoperability, 203
 legal problems, 204
 multicasting, 202
 Napster, 202
 pyramid effect, 202
 technology, 202
 vendors, 204
 peering, defined, 192






468 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- Pentium processors, 84
- physical layer. *See* layers, physical
- picture tube, 3
- PIM-DM. *See* Protocol Independent Multicast–Dense Mode
- Pimps, IPMP, 387
- pipes, 220
- piracy, 277
- pixels
 - aspect ratio, 29, 37
 - doubling, 70
 - preserving, 31
 - rectangular, 29
 - resulting from sampling, 15
 - square, 29, 351
- plaintext. *See* encryption, plaintext
- platforms
 - emulation, 338
 - video, 338
- playback, 115, 146, 153, 159, 164, 338, 341
 - buffering, 350
 - decryption, 276, 294
 - devices, 335
 - embed tags, 345
 - object tags, 345
 - preferences, 344
 - real time, 144
 - smooth, 347
 - start, 350
 - visual quality, 182
- players
 - DVD, 352
 - surveys, 339
 - user preference, 339
 - video *See also* video, player, 59
- playlists, 122, 138, 150, 155-156, 172, 177, 327
 - client-side, 155-156, 329
 - custom, 156
 - files, 122
 - individualized, 156
 - per viewer, 156
 - server-side, 155, 329-330
 - track transitions, 342
- Playstation. *See* Sony Playstation
- Playstation
 - Flash, 104
 - Internet Explorer, 307
 - iPIX, 104
 - Netscape, 307
 - QT3D, 104
 - QTVR, 104
 - QuickTime, 104
 - VRML, 104
 - Web3D, 104
- PNA, 213
- PNG, 111
- PNM, 213
- points of failure, 201
- pop-up ads, 170, 353
- pop3, 210
- popularity, 196
- portals, 170
- porting, 339
- ports
 - 21, 208, 210
 - 23, 208, 210
 - 25, 207
 - 80, 207-208, 210, 341
 - 110, 210
 - 123, 208
 - 161, 208
 - 554, 208
 - 666, 208
 - 3389, 208
 - 7070, 208
 - 8080, 208
 - numbers, 209
- postage stamp videos, 82, 131
- power frequency, 6
- Pr, 26
- pre-caching, 199
- pre-flight, 326
- pre-recorded set lists, 147
- prebuffering, 332
- precise billing, 170
- preferences, browser, 352
- preinstallation, 186
- private keys, 285-286
- private peering, 192, 194
- processors, speed, 347
- product placements, 170
- profiles, 357
- programming, 149, 155, 321
- progressive downloads, 144, 146, 349
- progressive filming with DV camera, 44
- progressive frames, 39
- progressive Internet video, 44
- progressive video, 9
- projection
 - anamorphic, 33
 - non-square, 29
- proprietary, 304, 312
- Protocol Independent Multicast–Dense Mode (PIM-DM), 238
- protocols, 152, 204
 - automatic resends, 208
 - efficiency, 208-209
 - encapsulation, 215-216
 - error detection, 208
 - falling back, 214
 - HTTP, 341
 - Icecast, 214
 - ICY, 214
 - inefficient, 224
 - lean, 209
 - Microsoft, 213
 - MMS, 213
 - MMST, 213
 - multicast, 220
 - PNA, 213
 - PNM, 213
 - quality monitoring, 214





RealNetworks, 213
 resends, 209
 RTCP, 213
 RTP, 213
 RTSP, 213
 self-healing, 208
 Shoutcast, 214
 standards, 214
 streaming, 212
 synchronization, 214
 tunneling, 216
 UDP, 211
 unreliable, 209
 VCR controls, 213
 video delivery, 212
 web extensions, 306
 Protocol Independent
 Multicast–Dense Mode
 (PIM-DM), 237
 provisioning, 346
 proxies, 224, 341
 pseudo-interoperability, 180
 pseudo-live broadcast, 152
 pseudo-live events, 149-150,
 156
 public access, 332
 public exchange points, 192
 public Internet, 151
 public key, 120, 285
 public peering, defined, 192
 publishing points, 172
 PVR, 340

Q


QCIF, 71
 QoS. *See* quality of service
 QT3D, 104
 QTSS. *See* QuickTime,
 QuickTime streaming
 server
 quality networks, 229, 346
 quality of service, 246
 best-effort delivery, 244
 bit rate sensitive delivery,
 244


defined, 242
 delay-sensitive delivery,
 244
 Resource Reservation
 Protocol (RSVP), 244
 quantization, 99
 QuickTime, 59-60, 62, 64-
 65, 82, 87, 131, 161, 163,
 172, 306
 3D (QT3D), 104
 cross platform, 132
 hint tracks, 121, 131
 hinting, 121
 mount points, 172
 MOV files, 131
 player, 164, 353
 QuickTime 6, 139
 reference movies, 132,
 155, 161
 streaming server, 185
 versions, 132, 164

R

.ra, 124, 134
 radio, 188
 broadcast, 149
 one-way transmission,
 188
 transport, 188
 station, 327
 .ram, 126, 132, 134, 155
 random access, 182
 ratings, 147, 170
 RCA connectors, 25
 Real Networks, 149
 real time, 133, 149, 158,
 160, 195, 200, 326-327,
 335
 defined, 157
 delivery, 160
 error prone, 202
 Real Time Streaming
 Protocol (RTSP), 154, 213
 Real Time Transport
 Protocol (RTP), 212-213


RealAudio, 134
 realities, 175
 reality-based programming,
 104
 RealMedia, 59-60, 62, 64-
 65, 83, 86-87, 132, 163
 mount points, 172
 SureStream, 162
 RealNetworks, 134, 149,
 167, 176-177, 213
 CDNs, 185
 G2 player, 86
 Helix, 185
 System IQ, 185
 RealOne, 353
 RealVideo, 85
 rebuffering, 145, 163
 rectangular pixels, 29
 redundancy, 86, 167, 200,
 326-327
 reference frames, 336
 reference movies, 132, 163
 reference software, 378, 381
 region coding, 174
 region restrictions, 174
 regional branches, 220
 regionalization, 174
 regions, 174
 relays. *See* proxies
 reliable multicast, 246
 religion, media format, 59
 rendezvous points (RP), 238
 reporting, 160, 168
 Requests for Comments
 (RFCs), 309
 resolution
 adjusting screen, 71
 analog film, 17
 analog television, 21
 BetacamSP, 48
 CIF, 71
 color, 23, 39, 41
 comparison, 17
 defined, 16
 digital, 16
 digital cameras, 17, 43






470 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- film, 17
 HD, 370
 horizontal, 19
 impact of multiple generations, 23
 increase, 337
 low, 78
 native, 70
 producing best output, 23
 QCIF, 71
 reduction, 347
 scanning, 17
 screen, 17
 television, 21
 in megapixels, 21
 video capture, 15
 terminology, 17
 vertical, 18
 VHS, 48
 video source, 22
 Resource Reservation Protocol (RSVP), 244
 revenue, 169
 reverse engineering, 284
 RGB, 89
 rich media, 314
 rights controls, 260
 ringing, 100
 ripping, 134-135
 .rm, 124
 ROT13, 281
 routers, 190, 196, 220
 defined, 190
 multicast, 225
 packets, 190
 proxies/relays, 225
 QoS, 243
 vendors, 246
 RSVP. *See* Resource Reservation Protocol
 RTCP. *See* Real-Time Control Protocol
 .rtp, 126, 128, 213, 309
 run length encoding, 79
- S**
- S,G, 234
 S-video, 318
 Safari, 339
 sampling
 audio, 16, 78
 banks, 373
 color, 16, 78
 media, 377
 satellites, 205, 208
 saving streams, 254
 scalability, 147, 333, 341
 capacity, 175
 defined, 175
 increasing, 199
 limits, 175
 live video, 175
 load balancing, 176
 media transmission, 196
 multicast, 333
 on-demand video, 175
 options, 176
 reality, 175
 RealNetworks, 176
 Web, 333
 web servers, 333
 scan line, 3-4, 18
 scanning, flying spot, 14
 scenes, 52
 changes, 53
 high-motion, 336
 transitions, 53
 screens
 computer, 70
 capture, 260
 dimensions, 352
 resolution, 17
 script, 52
 scrubbing, defined, 115
 search engines, 343
 SECAM, defined, 35
 secret messages, 275
 secure data delivery, 282
 secure HTTP, 291
 secure web pages, 291
- security
 code-level, 264
 by obscurity, 257, 279
 seek times, 115
 seeking, 116
 self-healing, 208
 servers. *See also* media servers
 bandwidth, 342
 capacity, 341
 crashes, 177
 fault tolerance, 175
 front-end, 177
 hierarchies, 176
 misconfiguration, 342
 proxies, 224
 relays, 224
 streaming, 143
 web, 333
 service bureau, 46, 334-335
 serving video, 323
 session keys, 331
 set lists, 147
 set top boxes, 296
 settings, web browser, 352
 SHA-1, 288
 shooting
 DV for film, 44
 tradeoffs, 53
 video, 52
 short passwords, 276
 shortest path trees, 232
 simple face and body animation profile, 369
 simple face animation profile, 365
 simple visual profile, 358, 378
 simulcasting, 150, 156
 sine waves, 96
 Single-Source Multicast (SSM), 235
 sitcoms, 53
 skateboard video, 73
 skinning, 330
 skips, 158
 slide shows, 2, 69, 336





- silent movies, 2
- .smi, 155
- .smil, 126, 128, 138
- SMIL (Synchronized Multimedia Integration Language), 138, 155, 163, 170
 - text tracks, 337
- .sml, 126, 128, 138
- smoothness, 146
- SMPTE (Society of Motion Picture and Television Engineers), 310, 315
- SMTP, 210
- SNHC, 389
- Society of Motion Picture and Television Engineers (SMPTE), 310, 315
- software
 - client-side, 332
 - development, 353
 - drivers, 335
 - optimized, 381
 - patents, 135
 - peer-to-peer, 332
 - ports, 339
 - reference, 378
 - unoptimized, 378
- soldering iron, 280
- Sony Clié, 333
- Sony Playstation, 82
- Sorenson, 83, 85, 132, 137, 185
- sound
 - cards, 343
 - muffled, 78
- source directory, 153
- source servers, 177
- source trees. *See* multicast source trees
- Source.Group. *See* multi-cast S,G notation
- spacial compression, 89
- sparse mode multicast, 237
- spectral band replication (SBR), 376
- sports, 104, 319
- sprites, 360
- square pixels, 29
- SSM (Single-Source Multicast), 235
- staircases, 337
- Standard Definition (SD), 35
- standards, 212
 - 3GPP, 333
 - archiving, 340
 - bearers, 304
 - benefits, 302-303
 - bodies, 112, 308
 - committees, 306
 - conformance testing, 377
 - de facto, 304, 307
 - decoder, 313
 - defined, 303
 - deliberation, 304
 - encryption, 276
 - formal, 304
 - formats, 339
 - freestyling, 306
 - HTML, 307
 - informal, 304
 - Internet Protocol version 6, 240
 - Internet video, 308
 - IPv6, 240
 - metric system, 304
 - MPEG, 311
 - MPEG-21, 273
 - MPEG-4, 65
 - multicast, 230, 240
 - organizations, 308
 - plug-in architectures, 307
 - process, 305
 - protocols, 214
 - realities, 302
 - reference software, 378
 - rich media, 314
 - rights description languages, 273
 - royal decree, 304
 - rubber stamp, 307
 - video, 338-339
 - versus proprietary technology, 304
 - Web, 168
 - Windows Media, 315
 - WM9, 315
- start time, buffering, 350
- startup, delays, 350
- static files, 199
- stations, 172
- statistics, 160, 167-168, 170
- sticky notes, 280
- still frame, 320
- stock ticker, 223
- stops, unexpected, 342
- storage, 111, 122, 329
 - access times, 115
 - analog, 11
 - compact, 12
 - high resolution, 329
 - logical, 114
 - physical, 114-115
- streaming, 143, 145, 254, 323
 - audio, 62, 134
 - bulletproof, 176
 - costs, 331
 - defined, 145
 - fast start, 164
 - through firewalls, 215
 - infrastructure, 176
 - live, 63, 147, 176
 - media
 - protocols, 212
 - scalability, 147
 - servers, 145, 147, 160-161
 - service providers, 342
 - modems, 69
 - multicast, 333
 - packets, 121
 - performance, 75



472 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- protocols, 212
 - proxies, 341
 - real time, 64
 - redundancy, 200
 - scalability, 333
 - servers, 62, 143, 145, 152, 166-167, 172, 340
 - acknowledgements, 160
 - address, 172
 - buffering, 164
 - encryption, 276
 - fast start, 164
 - ideal, 147, 159
 - network awareness, 163
 - non-ideal, 171
 - Nullsoft, 186
 - Real, 134
 - throttling, 161
 - user experience, 167
 - service
 - providers, 326
 - radio, 327
 - smooth, 162
 - text, 389
 - VCR, 254
 - video, 134, 145
 - streams
 - capture, 254
 - formats, 122
 - MPEG-4, 360
 - scaling, 86
 - smooth, 162
 - thinning, 162
 - strobe light, 3
 - Structured Audio
 - Orchestral Language (SAOL), 373-374
 - Structured Audio Sample-Bank Format (SASBF), 373
 - subscribe message, 235
 - subscription models, 353
 - subtitles, 103, 338
 - crop, 338
 - letterbox, 338
 - removal, 338
 - removing, 338
 - SureStream. *See* RealMedia SureStream
 - surveys, 339-340, 343
 - SVCD. *See* VCD
 - SWF, 124, 128, 137
 - switches, defined, 241
 - symmetric encryption, 276, 283-284
 - synchronization, 149, 115
 - drift, 348-349
 - errors, 349
 - MPEG-4, 361
 - video, 3
 - Synchronize Multimedia Integration Language (SMIL), 138
 - System IQ, 185
-
- T**
- T-1, 326
 - T-1 connections, 196
 - talking head, 104
 - tapes
 - 8mm, 48
 - analog, 12, 334
 - Beta, 49
 - Betacam SP, 48
 - BetaSP, 48
 - C-VHS, 48
 - digital, 39, 334
 - Hi8, 48
 - VHS, 47
 - Video8, 48
 - target bandwidth, 62
 - target platform, 339
 - targeted advertisement, 331
 - tax benefits, 332
 - TCP (Transmission Control Protocol), 207-208, 246, 309
 - TCP/IP (Transmission Control Protocol/Internet Protocol), 207-208, 210, 246, 309
 - technology, proprietary, 304, 312
 - Telecine, 7-8, 320
 - telephones, 205
 - circuits, 190
 - lines, 205
 - switches, 190
 - transport, 190
 - two-way, 190
 - televisions, 7, 147, 149, 153, 156, 169-170, 175, 179, 320, 336, 340
 - analog to digital conversion, 15
 - capture, 340
 - compared to computer monitors, 7
 - component color. *See* color, components
 - display, 7
 - displaying progressive images, 7
 - European standard, 8
 - experience, 147
 - HDTV, 71, 83
 - High Definition (HDTV), 35
 - how it works, 3
 - interlaced. *See* interlacing
 - Internet, 64, 186, 250, 327
 - lines, 3
 - non-square pixels, 351
 - one-way transmission, 188
 - pixels, 29, 351
 - recording, 340
 - refresh, 4
 - resolution, 21





scan, defined, 3
 screens, 70
 source resolution, 22
 Standard Definition (SD), 35
 transport, 188
 text, 337
 fonts, 337
 illegible, 337
 overlay, 389
 sans-serif, 337
 time-triggered, 389
 tracks, 337
 Text to Speech Interface (TTSI). *See* MPEG-4, TTSI
 textures, 102, 360
 Thawte, 291
 Third Generation Partnership Project (3GPP), 310, 333
 third-party hardware, 184
 third-party reporting, 168
 third-party verification, 168
 throttling, 161-162, 179
 throughput, defined, 160
 time
 awareness, 160
 shifting, 333
 zones, 332
 TiVo, 147, 340
 toolbox, 356
 tools, 356
 capture, 323
 conversion, 323
 editing, 323
 open source, 323
 proprietary, 304, 338
 video coding, 356
 toolsets, 3D, 388
 tracking, 167, 174, 197
 tracks, 139, 342
 traditional television, 151
 traffic shaping, 243

Transform Domain Weighted INterleave Vector Quantization (TwinVQ). *See* MPEG-4, TwinVQ
 transforms, 89, 96
 transient copies, 204
 transmission
 redundancy, 167
 standstill, 209
 Transmission Control Protocol (TCP), 207-208, 210, 246, 309
 transport
 audio, 344
 layer. *See* layers
 long-haul, 198
 packets, 121, 166, 190
 preferences, 341
 systems, 379
 UDP, 341
 variety, 379
 trees
 multicast, 232
 shortest path. *See* multicast, shortest path trees
 source. *See* multicast, source trees
 tripod, 52
 true color, 78
 trust certificates, 291
 trusted computing, 280, 296
 TTSI, 375
 tunneling. *See* protocol encapsulation
 TurboCache, 350
 TurboPlay, 165, 180
 TV experience, 157
 TV out connector, 264
 TV-like content, 149
 TwinVQ, 375
 two-pass encoding, 336


two-way communication, 166, 209
 two-way data channels, 209


U

UDP (User Datagram Protocol), 207, 211, 246, 309, 341
 checksums, 209
 disabled, 215
 uncompressed video, 56
 unicasting, 151, 196
 United States, 342
 Universal Resource Locator (URL). *See* URLs
 uplink speeds, 326
 upsampling, 43
 URLs (Uniform Resource Locators), 144, 172-173, 323, 343
 handling, 173
 suffix, 172
 USB 1.1, 335
 User Datagram Protocol, 209-211
 users
 broadband, 337
 channels, 329
 databases, 174
 experience, 143, 167, 274, 327, 330-331, 336-342, 351, 353
 preferences. *See* preferences
 tracking, 174
 trusted, 295
 untrusted, 295

V


Variable Bit Rate (VBR), 336
 defined, 74
 VCDs, 304







474 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO


- VCRs, 272, 346
 controls, 145, 147,
 153-154, 156, 213
 fast forward, 165
 rewind, 165
 scrubbing, 165
 seeking, 165
 duplication, 272
 IEEE 1394 connector,
 41
- Vdonet, 85
- vector compression, 104
- vector graphics, 85
- vendors, 273, 338
- Verisign, 291
- versions, 341
- vertical resolution. *See*
 resolution, vertical
- VHS, 133, 319
 defined, 12
 lousy color, 46
 resolution, 48
 tape, 47
- Via Licensing Corporation,
 309
- video. *See also* movies
 3D, 86
 3:2 pulldown, 46
 24fps, 36
 acquisition, 37
 adjustments, 351
 adult content, 104
 advertisements. *See*
 advertisements
 aliasing, 337
 analog to digital conver-
 sion, 26, 37
 animation, 101, 104, 137
 archival, 329
 archiving, 340
 artifacts, 337
 aspect ratio, 70, 351
 asset management, 339
 audio synchronization,
 34, 115
- basics, 2
- billing, 147, 175, 310
- bit rates, 134, 145, 319,
 339
- blockiness, 383
- blogs, 324
- blurry, 336, 346
- brightness, 24, 346, 351
- broadband, 52, 337
- broadcast, 5, 33, 42,
 220, 235
- buffering, 164-165
- business training, 250
- caching, 166
- cameras, 274, 324
 digital, 42
 interpolation, 43
 lens quality, 43
 upsampling, 43
- capture, 1, 15, 37, 49,
 318, 323-324, 346
 analog, 37, 49, 349
 area, 338
 component video, 26
 computer graphics,
 37
 digital, 346
 digital tape, 37
 DV as an intermedi-
 ate for VHS, 50
 from DVD, 46
 from film, 37
 Osprey cards are
 popular, 50
 recommended
 formats, 50
 resolution, 15
 service bureaus, 51
- car chases, 104
- cartoons, 104
- channels, 157, 340
- children's shows, 250
- choppy, 161, 349
- chroma keying, 104
- cleanup, 346
- click-throughs, 274
- clips, 153
- clunky, 195
- codecs, 58, 76, 336, 341
- coding, 309, 356
- color, 346, 351
- component color, 49
- compositing, 25,
 103-104, 335
- compression, 23, 56,
 103, 335, 346
 as an art, 39
 tradeoffs, 57, 347
- computer-generated, 51
- computing power, 72
- conferencing, 71, 81,
 104, 235
- connection loss, 188
- connectors, 24
 BNC, 26
 component, 26
 RCA, 25
 S-video, 26
- content providers, 204
- control, 147, 182
- conversion, 1, 8, 320,
 335
 to DVD, 45
 from film, 7
 to VHS, 45
- copy-limited, 274
- corporate training,
 250, 341
- corruption, 347
- crop, 338
- cross-platform, 132, 325
- dark, 346, 351
- de-blocking, 337
- de-interlacing, 39, 337
- decompression, 56, 58
- degradation, 370
- delays, 162, 188
- delivery, 57-58,
 143-144, 160






- e-mail, 61
- media servers, 62
- real-time, 200
- satellites, 200
- streaming servers, 62
- web servers, 62
- demultiplexing, 348
- detail, 72
- DigiBeta, 41
- digital 8mm, 48
- digital connectors, 27
- digital interconnects, 37
- disconnection, 342
- distribution
 - models, 298
 - safe, 298
- docked, 352
- documentaries, 104
- downloads, 52, 144, 166, 337, 343
- dropouts, 166, 188, 193
- DV, 324
- DVDs, 8, 10, 158
- e-commerce, 310
- edges, 337
- editing, 17, 53, 119, 318, 323, 335, 349
- encoding, 66, 176, 325, 337, 342
- enterprise, 176, 184
- Europe, 8, 35
- exclusives, 298
- expense, 196
- export, 37, 338
- fast motion, 347
- fast start, 164
- fields, 37
- fight scenes, 104
- file formats, 111
- file-sharing, 249
- filler, 298
- film versus television, 6
- flicker, 3, 5
- flipbooks, 2
- flooding, 235
- format translation, 111
- formats, 322, 339
- frame rate, 2-3, 8, 36, 69, 347
- frames, 2, 37
- fulfillment, 341
- full motion, 101
- full screen, 70
- glitches, 166, 347
- handhelds, 333, 338
- header, 117
- hiccups, 161, 188
- High Definition (HD), 35
- high-motion, 57, 336
- hosting, 342
- image quality, 22
- importing, 37, 46, 318, 334
- imprecise terminology, 34
- incompatibility, 65, 132
- indexing, 116
- infrastructure, 176
- instant play, 147
- interlaced, 6, 37, 39, 46
- intermediate frames, 75
- Internet, 56
- Internet Explorer 6, 352
- ISPs, 342
- jagged edges, 337
- jerky, 70
- jittery, 349
- jokes, 250
- judder, 8
- key frames, 74
- layers, 101, 138
- lectures, 319
- licensing, 274, 312
- limited copying, 274
- lines of horizontal resolution, 22
- links, 340
- lip synch, 36
- live, 50, 63, 149, 151, 326
- lockboxes, 298
- low delay, 147
- low resolution, 22, 70
- low-motion, 57
- low-quality, 298
- lowering resolution, 39
- many-to-many, 235
- media location, 182
- mobile devices, 72
- mobile phones, 139, 333
- modems, 52, 336, 341
- motion, 7, 36, 53
- movie trailers, 324
- multicast, 151
- multiplatform, 325
- multiple formats, 325
- museum tours, 104
- music, 100, 104, 319
- muted, 337
- navigation, 138
- networks, 143
- news, 104
- no audio, 343
- non-DV formats, 42
- non-square pixels, 37
- North America, 34
- NTSC, 34
- Nullsoft, 186
- on-demand, 65, 147, 151, 153, 174
- one-time viewing, 280
- online, 143
- open source, 323
- organization, 339
- originals, 334, 348
- output, 264
- packet loss, 162, 342, 347
- PAL, 34-35
- pauses, 145, 193, 195
- payments, 147, 274, 341
- PDA's, 333
- piracy, 249





476 MASTERING INTERNET VIDEO: A GUIDE TO STREAMING AND ON-DEMAND VIDEO

- playback, 115, 146, 157, 195, 335
- players, 59
- playlists, 155
- postage stamp, 82, 131
- preflight, 326
- preparation, 1, 56
- prerecorded, 149, 156
- production, 339
- professional tape
 - formats, 42
- progressive, 5-6, 9, 37, 39, 46, 336, 370
- proper conversion and capture, 46
- proprietary, 304
- protection, passwords, 252
- pseudo-live, 149-150, 156
- quality, 322
 - DVD, 134
 - source, 22
 - VHS, 133
- random access, 182
- ratings, 147
- RAW, 338
- real time, 64, 133, 144, 157, 195
- reality-based, 104
- RealNetworks, 134
- rebuffering, 145, 163
- receiver, 235
- recording high definition (HD), 41
- redundancy, 86
- reflection, 176
- refresh rate, 26
- requests, 157
- resizing, 352
- resolution, 18, 26, 70, 337
 - improvement, 23
 - of source, 22
- restricted access, 174
- restricted copying, 280
- revenue, 169
- routing, 342
- scalability, 175
- scan lines, 18
- screen dimensions, 352
- scrubbing, 115
- seamless, 188
- SECAM, 35
- security, 250
- seeking, 116, 165
- sequential, 155
- server-based, 174
- service bureau, 42
- serving, 143, 323
- shape, 351-352
- sharing, 251-252
- shooting, 52
- simulcasting, defined, 150
- single-timed viewing, 274
- single viewing, 274
- size, 70, 72
- skipping, 193, 195
- slow, 195
- smooth, 158
- source dropout, 175
- source resolution, 22
- sports, 104, 319
- staircases, 337
- Standard Definition (SD), 35
- standards, 65, 308, 338
- statistics, 147, 167
- stops, 342
- storage, 111-112, 114
- streaming, 134, 145, 166, 323
 - infrastructure, 176
 - protocols
- studio grade, 370, 383
- stutters, 195, 349
- subset, 298
- synchronization, 3, 348
- teasers, 298
- television, 149
- terms, 274
- text, 337
- tools, 338
- tracking, 147, 167
- tracks, 343
- trade offs, 336
- traffic, 157
- trailers, 324
- transcontinental, 341
- transfers, 6, 37
- translation, 321
- transport, 157, 188, 341, 379
- uncompressed, 56, 318, 338
- uncopyable, 274
- unicast, 151
- unicasting, 151
- unlimited viewings, 274, 280
- URLs, 340, 342
- USB 1.1, 335
- user experience, 167
- VCR controls, 145, 149, 165
- vector graphics, 137
- viewer tracking, 147
- visual quality, 182
- walkthroughs, 104
- wavelets, 337
- web browser, 352
- web integration, 339
- web pages, 143, 323
- weblogs, 324
- wires, 24
- workflow, 339
- Video CDs (VCD), 133, 304, 352
- video editing, 136, 182
 - frame by frame, 338
 - synchronization, 348



video games, 103, 388
 video object (VOB) files,
 134
 video phones, 71
 video servers. *See* stream-
 ing servers, 161
 video streaming, 214
 Video Toasters, 81
 videography, 51
 videotapes, 320
 viewers, 147, 167, 339, 342
 average, 351
 bandwidth, 342
 capacity, 341
 codecs, 342
 connections, 168, 340
 interruption, 164
 maximum, 339
 player version, 343
 playlists, 329
 statistics, 147, 167
 tracking, 147, 167
 viewership, 168
 growth, 168
 restricting access, 174
 successful, 168
 viewing
 asynchronous, 154
 real time, 157
 virtual private networking,
 196
 Virtual Reality Markup
 Language (VRML), 360
 virtual URLs, 172
 VOB, 334
 VOD. *See* video,
 on-demand
 volume controls, 343
 VRML, 388
 VRML '97, 388
 Vxtreme, 85

W

W3C. *See* World Wide Web
 Consortium
 wavelets, 85, 337, 365
 Web
 integration, 339
 test links, 340
 URLs, 342
 web browsers, 173
 associations, 345
 docking, 352
 helper applications, 345
 MIME types, 346
 options menu, 352
 web pages, 157, 195
 web servers, 62, 144, 160,
 168, 176, 199, 328,
 332-333
 embed tags, 346
 MIME types, 346
 misconfiguration, 345
 object tags, 346
 Web3D, 104
 webcasting, 149, 196-197
 weblogs, 324
 website design, 137
 widescreen DVDs, 71
 WiFi, 205
 Windows 3.1, 131
 Windows Media, 59-65,
 167, 172, 335
 Intelligent Streaming,
 161
 Player, 164, 353
 programs, 155
 publishing points, 172
 stations, 172
 WM9, 315
 version 9, 164
 Windows Media Server,
 185

wireless, 205, 247
 3G, 310
 mobile devices, 310
 .wm, 128
 .wma, 128
 .wmv, 124, 128
 workflow, 339
 World Wide Web
 Consortium (W3C),
 168, 306, 309

X-Y-Z

XML, 381
 XSVCD. *See* VCDs

 Y, 26
 Y Cr Cb. *See* color,
 components
 Y Pb Pr. *See* color,
 components
 YUV, 92, 370

 ZIP files, 100
 zoom, 53