

Index

Note: Italicized page locators refer to tables/figures.

A

Access control, 9
 Access control lists, 8
 ACLs. *See* Access control lists
 Active Directory (.NET), 12
 ActiveEnterprise (TIBCO), 182, 183, 238
 Active Server Pages, 119
 Algorithms
 clustering, 157
 decryption/encryption, 93, 102
 load-balancing, 198
 Allies, 12, 224
 Architects, 3
 Arrowheads, in sequence-ally diagrams, 22
 ASP, on presentation tier, 168
 ASP.NET, 195
 and Java ServerPages, 237–238
 and presentation fortresses, 118–119
 presentation fortress flowchart, 120
 on presentation tier, 168
 ASPs. *See* Active Server Pages
 Assembly, 162
 Asymmetrical encryption, 93
 Asynchronous communications, 233
 Asynchronous components, 71
 Asynchronous drawbridges, xx, 46, 61–83, 198,
 212, 221, 228. *See also* Synchronous
 drawbridges
 advantages of, 72–78, 83
 architecture in, 64
 and average workload, 112
 and clustering, 75, 77, 83
 and fortress costs, 235
 heterogeneous, 69–71
 history of, 61
 homogeneous, 71–72
 implementation of, 63–64
 in Internet store case study, 207
 and message queues, 61, 62–63
 nonblocking workflow with, 72, 83
 performance problems of, 78–82
 pseudoreliability with, 73, 83, 125
 UpdateInventory drawbridge as, 215
 and workflow management, 184
 workload averaging with, 73–75

Asynchronous fortress, synchronous drawbridge
 façade and, 213
 Asynchronous heterogeneous drawbridges, and
 Web service fortresses, 134
 Asynchronous homogeneous drawbridges, 134
 Asynchronous interactions, 104
 Asynchronous technologies, 200
 Auditing, 86, 92–93, 102
 Authentication, 86, 93–98, 102
 and guards, 199
 in presentation or Web service fortresses, 221
 and role-based security, 89
 Authorization, 86, 101, 102
 and guards, 199
 and role-based security, 89
 Automatic transaction boundary management,
 151, 153, 165, 228
 Autosecurity, with homogeneous synchronous
 drawbridges, 54, 56
 Availability, 113
 Average workflow, 73, 74
 Average workload, 112

B

BAFs. *See* Business application fortresses
 BEA, 132, 230, 239, 242
 Beck, Kent, 24
 BeginTransaction requests, 31, 35, 148, 149
 BizTalk Server, 182, 183, 185, 238
 Blocking drawbridges (or synchronous draw-
 bridges), 59
 Broadcast service fortresses, 170, 171
 Browser session state, 127
 Browser state, with presentation fortresses, 122
 BTP. *See* Business Transaction Protocol
 Buffer overflow, 91, 92, 123, 218
 Build-big approach, 75, 76
 Business application fortresses, 8, 11, 17, 40, 85,
 120, 124, 143–165, 182, 196, 224
 and authorization, 101
 components used within, 88
 connecting, 238
 entities within, 145
 foundation technologies underneath, 143–155
 and infograms, 42

Business application fortresses (*Continued*)
 and Internet store case study, 204, 208
 and leveraging clusters, 156–161
 .NET *versus* J2EE approach with, 161–164
 tightly coupled transactions within, 228
 and TPC-C benchmark, 239
 and walls, 199
 Business logic, 160, 243
 and envoys, 200
 and stored procedures, 158
 in three-tier applications, 168
 Business transaction manager, 228
 Business Transaction Protocol, 177–178, 182, 185
 Business transactions, 181, 182
 completing, 179–180
 and LCTM fortresses, 178

C

C#, 14, 163, 191
 Cancel instruction, and LCTM fortress, 179
 Case study. *See* Internet store case study
 CERT/Coordination Center. *See* Computer Emergency Response Team Coordination Center
 Certificates, 97
 Checking account system example, and single-resource transactions, 30–32
 CheckInventory drawbridges, 215–218
 CheckInventory treaty, 205, 215
 for Internet store case study, 206
 new sequence-ally diagram for, 216
 treaty-ally diagram for, 209
 CheckVendorInventory drawbridge, 217
 CheckVendorInventory guard, 220
 CICS. Customer Information Control System
 Chief Technology Office, xvi
 Class, 48
 Class-responsibility-collaborator cards, 24
 Class sequence diagrams, 22
 Clear text, 138
 Client-object relationship, 48
 Client process, 144
 Clients
 of components, 50
 and component systems, 88
 and security fortress, 173
 Client-server architecture
 and legacy systems, 167
 wrapping, 168
 Client surrogate, 49
 CLR. *See* Common Language Runtime
 Cluster algorithms, 192
 Cluster architecture, 75
 Clustered configurations, and TPC-C benchmark, 239
 Cluster leveraging, and business application fortresses, 156–161
 Clusters and clustering, 159
 with asynchronous drawbridges, 75–78
 and data strongboxes, 115
 and presentation fortresses, 120
 reliability with, 113
 COBOL, 162
 Code-based clients, and Web service fortresses, 118
 Coding models, administrative models *versus*, 89
 Collaboration, xvii
 COM+, 144, 168, 195, 228, 242
 COM+ and the Battle for the Middle Tier (Sessions), xxi
 COM+ components, 191, 243
 Commit calls, 148, 149
 Commitment, and LCTM fortress, 181
 Commit request, 31, 35, 36, 66
 Common Language Runtime, 162
 Common Object Request Broker Architecture, xxi, 53, 242
 Communications protocols, 57
 Compensatory transaction management, 170
 Compensatory transaction manager, 228
 Compensatory transactions, 190
 Complex treaties, 13, 182
 Component administrators, 89
 Component instances, 48, 50, 88, 144
 Component interface, 48
 Component-level methods, 156
 and automatic transaction boundary management, 153
 object-level methods distinguished from, 155, 165
 Component-oriented middleware (COMWare), 88, 144, 165
 flexibility with, 150
 and state integration, 148
 Component-packaged business logic, 3
 Component packaging, 191
 Component process, 49, 144
 Components, 14, 15, 17, 48, 61, 88, 242
 asynchronous, 71
 clients of, 50
 description of, 144
 life cycle of, 144, 145
 objects, fortresses and, 190–191
 objects contrasted with, 48–49
 queued, 71
 Component state, and state management, 147
 Component surrogate, 49
 Component technology, 47, 61
 Component-to-component communications, 193
 Computer Emergency Response Team Coordination Center (CERT/Coordination Center), 124–125
 COMWare. *See* Component-oriented middleware
 COMWare architecture, 146
 Confidential information, storage of, 96, 101
 Confirm instruction, and LCTM fortress, 179

- Connectors, 185
 - J2EE *versus* .NET and, 238
 - Consensus state, and DTC, 36
 - Consistency, 116
 - Consultants, J2EE space *versus* .NET space, 236–237
 - Context, and LCTM fortress, 178
 - Coordinator, and LCTM fortress, 178
 - CORBA. *See* Common Object Request Broker Architecture
 - CORBA Persistence Service, xxi
 - Costs. *See also* Unit-of-work costs
 - fortress, 234–236
 - and .NET *versus* J2EE, 161, 164, 165
 - CRC cards. *See* Class-responsibility-collaborator cards
 - Create message, and LCTM fortress, 178
 - Credit card processing
 - in Internet store case study, 204
 - and synchronous drawbridges, 196–198
 - Cryptography APIs, 8
 - CTO. *See* Chief Technology Office
 - Cunningham, Ward, 24
- D**
- Data, storage in data strongboxes, 200–201
 - Database locks, 55, 56
 - Databases, 3, 30, 31, 87
 - logical partitioning of, 81
 - partitioned, 239, 240
 - scaling out, 158–159
 - security for, 88, 102, 232
 - sharing, 232
 - Data-sharing fortresses, 170
 - and users, 172
 - Data silos, xviii
 - Data strongboxes, 5, 8, 9, 17, 65, 66, 81, 87, 219, 223
 - and auditing, 92
 - browser session state stored in, 127
 - and clustering, 115
 - data storage in, 200–201
 - and presentation fortresses, 116, 124
 - and rule of transactional integrity, 154
 - scaling up, 198
 - and service fortresses, 170
 - and session state key, 128
 - and state management, 147
 - DCOM. *See* Distributed Component Object Model
 - Debugging, and auditing, 93
 - Decryption, 94, 97
 - Decryption algorithms, 93, 102
 - Demilitarized zone, 123
 - Deployment specialists, 3
 - Design, software fortress, 226–228
 - Design errors, in business application fortresses, 143
 - Designing Object-Oriented Software* (Wirfs-Brock, Wilkerson, and Wiener), 24
 - Design reviews
 - for software fortresses, 187–201
 - and walls, 200
 - Developers, 3
 - Developer skill set, J2EE *versus* .NET, 239
 - Development costs, J2EE *versus* .NET, 164
 - Diagramming/diagrams
 - for basic software fortress, 19–20
 - fortress-ally, 20–21, 27
 - sample software fortress, 20
 - sequence-ally, 22–23, 27
 - treaty-ally, 22, 27
 - Distributed Component Object Model, 53, 168
 - Distributed components, flowing transactions
 - across, 56
 - Distributed-component technology, business
 - application fortresses built on, 143
 - Distributed objects, 244
 - Distributed transaction coordinator, 34, 35–39, 40, 54, 55, 66, 78, 82, 83, 148, 181, 228
 - states, 37
 - transactional resources coordinating with, 180
 - Distributed transaction manager, 177
 - Distribution technologies, 242
 - DMZ. *See* Demilitarized zone
 - Donor fortresses, 42, 43, 52
 - and asynchronous drawbridges, 62, 63, 64
 - business components inside of, 65
 - and infogram flow, 44, 45
 - and synchronous drawbridges, 47, 51
 - Double colon (::), in software fortress diagram, 19
 - Drawbridge definitions, and problem solving, 109
 - Drawbridge requests
 - idempotent, 192–193
 - for substantial work, 193
 - Drawbridges, xx, 5, 8, 9, 12, 14, 15, 17, 41–46, 54, 224, 226
 - asynchronous, 46, 61–83
 - in diagrams, 19
 - in fortress-ally diagrams, 21
 - heterogeneous asynchronous, 194
 - importance of, 41
 - interfortress communication through, 194
 - in Internet store case study, 211–215
 - and legacy fortresses, 169
 - message queue bridges used by, 70
 - overview of, 41–46
 - and purchase treaty, 105
 - remote method invocation implementation of, 50
 - synchronous, 46, 47–59
 - two, for one fortress, 43
 - warning about flowing transactions across, 69, 193
 - Drawbridge translation, 183, 184
 - DTC. *See* Distributed transaction coordinator

E

Eiffel, 162
 EJB. *See* Enterprise JavaBeans
 e-mail, 218
 Emissaries, xix
 Emissary code, 129, 211, 216, 218
 Encryption, 94, 97, 199
 Encryption algorithms, 93, 102
 EndTransaction, 31
 Enroll message, and LCTM fortress, 179
 Enterprise architects, xiv, 241
 Enterprise architecture, xi, xii, xiv
 Enterprise architecture questions, for software fortress design review, 192–195
 Enterprise JavaBeans, 14, 15, 191, 195, 228, 242
 Enterprise-level architects, 190
 Enterprise-level decisions, making at enterprise level, 190
 Enterprise overview questions, for software fortress design review, 187–192
 Enterprises
 as fortress collaborations, xv
 as seen from software fortress model, xiii
 Enterprise security, 191
 Enterprise systems, 225, 241
 Entity beans, 244
 Envoys, 5, 9, 17, 64, 66, 224
 all exits through, 227
 and infograms created by, 42, 44, 46
 and message queues, 63
 and nonrepudiation, 100
 outgoing communications passing through, 200
 and service fortresses, 170
 and synchronous drawbridges, 51
 Error management, and treaties, 108, 109
 Extensible Markup Language, strings, 58

F

FADs. *See* Fortress-ally diagrams
 FAR cards. *See* Fortress-ally responsibility cards
 Fiefdom model for software architectures, 129
 Final state, and DTC, 36
 Firewalls, 8, 88, 102, 226
 and HTTP, 58
 and Internet fortresses, 87
 and presentation fortresses, 122–123
 and Web service fortresses, 140
 FOD. *See* Fortress overview document
 Fortification, 86–90
 FORTRAN, 162
 Fortress-ally diagrams, 20–21, 27
 for Internet store case study, 205
 sample, 21
 Fortress-ally responsibility cards, xix, 24–25, 27
 for Internet store case study, 209, 210
 prototype of, 25
 sample, 25

Fortress-appropriate technologies, consideration of, 195–196
 Fortress architects, 25
 and guard selectivity, 85
 and HTTP requests to presentation fortress, 126, 127
 Fortress architecture
 questions for software fortress design review on, 195–201
 and role-based security, 90
 sample, 7
 Fortress boundaries
 cautionary note about tightly coupled transactions crossing over, 230–231
 organizational boundaries related to, 230
 Fortresses, 15, 242
 costs of, 234–236
 and database sharing, 232
 designing to scale, 227
 differentiating communications occurring within or between, 243
 effective walls around, 199–200
 and fortification, 87
 fortresses within, 231
 homogeneous synchronous communications within, 200
 integrity and, 116
 objects, components and, 190–191
 and one technology use rule, 198
 problems with flowing transactions across, 55
 reliability and, 112–116
 right number of, 192
 scalability of, 111–112
 tightly coupled transactions across, 193–194
 transaction flow within, 56
 treaties between, 103–107
 with two drawbridges, 43
 types of, 11–12, 17, 111, 224
 Fortress-level architects, questions for, 195
 Fortress-level decisions, making at fortress level, 190
 Fortress overview document, 26, 27
 Fortress requirements, articulation of, 189
 Fortress-specific icons, 5, 6
 Four-phase commit protocol, 35–36

G

Golden rule of business application component, 153, 154
 Golden rule of the middle tier, 153
 Granularity, fortresses defined with right amount of, 226
 Guards, 5, 8, 9, 10, 12, 17, 43, 197, 224, 225
 and auditing, 92–93
 and authorization, 101
 built-in functionality with, 50
 careful assessment of, 226–227
 as cluster controllers, 156, 157, 158

- and components, 144
- and infogram flow, 44, 45, 46
- in Internet store case study, 218–220
- and legacy fortresses, 169
- and nonrepudiation, 100
- and privacy, 98, 99
- security designed for, 199
- security put only in, 229–230
- and synchronous drawbridges, 51
- technologies for, xx
- and validation, 90–92
- and walls, 85–102

H

- Hackers, buffer overflows used by, 91
- Helland, Pat, xix, 129, 141, 211
- Heterogeneous asynchronous drawbridges, 46, 69–71, 132, 194, 196, 217, 220
- Heterogeneous asynchronous gateways, 154
- Heterogeneous situations, and drawbridges, 42, 43
- Heterogeneous synchronous drawbridges, 46, 51, 52, 56–58, 59, 131, 132, 240
- High-end databases, evaluating need for, 239–240
- Homogeneous asynchronous drawbridges, 46, 71–72, 83, 221
- Homogeneous situations, and drawbridges, 42
- Homogeneous synchronous communications, within fortresses, 200
- Homogeneous synchronous drawbridges, 46, 51, 52–56, 59, 131, 143, 194, 217
 - capabilities with, 54
 - tightly coupled multiple-resource transactions crossing over, 55
- Homogeneous synchronous gateways, 220
- HTML. *See* HyperText Markup Language
- HTTP. *See* HyperText Transfer Protocol
- HTTP requests
 - and guards, 218
 - to presentation fortresses, 125–127
- HyperText Markup Language, 11, 58, 118, 122
- HyperText Transfer Protocol, 58, 59, 138
 - and reliability, 125, 141
 - SOAP over, 216, 217

I

- IBM, 80, 132, 137, 230, 239, 242, 243
 - MQSeries, 70
 - WebSphere MQ Integrator, 238
- IBM Global Services, 237
- Idempotency, 156
- Idempotent infograms, 227
- Idempotent requests, 129, 130, 139, 141, 142, 192–193
- IIO. *See* Internet Inter-ORB Protocol
- IIS. *See* Internet Information Server
- Illegal characters, 123, 218

- Implementation technologies, 242
- Incoming points of interception, 151
- Infograms, 41–42, 43, 46, 52, 68, 69, 83, 224, 226, 227
 - and asynchronous drawbridges, 62
 - flow of, 45
 - and heterogeneous asynchronous drawbridges, 70
 - and integrity, 100
 - and nonrepudiation, 100
 - and privacy, 98
 - resiliency with, 227
 - scam data in, 92
 - and synchronous drawbridges, 51
 - typical sequence with, 44–45
 - and workflow management, 184
- Information Technology, xviii, 1
- Initiator, and LCTM fortress, 178
- Instance management, 54, 56, 154
- Instance memory, and state management, 147
- Integrity, 86, 100, 102, 111, 116
 - and presentation fortresses, 128–130
 - and state migration, 148
 - and Web service fortresses, 141
- Intercompany communication, and SOAP, 58
- Interfaces, 47, 48
- Interfortress communication, 192
 - in Internet store case study, 207
 - through drawbridges, 194
- Interfortress interactions, 104
- Internet
 - collaboration over, 140, 141
 - idempotency across, 156
 - Internet fortresses, 86, 87, 117–142, 196
 - functions of, 117
 - presentation fortresses, 117, 118–130
 - purposes of, 117
 - risk factors in, 195
 - Web service fortresses, 117, 118, 130–141
- Internet Information Server. *See* Microsoft Internet Information Server
- Internet Inter-ORB Protocol, 53, 220
- Internet store case study, 203–221
 - first-pass design for, 203–207
 - fortress-ally diagram in, 205
 - guards, 218–220
 - problem statement, 203
 - second-pass design for, 207–211
 - simplified FAD for, 208
 - treaty/fortress relationships in, 207
- Interoperability, xvi, xvii, xviii
 - and drawbridge choices, 41
 - enterprise systems and standards of, 242
 - reality-based, 244
 - software fortress as unit of, 14
 - technologies for, 242
- Intracompany collaboration, 58
- Intrafortress communication, 40, 192

Intrafortress interactions, 104
 Inventory drawbridge, 215
 Inventory fortress, 215, 217, 218, 220
 Inventory information, in Internet store case study, 204
 IP load balancing, 198
 IT. *See* Information Technology

J

J#, 163
 JAR. *See* Java Archive
 Java, 14, 120
 entity beans, 244
 homogeneous asynchronous drawbridge technology supported by, 71
 objects in, 191
 Java Archive, 162
 Java bytecode, 162
 Java RMI/IIOP, 57
 JavaServer Pages, 195, 237–238
 Java 2 Enterprise Edition, xxi, 53, 118, 189, 231, 234, 242
 and business application fortresses, 161
 and costs, 164
 and EJB technology, 144
 and language support, 162
 and platform support, 163, 165
 and presentation fortresses, 118–120
 ten considerations for evaluating .NET *versus*, 234–241
 and Web service fortresses, 132
 Java Virtual Machine, 162
 JSPs. *See* JavaServer Pages
 J2EE. *See* Java 2 Enterprise Edition
 JVM. *See* Java Virtual Machine

K

Kerberos, 94, 95, 173
 Keys, 94

L

Language approach, and .NET *versus* J2EE, 161, 162–163
 LCTMs. *See* Loosely coupled transaction management service fortresses
 Legacy applications, wrapping, 169
 Legacy fortresses, xx, 11, 16, 17, 167–169, 224
 platforms for, 241
 scaling out, 76
 wrapping legacy systems into, 167, 185
 Legacy systems
 legacy tools for, 241
 wrapping, 167, 185
 Legacy tools, for legacy systems, 241
 LFs. *See* Legacy fortresses
 Linked libraries, and service fortresses, 170
 Linux, 120, 234, 237

Load balancing, with asynchronous processing, 212
 Load-balancing algorithms, 198
 Locks, 228
 Logical partitioning, of database, 81
 Login treaty, treaty-ally diagram for, 22
 Loosely coupled clusters, 159, 160, 199
 Loosely coupled multiple-resource transactions, 29, 37, 40, 54
 flow in, 33
 sequence-ally diagram for, 38
 Loosely coupled transaction management, 183, 184, 185
 Loosely coupled transaction management service fortresses, 170, 174–182
 Loosely coupled transaction managers, 54
 Loosely coupled transaction manager software fortress, 177
 Loosely coupled transactions, 148, 174
 across fortresses, 227–228
 tightly coupled transactions compared with, 181

M

Machines, in software fortress, 223
 Managers, 3
 Mapping algorithms, 57
 Meditative state, and DTC, 35
 Message-driven beans, 71
 Message queue bridges, drawbridges and use of, 70
 Message queues, 65, 66, 67, 68, 77, 220, 227, 243
 asynchronous drawbridges and, 61, 62–63, 83
 Method invocations, 47, 48
 Method requests, and COMWare, 146
 Microsoft, xix, 80, 82, 132, 137, 144, 161, 230, 239, 242, 243
 ASP.NET, 118
 BizTalk Server, 182, 183, 185
 homogeneous synchronous drawbridge technologies by, 53
 MSMQ, 70, 220
 transaction Internet protocol from, 244
 Microsoft Application Center Server, 156–157
 Microsoft Consulting Services, 236, 237
 Microsoft Encarta computer dictionary, 29
 Microsoft Intermediate Language, 162
 Microsoft Internet Information Server, 237, 238
 Microsoft Transaction Server, 144
 MQ Integrator. *See* WebSphere MQ Integrator
 MQSeries (IBM), 70, 220
 MS DTC, 34
 MSIL. *See* Microsoft Intermediate Language
 MSMQ, 70, 80, 220
 MTS. *See* Microsoft Transaction Server
 Multiple-resource transactions, 32–34, 148

loosely coupled, 33
 sequence diagrams for, 79
 tightly coupled, 34

N

.NET, xxi, 14, 52, 56, 57, 231
 and business application fortresses, 161
 and cost, 164, 165, 236
 homogeneous asynchronous drawbridge technology supported by, 71
 and language support, 162
 objects for, 191
 and platform support, 163
 ten considerations for evaluating J2EE *versus*, 234–241
 and unit-of-work costs, 189
 and Web service fortress, 132
 .NET Remote Binary Protocol, 53, 57, 64, 220
 Nonblocking workflow, with asynchronous drawbridges, 72, 83, 228
 Nonclustered configurations, and TPC-C benchmark, 239
 Nonidempotent requests, 129
 Nonrepudiation, 86, 100, 102
 Nontransactional queues, 65
 Non-Windows platforms, J2EE for, 234
 Nova Development Corporation, Art Explosion collection, 6
 N-tier architectures, xi, 88, 245

O

OASIS. *See* Organization for the Advancement of Structured Information Standards
 Object interfaces, 15
 Object-level methods, component-level methods distinguished from, 155, 165
 Object Management Group, 53
 Object-oriented programming, 190
 Object-oriented programming languages, 14, 170
 Object-Oriented Programming, Systems, Languages, and Applications, 24
 Object-oriented technologies, 47
Object Persistence: Beyond Object-Oriented Databases (Sessions), xxi
 Object request broker, 53
 Objects, 14, 17, 47, 61, 242
 components, fortresses and, 190–191
 components contrasted with, 48–49
 Object-to-object communications, 193
 ObjectWatch, Inc., xxi
Object Watch Newsletter, xvii, xix, xxi, xxiii, 244
 example with loosely coupled transaction management service fortress, 174–182
 OMG. *See* Object Management Group
 OOPSLA. *See* Object-Oriented Programming, Systems, Languages, and Applications
 Oracle, 177

ORB. *See* Object request broker
 Order management, in Internet store case study, 204
 Organizational boundaries, relationship to fortress boundaries, 230
 Organization for the Advancement of Structured Information Standards, 177, 185
 Outgoing points of interception, 151

P

Partitioned databases, 158, 159
 J2EE *versus* .NET, 239, 240
 Partitioned fortresses, with organizational boundaries, 189
 Passwords, 101, 219
 Patches, security, 123, 140
 Peak workflow, 73, 74
 Peak workload, 112
 Performance, 229
 with asynchronous drawbridges, 78, 80–82
 and distributed transaction coordinator, 37
 Permissions, 123, 220
 Persistent queues, 65, 83
 PFs. *See* Presentation fortresses
 Platforms, Web services integration with, 240
 Platform support
 and J2EE, 165
 and .NET *versus* J2EE, 161, 163
 Point of interception, 146, 151, 153
 Polymorphic method resolution, 48
 Poor-man's clusters, 78, 83
 Portability standards, 242
 Presentation fortresses, xx, 11, 17, 42, 85, 117, 118–130, 142, 196, 197, 220, 221, 224
 authentication with, 98
 and authorization, 101
 and buffer overflows, 91
 data strongboxes of, 116
 and integrity, 128–130
 in Internet store case study, 203
 JSP or ASP flowchart for, 119
 .NET *versus* J2EE and, 118–120, 237–238
 and nonrepudiation, 100
 reliability with, 125–128
 reliability configuration of, 126
 risk factors in, 195
 routing of requests in, 121
 scalability with, 120–122
 security for, 122–125
 and shared-key systems, 96
 and validation, 219
 Privacy, 86, 98–99, 102
 Private keys, 96, 100, 102
 Processes, 3, 223
 Process hijacking, guarding against, 140
 new sequence-ally diagram for, 212
 treaty-ally diagram for, 209

Proxy to surrogate, 49
 Pseudoreliability, 73, 83, 112, 125
 Public keys, 96, 99, 100, 102
 Public/private key pairs, 99
 Public/private key authentication systems, 93, 96, 98, 102, 173, 219
 shared-key authentication systems *versus*, 94–97
 Publishers, and broadcast service fortresses, 171
 Purchase treaty, 103, 104, 105

Q

Quality assurance specialists, 3
 Queued components, 71
 Queues, persistence and transactions in, 65–69

R

RAID. *See* Redundant Array of Independent Disks
 Recipient drawbridges, 43
 Recipient fortresses, 42, 52
 and asynchronous drawbridges, 62, 63, 64
 and infogram flow, 44, 45
 and synchronous drawbridges, 47, 51
 Recursive fortresses, 231
 Redundant Array of Independent Disks, 127
 Reliability, 111, 112–116, 156
 with asynchronous drawbridges, 228
 with asynchronous processing, 212
 with business application fortresses, 158
 and drawbridge choices, 41
 and fortress architecture design, 199
 .NET, J2EE and, 161
 with presentation fortresses, 125–128
 and scale-out approach, 198
 and state migration, 148
 with Web service fortresses, 141
 Remote method invocation, 49, 53, 57, 88, 220
 and clustering, 77
 synchronous drawbridges based on, 52
 Remote procedure calls, 49
 Request routing, with presentation fortresses, 121–122
 Requests
 idempotent, 129
 transmitting to Web service fortresses, 132, 134–136
 Resource locks, 228
 Response time, with homogeneous synchronous drawbridges, 56
 Responsibility cards
 fortress-ally, 24–25
 treaty-ally, 25–26
 Rich clients, 54, 56
 RMI. *See* Remote method invocation
 RMI/IIOP, 53, 64
 Role-based security, 88, 89, 102, 199, 226, 242
 fortress wall reinforcements through, 165
 limitations with, 89–90

 and software fortresses, 147
 Roles, 88, 89
 Rollbacks, 67, 68
 RPCs. *See* Remote procedure calls
 Rule of transactional integrity, 154–155, 156, 157

S

SADs. *See* Sequence-ally diagrams
 SavingsAccount components, 149
 Scalability, 111–112, 116, 156
 with business application fortresses, 158
 and drawbridge choices, 41
 .NET, J2EE and, 161
 of partitioned databases, 159
 with presentation fortresses, 120–122, 142
 and state migration, 148
 with Web service fortresses, 138–139, 142
 Scale-out approach, 75, 76, 156, 198
 over scale-up approach, 232–233
 and reliability, 113, 115, 141
 and scalability, 111, 112
 Scale-out architecture, designing, 198
 Scale-out design, for fortresses, 227
 Scale-up approach, 75, 76, 156, 198
 and reliability, 113, 115
 and scalability, 111, 112
 Scaling out databases, 158–159
 Scaling up databases, 160
 Scam data, 91, 92
 Secret-key encryption, privacy and, 98
 Secret keys, 94, 95, 97, 102
 Secure sockets, 94, 140, 173
 Secure Sockets Layer, 123
 Security, xvii, xviii, xx, 9, 10, 111, 225. *See also*
 Role-based security
 and drawbridge choices, 41
 and guard design, 199
 identifying issues with, 191
 for Internet fortresses, 142, 195
 in Internet store case study, 204
 .NET, J2EE and, 161
 for presentation fortresses, 122–125
 putting only in guards, 229–230
 and software fortress design, 226
 software industry and vision about, 242
 for synchronous drawbridges, 50–51, 52
 for Web service fortresses, 139–141
 Security fortresses, and clients, 173
 Security service fortresses, 170
 Sequence-ally diagrams, xx, 22–23, 27, 37, 221, 226
 for documenting treaties, 109
 for loosely coupled multiple-resource transaction, 38
 prototype of, 23
 for Purchase treaty, 105
 sample, 23
 for Starbucks example, 107

- for tightly coupled multiple-resource transaction, 39
- for tightly coupled single-resource transaction, 38
- Sequence diagrams
 - for multiple-resource transactions, 79
 - for single-resource transactions, 79
- Service fortresses, xx, 12, 17, 170–182, 185, 224
 - broadcast service fortresses, 171
 - data-sharing fortresses, 172
 - loosely coupled transaction management service fortresses, 174–182
- security fortresses, 173
- Session beans, 243
- Session keys, 95, 96, 98, 99
- Sessions, Roger, xxi
- Session state key, 128
- SFs. *See* Service fortresses
- Shared keys, 93
- Shared-key authentication systems, 94, 173
 - public/private-key authentication systems *versus*, 94–97
- Shared linked library, 170
- Simple Object Access Protocol, 57–58, 59, 70, 141, 142, 240, 243
 - over HTTP, 216, 217
 - tightly coupled transactions over, 231
 - and Web service fortresses, 131–132, 137–138
- Simple treaties, 13, 182
- Single-resource transactions, 29–30, 37, 148
 - sequence diagrams for, 79
- Single-user performance problems, for Web service fortresses, 139
- Sleep state, and DTC, 35, 36
- Smalltalk, 162
- SOAP. *See* Simple Object Access Protocol
- SOAP requests, and vendor gateway, 204
- SOAP surrogate, 134
- Software architects, 242
- Software fiefdom model, xix
- Software fortress architecture, xx, 17, 124, 140
 - definition of, 4
 - evaluating need for, 188
 - iterations in development of, 221
 - technologies used within, 7–8
- Software fortress design, ten rules for, 226–228
- Software fortress design review, 187–201
 - enterprise architecture questions for, 192–195
 - enterprise overview questions for, 187–192
 - fortress architecture questions and, 195–201
- Software fortresses, 17, 191
 - basic diagram for, 19–20
 - definition of, 3
 - organization of, 4–7
 - sample diagram for, 20
 - ten important points about, 223–224
 - transactional coordination for, 39
 - treaty management from perspective of, 184
 - as trust boundary, 8–10
 - types of, 11–12
 - as unit of interoperability, 14
 - using, 231–232
- Software fortress methodology, common understanding of, 188
- Software fortress model, xiii, xv, 1, 191
 - definition of, 4
 - future of, 245
 - history of, xviii–xix
 - payoffs with, xvi
 - proving, 233
 - reason for, xiv
 - ten controversial ideas within, 228–233
 - ten reasons for adoption of, 224–225
- Software industry, ten observations on state of, 241–244
- Speed, with homogeneous synchronous drawbridges, 56
- SQL Server, 80, 81, 82
- SSL. *See* Secure Sockets Layer
- Staging machines, and presentation fortresses, 124
- Starbucks error form, improved, 107
- Starbucks example, purchase treaty and, 103–107
- State information, storage of, 147
- State management, and business application fortresses, 147–148, 153–155
- State migration, planning for, 148
- Stored procedures, 165
 - and business logic, 158
 - cautionary note on, 160–161
- Stringification algorithm, 134, 138
- String length violations, and validation, 91, 102
- Strongboxes. *See* Data strongboxes
- Strong transactional guarantee, 181
- Subscribers, and broadcast service fortresses, 171
- Sun, 132, 144, 161, 177, 239, 242
- Surrogates, 144, 153
- Symmetrical encryption, 93
- Synchronous drawbridge façade, and asynchronous fortress, 213
- Synchronous drawbridges (or blocking drawbridges), xx, 46, 47–59, 61, 83, 132, 217, 221.
 - See also* Asynchronous drawbridges
 - advantages with asynchronous drawbridges over, 72, 83
 - with asynchronous back end, 197
 - component-based implementation of, 214
 - components for, 47–51
 - and fortress costs, 235
 - heterogeneous, 56–58, 134
 - homogeneous, 52–56, 134
 - internal asynchronous communication backup for, 196
 - in Internet store case study, 211–212
 - and peak workload, 112
 - preferred security configuration for, 52

Synchronous interactions, 105
 Synchronous protocols, distributed transaction coordinator's dependence on, 37
 System resources, and three-tier applications, 168
 Systems, in software fortress, 223
 System services, 3

T

TADs. *See* Treaty-ally diagrams
 TAR cards. *See* Treaty-ally responsibility cards
 Technical writers, 3
 Technology bases, within single fortress, 198
 Thin clients, 54, 118
 Three-tier applications, typical, 168
 Three-tier architectural model, xviii
 Three-tier architectures, 245
 and legacy systems, 167–168
 wrapping, 167–168
 Three-tier legacy application, converting into legacy fortress, 169
 TIBCO
 ActiveEnterprise, 182, 183, 238
 Tickets, 94–95, 96
 Tightly coupled clusters, 159, 160
 Tightly coupled multiple-resource transactions, 29, 30–32, 34, 37, 40, 54, 65, 78, 177
 crossing a homogeneous synchronous drawbridge, 55
 and distributed transaction coordinator, 35
 sequence-ally diagram for, 39
 Tightly coupled single-resource transactions, 78
 flow in, 32
 sequence-ally diagram for, 38
 Tightly coupled transactions, 148, 174
 cautionary note about crossing over fortress boundaries by, 230–231
 within fortresses, 228
 loosely coupled transactions compared with, 181
 warning about spanning drawbridges and, 193
 TMFs. *See* Treaty management fortresses
 TODs. *See* Treaty overview documents
 TPC-C benchmark, 164, 239
 TPMs. *See* Transaction processing monitors
 Transaction algorithms, 126
 Transactional guarantees, 181
 Transactional integrity, xx, 153, 154, 155, 156
 Transactionally aware resources, 29–30, 31, 32, 33, 40, 66
 Transactional queues, 65, 83
 Transactional relationships, donor and recipient, 67, 68
 Transaction boundaries, 148, 149, 150, 155, 158, 160
 Transaction boundary management
 and business application fortresses, 147, 148–153
 .NET, J2EE and, 161

Transaction boundary-marking APIs, 31
 Transaction flow, with homogeneous synchronous drawbridges, 54
 Transaction Internet protocol, 244
 Transaction processing monitors, 34, 146, 233, 240
 Transactions, 29–40, 54, 174
 definition of, 29
 lack of vision on flowing of through enterprise, 242
 types of, 148
 Transient queues, 65
 Treaties, 103–109, 182, 224
 considerations with, 108
 documenting, 109
 in fortress-ally diagrams, 21
 simple *versus* complex, 13
 between two fortresses, 103–107
 Treaty-ally diagrams, 22, 27, 221
 for login treaty, 22
 Treaty-ally responsibility cards, 25–26, 27, 226
 high-level, for Internet store case study, 211
 prototype of, 26
 sample, 26
 Treaty management
 from software fortress perspective, 184
 from vendor's perspective, 183
 Treaty management fortresses, xx, 11, 17, 182–185, 224, 228
 and connectors, 238
 in Internet store case study, 208
 Treaty management technologies, common functions provided by, 183
 Treaty overview documents, 27, 108
 Treaty relationships, xx, 12–13, 17, 43
 True reliability, 113, 125
 Trust boundaries, 55, 81, 191, 194
 fortresses as, 8–10, 17, 223
 fortresses organized around, 190
 and presentation fortresses, 124
 Trust rule, definition of, 8
 Tuxedo application, 168
 Two-fortress configuration, 86

U

UDDI. *See* Universal Description, Discovery and Integration
 UML. *See* Unified Modeling Language
 UML class diagram, fortress diagram compared with, 19–20
 Unexpected characters
 and scam data attacks, 91
 and validation, 102
 Unguarded fortresses, points of vulnerability in, 51
 Unified Modeling Language, xiv, 22
 Unit-of-work costs, 111, 114, 235, 236
 J2EE *versus* .NET, 164

- and .NET, 189
- and reliability, 113–115
- and scalability, 111–112
- Universal Description, Discovery and Integration, 137, 240
- Unix, 234
- Unshared linked library, 170
- Update requests, 35
- User IDs, 87, 90, 219
- User interface, in three-tier applications, 168

V

- Validation, 86, 90–92, 102, 123, 219
- Vendor gateway, in Internet store case study, 204
- Vendor management, in Internet store case study, 204
- Vendors
 - and Internet store case study, 203
 - lack of common model of interoperability with, 243
 - long-term health of, 239
 - treaty management from perspective of, 183
- Visual Studio.NET, 118

W

- Walls, 8, 9, 10, 17, 224, 225
 - built-in functionality with, 50
 - careful assessment of, 226
 - effective, 199–200
 - and fortification, 102
 - and guards, 85–102
 - and legacy fortresses, 169
 - and software fortress, 5
 - technologies for, xx
- Weak transactional guarantee, 181
- WebLogic, 53
- Web service fortresses, xx, 12, 17, 57, 59, 85, 117, 118, 122, 130–141, 142, 221, 224
 - and buffer overflows, 91
 - characters in, 133

- integrity of, 141
- in Internet store case study, 204
- J2EE *versus* .NET approach and, 132
- and nonrepudiation, 100
- presentation fortresses *versus*, 130–131
- reliability with, 141
- risk factors in, 195
- scalability with, 138–139
- security for, 139–141
 - and shared-key systems, 96
 - and SOAP, 131–132, 137–138
 - technology overview with, 132–137
- Web services for, 240
- Web services, integration of into platforms, 240
- Web Services Description Language, 136, 142, 240
- Web Services Inspection Language, 137, 142
- Web service transactions, 177–178, 230
- WebSphere, 34, 52, 53, 56, 57, 163
- WebSphere MQ Integrator (IBM), 182, 238
- Whiteboard-compatible documentation techniques, 7
- Wiener, Lauren, 24
- Wilkerson, Brian, 24
- Windows platforms, .NET for, 234
- Wirfs-Brock, Rebecca, 24
- Workers, 5, 8
- Workflow, and treaties, 108, 109
- Workflow averaging, 105, 228
- Workflow management, 183, 184–185
- Workload averaging, with asynchronous drawbridges, 73–75, 83
- Workload capability, increasing, 198
- Workload costs, and scalability, 111, 112
- WSDL. *See* Web Services Description Language
- WSFs. *See* Web service fortresses
- WS-Inspection. *See* Web Services Inspection Language

X

- XML. *See* Extensible Markup Language



informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.



Online Books


Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.

POWERED BY
Safari
TECH BOOKS ONLINE™



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.





Wouldn't it be great
if the world's leading technical
publishers joined forces to deliver
their best tech books in a common
digital reference platform?

They have. Introducing
InformIT Online Books
powered by Safari.

■ **Specific answers to specific questions.**

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ **Immediate results.**

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ **Cut, paste and annotate.**

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ **Customized for your enterprise.**

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/onlinebooks> for details.

POWERED BY
Safari
TECH BOOKS ONLINE®

informIT
Online Books

informit.com/onlinebooks



Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:

- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests



Contact us

If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com

Visit us on the Web: <http://www.awprofessional.com>

