



Index

A

access, 24

- constructor metadata, 79, 209
- DNS, 109, 111
- event metadata, 123
- fields
 - errors, 127
 - metadata, 132
- Internet, 395
- members
 - errors, 198, 224
 - metadata, 201
- metadata
 - levels of, 282
 - non-public types, 275
- methods
 - errors, 205, 226
 - metadata, 209, 219
- modules (metadata), 229
- networks, 241
- parameters (metadata), 259
- properties (metadata), 265
- XML text readers, 445

actions, specifying security, 279

addresses, 31

- Internet host information, 181
- networks, deriving classes, 117
- sockets, 109, 314

AddressFamily enumeration, 31–33

allocating GCHandle class types, 145

AmbiguousMatchException, 19, 34–36

AppDomain class, 4, 37–43

applications

- defining, 44
- domains, 37, 74
- formatting, 96
- System.XML, 26–27

arguments, methods, 253

arrays, socket addresses, 314

assemblies, defining, 44

Assembly class, 44–48

AssemblyLoadEventArgs class, 49

AssemblyLoadEventHandler delegate, 51–52

associated languages, 85

attributes

- DllImportAttribute, 22
- events, specifying, 121
- methods (flags), 206
- ParamArrayAttribute, 4
- parameters, defining, 256
- properties, 263
- security, 115
- System.Attribute, 4
- types, 347

authentication. *See also* security

- clients, 168
- credentials, 243

AuthenticationManager class, 55

Authorization class, 56–57

B

BadImageFormatException class, 5, 59–61

Binder class, 62–66

Index

binding

- flags, 67
- members, 62

BindingFlags enumeration, 19, 67–70

Boolean parameters, 56

C

calendars, 85

calling conventions, 71

CallingConvention enumeration, 71–73

CannotUnloadAppDomainException class, 5, 74–75

character sets, specifying marshaled strings, 76

CharSet enumeration, 76–78

CLI (common language infrastructure), 417

clients, authenticating credentials, 168

code interoperation, 22

CodeAccessPermission class, 24

common language infrastructure (CLI), 417

comparers, NameValueCollection class, 239

compilers

- support for, 287

- System.Runtime.CompilerServices, 21

configuring endpoints, 302

connections

- Internet hosts, 297

- socket security, 324, 328

constants, storing values, 99

ConstructorInfo structure, 79–80

constructors, 79, 209

Control Panel, Regional and Language options, 95

converting

- XML, 417

- XmlConvert class, 27

countries, 85

creating endpoints, 302

CredentialCache class, 81–82

credentials

- clients, authenticating, 168

- password-base authentication, 243

- storage for, 81

cultural conventions, 85

CultureInfo class, 9, 83–98

CultureInfo.ClearCachedData() method, 85

currency, CultureInfo class, 95

custom culture support, 85

custom resource fallback support, 85

D

DecimalConstantAttribute class, 21, 99–102

decoding XML names, 417

default international sort orders, 94

DefaultMemberAttribute class, 103–104

defining

- Assembly class, 44

- attribute parameters, 256

- details of method implementations, 216

- HTTP version numbers, 155

- members, 103

- method shape, 151

Delegate class, 5

delegates

- AssemblyLoadEventHandler, 51–52

- UnhandledExceptionEventHandler, 359–360

Delphi language, 287

DllImportAttribute class, 22, 105–108

DNS (Domain Name System), 109, 111

Dns class, 109–110

DnsPermission class, 12, 111–114

DnsPermissionAttribute class, 115–116

Document Type Definition (DTD), 438

Domain Name System (DNS), 109, 111

domains

- applications, 37

- errors, 74

DTD (Document Type Definition), 438

E

encapsulation (CultureInfo class), 84

encoding XML names, 417

EndPoint class, 117–118

endpoints

- creating, 302

- IP addresses/port numbers, 179

entry point errors, 119

EntryPointNotFoundException class, 5, 119–120

enumerations

- AddressFamily, 31–33

- BindingFlags, 19, 67–70

- CallingConvention, 71–73

- CharSet, 76–78

- EventAttributes, 121–122

- FieldAttributes, 129–131

- Formatting, 139–140

- GCHandleType, 145–147

- LayoutKind, 189–191
 - MethodAttributes, 206–208
 - MethodImplOptions, 216–218
 - NetworkAccess, 241–242
 - ParameterAttributes, 256–258
 - PropertyAttributes, 263–264
 - ProtocolType, 269–270
 - ReadState, 273–274
 - ReflectionPermissionFlag, 25, 282–284
 - SelectMode, 295–296
 - SocketFlags, 318–319
 - SocketLevelOption, 320–321
 - SocketOptionName, 322–323
 - sockets, 14–15
 - SocketShutdown, 329
 - SocketType, 331
 - System.Reflection namespace, 18
 - TransportType, 345–346
 - TypeAttributes, 347–350
 - UnmanagedType, 361–364
 - UriHostNameType, 377–378
 - UriPartial, 379–380
 - WebExceptionStatus, 389–390
 - WhitespaceHandling, 412–414
 - WriteState, 415–416
 - XmlNodeType, 430–431
 - XmlSpace, 443–444
 - errors
 - AmbiguousMatchException, 34
 - application domains, 74
 - entry points, 119
 - field access, 127
 - images, 59
 - members
 - access, 198, 224
 - parameters, 343
 - methods
 - access, 205, 226
 - reflection, 341
 - missing fields, 222
 - network protocols, 271
 - pluggable protocols, 387
 - targets, 339
 - types
 - loading, 351
 - unloading, 353
 - URIs, 375
 - XML, 422
 - EventAttributes enumeration, 121–122
 - EventInfo class, 123
 - events
 - attributes, specifying, 121
 - metadata, accessing, 123
 - exceptions
 - AmbiguousMatchException, 19, 34–36
 - BadImageFormatException class, 59–61
 - CannotUnloadAppDomainException class, 5, 74–75
 - EntryPointNotFoundException class, 5, 119–120
 - FieldAccessException class, 5, 127–128
 - MemberAccessException class, 198–200
 - MethodAccessException class, 6, 205
 - MissingFieldException class, 6, 222–223
 - MissingMemberException class, 6, 224–225
 - MissingMethodException class, 6, 226–228
 - ProtocolViolationException class, 12, 271
 - SocketException class, 5, 316–317
 - System.Reflection namespace, 19
 - Systems.Net namespace, 12
 - TargetException class, 19, 339–340
 - TargetInvocationException class, 19, 341–342
 - TargetParameterCountException class, 19, 343–344
 - TypeLoadException class, 6, 351–352
 - TypeUnloadedException class, 6, 353
 - uncaught shape of, 359
 - UnhandledExceptionEventArgs class, 357–358
 - UriFormatException class, 6, 375–376
 - WebException class, 12, 387–388
 - WebExceptionStatus enumeration, 389–390
 - XmlException class, 27, 422–424
 - external XML resources, resolving, 456
- F**
- fallback, 85
 - FieldAccessException class, 5, 127–128
 - FieldAttributes enumeration, 129–131
 - FieldInfo class, 132–134
 - FieldOffsetAttribute class, 135–138
 - fields
 - access errors, 127
 - metadata, 132
 - missing (errors), 222
 - positioning, 135

Index

- fields (*continued*):
 - tokens, 285
 - types, unmanaged, 361
 - volatile, marking as, 183
 - files, image errors, 59
 - flags
 - binding, 19, 67
 - field attributes, specifying, 129
 - method attributes, 206
 - foreign countries, 85. *See also* CultureInfo class
 - formatting, 377
 - applications, 96
 - CultureInfo class, 83–98
 - enumeration, 139–140
 - host names, 377
 - images, troubleshooting, 59
 - saving, 84
 - XmlTextWriter class, 139
 - forms, NameValueCollection class, 239
 - fragments, parsing XML, 432
 - function interoperation, 22
- G**
- GCHandle structure, 141–144
 - GCHandleType enumeration, 145–147
 - globalization, 9
 - GlobalProxySelection class, 148–149
 - groups, IP multicast, 232
- H**
- handles
 - implementing, 172
 - metadata, 290
 - types, 145, 292
 - UIntPtr structures, 355
 - hash codes (NameValueCollection class), 239
 - headers
 - NameValueCollection class, 239
 - WebHeaderCollection class, 391
 - hosts
 - address information, 181
 - Internet connections, 297
 - names, 377
 - servers, 109
 - HTTP (Hypertext Transfer Protocol), 152
 - global default proxy instances for, 148
 - proxy settings, 400
 - HttpContinueDelegate class, 151
 - HttpStatusCode class, 152–154
 - HttpVersion class, 155–156
 - HttpWebRequest class, 157–160
 - HttpWebResponse class, 162–164
 - Hypertext Transfer Protocol. *See* HTTP
- I**
- IAuthenticationModule interface, 165–167
 - ICredentials interface, 168–169
 - identifiers, 85–94
 - image errors, 59
 - implementing
 - handles, 172
 - HTTP-specific (WebRequest class), 157
 - methods
 - defining details, 216
 - specifying details of, 213
 - pointers, 172
 - standard stream mechanisms, 245
 - InAttribute class, 170–171
 - inheritance (Object class), 3
 - instances
 - culture-specific, 85
 - global proxy instances for HTTP, 148
 - pending data behavior (Socket class), 192
 - ServicePoint class, managing, 299
 - Socket class
 - shutdown, 329
 - transfer behavior, 318
 - SocketType enumeration, 331
 - String objects, storing in tables, 233
 - System.Net.WebRequest, 187
 - interfaces
 - IAuthenticationModule, 165–167
 - ICredentials, 168–169
 - IWebProxy, 185
 - IWebRequestCreate, 187
 - international sort orders, 94
 - Internet
 - access, 395
 - globalization, 9
 - hosts
 - address information, 181
 - connections, 297
 - interoperation, managing, 22
 - IntPtr structure, 172–175
 - invariant cultures, specifying, 95

- IP (Internet Protocol)
 - addresses, 179
 - multicast groups, 232
- IPAddress class, 176–178
- IPEndPoint class, 179–180
- IPHostEntry class, 181–182
- IsVolatile class, 183–184
- IWebProxy interface, 185
- IWebRequestCreate interface, 187

- K**
- Kerberos (NetworkCredential class), 243
- key-and-value pairs, 239

- L**
- languages
 - options, 95
 - System.Runtime.CompilerServices, 21
- LayoutKind enumeration, 189–191
- layouts. *See also* formatting
 - members, 333
 - physical memory, 189
- levels of access, metadata, 282
- LingerOption class, 192–193
- loading types (errors), 351

- M**
- managing
 - authentication, 55
 - interoperation, 22
 - namespaces, 425
 - ServicePoint class instances, 299
- marking volatile fields, 183
- MarshalAsAttribute class, 195–197
- marshalling
 - data between code, 195
 - parameters, 170, 249
 - strings, specifying character sets, 76
- MemberAccessException class, 6, 198–200
- MemberInfo class, 201–204
- members
 - access errors, 198, 224
 - binding, 62
 - defining, 103
 - layouts, 333
 - metadata, accessing, 201, 275
 - parameter errors, 343
- memory, physical layouts of, 189
- metadata
 - access, 282
 - constructors, 79, 209
 - events, 123
 - fields, 132
 - handles, 290
 - members, 201
 - methods, 209, 219
 - modules, 229
 - non-public types, 275
 - parameters, 259
 - properties, 265
 - System.Decimal, storing values, 99
 - System.Reflection namespace, 17–19
 - tokens for fields, 285
- MethodAccessException class, 6, 205
- MethodAttributes enumeration, 206–208
- MethodBase class, 209–212
- MethodImplAttribute class, 21, 213–215
- MethodImplOptions enumeration, 216–218
- MethodInfo class, 219–221
- methods, 151
 - access errors, 205, 226
 - arguments, 253
 - attribute flags, 206
 - compiler support, 287
 - CultureInfo.ClearCachedData(), 85
 - errors (reflection), 341
 - implementing
 - defining details, 216
 - specifying details of, 213
 - metadata, accessing, 209, 219
 - proxy servers, 185
 - System.Type, 17
 - unmanaged shared libraries, 105
 - URIs, 383
 - void class, 381
- missing fields, errors, 222
- MissingFieldException class, 6, 222–223
- MissingMemberException class, 6, 224–225
- MissingMethodException class, 6, 226–228
- modes, specifying, 295
- Module class, 229–231
- modules
 - authentication, 55
 - metadata, accessing, 229
- multicast groups (IP), 232

Index

MulticastOption class, 232
 multiple credentials, storage for, 81
 mutable versions of Uri class, 372

N

names

hosts, formatting, 377
 socket options, 322
 System.Globalization.CultureInfo, 85–94
 XML, encoding/decoding, 417

namespaces

System namespace, 3–6
 System.Collections.Specialized, 8
 System.Globalization, 9
 System.Net, 10–15
 System.Reflection, 17–19
 System.Runtime.CompilerServices, 21
 System.Runtime.InteropServices, 22
 System.Security.Permissions, 24
 System.XML, 26–27
 XML, scope management for, 425

NameTable class, 233–237

NameValueCollection class, 8, 238–240

NetworkAccess enumeration, 241–242

NetworkCredential class, 243–244

networks

addresses, deriving classes, 117
 protocol errors, 271

NetworkStream class, 245–248

nodes, specifying types, 430

non-public type access

controlling, 279
 levels of, 282
 metadata, 275

O

Object class inheritance, 3

objects

permissions, 24
 request/response, 10
 System.Reflection namespaces, 17–19
 System.Runtime.CompilerServices, 21
 utility
 System namespaces, 4
 System.Net, 11

options

languages, 95

SocketOptionLevel enumeration, 320

socket names, 322

Sockets class, 15

OutAttribute class, 249–251

overloading CultureInfo() constructors, 84

P

ParamArrayAttribute class, 4, 253–255

ParameterAttributes enumeration, 256–258

ParameterInfo class, 259–261

ParameterModifier structure, 262

parameters

attributes, defining, 256
 Boolean, 56
 marshalling, 170, 249
 member errors, 343
 metadata, accessing, 259
 types, unmanaged, 361
 userUserOverride, 96

parsing

XML. *See also* XML

errors, 422

fragments, 432

XmlParserContext class, 27

passing structures, 22

password-based authentication, 243

pending data behavior (Socket instances), 192

permissions, 24

network access, 241
 socket connections, 324
 specifying, 115, 398
 System.Net namespace, 12
 System.Security.Permissions, 24

physical memory layouts, 189

pluggable protocols errors, 387

pointers

implementing, 172
 UIntPtr structures, 355

ports, endpoints, 179

positioning fields, 135

processes, binding flags, 67

properties

attributes, 263
 compiler support, 287
 metadata, accessing, 265
 proxy servers, 185

PropertyAttributes enumeration, 263–264

PropertyInfo class, 265–268

protocols

- headers, 391
- network errors, 271
- pluggable, errors, 387
- Socket class, specifying, 269
- ProtocolType enumeration, 269–270
- ProtocolViolationException class, 12, 271
- proxy servers, 185
- proxy settings (HTTP), 400

Q

- queries
 - DNS, 109
 - NameValueCollection class, 239

R

- readers, XML text, 435, 445
- reading (XmlReader class), 273
- ReadState enumeration, 273–274
- references, 141
- reflection
 - flags, binding, 67
 - methods errors, 341
- ReflectionPermission class, 275–278
- ReflectionPermissionAttribute class, 279–281
- ReflectionPermissionFlag enumeration, 25, 282–284
- Regional and Language Options, 95
- RegionInfo class, 84
- requests
 - objects, 10
 - URIs, 403
- resolving XML resources, 441, 456
- resources
 - external XML, 456
 - XML, 441
- responses
 - objects, 10
 - URIs, 408
- return types (Void class), 381
- runtime
 - System.Reflection namespace, 17–19
 - System.Runtime.CompilerServices, 21
- RuntimeFieldHandle structure, 285–286
- RuntimeFieldHandle() method, 4
- RuntimeHelpers class, 21, 287–289
- RuntimeMethodHandle structure, 290–291
- RuntimeTypeHandle structure, 292–294

S

- saving formatting, 84
- schemes, specifying, 31
- scope management for namespaces, 425
- security
 - actions, specifying, 279
 - attributes, 115
 - metadata, 275
 - socket connections, 324, 328
 - System.Security.Permissions, 24
- SelectMode enumeration, 295–296
- servers (DNS), 109
- ServicePoint class, 297–298
- ServicePointManager class, 299–301
- shape of uncaught exceptions, 359
- shapes, defining, 151
- shutdown, 329
- Socket class, 269, 302–313
- SocketAddress class, 314–315
- SocketException class, 316–317
- SocketFlags enumeration, 318–319
- SocketOptionLevel enumeration, 320–321
- SocketOptionName enumeration, 322–323
- SocketPermission class, 12, 324–327
- SocketPermissionAttribute class, 328
- sockets
 - addresses, 109, 314
 - connection security, 324, 328
 - exceptions, 316
 - naming options, 322
 - System.Net.Sockets, 14–15
- SocketShutdown enumeration, 329
- SocketType enumeration, 331
- sorting, default international sort orders, 94
- specifying
 - addressing schemes, 31
 - attribute events, 121
 - flags, 129
 - methods, 213
 - modes, 295
 - node types, 430
 - permissions, 115, 398
 - protocols (Socket class), 269
 - read states (XmlReader class), 273
 - security actions, 279
 - transport types, 345
 - URI components, 379
 - write states (XmlWriter class), 415

Index

- standard stream mechanisms, implementing, 245
- static method compiler support, 287
- status codes
 - HTTP, 152
 - WebException class, 389
- storage
 - for multiple credentials, 81
 - for System.Decimal values, 99
- streams, implementing standard mechanisms, 245
- String objects, storing tables in, 233
- strings, specifying marshaled strings, 76
- StructLayoutAttribute class, 333–338
- structures
 - ConstructorInfo, 79–80
 - GCHandle, 141–144
 - IntPtr, 172–175
 - ParameterModifier, 262
 - passing, 22
 - RuntimeFieldHandle, 285–286
 - RuntimeMethodHandle, 290–291
 - RuntimeTypeHandle, 292–294
 - UIntPtr, 355–356
 - Void, 381
- sublanguages, 85
- System namespace, 3–6
- System.AppDomain, 37–43
- System.AssemblyLoadEventArgs, 49
- System.AssemblyLoadEventHandler, 51–52
- System.Attribute, 4
- System.BadImageFormatException, 59–61
- System.Byte arrays, socket addresses, 314
- System.CannotUnloadAppDomainException, 74–75
- System.Collection.Specialized, 8
- System.Collections.Specialized.NameValueCollection, 238–240
- System.EntryPointNotFoundException, 119–120
- System.Exception, 5
- System.FieldAccessException, 127–128
- System.Globalization, 9
- System.Globalization.CultureInfo, 83–98
- System.IntPtr, 172–175
- System.MemberAccessException, 198–200
- System.MethodAccessException, 205
- System.MissingFieldException, 222–223
- System.MissingMemberException, 224–225
- System.MissingMethodException, 226–228
- System.Net, 10–15
 - System.Net.AuthenticationManager, 55
 - System.Net.Authorization, 56–57
 - System.Net.Credential, 81–82
 - System.Net.Dns, 109–110
 - System.Net.DnsPermission, 111–114
 - System.Net.DnsPermissionAttribute, 115–116
 - System.Net.EndPoint, 117–118
 - System.Net.GlobalProxySelection, 148–149
 - System.Net.HttpContinueDelegate, 151
 - System.Net.HttpStatusCode, 152–154
 - System.Net.HttpVersion, 155–156
 - System.Net.HttpWebRequest, 157–160
 - System.Net.HttpWebResponse, 162–164
 - System.Net.IAuthenticationModule, 165–167
 - System.Net.ICredentials, 168–169
 - System.Net.IPAddress, 176–178
 - System.Net.IPEndPoint, 179–180
 - System.Net.IPHostEntry, 181–182
 - System.Net.IWebProxy, 185
 - System.Net.IwebRequestCreate, 187
 - System.Net.NetworkAccess, 241–242
 - System.Net.NetworkCredential, 243–244
 - System.Net.ProtocolViolationException, 271
 - System.Net.ServicePoint, 297–298
 - System.Net.ServicePointManager, 299–301
 - System.Net.SocketAddress, 314–315
 - System.Net.SocketPermission, 324–327
 - System.Net.SocketPermissionAttribute, 328
 - System.Net.Sockets, 14–15
 - System.Net.Sockets.AddressFamily, 31–33
 - System.Net.Sockets.LingerOption, 192–193
 - System.Net.Sockets.MulticastOption, 232
 - System.Net.Sockets.NetworkStream, 245–248
 - System.Net.Sockets.ProtocolType, 269–270
 - System.Net.Sockets.SelectMode, 295–296
 - System.Net.Sockets.Socket, 302–313
 - System.Net.Sockets.SocketException, 316–317
 - System.Net.Sockets.SocketFlags, 318–319
 - System.Net.Sockets.SocketOptionLevel, 320–321
 - System.Net.Sockets.SocketOptionName, 322–323
 - System.Net.Sockets.SocketShutdown, 329
 - System.Net.Sockets.SocketType, 331
 - System.Net.TransportType, 345–346

- System.Net.WebClient, 383–386
- System.Net.WebException, 387–388
- System.Net.WebExceptionStatus, 389–390
- System.Net.WebHeaderCollection, 391–394
- System.Net.WebPermission, 395–397
- System.Net.WebPermissionAttribute, 398–399
- System.Net.WebProxy, 400–402
- System.Net.WebRequest, 403–407
- System.Net.WebResponse, 408–411
- System.ParamArrayAttribute, 253–255
- System.Reflection namespace, 17–19
- System.Reflection.AmbiguousMatchException, 34–36
- System.Reflection.Assembly, 44–48
- System.Reflection.Binder, 62–66
- System.Reflection.BindingFlags, 67–70
- System.Reflection.ConstructorInfo, 79–80
- System.Reflection.DefaultMemberAttribute, 103–104
- System.Reflection.EventAttributes, 121–122
- System.Reflection.EventInfo, 123
- System.Reflection.FieldAttributes, 129–131
- System.Reflection.FieldInfo, 132–134
- System.Reflection.MemberInfo, 201–204
- System.Reflection.MethodAttributes, 206–208
- System.Reflection.MethodBase, 209–212
- System.Reflection.MethodInfo, 219–221
- System.Reflection.Module, 229–231
- System.Reflection.ParameterAttributes, 256–258
- System.Reflection.ParameterInfo, 259–261
- System.Reflection.ParameterModifier, 262
- System.Reflection.PropertyAttributes, 263–264
- System.Reflection.PropertyInfo, 265–268
- System.Reflection.TargetException, 339–340
- System.Reflection.TargetInvocationException, 341–342
- System.Reflection.TargetParameterCountException, 343–344
- System.Reflection.TypeAttributes, 347–350
- System.Runtime.CompilerServices namespace, 21
- System.Runtime.CompilerServices.DecimalConstantAttribute, 99–102
- System.Runtime.CompilerServices.IsVolatile, 183–184
- System.Runtime.CompilerServices.MethodImplOptions, 213–215
- System.Runtime.CompilerServices.MethodImplOptions, 216–218
- System.Runtime.CompilerServices.RuntimeHelpers, 287–289
- System.Runtime.InteropServices namespace, 22
- System.Runtime.InteropServices.CallingConvention, 71–73
- System.Runtime.InteropServices.CharSet, 76–78
- System.Runtime.InteropServices.DllImportAttribute, 105–108
- System.Runtime.InteropServices.FieldOffsetAttribute, 135–138
- System.Runtime.InteropServices.GCHandle, 141–144
- System.Runtime.InteropServices.GCHandleType, 145–147
- System.Runtime.InteropServices.InAttribute, 170–171
- System.Runtime.InteropServices.LayoutKind, 189–191
- System.Runtime.InteropServices.MarshalAsAttribute, 195–197
- System.Runtime.InteropServices.OutAttribute, 249–251
- System.Runtime.InteropServices.StructLayoutAttribute, 333–338
- System.Runtime.InteropServices.UnmanagedType, 361–364
- System.RuntimeFieldHandle, 285–286
- System.RuntimeMethodHandle, 290–291
- System.RuntimeTypeHandle, 292–294
- System.Security.Permissions namespace, 24
- System.Security.Permissions.ReflectionPermission, 275–278
- System.Security.Permissions.ReflectionPermissionAttribute, 279–281
- System.Security.Permissions.ReflectionPermissionFlag, 282–284
- System.Type, 17
- System.TypeLoadException, 351–352
- System.TypeUnloadedException, 353
- System.UIntPtr, 355–356
- System.UnhandledExceptionEventArgs, 357–358
- System.UnhandledExceptionHandler, 359–360
- System.Uri, 365–371

Index

System.UriBuilder, 372–374
 System.UriFormatException, 375–376
 System.UriHostNameType, 377–378
 System.UriPartial, 379–380
 System.Void, 381
 System.XML namespaces, 26–27
 System.Xml.Formatting, 139–140
 System.Xml.NameTable, 233–237
 System.Xml.ReadState, 273–274
 System.Xml.WhitespaceHandling, 412–414
 System.Xml.WriteState, 415–416
 System.Xml.XmlConvert, 417–421
 System.Xml.XmlException, 422–424
 System.Xml.XmlNamespaceManager, 425–427
 System.Xml.XmlNameTable, 428–429
 System.Xml.XmlNodeType, 430–431
 System.Xml.XmlParserContext, 432–434
 System.Xml.XmlReader, 435–440
 System.Xml.XmlResolver, 441–442
 System.Xml.XmlSpace, 443–444
 System.Xml.XmlTextReader, 445–450
 System.Xml.XmlTextWriter, 451–455
 System.Xml.XmlUrlResolver, 456–457
 System.Xml.XmlWriter, 458–460

T

tables

- String objects, storing, 233
- XML, 428

 TargetException class, 19, 339–340
 TargetInvocationException class, 19, 341–342
 TargetParameterCountException class, 19, 343–344
 target errors, 339
 text, XML readers, 445
 tokens, metadata for fields, 285
 transport types, specifying, 345
 TransportType enumeration, 345–346
 Type class, 4
 TypeAttributes enumeration, 347–350
 TypeLoadException class, 6, 351–352
 types

- attributes, 347
- handles, 145, 292
- loading (errors), 351
- methods, 17
- nodes, specifying, 430
- non-public

- controlling access, 279
- levels of access, 282
- non-public, accessing metadata, 275
- System namespace, 3–6
- System.reflection namespace, 17–19
- unloading (errors), 353
- unmanaged, 361
- WebRequest authentication, 53
- white space, 412

TypeUnloadedException class, 6, 353

U

UIntPtr structure, 355–356
 uncaught exceptions, shape of, 359
 UnhandledExceptionEventArgs class, 357–358
 UnhandledExceptionHandler delegate, 359–360
 unloading types (errors), 353
 unmanaged shared libraries

- calling conventions, 71
- methods, indicating exports, 105

 UnmanagedType enumeration, 361–364
 Uri class, 365–371
 UriBuilder class, 372–374
 UriFormatException class, 6, 375–376
 UriHostNameType enumeration, 377–378
 UriPartial enumeration, 379–380
 URIs (uniform resource identifiers), 4

- methods, 383
- requests, 403
- responses, 408

 users, overriding, 84
 useUserOverride parameter, 96
 utility objects

- System namespace, 4
- System.Net namespace, 11

V

values

- HTTP status codes, 152
- System.Decimal, storing, 99
- Void class, 381

 variables, System namespace types, 3–6
 versions, defining HTTP, 155
 Void structure, 381
 volatile fields, marking as, 183

W

WebClient class, 383–386
WebException class, 12, 387–388
WebExceptionStatus enumeration, 389–390
WebHeaderCollection class, 391–394
WebPermission class, 12, 395–397
WebPermissionAttribute class, 398–399
WebProxy class, 400–402
WebRequest class, 10, 157, 403–407
WebRequest type authentication, 53
WebResponse class, 10, 408–411
white space
 types, 412
 XML, 443
WhitespaceHandling enumeration, 412–414
WriteState enumeration, 415–416
writing
 XML, 458
 XmlWriter class, 415

X

XML (Extensible Markup Language)
 DnsPermission class, 111
 errors, 422

 external resources, resolving, 456
 fragments, parsing, 432
 namespaces, scope management for, 425
 readers, 435, 445
 resources, resolving, 441
 System.XML, 26–27
 tables, 428
 white space, 443
 writing, 458
XML Schema Definition language (XSD), 417
XmlConvert class, 27, 417–421
XmlException class, 27, 422–424
XmlNamespaceManager class, 425–427
XmlNameTable class, 428–429
XmlNodeType enumeration, 430–431
XmlParserContext class, 27, 432–434
XmlReader class, 26, 273, 435–440
XmlResolver class, 441–442
XmlSpace enumeration, 443–444
XmlTextReader class, 26, 445–450
XmlTextWriter class, 139, 451–455
XmlUrlResolver class, 456–457
XmlWriter class, 26, 415, 458–460
XSD (XML Schema Definition language), 417