

Index

A

- Abstract classes, 114, 150
- Abstract syntax tree (AST), 319–323
- Accessibility, 261–262
- Actions
 - bookmark, 351–352
 - Command pattern, JFace, 342–343
 - context menus, creating, 121–123
 - contributing, 127
 - ExcludeTestAction, 224–227
 - filtering, 128, 354
 - global, 216
 - invoking, 26
 - menu items to run tests, 39–44
 - repository, 346–347
 - run, 347
 - set apart associations, 228
 - sets, 23–24
 - Shared ActionContributor, 220
 - submenus, 57
- Active help, 255
- Adapt To IResource Rule, 353
- AdapterFactory, 289–294
- Adapters
 - factories, 288–294
 - IAdaptable. *See* IAdaptable
 - pluggable, JFace, 336–340
 - resources to Java elements, 308–309
 - SelectionAdapter, 212
 - workbench-provided, 353–354
- Add CVS Repository, 346–347
- Anchors, 250–251

APIs

- abstract-based *v.* interface-based, 114
- compatibility, preserving, 143
- Debug Model API, 357
- Defensive API Rule, 266
- Explicit API Rule, 266
- ground rules, 272
- plug-ins, publishing, 263–264
- Program to API Contract Rule, 117
- subclassing, 329

Architecture

- contributions in, 15–16
- overview of, 5–7

Arguments, passing to builders, 159

Arrays, configuring builders, 155

assertEditor() helper methods, 211

AST (Abstract syntax tree), 319–323

ASTVisitor, 321–323

asyncExec() method, 209

Attributes, markers, 131–134

Auto-test properties

- controls, adding, 165–168
- dialog implementors, finding, 166
- forward pointers, 170
- overview, 161, 169
- property pages, 161–164
- run-time workbench, 168–169

AutoTestBuilder, 179, 375–377

Auto-testing

- builders, installing, 154–159
- editors, excluding tests with. *See* Editors, excluding tests

Auto-testing, *continued*

 help, 250–251

 natures, 154–159

AutoTestPropertyPage, 173

B

Basic widgets, 326, 328. *See also* Standard Widget Toolkit (SWT)

Batching resource changes, 302–305

Beeping plug-in, 277–278

Binary projects, 11–14

Bindings, AST, 318–319

Black-box reuse, 342

Bookmarks

 externalizing strings from code, 258

 IResourceAdapter, 351–352

 view, 194–195

Bridge file-system resources, 296–299, 310

Browsing, Eclipse source, 12–14

Bruce Anderson's Architecture Handbook workshop, 3

Bugzilla, 359

build. properties, 20

BuildCommand, 153

Builders

 configuring using natures, 154–159

 forward pointers, 159

 marker resolution, 186–187

 order dependency, 152–154

 overview, 151

 passing arguments to, 159

 resource listeners v. builders, 152

 results, collecting, 317–319

Bundling Plug-Ins into features, 83–86

C

Caches, Java element, 311–312

Change Method Signature, 135–136

changeColor() helper method, 209–210

Circle One

 closing, 89–90

 defined, 4

 overview, 33–34

Circle Three

 defined, 5

 overview, 281–282

Circle Two

 closing, 275–280

 defined, 4

 introducing as new feature, 104–106

 overview, 93–94

 test-driven plug-in development. *See* Test-driven plug-in development

Circle Zero, 4

Class creation wizard, 110, 117

Class loaders, 54–55, 265

Class path files, 307

Classes

 action invocation, 26

 contributor implementation, 224–227

 exporting, 264–265

 IAdaptable, 286

 loading, 16

 plug-in, 40

Classpath, 26–27

Code assist engine, 318–319

Collector views, 221

Colors

 changing, 113–118

 listening to testing progress, 111–113

 resetting, 235–238

 testing, 231–232

 view contribution, 107–111

Commands

 BuildCommand, 153

 JFace actions as, 342–343

Committers, 2

“Common State,” 131

Compact maps, 132

Compare component, 358

Compile errors, 129–130

Composite

 Eclipse components using, 355

 Java element trees, 313–314

 Standard Widget Toolkit (SWT), 326–330

 workspace, 300–301

Compound widgets, 326, 328. *See also* Standard Widget Toolkit (SWT)

- Configurers, 2
 - Conformance Rule, 26, 48
 - Content providers
 - ContentProvider, 232–233
 - outlines, 228
 - TableView, 195
 - TestReportContentProvider, 204–210
 - Context menus
 - creating, 119–124
 - extending, 124–128
 - forward pointers, 128
 - targeting, 126
 - Context-sensitive help, 251–255
 - Contributed actions, UI workbench, 346–347
 - Contributed classes, 276
 - Contribution Circles
 - Circle One, 4, 33–34, 89–90
 - Circle Three, 5, 281–282
 - Circle Two, 4, 93–94, 275–280
 - Circle Zero, 4
 - closing, 355–360
 - completing, 9, 33
 - defined, 3–5
 - Contribution Rule, 15, 247
 - Contributions
 - actions, 57, 127
 - context menu extensions, 124–128
 - contributors, 224–228
 - declaration/implementation split, 16
 - Eclipse architecture, 15–16
 - editors, 219–223
 - extending, 2–3
 - Hello button, 15–16
 - invitation to make, 359–360
 - JUnit plug-ins, testing, 100–103
 - Lazy Loading Rule, 16, 44
 - menu. *See* Menu contributions
 - objects, 40, 125, 353
 - overcoming inertia in making, 9
 - plug-ins, publishing, 86–88
 - precision, 45
 - Relevance Rule, 43
 - RunTestAction, 254–255
 - submenus, 57
 - views, 107–111
 - Core runtime, 283–287
 - Core *v.* user interface (UI) functionality, 268
 - Core workspace
 - accessing file-system resources, 296–299
 - batching changes, 305–306
 - composites, 300–301
 - Execute Around Method, 302–305
 - overview, 295
 - resource changes, tracking, 302–305
 - resource trees, traversing, 301–302
 - CoreException, 172–173, 188–190
 - createImage() helper method, 226
 - createPartControl() view method, 200
 - CVS Repository, 346–347, 358
- D**
- Debugging
 - components, 356–357
 - options, 179–183
 - perspectives, 241
 - Declarations
 - Auto-test properties, 162–164
 - Declaration Definition (manifest), 17
 - extension points, 69–71
 - implementation/declaration split, 16
 - Defensive API Rule, 266
 - Deltas, resource
 - listeners *v.* builders, 152
 - resetting colors, 235–238
 - tracking Java element changes, 316–317
 - tracking resource changes, 304–305
 - Der Plan, 35
 - Design patterns. *See* Patterns, design
dev.eclipse.org, 359
 - Dialog implementors, 166
 - DirtyListener, 234
 - Diversity Rule, 67
 - Doc.zip files, 255
 - Domain objects, 207
 - Dynamic enablement, menu item behavior, 57
 - Dynamic registration, listeners, 263
- E**
- Eclipse
 - architecture, 5–7

- Eclipse, *continued*
 - basics, 3
 - design principles, 4
 - feature structure, 84
 - host, 94–95
 - Java development tools (JDT), 5–7
 - JUnit. *See* JUnit
 - learning about, 3–4
 - levels of applying, 1–3
 - plug-in activation, 75
 - plug-in architecture, 5
 - Plug-In Development Environment (PDE), 5–7
 - Run-Time, 94–95, 100
 - startup times, 89
 - test-driven plug-in development. *See* Test-driven plug-in development
 - user programming, enabling, 1
 - viewing test results. *See* Viewing test results
- Editors
 - Rerun Marker Resolution, 187
 - test cases, 210–212
 - user interface (UI) workbench, 350–351
 - workbench, saving, 187, 192
- Editors, excluding tests
 - contributing contributors, 224–228
 - contributing editors, 219–223
 - forward pointers, 228–229
 - overview, 217–219
 - User Arbitration Rule, 222
 - views *v.* editors, 221
- Element trees
 - composite, 313–314
 - Extension Point, 270
 - Grammar, 270
 - scalability issues, 310
 - storing resource information, 299
- Elements, Java
 - (virtual) proxies, 309–313
 - Adapters, 308–309
 - filtering, 341–342
 - resources, 308–309
 - ResultView changes, listening to, 232–233
 - tracking changes using Observer, 316–317
 - trees. *See* Element trees
- Enablers, defined, 2
- Error dialog, 173–175
- Events, JFace, 210–215
- Exception handling
 - CoreException, 172–173
 - error dialogs, 173–175
 - IStatus, 172–173
 - logging errors, 175–177
 - overview, 171–172
- ExcludeTestAction, 224–227
- Excluding tests. *See* Editors, excluding tests
- Execute Around Method, 302–305
- Explicit API Rule, 266
- Explicit Extension Rule, 66–67
- Extenders, 2
- Extensible Markup Language (XML), 16–17
- Extension Interface, 285–287, 294
 - “Extension Interface,” 285
- Extension Object, 285–287, 294
- Extension point schemas, 197–199, 268–272
- Extension points, 74–75
 - declaring, 69–71, 355
 - defined, 5
 - Diversity Rule, 67
 - explicit declaration, 355
 - Explicit Extension Rule, 66–67
 - Fair Play Rule, 66
 - Invitation Rule, 65–66
 - listeners, 68–69, 71–74
 - loading, 71–74
 - markerImageProvider, 142
 - overview, 65
 - property pages, 162
 - publishing, 268–272
 - searching for, 40–42
 - team component, 358
- Extensions
 - context menus, 124–128
 - contributions, 16
 - defined, 5
 - IExecutableExtension, 75
 - instantiation, 74
 - notifying, 77–78
 - perspective, 241–244
 - test report view, 197
- Externalize String Wizard, 259

F

Factories
 adapters, 288–294
 IElementFactory, 350
Failed tests, 129–130. *See also* Markers
Fair Play Rule, 66, 120, 122
Feature Plug-Ins, 88
feature.properties file, 280
Features
 bundling plug-ins, 83–86
 publishing plug-ins, 86–87
File-system resources, 296–299
FileWithProperties, 289
FillLayout algorithm, 332
Filters
 actions, 128, 354
 elements, 341
 IActionFilter, 354
 Resource Navigator, 341–342
 test result view, 215
 tests, 218–219
Finding tests, 147–150
Fixtures, creating with TestProject, 98–100
Flexibility *v.* performance, 355
FormLayout algorithm, 332
Forward pointers
 accessibility, 262
 adding button to toolbar, 31
 auto-test properties, 170
 builders, 159
 context menus, 128
 editors, excluding tests with, 228–229
 extension points, defining, 74–75
 final, 354–359
 help, 255
 instrumenting, 179–183
 Internationalization, 262
 linked *v.* copied contents, 14
 marker resolution, 192
 menu contributions, 128
 menu item behavior, implementing, 57
 menu items for running tests, contributing,
 44–45
 natures, 159
 perspectives, 244–245
 publishing plug-ins, 88, 272–273
 ResultView, 238

 Test Report View, 215–216
 test results, displaying, 63
 tracing, 179–183
Fragments, 260
FTP Plug-Ins, 88

G

getAdapter() method, 287–288, 292
Global actions, 216
Good Fences Rule, 77–78
Grammar, element, 270–271
Granularity, 152
GridLayout
 algorithm, 332
 auto-testing property pages, 167
 defining SWT layout strategy, 331

H

Handles
 resources, 296–299
 virtual proxies, 309–310
Handling events. *See* Events, JFace
Heartbeat, 152
Hello button
 action implementation, 25–26
 action sets, 23–24
 Conformance Rule, 26
 default implementations, 27
 forward pointers, 31
 Lazy Loading Rule, 29–30
 manifest file, 21
 overview, 15–16
 plug-in project, creating, 18–20
 proxy actions, 29–30
 run-time workbench, 22–24
 Sharing Rule, 23–24
 Spider Navigator, 28–29
HelloAction.java, 30–31
Help
 context-sensitive, 251–255
 forward pointers, 255
 integrated, 250–251
 overview, 247
 top-level, 247–250
Hierarchies, type. *See* Type hierarchies

- Host Eclipse, 94–95, 100
- Host workbench, 21
- I**
- I*2 Interfaces, 143. *See also* Interfaces
- IActionBars, 214, 216
- IActionFilter, 354
- IAdaptable
 - interfaces, adding to existing types, 289–294
 - interfaces, surfacing, 288
 - overview, 283–285
 - UI workbench, 349–354
- IBM WebSphere Application Developer, 15
- ICommand, 153
- IContainers, 300–301
- IContentOutlinePage, 354
- IContentProvider, 337–340
- IDocuments, 227–228
- IDs
 - action sets, 23
 - manifests, 21
- IEditorInput, 211
- IExecutableExtension, 75
- IFile
 - AdapterFactory, 289
 - Composite pattern, 300
 - proxy and bridge patterns, 297
- IJavaElement, 308–310
- IJavaProject, deleting markers, 140
- ILabelProvider, 201–204, 337–340
- Images, 140–141, 159
- IMarker
 - creating markers, 137
 - marker resolution, 142–145
 - testing for markers, 132–134
- IMemento, 348–351
- Implementation
 - actions, 25–26
 - extensions, 27–29
 - interfaces, 27
 - Lazy Loading Rule, 29–30
 - menu items for running tests, 39
- Implementation/declaration split, 16–17
- Implementation patterns. *See* Patterns, implementation.
- Incremental builds
 - AutoTestBuilder, 159
 - marker resolution, 187, 192
- Independence, resource listeners v. builders, 152
- Infopops
 - context-sensitive help, 252
 - help, 255
 - links, 247
 - test results, 253
- Information/Detail views, 221
- Installing PDE JUnit, 93
- Instantiation, extensions, 74
- Integrated help, 250–251
- Integration in Eclipse/JUnit, 37
- Integration Rule
 - defined, 129–130
 - views in perspective, 240, 252
- Interfaces
 - I*2, 143
 - adding, 289–294
 - extension, 285–287, 294
 - interface-based APIs, 114
 - surfacing using IAdaptable, 288
- Internationalization
 - forward pointers, 262
 - fragments, 260
 - overview, 257
 - strings, externalizing from code, 258–260
 - strings, externalizing from manifest files, 257–258
- InterruptedException, 188–190
- Invitation Rule, 65–66, 119
- InvocationTargetException, 188–190
- IParent interface, 313–314, 315
- IPersistableElement, 354
- IPerspectiveFactory, 244
- IProgressMonitor, 147–150, 188–191
- IProject, 158–159, 164
- IPropertySource, 288, 353–354
- IResource
 - Adapters, 308–309
 - getParent() method, 301
 - proxy and bridge patterns, 296–298
- IResource Adapter, 351–352
- IResourceProxy, 302
- IResourceVisitor, 301

- IRunnableContext, 188–191
- ISafeRunnable, 75, 77–78
- IShowInTarget, 354
- IStatus, 172–173
- IStructuredContentProvider, 204
- ITaskListResourceAdapter, 354
- ITestRunListener
 - accessibility, 263–264
 - Change Method Signature, 136
 - creating markers, 136–137
 - published API, 268
- ITreeContentProvider, 337–340
- IType
 - defined, 42
 - finding tests, 147–150
 - menu item behavior, 55
- ITypeHierarchy
 - avoiding performance penalties, 149
 - objectifying associations, 315
 - tracking element changes, 317
- IViewPart, 110
- IWorkbenchAdapter, 351
- IWorkspaceRunnable
 - batching changes, 305–306
 - configuring builders, 157
 - deleting markers, 140–141
 - error handling, 191–192
- J**
- Java Archive (JAR) files, 16–17
- Java core
 - abstract syntax tree analysis, 319–323
 - Adapters, 308–309
 - Builder, 317–319
 - element changes, 316–317
 - element trees, composite, 313–314
 - objectifying associations, 314–315
 - Observer, 316–317
 - overview, 307
 - resources to elements, 308–309
 - traversing Java model, 315
 - type hierarchies, 314
 - Visitor, 319–323
- Java development tools (JDT), 5–7, 15. *See also* Plug-In Development Environment (PDE)
- Java editor, 359
- Java elements
 - (virtual) proxies, 309–313
 - Adapters, 308–309
 - filtering, 341–342
 - resources, 308–309
 - ResultView changes, 232–233
 - tracking changes, 316–317
 - trees. *See* Element trees
- Java model structure, 308–309
- JavaUI, 216
- JDT (Java development tools), 5–7, 15.
 - See also* Plug-In Development Environment (PDE)
- JDT Debug UI, 357
- JFace
 - Command pattern, 342–343
 - event handling, 210–215
 - label decorations, 338–339
 - ListenerList, 63
 - pluggable Adapter, 336–340
 - source documents, 358–359
 - Test Report View, 193–195
 - TestReportContentProvider, 204–210
 - TestReportLabelProvider, 201–204
 - TestResult, 195–196
 - tests, writing, 196–197
 - TextEditor, 229
 - user interface framework, 335–336
 - viewers, customizing, 341–342
 - views, creating, 196–197
- JUnit
 - Contributed JUnit plug-ins, testing, 100–103
 - example, 35–37
 - integration, 37
 - object invocation, 48
 - test results, displaying, 59–60
 - test-driven plug-in development, 92–97
 - TestProject, creating fixtures with, 98–100
 - TestRunner, 62–63, 100
- JUnitCore, 264, 268
- JUnitPlugin, 134
- K**
- Keyboard access, 261

L

- Label providers
 - contributing contributors, 227
 - TableViewer, 195
 - TestReportLabelProvider, 201–204
- Labels
 - changes, 57
 - decorations, 338–339
 - defined, 115
 - focus, 117
- Layout definition strategy, Standard Widget Toolkit (SWT), 330–333
- Lazy Loading Rule
 - defined, 16, 25
 - menu item behavior, implementing, 47, 57
 - menu items for running test, 44
 - toolbar buttons, adding, 29–30
 - UI workbench, 346–347
 - verification, 52–53
- Libraries
 - classes, 264–265
 - plug-ins, 96–97
- License Rule, 85
- Linked contents, 14
- Listeners
 - BeepingListener, 278
 - context menus, 120–122
 - Contributed JUnit plug-ins, 100–103
 - dynamic registration, 263
 - extension point schemas, 270
 - extension points, defining, 68–70
 - extension points, loading, 71–74
 - ListenerList, 63
 - progress testing, 111–113
 - registering with widgets, 333–334
 - resource listeners *v.* builders, 152–154
 - ResultView changes, 232–235, 238
 - SelectionListener, 212
 - test results, 60–63
- Log String technique, 102
- Logging errors, 175–177
- Long-running operations, invoking. *See* Marker resolution

M

- Manifest files
 - Declaration Definition (manifest), 17
 - exploring, 21
 - extension points, 41
 - plugin.xml*, 20
 - shadow creation, 49
 - strings, externalizing, 257–258
- Marker resolution
 - build and rerun, 186–187
 - forward pointers, 192
 - overview, 185–186
 - progress, 188–191
 - rerunning tests, 191–192
 - testing, 186
- Markers
 - configuring builders, 157
 - creating, 136–139
 - defined, 130
 - deleting, 140–141
 - images, 141–143
 - logging errors, 175
 - passing projects, 134–136
 - resolution, 142–145
 - test failures as, 131
 - testing for, 131–134
- Memento, 347–351
- Menu contributions
 - creating context menus, 119–124
 - extending context menus, 124–128
 - overview, 119
- Menu item behavior
 - build class path, updating, 51
 - forward pointers, 57
 - interface implementation, 48–49
 - Lazy Loading Rule, 47, 52–53, 57
 - overview, 47
 - plug-in classes, 54–57
 - selection storage, 50–51
 - shadow creation, 49
 - stub for running tests, 56–57
- Menu items for running tests
 - forward pointers, 44–45
 - Monkey See/Monkey Do Rule, 39–40

- Object Contributions, 40–45
 - overview, 39
 - Relevance Rule, 43–44
 - Safe Platform Rule, 44
 - Menus
 - actions, 127
 - context, 127
 - editors, 229
 - Run As, 93–95, 97
 - Show View, 242–244
 - TaskList, 121
 - MessageDialog, 173
 - Metadata, 218
 - Milestone 3 of Eclipse 3.0 development
 - stream, 93
 - Mnemonics, 261–262
 - Monkey See/Monkey Do Rule, 39–40
 - MultiPageEditorPart, 228
- N**
- Naming Plug-Ins, 21
 - Natures
 - auto-test property pages, 168
 - builders, 151, 154–159
 - Navigation history, workbench editors, 228
 - Navigator
 - IMemento, 349
 - UI workbench, 354
 - views, 221
 - Navigator, Spider. *See* Spider Navigator
 - New Dialog, 229
 - New file wizard, 219
 - New Repository action, 346–347
 - NotificationManager, 302–303
 - Notifying extensions, 77–78
 - NullProgressMonitor, 148
- O**
- Object Contributions, 40–45, 125
 - Objectifying associations, type hierarchies, 314–315
 - Objects, extension, 285–287, 294
 - Observer
 - SWT events, 333–334
 - test results, 59–60
 - tracking element changes, 316–317
 - tracking resource changes, 302–305
 - OOPSLA-93, 3
 - Open Type dialog, 142–145, 166
 - Open-in-editor function, 213–214
 - Option path, tracing, 180–183
 - org.junit, 96–97
 - Other Rule, 242
 - Outline view, 221
- P**
- Package Explorer
 - auto-test property pages, 164
 - extension points, 41
 - IResource Adapter, 351–352
 - Java model structure, 308–309
 - object contributions, 353
 - PackageExploreContentProvider, 232–233
 - perspective, 241
 - ResultView, 232–233
 - views, 221
 - Packages, published *v.* internal, 266
 - Packaging Plug-Ins, 79–82
 - Parents
 - class loaders, 54
 - handles, 298
 - interfaces, 313–314
 - widgets, 329
 - Pattern stories
 - contributing, 281–282
 - core runtime, 283–287
 - core workspace. *See* Core workspace
 - IAdaptable. *See* IAdaptable
 - Java core. *See* Java core
 - JFace. *See* JFace
 - Standard Widget Toolkit (SWT). *See* Standard Widget Toolkit (SWT)
 - Patterns. *See* Patterns, design; Patterns, implementation

- Patterns, design
 - Adapter, 337
 - Bridge, 296, 299
 - Builder, 317, 318
 - Command, 342
 - Composite, 300, 327, 328, 355
 - Decorator, 339
 - Extension Object, 285. *See also* Extension Interface
 - Façade, 109
 - Factory Method, 74
 - Interpreter, 318
 - Memento, 313, 348
 - Observer, 59, 60, 303
 - Proxy, 47, 296, 350. *See also* virtual proxies
 - Singleton, 56
 - Special Case, 148
 - Strategy, 330, 341
 - Value Object, 297
 - Visitor, 301, 319, 320
- Patterns, implementation
 - Collecting Parameter, 148
 - Common State, 131
 - Complete Constructor, 329
 - Execute Around Method, 306
 - Safe Copy, 303
 - Self Delegation, 347
 - Variable State, 131, 330
- PDE (Plug-In Development Environment). *See* Plug-In Development Environment (PDE)
- Persistent attribute, 139
- Perspectives
 - Debug, 357
 - forward pointers, 244–245
 - Other Rule, 242
 - overview, 239
 - Show View menus, 242–244
 - views, 239–242
- Platform
 - Eclipse architecture, 5–7
 - Platform UI.getWorkbench, 187, 192
 - plug-in shadows, 49
- Plug-In Development Environment (PDE)
 - build. properties*, 20
 - debug options, 180
 - Eclipse architecture, 5–7
 - Eclipse setup, 11–14
 - extension point schema files, 74–75
 - extension points, publishing, 269–272
 - JUnit, 92–97
 - site creation wizard, 86–87
 - TestProject, 98–100
 - user documentation, 248
 - workspace, 11–12
- plugin.xml*
 - editors, excluding tests, 220
 - extension points, 41–42
 - menu items, contributing, 125
 - plug-ins, redeploying, 278
 - refactoring and updating, 267
 - strings, externalizing, 257–258
 - test report view, 197–198
 - toolbar buttons, 31
- Plug-Ins
 - accessibility, 257, 261–262
 - activation, 75
 - architecture, 5
 - auto-test properties. *See* Auto-test properties
 - beeping, 277–278
 - builders. *See* Builders
 - class, 40
 - compile errors, 129–130
 - diagnosing, 69
 - downloading, 359
 - Eclipse source, 12–14
 - editors for excluding tests. *See* Editors, excluding tests
 - exception handling. *See* Exception handling
 - exporting imported, 273
 - extension notification, 77–78
 - extension points. *See* Extension points
 - fragments, 260
 - help. *See* Help
 - instrumenting, 179–183
 - Internationalization. *See* Internationalization
 - JFace. *See* JFace
 - JUnit, 35–37
 - library, 96–97
 - marker resolution. *See* Marker resolution
 - markers. *See* Markers
 - menu contributions. *See* Menu contributions
 - menu item behavior. *See* Menu item behavior
 - menu items for running tests. *See* Menu items for running tests

- metadata, 218
 - natures, 151, 154–159
 - overview, 33–34
 - packaging, 79–82
 - perspectives. *See* Perspectives
 - publishing. *See* Publishing plug-ins
 - redeploying, 278–280
 - ResultView. *See* ResultView
 - servicing, reducing costs, 177
 - shadow creation, 49
 - structure, 16
 - Test Report View. *See* Test Report View
 - test results, 59–63
 - test-driven. *See* Test-driven plug-in development
 - tests, creating, 98
 - tests, failed, 129–130
 - tests, finding, 147–150
 - toolbar buttons, 18–20
 - tracing, 179–183
 - Pop-up menus, 40–43
 - Preferences
 - editors for excluding tests, 217
 - pages, 170
 - Primary features, 88
 - Program to API Contract Rule, 117
 - ProgressMonitorDialog, 189
 - Project order dependency, 152–154, 157
 - ProjectDescriptor, 153
 - Properties
 - auto-testing pages, 162–167
 - core runtime views, 284–285
 - editors for excluding tests, 217–218
 - workbench-provided adapters, 353–354
 - Proxies, virtual. *See* Virtual proxies
 - Proxy actions, 29–30
 - Proxy file-system resources, 296–299
 - Publishers, 2
 - Publishing plug-ins
 - API, 263–264
 - bundling plug-ins into features, 83–86
 - contributing, 86–88
 - Defensive API Rule, 266
 - Explicit API Rule, 266
 - exporting classes, 264–265
 - extension points, 268–272
 - forward pointers, 88, 272–273
 - License Rule, 85
 - overview, 79, 263
 - packaging plug-ins, 79–82
 - plugin.xml*, refactoring and updating, 267
 - separating core and UI, 268
 - separating published and internal packages, 266
 - Stability Rule, 266
 - Pull model, 303
 - Push model, 303
- ## Q
- QuickFix, 114, 142
- ## R
- Redeployment, plug-ins, 278–280
 - References, 379
 - refresh() method, 206
 - Relevance Rule, 43–44, 163
 - Repositories, 346–347
 - Rerun Marker Resolution. *See also* Marker resolution
 - invoking long-running operations, 185–192
 - marker generator, 144–145
 - RerunTest method, 124
 - Resolution, marker. *See* Marker resolution
 - Resource Navigator, 232–233, 341–342
 - Resources
 - batching changes, 302–305
 - defined, 130
 - deltas. *See* Deltas, resource
 - Execute Around Method, 302–305
 - IResourceAdapter, 351–352
 - Java elements, 308–309
 - proxy and bridge access patterns, 296–299
 - resource listeners *v.* builders, 152–154
 - resource trees, traversing, 301–302
 - ResultView changes, 232–233
 - Responsibility Rule, 171–172
 - Result/Output views, 221
 - ResultView
 - forward pointers, 238
 - help, 247

ResultView *continued*

- observing changes, 231, 232–235
- reacting to changes, 235–238
- testing colors, 231–232

RowLayout algorithm, 332**Rules**

- Adapt To IResource, 353
 - Conformance, 26, 48
 - Contribution, 15, 247
 - Defensive API, 266
 - Diversity, 67
 - Explicit API, 266
 - Explicit Extension, 66–67
 - Fair Play, 66, 120, 122
 - Good Fences, 77–78
 - Integration, 129–130, 240, 243
 - Invitation, 65–66, 119
 - Lazy Loading, 16, 57, 346–347
 - License, 85
 - Monkey See/Monkey Do, 40
 - Other, 242
 - Program to API Contract, 117
 - Relevance, 43–44, 163
 - Responsibility, 171–172
 - Safe Platform, 44
 - Sharing, 24
 - Stability, 266
 - Strata, 356
 - User Arbitration, 222, 339
 - User Continuity, 348
- Run**
- action, 347

RunTestAction, 254–255**Runtime**

- component, 6
- core, 283–287

Run-Time Eclipse, 100**Run-time kernel**, 16, 17**Run-time workbench**

- hello action, 26–30
- Plug-In Development Environment (PDE), 21–22
- Run-Time Workbench launching option, 94–95

Run-time workspace

- run-time Eclipse started from, 94–96
- test project fixtures, 98–100

S

- Safe copies, 303
- Safe Platform Rule, 44
- Scope, resource listeners v. builders, 152
- Screen readers, 261
- Searching
 - Eclipse source, 12–14
 - extension points, 40–42
 - org.eclipse.search plug-in, 358
 - TestSearcher, 147–149
 - traversing Java model, 315
- Selection linking, 215
- SelectionAdapter, 212
- SelectionListener, 212, 333–334
- Self Delegation, 347
- Separators, 122
- Shadow world, 49
- Shared images, test result view, 215
- SharedActionContributor, 220
- Sharing Rule, 24
- Sharing, resource listeners v. builders, 152
- Shortcuts
 - editor actions, 228
 - perspective contributions, 244
- Sites
 - creation wizard, 86–87
 - workbench parts, 123
- Smalltalk, defined, 1
- SocketTestRunner details, 368–370
- Sorters, 215
- Sorting viewers, 341
- Source, browsing and searching, 12–14
- Spider Navigator
 - Bookmarks view, 194–195
 - click function, 120
 - mapping between domain objects and SWT widgets, 340
 - providing, 28–29
- Stability Rule, 266
- Standard Widget Toolkit (SWT)
 - API definition, 114
 - beeping plug-in, 277–278
 - Composite, 326–330
 - example codes, 359
 - JFace. *See* JFace
 - layout definition strategy, 330–333

- opening test cases in editor, 210–212
 - overview, 325–326
 - Plug-In Development Environment (PDE), 6
 - posting events, 209
 - responding to events, 333–334
 - subclassing, 329
 - test report view, 200, 207–208
 - Startup time, 89
 - Storage, Memento, 348–351
 - Strata Rule, 356
 - String literals, updating references, 267
 - Strings, externalizing
 - from code, 258–260
 - from manifest files, 257–258
 - Structured views, 215
 - Style bits idiom, 329
 - Subclassing
 - Eclipse API, 329
 - viewer customizing, 341–342
 - SubProgressMonitors, 192
 - Supertypes, 149
 - Surfacing interfaces using IAdaptable, 288
 - SWT (Standard Widget Toolkit). *See* Standard Widget Toolkit (SWT)
 - syncExec() method, 209
- T**
- Table of contents (toc) trees, 247, 251
 - Table widget
 - event handling, 210
 - opening test cases in editors, 212
 - TestReportView, 200–201
 - TableView
 - Bookmarks, 194–195
 - test report view, 200–201
 - Target run-time, 180
 - Targeting context menus, 126
 - Task List, 121, 135
 - Team component, 358
 - Test Report View
 - creating views, 197–201
 - event handling, 210–215
 - forward pointers, 215–216
 - overview, 193–195
 - TestReportContentProvider, 204–210
 - TestReportLabelProvider, 201–204
 - TestReportView, 199–201
 - TestResult, 195–196
 - writing tests, 196–197
 - Test-driven plug-in development
 - Contributed JUnit plug-ins, testing, 100–103
 - overview, 91–92
 - PDE JUnit, 92–97
 - Run-Time Workspace, 100
 - Test-Driven Development (TDD) defined, 91–92
 - TestProject, 98–100
 - TestRunner, 103
 - TestProject
 - creating fixtures, 98–100
 - source code, 371–374
 - test report view, 196–197
 - TestReportContentProvider, 204–210
 - TestReportLabelProvider, 201–204
 - TestReportView, 247
 - TestResult, 195–196
 - TestRunner
 - contributed JUnit plug-ins, 103
 - details, 363–368
 - SocketTestRunner details, 368–370
 - test failures as markers, 135
 - test project fixtures, 100
 - test results, 60, 62–63
 - Tests
 - excluding. *See* Editors, excluding tests
 - failures as markers. *See* Markers
 - finding, 147–150
 - perspectives, 240
 - plug-ins, 98
 - TextEditor, 229
 - Timing operations, tracing, 183
 - Toolbars
 - actions, 127
 - contributing to editors, 229
 - open-in-editor function, 213–214
 - Top-level help, 247–250
 - Tracing
 - forward pointers, 179–183
 - Java element, 312–313

- Tracing *continued*
 - plug-ins, 179–183
 - ResultView, 237–238
 - Trees
 - element, 299, 310
 - Element Grammar, 270
 - Extension Point Element, 270
 - resource deltas, 152
 - table of contents (toc), 247, 251
 - traversing resources, 301–302
 - widget, 327, 330
 - TreeView, 336–340
 - Type hierarchies
 - finding tests, 149
 - objectifying associations, 314–315
 - views, 221
 - Type Hierarchy. *See also* ITypeHierarchy
 - IAdaptable, 286–287
 - IResource, 296
 - Java element changes, tracking, 316–317
 - Typed listeners, 333–334
- U**
- UI (user interface). *See* User interface (UI)
 - Untyped listeners, 333–334
 - Updating
 - build class path, 51
 - plugin.xml*, 267
 - sites, 86–88
 - viewers, 206–208
 - views, 215
 - User Arbitration Rule, 222, 339
 - User Continuity Rule, 348
 - User interface (UI)
 - Debug UI, 357
 - Eclipse architecture, 6–7
 - Lazy Loading Rule, 346–347
 - object contributions, 353
 - publishing plug-ins, 268
 - restoring editors, 350–351
 - UI *v.* core functionality, 268
 - virtual proxies, 346–347
 - User interface (UI) workbench
 - IAdaptable, 350–354
 - object contributions, 353
 - overview, 345
 - persisting UI state, 347–351
 - restoring editors, 350–351
 - restoring views, 350–351
 - virtual proxies, 346–347
 - workbench-provided adapters, 353–354
 - User programming
 - Eclipse supporting, 1–3
 - Smalltalk, 1
- V**
- Value Objects, 297
 - Variable State, 131
 - ViewColorTest, 231–232
 - Viewers
 - customizing without subclassing, 341–342
 - object contributions, 125
 - pluggable Adapter, 336–340
 - updating, test report view, 206–208
 - Viewing test results
 - abstract-based *v.* interface-based APIs, 114
 - changing colors, 113–118
 - contributing views, 107–111
 - overview, 107
 - Program to API Contract Rule, 117
 - testing progress, 111–113
 - ViewPart, 110
 - Views
 - Bookmarks, 194–195
 - contributing, 107–111
 - editors *v.*, 221
 - open-in-editor function on toolbar, 213–214
 - perspectives, 239–242
 - Show View menus, 242–244
 - structured, 215
 - Test Report. *See* Test report view
 - UI workbench, 350–351
 - Virtual proxies
 - IResourceProxy, 302
 - Java elements, 309–313
 - UI workbench, 346–347
 - Visitor
 - abstract syntax tree analysis, 319–323
 - traversing resource trees, 301–302

W

- WebDav Plug-Ins, 88
- Widgets. *See also* Standard Widget Toolkit (SWT)
 - accessibility, 207–208
 - auto-test property pages, 166–167
 - JFace actions, 343
 - layout definition strategy, 330
 - registering listeners, 333–334
 - table, 200–201, 210, 212
 - trees, 327, 330
- Wizards
 - class creation, 110
 - creating, 228
 - Externalize String, 259
 - new file, 219
 - Plug-In Project, 18–20
 - schemas used in, 269
 - showing progress embedded in wizard dialog, 189
 - test report view, 197
- Workbench
 - host *v.* run-time, 21
 - Spider Navigator, 28–29
 - page providing access to editor and viewer preferences, 350–351
 - Plug-In Development Environment (PDE), 6–7
 - Rerun Marker Resolution, 187
 - Run-Time, 94–95
 - UI. *See* User interface (UI) workbench
 - views in perspective, 239–242
- WorkbenchContentProvider, 232–233
- Working with *v.* working on, 11

Workspace

- browsing and searching Eclipse source, 12–14
 - core. *See* Core workspace
 - linked contents, 14
 - Plug-In Development Environment (PDE), 6
 - root, 133
 - Run-Time, 94–95
 - setting up, 11–12
- Wrappers, property-sheet, 289
- www.dev.eclipse.org, 93
- www.eclipse.org
 - accessibility requirements, 262
 - builders, 159
 - downloading plug-in examples, 359
 - Eclipse API ground rules, 272
 - Eclipse developer articles, 359
 - evolving Java APIs, 272
 - perspectives, 245
 - preference pages, 170
 - resource deltas, 238
 - shared images, 215
 - SWT design principles, 325
 - SWT layout support, 332
 - testing internationalized plug-ins, 262
 - UI guidelines, 7
- www.section508.gov/, 262

X

- XML (Extensible Markup Language), 16–17

Z

- Zip files, help, 255