

Index

- ABI 110, 111, 120, 121, 122, 128, 131
- abstract data types 268
- access control 31
- aggregate types xxvi, 58
- Alexandrescu, Andrei 27, 198
- Allison, Chuck 204
- API_Function* naming convention 103
- APIs 21, 41, 42, 43, 45, 58, 59, 66, 73, 83, 84, 86, 101, 107, 127, 128, 129, 149, 151, 165, 167, 169, 172, 193, 204, 227, 234, 293, 294, 354, 362, 368, 370, 371, 372, 474, 477, 487, 489, 490
- atomic integer 135, 139, 144
- based approach 110
- C-compatible 98
- counted solution 163
- function model 42
- functions 13, 41, 54, 55, 57, 172, 204
- initialization function 83, 84
- library states 40
- operating system 98
- reference-counting 167
- specific resources 83
- stability levels 128
- synchronization 383
- Synesis *BufferStore* 69
- TSS 155
- types 296
- application code 342, 358
- Application Binary Interface. *See* ABI
- Application Programming Interfaces. *See* APIs
- Argument-dependent Lookup. *See* Koenig lookup
- argument forwarding. *See* functions, forwarding
- arithmetic value types 58, 62–63, 201
- arrays 7, 9, 26, 126, 244, 364, 369, 370, 395, 427, 428, 433, 496, 499, 533
 - classes 433
 - dimension 26
 - expression 25
 - multidimensional 505
- Arturius compiler multiplexer 512
- Asimov, Isaac 236
- `assert()` macro 21–24
- assertions 14, 16, 17, 18, 19, 20–21, 22–23, 24, 27, 38, 276, 327, 480. *See also* compile-time assertions; runtime assertions; static assertions
- error message 23
- expression 22, 23
- failure 17
- macros 21, 22–23
- mechanisms 17
- static 39, 152
- violation 444
- ATL 384, 425. *See also* Microsoft's Active Template Library
- atomic integer operations 139
 - decrements 134
 - increments 134
- atomic keyword 147, 148
- atomic types 135
- `auto_buffer` 39, 53
- binary
 - compatibility 91
 - components 89, 94
 - form 91
 - function 103
 - library 91, 92
 - modules 121
 - name 98, 108
 - only 91
 - standard 89
- bitfields 26
- bolt-ins 309, 374, 385, 386, 390, 393
- `bool` 23, 191, 197, 203–5, 235, 236, 237, 274, 315, 397, 453
- Boolean conditional (sub-) expressions 20, 22, 237, 273–274
- Boolean conversions 23, 203
- Boolean evaluation 453
- Boolean implicit conversion operator 332
- Boolean logic 235
- Boolean pseudotypes 236
- Boolean nature 275
- Boolean operator 451
- Boolean result 518
- Boolean test 403, 452
- Boolean types 204, 205, 399
- Boolean values 189, 204
- Boost 135, 195, 495, 506
 - array classes 504
 - atomic operations components 136
 - libraries 324, 391, 424, 494
- Borland 7, 10, 96, 108, 115, 160, 179, 182, 184, 243, 245, 248, 318, 403–04, 416, 417, 481, 483, 514, 532, 543
- Borland 5.6 6, 182, 259
- Bridge pattern 107
- Bright, Walter 201
- buffers 37, 129, 281, 459, 460, 465, 467, 468, 474, 476, 479, 481, 482, 485
- array 467
- character 459
- contained 37
- pointer 37, 70
- shareable 106
- variable automatic 478–485
- built-in types 135
- bus lock 141
- calling conventions 67, 92, 94, 97–98, 108, 109
- call count 83
- C APIs 64, 82–83, 106, 151, 227, 257, 362, 366, 449
- casts 309, 311–340
- `char` 191, 192, 193, 197, 198, 199, 214, 228, 234, 235, 241, 242, 255, 281, 293, 315, 327, 353–354, 355, 458, 516, 517
- character buffer 353, 354
- strings 281
- types 108
- class 31, 33, 34, 35, 37, 38, 51, 53, 54, 75, 76, 82, 97, 103, 111, 112, 176, 204, 219, 246, 251, 260, 262, 270, 285, 301, 306, 314, 330, 331, 334, 341, 351, 360, 362, 366, 374, 376, 380, 382, 383, 385, 397, 426, 434, 437, 438, 442, 450, 463, 469, 479, 492, 498, 501, 506, 513, 514, 540, 541, 549, 555, 557, 560
- abstract 118, 377, 515
- allocation mixin 182
- author 32
- base 31, 180, 182, 219, 257, 301, 377, 434
- composite 379
- container 48
- counter 175
- C++ 130
- `DecrementScope` 75
- declaration 250, 251, 271
- definition 271, 286, 306, 381, 412, 557
- derived 115, 125
- design 67
- directory scope 82
- exception-scoping initializer 85
- export 106
- external 107
- functor 331
- helper 497
- implementation 38
- initializer 165
- interface 253, 546

- classes (*cont.*)
 - internal 107
 - iterator 33
 - life-time-managing 48
 - I/O 362
 - methods 30, 60, 124, 176, 543
 - multidimensional 498
 - multidimensional array 33
 - nested 514
 - nonpolymorphic 110
 - parameterizing 378
 - parent 33, 331, 377–78, 424
 - performance counter 174
 - polymorphic 377
 - portable 446
 - processing 372
 - proxy 353, 354, 359, 390, 469
 - relationship 312
 - reference-counting 50, 72
 - scoping 53, 77, 84, 87, 152
 - sequence 33
 - state-scoping 82
 - string 342
 - synchronization 80, 381
 - template 180
 - type 544
 - variant 371
 - virtual 116
 - virtual base 33
 - wrap 106, 218
 - wrapper 371, 372, 425, 426, 428
 - wrapper sequence 354
 - zero-length base 182
 - class invariants 54. *See also* invariants, class
 - class types xxvi, 55, 326
 - client code 19, 29, 34, 47, 55, 60, 68, 69, 70, 72, 85, 91, 97, 104, 106, 110, 115, 116, 118, 119, 121, 129, 153, 162, 177, 178, 227, 229, 233, 234, 235, 253, 255, 266, 291, 292, 303, 321, 329, 342, 343, 347, 358, 375, 391, 392, 406, 421, 434, 437, 447, 450, 457, 460, 481, 487, 490, 535, 536, 553, 558
 - code generation 17, 306
 - CodeWarrior 92, 160, 178, 186, 187, 202, 203, 243, 245, 248, 259, 260, 269, 315, 318, 339, 389, 416, 417, 436, 486, 514, 543
 - coding time 4
 - COM 112, 122, 253, 327, 328, 329, 336, 366, 425. *See also* Component Object Model
 - API functions 425, 426
 - compatible 518
 - components 110, 330, 384
 - IDL 105
 - headers 252
 - interface pointer 328
 - interfaces 252, 376
 - meta data 425
 - programming 110
 - Comeau 178, 179, 202, 248, 259, 260, 262, 314, 339, 382, 389, 478, 514, 543
 - compiler 562
 - Comeau, Greg 260
 - Common Object Request Broker Architecture (CORBA) 252
 - communications
 - socket-based 294
 - compilation 24, 26, 104, 125, 403, 446, 502
 - linking 157
 - units 88, 101, 113, 115, 158, 159, 160, 165, 166, 169, 185, 250, 254, 266, 267, 513
 - compile error 227
 - compiler-independence 100, 118, 200
 - compiler-independent abstraction of the build mode 24
 - compiler/linker 28, 123, 177
 - compiler 3, 18, 23, 24, 25, 26, 29, 30, 31, 32, 35, 37, 51, 58, 68, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 102, 103, 104, 105, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 125, 126, 131, 146, 148, 150, 157, 158, 160, 176, 177, 178, 179, 180, 182, 183, 184, 185, 186, 187, 193, 194, 198, 199, 200, 201, 202, 203, 204, 208, 211, 212, 218, 226, 229, 230, 237, 238, 239, 241, 242, 244, 247, 248, 249, 250, 256, 260, 261, 262, 264, 265, 266, 267, 268, 269, 276, 282, 287, 294, 299, 305, 311, 314, 318, 321, 322, 324, 326, 331, 336, 337, 339, 343, 348, 357, 358, 384, 387, 389, 390, 392, 401, 403, 408, 414, 416, 418, 419, 420, 421, 424, 426, 432, 433, 439, 440, 446, 447, 449, 451, 468, 470, 472, 475, 478, 486, 492, 493, 504, 514, 532, 537, 539, 541, 543, 545
 - discrimination 260
 - generated classes 113
 - implementers 204
 - linkers 160
 - MIDL 105
 - option 94, 562
 - specific features 67
 - Sun's C++ 112
 - vendors 89, 92, 94, 98, 122, 199, 203, 236, 393, 435
 - Win32 482
 - compile time 1, 4, 25, 29, 129, 324, 327, 340, 381, 383, 487. *See also* value, compile-time
 - allocator 455
 - assertions 4, 25, 38, 221, 481
 - checking 238, 468
 - constant 249
 - constraints 4–5. *See also* constraints
 - enforcements 4, 12. *See also* compile-time constraints
 - error 322
 - error message 10, 221
 - evaluation 249
 - failure 6, 339
 - functionality 9
 - link 204
 - polymorphism 376, 527
 - size 477
 - techniques 504
 - component interaction 89
 - Component Object Model 252. *See* COM
 - compound types xxvi
 - concepts, container
 - associative 347
 - sequence 347
 - conceptual typedefs 286, 288–289, 293–295, 298, 303–304
 - conformance 360, 361
 - semantic 361
 - structural 360–61
 - const 29, 35, 228, 231, 266, 274, 298, 313, 314, 390, 405, 448–49, 530
 - constants 20, 29, 129, 206, 207, 238, 244–51, 321, 322
 - literal 37, 321
 - constraints 5, 6, 7, 8, 10, 11–12, 18, 32, 52, 53, 69, 89, 121, 122, 221, 321, 325, 326, 342, 364, 365, 366, 368, 375, 481
 - class 9
 - in-method 32
 - nontemplate 11
 - construction 35, 51, 97, 158, 178, 179, 229, 263, 271, 272, 374, 480
 - cost 34
 - initialization 54
 - constructors 17, 28, 29, 31, 32, 33, 35, 37, 38, 47, 51, 52, 54, 73, 77, 87, 115, 153, 171, 176, 177, 178, 179, 223, 245, 257, 259, 263, 271, 272, 282, 317, 320, 331, 335, 342, 351, 365, 371, 380, 421, 424, 445, 446, 447, 449, 464, 480, 481, 500, 539, 557
 - body 35
 - calls 309
 - copy 29, 30, 52, 118, 178, 217, 231, 424, 447, 537, 538
 - declaration and definition 286
 - default 29, 118, 217, 219, 231, 424, 536
 - global object 166
 - nondefault 33, 536
 - string model 411
- containers 29, 48, 69, 70, 204, 210, 346, 348, 354, 492, 553
- implementations 182
- library 347, 553
- sequence 210

Index

583

- standard library 50, 70
- type 49
- contextual typedefs 286, 289, 291–293, 295, 303–304, 306
- contracts 4
 - syntax 4
- conversion construction 263
- conversion operators 320, 323, 331, 332, 339, 341, 342, 391, 411, 414, 423, 433, 434
- conversions 33, 203, 211, 263, 265, 312, 313, 324, 327, 337, 343, 348, 360, 363, 374, 397, 398, 399, 405, 431, 432, 434, 451, 452, 457, 459, 466, 473, 479, 492, 550
 - library functions 462
 - implicit 311
 - operators 549
 - shim 470
- conversion types 325
- Coplien, James 381
- copy assignment 30
 - operator 163, 231
- copy construction 30
- copy constructor 163, 305
- copy operators 176
- coupling 360
 - compile-time 67
 - link-time 67
 - physical 362
- create function 54
- C-style cast 239
- curiously recurring template pattern (CRTP) 381
- currency type 59, 63

- data encapsulation 1
- date/time class 65
- DbC 4, 13, 15, 16, 17–18. *See also* design by contract
- deadlocks 132
- Dead Reference problem 164
- debug 18, 429
 - builds 18, 24, 177
 - code paths 177
 - functionality 24
 - mode code 22
 - system 4
 - testing 4
- __DEBUG 18, 24
- debug-build invariant checking 20
- Dec Alpha 21
- default 24
 - code generation options 94
- default condition 23
- delete 30, 32, 130, 219, 220
 - statement 121
- design
 - by contract 2, 3
 - object-oriented 362
 - time 4
- destruction 28, 51, 52, 97, 158, 164, 253, 371, 374
- destructors 14, 17, 28, 31, 32, 33, 46, 47, 48, 49, 51, 52, 54, 69, 73, 77, 87, 115, 120, 121, 153, 217, 245, 253, 254, 268, 271, 272, 368, 370, 380, 481, 497, 501
- DeviceCloser 46–47
- Dewhurst, Steve 36, 37, 202, 229
- Digital Mars 6, 9, 10, 108, 160, 161, 178, 198, 201, 202, 243, 248, 259, 260, 314, 318, 339, 416, 417, 478, 483, 514, 543
- dimensionof () 207, 211–213, 219, 369, 427, 460, 469, 502–503, 510
- Dimov, Peter 401, 422, 429
- directory 82
 - utility 292
- DLL Hell 96, 99, 128, 150, 154, 155
- documentation 3
- DRY principle 206, 223
- dynamic initialization 157
- dynamic libraries 99–100, 111, 150, 151, 166, 175, 244, 247, 250
 - compiler-agnostic 101
- dynamic linking 95–96, 100, 123, 126, 128, 175

- EBO 183, 383, 384, 481. *See also* empty base optimization
- EDO 184, 368. *See also* empty derived optimization
- empty base optimization (EBO) 180. *See also* EBO
- empty derived optimization (EDO) 183. *See also* EDO
- encapsulated types 57, 60–61, 64–67
- encapsulation 40, 41, 45, 55, 201, 362
- enhancements 17, 129
- environments 195, 196, 200, 269, 488
 - target 287
- entity types 55, 56
- error-reporting mechanisms 18
- error-response functionality 21
- exclusion locks 80
- executables 95–96, 98, 99, 111, 123, 126, 130, 176
- explicit 31, 32, 74, 76, 138, 178, 214, 222, 228, 296, 305, 315, 330, 334, 342, 351, 353, 363, 373, 385–390, 392, 445, 452, 478, 479, 481, 485, 535, 538, 543
- explicit loading 123, 127
- explicit_cast 66, 262–266, 316–321, 339, 450
- expressions 19, 20, 25, 211, 230, 236, 250, 354, 401, 407, 433, 451
 - comparison 58
 - conditional 23
 - constant 249
 - converse 230
 - non-Boolean 452
- fast, non-intrusive string concatenation 407–421
- Fibonacci series 524
- files 104, 109, 115, 200. *See also* headers, files
 - binary 371
 - class 362
 - handle 362
 - host system 291
 - implementation 166, 302
 - multiple source 89
 - object 159
 - processing tools 82
 - scope 557
 - source 266, 267
 - system 72
- flags 129, 184, 294
 - nondefault 182
- floating-point types 108, 311
- Fortran 495
- free () 3
- free-store 28
- friend 33, 258–262, 362, 413, 535, 538, 543
- function-local statics 126
- functions 15, 27, 28, 93, 95, 96, 98, 100, 101, 102, 103, 105, 108, 111, 113, 119, 123, 124, 126, 128, 129, 130, 134, 135, 150, 151, 154, 160, 165, 166, 167, 172, 177, 185, 186, 196, 197, 198, 203, 210, 212, 213, 214, 216, 217, 221, 223, 224, 225, 230, 231, 237, 242, 243, 249, 250, 254, 264, 291, 292, 294, 300, 316, 319, 331, 354, 357, 359, 360, 363, 364, 365, 380, 381, 421, 425, 426, 427, 428, 438, 442, 449, 450, 452, 457, 462, 464, 465, 468, 474, 488, 513, 520, 530, 543, 544. *See also* invariants, function; member function
 - accessor 66
 - algorithm 304
 - assistor 469
 - atomic 140, 142
 - atomic_* 148
 - atomic integer 136
 - C 360
 - callback 151, 521
 - calling the 13
 - calls 137, 169, 238, 347
 - cleanup 149, 150, 155
 - construction 368
 - conversion 466, 473
 - conversion operator member 314
 - destroy_Object () 121
 - destruction 368
 - dispenser 50
 - exit 14
 - external system 187
 - factory 111, 121
 - forwarding 15, 101, 105, 215, 259, 385–393
 - free 86, 370
 - global/API 343
 - handler 86
 - implementations 67, 459, 466
 - initialization 167, 168, 169, 370

- functions (*cont.*)
 - inline 186, 313
 - library extension 471
 - member 62, 112
 - name 94
 - nonmember 62, 63, 408
 - nonvirtual 377
 - offset 552, 554, 559
 - operator 370
 - overload conversion 370
 - pair 488
 - pointer 542
 - portable 103
 - postconditions 15
 - private static helper 37
 - return from the 13
 - search 123, 124
 - sets of 33
 - template-free 297
 - timing 174
 - types 368
 - uninitialization 82
 - virtual 111, 377
- functor xxv, 49, 331, 335, 344, 345, 350, 368, 510
- fundamental types xxvi, 70, 294, 298, 317, 319, 320
- GCC 38, 95, 108, 112, 160, 161, 178, 199, 202, 243, 245, 248, 259, 260, 269, 318, 339, 389, 416, 478, 483, 486, 514, 543
- generic 268, 283
 - algorithms 424
 - code 309, 321, 360, 433, 501
 - conversion mechanism 321
 - programming 285
- Gershnik, Eugene 56
- global/namespace/class-statics 88
- global preprocessor namespace 232
- globals 87, 88, 159
- goto statement 51
- grep 22, 148, 325, 391, 429
- Has_base 5
- headers 88, 105, 172, 232, 336, 360, 371, 419
 - class 165
 - files 33, 67, 91, 103, 107, 119, 297, 306, 325
 - root 87
 - Synesis Software numeric limits 240
- heap/free-store 28
- Henney, Kevlin 324
- Hunt, Andrew 206
- IDDE (integrated development & debug environment) 24, 116, 177
- IDE (integrated development environment) 74
- IIDs 328. *See also* interfaces, identifiers
 - constant 328
- implementations 116, 117, 152, 165, 169, 175, 177, 186, 192, 253, 272, 316, 327, 335, 337, 349, 352, 360, 370, 371, 376, 408, 409, 412, 413, 416, 418, 425, 435, 438, 450, 462, 465, 508, 523, 527, 531, 534, 538, 541, 550, 558, 560
 - class 119, 307
 - file 161
 - method 282, 517
 - operator 121
 - server 115
 - string class 405
 - template-based 286
 - Win32 TLS 155
- inheritance 121, 122, 183, 393, 424, 434, 443
 - hierarchy 301
 - relationship 312
 - technique 262
- initialization 34, 35, 37, 39, 46, 47, 48, 53, 118, 139, 156, 157, 167, 168, 170, 371, 387
 - constant 157
 - cost 251
 - dynamic 157
 - external 52
 - flag 170, 171
 - internal 52
 - multiple 174
 - orders 97, 166
 - static 157
 - syntax 300
 - zero 156, 157, 159, 171
- initializer lists 35, 37, 38, 39
- initializer statement 277, 278, 279
- initializer variables 278
- inline 177, 197, 336
 - assembler 25
 - code 126, 177
- inline keyword 176, 266, 267
- inlining 176
- int 21, 23, 25, 26, 195, 196, 198, 205, 208, 227, 229, 233, 237, 260, 324, 398, 445
- integers 58, 135, 195, 197, 199, 200, 201, 213, 235, 237–39, 244, 249, 289, 315, 443, 444, 449, 457, 460, 467, 508
 - class 444
 - conversion 299, 469
 - index 227
 - operations 451
 - 64-bit 396, 429, 445, 448
 - 32-bit 471
- integral types 108, 200, 248, 311, 323
- Intel 10, 25, 92, 95, 108, 130, 142, 160, 185, 194, 202, 243, 245, 248, 259, 318, 339, 389, 416, 417, 418, 472, 483, 514, 532, 543
 - architecture 287
 - assembler 142
 - processor 133, 134, 140
- interfaces 115, 116, 119, 120, 121, 253, 328, 331, 335, 336, 342, 383, 488, 491, 531
 - custom 336
 - definition 116, 254
 - documentation 129
 - equivalent 292
 - identifiers (IIDs) 327, 335
 - IObjekt 114, 116, 118
 - lifetime 333
 - portable 119
 - reference-counted 488
 - specific methods 333
- interface 252, 253, 329
- Internet 338
- invariants 13, 14, 18, 22, 54
 - class 13, 16–17, 18, 60
 - function 16
 - violations 17
- IO Completion Port 362
- IOStreams 397, 398, 457
- IP address 362
- IsDerivedFrom 5
- ISE Eiffel 4.5 18
- is_pointer_type 12
- is_valid() 16, 17
- issues
 - ontological 1
- Itanium
 - project 93
 - standardization 95
- Iterator concept 291
- iterator range 349
- Java 407, 472
- Java Native Interface (JNI) 98, 252, 267
- Java parsing tool 306
- keywords 29, 31, 33, 187
- Koenig lookup 79, 357, 358, 359
- Kernighan and Pike 330
- Langer and Kreft 56
 - definition of value type 61
- languages 73, 362
- layouts 112, 225
 - C structure 111
- inheritance 182
- issues 97
- model 112
- scheme 224
- libraries 95, 96, 98, 99, 102, 103, 106, 120, 121, 135, 144, 145, 148, 155, 167, 168, 177, 195, 211, 220, 352, 361, 362, 364, 419, 421, 465, 469, 487, 492. *See also* dynamic libraries
- allocators 183
- atomic integer 136
- C++ 520
- extension function 471
- fsearch 292
- general-purpose 240
- open-source 340, 341
- OPStreams 175
- serialization 473
- standard 220, 249, 342, 349, 352, 359, 361, 372, 373, 411, 416, 418, 424, 434, 435, 472, 473, 486, 502

- standard constructs 360
- standard containers 290, 345, 346, 392, 422, 436, 495
- stateful 167
- stateless 167
- string 228, 418
- system functions 144
- third-party 290, 322, 420
- Tss 154, 155, 167, 168, 169
- library calls 154
- library classes 172
- library code 233, 269
- library components 511
- library functions 93, 510
- library headers 276
- library implementations 503
- lifetimes 68–69, 86, 115, 127, 160, 162, 202, 253, 345, 354. *See also* return value lifetime
- linkers 159, 160, 161, 267
 - order 166
- linking 97
- link space 126
- link units 103, 118, 120, 125–26, 127, 128, 129, 130, 131, 135, 156, 242, 247, 250, 267, 329
- Linux 95, 122, 123, 124, 127, 134, 143, 347, 477
 - kernel code base 275
- livelock 132
- locking 142
- logging subsystems 370
- log trace 50
- long 25
- low-stock allocation 21
- low-stock behavior 21
- lvalues* 276, 493
- macros 11, 18, 19, 23, 145, 146, 147, 207, 211, 212, 227, 232, 235, 240, 261, 262, 269, 297, 306, 313, 336, 360, 404, 405, 451, 541, 545, 546, 548, 551, 552, 554 *See also* assertion macros; assert macro; library macro
 - forms 17
 - offsetof 38, 39
- malloc() 3
- mangled names 99, 100, 124
- mangling 98, 121, 128
 - schemes 99, 125, 131
- mechanisms 268, 277, 312, 328, 349, 363, 378, 402, 405, 455, 474, 475, 489, 498, 503, 547, 556, 559
- cast 450
- catchall 155
- conversion 471, 472
- destructor 374
- lookup 371
- resolution inheritance 377
- shutdown 164
- synchronization 132, 139
- template resolution 380
- trait 285
- virtual function 97
- member initializer list (MIL) 34, 35. *See also* initializer lists
- members 269, 271, 272. *See also* variables
 - const 30, 34, 35, 37, 53
 - constants 322
 - construction 272
 - classes 258, 403
 - enum 382
 - functions 18, 54, 301, 541, 545
 - initialization order 38
 - iterator type 290
 - names 283
 - nonfunction 382
 - pointers 223
 - reference 30, 35, 37, 53
 - state 37
 - static 33, 126, 174, 247
 - type 306, 501
 - variables 68, 271, 281, 317, 382, 469, 524, 530, 534, 539, 541, 551
 - virtual 183
- memory 21, 113
 - allocation 130
 - deallocation 130
 - exhaustion 88
- exhaustion condition 87
- methods
 - accessor 118
 - call 55
 - class. *See* class methods
 - deallocation 120
 - entry 16
 - exit 16, 17
 - nonvirtual 254
 - virtual 118
- Meyers, Scott 163, 229, 231, 233, 297
- Meyers Singleton 163
- MFC 282, 349, 419. *See also* Microsoft's Foundation Classes
- Microsoft 92, 335
 - extension 461
- Microsoft's Active Template Library (ATL) 135, 376, 381, 385, 423. *See also* ATL
- Microsoft's C run time library 86
- Microsoft's Foundation Classes (MFC) 22
- Microsoft's Visual C++ 96
- MIL. *See* member initializer list
- models 70
 - access 70, 71
 - checkout 69
 - object layout 103
 - performance counter class 365
 - vector 422, 484, 485, 486
 - vouched lifetime 69, 70
 - vouched lifetime access 70
- modules, dynamically linked 121
- monitor objects 14
- multibyte character set (MCS) 193
 - character strings 193
- multimodule 90
- multiprocessor machines 140, 142
- multiprocessor systems 134, 143
- multitasking systems 132
- multithreading 90, 132, 135, 144–45, 175, 186
- must_be_pod 7, 8, 12
- must_be_pod_or_void 8, 9
- must_be_same_size() 9
- must_have_base 5
- mutability 53
- mutexes 132, 137–39, 140, 143, 144, 148, 15
 - class 383
 - spin 171–72, 175, 251
 - thread 384
- named return value optimization (NRVO) 179. *See also* NRVO
- name mangling 92, 97
- names
 - constant 12
 - variable 12
- namespaces 11, 79, 98, 103, 147, 156, 160, 161, 195, 238, 283, 285, 291, 292, 350, 357, 358, 359, 360, 363, 380, 419, 420, 495, 511, 527
 - global 156, 303, 358, 359
- NDEBUG 18, 24
- .NET 472
- new 28, 30, 219, 220
- new-handler 87
- NIH (Not Invented Here syndrome) 122
- non-const 33, 34, 298, 448–49
 - references 318
- non-NULL 14, 335
 - pointer 329
- non-static 37
- non-zero 273
 - cost 18, 180, 498
 - pointer 17
 - size 182
- NRVO 179, 408. *See also* named return value optimization
- NTP (Network Time Protocol) 531
- NULL 14, 19, 151, 189, 273, 329, 330, 339, 372, 425, 476, 477, 480, 481, 488
 - pointer 17
- null terminator 352, 353
- object types xxvi
- objects 113, 125, 126, 127, 145, 160, 162, 206, 386
 - composed 28
 - constructed 115
 - file link order 160
 - files 126
 - global 28, 97, 158, 162, 163, 166, 171, 175, 246
 - heap 28
 - initializer 166
 - model 111, 122, 268
 - reference-counted 345
 - singleton 164
 - stack 28
 - states 40

- objects (*cont.*)
 - static 90, 97, 126. *See also* static objects
 - static resource manager 130
 - synchronization 78, 80, 136, 137, 379, 518
- Objects across Borders technique 120, 122
- offset [pointer] syntax 7
- opaque type 124
- open types 57, 59
- Open Watcom 248
- operating environment 13, 89, 98, 123
- operating systems 89, 91, 92, 95, 96, 98, 102, 108, 122, 123, 124, 125, 127, 131, 142, 150, 156, 200, 287
 - vendors 129
- operations 66, 133, 134, 210, 272
 - arithmetic 430
 - atomic 135, 143, 144, 171
 - atomic integer 134, 142, 147
 - constructor-common 37
 - Method1 () 137
 - Method2 () 137
- operators 31, 57, 58, 61, 62, 63, 84, 176, 274, 314, 316, 317, 321, 330, 362, 409, 412, 419, 422, 425, 427, 428, 430, 431, 442, 448, 450, 453, 454, 517, 528, 532
 - assignment 447, 532
 - copy assignment 29, 30, 31, 52, 217, 273, 282, 386, 537
 - conversion 230, 235, 262, 263, 264, 267, 354, 449, 450, 451, 479, 532, 535, 538, 541
 - delete 28
 - equality 276
 - free-function 33
 - implicit conversion 210
 - index 211
 - (in)equality 63
 - less-than 62
 - new 28
 - postincrement 290
 - subscript 209, 493, 498
- optimization keyword 176
- optimizations 90, 157, 176, 177, 180, 181, 182, 183, 184, 185, 186, 187, 447
- out-parameters 17, 18
- overload 104
- overloading 97, 98
- packing alignment 94
- parameterization 5, 48, 183, 221, 321, 325, 350, 368, 374, 384, 392, 494, 500, 501, 515, 529, 541. *See also* templates
- parameters 14, 29, 49, 193, 297, 369, 390, 407, 465, 468, 498, 521
 - default 104
 - individual out 15
 - nondefault 366
- parent classes 16
- Patterson, Scott 45
- Perry, Leigh, and Scott 375
- POD open value types 60
- POD types xxvii, 39, 40, 41, 43, 54, 102, 103, 157, 321, 325, 367, 368, 425, 478, 479, 481, 484, 497
- pointer [offset] syntax 7
- pointers 7, 21, 30, 32, 37, 47, 48, 63, 69, 97, 112, 118, 162, 193, 200, 203, 208, 210, 211, 214, 217, 225, 228, 235, 242, 255, 286, 287, 319, 324, 326, 328, 337, 341, 342, 343, 344, 345, 354, 364, 386, 390, 395, 397, 398, 400, 401, 421, 425, 426, 432, 433, 436, 437, 452, 457, 466, 467, 471, 473, 474, 479, 492, 497, 500, 502, 523, 541
 - buffer. *See* buffer pointer
 - class 218
 - class method 548
 - constant 37, 52
 - conversions 505
 - function 284, 541
 - member 223
 - managed 52
 - non-null 274
 - null 86, 227, 339
 - reference-counted 32, 71
 - stack 28, 477, 483
 - types 228, 275, 287, 311, 317, 337
 - value 231
 - virtual function 381
- policies
 - initial count 379
 - mix-in 379
 - synchronization 379, 380
- polling 138
- polymorphism 268, 381, 515
 - simulated compile-time 381
- postconditions 13, 14, 16, 18. *See also* function postconditions
 - monitors 15
 - validation 17
- pragmas 109
 - packing 115
- preconditions 13, 14, 16, 18
 - testing 18
- preprocessor 15, 17, 18, 23, 147, 200, 211, 309, 345, 347, 348
 - compiler discrimination 359
 - conditionals 117
 - discrimination 135, 144, 199, 379, 390, 442, 446
 - symbols 232, 269
- privations 37
- processor registers 133
- processors 133, 134
 - single machines 141
- program state 77
- properties 14, 530, 562
- protection
 - copy assignment 29
- PTHREADS 149, 150, 154, 155
- public methods 16
- qualification 11
- qualifiers 288
- race-conditions 132, 135, 142, 148, 166, 170, 175
- RAII 1, 2, 14, 17, 41, 45, 47, 73, 74, 81, 83, 106, 150, 151, 152, 153, 367, 370, 392, 424, 425, 472, 476
- RangeLib project 455
- ranges 521–529
- read-modify-write (RMW) 133
- realloc () 3
- reference(s) 29, 100, 318, 319, 320, 337, 386, 388, 390, 431, 437, 457, 538, 539
 - code 127
 - count abuse 336
 - counting 134, 252, 253, 345, 378
 - counts 50, 71, 83, 169
 - dangling 331
 - non-const 388, 391, 438
 - pointer/value 390
 - types 313, 448
- release builds 19, 20
- release mode builds 22
- release-time handling code 21
- Resource Acquisition Is Initialization 1, 2, 14, 40, 50, 51, 73. *See also* RAI
- Resource Release Is Destruction 45–50. *See also* RRID
- resources 51, 73, 77
 - acquisition 52
 - encapsulation 51, 52, 55
 - handler 47
 - leaks 83
 - managed 52
 - management 106
- ResourceManager 49, 50
- resources 30, 40, 43, 45, 48, 50, 69, 129–30
 - allocated 30
 - references 41
- responses, error 87
- return value 354, 363, 415, 437
- return value checking 17
- return value lifetime 354
- return value optimization (RVO) 177. *See also* RVO
- return values 18, 118, 204
- return value variable retVal 14
- RRID 1, 51–54, 370. *See also* Resource Release Is Destruction
 - types 41
- RTTI 122, 131. *See also* run time type information
- run time 1, 4, 25, 39, 99, 113, 129, 249, 312, 339, 340, 381, 476, 477, 487, 495, 497, 504
- run time allocator 455
- run time assertions 4, 25, 27, 221, 414, 460
- run time contracts 17
- run time cost 212, 245
- run time detection 324

Index

587

- run time enforcement 12
- run time error checking 20
- run time errors 21
- run time expressions 25
- run time failure 21, 339, 340
- run time flexibility 383
- run time formats 92
- run time information 92, 93
- run time libraries 21, 92, 130, 154, 166, 256, 257, 330, 475, 487
- run time mechanisms 3, 92
- run time polymorphisms 97, 110, 111, 376, 378, 527
- run time support 250
- run time tests 18
- run time type information (RTTI) 97, 120. *See also* RTTI
- rvalues* 276
- rvm* 14–15
- RVO 177, 178, 179. *See also* return value optimization

- scalar types xxvi
- Schwarz counter 165, 166, 168, 169, 171, 381
- Schwarz, Jerry 165
- scope 278
- semaphores 132
- semantic conformance 361
- `sequence_container_veneer` 45, 49, 50
- serialization
 - code 300
 - component 299
- Serializer 199, 299
- server code 121
- Service 41, 42, 43
- shims 266–67, 274, 275, 309, 310, 452, 458, 503, 504, 559, 560
 - attribute 406, 452, 503
 - conversion 372, 470
 - logical 329
- short 26
- short-circuit evaluation 396
- simulated dynamic binding 381
- single memory location 133
- Singleton, Alexandrescu 164
- singletons 163, 166, 168, 169
 - Local 172
- Solaris 95, 96, 122
- source code 91
 - trees 306
- source file 313
- specialization 8
 - full 10
 - partial 10
- spinning 138
- Standard Template Library 289, 347, 455. *See also* STL
- states 73
- static assertions 12, 25, 26, 27, 323, 468. *See also* compile-time assertions
 - bit field form 26–27
 - invalid array dimension form 9, 25–27
 - switch form 26–27
- static 37, 161
 - based helper function technique 37
 - function 5
 - keyword 163
- static/dynamic libraries 67
- static construction 464
- static initialization 157
- static instances 88
- static libraries 88, 94, 95, 126
- static linking 99, 100
- static member 283
- static methods 118, 542
- static objects 118, 126, 156, 157, 158, 164, 165, 166, 170, 251
 - instantiation 92
- static ordering problem 127
- static scope 245
- STL 438, 481, 486, 508, 523, 524
- STL algorithms 520
- STL allocator concept 481
- STL classes 489
- STL containers 386, 423, 435, 436, 437, 481
- STL iterator concepts 63, 211, 510
- STL Sequence concept 499
- STLSoft 358, 365, 416, 417, 419, 465
- STLSoft header files 232, 233
- STLSoft libraries 23, 33, 172, 195, 235, 269, 348, 365, 439
- STL vector 486
- storage, thread-specific 127
- String 31, 37, 63, 178, 179, 228, 243, 255, 409
- string 73, 264
- strings 37, 55, 57, 63, 69, 148, 179, 241–44, 315, 342, 372, 387, 457
 - class 228, 255, 405, 408, 410, 412, 415, 416, 418, 419, 420
 - concatenation 306, 395
 - constant 37
 - contents 354
 - conversions 457, 467
 - C-style 342, 353, 357, 410, 415. *See also* C-style
 - fixed 292
 - functions 167
 - literal empty 37
 - model 244, 349, 352, 372, 373
 - representation 466
 - tokenizer 372
- Stroustrup, Bjarne (the Boss!) 5, 17, 56, 103, 324, 337, 408, 467
- struct 252, 254, 285, 561
- structural conformance 360–361
- Sutter, Herb 12, 72
- switch form 27
- switch statement 23
- symbols 94
 - name 98, 103
- synchronization 133, 144, 147
 - mechanism 139
 - object lock 145
 - primitives 144
 - requirements 136
- synchronized keyword 145
- Synesis Atomic_
 - API 142, 143
 - library functions 142
- Synesis BufferStore class 106
- Synesis code base 301
- Synesis libraries 23, 87, 88, 130, 204, 205, 287, 378, 465
- Synesis Software 464
- Synesis Win32 libraries 152
- system call 187
- system counters 75
- system libraries 126
- system library cache 123
- system library directories 123
- system paths 123

- template meta-programming techniques 11, 91. *See also* TMP
- templates 7, 10, 27, 32, 49, 74, 77, 78, 79, 93, 97, 145, 177, 215, 216, 244, 259, 264, 265, 268, 269, 321, 326, 330, 333, 335, 337, 342, 360, 367, 368, 372, 373, 378, 381, 383, 385, 392, 398, 402, 403, 404, 423, 426, 450, 472, 483, 494, 495, 496, 497, 499, 511, 515, 517, 532, 535, 538, 539, 541, 542, 543, 544, 545, 547, 549, 550, 551, 555, 559, 560, 562
- algorithms 291, 304, 440
- auto-buffer 38
- child classes 183
- classes 32, 146, 183, 221, 295, 309, 322, 390, 419, 485, 495
- code 177, 266, 312, 342
- constructors 223, 331, 335, 362, 518
- definition 297, 360
- derivation 221
- friend technique 262
- forms 17
- functions 212, 231, 322, 360, 465
- generic 393
- instantiation 5, 6, 92, 309, 501, 501
- mechanisms 494
- `must_be_pod_or_void` 8. *See also* `must_be_pod_or_void`
- parameters 5, 212, 332, 349, 403, 410, 515–16, 519
- parameterizations 105
- `pod_veneer` 48
- structure 212
- techniques 181
- `true_type` 63
- TssSlotScope 155
- `veneer` 392
- testing 39
 - debug system 4
 - prerelease/beta system 4
 - unit 4
- Thomas, David 206

- thread-local storage (TLS) 149, 464.
See also TLS
- thread-specific data (TSD) 149. *See also* TSD
- thread-specific storage (TSS) 139, 148, 461, 462, 463, 464, 465.
See also TSS
- time 65. *See also* compile time; run time
- `T_is_not_subscriptable` 6, 7
- TLS 149, 463. *See also* thread-local storage
APIs 149, 462
- TMP 11, 12. *See also* template meta-programming techniques
- tokenization 148
- Torjo, John 521
- True Typedefs 194, 199, 200, 286, 297, 298
- truncation warnings 21
- TSD 149. *See also* thread-specific data
- TSS 148, 149, 150, 153, 155. *See also* thread-specific storage
- typedefs 325, 327, 404, 487, 561
- type definitions 293
- typename 268, 269
- Type Tunneling 518

- UInteger64 63, 64
- Unicode encoding 516
- uniprocessors 142, 143
- unique type 296, 297
- unit tests 301
- UNIX 93, 94, 96, 122, 127, 135, 154, 253, 354, 362
POSIX standard threading library 138
- UNIXSTL 365

- value(s) 73, 139, 149, 152, 153, 157, 173, 216, 242, 244, 267, 387, 444, 457, 474, 505, 507, 540, 548
change(s) 77
compile-time 39
constant 9, 212, 249
dynamic 157
frequency 173
null 46, 340
return 14, 15, 177, 329. *See also* return values
slot 152, 153, 154
types 1, 30, 33, 55, 56–58, 61–62, 63, 70, 201, 251, 264, 354, 355, 449, 539
non-zero 142
van der Linden, Peter 214
variables 6, 15, 73, 136, 149, 195, 279, 280, 282, 288, 290, 306, 400, 474, 485
array member 34
automatic 51
condition 132
const 34
const member 38
constant member 33
declarations 192
environment 345, 350
external 153
frame/global 32
global 283, 474
global static 156
iterator 290
member 35, 37, 38, 60, 183
nonlocal static 157
nonreference member 33
nonreference member scalar 34
PATH environment 123
pointer 311
public member 13
reference 311
reference member 33
sentinel 74
spin 139
stack 474, 477
static 283, 474
static guard 171
static member 156
system 76
thread-global 148
thread-local 148
- VectorC 543
- veneers 48, 309, 375, 385, 410
- `verify()` 22
- `VERIFY()` 22
- version control system 271
- violation 13
- virtual function mechanism 92
- virtual inheritance 97
- Visual C++ 7, 92, 130, 160, 178, 185, 186, 187, 194, 202, 203, 243, 245, 259, 260, 269, 318, 339, 389, 403, 416, 417, 418, 426, 472, 475, 483, 514, 532, 543
compatible compilers/linkers 101
libraries 193, 483
C run time library 25, 130
- VMS 122, 253
- `void` 9, 10, 209
- volatile keyword 170, 171, 186, 187

- vtables* 97, 110–18, 126, 169, 254, 383, 384, 487
code 119
inheritance-based polymorphism 360
portable technique 121

- waste, accreted 35
- Watcom 9, 202, 245, 259, 260, 318, 339, 543
- Windows 287
API 325
development 92
platforms 94
- Windows (16-bit) 287
- Win STL 142, 365
atomic functions 142
inline functions 142, 143
project 464
- Win32 112, 122, 122, 130, 134, 135, 137, 138, 144, 149, 150, 154, 155, 172, 174, 273, 325, 358, 362, 429, 431
- Win32 API 24, 429
- Win32 callback enumeration function 521
- Win32 compilers 93, 95, 96, 99, 112, 141, 176, 461
- Win32 compiler vendors 99
- Win32 convention 96
- Win32 default configuration 259
- Win32 DLL 128
- Win32/Microsoft C run time 477
- Win32 + Intel 24
x 86 platform 92
- Win32 `Interlocked_*` 142
system library functions 143
- Win32 list-box control 350
- Win32 machine 141
- Win32 operating systems 93, 142, 475
- Win32 platforms 79, 94, 95, 99, 461, 477
- Win32's `LoadLibrary()` 123
- Win32 Security API 352
- Win32 systems 143
- Win32 synchronization objects 137
- Win32 system libraries 92
- Win32 systems 95
- Win32 threading infrastructures 149
- wrapper proxies 40, 43, 44, 45
- wrappers 169, 458

- zlib 195, 487–88, 490