

# Index

---

Main entries are in boldface; secondary entries are in roman type; references to figures are in italics.

## **A**

- absolute time 651
- abstract 129
  - class 133
    - notation 221
    - operation 133
    - superclasses rule 131
- abstraction 134
- accept
  - action 135
    - call action 137
    - event action 138
- access 694
- action 87, 136
  - expression 144
  - implicit 85
  - language 144
  - sequence 144
  - table of 98
- activation 104, 105, 145, 343
- active 145
  - class 146
  - object 39, 148
  - state configuration 145, 149, 608
- activity 36, 87, 96, 149
  - diagram 36, 96, 96, 97, 157, 698, 698, 699
  - do 327
  - edge 157
  - entry 332
  - expression 158
  - final
    - node 36, 158
  - node 159
  - partition 160
  - view 37, 95, 162
- actor 34, 77–78, 162
- actual parameter, *see* argument
- aggregate 163
- aggregation 56, 164
  - composition 264
  - shared 589

allocation  
  of memory 319  
  responsibility for 264  
alt 168  
alternative 168  
analysis 168  
  time 169  
ancestor 169  
any trigger 169  
apply 169  
  function action 138, 170  
architecture 170  
argument 170  
Arnold, Patrick 703  
artifact 41, 109, 110, 171, 701  
assembly connector 172  
assert 172  
assertion 173, 423, 528, 531  
assignment 142  
association 53, 54, 55, 174, 691  
  class 54, 179  
  to class in state 218  
  end 183  
  generalization 184  
  n-ary 470  
  navigation efficiency 478  
  qualified 549  
asynchronous  
  action 186  
  control 587  
  event 605  
atomic 186  
attribute 50, 186  
  as composite part 265, 267  
auxiliary  
  stereotype 189

**B**

background information 189  
bag 190  
base use case 352, 388  
become 190  
behavior 190  
  sequence 672  
  specification 674  
behavior port 524  
behavioral  
  feature 192  
  state machine 192  
  view 193  
bidirectionality 56  
binary association 193  
bind 194  
binding 64, 194, 694  
birth event 581  
Birtwistle, G.M. 703  
Blaha, Michael 5, 703–704  
Bodoff, Stephanie 703  
Booch, Grady 5–6, 703–704  
Booch Method 5, 10  
books, object-oriented 5  
Boolean 196  
  expression 196  
bound element 196  
branch 199, 427, 431, 661  
  statechart notation 659  
break 202  
broadcast 203  
  event action 138  
buffer 204  
buildComponent  
  stereotype 204  
Buschmann, Frank 703  
business organization as swimlane 160

**C**

- C++ 5, 187–189, 265, 286, 298, 304, 309, 351, 415, 459, 498, 500, 522, 581, 622, 665, 668, 679
  - data type syntax 434
- call 204, 344
  - action 139
  - event 84, 208, 336
  - stereotype 208
  - trigger 208
  - as two signals 592
- canonical notation 123, 210
- cardinality 210
- central buffer node 210
- change
  - event 84, 211, 336
  - trigger 211
- changeability 213
- Chen, Peter 8
- child 213
- choice 214
- Christerson, Magnus 704
- class 50, 50, 215, 691
  - attribute 216
  - diagram 28, 217, 690
  - feature 217
  - in state 156, 217
  - name 220, 220
  - operation 221
  - supported by component 255
- classification
  - action 139, 222
  - single and multiple 60
  - static and dynamic 60
- classifier 48, 222
  - role 227
  - structured 623
  - table of 48
- client 227
- clock 650
- CLOS 5, 367, 522
- Coad, Peter 5, 703
- Cobol 4
- code 382
  - in component 255
  - generation 124
- Coleman, Derek 5, 703
- collaboration 31, 71, 227
  - definition 72
  - diagram 30, 31, 232
  - and sequence diagram 107
  - occurrence 232
  - realization of use case 79
  - role 232
  - use 73, 232
- combined fragment 38, 235
- comment 238
- communication 239
  - diagram 39, 39, 106, 107, 241, 701
  - path 244
- compartment 244
  - additional 225
  - named 442, 574
  - suppressing 224
- compile time 245
- complete 245
  - constraint 374
- completion transition 87, 245
- complex
  - port 246
  - transition 248
  - execution semantics 610
- component 33, 73, 74, 110, 253, 701
  - diagram 31, 32, 33, 258
  - internal structure 75

- composite
    - aggregation 259
    - class 259
    - key 550
    - object 259
    - state 89, 261
      - history state in 378
    - structure 264
      - diagram 264
  - composition 56, 264
  - compound transition 271
  - concrete 271
  - concurrency 272
    - concurrent substates 248
    - kind 272
    - property 496, 499
    - rules on transitions 145
  - concurrent
    - keyword 496
    - substate 261, 273
      - execution semantics 610
      - independent of others 608
    - thread message syntax 455
  - conditional 105, 274
    - fragment 274
    - node 275
    - thread 456
    - transition 277
  - configuration control 507
  - conflict 278, 391
  - connectable element 279
  - connection point 280
  - connector 70, 281
  - consider 284
  - Constantine, Larry 4, 705
  - constraint 65, 65, 285
    - language 65, 286, 351, 490
  - construction phase 288
  - constructor 288, 298
    - for composite 265
  - container 288
  - context 289, 550
  - continuation 289
  - control
    - flow 291
    - node 292
  - copy 296
  - coregion 296
  - Cox, Brad 5, 703
  - CRC 5
  - create
    - action 139, 297
    - stereotype 297
  - creation 104, 105, 297, 396, 404
    - event 393, 581
  - critical 299
    - region 299
  - crossing lines notation 516
  - current event 301, 393, 664
    - execution semantics 606
- D**
- Dahl, Ole-Johan 5, 703
  - data
    - flow 302
    - store node 303
    - type 304
    - value 305
  - data type 51
  - decision 305
    - node 305
  - default value 21, 307, 510
  - deferrable event 307
  - deferred
    - event 307, 363
    - operation 522
  - delegation 309
    - connector 309
  - DeMarco, Tom 4
  - dependency 62, 65, 310
    - among packages 112
    - table of 63, 571

**Index**


711

deployment  
  diagram 40, 41, 42, 110, 314  
  phase 314  
  specification 314  
  view 13, 40, 109, 314  
derivation 64, 314  
derive  
  stereotype 314  
derived  
  element 315  
  union 316  
descendant 317  
descriptor 317, 398  
  full 367  
design 318  
  model 318  
  pattern 517  
  time 318  
  view 13, 29, 69, 319  
destroy 319  
  action 140  
  stereotype 319  
destruction 104, 105, 319  
determinacy 320  
development  
  methods  
    object-oriented 5  
    traditional 4  
  process 321  
device 322  
diagram 323  
  table of 325  
diamond symbol  
  aggregation 166  
  branch 201  
  composition 266  
  n-ary association 470  
direct  
  class 325  
  instance 326, 399  
  substate 326  
direction of parameter 510

disjoint  
  constraint on generalization 374  
  keyword 326  
  substate 326  
distribution unit 327  
do activity 327  
document  
  stereotype 328  
Dollin, Chris 703  
duration 328  
  constraint 328  
  observation action 328  
dynamic  
  classification 60, 122, 329, 483, 580  
  concurrency 330  
  view 13, 67, 330

**E**

ECOOP 703  
Eddy, Frederick 5, 704  
edge, *see* activity edge  
effect 87, 330  
effective model 646  
Eiffel 5  
elaboration phase 330  
elapsed time 651  
element 331  
  list 440  
ellipsis in lists 441  
else 331  
embedded document 621  
Embley, Brian 703  
Entity-Relationship model 8  
entry  
  action 599  
  semantics 608  
  activity 88, 89, 332  
  point 334  
enumeration 335  
  literal 336  
environment 121



ER Model 8  
 event 82, 336  
   occurrence 338, 492  
   table of 82  
 exception 338  
   handler 341  
   raise action 140  
 executable  
   node 342  
   stereotype 342  
 execution 342  
   environment 343  
   occurrence 343  
   semantics 605  
   specification 103, 104, 105, 343  
 exit  
   action 599  
     semantics 608  
   activity 88, 89, 345  
   point 92, 93, 346  
 expansion region 156, 347  
 export 350  
 expression 350  
 extend 80, 351, 671  
   condition 354  
 extensibility mechanisms 43, 115  
 extension 357  
   point 358  
 extent 21, 360  
   read action 140  
 external transition 86

## F

facade 360  
 feature 360  
 file  
   stereotype 360  
 filtering of lists 443

final 360  
   node 360  
   state 93, 361  
   tate  
     semantics 609  
 fire 362  
 flag 363  
 flow 363  
   final node 364  
 focus  
   of control 364  
   stereotype 364  
 font usage 365  
 fork 36, 96, 248, 365  
   node 366  
 formal argument, *see* parameter  
 Fortran 4  
 Fowler, Martin 703  
 framework  
   stereotype 366  
 friend 366  
 full descriptor 367, 391, 399, 483  
 functional view 367  
 Fusion 5

## G

Gamma, Erich 703  
 garbage collection 265  
 gate 103, 104, 367  
 generalizable element 370  
 generalization 57, 58, 60, 370, 692  
   compared to realization 61  
   set 373  
   use case 670, 675  
 generator state machine 613  
 Gilchrist, Helena 703  
 Goldberg, Adele 5, 704  
 graphic marker 376, 619  
 group  
   property in list 441  
   transition 377

guard condition 87, 377, 658  
guarded (keyword) 496  
guillemets 378  
Gullekson, Garth 704

## H

Harel, David 613–614, 704  
hash table 553  
Hayes, Fiona 703  
Helm, Richard 703  
high-level transition, *see* group  
transition  
history state 378  
  execution semantics 611  
hyperlink 380

## I

identity 304, 380, 397, 482, 533  
ignore 381  
ill-formed model 122, 381  
implementation 382  
  class stereotype 382  
  dependency 383  
  inheritance 383  
  stereotype 382  
  view 69  
import 113, 383, 694  
in parameter 510  
inactive 387  
inception phase 388  
include 80, 388, 671  
incomplete 389  
  constraint 374  
  model 382  
inconsistent model 125  
incremental development 390  
indeterminacy 390  
index value 549

indirect  
  instance 390, 399  
  substate 390  
information  
  flow 390  
  item 391  
inheritance 58–59, 391  
  polymorphic operation 522  
initial  
  node 392  
  state 93, 393  
  semantics 609  
  value 395  
  evaluation 298  
initialization 141, 396  
inout (keyword) 510  
inout parameter 397  
instance 66, 397  
  direct 325  
  relationship 399  
  specification 399  
instantiable 403  
instantiate 404  
  stereotype 404  
instantiation 404  
  of model 66  
intent 21, 405  
interaction 101, 406  
  diagram 408  
  fragment 409  
  occurrence 410  
  operand 410  
  overview diagram 410  
  use 105, 412  
  view 37, 101, 413  
interface 32, 33, 51, 62, 71, 74, 413, 689,  
  693  
  provided 62, 547  
  required 62, 572  
  specifier 418  
interleaving semantics 418

internal  
  activity 419  
  structure 75, 420, 623  
    diagram 29, 30, 32  
  transition 89, 89, 420, 599  
    semantics 609  
internal transition  
  syntax 662  
International Telecommunication  
  Union 8, 11  
interruptible activity  
  edge 422  
  region 423  
interval 423  
invariant 423  
invocation 424  
isolation flag 425  
iteration  
  expression 425  
iterative development 321, 322, 428  
ITU 8, 11

## J

Jacobson, Ivar 5–6, 703–704  
Jeremaes, Paul 703  
Johnson, Ralph 703  
join 36, 96, 248, 428  
  node 429  
Jonsson, Patrik 704  
junction 430

## K

keyword 432  
  in note 481  
Kleppe, Anneke 705  
Kurtz, Barry 703

## L

label 433  
language  
  object-oriented 5  
  type 434  
layer 434  
leaf 434  
  operation 521  
library  
  stereotype 435  
lifeline 38, 103, 104, 105, 435  
link 56, 438  
  creation 404  
  end 440  
  transient 657  
Liskov, Barbara 57, 632  
  substitutability principle 632  
list 440  
  compartment 244  
  elements 286  
location 443  
lookup table 550, 552  
loop 105, 445  
  node 446  
Lorensen, William 5, 704

## M

manifestation 41, 110, 447, 701  
many 448  
Martin, James 704  
Mealy machine 613  
Mellor, Stephen 4–5, 704–705  
member 448  
memory allocation 319  
  by composite 264  
merge 449  
message 38, 39, 103, 107, 450, 701  
Message Sequence Chart 8  
metaclass 458  
metametamodel 459


- metamodel 121, 459
  - UML 687
- metaobject 459
  - facility, *see* MOF
- metarelationship 459
- method 459
  - combination 521, 523
- Meunier, Regine 703
- Meyer, Bertrand 5, 522, 704
- model 114, 461
  - contents 19
  - definition 15
  - element 462
  - inconsistent 122, 125
  - levels of 17
  - management
    - view 14, 42, 111, 463
  - meaning 21
  - purpose 15
- modeling
  - overview 15
  - time 463
  - tool 124
- modelLibrary stereotype 463
- module 463
- MOF 464
- Moore machine 613
- MSC 8, 704
- multiobject 464
- multiple
  - classification 60, 326, 465, 483, 580
  - inheritance 59, 60, 370, 465
- multiplicity 465
  - association 468
  - attribute 469
  - n-ary association 471
  - part 469
  - qualified association 550, 552

**N**

- n-ary association 470
- name 473
  - as qualifier 552
- namespace 473, 474
- navigability 475
- navigable 477
- navigation 477
  - efficiency 477, 553
  - expression 179, 490–491, 550, 576–577, 577
  - using links 438
- neg 479
- nesting for composition 267
- node 41, 109, 110, 479, 701
  - control 292
- nonorthogonal state 481
- notation
  - canonical 123
  - considerations 122
  - summary 689
- note 481
- null 125, 482
- Nygaard, Kristen 5, 703

**O**

- object 482
  - creation 404
  - diagram 67, 67, 486
  - flow 152, 156, 486
    - state 487
  - lifeline, *see* lifeline
  - node 487
  - playing multiple roles 230
  - specification 490
- Object Constraint Language, *see* OCL
- Object Management Group, *see* OMG
- object-oriented, history of 5
- Objective C 5
- Objectory 5, 10



- occurrence 492
    - specification 493
  - OCL 65, 286, 351, 490, 567, 685
  - Odell, James 704
  - OMG 6, 494, 685, 704
  - OMT 5, 10
  - OOPSLA 704
  - opaque expression 494
  - operand 494
  - operation 50, 495
    - realization by collaboration 241
  - opt 500
  - optimization as refinement 567
  - optional combined fragment 500
  - ordering 501, 501
    - of lists 441
  - orthogonal
    - composite state 93
    - region 93, 503
    - state 503
    - substate
      - rules for 249
  - otherwise, *see* else
  - out parameter 503, 510
  - Övergaard, Gunnar 704
  - overlapping 374, 504
  - overriding operations 522
  - owner scope 504
  - ownership 504
- P**
- package 43, 111, 112, 114, 504, 694
    - dependency 112, 311
    - diagram 43, 508
    - merge 508
  - packageable element 508
  - par 508
  - parallel combined fragment 508
  - parameter 510
    - list 512
    - set 512
  - parameterized element, *see* template
  - parent 513
  - part 30, 70, 71, 626
    - composite 264
  - participates 514
  - partition 97, 97, 152–153, 160
  - passive object 514
  - path 514
  - pathname, *see* qualified name
  - pattern 73, 73, 517
    - parameterized collaboration 229
  - permission 519
  - persistent object 519
  - Petri net 520
  - pin 520
  - Plato 569
  - Politi, Michal 704
  - polymorphic 58, 134, 521
  - port 30, 32, 33, 71, 523
  - postcondition 528
  - powertype 530
  - precondition 531
  - Premerlani, William 5, 703–704
  - presentation element 532
  - primitive
    - function 533
    - type 533
  - private 534
    - port 71
    - visibility 508
  - procedural
    - control 587
  - procedure 534
  - process 534
    - stereotype 534

profile 14, 43, 115, 118, 534  
  application 119, 536  
  definition 118  
programming language  
  considerations 123  
projection 537  
property 183, 537  
  string 441, 543  
protected 544  
protocol  
  conformance 544  
  state 544  
  machine 545  
  transition 547  
provided interface 62, 71, 74, 547  
pseudostate 548  
public 548

**Q**

qualified  
  association 55, 478, 549  
  name 473, 548  
  notation 221  
qualifier 55, 549  
query 497, 555  
  attribute property 499  
query action 140

**R**

raise exception action 140, 555  
Rational Software Corporation 6  
read  
  action 140, 555  
  extent action 140  
Real-Time Structured Design 4

realization 61, 62, 556, 689, 693  
  compared to generalization 61  
  stereotype 558  
  of use case 557, 672  
realize 558  
receive 558  
  action, *see* accept action  
  event 559  
receiver 559  
reception 559  
  of signal 591  
reclassification action 139  
record  
  composite 265  
  type 559  
redefinable element 559  
redefines 560  
redefinition 560  
  behavior 561  
  classifier 561  
  operation 562  
  property 562  
  state machine 563  
  template 565  
reference 566  
  notation for 221  
refine  
  stereotype 566  
refinement 64, 566  
region 568  
reification 569  
  of association 182  
reify 569  
relationship 52, 570  
  table of 52, 571  
reply action 140, 570  
repository 570  
request 570  
required interface 62, 71, 74, 572  
requirement 572  
  tracking 656

resolution 573  
resolve 574  
responsibility 572, 574  
    stereotype 574  
return 575  
    action 140–141  
    keyword 511  
    parameter 575  
    type 497  
reuse 575  
reverse engineering 124  
risk  
    minimizing 428  
Robson, David 5, 704  
Rohnert, Hans 703  
role 103, 105, 575  
rolename 576  
ROOM method 8  
Rumbaugh, James 5–6, 703–704  
run time 578  
run to completion 578  
    current event 301

## S

scenario 579  
scope 579  
script  
    stereotype 579  
sd 580  
SDL 8, 11  
segment 580  
self  
    language 309  
    transition 580  
        execution semantics 609  
Selic, Bran 704  
semantic  
    levels 51  
    variation point 22, 121–123, 580  
semantics 580

send 581  
    action 141  
    event 584  
    notation 456  
    stereotype 584  
sender 584  
seq 584  
sequence  
    diagram 37, 38, 102, 103, 104, 105, 700  
    and collaboration diagram 107  
    number 107, 589  
sequencing  
    weak 680  
sequential concurrency 496  
service (stereotype) 589  
service port 524  
shared aggregation 589  
Shlaer, Sally 5, 704  
side effect 590  
signal 83, 590  
    declaration 83  
    event 337, 592  
    notation 456  
    trigger 593  
signature 593  
simple  
    state 593  
    transition 593  
Simula-67 5  
single  
    classification 60, 594  
    inheritance 594  
singleton 594  
slot 595  
Smalltalk 5, 189, 298, 309, 351, 459, 500,  
    522  
snapshot 66, 482, 595  
society of cooperating objects 71  
Sommerlad, Peter 703  
source  
    scope 595  
    state 595  
    stereotype 595

- specialization 595
- specification 595
  - stereotype 595
- Specification and Description
  - Language 11
- stages of modeling 596
- Stal, Michael 703
- start owned behavior action 141, 597
- state 35, 84, 92, 93, 597
  - composite 89
  - invariant 603
  - machine 81, 92, 93, 604
    - diagram 35, 614, 696, 697
    - semantics 605
    - specifying behavior of class 613
    - specifying execution order 613
    - view 35, 81, 614
  - nonorthogonal 481
  - simple 593
  - table of 90
- statechart 614
- static
  - classification 60, 122, 614
  - feature 614
  - view 12, 28, 47, 67, 616
- stereotype 44, 116, 116, 124, 616
  - icon 226
  - notation in list 441
- stop 620
- strict 620
  - sequencing 621
- string 621
  - value 622
- structural
  - feature 622
  - view 622
- structure
  - composite 264
  - diagram 622
- structured
  - class 70, 71
  - classifier 70, 623
  - control 105, 105
- Structured Analysis 4
- Structured Design 4
- structured part 626
- subclass 627
- subfragment 494
- subject 34, 78, 627
- submachine 93, 600, 627
  - state 627
- subsets 630
- subsetting 631
- substate 631
- substitutability principle 57, 171, 632
- substitution 632
- subsystem
  - stereotype 633
- subtype 634
- summarization 634
- superclass 634
- supertype 635
- supplier 635
- swimlane 97, 152, 635
- synch
  - bar 252
  - state 635
- synchronization 248
  - bar 252
- synchronous
  - action 635
  - control 587, 592
- system 635
- systemModel (stereotype) 635

**T**

## table

- action 98
- classifiers 48
- dependencies 63, 571
- diagram 325
- events 82
- relationships 52, 571
- states 90
- transitions 85
- use case relationships 79, 356
- views and diagrams 26–27

## tabular notation 636

## tag 117, 117, 636

## tagged value 44, 117, 117, 124, 636

## target

- scope 638
- state 638

## template 194, 638, 694

- instantiated 196

## terminate 648

## test identity action 142, 649

## thread 649

## time

- action 142, 649
- constraint 649
- event 84, 337, 650, 651
- observation action 652
- value 652

## timing

- mark 654

## token 654

## tool for modeling 124

## trace (dependency) 62, 656

## trace (execution) 655

## transient

- link 438, 657

## transition 35, 85, 86, 92, 93, 657, 661

- complex 248
- concurrency rules 145
- firing rules 605
- internal 599
- phase 662
- segment 607, 609
- simple 593
- table of 85

## transmission 663

- delay 454

## tree notation

- aggregation 166
- composition 267
- for generalization 372

## trigger 658, 663

- event 86

## triggerless transition 664

## tuple 664


## type 318, 664

- expression 187, 665
- stereotype 665

**U**

## UML

- annual conference 6, 704
- assessment 12
- complexity 10
- concept areas 12
- definition 3
- environment 121
- goals 10
- history 4
- metamodel 685, 687
- notation summary 689
- specification xiv, 685
  - documents 685
- standardization 6
- version xiv, 6
- views 25
  - table of 26–27



unbranch, *see* merge  
unfork, *see* join  
unified, definition of 9  
Unified Modeling Language, *see* UML  
uninterpreted 665  
union 665  
uniqueness 666  
unlimited natural 667  
unspecified value 125, 667  
usage 64  
    dependency 667  
use case 34, 78, 668  
    creation 405  
    diagram 34, 78, 674, 695, 695  
    generalization 675  
    instance 676  
    model 677  
    relationships 80  
    table of 79, 356  
    view 34, 77, 677  
utility  
    stereotype 677

**V**

valid system instance 67  
value  
    specification 677  
variable 678  
vertex 678  
view 678  
    summary 25  
    table of 26–27  
viewpoint 678  
visibility 113, 678  
Vlissides, John 703

**W**

Ward, Paul 4, 704–705  
Warmer, Jos 705  
weak sequencing 680

weight 680  
well formed 67, 122, 126, 249, 381, 617,  
    640, 681  
Wiener, Lauren 5, 705  
Wilkerson, Brian 5, 705  
Wirfs-Brock, Rebecca 5, 705  
Woodfield, Scott 703  
work in progress 125  
write action 142, 681, 681

**X**

XMI 681  
xor constraint 178, 681

**Y**

Yourdon, Edward 4–5, 703, 705

**Z**

zero or more (multiplicity) 466  
zero or one (multiplicity) 467

