

Index

A

- AAAI (American Association for Artificial Intelligence), 244
- AboutAI Web site (Web usage) case study, 156
- Access
 - BITS (Background Intelligent Transfer Service), 218
 - hands-free, 19
 - Microsoft Data Application block, 117
 - multimodal applications, 18
 - PocketPCs, 103
 - remote, 206
 - telephony applications, 16
- Active Data Objects Multidimensional (ADOMD) library, 142
- Add to my schedule button, 102
- Add to waiting list button, 102
- Adjustment phase (rule-based systems), 173, 196–197
- ADOMD (Active Data Objects Multidimensional) library, 142
- ADOMD.NET SDK, 142
- Advantages of Visual Studio.NET, 8
- Adware, 204
- Agents, 4
 - characteristics of, 202–203
 - commercially available, 203–204
 - Microsoft Agent, 212
 - multiple, 205–214, 216–226
 - servers, 213–214
- AI (artificial intelligence), 1–2, 243
 - EC (Enhanced Computing), 4–5, 7
 - effect of, 3–4
 - fuzzy logic, 245
 - games, 245
 - genetic programming, 247
 - machine learning, 251
 - neural nets, 250
 - NLP (natural language processing), 248
 - robotics, 251
 - seamless computing, 6–7
 - Visual Studio.NET, 8
- Algorithms
 - Analysis Services 2005, 233
 - data-mining, 111–113
- American Association for Artificial Intelligence (AAAI), *See* AAAI
- Analysis, 41
 - data-mining results, 154–156
 - mining model results, 134, 138
- Analysis Manager, 128
- Analysis Services, 110, 230–233
 - data-mining
 - algorithms, 111–113
 - analyzing results, 154–156
 - applying, 141–143
 - building models, 128–131
 - building prediction queries, 153
 - closed-loop processing, 166–169
 - generating schedules, 145
 - loading databases, 114–122, 124–127
 - measuring success, 157–162
 - modifying databases, 145–146
 - querying, 151–152
 - refreshing, 147–149

- Analysis Services (*cont.*)
 - results, 134, 138
 - training models, 133
 - tuning, 163–166
 - Microsoft SQL Servers, 7, 110
 - APIs (application programming interfaces)
 - SAPI (Speech Application Programming Interface), 16
 - TAPI (Telephony API), 16
 - WinInt (Windows Internet) API, 210
 - Application of Results phase (rule-based systems), 173
 - Application programming interfaces. *See* APIs
 - Applications
 - EC (Enhanced Computing), 4–7
 - loading, 53–54
 - LoadSampleData, 117
 - multimodal
 - building, 81
 - creating, 78–79
 - executing sample applications, 83–84
 - loading databases, 80–81
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–101
 - running on PocketPCs, 103
 - tuning, 103–106
 - viewing Web pages, 85–93
 - multiple agents, 207–214, 216–226
 - rule-based (databases), 176–188, 190–197
 - SALT (Speech Application Language Tags), 15
 - SASDK (Speech Application SDK), 14, 48
 - creating applications, 22–31, 33–38
 - debugging applications, 38–40
 - installation of, 21
 - multimodal applications, 18
 - telephony applications, 16
 - seamless computing, 6–7
 - Speech Debugging Console
 - applying, 95–96
 - multimodal applications, 103–105
 - telephony
 - building, 51–57, 59–68
 - creating speech applications, 46–47
 - loading databases, 48–49
 - navigating, 70–71
 - tuning user prompts, 71–73
 - Applying
 - data-mining predictions, 141–143
 - analyzing results, 154–156
 - building prediction queries, 153
 - closed-loop processing, 166–169
 - generating schedules, 145
 - measuring success, 157–162
 - modifying databases, 145–146
 - querying, 151–152
 - refreshing, 147–149
 - tuning, 163–166
 - multiple agents, 205–214, 216–226
 - prompt functions, 57–59
 - speech controls, 34–38
 - Speech Debugging Console, 95–96
 - threshold values, 183–188
 - Version 2 database files, 163–166
 - ApplyThreshold function, 185
 - Artificial intelligence. *See* AI
 - Attach Database dialog box, 49
 - Attaching SQL databases to telephony applications, 48–49
 - Attributes, 214
 - Attributes box, 136
 - Authentication, 221
 - Authentication Methods dialog box, 222
 - Avalon, 234–235
- B**
- Background Intelligent Transfer Service (BITS), 205, 210–221, 224–226
 - Base rules for multimodal applications, 93
 - Bell Labs, 13
 - Benefits of business speech, 19
 - BI (Business Intelligence) studio, 232
 - BITS (Background Intelligent Transfer Service), 205, 210–221, 224–226
 - BizTalk Server 2004, 173
 - Brooks, Rodney, 3
 - Building
 - agents
 - applying multiple agents, 205–214, 216–226
 - characteristics of, 202–203
 - commercially available, 203–204
 - applications, 176–188, 190–197
 - dynamic grammars, 60–61

- mining models, 128–131
 - multimodal applications, 81
 - executing sample applications, 83–84
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–101
 - running on PocketPCs, 103
 - tuning, 103–106
 - viewing Web pages, 85–93
 - prediction queries, 153
 - telephony applications, 51–57, 59–68
 - Business Intelligence (BI) studio, 232
- C**
- Call Viewer Utility, 106
 - Case studies
 - AboutAI Web site (Web usage) , 156
 - ComputerFleet, 124
 - GMAC Commercial Mortgage, 47
 - Landstar Systems, 83
 - Characteristics of agents, 202–203
 - CheckSynonyms function, 187
 - Classes, FileSystemWatcher, 214–217
 - Cleaning databases, 125
 - Closed-loop processing, 166–169
 - Clustering, 113
 - Code, executing, 53–54
 - Commands (File menu)
 - Add Project, 25
 - New Project, 22
 - Open URL, 40
 - Commercially available agents, 203–204
 - Components
 - of MSS (Microsoft Speech Server), 13
 - of SASDK (Speech Application SDK), 14–21
 - ComputerFleet case study, 124
 - Condition Matching phase (rule-based systems), 173
 - ConditionMatchPhase function, 190–191
 - Configuration
 - login, 56–65
 - Telephony Servers, 41–42
 - user navigation paths, 51–53
 - values for semantic items, 96–98
 - Connecting telephony applications, 45. *See also* telephony applications
 - Content Detail Editor, 137–138
 - Content Navigator box, 136
- Controls**
- customization, 38
 - DataTableNavigator, 68
 - Listen, 88–90
 - page, 62–65
 - PasscodeQA, 63
 - Query page, 87
 - RuleRef, 63
 - Semantic Map, 62
 - speech
 - applying, 34–38
 - ordering, 66
 - Speech Application, 37
- Copernic Agent Professional, 203
- CreateJob function, 220–221
- Customization of controls, 38. *See also* configuration
- D**
- Data Definition Language (DDL), 133
 - Data Link Properties dialog box, 129
 - Data Source View (DSV), 232
 - Data Transformation Services (DTS), 106
 - Data-mining
 - Analysis Services 2005
 - algorithms, 233
 - migrating, 234
 - real time, 233
 - applying , 141–143
 - closed-loop processing, 166–169
 - databases
 - analyzing results, 154–156
 - building prediction queries, 153
 - generating schedules, 145
 - measuring success, 157–162
 - modifying, 145–146
 - querying, 151–152
 - refreshing, 147–149
 - definition, 4
 - SQL servers, 110
 - algorithms, 111–113
 - building models, 128–131
 - loading databases, 114–122, 124–127
 - results, 134, 138
 - training models, 133
 - tuning, 163–166

- Database administrator (DBA), 172
 - Databases
 - cleaning, 125
 - loading
 - applying multiple agents, 206
 - data-mining, 114–122, 124–127
 - modifying, 145–146
 - multimodal applications, 80–81
 - populating, 116
 - prompt editor, 25
 - rule-based systems, 172
 - building applications, 176–188, 190–197
 - phases of, 173
 - telephony applications, 48–49
 - Version 2 files, 163–166
 - Zoom Lending, 175–176
 - DataTableNavigator control, 68
 - DBA (database administrator), 172
 - DDL (Data Definition Language), 133
 - Debugging
 - applications, 38–40
 - Speech Debugging Console
 - applying, 95–96
 - multimodal applications, 103, 105
 - Decision Support Objects (DSO), 128
 - Decision trees, 111
 - Defining rulestypes, 179
 - Design
 - login, 56–65
 - Telephony Servers, 41–42
 - user navigation paths, 51–53
 - values for semantic items, 96–98
 - Detection of file changes, 214–217
 - Dialog boxes
 - Attach Database, 49
 - Authentication Methods, 222
 - Data Link Properties, 129
 - Installation Guide, 21
 - New Project, 22
 - Prerequisites, 21
 - Process, 133
 - Speech Controls Outline, 67
 - Dialog speech controls, 35, 38
 - DirectIA (Direct Intelligent Adaptation), 246
 - Dragon's NaturallySpeaking, 28, 249
 - DSO (Decision Support Objects), 128
 - DSV (Data Source View), 232
 - DTMF (Dual Tone Multi-frequency), 17
 - DTS (Data Transformation Services), 106
 - Dual Tone Multi-frequency. *See* DTMF
 - Dynamic grammars, building, 60–61
- E**
- E-mail rules, 192–193
 - EC (Enhanced Computing), 4–7
 - AI, 243–248, 250–251
 - MSR (Microsoft Research), 237, 240–242
 - opportunities for developers, 252
 - Editors
 - Content Detail Editor, 137–138
 - grammar, 30–33
 - Mining Model Editor, 128
 - prompt, 23
 - databases, 25
 - extractions, 26
 - recording tool, 28–30
 - transcriptions, 26
 - Relational Mining Model Editor, 132, 147
 - Semantic Script, 33
 - Effect of AI (artificial intelligence), 3–4
 - Enhanced Computing. *See* EC
 - Executing
 - code, 53–54
 - multimodal applications on PocketPCs, 103
 - Search routine, 98–99
 - Extensible Application Markup Language (XAML), 234
 - Extractions, prompt editor, 26
- F**
- File menu commands
 - Add Project, 25
 - New Project, 22
 - Open URL, 40
 - File System Watcher functionality, 205
 - FileInfo.xml file, 214
 - Files
 - detecting changes, 214–217
 - log, 105
 - Manifest.xml, 102
 - Version 2 database, 163–166
 - FileSystemWatcher class, 214–217
 - Folders, Grammars, 23

- Formatting. *See also* configuration
- multimodal applications, 78–79
 - building, 81
 - executing sample applications, 83–84
 - loading databases, 80–81
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–101
 - running on PocketPCs, 103
 - tuning, 103–106
 - viewing Web pages, 85–93
 - queries, 86
 - results, 100–101
 - SASDK (Speech Application SDK), 22–31,
33–38, 48
 - startup Web pages, 56–65
 - telephony applications
 - building, 51–57, 59–68
 - creating speech applications, 46–47
 - loading databases, 48–49
 - navigating, 70–71
 - tuning user prompts, 71–73
 - transfer jobs, 220–221
 - user navigation paths, 51–53
 - views, 126–127
- Functions. *See also* commands
- ApplyThreshold, 185
 - CheckSynonyms, 187
 - ConditionMatchPhase, 190–191
 - CreateJob, 220–221
 - Get Product Info, 66
 - ordering speech controls, 66
 - retrieving product information, 67–68
 - GetOpportunitiesList, 68
 - PriorityEvaluationPhase, 193, 196
 - prompt, 57–59
 - VerifyPasscode, 56–65
- Future of enhanced computing
- AI (artificial intelligence), 243–251
 - Analysis Services 2005, 231–233
 - Avalon, 234–235
 - Indigo, 235
 - Longhorn, 234
 - mobility, 237
 - MSR (Microsoft Research), 237, 240–242
 - .NET, 230
 - opportunities for developers, 252
 - WinFS, 236
- Fuzzy logic (AI), 245
- G**
- Games (AI), 245
 - Gates, Bill, 6
 - GeneratePurchases routine, 122, 157–162
 - Generating schedules, 145
 - Genetic programming (AI), 247
 - Get Product Info function, 66
 - ordering speech controls, 66
 - retrieving product information, 67–68
 - GetOpportunities.aspx page, 68
 - GetOpportunitiesList function, 68
 - GMAC Commercial Mortgage case study,
47
 - Grammars, 23
 - dynamic, 60–61
 - editors, 30–33
 - multimodal applications, 88–93
 - preambles/postambles, 91–93
- H**
- Hands-free access, 19. *See also* access
 - History of AI, 2–3
- I**
- IE (Microsoft Internet Explorer), 18
 - IIS (Internet Information Services), 81
 - Indigo, 235
 - InsertPurchaseDetailNew stored
procedure, 162
 - Installation
 - Guide dialog box, 21
 - SASDK (Speech Application SDK), 21
 - Interactive Voice Response systems. *See* IVR
 - Interfaces
 - Analysis Services 2005, 232
 - SASDK (Speech Application SDK), 14
 - TAPI (Telephony API), 16
 - TIM (Telephony Interface Manager), 17
 - WinInt (Windows Internet) APIs, 210
 - Internet Information Services. *See* IIS, 81
 - Internet telephony applications, 45. *See also*
telephony applications
 - Items, setting values for, 96–98
 - IVR (Interactive Voice Response) systems,
13
- J**
- Jobs, creating transfer, 220–221

K

Keywords, PREDICTION JOIN, 153
Knowledge base, 172. *See also* rules
Kyoto Prize in Advanced Technology, 9

L

Landstar Systems case study, 83
Languages
 DDL (Data Definition Language), 133
 MDX (Multidimensional Extensions)
 language), 233
 PMML (Predictive Model Markup
 Language), 234
 SALT (Speech Application Language
 Tags), 15
 SML (Semantic Markup Language),
 33
 VoiceXML, 2.x, 16
 XAML (Extensible Application Markup
 Language), 234
Lastupdated attribute, 214
Libraries, 142
Listen control, 88–90
Load Data button, 117
LoadGrammarFile method, 60
Loading
 applications, 53–54
 databases, 175–176
 applying multiple agents, 206
 building rule-based applications, 176
 data-mining, 114–122, 124–127
 multimodal applications, 80–81
 telephony applications, 48–49
 sample applications, 83–84
LoadSampleData application, 117
Logging
 MSS (Microsoft Speech Server), 105
 Speech Debugging Console, 103–105
Logins, configuring, 56–65
Longhorn, 234. *See also* Microsoft; operating
 systems
Loops, closed-loop processing, 166–169

M

Machine learning (AI), 251
Machine Translation project, 243
Main query page (Review.aspx), 86
MainMenu.aspx page, 66

Maintenance for rule-based applications,
 179–188
Manifest.xml files, 102
McCarthy, John, 2
MDX (Multidimensional Extensions)
 language, 233
MeaningCount property, 188
Measuring success of data-mining, 157–162
Methods, LoadGrammarFile, 60
Microsoft
 Agent, 212
 Data Application block, 117
 Internet Explorer. *See* IE
 Research. *See* MSR
 seamless computing, 6
 Speech Application SDK, 7
 Speech Server. *See* MSS
 SQL Servers Analysis Services, 7
 XML Parser (MSXML), 143
Migration, data-mining, 234
Mining Model Editor, 128
Mobility, 237
Models
 data-mining
 analyzing results, 154–156
 building prediction queries, 153
 closed-loop processing, 166–169
 generating schedules, 145
 measuring success, 157–162
 querying, 151–152
 refreshing, 147–149
 tuning, 163–166
 mining
 building, 128–131
 training, 133
Modifying databases, 145–146
Monitoring new opportunities, 226
MSR (Microsoft Research), 9, 237, 240–242
MSS (Microsoft Speech Server)
 analysis and reporting, 41
 components of, 13–21
 databases, 48–49
 log files, 105
 SASDK (Speech Application SDK), 48
MSSContentExtract, 105
MSSLogToText tool, 105
MSSUsageReport tool, 105
MSXML (Microsoft XML Parser), 143

- Multidimensional Extensions (MDX)
 - language, 233
- Multimodal applications, 18
 - building, 81
 - executing sample applications, 83–84
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–101
 - running on PocketPCs, 103
 - tuning, 103, 105–106
 - viewing Web pages, 85–93
 - creating, 78–79
 - loading databases, 80–81
- Multiple agents, applying, 205–214, 216–226
- Myhrvold, Nathan, 9
- N**
- National Weather Service (NOAA), 13
- Natural language processing (NLP), 173, 248
- Navigation
 - telephony applications, 70–71
 - user paths, 51–53
- .NET, enhanced computing, 230
- Neural nets (AI), 250
- New opportunities, monitoring, 226
- New Project dialog box, 22
- Next Development Platform, 230
 - Analysis Services 2005, 230–233
 - Avalon, 234–235
 - Indigo, 235
 - Longhorn, 234
 - mobility, 237
 - .NET, 230
 - WinFS, 236
- NLP (natural language processing), 173, 248
- NOAA (National Weather Service), 13
- Notification
 - registration for, 224–226
 - WinFS, 236
- Notification Platform, 242
- O**
- Objects, 128
- OCR (Optical Character Recognition), 3
- OLE DB for Data Mining, 113
- OpenSpeech Recognizer (OSR), 30
- OpenURL command (File menu), 40
- Operating systems, 6
- Opportunities
 - for developers, 252
 - monitoring new, 226
- Optical Character Recognition (OCR), 3
- Optimization. *See also* configuration
 - data-mining models, 163–166
 - user prompts, 71–73
- Ordering speech controls, 66
- OSR (OpenSpeech Recognizer), 30
- Outlook rules wizard, 193
- P**
- Page controls, 62–65
- Parameters, tuning data-mining, 166
- PasscodeQA control, 63
- Paths, 51–53
- PDA (Personal Digital Assistant), 45
- Phases of rule-based systems
 - (databases), 173
- Platforms
 - Next Development, 230
 - Notification Platform, 242
- PMML (Predictive Model Markup Language), 234
- PocketPCs, 103
- Populating databases, 116
- Postambles, 91–93
- Postbacks, 64
- PreambleRule, 92
- Preambles, 91–93
- Predicting data-mining
 - algorithms, 111–113
 - analyzing results, 154–156
 - applying, 141–143
 - building models, 128–131
 - building prediction queries, 153
 - closed-loop processing, 166–169
 - generating schedules, 145
 - loading databases, 114–122, 124–127
 - measuring success, 157–162
 - modifying databases, 145–146
 - querying, 151–152
 - refreshing, 147–149
 - results, 134–138
 - with SQL servers, 110
 - training models, 133
 - tuning, 163–166
- PREDICTION JOIN keyword, 153

- Predictive Model Markup Language (PMML), 234
 - Preloading Manifest.xml files, 102
 - Prerequisites dialog box, 21
 - Priority Evaluation phase (rule-based systems), 173
 - PriorityEvaluationPhase function, 193, 196
 - Process dialog box, 133
 - Processing closed-loop processing, 166–169
 - ProcessMiningModel procedure, 149
 - ProductList.aspx page, 67
 - Products, 66
 - ordering speech controls, 66
 - retrieving product information, 67–68
 - ProductThresholds table, 115
 - Programming code, 53–54
 - Prompts
 - editors, 23
 - databases, 25
 - extractions, 26
 - Recording tool, 28–30
 - transcriptions, 26
 - functions, 57–59
 - tuning users, 71–73
 - Properties
 - MeaningCount, 188
 - SynonymList, 188
 - PSTN (Public Switched Telephone Network), 16
- Q**
- Queries
 - data-mining models, 151–152
 - analyzing results, 154–156
 - building prediction queries, 153
 - measuring success, 157–162
 - preambles/postambles, 91–93
 - retrieving, 95–101
 - scripts, 86
 - Query Analyzer, 126, 145–146
 - Query page
 - controls, 87
 - Review.aspx, 86
- R**
- Real time data-mining (Analysis Services 2005), 233
 - Recording tool, 28–30
 - Records, 122. *See also* databases
 - Refreshing data-mining models, 147–149
 - Registration for notification, 224–226
 - Relational Mining Model Editor, 132, 147
 - Remote access for multiple agents, 206.
 - See also* agents
 - Reporting, 41
 - ResponseAutos table, 189
 - Results
 - analyzing, 154–156
 - data-mining, 134–138
 - formatting queries, 100–101
 - Retrieving
 - product information, 67–68
 - queries, 95–101
 - Robotics (AI), 251
 - Rule-based systems, 5, 172
 - building applications, 176–188, 190–197
 - phases of, 173
 - RuleRef control, 63
 - Rules
 - base, 93
 - e-mails, 192–193
 - PreambleRule, 92
 - TitleQuery, 94
 - TopLevel, 95
- S**
- SalesScheduling database, loading, 48–49
 - SALT (Speech Application Language Tags), 15
 - Sample applications, executing code, 53–54
 - Samuel, Arthur, 2
 - SAPI (Speech Application Programming Interface), 16
 - SASDK (Speech Application SDK), 14
 - applications
 - creating, 22–31, 33–38
 - debugging, 38–40
 - installation of, 21
 - multimodal applications, 18
 - telephony applications, 16, 48
 - ScanSoft, Inc., 28
 - Schedules
 - generating, 145
 - loading, 48–49
 - Scripts, creating queries, 86
 - Seamless computing, 6–7

- Search routine, executing, 98–99
- Semantic items, 96–98
- Semantic Map control, 62
- Semantic Markup Language (SML), 33
- Semantic Script Editor, 33
- Servers
 - agents, 213–214
 - MSS (Microsoft Speech Server)
 - components of, 13
 - SASDK (Speech Application SDK), 14–21
 - postbacks, 64
 - SQL (Structured Query Language), 110
 - Telephony Server, 41–42
- Services, Analysis Services, 110. *See also*
 - Analysis Services
- SES (Speech Engine Services), 14, 102
- ShortInitialTimeout property, 101
- SML (Semantic Markup Language), 33
- Solution Explorer, 26
- Sonum Technologies, 249
- Speak Query button, 95
- Speech
 - applications
 - creating, 22–33
 - debugging, 38–40
 - business benefits of, 19
 - controls
 - applying, 34–38
 - ordering, 66
 - MSS (Microsoft Speech Server)
 - components of, 13
 - SASDK (Speech Application SDK), 14–21
 - multimodal applications
 - building, 81
 - creating, 78–79
 - executing sample applications, 83–84
 - loading databases, 80–81
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–101
 - running on PocketPCs, 103
 - tuning, 103–106
 - viewing Web pages, 85–93
 - SASDK (Speech Application SDK).
 - See* SASDK
 - telephony applications
 - building, 51–59, 63–68
 - creating, 46–47
 - loading databases, 48–49
 - navigating, 70–71
 - SASDK (Speech Application SDK), 48
 - tuning user prompts, 71–73
 - Speech Application Controls, 37
 - Speech Application Language Tags. *See* SALT
 - Speech Application Programming Interface.
 - See* SAPI
 - Speech Application SDK (Microsoft), 7
 - Speech Application SDK. *See* SASDK
 - Speech Controls Outline dialog box, 67
 - Speech Debugging Console, 38
 - applying, 95–96
 - multimodal applications, 103–105
 - Speech Engine Services. *See* SES
 - Speech recognition (processing), 5
 - Speech-related technologies (MSR), 240
 - Spyware, 204
 - SQL Servers Analysis Services (Microsoft), 7
 - SQL (Structured Query Language)
 - data mining models, 234
 - databases, 48–49
 - servers, 110
 - Startup Web pages, formatting, 56–65
 - SynonymList property, 188
- T**
- Tables
 - ProductThresholds, 115
 - ResponseAutos, 189
- Tags, SALT (Speech Application Language Tags), 15
- TAPI (Telephony API), 16
- TAS (Telephony Application Services), 14
- TASim (Telephony Application Simulator), 40
- Telephony applications, 16
 - building, 51–57, 59–68
 - navigating, 70–71
 - speech applications
 - creating, 46–47
 - loading databases, 48–49
 - SASDK (Speech Application SDK), 48
 - tuning user prompts, 71–73
- Telephony Interface Manager. *See* TIM
- Telephony Server, configuration of, 41–42
- Templates
 - creating applications, 22–31, 33–38
 - debugging applications, 38–40

Text

- grammar editors, 30–33
- multimodal applications
 - building, 81
 - creating, 78–79
 - executing sample applications, 83–84
 - loading databases, 80–81
 - preloading Manifest.xml files, 102
 - retrieving queries, 95–96, 98–101
 - running on PocketPCs, 103
 - tuning, 103, 105–106
 - viewing Web pages, 85–93

Text-to-speech. *See* TTS

The Enable HTTP Unsecure checkbox, 144

Thresholds, applying values, 183–188

TIM (Telephony Interface Manager), 17

TitleQuery rule, 94

Tools

- BizTalk Server 2004, 173
- Call Viewer Utility, 106
- debugging, 40. *See also* debugging
- MSSContentExtract, 105
- MSSLogToText, 105
- MSSUsageReport, 105
- Recording, 28, 30
- Speech Debugging Console, 38

TopLevel rule, 95

Tracing log files, 105

Training mining models, 133

Transcriptions, 26

Transfer jobs, creating, 220–221

Trees, decision, 111

Troubleshooting. *See* debugging

TTS (text-to-speech), 26

Tuning. *See also* optimization

- data-mining models, 163–166
- multimodal applications, 103–106
- parameters, 166
- speech applications, 38–40
- user prompts, 71–73

Turing Award of the Association for Computing Machinery, 9

Turing, Alan, 2

Types of rules, defining, 179

U

Use Audio button, 96

User navigation paths, designing, 51–53

User prompts, tuning, 71–73

Utilities. *See* tools

V**Values**

- semantic items, 96–98
- thresholds, 183–188

VerifyPasscode function, 56–65

Version 2 database files, applying, 163–166

Viewing

- log files, 105
- Web pages, 85–93

Views, creating, 126–127

Visual Studio.NET, advantages of, 8

Vocal Help Desk, 65–66

Voder, 13

Voice Manager Exchange, 70

VoiceXML, 2.x, 16

W**Web pages**

- multimodal applications, 85–93
- startup, 56–65

Web-based applications, 14

- creating applications, 22–31, 33–38
- debugging applications, 38–40
- installation of, 21
- multimodal applications, 16–18

WinInet (Windows Internet) API, 210

Wizards

- Outlook rules, 193
- Speech SDK, 25

X

XAML (Extensible Application Markup Language), 234

Y

Yukon. *See* Analysis Services

Z

Zoom Lending (databases), 175–176