

Index

- \~directory, 209
 - .mdb file extension, 529
 - <%@ OutputCache %> directive, 509, 515–516
 - 64-bit applications, xxxi
 - 404 error, 350
- A**
- <a> element, 130
 - Abstract classes, 276, 326
 - Access, 1
 - DATA directory, 377
 - Membership providers, 209
 - read/write permission on files, 263
 - support for, 9
 - Access and SQL Server Site, 548–489
 - Access databases
 - connecting to, 66
 - connection strings, 264–265
 - granting permissions, 263
 - working with, 84–86
 - Access providers, 258, 261–265, 375, 555
 - configuring, 262
 - .mdb file, 265
 - AccessDataSource control, 19, 66, 84–87, 407
 - AccessDataSource() constructor, 85
 - AccessDataSourceView constructor, 86
 - Accessibility, xxxi
 - improvements, 468–469
 - maximizing in tables, 502–505
 - support, 29
 - AccessibleHeaderText property, 127, 469
 - AccessKey property, 492
 - AccessPersonalizationProvider class, 261
 - action attribute, 342
 - Activate event, 442–43, 445
 - Active Directory Membership providers, 209
 - ActiveStep property, 450, 452
 - ActiveStepIndex property, 450
 - ActiveViewChanged event, 442–443, 445, 451–53
 - ActiveViewIndex property, 440, 442, 444
 - Adaptive page rendering, 107
 - Adaptive rendering, 396–397, 400
 - AdCreated event, 485
 - AdCreatedEventArgs control, 485
 - <add> element, 277–279
 - Add Language dialog box, 380
 - Add New Item dialog, 170, 172
 - AddHandler() method, 77
 - Add() method, 81
 - Address Details Web Part, 322–323
 - AddWebPart() method, 328
 - ADO.NET objects, 55
 - AdProperties property, 485
 - AdRotator control, 371, 475, 481–487
 - AdType property, 482–483
 - alert dialog, 438
 - All Errors Default rule, 569
 - allowAnonymous attribute, 261, 274, 552
 - AllowAvator property, 270
 - AllowClose property, 336
 - allowCustomSqlDatabase attribute, 532
 - AllowEdit property, 336
 - AllowHide property, 336
 - AllowLayoutChange property, 331
 - AllowMinimize property, 336
 - AllowPaginate property, 472, 497
 - AllowPaging attribute, 56, 110, 123
 - AllowReturn property, 450

586 ■ INDEX

- AllowSorting attribute, 56, 110
- AllowZoneChange property, 336
- alt attribute, 140, 143
- AlternateText property, 158, 430, 433, 436, 491
- AlternateTextField property, 482
- AlternatingItemTemplate template, 134, 139
- AlternatingRowStyle element, 121, 144
- Analysis buffer mode, 567
- Anonymous identification, 271–273, 533–534
- Anonymous personalization, 273–275
- Anonymous users migrating to authenticated users, 275
- AnonymousIdentification HTTP module, 527
- <anonymousIdentification/> section, 533–534
- AnonymousIdentification_OnCreate event, 273
- AnonymousIdentification_OnRemove event, 273
- <anonymoustemplate /> template, 231
- APIs, customizing behavior, 276
- Appearance section, 319
- AppearanceEditorPart control, 11–12, 307, 317, 338
- AppendDataBoundItems property, 472, 494–495
- Application category, 560
- Application configuration files, 524
 - anonymous identification, 533–534
 - AspNetXmlSiteMapProvider, 547
 - authorization settings, 559
 - buffer modes, 566–567
 - build providers, 525–526
 - caching, 537–541
 - categories, 559–560
 - client targets, 524–525
 - code DOM, 535
 - compilation, 525
 - connection strings, 535–536
 - data, 536–537
 - event mappings, 567–568
 - expression builders, 541
 - field settings, 556
 - globalization, 529
 - health monitoring, 564–566
 - hosting, 542
 - HTTP cookies, 543
 - HTTP handlers, 528–529
 - HTTP modules, 526–527
 - HTTP runtime, 527–528
 - image generation, 542–543
 - mail servers, 555–556
 - Membership, 544
 - mobile devices state, 531–533
 - pages, 529–531
 - Personalization Profile, 550–552
 - profiles, 568–569
 - protected data, 560–562
 - protocol bindings, 552–553
 - providers, 567
 - Role Manager, 553–554
 - Role Manager providers, 554–555
 - rules, 569–570
 - section encryption tool, 562–564
 - sections unsupported by encryption, 562
 - session state, 531–532
 - site counters, 547–550
 - site maps, 546–547
 - SQL Server and Access Membership, 544
 - URL mappings, 556–557
 - Web Parts, 557–558
 - Web proxy, 526
 - Web request modules, 533
 - Web Site Administration Tool, 558–559
- Application deployment utility, xxxi
- Application page, 373
- Application resources, 46, 384–385
- Application-level directives, 269
- applicationName attribute, 211, 544, 555
- Application_OnAcquireRequestState event, 269
- Application_OnReleaseRequestState event, 269
- applicationPath attribute, 559
- Applications, 520
 - authorization, 557
 - availability, 248
 - configuring, 251, 576–580
 - details about, 248
 - global themes, 287
 - globalization, 46
 - life cycle, 48
 - Personalization, 318
 - posting to another, 346
 - pre-compilation, 48–51, 525
 - sharing Web Parts, 14
- Application-wide resources, 42
- appliesTo attribute, 47–48, 526
- ApplyChanges method, 338
- ApplyFormatInEditMode property, 126
- AppSettings expression builder, 541
- AppSettings property, 582
- <area> element, 429
- argument parameter, 355
- Arguments property, 78

- .aspx files, 42
- .asix file extension, 427, 529
- ASP (Active Server Pages), 1
 - history of, 28
- asp namespace prefix, 396
- ASP.NET 1.x, 24
 - ASP.NET Mobile Controls, 23
 - data access, 54
 - data binding, 19–20, 161–162
 - hidden control, 437
 - login page, 203–206
 - MMIT (Microsoft Mobile Internet Toolkit), 23
 - pre-compilation, 48
 - referencing included script, 351–352
 - resource files, 46
 - server-side binding, 53
 - Web Service proxies, 46
 - xcopy deployment model, 16
- ASP.NET 2.0, xxxiv
 - 64-bit enabled, xxxi
 - administration, xxx–xxxii
 - application deployment utility, xxxi
 - data access, 54
 - developer productivity, xxix–xxx, 2
 - hierarchical (XML) data binding, 162–164
 - hosting with, 2–3
 - management, xxx–xxxii, 3
 - mobile devices, 2
 - new features, 3–24
 - nonhierarchical data binding, 162
 - performance, xxxi–xxxii
 - shared or application resources, 46
 - speed, xxxi–xxxii
 - templates, 3–4
 - Web server platforms, 2
 - Web Services, 46
- ASP.NET account, 436
- ASP.NET cache, invalidating, 514–518
- ASP.NET community site, 349
- ASP.NET Forums, 259
- ASP.NET Mobile Controls, 23, 393
- AspNetAccessProvider provider, 258, 544
- aspnet_compiler.exe tool, 49
- AspNetDB.mdb file, 377
- AspNetDB.mdb file, 209
- AspNetdb_Template.mdb file, 263
- AspNetForums provider, 270
- aspnet_regbrowsers.exe utility, 401
- aspnet_regiis.exe tool, 562–564
- aspnet_regsqlcache.exe tool, 510–511
- aspnet_regsql.exe tool, 265–266
- AspNet_SqlCacheTablesForChangeNotification table, 512–514, 518
- AspNetSqlProvider provider, 544, 554
- AspNetXmlSiteMapProvider provider, 547
- <asp:SqlDataSource> element, 68
- .aspx file extension, xxxv
- .aspx files, 42
- Assemblies, 24–25
- AssociatedControlID property, 469, 492
- AssociatedHeaderCellID property, 469, 504–505
- .aspx HTTP handler, 423
- Async directive, 363–364
- Asynchronous pages, identifying, 363
- Attributes
 - device-name prefix, 402–403
 - device-specific, 403
 - mobile devices, 455–464
- Attributes collections, 413, 487–488
- Attributes property, 197
- AutoGeneratedFields property, 124
- Authenticated users
 - migrating anonymous users to, 275
 - name of, 406
- Authenticating users, 7
- Authentication, 234, 271
 - controls, 406
 - Forms-based, 203–206
 - status, 406
- Authorization, 234
 - application configuration files, 559
 - applications, 557
 - roles, 249, 553–554
- Authorization Manager provider, 555
- <authorization> section, 557, 559
- AuthorizationSection class, 583
- AuthorizationStoreRoleProvider provider, 555
- Auto Format command, 226
- AutoCompleteType property, 469
- AutoDetect option, 272
- AutoEventWireup attribute, 364
- AutoFormat dialog, 291
- AutoGenerateColumns attribute, 138
- AutoGenerateColumns property, 110, 123–124
- AutoGenerateDeleteButton property, 62, 111, 157
- AutoGeneratedField column, 123–124
- AutoGenerateEditButton property, 62, 111, 157
- AutoGenerateInsertButton property, 151, 157
- AutoGenerateRows property, 144, 149, 151, 157
- AutoGenerateSelectButton attribute, 110, 145
- AutoHide property, 226

588 ■ INDEX

Automatic
 compilation, 43
 database server cache invalidation, xxxi
 Automatically compiled code, 95
 AutoPostBack property, 59, 422
 AutoSave property, 90, 94
 AvatarURL property, 270

B

BackColor property, 382–384
 BackImageUrl property, 112
 Banner ads
 mobile devices, 485–486
 randomly displaying, 481–487
 site counter, 484
 tracking, 484
 Base classes, 86–87
 BaseValidator control, 347–348, 474
 Basic theme, 288–289
 Basic.skin file, 288
 batch attribute, 47
 batchTimeout attribute, 47
 BeginWebPartConnecting() method, 328
 BeginWebPartEditing() method, 328
 Behavior
 Device-Specific Templates, 403–404
 settings, 320
 Behavior section, 321
 BehaviorEditorPart class, 307, 317, 338
 Bind method, 158–159, 164–165
 Binding
 to configuration settings, 21
 model, 106
 to objects, 21
 XML documents and XML data to
 controls, 66
 Bindings property, 200
 <body> element, 397, 400, 409
 Bottom property, 430, 434
 BottomPagerRow property, 115
 BoundField column, 124, 125–127, 139, 141
 BoundField control, 126, 144
 BrowseHelpText property, 339
 Browser definition file, 400–401
 Browser definitions, 400–401
 .browser file extension, 400, 529
 Browser property, 401
 BrowserCapabilities class, 401
 <browserCaps> element, 401
 BrowserCaps object, 352
 Browsers
 changing culture, 380–381
 collapsible tree view, 407
 default values and capabilities, 401
 HTML, 393
 identifying, 524–525
 interrogating capabilities properties, 401
 mapping to alias, 524–525
 master pages, 180
 page design, 402
 standard HTML table, 499
 supporting SmlHTTP, 352–353
 buffer attribute, 567
 Buffer modes, 566–567
 bufferMode attribute, 567
 <bufferModes/> section, 566–567
 Build order, 48
 Build providers, 50–51, 525–526
 buildProvider attributes, 526
 BuildProvider class, 51
 <buildProviders> section, 47, 525–526
 Builds, custom, 47–48
 BulletedList control, 405, 418–422
 BulletedListDisplayMode enumeration, 418
 BulletedListEventArgs object, 421
 BulletImageUrl property, 419
 BulletImageUrl property, 422
 BulletStyle enumeration, 418
 BulletStyle property, 418–419, 422
 Business objects, placing, 43
 Button controls, 342, 347–348, 371, 409, 435,
 437, 458, 476, 487–488
 columns, 124
 OnClick attribute, 348
 onClientClick event, 363
 properties, 379
 setting ActiveViewIndex property from,
 442
 ButtonField column, 124, 127–129, 138, 142
 ButtonField control, 128–129, 144
 ButtonImageUrl property, 449
 ButtonResource1 resource key, 384
 Buttons
 client-side events, 487–488
 Web Parts, 334–335
 Buttontype control, 470
 Button-type controls, 488
 ButtonType enumeration, 128, 135
 ButtonType property, 128–129, 135, 449
 ByCategory method, 94
 Byte array, 405

C

C#, 25, 77
 Cache, 507–508
 Cache API, 508, 516–517
 Cache dependencies, 508, 518–521
 <cache/> element, 537–538

- Cache profiles, 539
- cacheAPIEnabled attribute, 538
- CacheDependency class, 508, 518, 520–521
- CachedImageService.axd handler, 528
- CacheDuration property, 60, 71
- CacheExpirationPolicy property, 71
- CacheKeyDependency property, 71
- cacheRolesInCookie attribute, 236, 554
- Caching
 - application configuration files, 537–541
 - data source controls, 60
 - DataSetDataSource control, 94
 - scalable applications, 508
 - XmlDataSource control, 94
- < caching /> section, 515, 537–541
- Calendar control, 397–400, 405, 476
- Callback event handler, 353–354
- CallBackManager class, 352–361
- Cancel link, 62, 147
- Cancel property, 78
- CancelButtonClick event, 451–453
- CancelButtonText property, 449
- CancelImageUrl property, 135
- CancelSelectOnNullParameter property, 69
- CancelText property, 135
- CanDelete property, 83
- CanInsert property, 83
- CanPage property, 83
- CanRetrieveTotalRowCount property, 83
- CanSort property, 83, 110
- canteen-help.htm file, 321
- CanUpdate property, 83
- Caption property, 112, 336, 468
- CaptionAlign property, 112, 468
- < card > element, 400
- Cart property, 256, 258
- CartID property, 256
- Catalog features, 14, 321
- Catalog mode, 314–315
- Catalog parts, 11
- CatalogIconImageUrl property, 336
- CatalogPart class, 338–339
- CatalogZone class, 325, 334
- CatalogZone control, 306, 315
- Categories, 559–560
- < categories /> section, 559–560
- CausesValidation property, 129, 136, 471
- CellPadding property, 112
- CellSpacing property, 112
- Cellular phones and images, 456
- Change value button, 438
- ChangePassword() method, 219
- ChangePasswordQuestionAndAnswer()
 - method, 219
- ChangeValue function, 437
- CheckBox control, 123–124, 130, 413, 470, 476, 488–489
- Checkboxes, 488–489
- CheckBoxField column, 124, 129–130, 139, 141
- CheckBoxField control, 130, 144
- CheckDelete event handler, 119
- Checked property, 124, 335
- Child content pages, 178
- Child pages, adding content, 38
- ChildNodes property, 197
- Chrome, 304
- Chrome State, 319
- Chrome Type, 319
- ChromeState property, 336
- ChromeType property, 336
- CircleHotSpot control, 430, 434
- CircleHotSpot type, 429
- Class files
 - defining simple business object, 95
 - storing, 42
- Classes
 - abstract, 326
 - zones, 330–335
- ClassName attribute, 364
- className attribute, 41
- < clear /> element, 277–278
- Clear() method, 81
- Click event, 422, 433
- Clickable images, 127–129
- Click-throughs, counting, 472
- Client callbacks, 352–353
 - accessing server functionality, 361
 - client-side script, 354
 - example, 358–361
 - generating, 356
 - generating code, 354–357
 - setting themes, 361
 - uses for, 361
- ClientBuildManager, 50
- clientCallback parameter, 355
- ClientCallBackFunction event, 360
- ClientClickHandler property, 335
- clientErrorCallback parameter, 355
- ClientID property, 438
- Clients
 - accepting HTML, 398
 - click events, 362–363
 - code, 352–361
 - device-specific support, 394
 - information about current, 396
 - safe fallback support, 301
 - script tags, 366

590 ■ INDEX

- ClientScript property, 351
- ClientScriptManager, 351
- Client-side image maps, 405
- Client-side scripts, 354
 - client callbacks, 352–361
 - features, 351–361
 - registering script blocks, 351–352
 - script includes, 351–352
- <clientTarget/> section, 524
- Clone method, 80
- Close button, 311
- CloseVerb property, 332
- CLR (Common Language Runtime), 40–41
- Code
 - automatically compiled, 95
 - compilation, 24–25
 - content page, 172
 - deployment, 24–25
 - existing and GridView control, 107
 - folder, 42–46, 95
 - organizing, 44–45
 - reducing, 2
 - transferring to another page, 344–345
 - Web Parts, 324–339
- code directory, 25
- Code editor, 34
- Code separation, 40–41
- Code views, 29
- CodeBehind attribute, 364
- Code-behind model, xxxi, 28, 40
- Code-free data binding, 54–63
- Code-free localization, 377–386
- Code-separation page, 41
- <codeSubDirectories/> element, 525
- codeSubDirectories section, 45
- Collapsible tree view, 407
- Collection of page names, 550
- Colors, 382
- Column headers, 502
- <ColumnFields> element, 110, 138
- ColumnFields property, 114
- Columns
 - Button control, 124
 - changing mode for editing rows, 125
 - CheckBox control, 124
 - with checkboxes, 107
 - default type, 124
 - GridView control, 123–136
 - HyperLink control, 124–125
 - interactive UI controls, 125
 - mixing types, 136–142
 - .NET type for data, 124
 - nonstandard, 133–134
 - with standard buttons, 107
 - text string values, 124
 - TextBox control, 125
 - validation controls, 125
- Command property, 78
- CommandArgument property, 440–441
- CommandField column, 125, 134–136, 140–141
- CommandField control, 135–136, 144
- CommandName attributes, 138, 142, 440, 461
- CommandName properties, 128, 142, 158, 440–441, 461
- CommandRowStyle element, 144
- Commands
 - building, 36–37
 - passing parameters to, 20
- CommandSource property, 142
- commitInterval attribute, 549
- commitInterval property, 376
- commitTimeout attribute, 376, 549
- Common Tasks dialog, 227
- Common Tasks menu, 35, 167, 173
- Compilation, 24–26
- Compilation API, 50
- Compilation directories, 45
- <compilation/> section, 47, 525
- compilationMode attribute, 530
- compilationTempDirectory attribute, 528
- Compiled .NET assemblies, 306
- CompilerOptions attribute, 364
- compilerOptions attribute, 535
- <compilers> section, 47
- CompileWith attribute, 41, 364
- config collection, 279
- CONFIG directory, 181
- Configuration
 - binding to settings, 21
 - managing providers, 277–278
 - provider design pattern, 276–278
- Configuration file, 256–258
 - codeSubDirectories section, 45
 - modifying <connectionStrings/> section, 268
- Configuration object, 582
- ConfigurationSettings class, 536
- Configure DataSource command, 35
- Connect option, 323
- Connection strings, 54, 264–265, 535–536
- ConnectionConsumer attribute, 322
- ConnectionProvider attribute, 322–323
- Connections property, 327
- Connections Zone editor, 323
- connections-portal.aspx file, 322
- connectionString attribute, 536

- ConnectionString constructor, 86
- ConnectionString property, 68
- connectionStringName attribute, 211, 376, 541, 544, 549, 555, 567
- <connectionStrings/> configuration section, 211, 515, 535–536
- ConnectionStrings expression builder, 541
- ConnectionStrings property, 582
- ConnectionsZone class, 323, 325, 330, 334
- ConnectionsZone control, 307
- ConnectVerb property, 332
- ConnectWebParts() method, 328
- Consumer WebPart, 322
- Contains() method, 81
- Content, default, 174
- Content areas, defining, 170
- Content control, 172–173, 178, 181
- Content file, 40
- Content Management Server, 301
- Content management systems, 300
- Content pages, 172–173, 178, 181
- Content region and controls, 183
- ContentPager control, 408, 455, 496–497, 571
 - ControlToPaginate attribute, 456–457
 - <form> element, 456–457
 - numeric navigation links, 458–459
 - page numbers, 459–461
 - paging DataList control, 460
- ContentPlaceHolder control, 38, 170–171, 173–174, 178
- ContentPlaceHolder region, 183
- context parameter, 354–355
- Control adapter, 396
- Control event, 367
- control parameter, 355
- Control state, 570–572
- ControlID property, 75
- Control-level property, 6–7
- control_login.aspx page, 225–226
- ControlParameter control, 60, 72, 75
- Controls, 12
 - accessibility improvements, 468–469
 - applying skins to all, 292
 - ASP.NET 1.0 data binding, 161–162
 - authentication, 406
 - binding to site maps, 188
 - binding XML documents and XML data to, 66
 - border padding, 313
 - changing color property, 382
 - collections of, 295–296
 - common areas, 3–4
 - Content region, 183
 - content within, 313
 - ContentPlaceHolder region, 183
 - control adapter, 396
 - customization theme, 287
 - data access, 407
 - declarations for Web Parts, 312–314
 - declarative-only, 314
 - default input focus, 470
 - device adapters, 395
 - disabled, 470
 - display, 407
 - dynamic compilation, 42
 - dynamically created, 292–293
 - exempting from localization, 385
 - Focus method, 362
 - generating portal pages, 324
 - hidden, 437–438
 - hiding at runtime, 386
 - hot key, 491–492
 - HTML table, 313
 - individual enhancements, 481–505
 - input focus on, 471
 - life cycle, 367–369
 - localization, 381
 - login, 7–8, 406
 - master pages, 183
 - MMIT (Microsoft Mobile Internet Toolkit), 395
 - mobile devices, 23, 408, 455–464
 - mobile pages, 396
 - navigation, 406–407
 - page-based, 404–405
 - relocating in zone, 318–319
 - resource key, 378
 - rich, 405–406
 - scroll bars, 313
 - server-side form, 397
 - setting to initial state, 416–418
 - single set, 2
 - site counter properties, 371–372
 - Site Counters Service, 371
 - size, 313
 - skins, 5–6, 286–287
 - special, 66
 - standard form-based, 404–405
 - standard pages, 396
 - styles for, 5–7
 - stylesheet theme, 287
 - submitting disabled, 363
 - summary of new, 404
 - task-centric, 408
 - text label, 491–492
 - themes, 286–287, 296
 - validation controls, 471
 - validation group, 470–471

592 ■ INDEX

- Controls, *continued*
 - wizards, 446
 - working in pages targeted at mobile devices, 396
 - Controls collection, 79, 195, 292, 413–414
 - controls subelement, 531
 - Control-specific state, 571–572
 - ControlToPaginate attribute, 456–457, 459
 - ConvertEmptyStringToNull property, 74
 - cookieless attribute, 245–246, 534
 - Cookieless forms authentication, 245–246
 - cookieName attribute, 236, 532, 534, 554
 - CookieName property, 75
 - CookieParameter control, 72, 75
 - cookiePath attribute, 236, 534, 554
 - cookieProtection attribute, 237, 534, 554
 - cookieRequireSSL attribute, 236, 534
 - cookieRequiresSSL attribute, 554
 - Cookies
 - anonymous identification, 272
 - more secure storage, 543
 - cookieSlidingExpiration attribute, 237, 534, 554
 - cookieTimeout attribute, 236, 534, 554
 - Coordinates property, 434
 - Copy Web Site menu item, 39
 - Count property, 81
 - CountClicks properties, 371–372, 433, 472, 483
 - counterGroup application, 549
 - CounterGroup element, 485
 - CounterGroup properties, 371–372
 - counterName application, 549
 - CounterName element, 372, 485
 - CounterName properties, 371, 433, 472, 483
 - Counters, 406–407
 - Counters.axd handler, 528
 - CountGroup property, 433, 472, 483
 - CountViews properties, 371, 472, 483
 - CreateTable subroutine, 500
 - CreateUser API, 210
 - CreateUser wizard, 8
 - CreateUserWizard control, 224–225
 - CreateVerbs event, 334
 - CreationDate property, 221
 - Credentials, secure storage, 206–223
 - Critical Notification buffer mode, 567
 - Critical profile, 568
 - Cross-page posting, 342
 - accessing previous page, 343–344
 - detecting, 345–346
 - page life cycle, 346
 - posting to another application, 346
 - posting to another page, 342–343
 - previous page, 363
 - transferring to another page, 344–345
 - <cryptoClasses/> section, 562
 - <cryptographySettings/> section, 562
 - <cryptoNameMapping/> section, 562
 - cspProviderName attribute, 561
 - CSS stylesheets, 287
 - Culture-neutral resource files, 378, 382
 - Culture-neutral .resx file, 381
 - Cultures, 380–381, 386–387
 - Culture-specific resource file, 382
 - CurrentCulture, 387
 - CurrentNode property, 151, 199
 - CurrentNodeStyle property, 193
 - CurrentNodeTemplate property, 193
 - CurrentPage property, 459–460
 - CurrentRow property, 501
 - CurrentThread, 387
 - CurrentUICulture, 387
 - Custom
 - build providers, 50–51
 - builds, 47–48
 - class object, 3
 - paging, 107, 461–462
 - personalization providers, 276–279
 - provider, 283
 - Web sites, 286–298
 - custom attribute, 569
 - Custom controls
 - control state, 571–572
 - themes, 297
 - customErrorImageUrl attribute, 543
 - Customers table, 59
 - Customization, 299, 302–304
 - Customization theme, 6, 287, 290, 292
 - customProvider attribute, 532
 - CustomValidator class, 349
 - CustomValidator control, 477
- D**
- Data, 19–21
 - application configuration files, 536–537
 - binding to objects, 21
 - data binding, 20
 - data source controls, 54–56
 - editing, 106
 - fields defining content, 156–161
 - formatting, 106–142
 - generating rows, 64
 - long-lived, 269
 - mobile devices, 403–404
 - paging, 106
 - row paging or sorting capabilities, 56
 - rowsets, 106–142
 - selecting or filtering rows, 59–61
 - sorting, 106

- styling sections of output, 109, 113
- temporary session, 269
- updating, 64, 93–94, 106
- Data access, xxii, 54, 94
 - optimizations, 268–271
 - partitioned, 254
- Data access controls, 407
- Data access layer, 66
- Data binding, 20, 471
 - AdRotator control, 486–487
 - ASP.NET 1.x, 20, 161–162
 - BulletedList control, 419–421
 - code-free, 54–63
 - data source controls, 64–102
 - declarative server-side, 94
 - early-bound approach, 161
 - grid controls, 407
 - GridView control, 113
 - hierarchical (XML) syntax, 162–164
 - late-bound approach, 162
 - list controls, 407
 - navigation controls, 407
 - no-code, 94
 - nonhierarchical syntax, 162
 - nonhierarchical XML as rowset, 66
 - server-side, 53
 - simplified syntax, 161–166
 - syntax options, 166
 - templated controls, 164–165
 - without writing code, 64
 - XML file, 163
- DATA directory, 377
- directory, 43
- ~-directory, 263–265
- Data Explorer, 29
- Data property, 90
- Data providers
 - configuring, 251
 - configuring factories, 536–537
- Data source, 248
- Data source controls, 19, 54, 106, 313, 407
 - accessing objects, 94
 - base classes, 86–87
 - caching data, 60
 - connecting to server control, 65
 - data binding, 64–102
 - declarative programming model, 65
 - declaring, 144
 - displaying data, 54–56
 - editing data, 61–63
 - flexibility, 65
 - forthcoming, 102
 - hierarchical data from XML documents, 162–164
 - instantiating, 66–67
 - integration, 471
 - linking page controls and parameters, 59–61
 - Parameters collection, 60
 - richer design time, 65
 - SelectParameters section, 60
 - self-describing interface, 65
 - supporting, 106
 - types, 65–66
- Data storage provider layer, 208
- Data stores
 - connecting to, 35–37
 - extensible, 254
 - timestamp, 214
 - updating, 271
 - user-to-role mapping, 245
- Data transformers, 558
- Data types, storing, 256
- Database cache invalidation, 509–514
- databaseEntry parameter, 519
- Databases
 - connection strings, 535–536
 - level of granularity between, 509–510
 - Personalization, 261–268
 - resource keys, 388
 - SQL cache invalidation, 512
- <databases/> section, 540–541
- DataBind method, 115
- DataBinder, 162
- DataBindings collection, 201
- Data-bound controls
 - Bind method, 165
 - SqlDataSource control, 76
- Data-bound pages, 166
- Data-bound server control, 65
- DataControlField objects, 151
- DataControlFieldCollection collection, 114, 151, 156
- DataField property, 126
- DataFile constructor, 86
- DataFile property, 90, 93
- DataFormatString property, 125–126, 128
- DataGrid control, 56, 106, 242, 244, 456, 477, 489–490
- DataItemCount property, 151
- DataItemIndex property, 151
- DataItemIndexChanged event, 150, 153
- DataItemIndexChanging event, 152
- DataKey property, 151
- DataKeyArray collection, 114
- DataKeyNames attribute, 61–62, 110, 114, 145, 151
- DataKeys property, 114
- DataList control, 165, 459–461, 477–478
- DataMember property, 113, 115, 483

594 ■ INDEX

- DataNavigateUrlField property, 131–132
- DataNavigateUrlFields attribute, 131, 138
- DataNavigateUrlFormatString attribute, 131, 138
- DataObjectTypeName property, 98
- DataProtectionConfigurationProvider provider, 561
- DataSet control, 486
- DataSetDataSource control, 66, 87, 92–94, 407
- DataSets, 46
- DataSource control, 35
- DataSource Mode property, 110
- DataSource property, 113, 115, 420, 482
- DataSourceCacheExiry enumeration, 71
- DataSourceControl class, 65, 87
- DataSourceID property, 55, 59, 65, 110, 160, 165, 471
- DataSourceId property, 188, 483
- DataSourceMode property, 68
- DataSourceOperationMode enumeration, 69
- DataSourceView class, 91
- DataTextField attribute, 59, 138
- DataTextField property, 128, 131
- DataTextFormatString property, 128, 131–132
- DataView control, 70
- Date selection feature, 397
- Dave and Al Web site, xxxv
- <DbProviderFactories/> attributes, 536–537
- Deactivate event, 442–443, 445
- Debug attribute, 364
- Debugging Visual Studio 2005, 26
- Declarative programming, 381
- Declarative server-side data binding, 94
- DeclarativeCatalogPart class, 306, 338
- Declarative-only user controls, 314
- DeclarativeWebPartCatalog control, 316
- Default content, 174
- Default profile, 568
- default.aspx file, 350
- default.aspx page, 376
- Default.browser file, 401
- DefaultButton property, 470
- DefaultFocus property, 470
- DefaultMode property, 151
- defaultProvider application, 549
- defaultProvider attribute, 185, 237, 276–277, 375, 544, 546, 548, 551, 554
- <defaultProxy/> section, 526
- defaultUrl attribute, 559
- defaultValue attribute, 552
- DefaultValue property, 74
- defaultValue provider, 260
- DelcarativeCatalogPart control, 315
- Delete link, 62–63, 119, 147–148
- Delete method, 99
- DELETE statement, 147
- DeleteCommand property, 61, 63, 70, 83, 165
- Deleted event, 78, 84, 101
- DeleteImageUrl property, 136
- Delete() method, 77, 84
- DeleteMethod property, 99
- DeleteMode property, 70, 83
- <DeleteParameters/> element, 70
- DeleteParameters property, 70, 73, 83
- DeleteRole() method, 244
- DeleteText property, 136
- DeleteUser() method, 222
- DeleteWebPart() method, 328
- Deleting event, 78, 84, 101
- Deployment, 24–25
 - pre-compilation with source, 50
 - pre-compilation without source, 49–50
- description attribute, 185, 187, 211, 537, 544, 549, 555
- Description property, 197, 335–336, 365
- description property, 376
- DescriptionUrl property, 468, 491
- Design Page Layout Web Part, 318
- Design surface, 34
- Design time experience, 27
- Design view, 33, 381
- Design window, 32–34
- Design-time-only attribute, 379
- DesignTimeResourceProviderFactory class, 388
- DetailLinkStyle style element, 122
- DetailNextRowText property, 111, 502
- DetailPreviousRowText property, 111, 502
- Details column, 499–500
- Details view, 57–58, 456, 489–490
- DetailsHeaderRowIndex property, 502
- DetailSummaryRowText property, 502
- DetailSummaryText property, 112
- DetailsView control, 63–64, 105, 130, 142, 165, 407
 - AlternatingRowStyle element, 144
 - attributes and properties not available, 157
 - AutoGenerateRows attribute, 149
 - automatic no-code data binding, 164
 - automatic row insertion options and, 107
 - Cancel link, 147
 - CommandRowStyle element, 144
 - declaring, 145–146
 - Delete link, 147–148
 - Edit link, 147–148
 - edit mode, 148
 - EditRowStyle element, 144

- enabling editing, 147–149
 - events, 152–155
 - fields to define content, 156–161
 - <FilterParameters/> section, 146
 - GridView control, 145–146
 - handling events, 149–150
 - Insert link, 148
 - inserting and editing rows, 146–150
 - interface, 150–155
 - master-detail display, 143
 - New link, 148
 - one-row-per-page approach, 145
 - properties, 150–151
 - <RowFields/> section, 144
 - RowStyle element, 144
 - stand-alone mode, 143–144
 - styling attributes, 144
 - TemplateField control, 150, 152
 - DetailsViewCommandEventArgs, 153
 - DetailsViewDeleteEventArgs, 149, 153
 - DetailsViewInsertedEventArgs, 154
 - DetailsViewInsertEventArgs, 154
 - DetailsViewItemEventArgs, 152
 - DetailsViewMode enumeration, 151
 - DetailsViewModeEventArgs, 155
 - DetailsViewRow object, 151
 - DetailsViewUpdatedEventArgs, 155
 - DetailsViewUpdateEventArgs, 154
 - DetailTitleStyle style element, 122
 - Detecting cross-page posting, 345–346
 - Developer productivity, xxix–xxx, 2
 - Development tools, 25–26
 - Device adapters, 395
 - Device capability files, 181
 - Device filters, 23, 402–404
 - Devices
 - automatic image translation, 425
 - control output, 396
 - page design support, 402
 - phone-enabled, 408
 - prefixing properties and attributes with name of, 402–403
 - programming for different types of, 394–395
 - recognizing, 400
 - supporting multiple, 395
 - translating images to correct format for, 405
 - Device-specific attributes, 403
 - Device-specific master pages, 180–181
 - Device-specific support, 394
 - dgsl data source control, 145
 - Direction property, 74
 - directories, write permissions, 583
 - Directory Listing Denied error, 350
 - disableExpiration attribute, 538
 - disableMemoryCollection attribute, 538
 - DisconnectWebParts() method, 328
 - Discontinued column, 139
 - <diskCache/> element, 538
 - diskCacheable attribute, 539
 - Display, customizing, 302
 - Display controls, 407
 - DisplayCancelButton attribute, 451
 - DisplayMode property, 315, 327, 418–419, 422
 - DisplayModeChanged event, 329
 - DisplayModeChanging event, 329
 - DisplayModes property, 327
 - DisplayTitle property, 333, 336
 - DISTINCT keyword, 59
 - <div> controls, 456–457, 462
 - div element, 366
 - DOCTYPE, 400
 - DoLogin event handler, 348
 - domain attribute, 543
 - Domains, 527–528
 - doNotShowUI attribute, 561
 - doPostBack client-side function, 416
 - Drag and drop, 34
 - DragHighlightColor property, 331
 - Drop-down menu, automatically generating, 304
 - DropDownList control, 59–60, 64, 240, 344, 493
 - duration attribute, 539
 - Dynamic compilation, 42
 - build order, 48
 - configuring compilation options, 47–48
 - custom builds, 47–48
 - folder hierarchy, 44–48
 - folders for, 42–43
 - increased file types, 42
 - life cycle, 48
 - Dynamic images, 18–19, 363
 - Dynamically created controls, 292–293
 - DynamicHoverStyle element, 201
 - DynamicImage control, 18, 405, 423–427, 456
 - DynamicImageType property, 423
 - DynamicMenuItemStyle element, 201
 - DynamicMenuStyle element, 201
 - DynamicSelectedStyle element, 201
- E**
- Early binding, 20
 - Edit button, 311
 - Edit controls, 317

596 ■ INDEX

- Edit link, 62, 147–148, 319
 - Edit mode, 315
 - EditImageUrl property, 136
 - EditIndex property, 111
 - Editing
 - data, 106
 - data source control, 61–63
 - GridView control, 61–63
 - rows, 146–150
 - Web Part connections, 323–324
 - EditItem template, 140, 159
 - EditItemTemplate template, 134, 158, 165
 - Editor controls, 319–321
 - Editor zones, 317
 - EditorPart class, 338–339
 - EditorZone class, 325, 330, 334
 - EditorZone control, 307, 315, 317, 319
 - EditRowStyle element, 121, 144
 - EditText property, 136
 - EditVerb property, 332
 - Email property, 221
 - EmptyDataRowStyle element, 121
 - EmptyDataTemplate, 109
 - EmptyDataText property, 111
 - EmptyZoneText property, 333
 - EmptyZoneTextStyle property, 333
 - enable attribute, 527–528
 - EnableCaching property, 60, 71
 - enableClientBasedCulture attribute, 529
 - EnableClientScript property, 327
 - enabled application, 549
 - Enabled attribute, 236
 - enabled attribute, 185, 350, 375, 534, 538–539, 541, 546, 548, 551, 554, 557, 559
 - Enabled property, 332, 335, 472, 492–493
 - EnablePaging property, 99
 - EnablePagingCallbacks property, 157
 - enablePasswordReset attribute, 211, 544
 - enablePasswordRetrieval attribute, 211, 233, 234, 544
 - EnableSortingAndPagingCallbacks property, 112
 - EnableSqlPaging property, 70
 - EnableTheming property, 109–110, 113, 296–297, 364–365, 472
 - EnableViewState attribute, 365
 - Encode value, 495
 - Encrypting
 - connection strings, 264
 - usernames, 206
 - enctype attribute, 434
 - endEventCode attribute, 568
 - EndWebPartConnecting() method, 328
 - EndWebPartEditing() method, 328
 - Enterprise-level Internet applications, 265
 - Ericsson T86 browser definition, 404
 - errorPage attribute, 559
 - ErrorText property, 338
 - Eval() method, 158, 162–163
 - Event handler, server-side, 415
 - EventArgs, 115, 117, 153, 155
 - EventLogProvider provider, 567
 - <eventMappings/> section, 567–568
 - eventName attribute, 569–570
 - Events
 - life cycle, 367–369
 - mappings, 567–568
 - ordering, 293
 - overriding with device adapters, 395
 - page-level, 55
 - types, 569–570
 - Events zone, 311–312
 - EventsZone control, 307
 - ExcelDataSource control, 66, 102
 - Exception property, 78
 - ExceptionHandled property, 78
 - ExecutingSelectCount property, 78
 - Explicit attribute, 365
 - Explicit expressions, 381, 384–386
 - Explicitly named skins, 288
 - Export Mode setting, 320
 - Exporting Web Parts, 14
 - Export() method, 329
 - ExportMode property, 337
 - ExportVerb property, 332
 - Expression builders, 541
 - ExpressionBuilder abstract class, 51
 - <expressionBuilders/> section, 541
 - Expressions, 381
 - Expressions dialog box, 382
 - Extensibility, 388
 - Extensible data store, 254
 - extension attribute, 526, 553
- F**
- Failure Audits Default rule, 569
 - Feature-specific interface implementation, 279
 - Fields
 - defining content, 156–161
 - settings, 556
 - <fields/> section, 556
 - FieldSet, 497–498
 - <fieldset/> element, 497–498
 - FILE, 533
 - File: event, 521
 - File dependency, 508
 - File extensions, 427

- FileContent property, 436
 - FileName property, 436
 - Files
 - dynamic compilation process, 525–526
 - permissions, 249
 - uploading to servers, 434–437
 - without explicit dependency, 42
 - FileUpload control, 405, 434–437
 - FilterExpression property, 70, 83, 146
 - Filtering
 - devices, 402–404
 - rows, 59–61
 - themes, 290
 - FilterParameters property, 73, 80, 83
 - FindControl() method, 183, 343
 - FinishButtonClick event, 451–454
 - FinishNavigationTemplate template, 449
 - FinishStepButtonText property, 449
 - FirstBulletNumber property, 418, 422
 - FirstImageUrl property, 459
 - FirstName property, 258, 270
 - FirstPageText property, 459
 - Flat data, 86–87
 - Flush method, 373
 - FlushAll() method, 373
 - Focus() method, 362
 - Folders
 - hierarchy, 44–48
 - permissions, 249
 - reserved, 44–48
 - write permission, 436
 - FooterRow property, 114
 - FooterStyle element, 121
 - FooterStyle property, 127
 - FooterTemplate template, 134, 403
 - FooterText property, 127
 - Forbidden handler, 529
 - Form collection, 74
 - Form control, 398
 - <form> control, 397
 - Form element, 363
 - form element, 366
 - <form> element, 414
 - ContentPager control, 456–457
 - submitting with client-side JavaScript function, 470
 - <form> section, 404, 413
 - Formatting data, 106–142
 - FormField property, 75
 - FormParameter control, 72, 75
 - Forms
 - client click events, 362–363
 - default button, 362
 - focus, 362
 - name attribute, 366
 - new capabilities, 361–363
 - setting controls to initial state, 416–418
 - submitting disabled controls, 363
 - Forms Authentication, 224
 - HTTP cookie, 245
 - Membership, 206–208
 - FormsAuthentication APIs, 205
 - FormsAuthentication class, 206
 - FormsAuthentication.RedirectFromLoginPage API, 226
 - Forms-based authentication, 203–206
 - FormView control, 105, 165, 407, 456
 - automatic no-code data binding, 164
 - DataSourceID property, 160
 - declaring, 156–157
 - edit mode, 157
 - EditItemTemplate declaration, 159
 - insert mode, 157
 - InsertItemTemplate declaration, 160–161
 - ItemTemplate declaration, 158
 - mobile devices, 156
 - paging, 157
 - small-screen devices, 156
 - templates, 156–161
 - Fragment cache profiles, 539
 - from attribute, 556
 - Front Page Server Extensions site map provider, 186
 - FrontPage Server Extensions, xxxi
 - FTP, 533
 - Full IntelliSense in HTML, 29
- ## G
- Gateway software, 394
 - Generate Local Resource command, 378, 385
 - GenerateCode() method, 51
 - GenerateEmptyAlternateText property, 427, 432, 469, 491
 - GenericWebPart class, 335–338
 - GenericWebPart control, 11
 - GenericWebPart() constructor, 335
 - GetActiveView() method, 443, 445
 - GetAllNodes() method, 198
 - GetAllRoles() API, 238
 - GetAllUsers() method, 218
 - GetAppResourceObject() method, 387
 - GetAvailableWebPartDescriptions() method, 338–339
 - GetCallbackEventReference() method, 352, 354–355
 - GetDataSet() method, 93
 - GetDataSourceView() method, 198

598 ■ INDEX

- GetFile event handler, 435
- GetGroupRows() method, 373
- GetHistory() method, 454
- GetMachineConfiguration() method, 582
- GetNameRows() method, 373
- GetNavigateUrlRows() method, 373
- GetPageResourceObject() method, 387
- GetPassword() method, 219
- GetRedirectUrl() method, 373
- GetRows() method, 373
- GetTotalCount() method, 373
- GetTotalGroupCount() method, 373
- GetTotalNameCount() method, 373
- GetTotalNavigateUrlCount() method, 373
- GetUser() method, 213–215
- GetUserNameByEmail() method, 215
- GetValues() method, 81
- GetWebConfiguration() method, 582
- GetWebPart() method, 338–339
- GetWebResourceUrl() method, 390
- GetXmlDataDocument() method, 91
- GetXmlDocument() method, 93
- Global resources, 21–22
- Global themes, 287
- global.asax, 275
- Globalization, 529
- <globalization/> section, 529
- Grid controls, 106, 407
- GridLines enumeration, 112
- GridLines property, 112
- GridViewDeletedEventArgs, 117
- GridView control, 55–56, 60, 63–64, 105–106, 166, 313, 407, 456
 - AutoGenerateColumns attribute, 138
 - AutoGeneratedField column, 124
 - automatic no-code data binding, 164
 - automatic row insertion options and, 107
 - automatically creating and formatting, 35
 - BoundField column, 124–127, 139, 141
 - built-in small-screen and mobile device support, 57–59
 - button or clickable link causing postback, 127–129
 - ButtonField column, 124, 127–129, 138
 - checkboxes, 129–130
 - CheckBoxField column, 124, 129–130, 139, 141
 - clickable image, 127–129
 - clickable links, 130–131
 - column types, 124
 - CommandField column, 125, 134–136, 140–141
 - configuring, 167
 - data binding, 113
 - DataBind() method, 115
 - DataKeyNames attribute, 61–62
 - DataNavigateUrlField property, 131–132
 - declarative and dynamic data source assignment, 113
 - declaring, 107–123
 - declaring data displayed, 109
 - defining columns, 123–136
 - Delete link, 119
 - DeleteCommand attribute, 61
 - DetailsView control, 145–146
 - Discontinued column, 139
 - editing data, 61–63
 - events, 115–119
 - existing code, 107
 - handling events, 119–120
 - HTML button control, 127–129
 - HyperLinkField column, 124–125, 130–131, 138–139, 141
 - inserting rows, 147
 - master-detail page, 145–146
 - mixing column types, 136–142
 - mobile devices, 122
 - nested elements, 109, 120–122
 - OnRowCommand attribute, 141
 - OnRowDeleting attribute, 119
 - overview, 106–107
 - pager row, 109
 - PagerSettings element, 123
 - PagerStyle element, 123
 - PagerTemplate section, 109
 - pagination, 58, 123
 - properties and attributes, 109–115
 - read-only properties, 113–115
 - Selected Value property, 146
 - ShowxxxButton properties, 134
 - small-screen devices, 122
 - StyleSheetTheme property, 291
 - styling sections of output, 109, 113
 - SummaryViewColumn attribute, 59
 - tables, 145
 - TemplateField column, 125, 133–134, 139–140
 - text link, 127–129
 - theming, 109–110, 113
 - UpdateCommand attribute, 61
- GridViewCancelEventArgs, 116
- GridViewCommandEventArgs, 116, 142
- GridViewDeleteEventArgs, 116, 119
- GridViewEditEventArgs, 117
- GridViewPageEventArgs, 115
- GridViewRow property, 114–115
- GridViewRowCollection collection, 114
- GridViewRowEventArgs, 116

GridViewSelectEventArgs, 117
 GridViewSortEventArgs, 117
 GridViewUpdatedEventArgs, 117
 GridViewUpdateEventArgs, 117, 140
 <group/> element, 259
 <group/> section, 552
 GroupingText property, 498

H

handlerPath attribute, 375, 548
 handlerType attribute, 548
 HasChildNodes property, 197
 HasFile property, 437
 <head> element, 366, 405, 409, 412–413
 <head> tag and stylesheets, 290–291
 HeaderAlignment property, 333
 HeaderImageUrl property, 127
 HeaderRow property, 114
 headers attribute, 502
 HeaderStyle element, 121
 HeaderStyle property, 127, 333, 448
 HeaderTemplate section, 403
 HeaderTemplate template, 133, 449
 HeaderText property, 127, 151, 333
 Health monitoring, 564–566
 support, xxxi
 System.Web.Management.WebEventProvider class, 279
 <healthMonitoring/> element, 565
 <healthMonitoring/> section, 564–566
 heartBeatInterval set, 565
 Height element, 485
 Height property, 425–426, 496
 Help button, 311
 Help Link, 321
 Help page, 321
 HelpMode property, 337
 HelpUrl property, 337
 HelpVerb property, 332
 Hidden controls, 437–438
 Hidden fields, 366
 Hidden property, 337
 HiddenField control, 405, 437–439
 HiddenFieldPageStatePersister persister, 572
 Hiding controls at runtime, 386
 Hierarchical XML data, 407
 HierarchicalDataSourceControl class, 65, 87
 Home category, 560
 Home property, 182
 HorizontalAlign enumeration, 112
 HorizontalAlign property, 112
 Hosting
 application configuration files, 542
 best solution for, 2–3
 <hostingEnvironment/> section, 542
 Hot Spot controls, 433–434
 Hot spots, 429–432
 HotSpotMode property, 430, 432–433
 HotSpots property, 433
 HoverNodeStyle element, 200
 HoverNodeStyle property, 194
 href attribute, 130, 419
 Href property, 413
 HTML, 393
 forms, 361–363
 tags and source view, 34
 HTML browsers and server-side form, 397
 HTML button control, 127–129
 <html> element, 397, 400
 HTML table, 313
 HtmlBrowsers category, 403
 HtmlButton property, 473
 HtmlControl classes, 409
 HtmlControls namespace, 393, 408, 434, 437
 enhancements to existing controls, 473
 new controls within, 408–418
 HtmlEncode property, 126
 HtmlForm control, 408
 HtmlForm property, 473
 HtmlGenericControl control, 412
 HtmlHead control, 366, 405, 409, 412–413
 HtmlInputButton control, 409
 HtmlInputButton property, 473
 HtmlInputFile control, 434
 HtmlInputHidden control, 437
 HtmlInputImage property, 473
 HtmlInputPassword control, 405, 410, 413–416
 HtmlInputReset control, 405, 410–411, 413–418
 HtmlInputSubmit control, 405, 411, 413–416
 HtmlLink control, 405, 411–413
 HtmlSelect property, 473
 HtmlTitle control, 366, 405, 411–413
 HtmlTitle element
 Text property, 412
 HTTP, 533
 HTTP cookie
 application configuration files, 543
 Forms Authentication, 245
 storing username in, 206
 user-to-role mapping, 245
 HTTP handlers, 528–529
 HTTP headers, 543
 HTTP modules, 526–527

600 INDEX

- HTTP runtime, 527–528
 - HttpBrowserCapabilities class, 401
 - <httpCookies/> section, 543
 - HttpHandler, 18, 48
 - httpModules configuration section, 574
 - httpOnlyCookies attribute, 543
 - HttpProtocolBinding class, 553
 - <httpProtocolBindings/> section, 552–553
 - <httpRuntime/> section, 527–528
 - HTTPS, 533
 - HttpSessionStateProvider class, 573
 - HyperLink columns, 107
 - HyperLink control, 124–125, 371, 463, 478, 490
 - HyperLinkField column, 124–125, 130–131, 138–139, 141
 - HyperLinkField control, 131–132, 144
 - Hyperlinks, 419
- I**
- IBuySpy portal application, 11
 - ICallbackEventHandler interface, 353–354
 - id attribute, 171, 401
 - idleTimeout attribute, 542
 - IHttpHandler interface, 345
 - IHttpHandler parameter, 345
 - IHttpModule interface, 573
 - IHttpSessionState interface, 573
 - IIS (Internet Information Services), 3
 - 404 error, 350
 - mapping file types to HTTP pipelines, 552–553
 - IIS Administration MMC, xxx
 - IIS Management Console, 581–583
 - IIS_WPG account group, 436
 - IIS_WPG group, 263
 - IItemPagingInfo interface, 462
 - IList, 197
 - Image control, 157–158, 478, 491
 - Image directive, 363
 - Image files, 311
 - Image Generation Service, 405, 423, 425, 427–428
 - Image maps
 - client-side, 405
 - hot spot detection, 18
 - Image property, 426
 - ImageButton control, 347, 363, 371, 449, 478, 487–488
 - ImageBytes property, 424, 426
 - ImageFile property, 426
 - <imageGeneration/> section, 542–543
 - ImageGenerator control, 427
 - ImageGenerator service, 423
 - ImageGeneratorUrl property, 426
 - ImageMap control, 18, 371, 405, 429–434, 430, 432–433
 - Images, 18–19
 - alternative text, 468, 491
 - application configuration files, 542–543
 - automatic translation of, 425
 - cellular phones, 456
 - converting type, 424–425
 - correct MIME type, 423
 - dynamic, 18–19
 - dynamic creation of, 427–428
 - hot spots, 429–434
 - non-essential, 469
 - resizing, 425
 - small-screen devices, 423–427
 - themes, 288
 - translating to correct format for devices, 405
 - WBMP (Wireless Bitmap), 19
 - .wbmp format, 456
 - Web resources, 389
 - Images directory, 289
 - ImageType property, 426
 - ImageUrl property, 129, 158, 335, 433, 486
 - ImageUrlField property, 483
 - element, 491
 - Implements keyword, 353–354
 - Implicit expressions
 - explicit expressions and, 384
 - local resources, 378–381, 386
 - localizing control or subobject, 386
 - precedence, 384
 - Visual Studio 2005, 381
 - ImportCatalogPart control, 306, 315, 339
 - Imported Web Part Catalog Web Part, 315
 - ImportedPartLabelText property, 339
 - ImportErrorMessage property, 337
 - Importing Web Parts, 14
 - Import() method, 329
 - Incremental role cookie, 245
 - IndexOf() method, 81
 - IndexServiceDataSource control, 66, 102
 - InetPub_webadmin file, 583
 - Inherits attribute, 365
 - Init event, 366–367
 - Initialize() method, 279
 - InnerHTML property, 413
 - In-place pre-compilation, 48–49
 - In-Process, 573
 - Input control, 469–470
 - <input> element, 405, 410–411, 437, 488
 - Input elements, 366
 - InputAttributes collection, 489

InputAttributes property, 470, 488–489
 Insert link, 148
 INSERT statement, 147, 159
 InsertCommand property, 69, 83, 149, 160, 165
 Inserted event, 79, 84, 101
 InsertImageUrl property, 152
 Inserting event, 79, 84, 101
 <InsertItemTemplate> section, 150
 InsertItemTemplate template, 159–161, 165
 Insert() method, 77, 81, 84, 99
 InsertMethod property, 99
 <InsertParameters> element, 69
 InsertParameters property, 69, 73, 83
 InsertText property, 152
 InsertVisible property, 130, 149, 151
 InstallSiteCounters.sql SQL script, 377
 IntelliSense, 26
 Interactive menu systems, 407
 Interactive UI controls, 125
 Interfaces

- programmatically accessing, 68
- responsive, 352–361
- selecting at runtime, 405
- self-describing, 65
- skins, 8
- SqlDataSource control, 68
- templates, 8, 406

 Internationalization, 21–22, 26
 Internet Explorer

- Internet Options command, 380
- output from Calendar control, 398
- Tools menu, 380
- Web Controls pack, 405, 439

 Internet Options dialog box, 380
 Invalidating output-cached pages, 515–518
 invariant attribute, 537
 IPaginationInfo interface, 462
 Irregular hot spots, 431–432
 IsApproved property, 221
 IsCrossPagePostBack property, 345
 IsDescendantOf method, 198
 ISessionDictionary interface, 574
 ISessionIDModule interface, 573
 ISessionStateStore interface, 575
 IsExcludedByRoles property, 337
 IsPostBack property, 345
 IsShared property, 337
 IsUserInRole() method, 242
 IsValid property, 348
 Item property, 81, 195
 ItemCommand event, 153
 ItemCreated event, 153
 ItemDataBound event, 132

ItemDeleted event, 153–154
 ItemDeleting event, 149, 153
 ItemIndex property, 196
 ItemInserted event, 154
 ItemInserting event, 154
 Items collection, 492, 494
 Items element, 201
 Items property, 422
 ItemsPerPage attribute, 457–458, 462
 ItemStyle property, 127
 ItemTemplate section, 403
 ItemTemplate template, 134, 139, 157–158
 ItemType property, 196
 ItemUpdated event, 155
 ItemUpdating event, 154–155
 IXPathNavigable interface, 163

J

JavaScript Web resources, 389

K

Key: event, 521
 Key dependency, 508
 Key-based access, 255
 keyContainerName attribute, 561
 keyEntropy attribute, 561
 keyName attribute, 561
 Key/value pairs, 255, 382
 Keywords property, 197

L

Label control, 119, 137, 140, 435, 437–438, 442–443, 452, 458, 478, 491–492

- linking to interactive control, 469
- viewstate disabled, 413

 <label> element, 488
 LabelAttributes property, 470, 488–489
 Language attribute, 365–366
 Language Preference dialog box, 380
 Language property, 387
 Languages, supporting multiple, 21–22, 45
 LastActivityDate property, 221
 LastImageUrl property, 459
 LastLoginDate property, 221
 LastName property, 270
 LastPageText property, 459
 LastPasswordChangedDate property, 221
 LastPostDate property, 258
 Late binding, 20
 Layout settings, 319
 LayoutEditorPart class, 338
 LayoutEditorPart control, 11–12, 307, 317
 LayoutOrientation property, 311, 331
 .ldb file extension, 529

602 INDEX

- LeafNodeImage property, 289
 - LeafNodeStyle element, 200
 - Left property, 430, 434
 - <legend> element, 497–498
 - LevelMenuItemsStyles element, 201
 - LevelSelectedStyles element, 201
 - LevelStyles element, 199–200
 - LevelSubMenusStyles element, 201
 - LinePragmas attribute, 364–365
 - <link> element, 405, 409, 411–413
 - LinkButton control, 158, 347, 363, 371, 478–479, 487–488
 - LinkButton property, 449
 - Links and Web Parts, 334–335
 - List controls, 492–495
 - data binding, 407
 - enhancements, 472
 - ListControl class, 421, 494–495
 - ListControl control, 474
 - ListItem control, 419, 479, 492–495
 - ListItem elements, 493
 - ListItemCollection collection, 494
 - Lists
 - adding items, 472
 - appending data-bound items, 494–495
 - enabling or disabling, 492–495
 - hyperlinks, 419
 - item with attached JavaScript URL, 419
 - link button, 419
 - removing items, 472
 - style of bullet, 418
 - Literal control, 479, 495
 - LoadComplete event, 367
 - LoadControlState() method, 571
 - Local resources, 21–22
 - implicit expressions, 378–381, 386
 - programmatically accessing, 387–388
 - Local themes, 46, 287–288
 - Local themes file, 46
 - Localization
 - BackColor property, 382
 - code-free, 377–386
 - controls, 381
 - exempting controls from, 385
 - explicit expressions, 381
 - resources, 377–388
 - static text markup, 385
 - subobjects, 381
 - user-delectable, 386–387
 - <Localize> element, 385
 - <localize> element, 385
 - Localized pages, 381
 - Local-level resources, 381
 - localOnly attribute, 559
 - LocalResources folder, 22, 42, 46, 378–379
 - location attribute, 539–540
 - Location property, 270
 - <loggedintemplate> template, 231
 - Logged-on users, 214–215
 - Logging buffer mode, 567
 - Login control, 7–9, 226–227, 406
 - Login link, 227–229
 - Login page, 203–206
 - Login section validation controls, 348
 - Login status, 7, 8, 227–229, 229–231
 - Login Status control, 227–229
 - Login_Click event, 205
 - LoginImageUrl property, 229
 - LoginName control, 7, 231, 406
 - LoginStatus control, 7, 229, 406
 - LoginText property, 229
 - LoginView control, 8, 229–231, 406
 - Logout link, 227–229
 - LogoutAction property, 229
 - LogoutImageUrl property, 229
 - LogoutPageUrl property, 229
 - LogoutText property, 229
 - longdesc attribute, 491
 - Long-lived data, 269
 - LRU (least recently used) algorithm, 508
- ## M
- machine.config file, xxx, 47, 210, 235, 245
 - anonymous identification, 271
 - browser definitions, 400
 - <DbProviderFactories> section, 68
 - imageGeneration section, 428
 - namespaces, 530–531
 - <system.data /> element, 68
 - Mail class, 555
 - Mail servers, 555–556
 - <maildefinition /> element, 233
 - MaintainScrollPositionOnPostBack
 - attribute, 364
 - Management API, 3, 16, 580–581
 - Management classes, 582–583
 - <map> element, 429
 - mappedUrl attribute, 350, 557
 - Master directive, 171, 364–365
 - .master file extension, 170–171, 529
 - Master pages, xxx, 4, 26, 38, 169, 529–531
 - accessing, 181–183
 - browsers, 180
 - configuring, 179–180
 - content, 172
 - controls, 183
 - creation of, 170–172
 - default content, 174

- defining content areas, 170
- defining page layout, 169–170
- device-specific, 180–181
- event ordering, 181
- exposing properties, 182
- globally attaching to page, 179–180
- identifying, 363
- late bound access, 183
- Master directive, 171
- nested, 174–178
- placeholders, 171
- programmatically setting, 181
- selecting, 172
- strong typed access, 181–182, 363
- submaster pages, 175–178
- top-level, 175
- usage, 172–174
- visual inheritance, 29, 38
- Master property, 181
- Master-detail page, 145–146
- MasterPageFile attribute, 180, 364–365
- masterPageFile attribute, 530
- MasterPageFile directive, 363
- MasterType directive, 182–183, 363, 365
- maxBatchGeneratedFileSize attribute, 47
- maxBatchSize attribute, 47
- maxBufferSize attribute, 566
- maxBufferThreads attribute, 566
- maxDiskPercentTotal attribute, 538
- maxEventDetailsLength attribute, 567
- maxFlushSize attribute, 566
- maxLimit attribute, 569
- maxPageStateFieldLength attribute, 530
- MaxRecordsParameterName property, 99
- maxSizePerApp attribute, 538
- maxWaitChangeNotification attribute, 528
- .mdw file extension, 529
- meetings-help.htm file, 321
- Membership, xxx, 253
 - application configuration files, 544
 - authentication, 271
 - changing default settings, 232–233
 - configuring, 210, 544
 - deleting users, 222–223
 - Forms Authentication, 206–208
 - Personalization and, 271
 - question/answer support, 233
 - setting up, 209
 - System.Web.Security.MembershipProvider class, 279
 - updating user's properties, 221–222
 - User class, 221
 - user stored in, 218–221
 - validating user credentials, 213
- Membership APIs, 9, 209
 - retrieving users, 213–218
 - usage, 207
 - user creation, 209–213
- Membership class, 207–208
- Membership providers, 9, 208–209, 211
- <membership/> section, 544
- MembershipCreateUserException
 - exception, 213
- Membership.CreateUser() method, 213
- Membership.GetAllUsers() method, 215
- Membership.UpdateUser() method, 221
- MembershipUser class, 214, 218–221
- MembershipUserCollection collection, 215
- Membership.ValidateUser() API, 224
- Membership.ValidateUser() method, 207, 213, 226
- Memory, 508
- Menu control, 188, 200–201, 407
- Menu items and Web Parts, 334–335
- Menu navigational control, 189
- Menu systems, 407
- MenuCheckImageUrl property, 333
- MenuDropDownImageUrl property, 333
- MenuItem elements, 201
- MenuItemLabelText property, 333
- MenuItemPopupImageUrl property, 333
- Menus, 183–184, 200–201
- MenuStyle property, 333
- Meta-data and Web Parts, 321
- meta:localize attribute, 385
- meta:resourcekey attribute, 378
- Microsoft Access Personalization provider, 261–268
- Microsoft Mobile Support Web site, 465
- Microsoft SQL Server Personalization provider, 261–268
- Minimize button, 311
- MinimizeVerb property, 332
- minInstances attribute, 569
- minInterval attribute, 569–570
- MMC (Microsoft Management Console)
 - Snap-in, 16
- MMIT (Microsoft Mobile Internet Toolkit), 23, 393, 395–396, 400–401
- MMIT controls, 396
- Mobile browser emulators, 464–465
- Mobile Control classes, 396
- Mobile device controls, 408
- Mobile device emulator, 399–400
- Mobile devices, 2, 393
 - attributes, 455–464
 - banner ads, 485–486
 - built-in support, 57–59

604 ■ INDEX

- Mobile devices, *continued*
 - controls, 455–464
 - details view, 57–58, 489–490
 - device filters, 23
 - dividing pages into sections for, 408
 - DynamicImage control, 425
 - easily accessible links, 471–472
 - formatting data for, 403–404
 - FormView control, 156
 - generating WML output, 398
 - GridView control, 122
 - soft-key buttons, 463–464
 - soft-key support, 455, 487
 - state, 531–533
 - summary view, 57–58, 489–490
 - support controls, 23
 - support for, 22–24, 396, 471–472, 489–490
 - tables, 57–58
 - templates, 23–24
 - viewstate, 395
 - mobile namespace, 400
 - mobile namespace prefix, 396
 - Mobile pages controls, 396
 - Mobile Phone Simulator, 464
 - Mobile phones, 462–463
 - MobilePage class, 396
 - Mode attribute, 458
 - mode attribute, 532
 - Mode property, 459, 495
 - ModeChanged event, 155
 - ModeChanging event, 155
 - MoveWebPart() method, 328
 - mozilla.master master page, 180
 - <mscorlib/> section, 562
 - Multipage wizards, 406
 - Multiple skins, 288–289
 - Multiple-field primary keys, 107
 - MultiView control, 347, 405, 439–445, 455
- N**
- Name attribute, 74, 83, 97
 - name attribute, 185, 260, 366, 376, 536–537, 539, 541, 544, 546, 548, 551–552, 556, 566, 568–570
 - Namespaces, 530–531
 - namespaces subelement, 530
 - NavigateUrl property, 131, 433, 486, 490
 - navigateUrl property, 560
 - NavigateUrlField property, 483
 - Navigation, 183
 - configuration files for site maps, 186–188
 - linear and nonlinear, 446
 - menus, 183–184
 - numeric navigation links, 458–459
 - between pages, 407
 - showing path, 192–195
 - site map providers, 184–186
 - site maps, 184
 - views with commands, 440–441
 - Navigation controls, 199–201, 406–407
 - NavigationButtonStyle property, 448
 - Nested master pages, 174–178
 - Nested style elements, 121–122
 - NestedTableItemStyle elements, 120–121
 - .NET Framework, xxxiii
 - beta of version 2.0, xxxiv
 - configuration of compilation features, 535
 - extensibility, 388
 - localization support, 377
 - Visual Studio 2005, 377
 - New link, 148
 - NewImageUrl property, 152
 - NewText property, 152
 - NewValues dictionary, 140
 - NextButtonClick event, 451
 - NextImageUrl property, 459
 - NextPageCommandName property, 461–462
 - NextPageText property, 459
 - NextPreviousFirstLast mode, 143
 - NextSibling property, 197
 - NextStepButtonText property, 449
 - NextStepIndex, 450
 - NextViewCommandName property, 444
 - No-code data binding, 94
 - Nodes property, 200
 - NodeStyle element, 200
 - NodeStyle property, 194
 - NodeTemplate property, 194
 - Nokia Mobile Browser, 464
 - Nokia Web site, 464
 - Nonauthenticated users and Personalization, 273–275
 - Nonstandard columns, 133–134
 - noStore attribute, 540
 - Not strongly typed, 255
 - Notification buffer mode, 567
 - n-tier architectures, 94
 - Null values, 107
 - NullDisplayText property, 126
 - Numeric mode, 143
 - Numeric navigation links, 458–459
 - Numeric ordered list, 421
- O**
- ObjectCreated event, 100
 - ObjectCreating event, 100

- ObjectDataSource control, 19, 21, 44, 66, 87, 94–102, 407
- ObjectDataSource() constructor, 100
- ObjectDisposing event, 100
- Objects
 - binding to, 21
 - common tasks applicable to, 34
 - data access, 94
 - managing, 35
- Odbc data factory, 537
- Office 2003, 301
- lists, 405, 418–422
- OldValuesParameterFormatString property, 70, 83
- OleDb data factory, 537
- OnActivate attribute, 442
- OnActiveViewChanged attribute, 442
- OnClick attribute, 348, 421, 435, 487
- OnClick event, 356, 360, 418, 421, 430
- OnClick event handler, 360, 421, 430
- onClientClick event, 363
- OnClientClick property, 487
- OnDeactivate attribute, 442
- On-demand lookup, 254
- OnItemDeleting event attribute, 149
- OnLoadComplete event, 346
- OnPaginated attribute, 459
- OnRowCommand attribute, 141
- OnRowDeleting attribute, 119
- OnTransforming attribute, 89
- Open Web Site dialog, 30
- OpenWave Web site, 464
- Optimistic mode, 69
- Optional Parts section, 316
- Optional Parts Web Part, 315
- OracleClient data factory, 537
- OracleDataSource control, 102
- Organizing code, 44–45
- Output
 - caching, 507
 - nonstandard columns, 133–134
 - <outputCache/> element, 538
 - <outputCache/> subsection, 537
 - Output-cached pages, 515–518
 - OutputCacheSection class, 583
 - <outputCacheSettings/> section, 537, 539
- P**
- <p/> element, 414
- Page adapter, 396
- Page breaks, 462
- Page Catalog Web Part, 315
- Page class, 348, 352, 362, 372
- Page controls, 59–61, 400
- Page counters, 369
 - button-type controls, 488
 - configuring, 374–377
 - integration, 472
- Page design, 402
- Page directives, 6, 172, 287, 290, 363–366, 378–379, 385–386
- Page event, 367
- Page framework, 396, 408
- Page numbers, 459–461
- Page object, 390
- Page Personalization, 279
- Page state, 570, 572–573
- Page template, 4
- Page titles, 366
- Page weightings, 462
- Page-based controls, 404–405
- PageButtonCount property, 458
- PageCatalogPart class, 315, 338
- PageCatalogPart control, 306
- PageCount property, 114, 459–460
- <pageCounters> element, 376
- <pageCounters/> section, 549
- PageCountersModule HTTP module, 527
- Page.GetValidators() method, 348
- pageIndex parameter, 218
- PageIndex property, 110
- PageIndexChanged event, 115
- PageIndexChanging event, 115
- Page.IsValid property, 346
- Page-level directives, 269
- Page-level events, 55
- Page-level property, 6–7
- Page-level resources, 42, 46, 381
- Page_Load event, 19, 181, 296, 356, 360, 412, 501
- Page_Load event handler, 414–415, 424, 440
- Page_PreInit event, 295
- Pager controls, 24, 123
- Pager elements, 109
- Pager navigation control, 115
- PagerButtons enumeration, 459
- Page.RegisterRequiredControlState() method, 571
- PagerSettings element, 123
- PagerSettings property, 115
- PagerStyle attribute, 109
- PagerStyle element, 121, 123
- PagerStyle property, 113
- Pages
 - See also Web pages
 - accessing previous, 343–344
 - accessing Web resources, 389
 - adaptive rendering, 107

606 INDEX

Pages, *continued*

- adding editing features, 318–321
- application configuration files, 529–531
- breaking into smaller pieces, 472
- catalog mode, 314–315
- child controls, 462
- collection of names, 550
- compiling, 42
- counter information logged, 376
- custom, 461–462
- customization theme, 287, 290
- defining layout, 169–170
- design, 318–321
- dividing into small sections, 455–462
- dynamic compilation, 42
- edit mode, 315
- editing Web Parts, 318–321
- headings changes, 366
- inserting content, 495
- life cycle, 48, 346, 367–369
- listing Web Parts, 315–316
- master pages, 172–174, 179–180
- modularized view of information, 300
- navigation between, 342, 407
- new events, 367
- number of controls on, 457
- numeric navigation links, 458–459
- portal, 300
- posting to another, 342–343
- posting to different URL, 470
- scrollable content, 496–498
- server-based <head> tag, 289
- small-screen devices, 456–462
- stylesheet theme, 287, 290–291
- transferring to another in code, 344–345
- type separately compiled and linked to, 363
- validation, 346–349
- Web Parts, 304
- zones, 305
- <pages/> section, 529–531
- pageSize parameter, 218
- PageSize property, 110, 114
- Page-specific resource files, 378
- <pagesToCount> element, 376, 550
- <PageTemplate> declaration, 461
- Page.Validate() method, 348
- PaginateChildren property, 462
- Paging
 - data, 106
 - FormView control, 157
 - GridView control, 123
- Panel control, 292, 313, 325–326, 462, 479, 496–498
- Parameter class, 73–74, 80
- Parameter collection, 20
- Parameter elements, 73
- Parameter section types, 75
- ParameterCollection class, 73, 80–82
- ParameterCollection() constructor, 81
- Parameter() constructor, 80
- ParameterMode property, 426
- Parameters, 20, 76
- Parameters collection, 60
- Parameters property, 426
- ParametersChanged event, 82
- parentId attribute, 401
- ParentLevelsDisplayed property, 194
- ParentNode property, 197
- ParentNodeStyle element, 200
- PartChromeType property, 311, 332
- Partial classes, 41
- Partial keyword, 41
- PartImportErrorLabelText property, 339
- Partitioned data access, 254
- PartStyle property, 333
- PassThrough value, 495
- Password boxes, 405
- Password entry fields, 413–416
- Password field, 414–416
- Password recovery, 406
- Password text box, 406
- PasswordChange event handler, 414
- passwordFormat attribute, 211, 233, 544
- PasswordQuestion property, 221
- PasswordRecovery control, 8, 231–234, 406
- Passwords
 - changing, 219–220
 - mailing to user's address, 231
 - question and answer changes, 219
 - recovering, 8, 231–234
- path attribute, 538
- PathDirection enumerations, 194
- PathDirection property, 194
- PathSeparator property, 194
- PathSeparatorStyle property, 194
- PercentScreenCover property, 425–426
- Performance, xxxi–xxxii
- Permissions, 249, 251
- Personalization, xxx, 72, 253, 529–531
 - applications, 318
 - catalog mode, 314
 - configuring, 256–259, 259–261
 - configuring group, 259
 - data access optimizations, 268–271
 - data model, 279–280
 - data stored in, 269
 - dictionary based, 255–256
 - extensible data store, 254

- features, 9–10
- goals, 254
- key-based access, 255
- key/value pairs, 255
- migrating anonymous user to
 - authenticated users, 275
- nonauthenticated users, 273–275
- not strongly typed, 255
- on-demand lookup, 254
- partitioned data access, 254
- properties for anonymous users, 273–274
- property attributes, 260–261
- provider design pattern, 280
- retrieving data, 270–271
- setting up databases for, 261–268
- storing and retrieving user data, 255–271
- storing data types, 256
- storing databases, 43
- strongly typed properties, 254
- System.Web.ProfileProvider class, 279
- themes, 10–11, 293–295
- vs. session state, 269–271
- Web Parts, 302–304, 306
- Personalization Profile, 251, 550–552
- Personalization property, 327
- Personalization providers
 - adding and removing, 557
 - configuring, 270
 - custom, 276–279
 - example, 280–283
 - supported security models, 262
 - writing, 279–284
- Personalization-Enabled attribute, 318
- PersonalizationProvider attribute, 364
- Personalizing Web sites, 9–11
- Pessimistic mode, 69
- Phone calls, initiating, 455
- Phone-enabled devices, 408, 455
- PhoneLink control, 24, 371, 408, 455, 462–463
- PhoneNumber property, 463
- Pink skin, 286
- pollTime attribute, 541
- PolygonHotSpot control, 431, 434
- PolygonHotSpot type, 429
- PopFrequency property, 483
- PopPositionLeft property, 483
- PopPositionTop property, 483
- Pop-under ads, 483–484
- Pop-up ads, 483–484
- Portal applications performance demands, 301
- Portal framework, 11–14, 300–306
- Portals, 11–14, 300
- Portal-style pages, 406
- Postback architecture, 341, 470
- Postback event, 293
- Postback to server, 416
- PostBackUrl property, 343, 346, 470
- PostBackValue property, 433
- PostedFile property, 437
- Posting
 - to another application, 346
 - to another page, 342–343
- PostTargetUrl attribute, 343
- Pre-compilation, xxxi, 25, 48–51
- Precompile.axd handler, 528
- Precompile.axd URL, 48
- PreInit event, 11, 181, 290, 293, 361, 367
- PreLoad event, 367
- Premium role, 235
- PremiumContent.aspx file, 235
- PreRender event, 367
- PreRenderComplete event, 367
- preserveForm parameter, 345
- Previous pages, accessing, 343–344
- PreviousButtonClick event, 451
- PreviousImageUrl property, 459
- PreviousPage property, 342–346
- PreviousPageCommandName property, 461–462
- PreviousPageText property, 459
- PreviousPageType directive, 343–344, 363, 365
- PreviousSibling property, 197
- PreviousStepButtonText property, 449
- PreviousViewCommandName property, 445
- <processModel/> section, 562
- Product List Web Part, 307, 313
- Products class, 94
- Products table, 513
- Products_AspNet_SqlCacheNotification_Trigger trigger, 513
- Products_Table cache entry, 518
- Products_Table cache key, 518
- Products.vb file, 94
- Profile API, 254, 261, 271
- profile attribute, 569–570
- Profile category, 560
- Profile class, 256, 258
- <profile/> configuration section, 583
- <profile/> element, 261
- Profile HTTP module, 527
- Profile properties, 551–552
- profile providers, 551
- <profile/> section, 256–258, 276–277, 284–286, 550–552
- Profile.GetProfile (username) API, 261

608 ■ INDEX

- ProfileMigrateEventArgs.AnonymousId property, 275
 - ProfileParameter control, 72, 75
 - ProfileProvider class, 280
 - Profiles, 10
 - application configuration files, 568–569
 - attributes, 551
 - configuring properties, 284
 - culture as property, 387
 - Language property, 387
 - mappings, 569–570
 - storing theme in, 295
 - <profiles/> section, 568–569
 - ProfileSection class, 583
 - Programming
 - for different types of devices, 394–395
 - model, 301
 - Project-less development, 30
 - Properties, prefixing with device name, 402–403
 - Properties dialog, 263
 - <properties/> section, 258–259, 551
 - Properties window, 167
 - <property/> element, 259–261
 - PropertyGridEditorPart class, 338
 - PropertyGridEditorPart control, 317, 321
 - PropertyName property, 75
 - PropertySettings() method, 583
 - Protected data, 560–562
 - <protectedData/> section, 560–562
 - <protectedDataSections/> element, 563
 - Protocol bindings, 552–553
 - Provider attribute, 187
 - provider attribute, 260, 552, 569–570
 - Provider category, 560
 - Provider design pattern, 254, 276–278, 280
 - Provider layer, 208
 - Provider property, 199, 221
 - ProviderBase base class, 278–279
 - ProviderName constructor, 86
 - ProviderName property, 66, 68, 168
 - providerName property, 536
 - Providers, 208
 - application configuration files, 567
 - attributes, 278
 - configuring Web Parts as, 322
 - custom, 276–279, 283
 - default, 276–277
 - deriving from ProviderBase base class, 278–279
 - feature-specific interface implementation, 279
 - initialization standard, 279
 - managing in configuration, 277–278
 - mappings, 569–570
 - object-oriented principles of abstraction, 276
 - <providers/> element, 185, 375, 532
 - Providers property, 199
 - <providers/> section, 557, 567
 - providerSpecificSettings attribute, 544, 547, 551
 - Public Property, 343
 - Public Zone classes, 325
 - PublicProperty, 182
 - Publishing Web sites, 39
- ## Q
- QueryString collection, 74
 - QueryStringField property, 75
 - QueryStringParameter control, 72, 75
- ## R
- R380 WAP Emulator, 464
 - Radius property, 430, 434
 - RaiseCallbackEvent, 354, 357
 - ReadOnly property, 90, 93, 126
 - readOnly property, 260, 552
 - RectangleHotSpot control, 430, 434
 - RectangleHotSpot type, 429
 - Reference directive, 363
 - Register directive, 305–306
 - Register section, 348
 - RegisterClientScriptBlock parameter, 351
 - RegisterClientScriptInclude() method, 352
 - Registering script blocks, 351–352
 - RegisterStartupScript parameter, 351
 - regularFlushInterval attribute, 566
 - rel attribute, 413
 - Relational databases
 - access requirements, 65–66
 - accessing, 66–84
 - compatibility, 168
 - read and update access, 407
 - <remove> element, 277–278
 - RemoveAt() method, 82
 - Remove() method, 81
 - RemoveUserFromRole() method, 242
 - RemoveUserFromRoles() method, 242
 - RemoveUsersFromRole() method, 242
 - RemoveUsersFromRoles() method, 242
 - Render event, 395
 - RenderCurrentNodeAsLink property, 194
 - Render() method, 395
 - Repeater control, 156, 165, 403, 479
 - Request (HttpRequest) class, 401
 - Request.AnonymousId property, 273
 - Request.Form collection, 72

- requestLengthDiskThreshold attribute, 527–528
- requestPriority attribute, 528
- Request.QueryString collection, 72
- requireRoutedSaveAsPath attribute, 527–528
- requiresQuestionAndAnswer attribute, 211, 234, 544
- requireSSL attribute, 543, 559
- requiresUniqueEmail attribute, 211, 544
- Reset button, 405, 413–418
- ResetClick event handler, 416
- ResetPassword() methods, 220
- ResizeOnServer property, 425–426
- Resource files, 42, 378
- Resource keys, 378–379, 388
- Resource Manager, 380, 387
- ResourceManager object, 377
- ResourceProviderFactory class, 388
- Resources, 25
 - application, 46
 - assigning to edited property, 382–383
 - code-free localization, 377–386
 - key/value pair, 382
 - localization, 377–388
 - page-level, 46
 - programmatically access of, 387–388
 - referencing, 377
 - .resx file format, 377
 - shared, 46, 384
 - theme directory, 289
- resources directory, 25
- Resources expression builder, 541
- Resources namespace, 387
- Response.Cache API, 516–517
- responseHeaderEncoding attribute, 529
- Responsive interfaces, 352–361
- Restore button, 311
- RestoreVerb property, 332
- result parameter, 354
- RESX editor, 378–379
- .resx files, 22, 377, 379–381, 386
- Rich controls, 405–406
- Rich user experience, 301
- Right property, 430, 434
- Role caching, 244–245
- Role Manager, xxx, 9
 - application configuration files, 553–554
 - configuring, 235–237
 - provider, 235, 244
 - role caching, 244–245
 - setting up, 235–237
 - System.Web.Security.RoleProvider class, 279
- Role Manager providers, 554–555
 - <rolegroups /> section, 231
 - RoleManager HTTP module, 527
 - <roleManager /> section, 553–554
- Roles, 553–554
 - adding users, 239–240, 249
 - configuring, 234–235
 - creation of, 237–238
 - deleting, 242–244
 - displaying content based on, 229–231
 - management, 234–245, 249, 251
 - permissions, 249
 - programmatically checks for user, 242
 - removing users from, 242
 - returning user's, 240–241
 - string array of, 241
 - URL-based authorization, 234–245
 - viewing, 237–238
- Roles API, 237–238
- roles attribute, 187
- Roles property, 197
- Roles.AddUserToRole() method, 239, 240
- Roles.CreateRole() method, 238
- Roles.DeleteRole() method, 242
- Roles.GetAllRoles() method, 240, 244
- Roles.GetRolesForUser() method, 241, 242
- Roles.GetUsersInRole() method, 241
- RootNode property, 197, 199
- RootNodeStyle element, 200
- RootNodeStyle property, 194
- RootNodeTemplate property, 194
- Row headers, 502
- RowCancelingEdit event, 116
- RowCommand event, 116, 137, 141–142
- RowCreated event, 116
- RowDataBound event, 116
- RowDeleted event, 117
- RowDeleting event, 116, 119–120
- RowEditing event, 117
- RowFields collection, 156
- RowFields property, 151, 157
- RowFilter property, 70, 93
- RowHeaderColumn property, 111
- Rows
 - automatic insert operations for, 107
 - deleting, 61, 63
 - displaying, 63, 142–156
 - editing, 146–150
 - generating, 64
 - inline editing, 61
 - inserting, 146–150
 - paging capabilities, 56
 - scrolling through, 63
 - selecting or filtering, 59–61
 - sorting capabilities, 56

610 INDEX

Rows property, 114, 151
 RowsAffected property, 78
 Rowsets, 106–142
 rowsPerDay application, 549
 RowsPerDay property, 371, 433, 472, 483
 rowsPerDay property, 375, 548
 RowStyle attribute, 109, 113
 RowStyle element, 121, 144
 RowToFieldTransformer transformer, 558
 RowToFilterTransformer transformer, 558
 RowToParameterTransformer transformer, 558
 RowUpdated event, 117
 RowUpdating event, 117, 140
 RSAProtectedConfigurationProvider provider, 561
 RSAPublicKey attribute, 561
 Rules for application configuration files, 569–570
 <rules/> section, 569–570
 runat="server" attribute, 412
 Runtime
 hiding controls at, 386
 .resx files, 380
 selecting interface at, 405
 site maps, 198–199
 SqlDataSource control, 76–82
 <runtime/> section, 562

S

Sample web.SiteMap file, 187
 Sample.aspx file, 378
 Sample.aspx.fr.resx file, 379–380, 386
 Sample.aspx.resx file, 378
 Satellite code, 25
 <satelliteAssemblies/> section, 562
 SaveAs() method, 437
 SaveControlState() method, 571
 Save() method, 91, 93–94
 Scalable applications and caching, 508
 ScaleMode property, 425–426
 Schema and DataSetDataSource control, 93
 Schema property, 90
 SchemaFile property, 90
 Scripting attacks, protecting against, 61
 scopeName attribute, 555
 Script includes, 351–352
 scriptDownloadInterval attribute, 526
 scriptDownloadTimeout attribute, 526
 Scripts
 client-side features, 351–361
 registering blocks, 351–352
 Scrollable content, 496–498
 ScrollBars attribute, 496
 ScrollBars enumeration, 496
 Section encryption tool, 562–564
 Security
 authenticating users, 7
 configuring, 248–249
 cookieless forms authentication, 245–246
 Forms-based authentication, 203–206
 management, 249, 251
 membership, 206–223
 Role Manager, 234–245
 security server controls, 224–234
 Web Site Administration Tool, 247–251
 Web sites, 7–9
 Security category, 560
 Security controls, 224–234
 securityTrimmingEnabled attribute, 547
 Select command, 117
 SelectCommand attribute, 60
 SelectCommand property, 19, 69–70, 83, 160
 SelectCountCommand property, 69, 83
 SelectCountMethod property, 99
 Selected event, 78, 84, 101
 Selected Value property, 146
 SelectedCountry property, 344
 SelectedDataKey property, 114
 SelectedIndex property, 111, 150, 422
 SelectedIndexChanged event, 117
 SelectedIndexChanging event, 117
 SelectedItem property, 422
 SelectedNodeStyle element, 200
 SelectedPartChromeStyle attribute, 312, 319
 SelectedRow property, 114
 SelectedRowStyle element, 121
 SelectedValue property, 60, 114
 SelectedWebPart property, 327
 SelectedWebPartChanged event, 330
 SelectedWebPartChanging event, 330
 SelectImageUrl property, 136
 Selecting event, 78, 84, 101
 Select() method, 77, 99, 164
 Select() (XPathSelect) method, 163–164
 SelectMethod property, 99
 <SelectParameters> element, 69
 SelectParameters property, 69, 73, 80, 83
 SelectText property, 136
 Self-describing interface, 65
 serializeAs attribute, 260, 552
 Server controls, xxx, 3, 23, 54, 408–409
 changing behavior and markup generated, 402
 connecting to data source control, 65
 DataSourceID attribute, 55
 OnClick event, 362
 resource key, 378

- unique ID, 158
 - Web Parts, 304
- Server event, 362
- Server Explorer, 29, 35–37, 166
- Server-based <head> tag, 289
- ServerChange event, 414
- ServerClick event, 414, 416
- ServerClickHandler property, 335
- serverName attribute, 556
- serverPort attribute, 556
- Servers
 - code intermediary with client code, 352–361
 - postback to, 416
 - quick access to functionality, 361
 - uploading files to, 434–437
 - Server-side data binding, 53
 - Server-side event handler, 415, 417
 - Server-side events, calling asynchronously, 352–361
 - Server-side form, 397, 434
 - Server-side <form> element, 408
 - Server.Transfer() method, 342, 344–345
- Session, 520
- Session state, 256
 - application configuration files, 531–532
 - application events, 269
 - locking and reading, 269
 - plugability, 570, 573–575
 - replacing, 573
 - storing, 573
 - vs. Personalization, 269–271
- Session State ID module, 573
- Session store, locking data, 269
- SessionField property, 75
- SessionID HTTP module, 527
- SessionIDModule class, 573, 575
- <sessionPageState/> element, 531–533
- SessionPageStatePersister persister, 572
- SessionParameter control, 72, 75
- SessionState dictionary, 570
- <sessionState/> section, 531–532
- SessionStateModule class, 573
- SessionStateStoreItem class, 575
- SetActiveView() method, 442, 445
- SetFocus() method, 362
- SetFocusOnError property, 349, 471
- SetQandA_Click event, 221
- shared attribute, 540
- Shared resources, 21, 46, 384
- SharePoint, 301
- SharePoint Server, 11
- SharePointDataSource control, 102
- ShowCancelButton property, 135–136
- ShowDetails event handler, 141
- ShowEditButton property, 136
- ShowFooter property, 111
- ShowHeader property, 111, 126
- ShowInsertButton property, 152
- ShowPage event handler, 459–460
- ShowSelectButton property, 136
- ShowStartingNode property, 189, 191
- ShowTitleIcons property, 333
- ShowToolTips property, 194
- ShowView event handler, 442
- shutdownTimeout attribute, 542
- SideBarButtonClick event, 451
- SideBarEnabled attribute, 447
- SideBarStyle property, 448
- SideBarTemplate template, 449
- Simplified data binding syntax, 158, 161–166
- Site counter providers, 375
- Site counters
 - application configuration files, 547–550
 - banner ads, 484
 - button-type controls, 488
 - configuration properties, 375
 - configuring, 374–377
 - configuring counter database, 376–377
 - database columns, 369–370
 - database provider properties, 376
 - database schema, 370
 - integration, 472
 - manually adding URLs, 374
 - properties added to controls, 371
 - System.Web.SiteCountersProvider class, 279
 - usage, 371–374
- Site Counters API, 372–374, 484
- Site Counters Service, 369
 - AdRotator control, 483
 - configuring, 547–550
 - configuring page tracking, 549
 - controls with built-in support for, 371
 - ImageMap control, 433
- Site map providers, 184–186, 546–547
- Site maps, 184
 - additional storage, 186
 - application configuration files, 546–547
 - binding controls to, 188
 - building treelike structure, 197
 - configuration files, 186–188
 - current node, 193
 - data source, 188
 - handling, 189–192
 - not showing starting node, 191
 - offset from starting node, 191
 - parent nodes, 193

612 INDEX

- Site maps, *continued*
 - runtime, 198–199
 - setting starting point, 192
 - showing path, 192–195
 - splitting information among sources, 187
 - starting at currently selected node, 191
 - <system.web> section, 184
 - System.Web.SiteMapProvider class, 279
 - usage, 188
- Site master page, 176
- Site Server Personalization model, 255
- SiteCounter methods, 373
- SiteCounterProvider property, 483
- siteCounters, 548
- SiteCounters property, 372
- <siteCounters/> section, 547–550
- SiteCounters table, 484
- SiteCountersProvider properties, 371, 472
- SiteCountersProviderCollection collection, 372
- SiteMap class, 198–199
- siteMap element, 185–186
- .sitemap file extension, 529
- SiteMap property, 198
- <siteMap/> section, 546–547
- SiteMapDataSource control, 66, 87, 188–192, 199, 407
- SiteMapFile attribute, 185, 187
- siteMapNode elements, 186–187
- SiteMapNode object, 197–198
- SiteMapNode property, 196
- SiteMapNodeCollection collection, 197
- SiteMapNodeItem type, 195–196
- SiteMapNodeItemEventArgs, 195
- SiteMapPath control, 192, 193–197, 407
- SiteMapProvider attribute, 189
- SiteMapProvider class, 186
- SiteMapProvider property, 194
- Site-wide themes, 46, 297
- Skin details, 6
- Skin directive, 363
- .skin file extension, 6, 529
- Skin files, 288–289, 293, 363
- SkinID property, 109–110, 113, 287–289, 291–292, 472
- Skining, xxx, 295–296
- Skins, 5–6, 6–8, 43, 286–289, 291–293
- Small-screen devices
 - built-in support, 57–59
 - details view, 489–490
 - dividing pages into sections for, 408
 - FormView control, 156
 - GridView control, 122
 - images, 423–427
 - pages, 456–462
 - summary view, 489–490
 - tables, 498–505
- SmartPhone Emulator, 464
- <smtpMail /> configuration options, 231
- smtpMail class, 555–556
- <smtpMail/> section, 555–556
- Soft keys, 487
- Soft-key buttons, 463–464
- Soft-key support for mobile devices, 455
- SoftKeyLabel property, 24, 379, 384, 455, 463–464, 471–472, 487, 490
- Solution Explorer, 32, 378
- Sort property, 93
- SortDirection enumeration, 114
- SortDirection property, 114
- Sorted event, 119
- SortExpression property, 84, 114, 126, 138
- Sorting
 - data, 106
 - rows, 56
- Sorting event, 117
- SortParameterName property, 70, 83
- Source code view, 33
- Source editor, 34
- Source files, automatic compilation, 525
- Source view, 34, 385
- element, 488
- Special characters, 366
- Special controls, 66
- Speed, xxxi–xxxii
- SQL cache invalidation, 512–514
- SQL databases, 266
- .sql scripts, 266–267
- SQL Server, 573
 - configuring, 267
 - enterprise-level Internet applications, 265
 - InstallSiteCounters.sql SQL script, 377
 - Membership providers, 209
 - support for, 9
 - table dependencies, 540
 - Windows Integrated Authentication, 268
- SQL Server 7
 - database cache invalidation, 509–510
 - database dependencies, 519
 - sqldependency, 516
- SQL Server 2000
 - database cache invalidation, 509–510
 - database dependencies, 519
 - sqldependency, 516
- SQL Server 2005
 - database cache invalidation, 509–510
 - database dependencies, 519–520
 - sqldependency, 516

- SQL Server and Access Membership, 544
- Sql Server cache, 514–515
- SQL Server database, 510
- SQL Server Personalization provider, 265–268
- SQL Server providers, 375, 555
- SQL server-based cache dependency, 509
- SQL ServerSetup Wizard, 265–266, 268
- SQL statements, 71–72
- SqlBatchModule HTTP module, 527
- SqlCachedDependency constructor, 86
- SqlCacheDependency class, 514, 517–520
- SqlCacheDependency property, 71
- <sqlCacheDependency/> section, 515, 540–541
- <sqlCacheDependency> subsection, 537
- SqlCacheDependencyAdmin class, 510
- SqlClient data factory, 537
- sqlCommandTimeout attribute, 532
- SqlDataSource control, 19, 55, 65–66, 87, 110, 166, 168, 407
 - automatically creating and formatting, 35
 - binding AdRotator control to, 487
 - configuring, 167
 - constructors, 79
 - data-bound controls, 76
 - declaring, 66–68
 - events, 77–79
 - FilterParameters, 76
 - inserting and editing rows, 147
 - interface, 68
 - master-detail pages with filtered, 145–146
 - methods, 77
 - parameters, 71–76, 80
 - properties and attributes, 68–71
 - ProviderName property, 66
 - runtime, 76–82
 - SQL Server-specific connection, 66
- SqlDataSource() constructor, 79
- SqlDataSourceView constructor, 82–84
- sqlDependency attribute, 540
- sqlDependency attribute, 509, 515–516
- SqlWebEventProvider provider, 567
- Src attribute, 365
- Standard ASP.NET User Controls, 306
- Standard form-based controls, 404–405
- Standard pages and controls, 396
- startEventCode attribute, 568
- StartFromCurrentNode property, 189, 191
- StartingNodeOffset property, 189, 191
- StartingNodeUrl property, 189, 192
- StartNavigationTemplate template, 449
- StartRecordParameterName property, 99
- <startup/> section, 562
- State management, 570–575
- State persistence, 570
- State Server, 573
- Static files, pre-compilation, 49
- Static methods, 207–208
- Static text markup and localization, 385
- StaticDisplayLevels property, 200
- StaticHoverStyle element, 201
- StaticMenuItemStyle element, 201
- StaticMenuStyle element, 201
- StaticSelectedStyle element, 201
- StepNavigationTemplate template, 449
- StepStyle property, 448
- storageExpiration attribute, 428, 543
- storagePath attribute, 428, 543
- storageType attribute, 428, 542
- Stored procedures, 71–72
- Strict attribute, 365
- String property, 74
- String values, 382
- Strings category, 379
- Strongly typed access, 254
- Style object, 193, 333
- Styles
 - controls, 5–7
 - wizards, 448–450
- Stylesheet themes, 6, 287, 290–293
- Stylesheets, 289–291
- StylesheetTheme attribute, 6, 287, 290–291, 530
- Subfolders, 44–45
- Submaster pages, 175–178
- Submit buttons, 405, 413–416, 438
- SubmitClick event handler, 414
- SubmitDisabledControls attribute, 363, 470
- Subobjects and localization, 381
- Summary column, 499
- Summary view, 57–59, 456, 489–490, 499
- SummaryTitleStyle style element, 122
- SummaryViewColumn attribute, 59, 111, 122, 489
- SummaryViewColumnIndex property, 502
- Supplies site provider, 547
- support attribute, 537
- SupportCallbacks, 353
- SupportsXmlHTTP, 352–353
- SwitchViewByIDCommandName property, 445
- SwitchViewByIndexCommandName property, 445
- Symbian Web site, 464
- SyncChanges method, 338
- System namespace, 530
- <system.codedom/> section, 47, 535

614 ■ INDEX

- System.Collections namespace, 530
 - System.Collections.Specialized namespace, 530
 - System.ComponentModel namespace, 530
 - System.Configuration namespace, 530, 582
 - <system.data/> section, 68, 536–537
 - System.Data.Parameter Direction enumeration, 74
 - <system.runtime.remoting/> section, 562
 - System.Text namespace, 530
 - <system.web/> configuration section
 - group, 184, 515
 - System.Web.Caching namespace, 508, 510, 518, 521
 - System.Web.Compilation namespace, 50
 - System.Web.Configuration namespace, 582–583
 - System.Web.dll assembly, 261
 - System.Web.Hosting.AspNetHttpWorkerRequestHandler, 553
 - System.Web.Management.WebApplicationLifetimeEvent event, 568
 - System.Web.Management.WebAuditEvent event, 568
 - System.Web.Management.WebBaseErrorEvent event, 568
 - System.Web.Management.WebBaseEvent event, 568
 - System.Web.Management.WebErrorEvent event, 568
 - System.Web.Management.WebEventProvider class, 279
 - System.Web.Management.WebFailureAuditEvent event, 568
 - System.Web.Management.WebHeartBeatEvent event, 568
 - System.Web.Management.WebRequestEvent event, 568
 - System.Web.Management.WebSuccessAuditEvent event, 568
 - System.Web.Personalization namespace, 261
 - System.Web.Profile.ProfileProvider class, 280
 - System.Web.ProfileProvider class, 279
 - System.Web.Security.MembershipProvider class, 279
 - System.Web.Security.RoleProvider class, 279
 - System.Web.SiteCountersProvider class, 279
 - System.Web.SiteMapProvider class, 279
 - System.Web.UI.Control class, 297, 409
 - System.Web.UI.HtmlControls namespace, 65, 408, 473
 - System.Web.UI.WebControls namespace, 65, 326, 408, 472, 474–481
 - System.Web.UI.WebControls.Parameter class, 73
 - System.Web.UI.WebControls.WebParts.PersonalizationProvider class, 279
- T**
- tab parameter, 350
 - Table control, 456, 479–480, 498–505
 - Table controls
 - enhancements, 473–481
 - TableCaptionAlign enumeration, 112
 - TableCell control, 480, 498–505
 - TableFooterRow control, 500
 - TableHeaderCell control, 498–505
 - TableHeaderRow control, 500
 - TableItemStyle, 127
 - tableName parameter, 519
 - Tables, 106–142, 145
 - captions, 468
 - code to build, 500–501
 - column headers, 469, 502
 - deleting rows, 63
 - details column, 499–500
 - details view, 57–58
 - displaying rows, 63, 167
 - maximizing accessibility, 502–505
 - mobile devices, 57–58
 - multiple views, 471
 - preventing editing of key values, 62–63
 - row headers, 502
 - scrolling through rows, 63
 - small-screen devices, 498–505
 - SQL cache invalidation, 512–513
 - SQL cache invalidation listing, 513–514
 - standard HTML, 499
 - summary column, 499
 - summary view, 57–58, 499
 - three views of content, 499–500
 - understandable contents, 469
 - TableViewMode enumeration, 501
 - Tag controls
 - defining, 531
 - target attribute, 419
 - target parameter, 355
 - Target property, 131, 419, 422, 432–433
 - TargetSchema attribute, 364–365
 - Task-centric controls, 408
 - Tasks panel, 34
 - <td> element, 503
 - Telecom providers gateway software, 394
 - Template object, 193
 - Templated controls, 164–165
 - Templated server controls, 3
 - TemplateField column, 125, 133–134, 139–140
 - TemplateField control, 144, 150, 152
 - Templates, 3–4
 - custom paging, 107

- declaring for FormView control, 157–161
 - formView control, 156–161
 - interface, 8, 406
 - LoginView control, 231
 - mobile devices, 23–24
 - Repeater control, 156
 - wizards, 448–450
 - Temporary user session data, 269
 - Text property, 128–131, 138, 335, 379, 384, 412, 417
 - TextBox controls, 123, 159–160, 413, 415, 458, 480
 - automatically populating, 469
 - columns, 125
 - hidding for French culture requests, 386
 - <th> elements, 111, 127, 503
 - Theme attribute, 6, 287, 364
 - theme attribute, 530
 - Theme directory resources, 289
 - Theme property, 290
 - Themes, xxx, 6, 46, 529–531
 - adding to Web sites, 297
 - applying to controls, pages, and sites, 5
 - controls, 286–287
 - creation of, 287–288
 - custom controls, 297
 - customization, 287
 - customizing appearance of site or page, 5
 - default look, 286
 - definition of, 286–287
 - disabling, 296
 - event ordering, 293
 - filtering, 290
 - global, 287
 - images, 288
 - imposing structure, 287
 - integration, 472
 - local, 46, 287
 - page-level property, 6–7
 - Personalization, 10–11, 293–295
 - programmatically setting, 290
 - setting with client callbacks, 361
 - site-wide, 46
 - skins, 6, 286
 - storing, 43, 286, 295
 - stylesheets, 287, 289–290
 - suggesting structure, 287
 - Themes directory, 6, 286–288
 - Theming
 - GridView control, 109–110, 113
 - popularity of, 5
 - Web sites, 5
 - Third-party Web Parts, 301
 - three-tier architectures, 94
 - Time: event, 521
 - Time dependency, 508
 - Timeouts for hosted environments, 542
 - Timestamp and data store, 214
 - title attribute, 187, 413, 560
 - <title> element, 366, 405, 411–413
 - Title property, 197, 312, 337, 364–366
 - TitleIconImageUrl property, 337
 - ImageUrl property, 337
 - TollZone class, 330
 - Toolbox, 32
 - Tools.vb file, 44
 - ToolTip property, 379
 - Tooltip text, 430
 - Top property, 430, 434
 - Top-level master pages, 175
 - TopPagerRow property, 114
 - ToString() method, 80
 - TotalPosts property, 258, 270
 - totalRecords parameter, 218
 - trackApplicationName application, 549
 - TrackApplicationName properties, 371, 433, 472, 483
 - TrackNavigateUrl properties, 372, 433, 472, 483, 490
 - trackPageUrl application, 549
 - TrackPageUrl property, 372, 433, 472, 483
 - Transform property, 90
 - Transform value, 495
 - TransformArgumentList property, 91
 - <transformers/> section, 558
 - TransformFile property, 90
 - Transforming event, 91
 - TreatEmptyStringAsNull property, 126
 - TreeNode elements, 200
 - TreeNodeBinding elements, 200
 - TreeNodeStyle elements, 199
 - TreeView control, 87, 188–189, 199–201, 289, 389, 407
 - TreeView navigational control, 189
 - txtState control, 20
 - type attribute, 185, 261, 366, 413, 526, 533, 537, 544, 546, 548, 551–553, 568
 - Type property, 74, 555
 - type property, 375, 376, 409
 - Typed data sets, 42, 46
 - typeName attribute, 183, 556
 - TypeName property, 98, 365
- ## U
- UI controls, 165
 - UI elements, 316
 - UICulture attribute, 379–380
 - lists, 405, 418–422
 - Unified control and adapter architecture, 396–404

616 INDEX

- UnitPrice column, 140
 - Update link, 62
 - UPDATE statement, 147, 158–159
 - UpdateCommand attribute, 61–62, 62, 160
 - UpdateCommand property, 69, 83, 165
 - Updated event, 79, 84, 102
 - UpdateImageUrl property, 135
 - Update() method, 77, 84, 99, 583
 - UpdateMethod property, 99
 - UpdateMode property, 69–70, 83
 - <UpdateParameters>, 69
 - UpdateParameters property, 69, 73, 83
 - UpdateText property, 135
 - UpdateValues() method, 82
 - Updating
 - data, 64, 93–94, 106
 - data store, 271
 - XML data, 93–94
 - Updating event, 79, 84, 102
 - UploadButtonText property, 339
 - UploadHelpText property, 339
 - Uploading files to servers, 434–437
 - urgentFlushInterval attribute, 566
 - urgentFlushThreshold attribute, 566
 - url attribute, 187, 556–557
 - URL mappings, 349–350, 556–557
 - Url property, 197
 - url property, 350
 - URL-based role authorization, 234
 - urlLinePragmas attribute, 525
 - urlMappings properties, 350
 - <urlMappings/> section, 556–557
 - URLs
 - configuring, 556–557
 - easy-to-remember, 349–350
 - manually adding to site counters, 374
 - UseAccessibleHeader property, 111, 469, 490
 - useDefaultConditionalsForScriptDownload attribute, 526
 - UseDeviceProfile option, 272
 - useMachineContainer attribute, 561
 - useMachineProtection attribute, 561
 - useOAEP attribute, 561
 - User accounts, 8
 - User credentials
 - authenticating, 225–227
 - storing, 253
 - validating, 213
 - User interface, 8
 - User profiles, 10
 - User-delectable localization, 386–387
 - User.Identity.Name value, 271
 - userIsOnline parameter, 214
 - userIsOnlineTimeWindow attribute, 544
 - username parameter, 214
 - Username property, 221
 - Username textbox, 406
 - Usernames, encrypting, 206
 - UseRri option, 272
 - Users, 263
 - adding, 249
 - authenticating, 7
 - authentication status, 406
 - changing password, 219–220
 - creation of, 224–225
 - deleting, 222–223
 - displaying all, 216–218
 - displaying name of logged in, 231
 - fetching logged-on, 214–215
 - importing and exporting settings, 29
 - information about, 220–221
 - login, 225–227
 - login status, 227–231
 - management, 249, 251
 - Membership, 213–221
 - Membership API creation, 209–213
 - permissions, 249
 - question and answer changes, 219
 - recovering passwords, 231–234
 - retrieving data, 255–271
 - roles, 239–242
 - selecting skins, 293
 - storing data, 253, 255–271
 - temporary session data, 269
 - unique identity for anonymous, 271–273
 - updating properties, 221
 - validating, 8–9
 - users/roles attribute, 559
 - User-to-role mappings, 244–245
 - UserWebPart class, 322
 - UseSubmitBehavior property, 470
- ## V
- validate attribute, 553
 - ValidateEmptyText property, 349, 471
 - Validate() method, 347
 - ValidateUser() method, 213
 - Validation, 346–349
 - Validation controls, 125, 346–349, 470–471
 - Validation groups, 347–348, 470–471
 - ValidationGroup property, 129, 136, 347–348, 422, 470–471
 - ValidationSummary control, 481
 - value attribute, 416, 488–489, 556
 - Value property, 419, 438–439
 - ValueChanged event, 437–439
 - varyByControl attribute, 540
 - varyByCustom attribute, 540

varyByHeader attribute, 540
 varyByParam attribute, 540
 VerbButtonType attribute, 311, 332
 Verbs, 334
 Verbs property, 337
 VerbStyle property, 333
 View controls, 405, 439–445, 455
 ViewChanged event handler, 443, 452
 ViewMode property, 501
 Views, 439–445
 counting, 472
 multiple, 439–440
 navigating with commands, 440–441
 Views property, 444
 Viewstate, 346, 395, 571
 VirtualPath attribute, 365
 virtualPath attribute, 183
 Visible property, 126, 332, 335, 338, 379, 384, 386, 445
 Visual Basic .NET files, 25
 Visual inheritance, 38
 Visual properties, customizing, 5
 Visual Studio 2005, xxxiv
 accessibility support, 29
 building data-bound pages, 166–168
 built-in administration, 39
 built-in Web Server, 29
 code separation, 40–41
 code views, 29
 code-behind model, 26, 29
 compilation, 26
 data binding models, 29
 data controls, 26
 database access, 26
 debugging, 26
 declarative programming, 381
 design surface, 34
 design window, 32–34
 designer surface, 29
 drag and drop, 26
 editing files anywhere, 26
 extensibility, 388
 full IntelliSense in HTML, 29
 Generate Local Resource command, 378
 implicit expressions, 381
 importing and exporting user settings, 29
 inline code, 29
 Integrated Web Site Administration Tool, 26
 IntelliSense, 26
 internationalization, 26
 lack of project files, 26, 29
 local-level resources, 381
 managed languages support, 26
 master pages, 26, 38

multiple access to Web sites, 29
 nested master pages, 178
 page-level resources, 381
 project-less development, 30
 sample web.SiteMap file, 187
 Server Explorer, 29, 35–37
 Solution Explorer, 32
 starter kits, 29
 Toolbox, 32
 Tools menu, 378
 visual inheritance, 29, 38
 Web development support, xxxi
 Web Parts, 339–340
 Visual Studio 2005 Designer, 384
 Visual Studio .NET, 8, 24–25, 27–28, 46
 Visual Studio .NET 1.0, 24
 Visual Web Developer Express Edition, 27, 29–30

W

waitChangeNotification attribute, 528
 WAP (Wireless Access Protocol), 393
 WBMP (Wireless Bitmap), 19
 .wbmp file, 425, 456
 Web Application Administration Tool, 583
 Web applications, xxxi–xxxii
 code-free localization, 377–386
 configuring with browser interface, 247–251
 portal, 300
 state management, 570–575
 wizards, 444
 Web Control Designer Framework, 29
 Web controls, 408
 Web development support, xxxi
 Web Matrix, 25, 27–28, 407
 Web pages
 See also pages
 customizable, 301
 dynamically interacting with elements, 408–409
 <form> section, 54–55
 modular content, 301
 Reset button, 409
 robust framework, 301
 Submit button, 409
 zones, 11
 Web Part controls, 11, 13–14, 406, 408
 Web Parts, 11, 300–301
 actions available, 311
 adding new or closed, 315
 application configuration files, 557–558
 attributes added to public method, 322
 buttons, 334–335

618 ■ INDEX

- Web Parts, *continued*
- catalog zones, 314–316
 - changing layout, 318
 - chrome, 304
 - class hierarchy representing, 324–326
 - closing, 314
 - in code, 324–339
 - compiled .NET assemblies, 306
 - configured as provider, 322
 - connecting, 14, 322–324
 - custom link or image in title bar, 320
 - custom properties, 14, 321
 - customization, 302–304
 - data transformation, 557–558
 - declaring static connections, 323
 - displayed with title and border, 311
 - displaying for editing, 312
 - drop-down menu, 312, 319
 - Edit link, 319
 - editing, 317, 323–324
 - editor zones, 317
 - error messages, 321
 - Events zone, 311–312
 - example page, 306–322
 - exporting, 14
 - exporting definition and data for, 320
 - exposing custom properties from, 317
 - features declared within zones, 305
 - functionality, 13
 - help features, 321
 - help information, 320
 - Help popups, 14
 - hidden, 320
 - horizontally displaying, 311–312
 - ID, 323
 - importing and exporting, 14, 301, 316
 - integration with SharePoint, 301
 - layout of, 306
 - links, 304, 334–335
 - listing, 315–316
 - managing, 326–330
 - menu items, 334–335
 - meta-data, 321
 - minimizing, 303, 320
 - moved to another zone, 320
 - moving, 13
 - noncontent areas, 304
 - overview of example page, 306–311
 - pages, 304
 - Personalization, 302–304, 306, 557–558
 - rolling up, 303
 - SelectedPartChromeStyle properties, 319
 - server controls, 304
 - standard ASP.NET User Controls, 306
 - text for alternate description, 320
 - third-party, 301
 - title bar, 304, 311, 319
 - URL Help page, 321
 - user control declarations, 312–314
 - verbs, 334
 - Visual Studio 2005, 339–340
 - zones, 305–306, 319
- Web proxy, 526
- Web request modules, 533
- Web resources, 388–390
- Web servers
- fastest platform, 2
 - memory, 508
- Web Services, 46
- Web Site Administration Tool, 26, 39, 247–251, 510
- administration Home page, 576
 - application configuration files, 558–559
 - Application page, 251
 - Application section, 578
 - Application Settings, 578
 - configuring Microsoft SQL Server for ASP.NET services, 265
 - configuring site statistics, 373
 - Debugging and Tracing, 578
 - Home page, 248
 - Profile page, 251
 - Profile section, 576
 - <profile/> section, 284–286
 - Provider page, 251
 - Provider section, 580
 - security management, 249, 251
 - Security Page, 248–249
 - Security section, 576
 - Site Statistics, 578
 - SMTP Settings, 578
- Web sites
- adding themes, 297
 - anonymous users adding items to shopping cart, 274
 - built-in administration, 39
 - configuring, 17, 373
 - consistency, 170, 286–298
 - counting page hits, 369
 - customizing, 286–299
 - data, 19–21
 - hierarchical path through menu system, 407
 - images, 18–19
 - internationalization, 21–22
 - managing, 16–17
 - navigating, 183–201
 - personalizing, 9–11
 - portal, 300

- publishing, 39
 - security, 7–9
 - setting up, 16
 - storing navigation structure, 185
 - themes, 5, 286–298
 - upgrading in place, 30
 - user interface, 8
 - validating users, 8–9
 - WebAdmin.axd handler, 528, 576
 - web.config files, 47, 180, 235, 245, 514
 - anonymous identification, 271
 - <browserCaps> element, 401
 - codeSubDirectories section, 47
 - data source connection strings, 54
 - encrypting settings within, xxx
 - imageGeneration section, 428
 - <profile/> section, 256–258, 293
 - write permissions, 583
 - web.config <sqlCacheDependency /> section, 519
 - WebControl class, 472
 - WebControl control, 474
 - WebControls namespace, 393, 408, 456, 463, 474–481
 - WebForm_DoCallback function, 356, 360
 - WebPartAdded event, 329
 - WebPartDeleted event, 329
 - WebPartExport.axd handler, 528
 - WebPartManage control, 306
 - WebPartManager class, 326–330
 - WebPartManager control, 304, 315, 318, 323
 - WebPartManager object, 324
 - WebPartManager() constructor, 326
 - WebPartPageMenu control, 13, 304, 306, 314, 318, 323
 - WebParts collection, 335
 - WebParts property, 327
 - <webParts/> section, 557–558
 - WebPartsConnected event, 330
 - WebPartsDisconnected event, 330
 - WebPartsTemplate property, 338
 - WebPartsTemplate section, 316
 - WebPartToEdit property, 327
 - WebPartVerb class, 334–335
 - WebPartZone class, 325, 330–334
 - WebPartZone control, 12–13, 305–306
 - WebPartZoneBase class, 330
 - WebPartZone() constructor, 331
 - WebRequest class, 533
 - <webRequestModules/> section, 533
 - WebResourceAttribute control, 388–389
 - WebResource.axd handler, 528
 - WebServiceDataSource control, 66, 102
 - Website menu, 39
 - <webSiteAdministrationTool/> section, 558–559
 - web.SiteMap file, 188
 - Weight property, 462
 - Width element, 485
 - Width property, 425–426, 496
 - WindowsToken provider, 555
 - Wizard control, 224, 347, 406, 444, 446–453
 - WizardCancel event handler, 453
 - WizardFinish event handler, 454
 - Wizards
 - basic structure, 447–448
 - changing button caption, 449
 - collecting information and performing process, 453–454
 - ease building, 446
 - interface, 446
 - linear and nonlinear navigation, 446
 - navigation links, 447
 - step types, 448
 - styles, 448–450
 - templates, 448–450
 - User Controls, 446
 - Web applications, 444
 - WizardStep element, 447
 - WizardStepBase class, 450
 - WizardStepCollection collection, 451
 - WizardSteps element, 447
 - WizardSteps property, 451
 - WizardStepType enumeration, 448
 - WmiWebEventProvider provider, 567
 - WML (Wireless Markup Language), 394
 - <wml> element, 400
 - WmlBrowsers category, 403
 - Wrap property, 496
 - Write method, 373–374
 - Write permission, 436
 - WSDL (Web Services Description Language) files, 25, 42
 - wtai: protocol, 463
- X**
- X property, 434
 - xcopy deployment model, 16
 - xHTML compliance, 366
 - XML advertisements file, 485
 - Xml control, 481
 - XML data, 66, 86–94
 - XML documents
 - binding to, 20
 - binding to controls, 66, 407
 - exposing hierarchical data from, 162–164
 - XML files
 - data binding, 163

620 ■ INDEX

XML files, *continued*

- data source for special controls, 66
- storing site navigation structure, 185
- strongly typed access to data, 46
- supplies site provider, 547

XML-based resource files (.resx), 21

XmlDataSource control, 19, 66, 87–94, 407

XmlHTTP, 352–353

XmlSiteMapProvider schema, 186

XmlSiteMapProvider site map provider, 185

XPath, 163

XPath property, 90

XPathBinder, 164

XPathBinder object, 162–163

XPathSelect method, 163–164

XSD (DataSets) files, 25

xxxDataSourceView classes, 91

Y

Y property, 434

Yospace Web site, 464

Z

Zip Code interface, 323

ZipCode property, 270, 322

Zone base class, 330

Zone classes, 324–325

Zone controls, 11, 339

Zone objects, 324

Zone property, 338

Zones, 11

classes, 330–335

displaying frames, 318

managing, 326–330

properties related to tasks, 334

relocating controls, 318–319

style settings, 333

Web Parts, 305–306, 319

Zones collection, 330

Zones property, 327

ZoneTemplate property, 312, 333

<ZoneTemplate> section, 12

ZoneTemplate template, 305

Wouldn't
if the world
publishers join
their best tech
digital
The
Inform

- **Specific answers**

InformIT Online Books' powerful relevance-ranked results in

- **Immediate results**

With InformIT Online Books you want and view the information immediately.

- **Cut, paste and copy**

Paste code to save time and avoid errors. Make notes on the page and choose whether or not to save the group.

- **Customized for you**

Customize a library for your entire organization. You

Get your first

For a limited time, InformIT offers members a 10 book subscription. Visit www.informit.com