



Index

Symbols

- unary negation operator, 14, 72, 210
- subtraction operator, 154
- != not equal to operator, 70
- % remainder operator, 6, 150
- %= compound assignment operator for remainder, 22, 68
- %n printf end-of-line format, 37
- & AND operator, 7, 91
- && conditional-AND operator, 91
- &= compound assignment operator for AND, 22, 68
- *= compound assignment operator for multiplication, 22, 68
- + addition operator, 26, 30, 66
 - precedence of, 31
- + string concatenation operator, 26, 28, 30, 66
- ++ increment operator, 56
- += compound assignment operator for addition, 22, 68
- / division operator, 6, 44
- /* */ comment delimiters, 42
- // end of line comment, 36, 43
- /= compound assignment operator for division, 22, 68
- < less-than relational operator, 70, 74, 237
- << left shift operator, 60
- <<= compound assignment operator for left shift, 22, 68
- <= less-than-or-equal relational operator, 70
- <=> Perl comparison operator, 156
- = assignment operator, 22, 24, 211
- = compound assignment operator for subtraction, 22, 68
- == equal-to operator, 30, 70, 211–212
- == equal-to operator, vs. equals, 29–31
- > greater-than relational operator, 70, 237
- >= greater-than-or-equal relational operator, 70
- >> right shift operator, 60
- >>= compound assignment operator for right shift, 22, 68
- >>> unsigned right shift operator, 60
- >>>= compound assignment operator for unsigned right shift, 22, 67, 68
- ? : conditional operator, 19, 237
 - operand types and, 177–179
- @Override annotation, 139

272 Index

- \ escape character, 44, 46
- \' single quote escape sequence, 32
- \\ escaped backslash, 32
- \n newline escape sequence, 32
- \t tab escape sequence, 32
- \u unicode escape sequence, 35
- ^ exclusive-OR operator, 18
- = compound assignment operator for exclusive-OR, 17, 22, 68
- | OR operator, 91
- |= compound assignment operator for OR, 22, 68
- || conditional-OR operator, 91
- ~ bitwise complement operator, 211

Numerics

42, 175

A

- abrupt completion, 78
- access modifiers
 - hiding fields and, 158
 - overriding methods and, 158, 168
- accessing nonpublic types, 189–192
- acronyms, naming conventions and, 164
- addition operator, 30
 - precedence of, 31
- advanced language features, reflection and, 197
- alternate constructor invocation, 124
- AND operators
 - bitwise, 7
 - conditional, 91
 - logical, 91
- annotations, @Override, 139
- annotations, Class, 216
- antisymmetric relation, 70
- API changes, incompatible, 174
- arithmetic
 - decimal, 9
 - double, 8
 - floating point, 8, 62, 63, 64
 - IEEE 754, 62, 64
 - int, 10, 73
 - long, 10

- mixed-type, 14, 69
 - modular, 73
 - two's complement binary, 16, 59, 72, 151
- arithmetic operations, type conversions in, 68
- arithmetic operators
 - overloading, 9, 133
 - performance, 7
- ArrayIndexOutOfBoundsException, 90, 151
- Arrays.asList, 235
- Arrays.deepToString, 141–143
- Arrays.equals, 142
- Arrays.hashCode, 142
- Arrays.sort, 154
- Arrays.toString, 142, 170
- assignment compatibility, 24
- assignment operators
 - See compound assignment operator
 - See simple assignment operator
- assignment, definite, 81–83
- autoboxing, 152, 169, 213
 - operators and, 69–71

B

- backslash character, 44, 46
- backward compatibility, 173–175
- BigDecimal, 9
- BigDecimal.signum, 143
- BigInteger, 131–133
- BigInteger.bitCount, 143
- BigInteger.signum, 143
- binary compatibility, 231
- binary floating-point arithmetic, 8, 63
- binary numeric promotion, 20, 21, 212
- bit
 - masks, 17
 - shifts, 59–61
 - twiddling, 141–143
- bitwise AND operator, 7
- blank finals, 81–83
- block comments, 41–43
- blocking, 200
- boxed numeric types, 70
- break statements, 49–52

- buffers, flushing, 197–199
- bugs, tools for finding, 3, 50
- Byte.MAX_VALUE, 54
- C**
- Calendar problems, 143–145
- callback, ObjectInputValidation.validateObject, 227
- cast operator, 114
- casting, 15–17, 113–114
 - hiding and, 159
 - unchecked, 95
- catch clauses, rules for, 79–81
- char
 - arrays, string representation of, 28
 - concatenation of, 26
- character literals, escape sequences and, 33
- character sets, 39–41
- character vs. integer interpretation, 26
- Character.reverseBytes, 143
- Charset.defaultCharset, 40
- checked exceptions
 - catch clauses and, 80
 - method declarations and, 41, 80
 - re-raising, 204
 - static initializers and, 81
- Class.forName, return type of, 216
- Class.getAnnotation, 216
- Class.getName, 28
- Class.newInstance, 86, 94
 - specification for, 196
 - vs. Constructor.newInstance, 95
- ClassCastException, 114, 215
- classes
 - extending inner, 221–223, 229–230
 - initialization cycles, 111–113
 - initialization of, 119–121, 205–207
 - deadlock during, 207
 - inner, generics and, 217–220
 - library, constants and, 231–233
 - member, 197
 - static vs. nonstatic, 219
 - missing, 97–100
 - name reuse, 161–163
 - naming, 148, 164
 - nested static, type parameters and, 220
 - Object.toString and, 28
 - precedence of members, 170
 - reflection and, 100
 - static vs. inner, 223
- ClassNotFoundException, 97–100
- CloneNotSupportedException, 80
- Closeable.close, 88
- code migration to generics, 216
- Collections, 155
- Collections.reverseOrder, 155
- Collections.shuffle, 235
- comments
 - delimiters, 32, 42, 43
 - nesting, 42
 - string literals in, 41–43
 - Unicode escapes in, 33–37
- Comparator, 237–238
 - subtraction based, 152–156
- comparison operators
 - numerical, list of, 70
 - rules for operands of, 70
- comparisons
 - mixed-type, 53–55, 74, 212
 - reference vs. value, 70, 71, 146
- compilers
 - error detection by, 3, 50
 - halting problem and, 82
- compile-time constant expression, 232
- composition, vs. inheritance, 107–109, 184
- compound assignment operators, 22, 67–69
 - for addition, 22
 - avoiding type conversion in, 22–23
 - casting, 21–23
 - for exclusive OR, 17
 - list of, 68
 - operands, 23–24
 - result types of, 22
 - rules for operands of, 24
- computations, mixed-type, 14, 69
- concatenation
 - operator, 26, 28, 30, 66
 - precedence of, 31
 - string, 25–27
- conditional compilation, 43

274 Index

conditional expressions, 19–21, 237
 operand types of, 177–179
 result types of, 20

conditional operators, 89–91

constant variables, 232

constants
 inheriting from interfaces, 171
 library classes and, 231–233
 vs. magic numbers, 55, 76
 naming, 164

`Constructor.newInstance`, 95

constructors
 exception declarations by, 86
 hidden, serialization and, 201–203
 of inner classes, 195–197
 invoking superclass, 222
 of non-static nested classes, 196
 order of execution in, 86
 overridable methods and, 227
 signatures of, 148
 vs. members, 174
 vs. methods, 147–148

conversions
See type conversions
See unboxing conversions

covariant return types, reflection and, 197

D

Date problems, 143–145

Date, name conflict with, 163

deadlock, 200, 205–207
 during class initialization, 207
 finalizers and, 85

decimal arithmetic, 9

decimal literals, 14

declarations
 obscuring and, 170
 of exceptions, 41
 parameterized, 215
 shadowing and, 170

default constructors, 148

definite assignment, 81–83

deprecated methods
`Runtime.runFinalizersOnExit`, 84
`System.runFinalizersOnExit`, 84
`Thread.stop`, 93
`Thread.suspend`, 93

deserialization of object graphs, 224–228

`Double.NaN`, 64, 212

`Double.POSITIVE_INFINITY`, 62

`Double.toString`, 8

dynamic dispatch, 180
 static methods and, 110

E

Elvis, 111–113

encapsulation, 159, 173

end-of-line comment, 48

enum constants, 233

enum types, 152, 179
 reflection and, 197

equality
 operators, 70, 71
 reference, 146
 value, 146

`equals`, vs. `==`, 29–31

equivalence classes, 211

Error, 86
 catching, 100

error streams, draining, 201

escape sequences, 32
 in character literals, 33
 HTML entity, 34
 octal, 32
 in string literals, 33, 44
 Unicode, 31
 in comments, 33–35, 35–37
 compilation and, 32, 36
 vs. escape sequences, 31–33, 37
 obfuscation and, 37–38
 in string literals, 32
 Windows file names and, 34
 vs. Unicode escapes, 31–33

evaluation order, 75–76

Exception
 catching, 80
 serialization and, 202

exception checking, bypassing, 93–96

exceptions
See also checked exceptions
See also unchecked exceptions
 checking, 96
`Class.newInstance` and, 94

- loop control and, 89–91
 - verification and, 99
- exclusive OR operator, 17, 18
- exponent in floating-point representation, 72
- exponential algorithms, 101–103
- expression statement, 48
- expressions, evaluation order of, 18, 19
- extending inner classes, 221–223, 229–230

F

- factorial, 234
- fairness of shuffling, 233–237
- fencepost errors, 49–52
- fields
 - hiding, access modifiers and, 158
 - int, initial value of, 226
- File.separator, 45
- final
 - fields, hiding and, 171–172
 - methods vs. fields, 172
- finalizers, deadlock and, 85
- finally clauses
 - exceptions in, 88
 - exiting, 78, 88
- first common superclass, 99
- flags for javac
 - source, 177
 - Xlint:fallthrough, 50
- Float.NaN, 212
- floating point arithmetic, 8
 - infinity in, 61–63
 - NaN, 63–64
- floating-point representation, 72, 74
- flow analysis, 99
- flushing buffers, 197–199
- for-each loop, 213
- formal parameters, 106

G

- generic interface, 214
- generics, 152, 213
 - inner classes and, 217–220
 - reflection and, 197
 - type checking for, 95
 - vs. raw types, 213–216

H

- half-open loop form, 74
- halting problem, 82
- hashCode contract, 133–135
- hashCode, identity based, 134
- HashMap, 146, 148, 226
 - serialization and, 228
- HashSet, serialization and, 228
- HashSet.readObject, 226
- Hashtable, serialization and, 228
- hexadecimal, 14, 31, 37, 54
- hexadecimal representation of int, 72
- hidden constructors, 201–203
- hiding, 110, 111, 157–160, 174
 - casting and, 159
 - definition of, 180
 - fields, access modifiers and, 158
 - final fields and, 171–172
 - vs. overloading, 109–111
- HTML entity escapes, 34

I

- identity-based hash-code, 134
- IdentityHashMap, 145–146
- idiom, private constructor capture, 123–124
- if statement to comment out code, 43
- IllegalAccessError, 86, 95
- IllegalArgumentException, 94, 144
- immutability, 132
- incompatible API changes, 174
- inference, of return type, 216
- infinite recursion, 85–87
- infinity, 61–63
- inheritance
 - of private members, 229–230
 - vs. composition, 107–109, 184, 194
- initialization
 - of classes, 119–121, 205–207
 - instance, 115–119
 - of instance variables, 85–87
 - of object graph, 226
- inner classes
 - default public constructor of, 196
 - extending, 221–223, 229–230
 - generics and, 217–220
 - vs. static, 223

276 Index

- instance
 - fields, updating, 220
 - initialization, 115–119
 - lock, 187
 - methods, qualifiers of, 110
 - variable initialization, 86
 - instanceOf, 113–114
 - instantiation, reflection and, 191
 - InstantiationException, 86, 95, 196
 - integer division, 5–7, 9–11
 - integer literals
 - octal values of, 140
 - padding, 141
 - Integer.bitCount, 143
 - Integer.highestOneBit, 143
 - Integer.lowestOneBit, 143
 - Integer.MAX_VALUE, 58, 74, 209–210
 - subtraction-based Comparator and, 155
 - Integer.MIN_VALUE, 58, 72, 151, 210
 - Math.abs and, 149–151
 - Integer.numberOfLeadingZeros, 143
 - Integer.numberOfTrailingZeros, 143
 - Integer.reverse, 143
 - Integer.reverseBytes, 143
 - Integer.rotateLeft, 143
 - Integer.rotateRight, 143
 - Integer.signum, 143
 - integral types, boundary conditions of, 58
 - interfaces
 - for method invocation, 191
 - inheriting constants from, 171
 - interned strings, 30, 146
 - InterruptedException, 80, 204
 - InvocationTargetException, 95
 - IOException, 80, 88
 - isInterrupted, 204
 - ISO-8859-1, 40
- J**
- java.lang, name reuse and, 162
 - java.lang.reflect.Constructor, vs.
 - Class.newInstance, 196
 - java.util.concurrent.locks, 187
 - java.util.regex, 141–143
 - java.util.ThreadLocal, 124
- javac, 50, 177
 - join points, 99
- K**
- keywords
 - final, 172
 - null, 126, 232
 - super, 159
 - this, 124, 223
- L**
- languages, safe vs. unsafe, 99
 - Latin-1 character set, 40
 - least common supertype, 178
 - left shift operators, 59
 - less-than operator, 74
 - libraries, development of, 231–233
 - library classes
 - constants in, 231–233
 - locking and, 187
 - line separators, 35–37
 - line terminators, 36
 - LinkedHashSet, 141–143
 - linking, steps in, 99
 - Liskov Substitution Principle, 160
 - List, 142
 - literals, 55
 - class, generic types and, 216
 - naming of, 12
 - string, escape sequences and, 33
 - string, in comments, 41–43
 - Unicode escapes in, 32
 - values of, 14
 - local variable declaration statements, 127–130
 - locking, 185–188
 - of instance vs. thread, 188
 - library classes and, 187
 - locks, reentrant, 187
 - logical operators, 89–91
 - Long arithmetic, 10
 - Long.bitCount, 143
 - Long.highestOneBit, 143
 - Long.lowestOneBit, 143
 - Long.MIN_VALUE, 72
 - Math.abs and, 151
 - Long.numberOfTrailingZeros, 143

`Long.reverse`, 143
`Long.reverseBytes`, 143
`Long.rotateLeft`, 143
`Long.rotateRight`, 143
`Long.signum`, 143
loops
 exceptions for control of, 89–91
 types of indices for, 75

M

magic numbers, 55, 76
mantissa, in floating-point
 representation, 72
`Map`, 146
`Matcher.quoteReplacement`, 46
`Math.abs`, 149–151
`Math.signum`, 143
members, 174
 classes, static vs. nonstatic, 197, 219
 precedence, vs. static imports, 170
 private, inheritance of, 229–230
methods
 exception declarations, 41
 naming, 133, 148
 overloading, 21, 29
 overridable, constructors and, 227
 overriding package-private, 167–168
 overriding, access modifiers and, 158
 signatures of overriding, 139
 synchronized, 184
 unintentional overloading of, 137–139
 vs. constructors, 147–148
migrating code to generics, 216
mixed types
 arithmetic on, 69
 comparisons of, 53–55, 74, 212
 computations with, 13–15, 69
 conditional expressions and, 20
 equality operators and, 71
modular arithmetic, 73
monetary calculations, 7–9
multiple assignments, 19, 55–56
multiplication operator, 76
multithreading, 184
 locking and, 185–188
mutual exclusion, 187

N

name reuse, 161–163, 175
naming
 classes, 148, 164
 conflicts, within Java, 163
 constants, 164
 conventions, 148, 164
 acronyms and, 164
 literals, 12
 methods, 133, 148
 packages, 164
 type parameters, 164
 variables, 11–12, 164
`NaN`, 63–64
narrowing primitive conversions, 16, 21–23,
 67–69
nested classes, reflection and, 197
nesting
 comments, 42
 try-catch constructs, 88
`NoClassDefFoundError`, 98
nonstatic member classes, 197, 219
`NoSuchMethodError`, 162
`notify`, 187
`notifyAll`, 187
`null` keyword, 126, 232
`NullPointerException`, 114, 126
numerical comparison operators, 70, 71

O

`Object`, name conflict with, 163
`Object.clone`, 118
`Object.equals`, 118, 134, 176
 overloading, 138, 176
`object.getClass().
 getMethod(methodName)`, 191
`Object.hashCode`
 contract, 133–135
 identity-based, 134
`Object.notify`, 187
`Object.notifyAll`, 187
`Object.toString`, 28, 170
`Object.wait`, 187
`ObjectInputStream.readObject`, 118,
 224–228

278 Index

- ObjectInputStream.registerValidation, 227
- ObjectInputValidation.validateObject, 227
- objects
 - graph, deserialization of, 226
 - referencing during deserialization, 228
- obscuring, 163–165
 - definition of, 182
 - syntactic context and, 166
 - workaround for, 165–167
- octal
 - escapes, 32
 - literals, 14
 - values, 139–141
- operands
 - of comparison operators, 70
 - of compound assignment operators, 23–24
 - of conditional expressions, 177–179
 - of simple assignment operators, 24
- operators
 - See also* compound assignment operator
 - See also* simple assignment operator
 - addition, 30
 - arithmetic, precedence of, 31
 - autoboxing and, 69–71
 - bitwise AND, 7
 - cast, 114
 - comparison
 - operands of, 70
 - rules for, 70
 - concatenation, 66
 - conditional AND, 91
 - conditional OR, 91
 - conditional vs. logical, 91
 - equality, 70, 71
 - exclusive OR, 17, 18
 - instanceOf, 114
 - integer division, 6
 - left shift, 59
 - less than, 74
 - logical AND, 91
 - logical OR, 91
 - logical vs. conditional, 89–91
 - multiplication, 76
 - numerical comparison, 71
 - list of, 70
 - overloading of, 9, 27, 65–66, 133
 - performance of arithmetic, 7
 - postfix increment, 56
 - precedence of, 29–31, 76
 - question-mark colon
 - See* conditional expressions
 - remainder, 6, 76, 150
 - right shift, 60
 - shifts, behavior of, 60
 - string concatenation, 26, 28, 30
 - precedence of, 31
 - three-valued comparator, 156
 - truncating integer division, 6
 - unary negation, 14, 210
 - unsigned right shift, 60, 67
- OR operators
 - conditional, 91
 - logical, 91
- order of evaluations, 75–76
- output streams
 - draining, 201
 - flushing, 197–199
 - subprocesses and, 199–201
- overflow, 9–11, 58, 71–73
 - silent, 151, 152–156
- overloading, 175–176
 - of constructors, 106
 - definition of, 181
 - methods, 29
 - Object.equals, 138, 176
 - PrintStream.print, 21
 - PrintWriter.println, 28
 - String.valueOf, 28
 - StringBuffer.append, 28
- operators, 9, 27, 65–66, 133
 - resolution of, 105–107, 194
 - unintentional, 137–139
 - vs. hiding, 109–111
- overridable methods, constructors
 - and, 227
- overriding, 110
 - definition of, 180
 - methods
 - access modifiers of, 158
 - constructors and, 118
 - method signatures, 139
 - Object.equals, 134
 - Object.hashCode, 138

Object.toString, 29
 PrintStream.println, 28
 methods, constructors and, 226
 package-private methods and, 167–168

P

package-private methods,
 overriding, 167–168
 packages
 naming, 164
 precedence of names, 164
 parameterized declarations, 215
 parameterized type, 214
 parameters
 formal, 106
 implicit, in inner class constructor, 196
 type, static nested classes and, 220
 parentheses, 209–210, 237–238
 for grouping, 76
 order of evaluation and, 76
 string concatenation and, 30
 Pattern.quote, 44
 patterns, typesafe enum, 179
 platform dependencies
 file name separators, 45
 line separators, 37
 postfix increment operator, 56
 precedence
 members vs. static imports, 170
 of operators, 29–31, 76
 variable names vs. types, 164
 precision, silent loss of, 212
 preorder traversal, 103
 PrintStream, specification of, 198
 PrintStream.print, 21, 198
 PrintStream.printf, 37
 PrintStream.println, 28, 37, 80, 84
 PrintStream.write, 198
 PrintWriter.printf, 37
 PrintWriter.println, 28, 37
 private constructor capture idiom, 123–124
 private members, 173–175
 Process, 200, 201
 ProcessBuilder, 201
 ProcessBuilder.redirectErrorStream,
 201

programming style, instance fields, 220
 pseudoconstructors, 118
 pseudorandom number generation, systematic
 bias in, 236
 punctuation, excessive, 237–238

Q

qualifiers, 110
 qualifying, 111
 static members, 166
 static methods, 125–126
 types
 for method invocation, 191
 for reflective access, 190
 question-mark colon operator
See conditional expressions

R

Random, 236
 random number generation, 233–237
 raw types, vs. generics, 213–216
 real-time guarantee, 186
 recursion, 101–103
 infinite, 85–87
 ReentrantLock, 187
 ReentrantReadWriteLock, 187
 refactoring
 definite assignment and, 83
 inner classes and generics, 220
 reference equality, 146
 reference identity comparisons, 70, 71
 reflection, 189–192
 advanced language features and, 197
 class detection with, 100
 instantiating inner classes and, 197
 missing classes and, 97–100
 reflexivity, 211
 regular expressions, 43–45, 141–143
 remainder operator, 6, 76, 150
 remainders, 5–7
 replacement strings, 45–47
 result types
 of compound assignment operators, 22
 of conditional expressions, 20
 right shift operators, 60
 unsigned, 60, 67

280 Index

- Runtime.addShutdownHook, 84
- Runtime.runFinalizersOnExit, 84
- S**
- safe languages, 99
- SecureRandom, 236
- Serializable, 202
- Serializable.readResolve, 203
- serialization, 201–203, 224–228
 - encapsulation and, 173
- Set, 142
- shadowing, 169–171, 174, 193–195
 - in constructors, 181
 - definition of, 181
 - generics and, 217–220
- shift distances, 60
- Short.reverseBytes, 143
- shuffling, 233–237
- shutdown hooks, 84
- sign extensions, 14, 15, 16, 17, 54
- sign-bit, in floating-point representation, 72
- significand, in floating-point representation, 72
- silent casting, 21–23, 54
- silent loss of precision, 212
- silent overflow, 10, 11, 57–59, 73, 151, 152–156
- simple assignment operator, 22
 - operands of, 24
- singleton, 201–203
- slash character, 45
- source, 177
- SQL DECIMAL type, 9
- StackOverflowError, 86, 102
- statement labels, 47–48
- statements, abrupt completion of, 78
- static
 - classes
 - nested, type parameters and, 220
 - vs. inner, 223
 - dispatch, 110, 181
 - fields, 107–109
 - imports, 169–171
 - member classes, 197
 - vs. nonstatic, 219
 - members, accessing, 166
 - methods
 - dynamic dispatch and, 110
 - qualification of, 110, 111
 - resolution of, 109–111, 125–126
 - nested classes
 - type parameters and, 220
- static analysis tools, 3, 50
- streams, output, flushing, 197–199
- StrictMath.signum, 143
- string concatenation operator, 26, 28, 30
 - precedence of, 31
- string conversion, 28
- string literals
 - in comments, 41–43
 - escape sequences in, 33, 44
 - Unicode escapes and, 32
- String.indexOf, 41
- String.replace, 46, 47
- String.replaceAll, 44, 46
- String.valueOf, 27, 28
- StringBuffer.append, 28
- strings
 - concatenation of, 25–27
 - conversion of, 27–29
 - interned, 30, 146
- StringTokenizer, 142
- subprocesses, streams and, 199–201
- subsumption, 160
- super keyword, 159
- superclasses
 - constructor invocation, 222
 - first common, 99
- swapping variable values, 17–19
- switch statement, 50
- symmetric, 211
- synchronization, 185–188
- synchronized block, reentrant locks and, 187
- synchronized methods, behavior of, 184
- System.err, 198
- System.exit, 84, 85
- System.halt, 85
- System.out, 198
- System.out.flush, 199
- System.out.print, 26
- System.out.print(char), 198


`System.out.print(String)`, 198
`System.out.println`, 80, 84, 199
`System.out.write(int)`, 198
`System.runFinalizersOnExit`, 84
 systematic bias, 236

T

target typing, 10, 11
`this` construct, 194
`this` keyword, 124, 223
`Thread(Runnable)`, 194
`Thread.interrupted`, 203–205
`Thread.isInterrupted`, 204
`Thread.join`, 187
`Thread.run`, 184
`Thread.sleep`, 186
`Thread.start`, 184
`Thread.stop`, 93
`Thread.suspend`, 93
 threads
 interrupted status of, 204
 state changes of, 203–205
`Thread.run` vs. `Thread.start`, 183–184
`Throwable`, catching, 80
 throws clauses, constructor declarations and, 85
 Timer, 186
 tools, for detecting bugs, 3, 50
 topology-preserving object graph transformations, 146
`toString`, 28, 170
 total ordering, `Comparators` and, 155
 transitivity, 211
 of `Comparator`, 155
 traversal, preorder, 103
 truncating integer division operator, 6
 try clauses
 checked exceptions in, 87–89
 nesting, 88
`System.exit` and, 84
 try-finally constructs, 77–78
 flow of control in, 78
 interaction with `System.exit`, 83–85
 recursion in, 102
 reentrant locks and, 187
 static initializers and, 81
 two's-complement binary arithmetic, 16, 59, 151
 asymmetry in, 71–73
 type parameters
 naming, 164, 220
 static nested classes and, 220
 type tokens, 216
 type variable declaration, 166
 types
 conversions of, 15–17
 See also narrowing primitive conversions
See also widening primitive conversions
 byte to char, 17, 40
 byte to int, 54
 byte to String, 41
 char to int, 40, 49–52
 char[] to String, 29
 double to String, 8
 float to int, 73–75
 int to float, 75
 long to double, 75
 long to float, 75
 loss of precision in, 75
 to String, 27–29, 65–66
 erasure of, 95, 213–216
 precedence of, 164
 raw, vs. generics, 213–216
 typesafe enum pattern, 179

U

ulp, 61–63
 unary negation operator, 14, 72, 210
 unboxing, 70, 152
 unchecked casts, 95
 unchecked exceptions, 78, 119
 underflow, 58
 Unicode characters, 21
 char as, 28
 Unicode escapes, 31
 in comments, 33–35, 35–37
 compiler and, 32, 36
 vs. escape sequences, 31–33
 Windows file names and, 34
 unsafe languages, 99
 unsigned right shift operator, 60, 67
`UnsupportedEncodingException`, 41



282 Index

V

- value comparisons, 70, 71
- value equality, 146
- varargs, 169, 213
- variables
 - multiple assignments of, 19, 55–56
 - names, precedence of, 164
 - naming, 11–12, 164
 - swapping values, 17–19
- verification, 99
- virtual machine
 - exception checking and, 96
 - exiting, 84

W

- wait, 187

- white space, ii, vi, 4, 104,
208, 270
 - parsing and 36
 - for grouping 35
- widening primitive conversion, 10, 14,
16, 26, 51, 68
 - loss of precision in, 74, 211–212
- wildcard type, 215
- Windows file names, Unicode
escapes and, 34

X

- Xlint:fallthrough, 50

Z

- zero-extension, 16

