



Index

A

- Abort method, 34
- AbstractCollectionBase property, 800
- Access
 - client, 22–24
 - in-process. *See* In-process data access
 - security for, 269–270
 - tracing. *See* Tracing data access
- Access control lists (ACLs), 567–568
- Access modifiers, 908–909
- Accessors in XQuery, 462–463
- Account Lockout Duration setting, 236–237
- Account Lockout policies, 236–237
- Account Lockout Threshold setting, 236–237
- Accumulate method, 213–214, 217
- ACID properties in transactions, 128, 278, 500
- ACLs (access control lists), 567–568
- Activation in service programs, 504–509
- Active Directory Users and Computers
 - tool, 236
- Activity Monitor, 782
- Add Database Reference dialog box, 952–953
- Add Reference dialog box
 - for SMO projects, 774
 - for Visual Studio, 955–956
- Add Table dialog box, 935
- Add Web Reference wizard
 - for Visual Studio, 597–598, 619–620, 624
 - for Webmethods, 573–575
 - for WSDL, 579, 600–601, 603
- Addition
 - in LDim, 182–183
 - in SqlTypes, 87–88
- ADDR_TAB data type, 10
- ADDRESS data type, 10
- ADDRESS option for routes, 548
- AddSubscriber method, 863
- AddSubscriberDevice method, 864
- AddSubscription method, 865–867
- AddUser function, 93–94
- ADFs (application definition files), 839–842
- Adjacent Broker Protocol, 545, 550
- ADO, 22–24
 - vs.* SMO, 767–769
 - UDTs in, 654–656
 - for XDR schemas, 409–410
 - XML data type in, 664–667
- ADO.NET API, 641–644
 - best practices, 890
 - multiple active resultsets in, 691–695
 - SqlClient in. *See* SqlClient
 - UDTs in, 647–648
 - XML data type in, 657–659
- AdoNetDiag, 742
- Advanced Data Tablegrams (ADTG), 22
- after keyword, 472
- Aggregate functions
 - with PIVOT, 361
 - user-defined, 207–209
 - best practices, 885
 - creating, 214–215
 - implementing, 209–214
 - in XQuery, 464
- Aggregate method, 210
- Aggregate partitions, 374–376

- Alerts provider, 826
- Alias types, 11
- ALLOW_SNAPSHOT_ISOLATION
 - option, 283
- AllowPartiallyTrustedCallers attribute, 274
- ALTER ASSEMBLY statement, 56–58, 185–187, 262, 264, 271, 957
- ALTER AUTHORIZATION statement, 263
- ALTER CERTIFICATE statement, 260
- ALTER DATABASE statement, 513
- ALTER ENDPOINT statement, 223, 552, 564, 627
- ALTER LOGIN statement, 226, 237–238
- Alter method, 802–803
- ALTER QUEUE statement, 505, 508, 542
- ALTER ROUTE statement, 547–548
- ALTER TRACE permission, 225
- ALTER TRIGGER statement, 292
- ALTER XML SCHEMA COLLECTION
 - statement, 399
- AlterImpl method, 802
- Analysis Services event provider, 825
- Anchors in recursive queries, 352
- ANSI SQL standard compliance for XML, 422–426
- ANY direction for contracts, 529
- APIs, 22–24
- AppDomains
 - loading, 40–43
 - protection by, 7
 - threads in, 43, 748
 - unloading, 35–37
- AppendToFile option, 809
- Appids, 950
- Application definition files (ADFs), 839–842
- Application roles, 229
- <Application> section, 839
- ApplicationDefinitionFilePath entry, 836, 854
- ApplicationDefinitionFileSchema.xsd
 - schema, 835, 839
- ApplicationName entry, 836
- Applications
 - critical, 28
 - hosting. *See* Hosting
 - messaging, 481–493
 - service-oriented. *See* Service-oriented database applications
- APPLY operators, 340–343
- <Arguments> node, 856
- Array data type, 11
- ArrayList class, 755
- as first keywords, 470
- as last keywords, 470
- AS HTTP clause, 565, 570, 573, 608
- AS TCP clause, 552
- ASIN function, 154
- ASP.NET
 - for notifications, 672–673, 682
 - SqlCacheDependency class in, 685–687
 - for streams, 631
 - for Webmethods, 573
- Assemblies, 903–905
 - altering, 56–58
 - AppDomains for, 41
 - code access security for, 270–274
 - dependencies in, 49–51
 - dropping, 55–56
 - loading, 38
 - ownership of, 51–55
 - permissions for, 48–50, 262–268
 - runtime hosting for, 29
 - SGen for, 189–191
 - SMO, 772, 774–775
 - storing, 46–49
- Assembly language, 900
- AssemblyInfo.cs module, 954
- AssemblyName property, 189
- Asymmetric keys, 239–243, 245, 247
- Asynchronous messages, 24–25
- Asynchronous support in ADO.NET, 743–748
- ATLTRACE macro, 731
- Atomic values in XQuery, 432
- Atomicity in ACID properties, 128, 278
- Attach to Process dialog box, 961–962
- Attribute-centric mapping in XML, 15
- Attributes
 - in complex types, 9
 - dangerous, 45
 - for stored procedures, 75–77
 - for UDTs, 13
 - in Visual Studio, 957–961
 - in XML, 15, 479
 - in XQuery, 439, 441
- Audit object, 763–764
- AUTHENTICATE privilege, 261
- Authentication
 - in security process, 224–231
 - for SMO connections, 778
 - for Web services, 626–627

- AUTHORIZATION parameter, 263
 - AUTO mode for XML, 403–406
 - AutoCreatedLocal route, 547
 - AutoDisconnectMode property, 787
 - Automatic operations
 - SMO connections, 780–782
 - Visual Studio deployment, 956–958
 - Autonomous transactions, 132–133
 - AVG function, 14, 156, 207
 - Axes in XQuery, 439–441
- B**
- BackgroundWorker class, 748
 - Backup object model, 763
 - BadInsert stored procedure, 314–315
 - Base class libraries (BCLs), 2
 - in exceptional handling, 34
 - loading, 38
 - Base classes in ADO.NET, 705–709
 - BaseDirectoryPath entry, 836
 - Basic authentication, 626–627
 - Batch processing
 - batch-enabled Web Services, 622–626
 - in Service Broker, 504
 - in SQL, 622–626
 - BatchCommands element, 623
 - BCLs (base class libraries), 2
 - in exceptional handling, 34
 - loading, 38
 - BCP utility, 749
 - before keyword, 472
 - BEGIN CATCH statement, 314, 321–322
 - BEGIN CONVERSATION TIMER
 - statement, 515
 - BEGIN DIALOG CONVERSATION
 - statement, 486–489, 510
 - for broker instances, 545–547
 - contracts in, 530
 - for conversation groups, 518
 - for endpoints, 497
 - formats in, 492
 - for lifetime, 514
 - BEGIN TRANSACTION statement, 129, 517
 - BEGIN TRY phrase, 314
 - BeginCriticalRegion method, 34
 - BeginExecuteReader method, 744
 - BeginTransaction method, 128–131
 - Behaviors for types, 9
 - Benchmarks, 28
 - Best practices
 - service-oriented database applications, 882–891
 - transactions, 133–135
 - XML DML, 474–475
 - BINARY data type with XML, 387, 389, 415–416
 - Binary representation
 - byte order in, 168
 - of dates, 154–155
 - IBinarySerialize, 167–170
 - in LDim data type, 165–170
 - Binding problems, 740–742
 - Bit data type, 416
 - BizTalk program, 410
 - BLOB data type, 11
 - Blocking points in thread scheduling, 34
 - Bodies in XQuery, 437–446
 - BOOLEAN data type
 - inclusion of, 10–11
 - for XQuery functions, 463
 - Broker instances, 544–548
 - Broker_Queue_Disabled event, 541
 - Buffer pools, 33
 - Bulk import in SqlClient, 749–752
 - BULK INSERT statement, 301, 420–421, 749, 751
 - Bulk load
 - in SQLXML, 630–631, 636–638
 - in XML, 420
 - BULK Provider, 301
 - Business Intelligence Development Studio, 949–950
 - Business transactions, 499–503
 - compensation in, 541–544
 - contracts in, 528–531
 - conversation groups in, 516–524
 - conversations in, 509–515
 - distribution in, 544–559
 - message types in, 524–528, 530–534
 - poison messages in, 540–541
 - processing loops in, 534–539
 - send types in, 530–534
 - service programs, 503–509
 - Byte ordering, 20, 168
- C**
- C# language, null values in, 78–79
 - Cache class, 672, 682, 685
 - Cached execution plans, 302
 - CacheDependency class, 685

- Caches
 - DataSet, 755
 - dispatching notifications to, 677–679
- CalculateCipherLen function, 244–245
- Cancel method, 123
- CapturedSql property, 814
- Cartesian products, 340, 447
- Case-sensitivity
 - in CLR, 66
 - in XQuery, 436
- CAST operator
 - in SqlTypes, 83, 87–88
 - for UDTs, 12
 - in XML, 387, 389–390
- Casting functions in XQuery, 463
- Categories
 - metadata, 721–722
 - security, 39
- CEILING function, 154
- Certificates, 220, 258
 - in code signing, 259–261
 - in encryption, 239–241, 243, 702–703
- Chaining, ownership, 232–235, 267, 274
- ChangePassword method
 - in ServerConnection, 784–785
 - in SqlConnection, 120, 699–700
- CHAR data type
 - in messaging applications, 493
 - in SqlTypes, 92
 - in Visual Studio, 959
 - in XML, 387
- Character-based data types in XML, 415–416
- Charts of accounts, 351–353
- CHECK constraints, 386–387
- CHECK_EXPIRATION option, 236
- CHECK_POLICY option, 236
- CheckDirectInput method, 184–185, 198
- CheckRangeAndAccuracy method, 164, 184–185, 198–199
- Child axes in XQuery, 439
- Children in DependencyTree, 813
- <ChronicleRule> node, 858
- Chronicles and chronicle tables, 828, 830, 857–858
- CIM (Common Information Model)
 - repository, 816–817
- Class Library project type, 951, 955
- Classes
 - in CLR type system, 907–908
 - loading, 2
 - nesting, 97–98
 - visibility of, 59
- Clients, 641
 - best practices, 888–890
 - data types for, 645–646
 - database access by, 22–24
 - encryption support in, 702–703
 - failover support in, 701–702
 - large value data types on, 667–670
 - multiple active resultsets in, 689–695
 - native, 641–645
 - password change support in, 699–701
 - Query Notification support in. *See* Query Notification support
 - stored procedures in, 703
 - transactions in, 695–699
 - UDTs for, 646
 - from DataReaders, 648–654
 - .NET Framework, 647–648
 - in ODBC, OLE DB, and ADO, 654–656
 - XML data type on, 657
 - in ADO, 664–667
 - in ADO.NET, 657–659
 - documents, fragments, and FOR XML support, 661–664
 - as string, 659–661
- CLOB data type, 11
- Close method, 120, 664
- CLR (Common Language Runtime)
 - languages, 61, 897–900
 - for extensions, 61–63
 - basics, 63–74
 - details, 74–77
 - hosting feature in, 27
 - parameters and return values in, 93
 - SqlTypes in, 77–92
 - stored procedures in, 106–109
 - string operations in, 70–74
 - table-valued functions in, 99–106
 - triggers in, 109
 - type system in, 905–907
 - classes, 907–908
 - instances, 910–912
 - namespaces, 912–914
 - visibility, 908–909
 - user-defined functions in, 93–99
- CLS (Common Language Specification), 3
- cmdlets, 766
- CoCreateInstance method, 712

- Code
 - access security, 2, 269–270
 - executing, 959–962
 - loading, 37–39
 - safe, 43–45
 - signing, 259–261
- COLLATE keyword, 385
- Collect method, 918
- COLLECTION metadata information, 667
- COM (Component Object Model), 20–21, 642
- Comma-separated-value (CSV) files, 734–735
- Command class for providers, 706–707
- CommandNotification keyword, 687
- CommandStream property, 631
- CommandText property, 114
 - in DeleteCommand, 754
 - in SqlCommand, 112, 673
- comment function, 407
- COMMIT statement, 517
- Common class for providers, 708
- Common Information Model (CIM)
 - repository, 816–817
- Common Language Runtime. *See* CLR (Common Language Runtime)
 - languages
- Common Language Specification (CLS), 3
- Common namespace, 778
- Common object request broker architecture (CORBA), 20
- Common table expressions (CTEs)
 - in recursive queries, 351–359
 - working with, 343–350
- Common Type System (CTS), 905–906
- CompareAllSearchableValues option, 757
- CompareRowVersion option, 758
- Comparisons
 - in LDim, 172
 - in SqlTypes, 88–89
 - UDTs, 12
 - in XML, 389
 - in XQuery, 443, 464
- Compensation in transactions, 501, 503, 541–544
- Compilation
 - Just-In-Time, 7, 900
 - statement-level, 301–303
- Complete method, 129
- Complex data types, 9–10
- ComplexNumber data type, 632
- Component Object Model (COM), 20–21, 642
- ComposeTx method, 134
- Composing transactions, 130
- Composition functionality, 414–415
- Concatenation, 88, 254
- Concurrent transaction processing, 501–502
- Condition action, 870–871
- Condition class, 866
- Configuration
 - for Notification Services, 834–839
 - for SMO, 815–817
 - for SSMS, 925–927
- ConfigurationFileSchema.xsd schema, 835
- ConflictOption property, 757
- Connect method, 778–781, 785–786
- Connect to Server dialog box, 930
- ConnectAsUser property, 782
- Connection class, 706–707
- connection strings, 715–717
- ConnectionContext, 788
- ConnectionInfo assembly, 772, 774
- Connections
 - for in-process data access, 118–121
 - for providers, 706–707
 - in SMO, 778
 - automatic, 780–782
 - default Windows credentials, 778–780
 - managing, 785–787
 - Runas utility, 780–781
 - SQL Server login, 783–785
 - Windows identity impersonation, 782–783
 - in SSMS, 928–931
 - in Web Services, 562
- ConnectionStringBuilder class, 715
- ConnectionStrings collection, 647
- ConnectionStringSettings class, 713
- ConnectionStringSettingsCollection
 - class, 713
- Consistency in ACID properties, 128, 278
- Constraints in XML, 385–387
- Constructors
 - defined, 914
 - in XQuery, 462–464
- Content formatters, 825–826, 872
- CONTENT keyword for schema
 - collections, 396
- ContentFormatter node, 872
- Context functions in XQuery, 462–463
- Contexts, execution
 - for procedural code, 253–259
 - in security, 232–235

970 ■ Index

- Contracts
 - in business transactions, 528–531
 - in messaging applications, 492
- conversation_group_id, 516, 518–520, 523
- Conversation groups, 25, 516–524
- Conversation handles
 - in business transactions, 516, 523, 530
 - in message processing, 496–497
- conversation_id, 520
- Conversation timers, 514–515
- Conversations
 - in business transactions, 509–515
 - in messaging applications, 486, 492, 497
- Conversions
 - for messages, 526, 534
 - SqlString, 86
 - SqlTypes, 82–86
 - XML, 387, 389–390
- CONVERT function
 - for messages, 526, 534
 - for XML, 387, 389–390
- Cookies
 - with EXECUTE AS, 256
 - for sp_unsetapprole, 229–230
- Cooperative thread scheduling, 33
- CORBA (common object request broker architecture), 20
- CorBindToRuntimeEx method, 29
- Correlating messages, 502
- CORRESPONDING BY clause, 327–328
- COUNT function, 14, 207
- COUNT_BIG function, 207
- Counters in SNAPSHOT isolation, 289
- CREATE AGGREGATE statement, 214
- CREATE APPLICATION ROLE statement, 249–250
- CREATE ASSEMBLY statement, 46–49
 - permissions for, 262–264
 - security levels in, 43, 270–273, 957
 - for SGen assemblies, 190
- CREATE ASYMMETRIC KEY
 - statement, 265
- Create command in NSControl, 843–845, 868
- CREATE CONTRACT statement, 524, 529
- CREATE ENDPOINT statement
 - for batches, 622–623
 - for declarations, 564
 - sections for, 569
 - security for, 222, 567–568
 - for sessions, 627
 - SSL for, 608
 - for state, 571
 - system views for, 552
 - URL for, 570
 - for Web services, 615
 - for Webmethods, 573
- CREATE EVENT NOTIFICATION
 - statement, 295, 509
- CREATE FUNCTION statement, 66
- CREATE LOGIN statement, 226–227, 236
- CREATE MASTER KEY statement, 239
- CREATE MESSAGE TYPE statement, 524
- Create method, 802–803
- CREATE PROCEDURE statement, 114
- CREATE QUEUE statement, 486, 491–492, 505, 507, 541
- CREATE ROLE statement, 250
- CREATE ROUTE statement, 547–548, 553
- CREATE RULE statement, 11
- CREATE SCHEMA statement, 249
- CREATE SERVICE statement, 486, 529–530
- CREATE SYNONYM statement, 253
- CREATE TABLE statement
 - for Event Notifications, 297
 - ON DELETE and ON UPDATE clauses, 333–336
 - for schemas, 250
- CREATE TRIGGER statement, 289–290
- CREATE TYPE statement, 155, 170, 185, 267, 651
- CREATE USER statement, 228, 249
- CREATE VIEW statement, 675
- CREATE XML SCHEMA COLLECTION
 - statement, 394, 399–400, 528
- CreateCommand method, 121
- CreateImpl method, 802
- CreateReader method, 662
- Credentials, 235–238
- Critical applications, 28
- CriticalFinalizerObject class, 37
- CROSS APPLY operator
 - for joining sets, 340–343
 - for nodes, 458–460
- CSV (comma-separated-value) files, 734–735
- CTEs (common table expressions)
 - in recursive queries, 351–359
 - working with, 343–350
- CTS (Common Type System), 905–906

- Current property
 - in IEnumerator, 99–100
 - in Transaction class, 149
- Cursorless mode in clients, 689
- D**
- Dangerous attributes, 45
- Data accessor functions in XQuery, 463
- Data Definition Language (DDL)
 - statements, 446
 - for code loading, 37
 - triggers in, 289–294
- Data Links API, 630
- Data manipulation language (DML), 468–475
- Data protection API (DPAPI), 239
- Data providers, 111
- Data source enumerations, 714–715
- Data Source property, 715
- Data type compatibility mode, 645–646
- Data types, 8
 - for clients, 645–646
 - defined, 914
 - SqlTypes, 77–92
 - SQLXML, 632–634
 - user-defined. *See* User-defined types (UDTs)
 - Visual Studio, 958–959
 - XML. *See* XML and XML data type
 - in XQuery, 443
 - in XSD, 16
- DataAccess property, 76, 95–96
- DataAccessKind attribute, 117
- DataAdapter class, 708
- Database Lister application, 773–778
- Database master keys, 239–241, 245
- Database Object Explorer, 923
- Database transactions, 500
- DatabaseCollection class, 770–771
- DatabaseOptions, 804
- Databases property, 769–770, 777
- DataColumns, 755–756
- DATALENGTH function, 386
- DATALINK data type, 10–11
- DataReader class
 - for providers, 706–707
 - UDTs from, 648–654
- DataRows, 755
- DataSet class, 614, 620, 753–758
- DataSourceInformation collection, 721, 724–727
- DataTables, 755
- DataTypes metadata category, 722
- Dates
 - representation of, 153–155
 - in XML, 417–418
- DATETIME data type, 153–155
- db_owner role, 229
- DBCC CHECKTABLE command, 57
- DbCommand class, 151
- DbCommandBuilder class, 720
- DbConnection class, 151, 711, 713
- DbConnectionStringBuilder class, 715–717
- DbDataReader class, 708, 710
- DbDataSourceEnumerator class, 714
- DBDROPSET_SS_ROWSET property, 676
- DbMetaDataCollectionNames class, 721
- DbMetaDataFactory class, 726, 728–729
- dbo.find_expensive stored procedure, 5
- DbParameter class, 652
- DBPROPSET_SQLSERVER_PARAMETERS
 - property, 656
- DbProviderFactories class, 710
- DbProviderFactory class, 709–711, 714
- DBSCHEMA_COLUMNS property, 656
- DBSCHEMA_PROCEDURE_PARAMETERS
 - property, 656
- DBSCHEMA_SQL_ASSEMBLIES
 - property, 656
- DBSCHEMA_SQL_ASSEMBLY_DEPENDENCIES
 - property, 656
- DBSCHEMA_SQL_USER_TYPES
 - property, 656
- DBSCHEMA_XML_COLLECTIONS
 - property, 667
- DBTYPE_BYTES data type, 654
- DbType class, 658, 669
- DBTYPE_UDT data type, 646
- DBTYPE_WSTR data type, 654
- DBTYPE_XML data type, 632
- DCOM systems, 21, 485
- DDL (data definition language)
 - statements, 446
 - for code loading, 37
 - triggers in, 289–294
- DDL_DATABASE_LEVEL_EVENTS
 - hierarchy, 290
- Deadlock errors, 320–321

972 ■ Index

- Debugging
 - parameter binding problems, 740–742
 - in Visual Studio, 954, 957, 959–962
- DECIMAL data type
 - precision of, 756
 - in Visual Studio, 959
 - in XML, 415–416
- Declarations
 - endpoint, 564–569
 - property, 916
- Declarative transactions, 697–699
- Decomposition functionality, 414–415
- DecryptByKeyAutoCert function, 248
- DEFAULT contracts, 492, 529–530
- DEFAULT message type, 524, 527, 531
- DEFAULT_SCHEMA keyword, 252
- Default Windows credentials connections, 778–780
- DefaultConnection program, 782
- DefaultSMOConnection program, 779–780
- Deferred processing in messaging, 482–483
- DEFINITION_SCHEMA for metadata, 721
- DeKlarit tool, 720
- DELETE permission, 230, 266
- DELETE statement
 - CTEs with, 343
 - OUTPUT clause in, 336–338
 - TOP clause in, 329–330
 - in XML, 473–474
- DeleteCommand command, 753–754
- DELETED table, 149, 337–339
- Deleting reservations, 569
- Delivery of Notification Services, 829, 873–874
 - channels for, 830–831
 - customizing, 877
 - protocols for, 826, 831, 874–877
- DeliveryChannelName property, 864
- DeliveryChannels entry, 836
- <DeliveryChannels> node, 864
- DENSE_RANK function, 367, 370–371
- Dependencies
 - in assemblies, 49–51
 - in scripts, 810–812
- DependencyTree class, 813
- DependencyTreeNodes class, 813
- Deployment in Visual Studio, 956–958
- Derivation by restriction process, 394
- Descendant axes in XQuery, 439
- Descendant-or-self axes in XQuery, 440
- Describe packets for metadata, 138
- Design patterns for Notification Services, 828–829
- Destructors, 919–920
- Deterministic functions, 75
- Development languages, 899–900
- DeviceAddress property, 864
- DeviceName property, 865
- Devices for Notification Services, 830
- DeviceTypeName property, 865
- Dialogs in Service Broker, 24–25
- Digest delivery, 829, 867
- Dimensions for scalars, 194
- Dimensions namespace, 158–159
- Dirty property, 799
- DISABLE LOGIN statement, 226
- DISABLED option for batches, 622
- DISABLED state for endpoints, 571
- Disconnect method, 781, 786
- DisconnectIfPooled property, 787
- Dispatching notifications, 677–679
- Dispose method, 112–113
 - in IDisposable, 920–921
 - in TransactionScope, 129
 - in XmlReader, 664
- Disposing objects, 920–921
- DISTINCT keyword, 327, 375
- Distinct types, 8
- Distributed processing, 483
- Distributed systems, 894
- Distributed transaction coordinator (MSDTC), 697
- Distributed transactions, 130–132, 135, 697
- Distribution in business transactions, 544–559
- Distributor node in ADFs, 841
- Distributors in Notification Services, 823, 830, 871–873
- DLINQ language, 893
- DLLs (Dynamic Link Libraries), 3, 901
- dm_qn_subscriptions view, 689
- DML (data manipulation language), 468–475
- DMVs (dynamic management views), 33, 689
- Document fragments, 16, 525
- DOCUMENT keyword for schema collections, 396
- Document Object Model (DOM), 24
- Document order in XQuery, 434

- Document Type Definitions (DTDs), 18
 - for message types, 526
 - in well-formed documents, 525, 533–534
 - Documents with XML data type, 661–664
 - DOM (Document Object Model), 24
 - Domain-neutral code, 42
 - Domain-specific aggregate functions, 14
 - DoWork method, 682
 - DPAPI (data protection API), 239
 - DROP ASSEMBLY statement, 55–56, 262
 - DROP ENDPOINT statement, 564
 - Drop method, 802–804
 - DROP ROUTE statement, 547
 - DROP TABLE statement, 291–292
 - DROP TYPE statement, 185
 - DROP XML SCHEMA COLLECTION statement, 400
 - DropImpl method, 802
 - Drops object, 763–764
 - DTDs (Document Type Definitions), 18
 - for message types, 526
 - in well-formed documents, 525, 533–534
 - DUMPBIN.EXE tool, 902
 - dumpfile.csv file, 735
 - Durability in ACID properties, 128, 278
 - Dynamic Link Libraries (DLLs), 3, 901
 - Dynamic management views (DMVs), 33, 689
- E**
- Eager notifications, 687–688
 - Element-centric mapping, 15
 - Elements in XML, 15
 - ELEMENTS XSINIL directive, 418
 - EmployeeRoutines library, 51
 - EMPTY validation, 525, 528
 - Enable command in NSControl, 854
 - ENABLED option for batches, 622
 - Encryption
 - functions for, 242–248
 - keys for, 220, 238–248
 - in SQL Server login, 702–703
 - END CATCH phrase, 314, 321–322
 - END CONVERSATION statement, 486, 510–514
 - END TRY phrase, 314
 - End users, dispatching notifications to, 677–679
 - EndCriticalRegion method, 34
 - EndDocument method, 191–193
 - EndExecuteRead method, 744
 - Endianness, 20
 - Endpoints
 - in HTTP, 895
 - creating, 222–223, 569
 - declaring, 564–569
 - metadata, 572–573
 - in SQLXML, 639
 - SSL for, 608–609
 - states, 571–572
 - system views for, 552–553
 - URL, 570–571
 - in message conversations, 489, 497, 509
 - EnterpriseServices library, 129
 - Entitized XML, 633–634
 - ENTITYs for message types, 526
 - Enumerating data sources, 714–715
 - Enumerator methods, 100–101
 - Equals method, 906
 - .err extension, 855
 - Error class, 113
 - error function, 462
 - ERROR_LINE function, 314–315
 - ERROR_MESSAGE function, 147, 314–315
 - ERROR_NUMBER function, 147, 314–315, 319, 321–322
 - ERROR_PROCEDURE function, 314–315
 - ERROR_SEVERITY function, 314–315
 - ERROR_STATE function, 314–315, 319
 - @@ERROR variable, 312–315, 319
 - Errors
 - with conversations, 512
 - messages for, 224
 - in .NET Framework, 2
 - in T-SQL, 312–326
 - ErrorTestW stored procedure, 323–325
 - ETW (Event Tracing for Windows) provider, 732–734, 742–743
 - Event-driven subscriptions, 862
 - Event Notifications, 294–297, 509
 - Event property in SqlTrigger, 109, 961
 - Event Tracing for Windows (ETW) provider, 732–734, 742–743
 - EventClass node, 847
 - EventClasses, 841, 845
 - EventClassName argument, 853
 - EVENTDATA function, 291–294, 296–297
 - EventRule element, 870
 - <EventRules> node, 858, 862

974 ■ Index

- Events
 - defined, 914
 - for Notification Services, 822–823, 830, 846
 - chronicles for, 857–858
 - classes for, 846–850
 - providers for, 825, 846, 852–856
 - rules for, 868–870
 - stored procedures for, 850–852
 - for queues, 509
 - SSB service for, 294–296
 - EventsData.xml file, 855
 - EWT (Event Tracing for Windows) provider, 732–734, 742–743
 - EXCEPT operator, 326–329
 - Exception class, 113
 - Exception handling, 6
 - in hosting, 34–37
 - for in-process data access, 143–149
 - in T-SQL, 312–326
 - ExceptionThrower method, 145–146
 - Executable (EXE) files, 901
 - EXECUTE AS clause, 255–259
 - EXECUTE permission
 - for assemblies, 266
 - for schema collections, 400
 - for stored procedures, 230
 - for UDTs, 267
 - Execute Procedure dialog box, 945
 - ExecuteAndCaptureSql property, 814
 - ExecuteAndSend method, 135–136, 147
 - ExecuteNonQuery method, 744
 - ExecuteReader method, 125–126, 710, 744
 - ExecuteScalar method, 125, 664
 - ExecuteSql property, 814
 - ExecuteXmlReader method, 657, 663–664, 744
 - Executing code in Visual Studio, 959–962
 - Execution contexts
 - for procedural code, 253–259
 - in security, 232–235
 - Execution plans, 301
 - exist method, 403, 450–452
 - EXISTS operator, 326
 - exit function, 6
 - Expensive property, 799
 - Expiration time for notifications, 867
 - Expired passwords, 699
 - Explicit data type conversions, 83
 - EXPLICIT mode for XML, 403–406
 - Explorer tree, 945
 - Expressions
 - CTEs
 - in recursive queries, 351–359
 - working with, 343–350
 - FLWOR, 438, 441, 446–448, 450
 - regular, 71–74
 - in XPath, 439
 - Extended data types, 13
 - Extended functions, 465–467
 - Extended stored procedures, 5–6, 62, 115
 - Extensible Stylesheet Language
 - Transformations (XSLT), 19, 445
 - EXTERNAL_ACCESS security level, 39–40
 - for assemblies, 49, 264, 271–272
 - attributes disallowed by, 45
 - EXTERNAL_NAME clause
 - parts of, 66
 - for triggers, 109
 - for UDTs, 170
- ## F
- Facets, 394, 416–417
 - Factories
 - in ADO.NET, 705–709
 - provider, 709–712
 - Failover support, 701–702
 - Failure escalation policy, 35
 - Fibers in runtime hosting, 33
 - Fiddler tool, 578
 - Field Object Properties collection, 655
 - Fields, 916–917
 - defined, 914
 - in UDTs, 173–181
 - File protocol, 874–875
 - File provider, 826
 - File Watcher event provider, 825, 852–853
 - FileSystemWatcher class, 853
 - FileSystemWatcherProvider class, 854
 - Fill method, 736
 - FillPropertyList method, 798–799
 - FillRowMethod method, 100, 102–103, 105–106
 - FillRowMethodName property, 76, 96, 100, 103, 960
 - FilterCallbackFunction function, 811–812
 - Final queries, 352–354
 - Finalization, object, 919–920
 - Finalize method, 906, 919–920
 - Finalizers in exceptional handling, 36–37

- finally blocks
 - in exceptional handling, 36
 - in T-SQL, 312
 - Firehose mode, 689
 - Firewalls, 562
 - Fix points in recursive queries, 354
 - Float data types, 416
 - FLWOR expressions, 438, 441, 446–448, 450
 - fn:collection function, 438
 - fn:doc function, 438
 - FOR clause
 - in FLWOR expressions, 447
 - in PIVOT, 361–364
 - in UNPIVOT, 365
 - in XQuery, 442
 - FOR PATH clause, 401
 - FOR PROPERTY clause, 401
 - FOR SOAP clause
 - for batches, 622, 626
 - for endpoints, 565, 573
 - for rowsets, 621
 - WSDL option in, 579, 605, 607, 614
 - FOR VALUE clause, 401
 - FOR XML clause, 403–406
 - for inline XSD format schema, 409–411
 - for nested XML queries, 413–414
 - for NULL values, 411–412
 - for root elements, 412–413
 - support for, 20, 23, 661–664
 - with UDTs, 187
 - for whitespace entitization, 413
 - for XML data types, 407–409
 - XMLSCHEMA version, 410
 - FOR XML AUTO clause, 404–406, 632
 - FOR XML EXPLICIT clause, 404–406, 632
 - FOR XML PATH clause, 406–407
 - FOR XML RAW clause, 403–406
 - force flag in Update, 849
 - FOREIGN KEY clause, 385, 864
 - Format.Native implementation *vs.*
 - Format.UserDefined, 215–217
 - FORMAT option for WEBMETHOD clause, 621
 - Format property in SqlUserDefinedType, 165
 - Formatters for Notification Services, 825–826, 830, 871–873
 - Forward-only mode, 689
 - Fragments, 16, 392, 661–664
 - FROM clause in FLWOR expressions, 447
 - FROM OPENROWSET clause, 301
 - FROM SERVICE clause
 - for messaging applications, 488
 - for queues, 542
 - FromBytes method, 204–205
 - Functions
 - aggregate. *See* Aggregate functions
 - CLR
 - table-valued, 99–106
 - user-defined, 93–99
 - deterministic, 75
 - XML, 402–403
 - XQuery, 461–463, 465–467
 - FX libraries, 39
- ## G
- GAC (global assembly cache), 38, 649
 - Garbage-collected heap, 912
 - Garbage collection, 34, 918–920
 - GC class, 918
 - GenerateRepairWSDL function, 613–614
 - <Generator> node, 841, 848
 - Generators in Notification Services, 823, 830
 - Geographic Information Systems (GIS), 154
 - GET command, 564, 574–575, 608
 - GET CONVERSATION GROUP statement, 538–539
 - get-member cmdlet, 766
 - get method, 175
 - GetBits method, 212
 - GetBytes method
 - in SqlDataReader, 667
 - for UDTs, 650
 - GetChars method, 667
 - GetCLRControl method, 30
 - GetCLRManager method, 30
 - GetColumnInfo method, 655
 - GetColumnsRowset method, 655
 - GetConnectionBaseClass2 method, 711
 - GetConnectionStringFromConfigFile method, 647
 - GetDataSources method, 714
 - GetDecimal method, 127
 - GetEstimate method, 574–577, 598–600, 603, 605
 - GetEstimateResponse method, 601–602
 - GetFactory method, 711
 - GetFactoryClasses method, 710
 - GetHashCode method, 906

976 ■ Index

- GetHostManager method, 30
 - GetInitializedConnectionBaseClass method, 713
 - GetJobs method, 683
 - GetKeys method, 715
 - GetListOfTables method, 719–720
 - GetOuterXml method, 662
 - GetParameterProperties method, 656
 - GetPropertyObject method, 797–798
 - GetProviderFactoryFromUserInput method, 711
 - GetProviderFromConfigFile method, 707
 - GetProviderSpecificFieldType method, 660
 - GetProviderSpecificValue method, 660
 - GetPubAuth stored procedure, 302–303
 - GetResult method, 746
 - GetRow method, 102–103, 105–106
 - GetScaled method, 178–180, 202
 - GetSchema method
 - in IXmlSerializable, 191, 193
 - in LDim, 205–206
 - for metadata, 726–728, 730
 - for restrictions, 722–724
 - in SqlConnection, 120
 - for table lists, 719–720
 - GetSchemaRowset method, 655
 - GetSchemaTable method, 651–652, 667, 731
 - GetSmoObject method, 791–794
 - GetSqlBinary method, 667
 - GetSqlBytes method
 - in SqlDataReader, 667
 - for UDTs, 650
 - GetSqlChars method, 667
 - GetSqlDecimal method, 127
 - GetSqlString method, 667
 - GetSqlXml method, 660
 - GetType method, 906
 - GetValue method
 - in IDataRecorder, 126
 - in SqlDataReader, 659, 667–668, 670
 - GetValues method, 670, 715
 - GetWSDLUrl function, 610–611
 - GetXmlReader method, 410
 - GIS (Geographic Information Systems), 154
 - Global assembly cache (GAC), 38, 649
 - Globally Unique Identifiers. *See* GUIDs (Globally Unique Identifiers)
 - GRANT statement, 228
 - GRANT CONNECT statement, 552
 - GRANT CREATE XML SCHEMA COLLECTION TO statement, 400
 - GRANT permission, 230
 - Granting permissions, 220
 - GROUP BY clause
 - with aggregate partitions, 375–376
 - with XML, 389
 - Groups
 - conversation, 516–524
 - Windows, 229
 - Guest user, 228
 - GUIDs (Globally Unique Identifiers)
 - for assemblies, 904
 - for brokers, 513, 545
 - for conversation endpoints, 509
 - for conversation groups, 519
 - for messaging applications, 487
 - for providers, 733–734
 - for routes, 553
- ## H
- HasRows property
 - in DataReader, 707
 - in DbDataReader, 708
 - Helper functions, 181–183
 - Hints, query, 303–308
 - Host Protection Attributes (HPAs), 44–45, 262
 - <HostedProvider> node, 848
 - Hosting, 27
 - AppDomain loading for, 40–43
 - assemblies in
 - dependencies, 49–51
 - maintenance, 55–58
 - storing, 46–49
 - code loading in, 37–39
 - exception handling in, 34–37
 - .NET Framework, 29–31
 - purpose of, 27–29
 - resource management for, 31–34
 - safe code in, 43–45
 - security in, 39–40
 - specification compliance in, 58–59
 - HostProtectionAttribute class, 44–45
 - Hot-added memory, 28
 - HPAs (Host Protection Attributes), 44–45, 262
 - HTTP
 - endpoints, 895
 - creating, 222–223, 569
 - declarations, 564–569

- metadata, 572–573
 - in SQLXML, 639
 - SSL for, 608–609
 - states, 571–572
 - URL, 570–571
 - for Web Services
 - basic authentication, 626–627
 - connections, 562
 - response, 563
 - http://www.w3.org/2001/XMLSchema-
instance namespace, 392
 - http://www.w3.org/2001/XMLSchema
namespace, 392
 - HTTP provider, 826
 - httpcfg utility, 568
 - HTTPS connections, 627
- I**
- IAlterable interface, 802
 - IBCPSession interface, 645
 - IBinarySerialize interface, 159, 165, 167–170,
196, 210, 650
 - ICommandStream interface, 631
 - IContentFormatter interface, 826, 871
 - ICorRuntimeHost interface, 30
 - ICreateable interface, 802
 - IDataReader interface, 707, 751–752
 - IDataRecord interface, 126
 - IDBCommandWithParameters interface, 656
 - IDbConnection interface, 706
 - IDbParameter interface, 652
 - IDeliveryProtocol interface, 826, 877
 - Identity impersonation in Windows, 782–783
 - IDispatch interface, 646
 - IDisposable interface, 920–921
 - IDropable interface, 802
 - IEnumerable interface, 99–100
 - IEnumerator interface, 99–100
 - IEventProvider interface, 825
 - IHttpProtocolProvider interface, 877
 - IL (intermediate language), 3
 - ILDasm.EXE (Intermediate Language
Disassembler) tool, 726, 902–903
 - IMAGE data type
 - in clients, 669
 - for LOBs, 298
 - vs. MAX, 299
 - Impersonate method, 140
 - ImpersonateConnect program, 782–783
 - Impersonation of Windows identity,
782–783
 - Implicit data type conversions, 83, 85
 - <import> statement, 399
 - Importing types into schemas, 399
 - Imports directive, 914
 - IN clause
 - with PIVOT, 361–364
 - with UNPIVOT, 365
 - In-process data access, 111
 - commands for, 121–124
 - connections for, 118–121
 - exception handling for, 143–149
 - pipes for, 135–137
 - return values for, 124–127
 - rowsets for, 137–139
 - SqlClient for, 111–115, 150–151
 - SqlContext for, 115–118
 - transactions for, 128–135
 - triggers for, 149–150
 - Web Services from SQLCLR for, 140–143
 - WindowsIdentity for, 139–140
 - IncludeIfNotExists property, 807
 - Index buffers, 33
 - Indexed views, 674
 - Indexers for SMO objects, 801
 - Indexes
 - for XML data type, 401–402
 - for XQuery, 477–480
 - IndexSqlSchema node, 847
 - Infinite loops, 540
 - Info property, 687
 - Information identification for provider
 - factories, 712
 - Information property, 769–770
 - INFORMATION_SCHEMA, 728
 - for assemblies, 52–55
 - for metadata, 721
 - INFORMATION_SCHEMA.ROUTINES
view, 94
 - Infosets, 18
 - Inheritance in CLR, 908
 - Init method, 210, 217
 - INITIATOR direction for contracts, 529
 - Injection, guarding against, 256
 - Inline XSD format schema, 409–411
 - Input/output parameters for stored
procedures, 106
 - Input validation, 183–185
 - INSERT permission, 230, 266

978 ■ Index

- INSERT statement
 - with BULK Provider, 301
 - CTEs with, 343
 - encryption in, 238, 246
 - OUTPUT clause in, 336–338
 - TOP clause in, 329–330
 - in XML, 469–473
 - InsertCommand command, 753–754
 - INSERTED table, 149, 337–339
 - Inserting rows, 112–114
 - Instance configuration files, 834–839
 - Instance members for user-defined types, 174–175
 - InstanceName entry, 836
 - InstanceName property, 796
 - Instances in CLR type system, 910–912
 - INSTEAD OF triggers, 290, 338
 - Integral data types in XML, 416–417
 - Integrity checking, 395–396
 - IntelliSense for SMO, 766, 768
 - Intermediate language (IL), 3
 - Intermediate Language Disassembler (ILDasm.EXE) tool, 726, 902–903
 - Internal activation in service programs, 504
 - Interoperability
 - in service-oriented database applications, 891–894
 - with SqlContext, 117–118
 - INTERSECT operator, 326–329
 - <Interval> element, 855–856
 - INTO clause
 - with INTERSECT and EXCEPT, 329
 - with OUTPUT, 339–340
 - with RECEIVE, 522–523
 - with XML, 470
 - INullable interface, 159–160
 - invariant attribute, 710
 - Invocation links, 265
 - InvokeIfReceiverIsNull property, 177, 180–181
 - IP addresses, 553
 - IRowsetFastLoad interface, 645, 749
 - IS NULL clause, 181
 - is operator in XQuery, 443
 - ISAPI application, 563
 - ISAPI filters, 563
 - IsAvailable property, 116–117
 - IsByteOrdered property, 166
 - IScheduledEventProvider interface, 825
 - ISchemaRowset method, 726
 - IsDeterministic property, 76, 93–97
 - IsFixedLength property, 165, 960
 - IsInvariantToDuplicates property, 211–212
 - IsInvariantToNulls property, 211, 213
 - IsInvariantToOrder property, 211
 - IsMatch method, 163
 - IsMutator property, 177–178, 180
 - IsNull property
 - in LDim, 159, 161, 197
 - in SqlChars and SqlBytes, 668
 - in SqlTypes, 81
 - in UDTs, 181
 - IsNullability property
 - in SqlFacet, 960
 - in SqlSmoObject, 804
 - IsNullIfEmpty property, 211–212
 - Isolation
 - in ACID properties, 128, 278
 - SNAPSHOT, 278–289
 - Isolation levels in transactions, 695–699
 - IsPrecise property, 76, 93–97
 - ISQLServerErrorInfo interface, 645
 - ISSAbort interface, 645
 - ISSAsyncStatus interface, 645
 - ISSCommandWithParameters interface, 656
 - IsSendingResults method, 136
 - IsUpdatedColumn method, 149
 - Item property, 797–798
 - Items in XQuery sequences, 432
 - IUnknown interface, 646
 - IXmlSerializable interface, 191–193, 757
- ## J
- jar files, 59
 - Join equivalents in XQuery, 468
 - Joins with APPLY operators, 340–343
 - Just-In-Time (JIT) compilation, 7, 900
- ## K
- Kernel, 2
 - Keyrings, 246
 - Keys, encryption, 220, 238–248
 - KILL command, 36
- ## L
- Large object data types (LOBs), 298–301, 667–670
 - Latitude data type, 154
 - Lawrence, Eric, 578

- Lax validation in XML, 423
 - LDim data type, 156
 - creating, 157–160, 170–173
 - in DataReader, 649
 - helper functions in, 181–183
 - IBinarySerialize for, 167–170
 - implementations in
 - binary, 165–170
 - Format.Native vs. Format.UserDefined, 215–217
 - null value, 160
 - string, 160–164
 - maintaining, 185–187
 - objects for, 193–197
 - public members in, 173–181
 - source code for, 196–206
 - validation in, 183–185
 - XML with, 187–193
 - let keyword
 - in FLWOR expressions, 447
 - in XQuery, 441–442
 - Libraries, loading, 38–39
 - Library modules (DLLs), 3, 901
 - LIFETIME clause
 - for dialogs, 514
 - for routes, 547
 - Lightweight pooling, 33
 - LinkDemand, 44–45
 - Links for assemblies, 265–266
 - LINQ language, 893
 - Load balancing, 549
 - Loading
 - AppDomains, 40–43
 - with BULK Provider, 301
 - classes, 2
 - code, 37–39
 - XML data, 420–422
 - LOBs (large object data types), 298–301, 667–670
 - Local Security Settings tool, 236–237
 - Locality-of-reference choices, 891
 - LOCATOR data type, 10–11
 - Locking
 - conversation groups, 516–517, 522
 - in thread scheduling, 34
 - Logarithms, 101–106
 - Login property, 783
 - Logins
 - security for, 225–228
 - for SMO connections, 783–785
 - LoginSecure property, 782–783
 - logman command, 733–734
 - LogRange function, 101–106
 - Long-running transactions, 500–501
 - Longitude data type, 154
 - LONGVARBINARY data type, 670
 - LONGVARCHAR data type, 670
 - LONGWVARCHAR data type, 670
 - Lookup tables, 671
 - Low-memory conditions, 35
- ## M
- machine.config file, 710, 729
 - MakeCall CTE, 346–347, 349
 - Managed code, 2
 - Managed Object Format (MOF) file, 732
 - ManagedComputer class, 762–763, 815–817
 - Management class, 762, 795
 - Manifests, 903–904
 - Mapping
 - in runtime hosting, 33
 - schemas, 20
 - SQL catalogs and tables, 424–425
 - SQL types, 425–426
 - SqlTypes, 82–83
 - in XML, 15, 414–418
 - mapping_schema.xml file, 637
 - MARS (multiple active resultsets), 23, 689–691
 - in ADO.NET, 691–695
 - for asynchronous support, 748
 - in SQL native client, 695
 - with SqlCommand, 123
 - Marshaling data, 20–22, 40
 - Master keys, 238–241, 245
 - Match method, 71, 163
 - Math class, 97–98, 107–108
 - MAX data types, 299–300
 - MAX function, 14, 156, 207
 - MAX_QUEUE_READERS clause, 505–506
 - MaxByteSize property, 165
 - MaximumVersion element, 727
 - maxInclusive facet, 394, 417
 - maxOccurs facet, 418, 476
 - MaxPoolSize property, 787
 - MAXRECURSION query hint, 306, 355
 - MaxSize property, 960
 - MDAC (Microsoft Data Access Components), 642

980 ■ Index

- Members, 914–915
 - MemberwiseClone method, 906
 - Memory and memory allocation, 918–921
 - for conversations, 511
 - hot-added, 28
 - in .NET Framework, 2
 - out-of-memory conditions, 35
 - for runtime hosting, 33–35
 - Memory clerk, 33
 - MERGE JOINS, 305
 - Merge method, 210, 214, 217
 - MESSAGE TYPE clause, 532
 - Messages
 - in business transactions, 524–528, 530–534
 - compensation in, 541–544
 - order of, 502
 - poison, 540–541
 - in SSB, 494–499
 - Messaging applications, 481–493
 - Meta-collections, 721–722
 - Metadata
 - for assemblies, 52–55
 - for endpoints, 572–573
 - in instance configuration files, 836
 - for Notification Services, 827
 - in OLE DB, 656
 - for rowsets, 137–139
 - in schemas
 - availability of, 721–726
 - customizing and extending, 726–728
 - purpose of, 719–720
 - security for, 220, 223–224
 - in SNAPSHOT isolation, 288–289
 - MetaDataCollections collection, 721–722, 727
 - MetaDataXml attribute, 730
 - Methods, 917–918
 - defined, 914
 - overloading, 98
 - in UDTs, 173–181
 - Microsoft Alerts provider, 826
 - Microsoft Data Access Components (MDAC), 642
 - Microsoft Data Engine (MSDE), 4–5
 - Microsoft Transaction Server (MTS), 697
 - Middle-tier servers, 562
 - MIN function, 14, 207
 - minExclusive schema element, 394
 - MinimumVersion element, 727
 - minInclusive facet, 417
 - minOccurs facet, 418, 476
 - MinPoolSize property, 787
 - MinutesDelay, 14
 - MIXED authentication, 627
 - modify function, 403
 - delete, 473–474
 - insert, 469–473
 - replace value of, 474
 - Modules, 901–903
 - MOF (Managed Object Format) file, 732
 - Monad shell, 766, 768
 - Monitoring SNAPSHOT isolation
 - versioning, 288–289
 - MOVE CONVERSATION statement, 518
 - MoveNext method, 99, 103
 - mscoree.dll file, 2, 899
 - mscorlib.dll file, 899, 903–904
 - mscorsvr.dll file, 899
 - mscorwks.dll file, 899
 - MSDE (Microsoft Data Engine), 4–5
 - MSDTC (distributed transaction coordinator), 697
 - MSN Messenger program, 25
 - MTS (Microsoft Transaction Server), 697
 - Multicast deliveries, 867
 - Multiple active resultsets (MARS), 23, 689–691
 - in ADO.NET, 691–695
 - for asynchronous support, 748
 - in SQL native client, 695
 - with SqlCommand, 123
 - Multiple Connections property, 691
 - Multiple-document queries, 468
 - MUST_CHANGE keyword, 236
 - Mutators, 177
- ## N
- Names and Name property
 - for assemblies, 904–905
 - in CLR, 66
 - in SqlFunction, 96
 - in SqlSmoObject, 803
 - in SqlTrigger, 109
 - synonyms, 252–253
 - Namespace keyword, 913
 - Namespaces
 - CLR, 912–914
 - XML, 16–17, 392, 604–605
 - NaN (not a number) value, 86–87
 - Native client, 641–645, 695

- Native XML Web Service feature, 571
- Navigation in SMO, 800–802
- NCHAR data type
 - in messaging applications, 493
 - for SqlTypes, 92
 - in XML, 387
- Nesting
 - classes, 97–98
 - transactions, 130, 134
 - XML queries, 413–414
 - XML subelements, 15
- .NET Framework, 1–3, 897
 - assemblies in, 903–905
 - CLR. *See* CLR (Common Language Runtime) languages
 - members in, 914–918
 - memory management in, 918–921
 - modules in, 901–903
 - runtime hosting, 29–31
 - security for, 219–220
 - SQL Server affected by, 3–8
 - UDTs
 - in ADO.NET, 647–648
 - in ODBC, OLE DB, and ADO, 654–656
- NetValidatePasswordPolicy function, 236
- New Database Reference dialog box, 952
- New Project dialog box
 - in SSMS, 927–928
 - in Visual Studio, 773, 952
- New Query Editor Window, 944–945
- NextResult method, 126
- NGen.exe program, 900
- NIH (not invented here) syndrome, 22
- 1999 Standard, 8–11
- No-namespace schema, 395
- node function, 407
- Node tables, 401
- nodes function, 403, 457–461
- Nodes in XQuery, 19, 432
 - comparisons, 443
 - functions, 463
 - identity, 434
 - tests, 440
- Non-Uniform Memory Access (NUMA)
 - architecture, 28
- NONE validation for message types, 525
- <NonHostedProvider> node, 848
- NonPooledConnection property, 785–786
- Nonvalidated XML schema, 18
- Not a number (NaN) value, 86–87
- Not invented here (NIH) syndrome, 22
- Notification Services, 24–25, 761, 819–821
 - application definition files for, 839–842
 - applications, 821–824
 - coding steps, 832
 - generation steps, 833
 - planning steps, 831–832
 - sample, 833–834
 - best practices, 891
 - components of, 824–828
 - delivery of, 829, 873–874
 - channels for, 830–831
 - customizing, 877
 - protocols for, 826, 831, 874–877
 - design patterns for, 828–829
 - distributors and formatters for, 871–873
 - events in, 822–823, 830, 846
 - chronicles for, 857–858
 - classes for, 846–850
 - providers for, 825, 846, 852–856
 - rules for, 868–870
 - stored procedures for, 850–852
 - instance configuration files for, 834–839
 - notifications, 867–871
 - NSControl for, 824, 843–845, 849, 854, 868
 - subscribers, 862–865
 - subscription classes, 860–862
 - subscriptions, 858–860, 865–867
 - terms for, 829–831
- <NotificationClass> node, 867
- <NotificationClasses> node, 841, 848
- Notifications
 - event, 294–297
 - query. *See* Query Notification support
- NotificationServices.dll file, 824
- NotificationServices namespace, 860, 862
- NSApplication class, 860, 865
- NSBeginEventBatch stored procedure, 850
- NSControl tool, 819, 824, 839, 842–845, 849, 854, 868
- NSDeliveryChannels table, 864
- NSDiagnosticEventClass stored procedure, 852
- NSDiagnosticEventProvider stored procedure, 852
- NSEventBatchDetails stored procedure, 852
- NSEventFlushBatch stored procedure, 850–851
- NsEventSubmitBatch stored procedure, 850
- NSEventWrite stored procedure, 850

982 ■ Index

- NSInstance class, 860, 865
 - NSNotificationClasses table, 845
 - NSService process. *See* Notification Services
 - nssub class, 863
 - NSSubscriberChannels table, 864
 - NSSubscriptionClasses table, 845
 - NTEXT data type
 - in clients, 669
 - for LOBs, 298
 - vs.* MAX, 299
 - in XML, 387, 389
 - NTILE function, 367, 371–373
 - NULL constraint, 386
 - Null instances in SSMS, 179
 - Null method, 197
 - NULL values and property
 - in FLWOR expressions, 447–448, 450
 - in INTERSECT and EXCEPT, 326–329
 - in INullable, 159
 - in LDim, 160, 180–181, 197
 - in ON DELETE and ON UPDATE, 334–336
 - in SqlTypes, 77–79, 81
 - in WSDL, 601–602
 - in XML, 411–412, 418
 - Nullable type, 80
 - NUMA (Non-Uniform Memory Access)
 - architecture, 28
 - Numeric class, 97–98
 - Numeric operators in XQuery, 463–464
 - NVARCHAR data type
 - in clients, 667
 - in MAX, 299
 - maximum size for, 298
 - in messaging applications, 493
 - in SqlTypes, 92
 - in SQLXML, 629
 - WSDL files for, 599–600
 - in XML, 387, 408
- O**
- Object class, 906–907
 - Object data type, 90–92
 - Object Explorer
 - for SMO object model, 770–772
 - for SSMS, 944–948
 - Object Oriented Database Management System (OODBMS), 447
 - Object-oriented programming concepts, 893
 - Object Query Language (OQL), 447
 - Objects for UDTs, 193–197
 - ObjectType function, 90–91
 - ODBC API, 642–643, 646
 - for connection information, 717
 - isolation levels in, 696
 - .NET Framework UDTs in, 654–656
 - Query Notifications in, 676–677
 - Odbc bridge, 641
 - OLE DB API, 22–24, 642–644, 646
 - in ADO.NET, 705–706
 - for connection information, 717
 - isolation levels in, 696
 - .NET Framework UDTs in, 654–656
 - Query Notifications in, 676–677
 - OLE DB for Analysis, 24
 - OleDb bridge, 641
 - OleDbProviderFactory class, 709
 - OLTP operations, 768–769
 - ON clause for DDL triggers, 290
 - ON CONTRACT clause, 530
 - ON CONVERSATION clause, 489, 509–510
 - ON DELETE clause, 333–336
 - ON UPDATE clause, 333–336
 - OnChange event, 680–681
 - OnNullCall property, 177–178
 - OO4O (Oracle Objects for OLE), 705
 - OODBMS (Object Oriented Database Management System), 447
 - op_ methods, 87
 - op_addition operator, 87–88, 181–183
 - op_Equality operator, 88
 - op_Explicit method, 85
 - op_Implicit method, 85
 - op_Inequality operator, 88
 - Open Data Services API, 5
 - Open method, 112, 130–131, 736
 - OPENROWSET function, 420
 - OpenXML, 418–420, 461, 638
 - operator + method, 198
 - Operators
 - in SqlTypes, 87–90
 - in XQuery, 464–467
 - OPTIMIZE FOR clause, 305–306
 - Optimizing XQuery queries, 402
 - OPTION keyword, 305
 - Optional features, turned off, 221
 - Options dialog box in SSMS, 925–926
 - OQL (Object Query Language), 447
 - Oracle Objects for OLE (OO4O), 705
 - OracleClient provider, 718

- OracleProviderFactory class, 709
 - ORDER BY clause
 - in ranking functions, 368, 372
 - in XML, 389
 - in XQuery, 443–444, 465
 - ORIGINAL_LOGIN function, 259
 - out modifier, 917
 - Out-of-memory conditions, 35
 - OUTER APPLY operator
 - for joining sets, 340–343
 - for nodes, 458–460
 - OUTPUT clause, 336–340
 - Output parameters for stored procedures, 108
 - OutputCache directive, 673, 686
 - OutputDebugString system, 742
 - OVER clause
 - for aggregate partitions, 374–375
 - for ranking functions, 367–368
 - Overflow conditions, stack, 36
 - Overloading methods, 98
 - OverwriteChanges option, 757
 - Ownership
 - of assemblies, 51–55
 - chaining, 232–235, 267, 274
- P**
- <Parameter> node, 837
 - <ParameterDefaults> node, 837–839
 - ParameterDirection enumeration, 123–124
 - Parameterized queries, 718–719
 - Parameters, 917–918
 - binding problems, 740–742
 - in CLR, 93
 - for scalar user-defined functions, 98–99
 - for SqlCommand, 123–124
 - for stored procedures, 106–108
 - XML for, 390–391
 - Parameters element, 623
 - Parameters property, 123, 653
 - ParametersCollection, 653
 - Parent axes in XQuery, 439
 - Parent-child relationships, 334
 - Parent navigation in SMO, 800–802
 - Parent property, 800, 803
 - Parents in DependencyTree, 813
 - Parse method, 160–163, 184, 201
 - Partitions
 - aggregate, 374–376
 - PARTITION BY clause, 373–374
 - Password property, 783
 - Passwords, 222
 - change support for, 699–701
 - for connections, 114
 - in HTTP authentication, 627
 - policies for, 220, 235–238
 - in ServerConnection, 783
 - for SMO connections, 778, 780
 - for SQL Server login, 784–785
 - PATH indexes, 477–478
 - PATH mode, 406–407
 - Path value, 736–737
 - Pathnames in XML, 407
 - Paths
 - in data tracing, 736–737
 - in HTTP schemes, 570
 - in XML, 406–407
 - in XQuery, 438, 477–478
 - Pattern-based data types, 417–418
 - PERCENT phrase, 380
 - Performance benchmarks, 28
 - Performance counters in SNAPSHOT
 - isolation, 289
 - Performance Logs and Alerts snap-in, 739
 - PERMISSION_SET clause, 957
 - Permissions
 - for assemblies, 48–50, 262–268, 957
 - for schema collections, 400
 - for security, 224–231
 - for SQLCLR objects, 261–262
 - Persistent Stored Modules, 449
 - PERSON data type, 10
 - PInvoke
 - for interoperability, 117
 - for safe assemblies, 48
 - for thread scheduling, 34
 - Pipe property, 117, 135
 - Pipeline method, 139
 - Pipes, 135–137
 - PIVOT operator, 359–365
 - Plan guides and plan forcing, 306–308
 - Points, 194–196
 - Poison messages, 540–541
 - PooledConnectionLifetime property, 787
 - PopulationMechanism, 728
 - PopulationString, 728
 - Ports
 - for distribution, 553
 - HTTP, 570
 - SSL, 608–609

- PORTS option, 570
 - POST command, 573–574
 - Post Schema Validation Infosets (PSVIs), 18, 434–435
 - Precision property, 960
 - Predicates in XQuery, 441–442
 - Preemptive thread scheduling, 34
 - PrepareCommand value, 728
 - Primary indexes, 401, 477–479
 - PRIMARY KEY option, 385
 - Principals in security, 224–231
 - Principle of least privilege, 140, 219
 - Private keys, 243
 - private keyword, 59
 - Procedural code, execution contexts for, 253–259
 - PROCEDURE_NAME clause, 505
 - Processes in runtime loading, 40
 - ProcessID property, 781–782
 - processing-instruction function, 407
 - Processing loops in business transactions, 534–539
 - Processing messages in SSB, 494–499
 - Processing serialization, 502
 - ProcessObject function, 91
 - Processors in marshaling data, 20
 - Product aggregate, 208–209
 - Projects
 - in SMO, 772–777
 - in SSMS, 924–937
 - in Visual Studio, 951–954
 - Prologs in XQuery, 436–437
 - Promotable transactions, 697–699
 - PromptPassword method, 700
 - Properties, 916–917
 - defined, 914
 - in UDTs, 173–181
 - Properties folder, 954
 - Properties property, 796–798
 - PROPERTY indexes, 477, 479
 - PropertyGrid control, 717
 - PropertyRetrieved property, 798
 - <Protocol> node, 837, 876
 - Protocols for Notification Services, 826, 831, 874–877
 - <Protocols> node, 837
 - ProviderBase namespace, 726
 - ProviderFactories class, 717
 - Providers
 - in ADO.NET, 705–707
 - in ETW, 742
 - factories for, 709–712
 - GUIDs for, 733–734
 - in Notification Services, 825, 846, 852–856
 - SQLXMLEDB, 629–632
 - <Providers> node, 848
 - Proxy classes
 - WDSL, 600, 603
 - Web Service, 141
 - Webmethods, 575
 - PSVIs (Post Schema Validation Infosets), 18, 434–435
 - Public keys, 242–243
 - public keyword, 59
 - Public members in UDTs, 173–181
 - public principal, 229
 - Public-private key pairs, 241
 - Pulley/belt drive database example, 63–70
 - Pulley class, 64–69
 - pulley.cs file, 66–67
 - PulleyDistance method, 64–69
 - PulleyDistanceTSQL function, 69
- ## Q
- QNames functions, 464
 - Quantum for Notification Services, 830
 - Queries
 - hints for, 303–308
 - nesting, 413–414
 - recursive, 351–359
 - SSMS, 931–936
 - statement-level recompilation for, 301
 - XPath, 18–20, 429
 - expressions in, 439
 - for SMO objects, 791–793
 - in SQLXML, 634
 - XQuery. *See* XQuery query language
 - Query Designer dialog box, 933–936
 - query method, 403, 454–457
 - Query Notification support, 670–673
 - from databases, 679–680
 - dispatching in, 677–679
 - eager notifications, 687–688
 - OLE DB and ODBC, 676–677
 - SQL Server 2005, 673–676
 - SqlCacheDependency for, 685–687
 - SqlDependency for, 680–682
 - SqlNotificationRequest for, 682–685
 - usage, 688–689

- Query plans, 304
- Query predicates, 441
- Query window, 923
- QueryMemoryResourceNotification API, 35
- QUEUE_ACTIVATION events, 509
- Queues
 - for messages, 485–486, 533, 541–544
 - for Query Notifications, 677
 - in service programs, 505–509
- QuoteIdentifier property, 731

- R**
- RAISERROR statement, 147, 164, 319–320, 322–323
- Random samples, 376–381
- Range class, 102–103, 106
- Range errors, 184
- RangeFunctions class, 103–106
- RANK function, 367, 369–370
- Ranking functions, 366–373
- RAW mode for XML, 403–406
- RDS (remote data services) architecture, 21
- READ COMMITTED isolation level, 278–281, 283, 288
- READ_COMMITTED_SNAPSHOT option, 283, 286, 288
- Read method
 - in IBinarySerialize, 167–170
 - in LDim, 160, 204
 - in SqlDataReader, 126, 664, 668
 - in XmlReader, 663
- Read-mostly lookup tables, 671
- Read-only lookup tables, 671
- Read-only mode, 689
- READ UNCOMMITTED isolation level, 278
- ReadCommitted method, 697
- Reader-makeright approach, 20–21
- Readers in SAX, 665
- Reading trace output, 735–736
- ReadLine method, 779
- READTEXT method, 670
- ReadXml method
 - in IXmlSerializable, 191–193
 - in LDim, 206
- RECEIVE statement
 - for conversation groups, 518, 520–523
 - for Event Notifications, 297
 - for processing loops, 535–536, 539
 - for queues, 491, 542–543
- Recompilation, statement-level, 301–303
- Recordsets, 666
- Recursive queries, 351–359
- REF data type, 11
- ref modifier, 917
- Reference types, 158, 912
- ReferenceEquals method, 906
- References folder, 954
- REFERENCES permission
 - for assemblies, 266–267
 - for schema collections, 400
 - for tables, 230
- Reflection for assemblies, 48
- Regex class, 162
- Register command, 855
- Registry
 - for data tracing, 732, 738
 - for provider factories, 712
 - for SMO, 816
- Regular expressions, 71–74
- Relational data access APIs, 646
- Relational databases, 892
- Remote data services (RDS) architecture, 21
- Remote procedure calls (RPCs), 21
- REMOVE PRIVATE KEY statement, 260
- RENAME LOGIN statement, 226
- RepairWSDL function, 611–613
- REPEATABLE clause, 379–381
- REPEATABLE READ isolation level, 278, 288
- replace value of statement, 474
- REPLICATE function, 299
- Reporting Services feature, 25, 761
- ReportingServices namespace, 795
- Reservations for URLs, 569
- ReservedWords metadata category, 722
- Reset Lockout Counter After setting, 236–237
- Resource management for hosting, 31–34
- Responses for Web Services, 563
- Restore object module, 763
- RestrictionNumbers, 723
- Restrictions, URN retrieval, 721–724
- Restrictions collection, 721–724
- Result method, 163
- Results window, 923
- Resultsets, 19
- Retention for queues, 541–544
- Retrieved property, 799
- RetrieveStatistics method, 718
- Retry stored procedure, 322–324

- Retrying transactions, 321–322
 - return expressions
 - in FLWOR, 447
 - in XQuery, 441, 444
 - Return values
 - in CLR, 93
 - for in-process data access, 124–127
 - for stored procedures, 107
 - ReturnProviderSpecificTypes property, 757
 - Reverse method, 176
 - REVERT statement, 256
 - Roles
 - assigning, 228–229
 - schemas for, 249–251
 - ROLLBACK TRAN statement, 517
 - Rollup accounts, 351
 - Rollup query, 352–359
 - Root elements in XML, 412–413
 - Root nodes in XQuery, 434, 440
 - Routes and routing tables, 547–553
 - ROW_NUMBER function, 367–368
 - Rows
 - inserting, 112–114
 - in SNAPSHOT isolation, 280
 - ROWS clause, 380–381
 - Rowsets
 - creating and sending, 137–139
 - watching, 674
 - from XML documents, 418–420
 - ROWSETS_ONLY option, 621
 - RPCs (remote procedure calls), 21
 - Rules
 - creating, 11
 - for Notification Services, 868–870
 - Rules.dll file, 824
 - Runas utility
 - for ImpersonateConnect program, 783
 - for SMO connections, 780–781
 - Runtime hosts. *See* Hosting
- S**
- SAFE security level, 39, 45
 - for assemblies, 48, 264, 271–272
 - for hosting, 43–45
 - SafeHandle class, 37
 - Safety levels, 268–274
 - Sagas, 500–501, 541–543
 - Sample applications for Notification Services, 824–825
 - Samples, random, 376–381
 - SAXXMLReader40 class, 666
 - Scalars
 - dimensions for, 194
 - points for, 195–196
 - user-defined functions, 96–98
 - user-defined types, 154
 - ScaleBy method, 176–179, 201
 - <Schedule> node, 855
 - ScheduledRules section, 862
 - Schema-bound links, 266
 - Schema node, 847
 - SchemaFile argument, 853
 - SchemaGen option, 637
 - Schemas and schema collections
 - in ADO.NET, 719–728
 - for assemblies, 51–55
 - for HTTP, 570
 - inline XSD format, 409–411
 - managing, 397–400
 - mapping, 20
 - for message types, 526
 - metadata in
 - availability of, 721–726
 - customizing and extending, 726–728
 - purpose of, 719–720
 - for Notification Services, 824, 835
 - security for, 400
 - user customization in, 729–731
 - user separation from, 248–252
 - in XML, 17–18, 392–400, 475–477, 824
 - in XQuery, 475–477
 - SCOPE_IDENTITY function, 336, 338
 - Script method, 807–809
 - Script Stored Procedure As
 - command, 945
 - ScriptDrops property, 807, 809
 - Scripter objects, 808
 - ScriptingOptions object, 807
 - Scripts
 - Object Explorer for, 944–945
 - for SMO, 807–816
 - “Sealing the data” process, 243
 - SecondsDelay data type, 13–14
 - Securables, 225
 - Secure Sockets Layer (SSL)
 - encryption in, 239
 - for Web Services, 608–609
 - SecureString class, 784–785

- Security, 219
 - for assemblies, 48–50
 - authentication and authorization in, 224–231
 - best practices, 885
 - code signing, 259–261
 - configuring, 221–224
 - encryption for, 238–248
 - execution contexts
 - and ownership chaining, 232–235
 - for procedural code, 253–259
 - in hosting, 39–40
 - for metadata, 220, 223–224
 - in .NET Framework, 2
 - new features, 219–221
 - optional features in, 221
 - password policies and credentials in, 235–238
 - safety levels for, 268–274
 - for schema collections, 400
 - separation of users and schemas for, 248–252
 - for SQLCLR objects, 261–262
 - for synonyms, 252–253
- Security Configuration Manager screen, 222
- select_and_count stored procedure, 258
- SELECT permission, 230, 266
- SELECT statement
 - CTEs with, 343
 - encryption in, 238, 246
 - FOR XML clause in. *See* FOR XML clause
 - for queues, 491
 - return data from, 125
 - in SNAPSHOT isolation, 288
 - TABLESAMPLE clause in, 376–381
 - TOP clause in, 329
 - vs.* XQuery, 446–449
- SelectCommand command, 753–754
- Self axes in XQuery, 440
- Self-signed certificates, 702
- Semicolons (;)
 - for CTEs, 344
 - for SSB, 497
- “Send a message and go on about your business” technique, 481–482
- Send method, 136
- SEND statement, 522, 531–532
- SEND ON CONVERSATION statement, 489
- Send type in business transactions, 530–534
- SendResultsEnd method, 137
- SendResultsRow method, 137
- SendResultsStart method, 137
- SENT BY clause, 529
- SENT BY ANY clause, 529
- SEP (SQL Server event provider), 825, 855
- Separation of users and schemas, 220, 248–252
- Sequences in XQuery, 432–434, 464
- SequentialAccess method, 664, 668, 670
- Serializable attribute, 40, 211
- SERIALIZABLE isolation level, 278–282
- Serialization
 - of DataSets, 756
 - IBinarySerialize for, 167–170
 - of transactions, 502
 - for UDTs, 189–191
 - in XML, 15, 143
- Serialization class, 756
- Serialization namespace, 191
- Server class, 762
 - properties in, 769–770, 777, 789
 - for SMO, 787–789
- Server Explorer, 953
- Server Management Objects (SMO), 761–764
 - vs.* ADO, 767–769
 - best practices, 890
 - configuration management for, 815–817
 - connections in, 778
 - automatic, 780–782
 - default Windows credentials, 778–780
 - managing, 785–787
 - Runas utility, 780–781
 - SQL Server login, 783–785
 - Windows identity impersonation, 782–783
 - object model for, 763, 769–772
 - objects in, 790
 - GetSmoObject for, 793–794
 - identity of, 790–793
 - methods of, 802–807
 - parent navigation, 800–802
 - properties for, 796–800
 - state of, 802
 - URN retrieval object model, 795–796
 - URN retrieval restrictions, 794–795
 - projects, 772–777
 - purpose of, 764–767
 - scripts for, 807–816
 - Server class for, 787–789
- Server rules, 11

- Server Service Broker (SSB) service, 24–25
 - best practices, 888
 - business transactions in. *See* Business transactions
 - for events, 294–296
 - message processing in, 494–499
 - for messaging applications, 481–493
 - in Query Notification, 675–676
- Server-side cursors, 689
- ServerConnect object, 784
- ServerConnection class, 787–788
 - for credentials, 778–779
 - for passwords, 784–786
 - properties of, 782–783
 - for SMO, 780–781, 814
- Service Broker. *See* Server Service Broker (SSB) service
- Service master keys, 238–241
- Service-oriented database applications, 879
 - architecture, 891–894
 - best practices, 882–891
 - data models and programming, 880–881
 - new features, 879–880
 - platforms in, 894–895
 - tiers in, 881–882
- Service programs, 503–509
- ServiceMasterKey property, 800
- Services
 - in messaging applications, 486
 - Notification. *See* Notification Services
 - Web. *See* Web Services
- Session keys, 243, 702
- SESSION_TIMEOUT clause, 627
- SESSIONS clause, 627
- set method, 173–175
- SET NEW_BROKER statement, 513
- SET ROWCOUNT statement, 333
- SET TRANSACTION ISOLATION LEVEL SNAPSHOT statement, 696
- Setback field, 175
- SetDefaultIntField method, 800
- SetFieldValue method, 865
- SetHostControl method, 30
- SetParameterProperties method, 656
- SETUSER statement, 256
- SGen utility
 - for UDTs, 188–190
 - for XML serialization, 143
- SGML (Standard Generalized Markup Language), 14
- Showplans, XML-based, 304–305, 308
- Shredding XML documents, 419
- Signing
 - certificates, 243
 - code, 259–261
- Simple Mail Transfer Protocol (SMTP), 826, 874–876
- Simple Message Service (SMS), 25, 826
- Simple Object Access Protocol (SOAP) protocol, 21
 - message format in, 573
 - payload format for, 597
 - for stored procedure, 616–618
 - for Webmethods, 576–577
- SimpleEnum class, 100
- SimpleType class, 415
- SINGLE_BLOB keyword, 301, 421
- SINGLE_CLOB keyword, 301, 421
- SINGLE_NCLOB keyword, 301, 421
- SITE option, 570
- Skip validation, 423
- Sleep method, 138
- SMO. *See* Server Management Objects (SMO)
- SMO.dll file, 824
- SMO namespace, 761
- SmoCollectionBase class, 769–772, 800
- SMS (Simple Message Service), 25, 826
- SMTP (Simple Mail Transfer Protocol), 826, 874–876
- Snapi for Performance Logs and Alerts, 739
- SNAPSHOT isolation level, 278–286
 - in ADO.NET, 695–697
 - versioning in, 286–289
- SNI (SQL Server Network Interface), 643, 736
- SOAP (Simple Object Access Protocol) protocol, 21
 - message format in, 573
 - payload format for, 597
 - for stored procedure, 616–618
 - for Webmethods, 576–577
- SOAP over HTTP, 562–563
- Social Security numbers, 70–74
- Solution Explorer, 774, 923, 928–930
- Solutions in SSMS, 924–937
- Sort Options property, 668
- Source property, 687
- sp_addapprole stored procedure, 250

- sp_addlogin stored procedure, 226, 236
- sp_addmessage stored procedure, 147
- sp_addtype stored procedure, 11
- sp_adduser stored procedure, 62, 228, 250
- sp_bindrule stored procedure, 11
- sp_bindsession stored procedure, 116
- sp_bindtoken stored procedure, 120
- sp_delete_http_namespace_reservation
 - stored procedure, 568–569
- sp_grantlogin stored procedure, 226
- sp_helptext stored procedure, 224
- sp_http_generate_wsdl_defaultcomplexor-
 - simple stored procedure, 579, 613
- sp_http_generate_wsdl_defaultsimpleor-
 - complex stored procedure, 605
- sp_lock stored procedure, 284
- sp_OACreate stored procedure, 62, 221
- sp_reserve_http_namespace stored
 - procedure, 568–569
- sp_setapprole stored procedure, 229
- sp_tableoption stored procedure, 299
- sp_unsetapprole stored procedure,
 - 229–230
- sp_xml_preparedocument stored procedure,
 - 419–420
- Specialized namespace, 807
- Specification compliance in hosting, 58–59
- Specify Values for Template Parameters
 - dialog box, 939–943
- SPIDs (system process identifiers), 36
- Spinlock, 34
- SQL BULK INSERT provider, 638
- SQL catalogs and tables, mapping to XML,
 - 424–425
- sql:column function, 424, 465–467
- SQL_COPT_SS_MARS_ENABLED
 - option, 695
- SQL engine enhancements, 277
 - best practices, 885–886
 - BULK Provider, 301
 - DDL triggers, 289–294
 - Event Notifications, 294–297
 - large value data types, 298–301
 - plan guides and plan forcing, 306–308
 - query hints, 303–308
 - SNAPSHOT isolation, 278–289
 - statement-level recompilation, 301–303
- SQL_LONGVARBINARY data type, 654
- SQL native client, 641–645, 695
- SQL Profiler utility, 578
- SQL-PSM queries, 19
- SQL Server 1205 errors, 321
- SQL Server event provider (SEP), 825, 855
- SQL Server Integration Services (SSIS),
 - 186, 749
- SQL Server login
 - encryption support in, 702–703
 - failover support in, 701–702
 - password change support in, 699–701
 - query notifications in, 673–676
 - for SMO connections, 783–785
- SQL Server Management Studio (SSMS)
 - configuration, 925–927
 - for Event Notifications, 297
 - introduction, 923–924
 - null instances in, 179
 - Object Explorer in, 944–948
 - solutions and projects in, 924–937
 - templates in, 937–944
 - for UDTs, 171
 - for XML-based showplans, 305, 308
- SQL Server Network Interface (SNI),
 - 643, 736
- SQL Server Operating System (SQLOS), 28,
 - 32–34
- SQL Server Service Broker. *See* Server Service
 - Broker (SSB) service
- SQL Server Surface Area Configuration
 - Utility, 221–224, 571–572
- SQL_VARBINARY data type, 654
- sql:variable function, 465, 467
- SQL_VARIANT data type, 90–91, 418
- SQL_WLONGVARCHAR data type, 654
- SQL_WVARCHAR data type, 654
- sqlBatch element, 623
- sqlBatchResponse element, 623–624, 626
- SQLBinary type, 83
- SqlBoolean data type, 80, 88, 90, 92
- SqlBulkCopy class, 150, 749–752
- SqlBulkCopyColumnMapping class, 750
- SqlBulkCopyColumnMappingCollection
 - class, 750
- SqlBytes data type, 83, 668
- SqlCacheDependency class, 673, 685–687
- SqlChars data type, 83, 668
- SqlClient, 8, 23
 - ADO.NET with, 705
 - asynchronous support, 743–748
 - base classes and factories, 705–709
 - bulk import, 749–752

990 ■ Index

- SqlClient (*Continued*)
 - configuration information, 712–713
 - connection strings, 715–717
 - enumerating data sources, 714–715
 - generic coding considerations, 717–719
 - .NET Framework DataSet and
 - SqlDataAdapter enhancements, 753–758
 - provider factories, 709–712
 - schemas, 719–731
 - statistics, 752–753
 - tracing data access, 731–743
- classes and methods in, 117
- for in-process data access, 111–115, 150–151
- for transactions, 128
- SqlClient class, 624, 631, 643, 680
- SQLCLR
 - best practices, 883–884
 - permissions with, 261–262
 - thread synchronization in, 34
 - in Visual Studio, 957–960, 962
 - Web Services from, 140–143
- SQLCMD, 171
- SqlCommand class, 112, 623
 - constructors for, 121
 - for MARS, 692
 - members of, 122–124
 - return data for, 125–127
 - for SMO, 765
 - for UDTs, 653
- SqlCommandBuilder class, 754–755, 757
- SqlConnection class, 112, 114
 - for client statistics, 752
 - for MARS, 692
 - members of, 118–121
 - for transactions, 128, 130
- SqlContext class, 115–118
- SqlDataAdapter class
 - for DataSet upgrading, 757
 - enhancements, 753–758
 - for providers, 708
- SqlDataReader class, 112
 - for clients, 667
 - for MARS, 692–694
 - for return data, 126–127
 - with SqlCommand, 121, 123
 - UDTs from, 648–654
- SqlDataRecord class, 136–139
- SqlDateTime class, 757
- SqlDbType class, 658
 - for UDTs, 652
 - with large data types, 669
- SqlDecimal data type, 87
- SqlDependency class
 - for Query Notifications, 672–673, 677–682
 - with SqlCommand, 123
- SqlDependency.Start method, 677–679
- SqlDependency.Stop method, 679
- SQLDescribeCol class, 655
- SqlDouble data type, 86–87
- SqlError class, 113
- SqlErrorCollection class, 113
- SqlException class, 113
- SqlExecutionModes property, 814
- SqlFacet attribute, 173–174, 958–960
- SqlFunction attribute, 75–76, 94–97, 103–104, 960
- SqlInt32 data type, 85, 87–90, 92
- SqlMessages element, 621
- SqlMetaData class, 137–139
- SqlMetaDataFactory class, 728
- SqlMethod attribute, 177, 180
- sqlncli.h file, 696
- SQLNCLI provider, 629, 644
- SqlNotification class, 672
- SqlNotificationEventArgs class, 687
- SqlNotificationRequest class, 123, 673, 676, 680–685
- SQLNS. *See* Notification Services
- SQLOLEDB provider, 629, 631, 644–645
- SQLOS (SQL Server Operating System), 28, 32–34
- SqlParameter class, 113, 123, 624, 652
- SqlParameterCollection class, 113, 123
- SqlPipe class, 127, 135–137, 147
- .sqlplan extension, 305, 308
- SqlProcedure attribute, 75–76, 960
- SqlProviderFactory class, 709
- SqlQueryNotificationService class, 677
- SqlResponseStream scheme, 615
- SqlResultCode element, 616, 619
- SqlResultStream element, 615–616, 619–622
- SqlRowCount element, 616, 619, 621
- SqlRowSet element, 616, 619, 621
- SQLServer class, 624
- SqlServerSystem entry, 836
- Sqlservr.exe application, 763
- SqlSingle data type, 86–87
- SqlSmoObject class, 769–771, 790
- SqlStoredProcedure attribute, 108

- SqlString data type, 81, 85–86, 92
- SqlTransaction class, 113
- SqlTrigger attribute, 75–76, 109, 960–961
- SqlTriggerContext class, 149–150
- SqlTypes class, 658–659, 755, 757
 - conversions, 82–86
 - for DataSets, 756
 - mapping, 82–83
 - null values in, 77–79
 - parameters and return values in, 93
 - working with, 80–92
- SqlUserDefined attribute, 166–167
- SqlUserDefinedAggregate attribute, 210–211, 961
- SqlUserDefinedType attribute, 159, 165, 167, 184, 961
- SQLXML, 563–564, 627
 - Bulk Load component in, 630–631, 636–638
 - data type support in, 632–634
 - features, 628–629
 - .NET Framework for, 634–636
 - operation of, 629–631
 - support for, 638–640
 - XML streams in, 631–632
- SqlXml class, 633, 636, 662
- SqlXML element, 616
- SqlXmlAdapter class, 635
- SqlXmlCommand class, 635
- SqlXmlCommandType class, 635
- SqlXmlException class, 635
- SQLXMLOLEDB providers, 629–632
- SqlXmlParameter class, 635
- SSB. *See* Server Service Broker (SSB) service
- SSIS (SQL Server Integration Services), 186, 749
- SSL (Secure Sockets Layer)
 - encryption in, 239
 - for Web Services, 608–609
- SSMS. *See* SQL Server Management Studio (SSMS)
- SSNRegex function, 74
- SSPROP_INIT_MARSCONNECTION
 - property, 695
- Stack overflow conditions, 36
- Stack walks, 270
- Standard Generalized Markup Language (SGML), 14
- Standards in hosting, 58–59
- StartDocument method, 191
- STARTED state for endpoints, 552, 571
- <StartTime> element, 855
- State property
 - in Server, 769–770
 - in SqlSmoObject, 802
- Statement-level recompilation, 301–303
- Statement-level SNAPSHOT isolation, 279
- States, endpoint, 571–572
- Static type checking, 449, 476
- Statistics for SqlClient, 752–753
- StatisticsEnabled property, 752
- STATUS option for WITH ACTIVATION, 507–508
- Status values for stored procedures, 107
- STDEV function, 207
- STOPPED state for endpoints, 552, 571
- Stored procedures
 - in ADO.NET, 718–719
 - attributes for, 75–77
 - in clients, 703
 - in CLR, 106–109
 - extended, 5–6, 62, 115
 - for Notification Services, 825, 850–852
 - Object Explorer for, 944–945
 - parameters for, 106–108
 - in T-SQL, 5
 - in Visual Studio, 959
 - for Web Services, 614–622
- Stream property, 668
- Streams in SQLXML, 631–632
- Strict validation, 423
- StringCollection class, 807
- Strings
 - in CLR, 70–74
 - concatenation, 254
 - for dates, 154
 - in LDim, 160–164
 - in Visual Studio, 958–959
 - in XML, 415–416, 659–661
 - in XQuery, 463
- Strong typing, 449, 476
- Strongly typed instances, 400
- struct keyword, 158
- Structured data types, 10–11
- Structured exception handling, 6
 - in hosting, 34–37
 - for in-process data access, 143–149
 - in T-SQL, 312–326
- Subscriber class, 860, 862–863
- SubscriberDevice class, 860, 864
- SubscriberId property, 865
- Subscribers, 830, 858–860, 862–865

992 ■ Index

- Subscription classes, 860–862, 865–866
 - SubscriptionClasses class, 840–841, 860
 - Subscriptions, 822–823, 830, 858–860, 865–867
 - SUBSTRING data type, 299
 - SUM function, 14, 207–208
 - SumLDim function, 156, 209–214, 216–217
 - Summary window, 945
 - SuppressFinalize method, 920
 - Surface Area Configuration tool, 221–224, 571–572
 - SUSER_NAME function, 258
 - Sybase database system, 561
 - Symmetric keys, 239–243, 247
 - Synchronization
 - thread, 34
 - transaction, 501
 - Synonyms, 252–253
 - sys.assemblies table, 53–54
 - sys.assembly_files table, 53, 55
 - sys.assembly_references table, 53–55
 - sys.conversation_endpoints view, 489, 510, 520
 - sys.conversation_groups view, 520
 - sys.databases view, 288
 - sys.dm_clr views, 33
 - sys.dm_clr_appdomains view, 41
 - sys.dm_os views, 33
 - sys.dm_os_memory_clerks view, 33
 - sys.dm_qn_subscriptions view, 689
 - sys.dm_tran_views, 288
 - sys.endpoints view, 572–573
 - sys.http_endpoints view, 572–573, 608–610
 - sys.routes view, 547
 - sys.soap_endpoints view, 579
 - sys.transmission_queue system view, 490
 - sysadmin role, 231
 - syslogins view, 225
 - SYSTEM clause, 377
 - System.Data.dll file, 726
 - System.Data.OracleClient.dll file, 726
 - SystemDataAccess property, 76, 95–96
 - SystemDataAccessKind attribute, 117
 - System metadata tables, 52–55
 - System process identifiers (SPIDs), 36
- T**
- T-SQL (Transact-SQL), 19, 880
 - for asynchronous messages, 24
 - best practices, 886
 - enhancements
 - APPLY operators, 340–343
 - CTEs, 343–350
 - error handling, 312–326
 - improvements, 311–312
 - INTERSECT and EXCEPT operators, 326–329
 - ON DELETE and ON UPDATE clauses, 333–336
 - OUTPUT clause, 336–340
 - partitioning, 373–376
 - PIVOT operator, 359–365
 - ranking functions, 366–373
 - recursive queries, 351–359
 - TABLESAMPLE clause, 376–381
 - TOP clause, 329–333
 - UNPIVOT operator, 365–366
 - integration of, 4–7
 - null values in, 78–79
 - for pulley function, 68–69
 - scripts, 807
 - Table-access links, 266
 - Table-valued CLR functions, 99–106
 - TableCollection class, 771
 - TableDefinition property, 96, 103–104, 106, 960
 - TABLESAMPLE clause, 376–381
 - Tabular Data Stream (TDS) protocol, 561, 718, 881
 - TARGET direction for contracts, 529
 - Target property, 109, 960
 - targetNamespace attribute, 17, 395, 604–605
 - Task management for runtime hosting, 33
 - TDS (Tabular Data Stream) protocol, 561, 718, 881
 - TEMPDB file, 286
 - Template Explorer, 937–940
 - Templates in SSMS, 937–944
 - Terminate method, 210, 214–215, 217
 - Test Scripts folder, 954, 959
 - TEXT data type
 - in clients, 667, 669
 - for LOBs, 298
 - vs.* MAX, 299
 - in XML, 387, 389
 - text function, 407
 - TextA event, 735
 - TextW event, 735

- Threads
 - in AppDomains, 43, 748
 - scheduling, 33–34
 - Tiles, 371–373
 - TIMEOUT clause, 515
 - Timeouts for conversations, 514–515
 - Timers for conversations, 514–515
 - Timestamps in message processing, 496
 - TNS (transparent network substrate), 718
 - TO SERVICE clause
 - for broker instances, 546–547
 - for contracts, 529–530
 - for conversations, 549
 - for messaging applications, 488, 491–492
 - ToBytes method, 169, 202–204
 - TOP clause, 329–333
 - ToString method
 - for DataSet serialization, 756
 - in LDim, 160–162, 177, 197
 - in Object, 906
 - overriding, 159
 - for UDTs
 - from DataReaders, 649
 - in ODBC, OLE DB, and ADO, 654
 - TPC-C (Transaction Processing Performance Council benchmark C) benchmark, 28
 - Tracepoints, 731
 - tracerpt command, 734
 - Tracing data access, 225, 731–732
 - application choices for, 736–740
 - basis of, 742
 - CSV files for, 734–735
 - ETW in, 742–743
 - for parameter binding problems, 740–742
 - reading output in, 735–736
 - running, 733–734
 - setting up, 732–733
 - user data in, 736
 - Transact-SQL. *See* T-SQL (Transact-SQL)
 - transaction.h file, 696
 - Transaction-level SNAPSHOT isolation, 279
 - Transaction library, 697
 - Transaction Processing Performance Council benchmark C (TPC-C) benchmark, 28
 - TransactionRequired attribute, 133
 - Transactions
 - autonomous, 132–133
 - best practices, 133–135
 - business. *See* Business transactions
 - declarative and promotable, 697–699
 - distributed, 130–132, 135, 697
 - for in-process data access, 128–135
 - isolation levels in, 695–699
 - Transactions library, 129, 699
 - TransactionScope class, 128–129
 - for distributed transactions, 131–132, 135
 - for promotable transactions, 697–698
 - SqlConnections in, 130
 - TransactionScopeOption, 132–133, 698
 - Transparent network substrate (TNS), 718
 - TreeMember method, 813–814
 - TriggerContext property, 117
 - Triggers
 - in CLR, 109
 - DDL, 289–294
 - for in-process data access, 149–150
 - TrustServerCertificate parameter, 702–703
 - TRY/CATCH blocks, 145–147, 312–314, 320–325
 - TryParse method, 85–86
 - Tuples, 442
 - Type property
 - for SMO objects, 796–797
 - in SqlNotificationEventArgs, 687
 - TYPE qualifier FOR XML, 408–409
 - Typed XML, 395–400
 - Types, 8
 - for clients, 645–646
 - defined, 914
 - SqlTypes, 77–92
 - SQLXML, 632–634
 - user-defined. *See* User-defined types (UDTs)
 - Visual Studio, 958–959
 - XML. *See* XML and XML data type
 - in XQuery, 443
 - in XSD, 16
- ## U
- UDDI (Universal Description, Discover and Integration) servers, 607
 - UDTs. *See* User-defined types (UDTs)
 - UNCHECKED DATA option, 57
 - Undo method, 140
 - Unicode strings, 92
 - Uniform Resource Names (URNs)
 - retrieval restrictions, 794–795
 - for SMO object identity, 790–793
 - UNION ALL operator, 352, 354

994 ■ Index

- UNION queries, 404
 - UNIQUE constraints, 385
 - UNIQUEIDENTIFIER class
 - for broker instances, 544
 - for conversation groups, 519–520
 - for messaging applications, 487
 - Units of work, 500
 - Universal Description, Discover and Integration (UDDI) servers, 607
 - UNPIVOT operator, 365–366
 - UnquoteIdentifier property, 731
 - UNSAFE ASSEMBLY permission, 43, 49
 - UNSAFE security level, 39, 43
 - for assemblies, 264–265, 271–272
 - finalizers in, 36
 - Untyped XML, 395–400
 - Update command, 849, 854, 868
 - UPDATE permission, 230, 266
 - UPDATE statement
 - CTEs with, 343
 - OUTPUT clause in, 336–338
 - TOP clause in, 329–330
 - UpdateBatchSize method, 757
 - UpdateCommand command, 753–754
 - UPDATETEXT method, 670
 - Updating XML columns, 468–475
 - URLs
 - ACL for, 567–568
 - endpoint, 570–571
 - reservations for, 569
 - for Web Services, 610–611
 - URNs (Uniform Resource Names)
 - retrieval restrictions, 794–795
 - for SMO object identity, 790–793
 - USE PLAN query hint, 306
 - UseEventHandler method, 745–746
 - UseExecXmlReader method, 663
 - User assemblies, maintaining, 55–58
 - User-defined aggregates, 207–209
 - best practices, 885
 - creating, 214–215
 - implementing, 209–214
 - User-Defined Function template, 954
 - User-defined functions, 93–99
 - User-defined types (UDTs), 11–14, 153
 - aggregate, 14
 - best practices, 885
 - binary implementation in, 165–170
 - for clients, 646
 - from DataReaders, 648–654
 - .NET Framework, 647–648
 - in ODBC, OLE DB, and ADO, 654–656
 - comparing, 12
 - creating, 157–160, 170–173
 - Format.Native vs. Format.UserDefined implementations, 215–217
 - helper functions in, 181–183
 - IBinarySerialize, 167–170
 - maintaining, 185–187
 - null value implementation in, 160
 - objects for, 193–197
 - overview, 154–156
 - permissions for, 267
 - public members in, 173–181
 - purpose of, 153–154
 - source code for, 196–206
 - string implementation in, 160–164
 - validation in, 183–185
 - in Visual Studio, 959
 - in XML, 23, 187–193
 - User ID keyword, 114
 - USER keyword in AddUser, 94
 - User libraries, 39
 - user_name function, 228
 - UserDefinedFunctions class, 954
 - UserDefinedMessage class, 803
 - Users
 - adding to databases, 62
 - in authentication, 226
 - schema separation from, 248–252
 - UseWaitHandles method, 747
 - using directive, 913–914, 921
 - for row insertions, 113
 - for subscribers, 862
 - for transactions, 129
 - UTF-16 code, 386, 389
- ## V
- VALID_XML validation, 525–527
 - ValidateFullNull function, 96
 - ValidateSSN function, 71–73
 - ValidateSSNFull function, 73–74
 - ValidateSSNFullNull function, 80–81
 - ValidateSSNTSQL function, 70–71, 81
 - Validation
 - for message types, 525, 528
 - for UDTs, 183–185
 - for user libraries, 39
 - XML, 18, 423

- ValidationFunctions class, 71–72
- ValidationMethodName property, 184
- Value comparison operators, 464
- VALUE indexes, 477, 479
- value method, 403, 452–454
- Value property
 - for SMO objects, 799
 - in SqlTypes, 81
- ValueType class, 158
- VAR function, 207
- VARBINARY data type
 - in clients, 667
 - vs. MAX, 299
 - maximum size for, 298
 - in messaging applications, 489–490
 - in SQLXML, 629
 - in XML, 387, 389
- VARCHAR data type
 - in clients, 669
 - with MAX, 299
 - maximum size for, 298
 - in messaging applications, 493
 - with OpenXML, 420
 - for SqlTypes, 92
 - in SQLXML, 629
 - in Visual Studio, 959
 - in XML, 384, 387, 408
- Variables
 - UDT, 13
 - XML, 390–391, 397
- verbose flag in Update command, 849
- <Version> node, 837
- Versioning in SNAPSHOT isolation, 279–286
 - drawbacks of, 286–288
 - monitoring, 288–289
- Versions for assemblies, 904–905
- VIEW DEFINITION permission, 224
- Virtual memory, 33
- Visibility
 - of classes, 59
 - in CLR type system, 908–909
- Visual Basic null values, 78–79
- Visual Studio, 949–955
 - attributes in, 957–961
 - automatic deployment in, 956–958
 - for connection information, 717
 - data types and SqlFacet in, 958–959
 - executing and debugging code in, 959–962
 - for Notification Services, 820
 - void data type, 915
- W**
- WAIT FOR clause, 297, 677
- WaitAll method, 747
- WaitAny method, 747
- WaitHandles method, 746
- WatchDirectory argument, 853
- Watching rowsets, 674
- Web Service Definition Language (WSDL), 141
 - generation process, 605–614
 - working with, 578–604
- Web Services, 561–564
 - best practices, 888–889
 - HTTP endpoints
 - creating, 569–570
 - declarations, 564–569
 - metadata, 572–573
 - in SQLXML, 639
 - SSL for, 608–609
 - states, 571–572
 - URL, 570–571
 - and marshaling data, 20–22
 - proxy classes, 141
 - SQL batches, 622–626
 - from SQLCLR, 140–143
 - SQLXML for. *See* SQLXML
 - SSL for, 608–609
 - stored procedures for, 614–622
 - Webmethods, 573–578
 - WSDL for
 - generation process, 605–614
 - working with, 578–604
 - XML namespaces for, 604–605
- WEBMETHOD clause, 604–605, 621, 626
- Webmethods, 573–578
- WebRequest class, 48
- WELL_FORMED_XML validation, 525, 528, 533–534
- Well-formedness rules, 18
- WHERE clause
 - in DELETE, 338
 - in XQuery, 442–443
- WHERE EXISTS clause, 327
- WHERE NOT EXISTS clause, 327–328
- Whitespace entitization, 413
- Wildcards
 - in OUTPUT, 339
 - in XML, 418, 479
- Windows groups, 229

996 ■ Index

- Windows identity impersonation, 782–783
 - Windows Management Instrumentation (WMI), 816–817
 - Windows XP Support Tools, 568
 - WindowsIdentity property
 - for in-process data access, 139–140
 - in SqlContext, 117
 - WindowsImpersonationContext, 140
 - WITH ACTIVATION clause, 505, 507–508
 - WITH CLEANUP clause, 513
 - WITH ERROR clause, 512
 - WITH EXECUTE AS clause, 139, 255–259
 - WITH keyword for CTEs, 343
 - WITH RELATED_CONVERSATION_GROUP clause, 519
 - WITH RETENTION clause, 541–542
 - WITH SCHEMA COLLECTION clause, 526–528
 - WITH SCHEMABINDING clause, 95, 230, 675
 - WITH TIES clause, 331
 - WITH XMLNAMESPACES clause, 407
 - WithDependencies option, 810–811
 - WithEvents keyword, 681
 - WITHOUT LOGIN clause, 228
 - WMI (Windows Management Instrumentation), 816–817
 - WMI CIM Studio tool, 733
 - Wmi class, 815
 - Write method
 - in IBinarySerialize, 167–170
 - in LDim, 160, 202
 - in MAX, 299–300
 - in XML, 469
 - WriteLine method, 765–766
 - WriteSchema method, 727
 - WRITETEXT method, 670
 - WriteXml method
 - in DataSet, 727
 - in IXmlSerializable, 191–193
 - in LDim, 206
 - Ws-Security specification, 627
 - WSDL (Web Service Definition Language), 141
 - generation process, 605–614
 - working with, 578–604
 - wSDL_generator_procedure, 579
 - WSDLComplex query strings, 599–603, 608
 - WSDLMinimal query string, 608, 613
 - WSDLSimple query strings, 599–603, 608
- ## X
- X.509 certificates, 239, 243
 - XACT_ABORT function, 317–319
 - XACT_STATE function, 314–317
 - XDR format schema, 409
 - xdt:anyAtomicType data type, 433
 - xdt:untyped data type, 433
 - xdt:untypedAtomic data type, 395, 433, 448
 - XLINQ language, 893
 - XML and XML data type, 18, 383–384
 - ANSI SQL standard compliance for, 422–426
 - best practices, 886–887
 - on clients, 23–24, 657
 - in ADO, 664–667
 - in ADO.NET, 657–659
 - documents, fragments, and FOR XML support, 661–664
 - as string, 659–661
 - for columns, 384–387
 - conversions with, 387, 389–390
 - functions, 402–403
 - indexes for, 401–402
 - for inserting data, 387–388
 - loading from files, 420–422
 - mapping, 414–418
 - as marshaling format, 20–22
 - namespaces in, 16–17, 604–605
 - OpenXML enhancements, 418–420
 - overview, 14–20
 - producing, 407–409
 - query languages for. *See* XPath query language; XQuery query language
 - schemas in, 17–18
 - collections, 392–400
 - for Notification Services, 824
 - in XQuery, 433, 475–477
 - SELECT with. *See* FOR XML clause
 - in service-oriented database applications, 892
 - for showplans, 304–305, 308
 - in SQLXML, 634
 - streams in, 631–632
 - typed, 395
 - with UDTs, 187–193
 - for variables and parameters, 390–391

- XML for Analysis, 24
 - xml.nodes function, 419
 - XML Schema Definition language (XSD)
 - standard, 14, 16, 21
 - data types in, 392–393
 - inline format schema, 409–411
 - restrictions in, 394
 - xml_schema_namespace function, 398
 - XML/XSLT formatter, 825
 - XmlDocument class, 659
 - XmlElement function, 423
 - XmlForest function, 423
 - XmlIgnore attribute, 191
 - XmlNavigator model, 24
 - xmlns attribute, 17
 - XMLPARSE method, 422
 - XmlReader class, 24, 631, 658–659, 663–664
 - XmlReaderSettings class, 662
 - XMLSERIALIZE method, 422
 - XmlSerializer class, 141–143
 - XmlSerializerAssembly attribute, 189–190
 - XmlSerializerContract class, 189
 - XmlSerializers.dll file, 189–190
 - XmlWriter class, 24, 191
 - xp_cmdshell program, 221
 - xp_sendmail program, 221
 - XPath data() function, 407
 - XPath query language, 18–20, 429
 - expressions in, 439
 - for SMO objects, 791–793
 - in SQLXML, 634
 - XPathNavigator class, 192
 - XQuery 1.0 and XPath 2.0 Data Model
 - specification, 461
 - XQuery 1.0 and XPath 2.0 Functions and Operators Version 1.0 specification, 461
 - XQuery query language, 19–20
 - best practices, 887
 - bodies in, 437–446
 - functions in, 465–467
 - indexes in, 477–480
 - introduction, 431–436
 - multiple-document queries in, 468
 - operators in, 464–467
 - optimizing, 402
 - overview, 429–431
 - prologs in, 436–437
 - schemas in, 475–477
 - in service-oriented database applications, 892
 - vs. SQL, 446–449
 - inside SQL Server, 475–480
 - updating XML columns, 468–475
 - with XML data type, 449–450
 - exist method, 450–452
 - functions, 461–463
 - nodes method, 457–461
 - query method, 454–457
 - typed, 395
 - value method, 452–454
 - vs. XSLT, 445
 - xs:date data type, 417
 - xs:double data type, 448
 - xs:maxOccurs facet, 417
 - xs:minOccurs facet, 417
 - xs:pattern facet, 417
 - xs prefix, 393
 - xs:string data type, 448
 - xs:time data type, 417
 - xs:timestamp data type, 417
 - XSD (XML Schema Definition language)
 - standard, 14, 16, 21
 - data types in, 392–393
 - inline format schema, 409–411
 - restrictions in, 394
 - xsd:annotations data type, 426
 - xsd:any data type, 418
 - xsd:base64Binary data type, 416, 426
 - xsd:dateTime data type, 418
 - xsd:decimal data type, 416
 - xsd:hexBinary data type, 426
 - xsd:integer data type, 417
 - xsd:length facet, 416
 - xsd:maxLength facet, 416
 - xsd:string data type, 415–417
 - xsi:nil attribute, 192, 405
 - xsi:prefix, 393
 - xsi:schemaLocation attribute, 394, 410
 - xsi:type attribute, 397
 - XSL transform for Notification Services, 872–873
 - XSLT (Extensible Stylesheet Language Transformations), 19, 445
 - XsltFormatter tool, 842, 872
- Y**
- yield return instruction, 100–101, 104–105