

# INDEX

## Symbols

`${ant.file}` 658  
`${ant.java.version}` 658  
`${ant.project.name}` 658  
`${ant.version}` 658  
`${basedir}` 658  
`${build.root}` 677  
`${build.temp}` 687–688, 703  
`${eclipse.home}` 658  
`${eclipse.running}` 652  
`${eclipse.running}` 653, 658  
`${os.name}` 658  
`${variable}` 657  
`$nl$` 591  
`$NON-NLS-1$` 581, 585  
 % (percent sign)  
     in `plugin.xml` file 576  
     in String formatting 582  
 & (ampersand) 255  
 &amp; 256  
 \*\* 654  
   \* resources filter 22  
 <and> 228  
 <ant> 653–654  
 <antcall> 653, 664, 666  
 <code> 601  
 <fileset> 654, 656  
 <not> 228, 286  
 <or> 228  
 <pre> 600  
 <samp> 601, 604  
 <view> 76  
 <visibility> 228, 286  
 <zipfileset> 656

## A

**About** dialog 109, 575, 632–634, 636, 647  
**About Eclipse SDK Features** dialog 647  
**About Features** dialog 633–634  
`about.html` file 631–633, 648  
`aboutImage` 636  
`about.ini`  
   `aboutImage` 632  
   `aboutText` 633  
   branding information 633  
   `featureImage` 631, 633–634  
   file 622, 631  
   localization 634  
   relation to **About** dialog 575  
   `tipsAndTricksHref` 633–634  
   `windowImages` 632

`about.mappings` file 631, 634  
`about.properties` file 622, 631, 634–635  
`aboutText` 633, 636  
 abstract base class vs. interface, extension points 605  
`AbstractDetailsDialog`  
   class 425  
   extends 421  
`AbstractElementListSelectionDialog` 407  
`AbstractFavoritesTest`  
   class 220  
   extends 220, 235  
`AbstractOperation` 362  
`AbstractPreferenceInitializer` 472  
`AbstractTreeViewer` 700  
`AbstractUIPlugin`  
   class 77, 118, 471, 611  
   `imageDescriptorFromPlugin` 78  
 Abstract Windowing Toolkit, *see* AWT  
 Access restriction 221  
 Action 719  
   class 382  
   enablement 218  
   extends 284, 287, 290, 292–293, 301, 354  
   menu groups 212  
   menu item 212  
 action  
   `allowLabelUpdate` 212  
   cheatsheet 569  
   class 213, 226, 231, 238, 246, 248, 532, 555, 720, 724  
   `definitionId` 213, 248  
   `disabledIcon` 213  
   `enablesFor` 213, 226, 231, 239, 248  
   `helpContextId` 213, 226, 239, 249, 554–555  
   `hoverIcon` 213, 249  
   `icon` 213, 226, 239, 249, 555, 720, 724  
   `id` 212, 226, 231, 239, 246, 248, 532, 555, 720, 724  
   `label` 212, 226, 231, 239, 241, 246, 248, 532, 555, 720, 724  
   `menubarPath` 212, 226, 231, 239, 242, 246, 248, 532, 555, 720, 724  
   `overrideActionId` 226, 239  
   `retarget` 213  
   `state` 213, 226, 239, 249  
   `style` 214, 227, 249, 555, 720  
   `toolbarPath` 212, 249, 555, 724  
   `tooltip` 212, 226, 231, 239, 249, 555, 720, 724  
   `url` 720  
 ActionDelegate, run 219

- ActionFactory
  - COPY 292, 358
  - CUT 358
  - DELETE 358, 360, 368
  - FIND 358
  - PASTE 358
  - REDO 358, 368
  - SELECT\_ALL 358
  - UNDO 358, 368
- Actions
  - & 255
  - <and> 228
  - <not> 228
  - <or> 228
  - adapt 228
  - adaptable attribute 224
  - and 229
  - appear in reverse order 226
  - associating commands 255
  - clipboard 290
  - context menus 12
  - Copy 290
  - customizing 14
  - Cut 292
  - delegate 216
  - editorContribution 247
  - Editors 244
  - enablement 231
  - enablesFor 218, 227
  - example 439
  - filter 230
  - filtering 286
  - filtering and enablement 227
  - filtering based on file content 232
  - filters 484
  - global 289, 320
  - global labels 257
  - groupMarker 234, 241
  - helpContextId 213
  - hover icon 213
  - IActionFilter 230
  - IActionSetDescriptor 223
  - IAction vs. IActionDelegate 207
  - IEditorActionDelegate 246
  - images 214
  - insertion points 215
  - instanceof 229
  - Invalid Menu Extension 216
  - IObjectActionDelegate 233
  - IResourceActionFilter 230
  - IViewActionDelegate 238, 240
  - IWorkbenchWindowActionDelegate 213
  - IWorkbenchWindowPullDownDelegate 213
  - key bindings 251
  - keyboard 288
  - keyboard accessibility 255
  - lazy initialization 207, 227
  - lifecycle events 208
  - manual testing 219
  - menubarPath 216
  - nested actionSet problem 216
  - not 229
  - Object 224
  - objectClass 229
  - objectState 229
  - or 229
  - overrideActionId 226
  - overview 11
  - Paste 293
  - persistentProperty 230
  - pluginState 229
  - projectNature 230
  - projectPersistentProperty 231
  - projectSessionProperty 231
  - retarget 213
  - retargetable 360
  - RFRS 256
  - Run 55
  - Run History 55
  - run method 219
  - selection 231
  - selectionChanged 218
  - separator 241
  - sessionProperty 231
  - setEnabled 218
  - submenu 234, 237, 241
  - systemProperty 229
  - systemTest 229
  - test 229
  - testing 220, 235, 242, 250
  - toolbar action 240
  - toolbar button 212
  - toolbarPath 216
  - toolbars 13
  - tooltip 226
  - top-level editor menu 247
  - top-level menus 11
  - underscore 255
  - viewerContribution 238
  - views 237, 283–284
  - visibility 228
  - workbench window 209
- actionSet
  - extension 402
  - id 211
  - label 211
  - visible 211
- ActionSets 223
  - action sets 14
  - adapt 228

- adaptable
  - decorator 733
  - objectContribution 224, 286
  - page 483–484
- Adaptable, to resource 483
- Adapters
  - example 369
  - factory 715
  - for viewers 185
  - framework 714
  - getAdapter 264
  - IAdaptable 306, 714
  - IPropertySource 489
  - IWorkbenchAdapter 718
  - registering at startup 716
  - unregistering at shutdown 716
  - using 715
- add 148, 151, 192, 195, 199
- addActionSet 394–395
- addArmListener 167
- addBuilderToProject 509, 511, 529
- addCategory 365
- addCheckStateListener 196, 201
- addColumnData 318–319
- addControlListener 137, 155, 415
- Add CVS Repository** dialog 49, 727
- addDisposeListener 137
- addDoubleClickListener 190, 194
- addDragListener 295
- addDragSupport 190
- addDropSupport 191
- addEMailButtonToToolBar 723
- addEntry 365
- Add External JARS...** command 690
- addFastView 395
- addFavoritesManagerListener 735
- Add Feature** command 629
- addField 455
- addFilter 191
- addFocusListener 137, 303
- addHelpButtonToToolBar 699
- addHelpListener 138, 167–168, 191
- additions identifier 215
- addKeyListener 138, 349, 361
- addListener 137, 141, 348
- addMenuListener 167, 285, 356
- addModifyListener 146, 151, 153, 442
- addMouseListener 138, 305
- addMouseMoveListener 138
- addMouseTrackListener 138
- addNewSection 441
- addNewWizardShortcut 395
- Add-ons for Eclipse 751
- addOpenListener 191
- addOverlay 735
- addPage 331–332, 440
- addPageChangeListener 435
- addPages 431
- addPaintListener 138
- addPartListener 360
- addPerspectiveShortcut 395
- addPlaceholder 394, 396
- Add Plug-in** command 629
- addPostSelectionChangeListener 191
- addPostSelectionListener 306
- addPropertyChangeListener 474, 741
- addPropertyFileListener 348
- addRegistryChangeListener 122
- addResourceChangeListener 376
- addResourcesTo 736
- addSaveParticipant 387
- addSelectionChangeListener 191, 194, 287, 355
- addSelectionListener 144, 146, 148, 150–151, 153–155, 157–158, 160, 162, 164, 168, 171, 442
- addShellListener 142
- addShowInPart 396
- addShowViewShortcut 396
- addStandaloneView 396
- addStyleRange 205
- addSuffix 735
- addTextListener 203
- AddToFavoritesTest 235
- addTraverseListener 138
- addTreeListener 158, 199
- addVerifyListener 147–148
- addView 394, 396
- addWebButtonToToolBar 562, 719
- adjustForNumColumns 458
- Alphaworks on Eclipse 763
- Alt-click 305, 349
- and 229
- Ant *also known as* Apache Ant
  - `${eclipse.home}` 658
  - `${eclipse.running}` 658
  - `${variable}` 657
  - `**` 654
  - `<ant>` 654
  - `<antcall>` 654, 664
  - `<antcall>` vs. `depends` 653
  - `<fileset>` 654
  - antfile 681
  - Arguments** field 662
  - auto generated build script 671
  - basedir 652
  - batch file 668
  - brief introduction 651
  - build\_bundles macro 681
  - build.compiler property 691
  - buildaddr 657
  - build-favorites.xml 85
  - BUILDFILE 669
  - Building against Eclipse 3.0 703

Ant (*continued*)

- building each project 683
- building for Internationalization 707
- building multiple projects 681
- building the product 83
- build macros 678
- build structure 688
- build.update.jar target 675
- build.xml 671
- classpath 656, 690
- Classpath tools 701
- Classpath variables 692
- code branching 694
- command-line properties 654, 662
- compile\_dir macro 696
- compile\_lib macro 701, 703
- compiler settings 671
- compiling 689
- compiling Java source 656
- Convert file system path 655
- Convert resource path 655
- copy 654
- copy necessary resources 673
- Create Ant Build File 671
- creating directories 656
- default target 652
- delete 655
- determining Eclipse installation directory 658
- determining if launched in Eclipse 658
- dir\_bundle macro 687, 704
- echo 655, 660
- ECLIPSE\_HOME 692
- ECLIPSE30\_HOME 693
- eclipse.buildScript 655
- eclipse.convertPath 655, 669
- eclipse.fetch 655
- eclipse.incrementalBuild 655
- eclipse.refreshLocal 655, 669
- eclipsetools.getclasspath 656, 669, 689, 701
- eclipsetools.preprocessor 656, 669
- enhanced tasks 753
- extensions 669
- Facade Pattern 694
- fast fail 678
- Generate a build script 655
- generating single vs. multiple binaries 691
- getclasspath 656
- headless 668
- includeEmptyDirs 655
- inheritAll 654
- init target 675
- introduction 651
- JAR 84
- jar\_bundle macro 687
- jar\_lib macro 687
- javac 656, 691
- JAVAFXE 669
- JDK tools.jar 690
- macrodef 666, 681, 686
- mkdir 656
- multiple assignments ignored 661
- pde.exportPlugins 83, 85
- predefined properties 658
- preprocessor 656, 695
- project 651
- project basedir 652
- project default 652
- project name 652
- properties 657
- properties outside targets 661
- properties target 675
- property 656, 660
- property mutability 660
- property scoping 658
- read\_build macro 686
- refactoring the Favorites build script 676
- refresh resources 655
- replace 84
- retargeting source code 705
- Retrieve from CVS 655
- RFRS install vs. simple install 683
- Run in the same JRE as the workspace** 85, 670
- running 85
- script generation 83
- sequential 666, 681
- STARTUPJAR 669
- sub 666
- supporting multiple versions of Eclipse 693
- system properties 658
- target 651–652, 659
- target depends 652
- target description 652
- target execution order 659
- target if 652
- target name 652
- target unless 653
- tasks 653
- undefined property 657
- Use global properties checkbox 663
- user properties 654
- user-specific build properties 679
- using fragments 698
- using the Eclipse compiler 691
- version checking 705
- WORKSPACE 669
- zip 85, 656
- zip\_product macro 681–682, 707
- ZIP files 656
- zip.plugin target 675
- antBuildFile 232–233

- AntBuildfileContentDescriber 233
- ANTLR plug-in 762
- Ant script 83
- Apache Ant, *see* Ant
- Appearance** preferences 15, 17
- appendBody 722
- appendText 353
- appendVerifyKeyListener 203
- applyDialogFont 412
- appName 636
- Arm event 135
- ArmListener 167
- ArrayContentProvider
  - class 194–195, 198
  - extends 203
- articles 760
- asLocalURL 120
- Associated editors** list 46
- asText 352
- asyncExec 140, 343, 381
- auditPluginManifest 505, 515–516
- AUTO\_BUILD 503
- Auto-generated build script 671
- AutoResizeTableLayout 316
- autoSizeColumns 317
- AWT 128
- B**
- Background Tasks 739
- BasicFavoriteItem 478, 481
- BasicTextEditorActionContributor 358
- Batching resource change events 382
- beep 141
- beginTask 383, 739, 741
- Binaries 691
- Binary Projects 710
- BinarySignatureDescriber 329
- bin directory 20
- BooleanFieldEditor 456, 461–462, 740
- branches, CVS 48
- Branding
  - about.html 632
  - about.ini 633
  - about.mappings 634
  - about.properties 634–635
  - Banner Image 625
  - splash screen 637
  - using features 631
- browseForSourceFile 446
- Browsers
  - LaunchURL 720
  - OpenBrowserAction 720
  - opening 718
- BrowserViewer 719
- BufferedOutputStream 301
- Bugzilla
  - Eclipse bug tracking system 712
  - entry #105949 216
  - entry #36389 216
  - entry #39455 223
  - entry #58413 83
  - plug-in 762
  - web page 732
- build 503, 512, 516
- Build automatically** preference 535
- build-bundle.xml file 676, 681–683, 688–689, 703
- build.compiler property 691
- Build Configuration** editor 684
- builder
  - hasNature 501–502
  - isConfigurable 501
- Builders
  - associating with a project 509
  - creating 502
  - declaring 499
  - defined 499
  - derived resources 497, 499, 509
  - early startup 499
  - global 499
  - hadNatures 501
  - hasNature 528
  - invoking 512
  - RFRS 535
- build-favorites.xml file 81–85, 105–106, 676, 681
- Building against Eclipse 3.0 703
- Building for Internationalization 707
- Building multiple projects 681
- Building the product
  - auto-generated script 671
  - manually 81
  - using Ant 83
  - version checking 705
- build-macros.xml file 676, 683, 686–687, 689, 703
- buildMailSpec 721
- Build Order** preferences 16
- build.properties
  - bin.includes 686
  - editor 684
  - extra.<library> 686
  - output.<library> 686
  - source.<library> 686
- build.properties file 684, 686
- build.properties** page 685
- Build script 651
- buildSpec 510
- build structure 688
- build.xml file 83, 232, 668, 671
- Bundle-Activator 73, 108–109, 114, 592
- Bundle-ClassPath 74, 110, 592, 687, 703
- BundleContext 77
- Bundle-Localization 545, 592

- Bundle-ManifestVersion 545, 592
  - Bundle-Name 108, 424, 545, 592
  - Bundles, *see* Plug-ins
  - Bundle-SymbolicName 73, 108, 121, 545, 592
  - Bundle-Vendor 73, 108, 424, 545, 592
  - Bundle-Version 73, 108, 545, 592
  - bundle-version 592–593
  - Button
    - class 135, 144
    - example 146
  - buttonPressed 410, 427
  - ByteArrayOutputStream 299
  - ByteArrayTransfer
    - class 298
    - extends 298
- C**
- CANCEL\_STATUS 363
  - cancelEditing 196
  - cancelPressed 410
  - canDoOperation 203
  - canFinish 431
  - canModify 350
  - Capabilities preferences 16
  - Caret 137
  - Categories, key bindings 252
  - category
    - cheatsheet 566–567
    - description 252
    - id 252, 262, 436, 566, 576
    - method 189
    - name 252, 262, 436, 566, 576
    - page 453, 464–465, 483, 494
    - parentCategory 436
    - view 262, 576
  - categoryId, command 252
  - CellEditor 196
  - Change Method Signature** command 42
  - changeTextPresentation 204–205
  - Character 148
  - cheatsheet
    - action 569
    - category 566–567
    - contentFile 566–567
    - description 567
    - id 566–567
    - intro 567
    - item 567, 569
    - name 566–567
  - Cheat sheets
    - action element 570
    - adding actions 568
    - category 566
    - class attribute 570
    - Click to Begin** command 564
    - Click to Perform** command 564, 570
    - Click to Skip** command 564
    - contentFile 566
    - creating 565
    - href tag 570
    - New > category** command 565
    - New > cheatsheet** command 566
    - Open Related Help** command 570
    - using 563
  - Cheat Sheet Selection** dialog 564, 567
  - checkboxes 144
  - CheckboxTableViewer 195–196, 447
  - CheckboxTreeViewer 199, 201
  - CheckedTreeSelectionDialog 409
  - Checking out a project from CVS 50
  - Check Out As...** command 51
  - Check Out** command 50
  - checkState 455, 463
  - class
    - decorator 733
    - editor 328
    - itemType 600
    - page 453, 464–465, 483, 494
    - perspective 392
    - view 262, 576
    - viewContribution 240
    - wizard 436, 438
  - class field** 216
  - Class, forName 613
  - ClassLoader
    - extends 745
    - Plug-in 742
    - ProjectClassLoader 744
    - restrictions 713
  - classpath
    - access restriction 221
    - Java Build Path 23, 74
    - launch configuration 56
    - tools 701–702
    - variables 692
  - .classpath file 22–23, 705
  - Classpath** page 56
  - Classpath Variables** preferences 17
  - class visibility between plug-ins 92
  - clean 503
  - CLEAN\_BUILD 503, 536
  - clearSelection 147, 151
  - Clear workspace data before launching 219
  - Clipboard
    - actions 290, 369
    - class 290
    - serializing state 266
  - close 141, 143, 410, 416
  - code assist 37
  - Code Assist** preferences 38
  - code branching 694
  - code formatting 36

## Index

- Code Generation** preferences 17
- CodePro xxxvi, xlii, 6, 26, 54, 62, 586
- Collaboration
  - QuickShare plug-in 763
  - Sangam plug-in 763
- collapseAll 199
- collapseToLevel 200
- Color 156, 159, 204
- ColorDialog 406
- ColorFieldEditor 456
- Coloring editor 762
- Colors 180
- ColorSelector 487
- Color syntax highlighting 35
- ColumnLayoutData 317
- ColumnPixelData 318–319
- ColumnWeightData 317–319
- Combo
  - class 135, 151, 153
  - example 153
- com.instantiations.preprocessor 669
- command 53
- command
  - categoryId 252
  - description 252
  - editor 329
  - id 252
  - name 252
- command groups 14
- command line
  - clean 86
  - debug 120
  - obtaining arguments 119
- Commands
  - associating actions 255
  - key bindings 252
- commercializing 619
- Commit...** command 52
- Common** page 56
- Common Widget 127
- Comparable, implements 266
- Comparator 279–280
- compare 189, 195, 280
- Compare/Patch** preferences 16
- compareToIgnoreCase 194
- Compare With > Another Branch or Version...** command 53
- Compare With > Latest from Head** command 53
- Compare With > Local History...** command 45
- Compare With > Revision...** command 52
- Compare with Local History** dialog 45
- comparing versions 590, 629
- Compiler**
  - nonexternalized strings option 586
  - preferences 17
- compile-time classpath 23
- Compiling with Ant 689
- Composite
  - class 161–162, 417, 427
  - example 162
- Compute** command 629
- com.qualityeclipse.favorites\_1.0.0.jar 82, 105
- com.qualityeclipse.favorites.editors 332
- com.qualityeclipse.favorites.link file 106
- com.qualityeclipse.favorites.popupMenu 234
- com.quality.favorites\_1.0.0.jar file 98
- Concurrent Versions System, *see* CVS
- Conferences, EclipseCon 762
- config.inifile 636
- configuration directory 637
- Configuration** wizard 90, 97
- configure 529
- figureShell 419, 426
- Connection Type 727
- Console** view 55, 380, 517, 655, 731, 743
- Constants
  - Copy 289
  - Cut 289
  - Delete 289
  - IWorkbenchActionConstants 289
  - keyboard 289
  - Paste 289
  - Redo 289
  - Undo 289
- ContainerCheckedTreeView 409
- ContainerSelectionDialog 408
- Containing text** field 28–29
- contains 471
- Content Assist** preferences 38
- contentFile, cheatsheet 566–567
- ContentOutlinePage 369
- Content providers
  - defined 187
  - editor 341
  - hierarchy 188
  - responsibility 79
  - view 276
- contentTypeBinding, editor 329
- Content Types** preferences 16
- Context menus
  - additions 356
  - createContextMenu 356
  - creating 285
  - dynamically building 356
  - editor 354
  - fillContextMenu 304
  - invoking 12
  - view 283
- contexts
  - file 558
  - plugin 558
- contexts.xml file 556–557, 560

- contributeToToolBar 361
  - contributorClass, editor 328
  - Control 135–137
  - Control event 135
  - ControlListener
    - class 137, 155
    - implements 316
  - controlMoved 415
  - controlResized 415
  - Controls, listener 415
  - Convert Anonymous Class to Nested** command 42
  - convertHeightInCharsToPixels 413
  - convertHorizontalDLUsToPixels 413, 424, 426
  - Convert Local Variable to Field** command 43
  - convertVerticalDLUsToPixels 413
  - convertWidthInCharsToPixels 413
  - CoolItem 135
  - Copy 290
  - copy 147, 151
  - CopyFavoritesAction 290–291
  - copyright, feature 623
  - CoreException 423, 524
  - CoreExceptions, status attribute 123
  - create 236
  - createActions 284, 355
  - Create a Java project** option 543
  - Create Ant Build File** command 671
  - createBrowser 718–719
  - createButton 410
  - createButtonBar 411
  - createButtonsForButtonBar 410–411, 426
  - createContents 411, 455, 460–461, 485
  - createContextMenu 285, 356
  - createControl 433, 441
  - createDetailsArea 424
  - createDetailsViewer 424–425
  - createDialogArea 411, 417–418, 426
  - createEditor 302
  - createExecutable 613, 723
  - createExecutableExtension 610, 612
  - createFieldEditors 455, 462
  - createFolder 394, 396
  - createFromFile 561, 723
  - createImageRegistry 119
  - createInitialLayout 393–394
  - createMarker 516
  - createPageControls 431
  - createPages 331
  - createPartControl 80, 218, 263–264, 288, 294, 330, 473
  - Create Patch...** command 732
  - createPlaceholderFolder 396
  - createProductInfoArea 424
  - createPropertiesPage 332, 334
  - CreatePropertyKeyResolution 523
  - createSourcePage 332
  - createStatus 123
  - createTableSorter 280, 310
  - createToolBarButtons 287
  - createTypeCheckboxes 418
  - createViewPulldownMenu 288, 311
  - Creating a plug-in project 66
  - Creating a plug-in test 93
  - Creating a plug-in test project 92
  - Creating a project 19
  - Ctrl+F11 key 55
  - Ctrl-Space key 37, 39
  - currentTimeMillis 95
  - Customize Perspective** dialog 14, 211, 219
  - Customizing actions 14
  - Cut 292
  - cut 147, 151
  - CutFavoritesAction 292
  - CVS *also known as* Concurrent Versions System
    - branches 48
    - Checking out a project 50
    - Check Out As** command 51
    - Check Out** command 50
    - Checkout Projects from CVS** wizard 49, 51
    - comparing and replacing 52
    - comparison and merge tools 48
    - comparison editor 52
    - Create a new repository location** option 49
    - Eclipse repository 727
    - getting started 49
    - HEAD 48
    - label decorators 16, 53
    - patch 732
    - repository 48
    - synchronizing 51
    - team development using 48
    - Use an existing module** option 51
    - Use existing repository location** option 51
  - CVS Repositories view 49, 727
  - CVS Repository Exploring perspective 49
- D**
- DataOutputStream 300–301
  - Days to keep files field 45
  - Debugger 742
  - Debugging
    - configuration 88
    - enabled and disabled breakpoints 59
    - introduction 58
    - Runtime Workbench 88, 90
    - selecting plug-ins 89
    - setting breakpoints 58
  - Debug** perspective 10–11, 58
  - Debug** view 60



- deconfigure 529
- decorate 735
- decorateImage 739
- decorateText 738
- DecoratingLabelProvider 737
- decorator
  - adaptable 733
  - class 733
  - description 734, 737
  - enablement 734, 737
  - icon 733, 737
  - id 733, 737
  - label 734, 737
  - lightweight 734, 737
  - location 734, 737
  - objectClass 734
  - state 734, 737
- default Ant target 652
- DefaultBrowserSupport 719
- default, editor 329
- Default output folder** field 21
- Default Plug-in Project** wizard 543
- defaultPropertyNames 471
- defineClass 744
- Definition** page 603
- delay 94, 221
- Delayed resource changed events 387
- delete 236
- deleteAuditMarkers 515–516
- Delete key 361
- deleteMarkers 516
- DeleteResourcesAction 382
- Dependencies** page 73, 93, 267, 629
- Dependencies** tab 111
- Dependency Analyzer 752
- depends, Ant target 652
- Deployable plug-ins and fragments** option 81
- Derived resources 497, 499, 509
- described, objectContribution 237
- description
  - cheatsheet 567
  - command 252
  - decorator 734, 737
  - feature 623
- description, Ant target 652
- deselect 149, 151, 154
- deselectAll 149, 151, 154, 158
- Design Patterns 752
- Detached** command 6
- Details** button 421
- Dialog
  - class 410
  - extends 416, 425
  - Show View 90
- dialog\_settings.xml file 119
- Dialogs
  - About** 109, 575, 632
  - About Features** 633–634
  - AbstractDetailsDialog 425
  - AbstractElementListSelectionDialog 407
  - Add CVS Repository** 49, 727
  - API 410
  - buttonPressed 427
  - close 416
  - Compare with Local History** 45
  - createDialogArea 417–418
  - creating 410
  - Customize Perspective** 14, 211, 219
  - defined 405
  - DetailsDialog 420
  - dialog\_settings.xml 119
  - dialog units 412
  - Editor Selection 48
  - ErrorDialog 420
  - example 416
  - ExceptionDetailsDialog 420
  - filter 416
  - getDialogSettings 119, 414
  - IconAndMessageDialog 407
  - IDialogSettings 414, 441
  - initial location and size 413
  - JFace 407
  - JFace vs. SWT 406
  - launch 670
  - Launch Configuration** 63, 133
  - loadDialogSettings 119
  - modal 407
  - modal vs. modeless 405
  - modeless 407
  - New File Type** 47
  - New Template** 41
  - New Working Set** 33
  - null layout 412
  - Open Type** 26
  - parent 428
  - Plug-in Details** 632
  - plug-ins 109
  - Preferences** 14, 18
  - Product Configuration** 643
  - Properties** 23, 130, 477, 481, 488, 495, 536
  - Refactoring Preview** 43
  - Replace** 29
  - resizable 414
  - Resource Selection** 214
  - Select Working Sets** 33
  - setReturnCode 412
  - setShellStyle 411, 414
  - settings 414, 441
  - shell style 411
  - Show View** 87, 98, 124, 260, 710
  - SWT 406

**Dialogs** (*continued*)

- SWT ColorDialog 406
  - SWT DirectoryDialog 406
  - Version Synchronization** 626
  - wizards 430
  - Workbench Preferences** 14
- Direct edit, views** 301
- DirectoryDialog 406
- DirectoryFieldEditor 456
- Display**
- asyncExec 140, 343
  - class 131–132, 140, 422, 429
  - getActiveShell 429
  - getCurrent 140, 422
  - getDefault 140, 381, 429
  - readAndDispatch 95
  - reducing flicker 355
  - syncExec 140
  - timerExec 141
- displayBounds 415
- Display command** 61
- displayContext 555
- displayDynamicHelp 555
- displayHelp 555, 560–561, 700
- displayHelpResource 555, 561
- displaySearch 555
- Display view** 61
- dispose 131, 137, 143, 146, 264, 357, 431, 433, 455, 458, 613
- disposeEditor 304
- Dispose event 135
- disposeExec 141
- DisposeListener 137
- disposeTypes 613
- DND**
- DROP\_COPY 295–297
  - DROP\_DEFAULT 297
  - DROP\_MOVE 295–297
- Document** 205
- doc.zip file 551
- doFillIntoGrid 458
- doGetPreferenceStore 460
- doLoad 458
- doLoadDefault 458
- done 383, 739
- doneSaving 387
- doOperation 204
- doSave 330, 333, 353
- doSaveAs 330, 333, 353
- doStore 458
- doubleClick 194–195
- Drag and Drop**
- custom 298
  - nativeToJava 300
  - views 294
- dragEnter 296
- dragFinish 295
- dragSetData 295
- DragSource 137, 295
- drag source 294
- DragSourceListener
- class 190, 295
  - implements 295
- dragStart 295
- Drawing, setRedraw 277, 355
- drawRectangle 302
- drop 297
- Drop-down list 151
- DropTarget 137, 296
- drop target 294
- DropTargetAdapter, extends 297
- DropTargetListener 191, 296
- Dynamic menus 304

**E**

- earlyStartup 115, 388
- Eclipse**
- and the JRE 3
  - Bugzilla 712, 732
  - command-line switches 3
  - configuration 3
  - CVS Repository 727
  - developing in one version for another 692
  - downloading 2
  - early use of Swing 129
  - Easter Eggs 763
  - Example plug-ins 2
  - Getting Started 1
  - Installing 3
  - integration builds 2
  - memory allocation 3
  - memory usage 3
  - milestone builds 2
  - modifying the base 727
  - modifying to find part identifiers 727
  - newsgroup 711
  - nightly builds 2
  - projects 760
  - release notes 2
  - Research 763
  - RFRS 765
  - SDK 2
  - setup 14
  - shortcut 3
  - structural overview 101
  - submitting changes 731
  - supported platforms 2
  - supporting multiple versions 693
  - Web site 1
  - Wiki 762
  - Workbench Overview 3
  - workspace location 3

- ECLIPSE\_HOME 692, 699, 701–702
- ECLIPSE21\_HOME 693, 702
- ECLIPSE30\_HOME 693, 701–702, 705
- ECLIPSE31\_HOME 693, 705
- ECLIPSE32\_HOME 701–702
- Eclipse Application configuration** 56, 89
- Eclipse-AutoStart 71
- EclipseCon 762
- Eclipse-LazyStart 71
- Eclipse.org 760
- Eclipse Plug-in Central 762
- Eclipse plug-in site 762
- Eclipse products 631
- EclipseProfiler 753
- Eclipse Rich Client Platform* book 748
- eclipsetools.getClasspath 689–690, 701–702
- eclipsetools.preprocessor 689–690, 696, 699
- EclipseUML 754
- Edit > Content Assist** command 37
- editElement 196
- Edit** menu 11, 289, 363, 371
- editor
  - class 328
  - command 329
  - contentTypeBinding 329
  - contributorClass 328
  - default 329
  - extensions 328
  - filenames 329
  - icon 328
  - id 328
  - launcher 329
  - matchingStrategy 329
  - name 328
- EditorActionBarContributor
  - class 357
  - extends 358
- editorContribution
  - id 247
  - targetID 247
- EditorInputTransfer 298
- EditorPart
  - class 325
  - methods 330
- Editor preferences** 17
- Editors
  - accelerators 361
  - Actions 244, 354
  - active 358
  - active editor 6
  - Ant 250
  - area 326
  - associating file types 46
  - cell editors 344
  - cell modifiers 345
  - cell validator 348
  - change listeners 347
  - Class File 250
  - clipboard 369
  - clipboard actions 358
  - Coloring editor 762
  - Compilation Unit 250
  - content provider 341
  - context menu 245, 354
  - contributor 357
  - CVS comparison 52
  - declaration 326
  - default editor 329
  - Default Text 250
  - dirty 351
  - dispose 330
  - editing a Java file 26
  - editing vs. selecting 349
  - editorContribution 247
  - example 331
  - external 329
  - feature manifest 624
  - flicker 277
  - global actions 358, 360
  - Go to Line** command 27
  - id 328
  - IEditorActionDelegate 246
  - image 328
  - init 331, 350
  - introduction 5
  - isDirty 331
  - Java 34
  - Java Attribute 216, 392, 437, 501, 521, 529, 616
  - Java Editor 34
  - label provider 342
  - launcher 329
  - lifecycle 350
  - linking 369
  - methods 330
  - model 335
  - obtaining progress monitor 386
  - opening from a selection 307
  - part 330
  - PHP plug-in 763
  - plug-in manifest editor 71
  - Quick Fix 39
  - references 325
  - RFRS 369
  - save 330
  - saving content 353
  - schema 599
  - Show Source of Selected Element Only 35
  - Snippet 250
  - tabbed 352

- Editors (*continued*)
  - Templates 39
  - toolbar 361
  - top-level menu 247, 360
  - undo 362
  - XMLBuddy 759
- Editor Selection** dialog 46, 48
- Editors preferences** 16
- ElementListSelectionDialog 409
- ElementTreeSelectionDialog 409
- Email
  - creating 718
  - generating 563
- enabled breakpoint 59
- enablement, decorator 734, 737
- enableOperation 204
- enablesFor 218, 227
- Encapsulate Field** command 43
- Enclosing projects scope 29–30
- Entries per file** field 45
- Environment** page 56
- ENVY 44
  - .epf file 18
- EPiC 762
- Equinox project 122
- ErrorDialog 408, 420
- Error Log** view 124, 618
- Errors/Warnings preferences** 586
- EvaluationResult.NOT\_LOADED 230
- event.doit 295
- ExceptionDetailsDialog 420–421, 425
- Exception handling, extension points 609
- exec 721
- Executable extensions 611
  - execute 364, 382–383
  - executeMethod 743
  - executeMethodActionDelegate 743–744
- ExecutionException 366
- Existing Projects into Workspace** option 130
- expandAll 200
- expandToLevel 200
- Export > Preferences** wizard 18
- Exporting Packages 92, 221
- Export-Package 110
- Export** wizard 81–83
- Expressions** view 60
  - .exsd file 597
- extending the functionality of another plug-in 587
- Extensible Markup Language 308
- extension 230
- extension attribute properties
  - Based On 602
  - Kind 602
  - Name 601
  - Restriction 602
  - Translatable 602
- Type 601
- Use 601
- Value 602
- extension-point
  - id 598
  - name 598
  - schema 598
- Extension points
  - <code> 601
  - <pre> 600
  - <samp> 601, 604
- abstract base class vs. interface 605
- Class.forName 613
- cleanup 613
- coding 607
- com.qualityeclipse.favorites.popupMenu 234
- createExecutable 613
- createExecutableExtension 610
- defined 112
- defining 597
- dispose 613
- documentation 614, 617
- documentation formatting 600–601
- editing extensions 75
- element grammar 605
- elements and attributes 601
- exception handling 609
- executable extensions 611
- extension example 113
- fast fail 610
- getConfigurationElementsFor 121
- getExtensionPoint 121
- introduction 112
- lazy initialization 603, 610
- log errors 618
- manifest editor page 76
- mechanism 595
- org.eclipse.actionSetPartAssociations 223
- org.eclipse.core.resources.builders 499, 502
- org.eclipse.core.resources.markers 514
- org.eclipse.core.resources.natures 526
- org.eclipse.help.contexts 558
- org.eclipse.help.toc 548
- org.eclipse.ui.actionSets 209–210
- org.eclipse.ui.decorators 732–733
- org.eclipse.ui.editorActions 247
- org.eclipse.ui.editors 328
- org.eclipse.ui.exportWizards 435
- org.eclipse.ui.ide.markerHelp 560
- org.eclipse.ui.ide.markerResolution 520
- org.eclipse.ui.ide.projectNatureImages 531
- org.eclipse.ui.importWizards 436
- org.eclipse.ui.newWizards 436–437, 451
- org.eclipse.ui.perspectiveExtensions 396, 399, 402

## Index

Extension points (*continued*)

- org.eclipse.ui.perspectives 389, 391–392
- org.eclipse.ui.popupMenus 224
- org.eclipse.ui.preferencePages 451
- org.eclipse.ui.propertyPages 482
- org.eclipse.ui.startup 115, 388, 747
- org.eclipse.ui.viewActions 240
- org.eclipse.ui.views 75, 261
- overview 595
- page 597
- parsing 607
- perspectives 390
- Platform 119
- proving enhancements 713
- proxies 609
- Registry 120
- RFRS 617
- schema 597, 599
- Show only Extension points from required** 558, 565
- unique identifier 597
- usage example 103
- using 615
- wizards 435

**Extension Points** page 598

extensions 119

extensions, editor 328

**Extensions** page 75–76, 209, 247, 261, 328, 391, 397, 400, 402, 437, 481, 499, 514, 526, 557–558, 565, 614–615

extension, viewerContribution 237–238

external\_build.bat file 668

Externalize Strings strings to externalize list 579

**Externalize Strings** wizard

- class name field 582
- common prefix 580
- Configure** button 582
- described 579
- error messages 583
- Ignore** button 582
- Internalize** button 582
- package field 582
- property file name field 582
- proposed changes 584
- string substitution pattern 583

External Plug-ins 89

**External Programs** radio button 47

**External Tools** command 12

**Extract Constant** command 43

**Extract Constant** refactoring 473

extracting strings from Java source 578

**Extract Interface** command 42

**Extract Local Variable** command 43

**Extract Method** command 43

ExtractStringsWizard 439–441

**Extract Strings** wizard 441

**F**

- F1** key 135, 552, 560
- F3** key 27, 60
- F6** key 60
- F8** key 60
- Façade** Pattern 694
- Failures** page 62
- fast fail, extension points 610
- fast view bar 6, 8
- Fast View** command 6
- FavoriteAdapterFactory 716
- FavoriteDefaultsPreferencePage 494
- FavoriteItemFactory
  - class 609, 613
  - extends 616
- FavoriteItemPropertyPage
  - class 484, 487–488
  - extends 494
- FavoriteItemType 266, 607–609, 617
- FavoriteJavaElement 265, 273–274, 306
- FavoriteResource 265, 272, 306, 616–617
- FavoriteResourcePropertyPage 481, 484–486
- favoritesChanged 381
- FavoritesCheatSheet.xml file 567, 569
- FavoritesDragSource 294–295
- FavoritesDropTarget 294, 296–297
- favorites.exsd file 599
- FavoritesFilterDialog 416
- favorites.jar file 104
- FavoritesLightweightDecorator 735
- FavoritesLog
  - class 122, 308, 744
  - logError 218
- FavoritesManager 265, 269, 271–272, 276, 283, 311, 375–376, 379–380, 716–717
- FavoritesManagerEvent 271, 736
- FavoritesManagerListener
  - implements 276, 735
  - interface 271
- FavoritesPerspectiveFactory 393
- FavoritesPlugin 77, 375, 706, 716
- Favorites** plug-in 65
- FavoritesPlugin.ID 608
- FavoritesPreferencePage 462
- favoritesTest.jar file 92
- FavoritesTestSuite 222
- FavoritesTransfer 298
- FavoritesView 79, 284, 310, 474, 717, 719, 723
- Favorites** view 78, 98
- FavoritesViewContentProvider 283
- FavoritesViewFilterAction 287, 309, 419
- FavoritesView.ID 220
- Favorites** view, identifier 217
- FavoritesViewLabelProvider 277
- FavoritesViewLocationFilter 420
- FavoritesViewNameFilter 281, 309

- FavoritesViewSorter 279, 308
- FavoritesViewTest 93, 97, 220
- FavoritesViewTypeFilter 420
- feature 642
- feature
  - copyright 623
  - description 623
  - id 623
  - label 623
  - license 623
  - plugin 624
  - provider-name 623
  - url 623
  - version 623
- Feature Details** command 633
- Feature License** page 645
- Feature manifest 623
- Features
  - about.html 632
  - about.ini 633
  - about.mappings 634
  - about.properties 634–635
  - branding 631
  - Branding Plug-in** field 625
  - component diagram 620
  - Copyright Notice** tab 627
  - Copy versions** 626
  - creating a new project 621
  - exclusive installation option 630
  - Exporting** section 626
  - Export Wizard** button 626
  - Feature Description** tab 627
  - feature image 633–634
  - Feature Name** field 622, 629
  - Feature Provider** field 622
  - Feature Version** field 622
  - feature.xml file 623
  - Force feature version** 626
  - License Agreement** tab 627
  - License** page 645
  - manifest 623
  - manifest editor 624–625
  - Operating Systems** section 626
  - Optional URL** field 627
  - plug-in\_customization.ini 636
  - plugin\_customization.properties 636
  - primary feature files 632
  - project 620
  - Provider Name** field 625
  - referenced plug-ins and fragments 623
  - RFRS 647
  - Sites to Visit** tab 627
  - splash screen 637
  - subfeatures 628
  - supported environments 625
  - Supported Environments** section 625
  - supported operating systems 626
  - Synchronize** button 626
  - synchronize versions on build 626
  - Synchronize versions on build** option 626
  - Text** field 627
  - update and discovery URLs 643
  - Update Site Name** field 625
  - update sites 637
  - Update Site URL** field 625, 643
  - Version** field 625
  - versions of included plug-ins 624, 626
- features directory 638, 641
- Feature Selection** dialog 639
- Feature Updates** wizard 645
- Feature Verification** dialog 645
- feature.xml file 623–624
- FieldEditor
  - class 456
  - IS\_VALID 463
  - VALUE 463
- FieldEditorPreferencePage
  - assumptions 460
  - class 453, 455–456, 458, 466
  - extends 462
- Field Editors
  - article 475
  - Boolean 456
  - Color 456
  - create and forget 458
  - described 456
  - Directory 456
  - File 457
  - Font 457
  - Integer 457
  - Path 457
  - Radio Group 457
  - Scale 457
  - String 457
- File > Export...** command 81, 435
- File > Import...** command 130, 436
- File > New > Class** command 24
- File > New > File** command 567
- File > New > Other...** command 436, 440
- File > New > Package** command 24
- File > New > Project...** command 19
- File Associations** preferences 16, 46, 472
- FileDialog 406, 446
- FileEditorInput 524
- File Extension Associations 46
- FileFactory 616
- FileFieldEditor 457
- File IO, example 508
- File** menu 11
- File name patterns** field 29
- filenames, editor 329

**Index**

- FileReader 312
  - Files
    - hidden 22
    - reading and writing 312
  - File Search 28
  - File Search** page 28
  - FileTransfer 298
  - File types** list 46
  - FileWriter 313
  - fillContextMenu 285, 304, 356, 367, 488
  - FillLayout
    - class 170, 198
    - example 171
    - type 170
  - filter
    - name 484
    - value 484
  - Filter** dialog 416
  - Filtering actions based on file content 232
  - Filtering files 22
  - Filters
    - hierarchy 190
    - view 281
    - viewer 189
  - Filters...** command 22
  - find 115, 120
  - Find and Install** command 645
  - findMarkerDeltas 377
  - findMember 272, 378
  - findView 221
  - findWidget 141
  - fireStateChanged 458–459
  - fireValueChanged 458–459
  - Flags 743
  - Flat Layout** command 31
  - FocusAdapter 303
  - FocusEvent 303
  - Focus event 135
  - FocusListener 137
  - focusLost 303
  - FontData 181
  - FontDialog 406
  - FontFieldEditor 457
  - Fonts 181
  - Fonts** preferences 15
  - forgetLastBuiltState 503
  - format 582
  - FormAttachment
    - alignment 178
    - class 177–179, 448
    - control 178
    - denominator 178
    - numerator 178
    - offset 178
  - Formatter** preferences 17, 36
  - FormData
    - bottom 177, 179
    - class 177, 179, 448
    - height 177
    - left 177, 179
    - right 177, 179
    - top 177, 179
    - width 177
  - FormLayout
    - class 177, 447
    - example 179
    - marginHeight 177
    - marginWidth 177
    - Smalltalk origins 170
  - forName 613
  - Fragment Content** page 590
  - Fragment-Host 592–593
  - fragment, plugin 624
  - Fragments
    - accessing internal classes 588
    - accessing internal code 714
    - attribute 624
    - definition 714
    - dependencies 593
    - Fragment Project** wizard 588
    - hiding differences between versions of Eclipse 698
    - Host version range** attribute 698
    - internationalization 714
    - lifecycle 592
    - manifest 591
    - manifest editor 591
    - merged with base plug-in 587
    - new project 588
    - project content 593
    - referenced plug-ins and fragments 623
    - used to support different Eclipse versions 588
    - using 587
    - version match rules 629
  - fragment.xml
    - comparing versions 629
    - file 591
  - FULL\_BUILD 503
- G**
- Generalize Type** command 42
  - General** preferences 14–15
  - Generate a new Java class 734
  - Generating single vs. multiple binaries 691
  - getActionBar 287, 292, 357, 359, 366, 386, 561, 719, 723
  - getActivePage 94, 218, 220, 236, 333, 353, 358
  - getActivePart 730
  - getActiveShell 141
  - getActiveWorkbenchWindow 94, 220, 236, 429
  - getAdapter 264, 275, 306, 308, 363, 369, 714–715, 736

- getAdapter, IPropertySource 489
- getAdapterList 715–716
- getAdapterManager 275, 306, 717
- getAffectedChildren 378
- getAttribute 517–518, 524, 608–611
- getAttributes 518
- getBackground 303
- getBoolean 469, 473, 741
- getBooleanValue 463
- getBounds 141
- getBuilderName 510–511
- getBuildKind 377
- getBuildSpec 510–511
- getBundle 120, 424
- getBundleGroupProviders 120
- getBundleId 121
- getChecked 156, 159, 197, 201
- getCheckedElements 197, 201, 448
- getChildren 161, 163, 188, 203
- getClasspath 656
- getClientArea 140–141, 428
- getClipboard 290–291
- getCollator 189
- getColumn 154
- getColumnImage 80, 187, 199, 738
- getColumns 154
- getColumnText 80, 95, 187, 199, 738
- getCommand 503
- getConfigurationElements 608
- getConfigurationElementsFor 121
- getConfigurationLocation 116
- getContainer 331, 431, 433, 440
- getContentProvider 95
- Get Contents** command 53
- getContextMenuIds 729
- getControl 80, 165, 192, 554, 700
- getCurrent 140
- getCurrentPage 434
- getCursorControl 141
- getCursorLocation 141
- getData 137, 141
- getDeclaringExtension 608, 611–612
- getDeclaringType 744
- getDecoratorManager 737–738
- getDefault 78, 123, 140, 381, 474
- getDefaultBoolean 469
- getDefaultDouble 469
- getDefaultFloat 469
- getDefaultInt 469
- getDefaultLong 469
- getDefaultPageImage 431
- getDefaultString 469
- getDelta 377, 380, 503
- getDialogSettings 119, 414, 432–433
- getDisplay 138, 143, 290, 428
- getDocument 352, 524
- getDocumentProvider 352, 524
- getDouble 469
- getDoubleClickTime 142
- getEditorArea 394, 396
- getEditorInput 352
- getEditorSite 366, 386
- getElement 485
- getElementAt 192, 196
- getElements 95, 188, 191
- getEntry 121
- getExpanded 159
- getExpandedElements 200
- getExpandedState 200
- getExtensionPoint 121, 608
- getExtensionRegistry 120–121, 608
- getExtensions 608
- getFactory 612
- getFieldEditorParent 455, 462
- getFlags 378, 743
- getFloat 470
- getFocusControl 142
- getFullPath 276, 378
- getFullyQualifiedName 744
- getGrayed 197, 201
- getGrayedElements 197, 201
- getHeaders 121
- getHelpSystem 554, 561, 699
- getHorizontalBar 140
- getId 358, 360
- getImage 80, 187, 195, 412, 422, 611
- getImageDescriptor 78, 292, 355, 611
- getImageRegistry 119, 316
- getInfo 266
- getInitialLocation 413, 415–416
- getInitialSize 413, 415
- getInt 470
- getItem 149, 152, 154, 164, 167
- getItemCount 149, 152, 158–159, 164, 167
- getItems 149, 152, 159, 165, 167
- getJobManager 96, 120
- getKind 378
- getLabelControl 458
- getLabelFor 363
- getLabelProvider 95
- getLabelText 458
- getList 192
- getLocation 444, 446, 738
- getLog 120, 122–123
- getLong 470
- getMajorComponent 706
- getMarkerDeltas 378
- getMenuId 728–729
- getMessage 423
- getMinorComponent 706
- getMovedFromPath 378
- getMovedToPath 379



- getNamespace 608, 611–612
- getNextPage 432
- getNumberOfControls 459
- getOperationHistory 367–368
- getOperationSupport 367
- getPage 307, 357
- getParent 138, 159, 168, 188, 203
- getParentItem 159, 167
- getParentMenu 167
- getPersistentProperty 480
- getPlatform 721
- getPluginPreferences 116, 118, 469, 473–474, 740
- getPreferenceName 459
- getPreferenceStore 118, 459–460, 462, 472, 748
- getPreviousPage 432
- getProduct 120
- getProgressMonitor 366, 386
- getProject 236, 503
- getProjectRelativePath 379
- getPropertyDescriptors 490
- getPropertyValue 490
- getResolutions 522
- getResolvedClasspath 745
- getResource 275, 377, 379
- getResult 408–409
- getRGB 487
- getRoot 236, 272, 444, 446
- getRuntime 721
- getSection 441
- getSelectedPage 435
- getSelectedRange 204
- getSelection 144, 149–150, 154, 159, 165, 168, 191, 204, 307
- getSelectionCount 149, 154, 159
- getSelectionIndex 149, 152, 154, 165
- getSelectionIndices 149, 154
- getSelectionText 147
- getSessionProperty 480
- getSeverity 422
- getSharedImages 266
- getShell 80, 138, 143, 429, 434, 439
- getShells 142–143
- getSite 305, 307, 356, 366, 439, 554, 699
- getSource 377
- getStartingPage 432
- getState 121
- getStateLocation 116, 121
- getStatusLineManager 366, 386
- getString 470
- getSymbolicName 121, 424
- getSystemColor 142, 180
- getSystemFont 142
- getTable 196, 198, 277, 305, 381, 448
- getTargetException 422–423
- getText 147, 152, 156, 187, 195
- getTextToEdit 304
- getTextWidget 204
- Getting started 1
- Getting started with CVS 49
- getTitle 422
- getToolBarManager 287, 561, 719, 723
- getTree 700
- getTreeAction 368
- getType 377
- getUnderlyingResource 275–276, 444
- getUndoContext 367
- getURL 117
- getVerticalBar 140
- getViewLayout 396
- getViewSite 80, 287, 292, 386, 719, 723
- getVisibleExpandedElements 200
- getWizard 433
- getWorkbench 80, 94, 220, 236, 266, 429, 554, 699, 738
- getWorkbenchSite 386
- getWorkbenchWindow 386, 439, 554, 699
- getWorkspace 236, 272, 376, 383, 444, 446
- Go to Line** command 27
- gotoMarker 331, 333
- GridData
  - BEGINNING 417
  - CENTER 417
  - class 174, 176, 417
  - END 417
  - FILL 176, 417
  - FILL\_BOTH 424–425, 485, 487
  - FILL\_HORIZONTAL 426, 442
  - grabExcessHorizontalSpace 174, 176
  - grabExcessVerticalSpace 174
  - heightHint 174
  - HORIZONTAL\_ALIGN\_CENTER 426
  - HORIZONTAL\_ALIGN\_END 442
  - HORIZONTAL\_ALIGN\_FILL 443
  - horizontalAlignment 175–176
  - horizontalIndent 175
  - horizontalSpan 175–176
  - VERTICAL\_ALIGN\_BEGINNING 426
  - verticalAlignment 175
  - verticalSpan 175
  - widthHint 175
- GridLayout
  - class 174, 176, 412, 417
  - example 176, 487
  - horizontalSpacing 174
  - makeColumnsEqualWidth 174
  - marginHeight 174, 485, 487
  - marginWidth 174, 485, 487
  - numColumns 174, 176, 487
  - verticalSpacing 174
- Group
  - class 163
  - example 164

groupMarker 234, 241

GUI Builder

Swing Designer 757

SWT Designer 757

## H

handlePropertyChange 351

hasChildren 188, 203

hasHelpUI 555

hasNature 528

hasResolutions 522

HEAD, CVS 48, 728

Headless Ant 668

Headless Eclipse, modifying resources 382

Help

active 542

anchor points 549

bottom-up composition 549–550

**Cheat Sheets** menu 563

cheat sheets 563

content 551, 556

context element 557

context identifiers 553

context-sensitive 552

contexts.xml 556–557, 560

description element 557

displayHelp 560

displayHelpResource 561

dynamic 542

Dynamic Help 552

Eclipse anchor points 549

extension points 557

F1 key 552

files 548

generating email 563

Getting started 547

**Help Contents** menu 539

helpContextId 213, 226

href attribute 549

HTML 542

implementing 542

infopop 552

internationalization 550

**Label for table of contents** field 545

link\_to attribute 549

markers 560

nl/<language> 550

nl/<language>/<country> 550

PDF 542

plug-in manifest 547

plug-ins 542

Primary option 545

primary toc files 545, 549

programmatically open **Help** view window 560

programmatically opening help page 561

programmatically opening Web page 562

project 543

Reference 547

RFRS 570

searching 540

search scope 541

secondary toc files 549

**Select Search Scope** dialog 541

setHelp 553

setHelpContextIDs 553

stemmed search 540

table of contents 548

tocgettingstarted.xml 547, 549

tocreference.xml 547

toc.xml 547

top-down composition 549–550

top-down nesting 549

topic elements 557

translated files 550

using 539

using a cheat sheet 563

WorkbenchHelp 555, 560

XHTML support 542, 552

ZIP file 551

**Help > About Eclipse SDK** command 108

**Help > Cheat Sheets...** command 563

**Help > Help Contents** command 107, 113, 539, 560

**Help > Software Updates > Find and Install** 645

**Help > Software Updates > Manage Configuration** 643

**Help > Tips and Tricks** command 634

**Help > Welcome** command 4

helpContextId 226

helpContextId, action 213, 226, 239, 249, 554–555

Help event 135

HelpListener 138, 167–168, 191

**Help** menu 12

**Help** view 559

**Help** window 539

hidden files 22

hideView 94, 221

**Hierarchy** view 552

hookDragAndDrop 294–296

hookGlobalActions 289

hookGlobalTreeActions 359

hookKeyboardActions 289

hookMouse 305

hookPageSelection 306

horizontalIndent 417

**Host** field 49, 727

hot code replacement 57

hoverIcon, action 213, 249

How Eclipse is different 713

- I**
- i18n, *see* Internationalization
- IAction
  - interface 207, 218, 283, 534, 556, 729, 743
  - setEnabled 218
  - vs. IActionDelegate 207
- IActionBars 357, 359–360
- IActionDelegate 207–208, 382
- IActionDelegate2 208
- IActionFilter 230, 484
- IActionSetDescriptor 223
- IAdaptable 266, 286, 306, 308, 363, 366, 483, 533, 714–715, 718
- IAdapterFactory 715
- IBaseLabelProvider 192, 196
- IBM 127–128, 181, 765
- IBM Alphaworks on Eclipse 763
- IBM Business Partners 765
- IBM Eclipse Research 763
- IBM middleware 765
- IBM Smalltalk 127
- IBM Software Development Platform xxxvii, xxxix
- ICellEditorListener 348
- ICellEditorValidator 491
- ICellModifier
  - implements 345
  - interface 196
- ICheckStateListener 196
- IClasspathEntry 745
- IColorDecorator 732
- IColorProvider 278
- ICommand 510–511
- ICompilationUnit 742
- icon
  - action 213, 226, 239, 249, 555, 720, 724
  - decorator 733, 737
  - editor 328
  - image 531
  - page 483
  - perspective 392
  - view 113, 263, 576
  - viewContribution 240
  - wizard 436
- IconAndMessageDialog 407
- Icon creation 215
- IConfigurationElement 608–610, 613
  - class 504, 723
  - createExecutable 613
  - createExecutableExtension 610
  - getAttribute 610
- icons subdirectory 104
- IContentDescriber
  - class 329
  - INDETERMINATE 330
  - INVALID 330
- IContentOutlinePage 369
- IContentProvider 191
- IContext 555
- IContributedContentsView 264
- id
  - action 212, 226, 231, 239, 246, 248, 532, 555, 720, 724
  - actionSet 211
  - category 252, 262, 436, 566, 576
  - cheatsheet 566–567
  - command 252
  - decorator 733, 737
  - editor 328
  - editorContribution 247
  - extension-point 598
  - feature 623
  - image 531
  - itemType 600
  - menu 211, 234, 238, 241, 245, 247
  - objectContribution 224, 286
  - page 452, 464–465, 482, 494
  - perspective 391–392
  - plugin 624, 698
  - view 263, 398–399, 576
  - viewContribution 240–241
  - viewerContribution 238
  - visibility 245
  - wizard 436, 438
- IDE 308, 524
- IDE\_VERSION\_ACTUAL 706
- IDE\_VERSION\_EXPECTED 706
- IDecoratorManager 737–738
- IDelayedLabelDecorator 732
- identifiers 215
- IDialogConstants
  - DETAILS\_ID 426–427
  - HIDE\_DETAILS\_LABEL 427
  - HORIZONTAL\_MARGIN 424
  - MINIMUM\_MESSAGE\_AREA\_WIDTH 426
  - OK\_ID 426
  - OK\_LABEL 426
  - SHOW\_DETAILS\_LABEL 426
- IDialogSettings 414, 441
- IDocument 204, 524
- IDoubleClickListener 190, 194
- IEditorActionBarContributor 328, 357, 360
- IEditorActionDelegate 209, 246, 248
- IEditorInput 350
- IEditorLauncher 329
- IEditorPart 730
  - hierarchy 326, 380
  - interface 325, 328, 330, 429, 730
  - PROP\_DIRTY 351
- IEditorReference 325, 730
- IEditorSite 325, 350
- IElementComparer 191
- IExecutableExtension 262, 436–437, 453, 724–726

- IExportWizard 435
- IExtension 611
- if, Ant target 652
- IFavoriteItem
  - implements 274
  - interface 265, 487, 612–613, 616–617, 714, 716
- IFile 307–308, 444, 484, 616
- IFolder 484
- IFolderLayout 394
- IFontDecorator 732
- IFontProvider 278
- IGotoMarker 333
- IImportWizard 436
- IJavaElement 273, 293, 483, 716
- IJavaModelStatus 123
- IJavaProject 745
- ILabelDecorator 732
- ILabelProvider
  - implementors 187
  - interface 187, 192, 196, 409, 491
- ILabelProviderListener 738
- ILightweightLabelDecorator
  - implements 735
  - interface 733–734, 736
- IllegalAccessException 713
- ILog 122
- Image
  - class 144, 156, 422
  - descriptor 355
- image
  - icon 531
  - id 531
  - natureId 531
- ImageCache 315, 611
- ImageData 181
- ImageDescriptor 78, 181, 315, 355, 432–433, 561, 609, 723, 735
- imageDescriptorFromPlugin 78, 611, 735
- ImageRegistry 316
- Images
  - caching 315
  - createImageRegistry 119
  - files 104
  - getImageDescriptor 355
  - getImageRegistry 119
  - initializeImageRegistry 119
  - lazily loading 315
  - overlay 531
  - relation to ImageDescriptor 315
  - shared 355
  - SWT resources 181
- images subdirectory 104
- IMarker
  - BOOKMARK 513
  - CHAR\_END 516, 519–520
  - CHAR\_START 516, 519–520
  - DONE 519
  - gotoMarker 331
  - LINE\_NUMBER 519
  - LOCATION 520
  - MARKER 514
  - MESSAGE 516, 520
  - PRIORITY 520
  - PROBLEM 514, 525
  - SEVERITY 520
  - SEVERITY\_ERROR 516
  - SEVERITY\_WARNING 516
  - TASK 514
  - TRANSIENT 520
  - USER\_EDITABLE 520
- IMarkerResolution2, implements 523
- IMarkerResolutionGenerator 522
- IMarkerResolutionGenerator2
  - implements 522
  - interface 522
- IMemento 308–309, 312
- IMenuListener 285
- IMenuManager 285, 288, 356, 360, 367
- IMethod 742–743
- Import > As Binary Project** command 710
- Import > Preferences** wizard 18
- Imported-Packages 74
- Importing and Exporting Preferences 18
- Import-Package 112
- import, plugin 698
- Import** wizard 130
- Included Features** page 628
- includeEmptyDirs 655
- INCREMENTAL\_BUILD 503
- IncrementalProjectBuilder
  - AUTO\_BUILD 503
  - class 501–502
  - CLEAN\_BUILD 503
  - example 504
  - extends 504
  - FULL\_BUILD 503, 537
  - INCREMENTAL\_BUILD 503
  - methods 503
- inDebugMode 120
- index.html file 638
- indexOf 149, 152, 154, 165, 167
- INewWizard 436, 438, 440
- Infer Generic Type Arguments** command 42
- Infopop 552
- Information** page 627
- inheritAll 654
- init 309–310, 331, 350, 357, 360, 443, 455
- initContent 418
- initContents 443
- initialize 455
- initializeDefaultPluginPreferences 116, 471
- initializeDefaultPreferences 471–472

- initializeImageRegistry 119
- initializeMessages 585
- initTreeEditors 361
- Inline** command 43
- Inline editing, views 301
- inputChanged 188, 191
- InputDialog
  - class 287–288, 409
  - OK 288
- insert 147, 196
- Insertion points 215
- Inspect** command 61
- Installation
  - hybrid approach 106
  - instructions 86
  - link files 105
  - location 119
  - ZIP files 106
- Installation Details** page 630
- Installation** page 645
- Install** command 645
- Installed JREs** preferences 17, 56
- Installing Eclipse 3
- install-size, plugin 624
- instanceof 229
- Instantiations xxxvi, xlii
- IntegerFieldEditor 457
- Interfaces, naming convention 265
- interface vs. abstract base class, extension points 605
- Internal code
  - accessing 711
  - checking Bugzilla 712
  - checking newsgroup 711
  - definition 711
  - fragments 714
  - options for accessing 712
  - restrictions 713
- Internationalization
  - //\$NON-NLS-1\$ 581, 585
  - binding patterns 582
  - end-of-line comments 581
  - externalizing the plug-in manifest 576
  - extracting strings 578
  - factor out common values 586
  - formatting strings 582
  - French translation 578, 593
  - German translation 577, 593
  - include error numbers 587
  - ISO 3166, country codes 577
  - ISO 639, language codes 577
  - keep keys similar to text 586
  - log missing keys 587
  - manifest files 579
  - plugin.properties 576, 593
  - plugin.xml 576
  - remove colons 586
  - remove punctuation characters 586
  - replacing strings with field references 581
  - sort .properties file entries 586
  - suggestions 586
  - using fragments 587, 714
- InterruptedException 385, 440
- intro, cheatsheet 567
- Introduce Factory** command 43
- Introduce Parameter** command 43
- Invalid Menu Extension 216
- Invalid thread access 381
- InvocationTargetException 385, 422–423, 440
- IObjectActionDelegate 209, 233, 236, 429, 439
- IOException 721
- IOpenListener 191
- IOperationApprover 368–369
- IOperationHistory 362
- IPageChangedListener 435
- IPageLayout
  - BOTTOM 394
  - ID\_OUTLINE 394
  - ID\_PROBLEM\_VIEW 394
  - ID\_TASK\_LIST 394
  - interface 394–395
  - LEFT 394
  - methods 395
- IPath 115, 445–447, 745
- IPerspectiveFactory
  - implements 393
  - interface 389, 392
- IPreferenceConstants 748
- IPreferenceStore 118, 459, 469
- IProgressMonitor 330, 363–364, 366, 382–384, 503, 505, 517, 739
- IProgressMonitorWithBlocking 384
- IProgressService 386, 742
- IProject 236, 444, 503, 512, 533
- IProjectDescription 510–511, 534
- IProjectNature
  - implements 529
  - interface 529
- IPropertyChangeListener 459, 474, 740
- IPropertyDescriptor 490
- IPropertySource
  - interface 489
  - methods 490
- IPropertySource2 490, 492
- IRegistryChangeListener 122
- IResource
  - adaptable to 483
  - DEPTH\_INFINITE 516, 525
  - interface 272, 291, 483, 486, 533, 537, 715–716, 733, 736
  - properties 479
  - setDerived 509
- IResourceActionFilter 230

- IResourceChangeEvent 376
  - interface 376, 380
  - POST\_AUTO\_BUILD 376
  - POST\_CHANGE 376, 379
  - PRE\_AUTO\_BUILD 376
  - PRE\_CLOSE 376
  - PRE\_DELETE 376
- IResourceChangeListener
  - implements 376
  - interface 375
- IResourceDelta
  - ADDED 377
  - ADDED 379
  - ADDED\_PHANTOM 377
  - ALL\_WITH\_PHANTOMS 377
  - CHANGED 377, 379
  - CONTENT 377
  - DESCRIPTION 377
  - interface 377–378, 505
  - MARKERS 377
  - MOVED\_FROM 377
  - MOVED\_TO 377
  - NO\_CHANGE 378
  - OPEN 378
  - REMOVED 378–380
  - REMOVED\_PHANTOM 378
  - REPLACED 378
  - SYNC 378
  - TYPE 378
- IResourceDeltaVisitor 380
- IResourceProxy 537
- IResourceProxyVisitor 537
- IResourceStatus 123–124
- IResourceVisitor 537
- IRunnableContext 385
- IRunnableWithProgress
  - example 385
  - interface 385, 434, 440
- ISafeRunnable 120
- ISaveContext 387
- ISavedState 387
- ISaveParticipant
  - interface 387
  - snapshot 314
- isCanceled 383
- isCellEditorActive 196
- isContextHelpDisplayed 555
- isDefault 470
- isDigit 148
- isDirty 331, 350–352
- isDisposed 131, 137–138, 146
- isEditable 204
- ISelection 192, 204, 283, 307, 717, 743
- ISelectionChangedListener 191, 194, 354
- ISelectionListener 306
- isEnabled 138, 143, 168
- isExpandable 200
- isFilterProperty 190
- ISharedImages
  - IMG\_TOOL\_COPY 292
  - IMG\_TOOL\_COPY\_DISABLED 292
  - IMG\_TOOL\_DELETE 284, 355
  - IMG\_TOOL\_DELETE\_DISABLED 284
  - interface 80, 266
- IShellProvider 414, 422, 425
- IShowInSource 264
- IShowInTarget 264
- isInterrupted 504
- ISO
  - 3166 577
  - 639 577
  - country codes 577
  - language codes 577
- isPropertyResetable 490
- isPropertySet 490
- isPublic 743
- isSaveAsAllowed 331, 333
- isSorterProperty 189
- IStartup 115, 388
- IStatus
  - CANCEL 123
  - ERROR 123
  - INFO 123
  - interface 122–123, 408, 422
  - OK 122–123, 422
  - WARNING 123
- IStatusLineManager, progress monitor 386
- IStructuredContentProvider
  - implementors 188
  - implements 276
  - interface 79, 95, 188, 276, 409
- IStructuredSelection 717
  - EMPTY 221
  - interface 282–283, 307, 355, 366, 439
- isValid 348, 455, 459–460
- isValidProductVersionForIDE 706
- isVisible 139
- ITableLabelProvider
  - implementors 187
  - implements 277, 342
  - interface 80, 95, 187, 196, 199
- Item 137
- item, cheatsheet 567, 569
- itemType
  - class 600
  - id 600
  - name 600
  - targetClass 600
- ITextContentDescriber 329
- ITextEditor 524
- ITextHover 204
- ITextListener 203

**Index**

- IToolBarManager 361
  - ITreeContentProvider
    - implements 341
    - interface 188, 203
  - ITreeViewerListener 199
  - IType 742
  - IUndoContext 367
  - IViewActionDelegate 209, 238, 240
  - IViewerLabelProvider 278
  - IViewPart 113, 221, 259, 262–263, 429
  - IViewReference 259, 730
  - IViewSite 259
  - IWebBrowser 719
  - IWizard 431
  - IWizardContainer 410
  - IWizardNode 435
  - IWizardPage 432–434
  - IWorkbench 699
  - IWorkbenchActionConstants
    - DELETE 289
    - interface 289
    - MB\_ADDITIONS 215, 285, 356, 360
  - IWorkbenchAdapter 278, 718
  - IWorkbenchBrowserSupport 718–719
  - IWorkbenchHelpSystem 553–555, 560, 699–700
  - IWorkbenchPage 218, 259, 307, 325, 357, 360, 730
  - IWorkbenchPart
    - hierarchy 326, 380
    - interface 260, 429, 717, 731
  - IWorkbenchPartReference 731
  - IWorkbenchPartSite 439
  - IWorkbenchPreferencePage
    - implements 462, 494
    - interface 453, 493
  - IWorkbenchPropertyPage 483
  - IWorkbenchWindow
    - from editor or view 386
    - interface 217, 385–386, 439, 729, 743
  - IWorkbenchWindowActionDelegate
    - implements 532, 729, 743
    - interface 209, 213, 428
  - IWorkbenchWindowPulldownDelegate 213
  - IWorkspace
    - interface 512
    - run 382
  - IWorkspaceRunnable 383, 516–517
- J**
- JAR files 7, 104, 110
  - Java
    - Foundation Classes (JFC) 128
    - garbage collector 315
    - use at IBM 128
  - Java Applet configuration 56
  - Java Attribute Editor dialog 216, 392, 437, 501, 521, 529, 616
  - Java Browsing perspective 7–8
  - Java Build Path 23, 37, 61, 74, 710, 744
  - javac Ant task 691
  - Java Class wizard 24
  - Java Compiler 586
  - Java Editor
    - code assist 37
    - code formatting 36
    - Color syntax highlighting 35
    - Organizing Import Statements 36
    - using 34
  - JavaElementTransfer 298
  - Java History view 26
  - JavaModelException 123, 275–276, 444, 743, 745
  - Java Packages view 569
  - Java Package wizard 24
  - Java perspective 7, 13, 19
  - Java preferences 17
  - Java projects 19
  - Java Project wizard 19
  - Java Runtime Environment 3
  - Java Search 30
  - JDK 57
  - JDK tools.jar 690
  - JFace Viewers 185
  - JFC 128
  - JobManager 120
  - Jobs API 739
  - JRE 3, 56–57
  - JTidy 763
  - JUnit 61, 92–93, 98, 107, 220, 235, 242, 250, 314
  - JUnit configuration 57
    - junit.framework 93
  - JUnit Plug-in test command 97
  - JUnit Plug-in Test configuration 57
  - JUnit Test Case wizard 61
  - JUnit view 62, 97
- K**
- key
    - commandId 253
    - contextId 253
    - locale 254
    - platform 254
    - schemeId 253
    - sequence 253
  - Key bindings
    - categories 252
    - commands 252
    - declaration 251
  - Keyboard accessibility 255
  - KeyEvent 350, 361
  - Key event 135
  - KeyListener 138
  - keyPressed 361
  - keyReleased 361

Keys preferences 16, 252–253  
Koi xlii

**L**

Label 143, 417, 424

label

action 212, 226, 231, 239, 241, 246, 248, 532,  
555, 720, 724

actionSet 211

decorator 734, 737

feature 623

menu 211, 234, 238, 241, 245, 247

**Label Decorations** preferences 16, 53, 732, 734

Label decorators

colorization 54

declaring 733

decorative 736

defined 732

ILightweightLabelDecorator 734

LabelProvider

class 80, 199

extends 195, 277, 342

LabelProviderChangedEvent 736

Label providers

defined 186

editor 342

hierarchy 187

responsibility 80

view 277

WorkbenchLabelProvider 278

WorkbenchPartLabelProvider 278

LabelRetargetAction 360

Launch

external programs 562

program 562

launch 562–563, 720–721

**Launch Configuration** dialog 63

Launch configurations 133, 731

launch dialog 670

launcher, editor 329

Launching

clear workspace data before 219

configuration 56, 88

Java applications 55

Run 55

Run History 55

running a Java application 54

Runtime Workbench 88, 90

selecting plug-ins 89

Terminate 60

**Launching** preferences 59

LaunchURL 720

Layout

dialog units 412

management 170

null 412

layout 161, 163

Layouts, null layout 170

lazy initialization

action filtering and enablement 207

delayed change events 387

extension points 113, 603, 610

IActionDelegate 227

libraries 110

**Libraries** page 21

license, feature 623

lightweight, decorator 734, 737

LinearUndoEnforcer 368

LinearUndoViolationUserApprover 368

LineNumberReader 336, 338

Link files 105

List

class 135, 148, 192

example 150

ListDialog 409

List-oriented viewers 185

ListSelectionDialog 409

ListViewer 192, 194

List Viewers, example 194

load 459, 471

loadDefault 459

loadDialogSettings 119

loadFavorite 611–612, 616–617

loadFavorites 312

Locale 254

Local History 45

Local history 44

**Local History** preferences 17, 45

location, decorator 734, 737

Log 120

logError 122, 308, 608, 612, 719, 721, 744

.log file 124

Logging 122

logInfo 122

Long-running operations 739

loosely coupled 595

**M**

macrodef 666

mailing lists 760

mailto, syntax 723

main 131

make 651

MalformedURLException 719

managing native resources 180

MANIFEST.MF file 67, 71, 73–74, 102, 104, 545, 591,

684, 686–687, 689, 703–704

**MANIFEST.MF** page 71, 73, 545, 592

Manifest-Version 545, 592

Marker 333



**Index**

- markerHelp
  - helpContextId 560
  - markerType 560
- markerResolutionGenerator
  - class 521
  - element 520
  - markerType 521
- MarkerResolutionSelectionDialog 409
- Markers
  - attributes 517
  - creating and deleting 515
  - data structures 513
  - defined 512
  - finding 525
  - help 560
  - Java compiler usage 512
  - quick fix 520
  - resolution 520
  - resolution example 523
  - types 513
- MarkerTransfer 298
- matchingStrategy, editor 329
- Match rules
  - associated plug-ins 590
  - compatible 590, 630
  - equivalent 590, 630
  - greater or equal 590, 630
  - perfect 590, 630
  - required plug-ins 629
- Maximum file size** field 45
- MB\_ADDITIONS 215, 285
- Members** view 8, 237
- Memory leaks, preventing 315
- Menu
  - class 135, 137, 169, 285
  - example 169
- menu
  - id 211, 234, 238, 241, 245, 247
  - label 211, 234, 238, 241, 245, 247
  - path 211, 234, 238, 241, 245, 247
- menuAboutToShow 356
- menubarPath 216
- menubarPath, action 212, 226, 231, 239, 242, 246, 248, 532, 555, 720, 724
- Menu event 135
- Menu groups 212
- MenuItem 135, 167–169
- menu item 212
- MenuItemListener 167
- MenuManager 360
- Menus
  - & 255
  - additions 285
  - context 304
  - defined 166
  - dynamic 304
  - Edit 11
  - File 11
  - groupMarker 234, 241
  - Help 12
  - insertion points 215
  - Navigate 12
  - Project 12
  - Run 12
  - Search 12
  - separator 241, 285
  - submenu 234, 237, 241
  - top-level menu discussion 222
  - underscore 255
  - view 287
  - Window 12
- MessageBox 406
- MessageDialog
  - class 80, 363, 366, 408
  - openError 366
  - openQuestion 363
- MessageDialogWithToggle 408
- MessageFormat
  - class 423
  - format 423, 582
- Messages 582, 585
- messages.properties file 582, 585, 593
- .metadata directory 313, 467
- Metrics 752
- Microsoft 129
- Models
  - action 283
  - display 341
  - editor 335
  - parsing 335
  - saving snapshot 314
  - saving state 311
  - singleton 269
  - view 265
- Modified Type** view 26
- ModifyEvent 153
- Modify event 135
- Modifying the Eclipse Base 727
- ModifyListener 146, 151, 153–154, 442
- modifyText 153–154
- More Info** button 632
- mouseDoubleClick 307
- MouseEvent 305
- Mouse event 135
- MouseListener 138
- MouseMove event 135
- MouseMoveListener 138
- MouseTrack event 135
- MouseTrackListener 138
- mouseUp 305
- Move** command 42
- Move Member Type to New File** command 42

MultiPageEditorActionBarContributor 357

MultiPageEditorPart

- class 330, 351
- example 332
- extends 332
- methods 331

MultiPageEditor, setPageImage 331

MultiStatus 123–124

MyEclipse Enterprise Workbench 755

## N

name

- Ant target 652
- attribute 113, 230
- category 252, 262, 436, 566, 576
- cheatsheet 566–576
- command 252
- editor 328
- extension-point 598
- itemType 600
- page 452, 464–465, 482, 494
- perspective 391–392
- plugin 698
- view 263, 576
- wizard 436, 438

nameFilter 227

nameFilter, objectContribution 224

nameFilter, page 483

Naming projects 67

National Language Support, *see* Internationalization

native resources 180

nativeToJava 300

natureId, image 531

Natures

- associating projects 532
- associating builders 528
- conflicting natures 531
- declaring 526
- defined 525
- existing in Eclipse 526
- hadNatures 501
- hasNature 528
- image 531
- IProjectNature 529
- org.eclipse.pde.PluginNature 74
- projectNature action attribute 230
- required natures 530
- tag 24

nature tag 24

Navigate > Go to Line... command 27

Navigate > Open Type... command 26

Navigate > Open Type Hierarchy... command 27

Navigate > Open Type in Hierarchy command 27

Navigate menu 12

Navigating the Workbench 26

Navigator view 9, 12, 21, 32, 320, 372, 652, 732

needsSaving 471

Nested preference pages 464

New > action command 212, 238, 240, 246, 248

New > actionSet command 210, 402

New > attribute command 514

New > builder command 501, 528

New > category command 252, 261, 565

New > cheatsheet command 566

New > command command 252

New > contexts command 558

New > editor command 328

New > editorContribution command 247

New > Extension... command 209

New > filter command 484

New > groupMarker command 212

New > itemType command 616

New > key command 253

New > menu command 211, 234, 238, 241, 245, 247

New > page command 482

New > persistent command 514

New > perspective command 391

New > perspectiveExtension command 397

New > perspectiveShortcut command 400

New > Project... command 49, 51, 66

New > Reference > itemType command 606

New > Repository Location... command 49, 727

New > run command 501, 529

New > runtime command 529

New > separator command 212

New > super command 514

New > view command 262, 398

New > viewerContribution command 238, 245

New > viewShortcut command 400

New > wizard command 437

newCommand 510

New Extension Point wizard 597, 599

New Extension wizard 209, 390, 396, 451, 453, 545, 558, 565, 614–615

newFavorite 611, 616

newFavoriteFor 312, 716

New Feature wizard 621

New File Type dialog 46–47

NewFolderDialog 408

New Fragment Project wizard 588

New Java Class wizard 24

New Java Package wizard 24

New Plug-in Project wizard 66, 71, 78, 543

New Project wizard 19, 49, 51, 67, 543, 621, 637

New Remote Site button 646

New Search view 29, 31

Newsgroup 711

New Template dialog 41

New Update Site wizard 638

NewVersionCheckJob 739, 741

New Working Set dialog 33

.nli 588

- nl1 project 707
  - NLS class 585
  - NLS, *see* Internationalization
  - NoClassDefFoundError 110
  - NonLocalUndoUserApprover 368
  - Normal identifier 216
  - not 229
  - notifyListeners 137
  - null layout 170
  - NullProgressMonitor 384
- O**
- ObjectAction 224
  - objectClass
    - decorator 733–734
    - filters 227
    - objectContribution 224, 286
    - page 483
    - visibility 227
  - objectContribution
    - adaptable 224, 286
    - described 237
    - id 224, 286
    - nameFilter 224
    - objectClass 224, 286
  - ObjectShare xlii
  - objectState 229
  - Object Technology International xxxv, 127
  - ObjectUndoContext 367
  - OK\_STATUS 364–365
  - okPressed 411
  - one-of-nature 531
  - open 131, 143, 146, 236, 411
  - OpenBrowserAction 720
  - openEditor 307–308, 524
  - OpenEditorActionDelegate 307
  - OpenEmailAction 723
  - openError 366
  - Open extension point description command 615**
  - Open Favorites View action 214**
  - OpenFavoritesViewActionDelegate 220–221
  - OpenFavoritesViewTest 220
  - openInformation 80
  - Opening help page programmatically 561, 565
  - Opening Perspectives 49
  - Opening Web page programmatically 562
  - Open Perspective menu 401**
  - openQuestion 363
  - Open Schema command 599**
  - openStream 115
  - Open Type dialog 26–27**
  - openURL 719
  - OperationCanceledException 506
  - OperationHistoryFactory 367
  - OperationStatus 124
  - Options for accessing internal code 712
  - or 229
  - Order and Export page 21**
  - Organize Imports preferences 36**
  - Organizing Import Statements 36**
  - org.eclipse.actionSetPartAssociations 223
  - org.eclipse.core.resources 235, 267, 375, 529, 669
    - org.eclipse.core.resources.bookmark 513
    - org.eclipse.core.resources.builders 499, 502
    - org.eclipse.core.resources.markers 514
    - org.eclipse.core.resources.natures 526
    - org.eclipse.core.resources.problemmarker 514
    - org.eclipse.core.resources.taskmarker 514
    - org.eclipse.core.resources.textmarker 514
    - org.eclipse.core.runtime 74, 93, 122, 383, 724
    - org.eclipse.core.runtime\_3.1.2.jar 193
    - org.eclipse.core.runtime.preferences 472
    - org.eclipse.core.runtime.products 635
  - org.eclipse.help.contexts 558
  - org.eclipse.help.toc 548
  - org.eclipse.help.ui 720
  - org.eclipse.help.ui.browser 720
  - org.eclipse.jdt.core 267
  - org.eclipse.jdt.core.javanature 526
  - org.eclipse.jdt.internal.ui.compare 414
  - org.eclipse.jdt.ui 273
  - org.eclipse.jface\_3.1.2.jar 193
  - org.eclipse.jface.action 79
  - org.eclipse.jface.dialogs 79, 406, 410
  - org.eclipse.jface.fieldassist 434
  - org.eclipse.jface.preference 455–456
  - org.eclipse.jface.resource 77
  - org.eclipse.jface.text 205, 343
  - org.eclipse.jface.text\_3.1.2.jar 193
  - org.eclipse.jface.viewers 79, 93, 194, 198–199, 202–203
  - org.eclipse.jface.wizard 430–431, 435
  - org.eclipse.pde.FeatureNature 526
  - org.eclipse.pde.PluginNature 74, 526
  - org.eclipse.pde.UpdateSiteNature 526
  - org.eclipse.platform 635
  - org.eclipse.swt 79, 146, 148, 150, 153, 157, 160, 162, 164, 166, 169, 171, 173, 176, 179, 194, 198, 202, 205, 406
    - org.eclipse.swt.custom 205
    - org.eclipse.swt.events 146, 148, 150, 153, 157, 160, 162, 164, 166, 169, 171, 173
    - org.eclipse.swt.graphics 79, 199, 205
    - org.eclipse.swt.layout 146, 148, 150, 153, 157, 160, 166, 171, 173, 176, 179, 194, 198, 202, 205
    - org.eclipse.swt.program 720
    - org.eclipse.swt.widgets 79, 93, 146, 148, 150, 153, 157, 160, 162, 164, 166, 169, 171, 173, 176, 179, 194, 198, 202, 205

- org.eclipse.text\_3.1.2.jar 193
- org.eclipse.ui 74, 79, 93, 112–113, 325, 357, 393, 723
- org.eclipse.ui.actions 360, 382
- org.eclipse.ui.actionSets 209–210
- org.eclipse.ui.cheatsheets 565
- org.eclipse.ui.cheatsheets.cheatSheetContent 565–566
- org.eclipse.ui.cheatsheets.ICheatSheetAction 570
- org.eclipse.ui.decorators 732–733
- org.eclipse.ui.editorActions 247
- org.eclipse.ui.editors 328
- org.eclipse.ui.exportWizards 435–436
- org.eclipse.ui.ide 267, 697
- org.eclipse.ui.ide.markerHelp 560
- org.eclipse.ui.ide.markerResolution 520
- org.eclipse.ui.ide.projectNatureImages 531
- org.eclipse.ui.ide.workbench 635
- org.eclipse.ui.importWizards 436
- org.eclipse.ui.newWizards 436–437, 451
- org.eclipse.ui.part 79, 325
- org.eclipse.ui.perspectiveExtensions 396, 399, 402
- org.eclipse.ui.perspectives 389, 391–392
- org.eclipse.ui.plugin 77
- org.eclipse.ui.popupMenu 226
- org.eclipse.ui.popupMenus 224
- org.eclipse.ui.preferencePages 451
- org.eclipse.ui.propertyPages 482
- org.eclipse.ui.resourcePerspective 400
- org.eclipse.ui.startup 115, 388, 747
- org.eclipse.ui.viewActions 240
- org.eclipse.ui.views 75
- org.eclipse.ui.views.extension 261
- org.eclipse.ui.views.properties 489
- org.eclipse.ui.workbench 728
- org.osgi.framework 77
- OSGi
  - Alliance 107
  - BUNDLE\_VERSION 706
  - Bundle-Activator 108, 114
  - Bundle-ClassPath 110
  - BundleContext 77
  - Bundle-Name 108
  - Bundles 120
  - Bundle-SymbolicName 108
  - Bundle-Vendor 108
  - Bundle-Version 108
  - defined 107
  - Eclipse-AutoStart 71
  - Eclipse-LazyStart 71
  - Equinox project 122
  - Export-Package 110
  - headers 121
  - id 121
  - lazy plug-in loading 103
  - manifest file, *see* MANIFEST.MF
  - osgi.splashPath 636
  - plug-in class 114
  - plug-in dependencies 110
  - plug-in runtime 110
  - registry changes 122
  - Require-Bundle 110
  - state 121
  - symbolic name 121
  - web site 107
- osgi.splashPath 636
- OTI xxxv–xxxvi, 127–128, 181
- Outline** view 27, 320, 325, 369, 374, 393–394
- overrideActionId 226
- overrideActionId, action 226, 239
- Overview** page 73, 77
- P**
- pack 139, 155, 157–158
- Package Explorer** view 6–7, 21, 32, 526
- Packages** view 8
- page
  - adaptable 483
  - category 453, 464–465, 483, 494
  - class 453, 464–465, 483, 494
  - icon 483
  - id 452, 464–465, 482, 494
  - name 452, 464–465, 482, 494
  - nameFilter 483
  - objectClass 483
- pageChange 352, 368
- pageSelectionChanged 717
- Paint event 135
- PaintListener 138
- Parameterized Types 724
- Parameters** page 56
- ParcPlace 128
- parentCategory, category 436
- parseType 608
- Part Identifiers 727
- Part Identifiers, utility 727
- PartInitException 218, 308, 310, 332, 524, 719
- PartSite 727, 729, 731
- Password 727
- Paste 293
- paste 147, 152
- PasteFavoritesAction 293
- Path 446
- path 230

- PathEditor 457
- path, menu 211, 234, 238, 241, 245, 247
- Paths, example 444
- Patterns
  - singleton 269
  - templates 39
  - third-party plug-ins 41
  - type-safe enumeration 266
- PDE Build process 676
- pde.exportPlugins 83
- PDE Tools > Create Ant Build File** command 671
- PDE Tools > Externalize Strings...** command 579
- PDE views 90
- performCancel 432
- performDefaults 456, 460–461
- performFinish 432, 440
- performOk 456, 460–461, 486
- performOperation 440
- persistentProperty 230
- Person
  - class 192, 194
  - example 193
- PersonListLabelProvider 194–195, 202
- PersonTableLabelProvider 198–199
- PersonTreeContentProvider 202–203
- perspective
  - class 392
  - icon 392
  - id 391–392
  - name 391–392
- perspectiveExtension 397
- Perspectives
  - adding action sets 402
  - adding placeholders 398
  - adding shortcuts 400
  - adding views 398
  - createFolder 394
  - createInitialLayout 393–394
  - creating 389
  - CVS Repository Exploring** 49
  - Debug** 10, 58
  - declaring 390
  - enhancing existing 396
  - factories 392
  - getEditorArea 394
  - IFolderLayout 394
  - IPageLayout 394–395
  - IPerspectiveFactory 389, 392–393
  - Java** 7, 13, 19
  - Java Browsing** 7
  - layout 389
  - New 391
  - opening 49
  - org.eclipse.ui.perspectiveExtensions 396
  - overview 5
  - page layout 395
  - Resource** 9, 13, 398, 400, 402
  - RFRS 403
- perspectiveShortcut 400–401
- Perspectives** preferences 16
- PHP plug-in 763
- Platform
  - class 119, 275, 306, 608
  - class 717
  - getConfiguratiOnLocation 116
  - getExtensionRegistry 121
  - getJobManager 96
  - resources 180
- platform 254
- PlatformUI 730, 738, 748
  - class 80, 94, 220, 236, 266, 367, 561
  - getActiveWorkbenchWindow 429
  - getShell 429
  - getWorkbench 429
- Plugin
  - AbstractUIPlugin 118
  - class 77, 114, 421, 471
  - detecting disabled early startup 748
  - disabling early startup 748
  - early startup 114
  - example 114
  - find 115
  - getStateLocation 121
  - openStream 115
  - preferences 116
  - resources 115
  - shutdown 114
  - startup 114
- plugin
  - class 698
  - download-size 624
  - feature 624
  - fragment 624
  - id 624, 698
  - import 698
  - install-size 624
  - name 698
  - provider-name 698
  - requires 698
  - version 624, 698
- plugin\_customization.ini file 632, 635–636
- plugin\_customization.properties file 632, 636
- plug-in as a single JAR file 105
- Plug-in class loader 742
- Plug-in Code Generators page 546

- Plug-in Dependencies view 91
- Plug-in Details button 109
- Plug-in Details dialog 632
- Plug-in Development Environment 90
- Plug-in development projects 19
  - .plugin directory 313
- plug-in fragment 587
- plug-in JAR file 82
- Plug-in loading 101, 387
- Plug-in Manifest editor 71
- Plug-in Manifest editor, Extensions page 451
- plug-in manifest, in relation to runtime classpath 23
- Plug-in Project Content page 544
- Plug-in Project wizard 66
- plugin.properties file 108, 439, 497, 505, 576–577, 593
- Plug-in Registry view 90
- Plug-ins *also known as* Bundles
  - access 221
  - cached plug-in information 86
  - class 114
  - class visibility 92
  - configuration directory 86
  - configuration files 116
  - converting URLs 120
  - Core 125
  - currently installed 120
  - dialog 109
  - Directory 104
  - directory name 104
  - extension registry 121
  - External 89
  - favorites plug-in 65
  - finding 762
  - finding resources 120
  - from id 120
  - Help 125
  - JAR file 105
  - JDT core 125
  - JDT UI 125
  - JFace 125
  - lazy initialization 113
  - Loader 101
  - Manifest 107
  - manifest editor page 628
  - org.eclipse.jdt.ui 273
  - PDE View 710
  - precedence 89
  - preferences 116
  - resources 121
  - runtime 110
  - start 77, 114
  - state 121
  - State information, *see* Workspace metadata
  - stop 77, 114, 118, 479
  - SWT 125
  - team 125
  - testing 93
  - tests 92
  - Workbench core 125
  - Workbench UI 125
  - workspace 89
- plugins directory 86, 638, 641
- Plug-ins page 628
- pluginState 229
- Plug-ins view 91
- PluginTransfer 298
- PluginVersionIdentifier 706
- Plug-in view 91
- Plug-in with a view option 66
- plugin.xml
  - actions in reverse order 226
  - class declaration 109
  - comparing versions 590
  - declaration 108
  - dependencies 110, 698
  - extensions and extension points 112
  - file 67, 71–72, 75, 102, 104, 497, 505, 537, 547, 591, 671
  - identifier 108
  - internationalization 576
  - name and provider 108
  - requires 698
  - version 108
- plugin.xml page 72, 392, 399–402, 547, 559, 598, 720
- Point 415
- Pollinate xlii
- Popup menu 12, 245, 356
- PopupMenuExtender 728–729
- pref\_store.ini file 116, 467, 472–473
- PreferenceConstants 454, 461
- preferenceCustomization 636
- PreferenceInitializer 454, 471
- PreferencePage
  - class 453, 458, 460, 466, 493
  - validating 460
- Preference Pages
  - dabel decorations 732
  - errors/warnings 586
  - target platform 728

- Preferences
  - accessing 469
  - adding property change listeners 474
  - API 467
  - createFieldEditors 462
  - defaults 468
  - defaults in code 471
  - defaults in file 472
  - default values
    - Boolean 468
    - double 468
    - float 468
    - int 468
    - long 468
    - String 468
  - editing manually 467, 472
  - example page 461
  - FieldEditorPreferencePage 453, 466
  - field editors 456
  - getPluginPreferences 116, 469
  - getStateLocation 116
  - import and export 18
  - initializeDefaultPluginPreferences 116, 471
  - IPreferenceStore 469
  - IWorkbenchPreferencePage 453
  - Java 17
  - listening for changes 474
  - nested pages 464
  - page 453
  - page declaration 451
  - pages for a product 465
  - pref\_store.ini 116, 467, 472
  - PreferencePage 453, 460, 466, 493
  - Preferences 469
  - preferences.ini 472
  - preferences.properties 116
  - removing property change listeners 474
  - reusing property pages as preference pages 493
  - RFRS 474
  - savePluginPreferences 116
  - saving if subclass of plugin 471
  - storage 467
  - tabbed pages 466
  - validating 460
  - validation 463
  - values
    - current 468
    - default 468
    - default-default 468
  - view integration 473
  - Workbench 15
  - Workbench Preferences dialog 14**
  - XML storage 468
- Preferences dialog 14–15, 18, 453, 472, 475, 663
- preferences.ini file 116, 472–473, 686
- preferences.properties file 116
- prepareToSave 387
- Preprocessor 656, 695, 697
- presentsDefaultValue 459
- PrintWriter 353, 423
- Problems view 394, 497, 514, 517, 520, 728**
- processing resource change events 379
- product
  - aboutImage 635
  - aboutText 635
  - application 635
  - appName 635
  - description 635
  - name 635
  - preferenceCustomization 635
  - windowImages 635
- Product branding 635
- Product Configuration dialog**
  - accessing 643
  - alternatives 645
  - Disable task 644**
  - Enable task 644**
  - Scan for Updates task 644**
  - Show Properties task 644**
- productizing 619
- Profiling, EclipseProfiler 753
- Program 562–563, 718, 720–721
- Progress
  - displaying 384
  - monitor 383
- Progress Monitor
  - example 382–383, 505
  - example subprogress 383
  - example subtask 385
  - obtaining 386
  - setCanceled 330
  - status bar 386
  - used for long-running operations 383
  - wizard 432
- ProgressMonitorDialog 385–386, 409
- ProgressMonitorPart 384
- ProgressMonitorWrapper 384
- Progress view 741**
- Project > Rebuild Project command 535**
- ProjectClassLoader 744–745
- projectDescription 23
- .project file 22–23, 510, 526, 537
- ProjectLocationMoveDialog 408
- ProjectLocationSelectionDialog 408
- Project menu 12**
- Project naming 67
- projectNature 230
- Project natures 497

- projectPersistentProperty 231
  - Projects
    - Checking out from CVS 50
    - creation 19
    - description 510
    - feature 620
    - Java Build Path 23
    - natures 497
    - types of 19
  - Projects > Clean...** command 536
  - projectSessionProperty 231
  - Projects** page 20
  - PROP\_DIRTY 330
  - Properties
    - Ant 657
    - creating 477
    - displaying in the **Properties** dialog 481
    - displaying in the **Properties** view 489
    - example 478, 492
    - filters 484
    - getPersistentProperty 480
    - getSessionProperty 480
    - in resources 479
    - IPropertyChangeListener 474
    - IResource properties API 479
    - IWorkbenchPropertyPage 483
    - opening properties dialogs 488
    - persistent 479
    - persistentProperty action attribute 230
    - projectPersistentProperty action attribute 231
    - projectSessionProperty action attribute 231
    - Properties** view API 490
    - PropertyPage 493
    - property page creation 485
    - property page declaration 481
    - resource 479
    - reusing property pages as preference pages 493
    - RFRS 495
    - session 479
    - sessionProperty action attribute 231
    - setPersistentProperty 480
    - setSessionProperty 480
    - Show Advanced** command 492
  - PropertiesAuditorNature 529
  - Properties** dialog 23, 130, 477, 481, 488, 536, 627
  - PropertiesEditor 331–332
  - PropertiesEditorCellModifier 345, 350
  - PropertiesEditorContentProvider 341
  - PropertiesEditorContributor 358, 360–361
  - PropertiesEditorLabelProvider 342
  - PropertiesFileAuditor 504, 512, 515
  - PropertiesOutlinePage 369
  - Properties** view
    - API 490
    - cell validation 491
    - displaying properties 477, 489
    - grammar element 605
    - new element 603
    - save immediately 320
    - schema editor 601
    - simple modification tasks 370
    - ungrouped properties 491
  - PropertyCategory 336, 347, 365
  - propertyChange 463, 474
  - PropertyChangeEvent 474, 740
  - PropertyDescriptor, methods 491
  - PropertyElement
    - class 335, 363
    - extends 336, 338
  - PropertyEntry 335, 347
  - PropertyFile 338, 365
  - PropertyFileListener 341, 347
  - propertyNames 471
  - PropertyPage 485–486, 493
  - provider-name, feature 623
  - Pull Up** command 42
  - Push Down** command 42
- Q**
- QNX's Momentics 763
  - QualifiedName 480
  - QualityEclipse
    - tools 710
    - Web site 448
  - Quick Fix 39
  - QuickShare plug-in 763
- R**
- RadioGroupFieldEditor 457
  - ratio 398
  - Rational Application Developer 107, 692
  - Rational Software family 765
  - RCP
    - defined 748
    - Eclipse Rich Client Platform* book 748
    - generic application framework 748
    - SWT usage 129
  - readAndDispatch 95, 131–132, 142, 146, 194, 198
  - readFile 508
  - readOnly 230
  - Ready for Rational Software, *see* RFRS
  - Rectangle 414
  - redo 364
  - RedoActionHandler 367
  - redraw 139
  - Reexport this dependency** checkbox 112



- Refactor > Extract Constant...** command 578
- Refactoring
  - Preview** dialog 43
  - rename 301
  - usage 41
- Refactor** menu 11–12, 41
- Reference Projects 30, 710
- Referencing a class in a different plug-in 726
- refresh 204
- refresh 191
- refreshValidState 459
- registerAdapters 716
- registerContextMenu 356, 727
- relationship, view 398–399
- relative, view 398–399
- Remove** 288
- remove 149, 152, 155, 192, 196, 200
- removeAll 149, 152, 155, 159
- removeAllWhenShown 285
- removeBuilderFromProject 511
- removeFavoritesAction 284
- removeFavoritesManagerListener 735
- removePageChangeListener 435
- removePostSelectionListener 307
- removePropertiesAction 354, 366
- removePropertiesOperation 362, 366
- removePropertyChangeListener 474, 741
- removePropertyFileListener 348
- removeResourceChangeListener 376
- Remove terminated launches when a new launch is created** checkbox 59
- Rename
  - action 301
  - refactoring 301
- Rename** command 42
- renameFavoriteAction 301, 304
- renameResourceAction 301
- Replace** dialog 29
- Replace from Local History** dialog 45
- Replace With > Local History...** command 45
- Replace With > Revision** command 53
- reportProblem 508, 516, 520
- Repository Location 727
- Repository Path 727
- Repository path** field 49
- Require-Bundle 74, 110–112, 703
- requires-nature 530
- requires, plugin 698
- Rerun Last Test** button 63
- resetFilters 191
- resetPropertyValue 490
- ResizableDialog 414
- Resource Attribute Value** dialog 214
- resourceChanged 379–380
- ResourceExtender 230
- ResourceListSelectionDialog** 409
- Resource Management 180
- ResourceManager 316
- Resource** perspective 9, 13, 398–402, 404
- Resources
  - addResourceChangeListener 376
  - batching change events 382
  - change tracking 375
  - delayed changed events 387
  - derived 497, 499, 509
  - IResourceChangeEvent 376
  - IResourceChangeListener 375
  - processing change events 379
  - properties 479
  - remove listener on shutdown 375
  - removeResourceChangeListener 376
  - setDerived 509
- ResourceSelectionDialog 409
- ResourcesPlugin
  - addResourceChangeListener 376
  - addSaveParticipant 387
  - class 236, 272, 383, 444, 446, 517, 745
  - getRoot 444
  - getWorkspace 376, 444
  - removeResourceChangeListener 376
- ResourceStatus 123
- ResourceTransfer 291, 293, 295–296, 298
- RetargetAction 360
- retarget, action 213
- Retargeting source code 705
- reveal 192, 196, 200
- reverting changes 44
- RFRS
  - Actions 256
    - global action labels 257
  - Builders 535
    - do not misuse the term “build” 535
    - do not replace existing builders 535
    - mark created resources as “derived” 536
    - must be added by natures 537
    - respond to clean build requests 536
    - use IResourceProxy objects when possible 537
    - use to convert resources 535
  - certification program xxxviii, 765
  - Cheat sheets
    - illustrate only one task 573
    - provide a help link with each step 573
    - provide an overview 573
  - Eclipse attribution 633

RFRS (*continued*)

- Editors 369
  - accessing global actions 371
  - action filters 373
  - closing when the object is deleted 371
  - lifecycle 370
  - Outline** view 374
  - prefix dirty resources 373
  - registering menus 372
  - synchronize with external changes 372
  - synchronize with the Outline view 374
  - unsaved modifications 373
  - used to edit or browse 370
- Extension Points 617
  - document 617
  - log errors 618
- Features 647
  - about .html file contents 648
  - branded feature visibility 647
  - do not override product branding 647
  - include attribution information 647
  - splash screen restrictions 648
- Help 570
  - context help activated using F1 571
  - implement active help 572
  - provide all help via Workbench 571
  - provide through the Workbench 570
  - use of additional documentation 572
  - use of standalone help 572
- Link files 105
- logging 122
- Perspectives 403
  - adding actions to window menu 404
  - create for long-lived tasks 403
  - extend existing 404
- plugin.properties 439
- Preferences dialog use 475
- Properties, views use for quick access 495
- Rational install vs. simple install 683
- Views
  - action filters 322
  - for navigation 319
  - global actions from menubar 320
  - initialization 320
  - persist state 321
  - register context menus 321
  - save immediately 320
- Web site 766
- Wizards 449
  - new project switches perspective 449
  - one-page wizards 450
  - open new file in editor 449
  - show new object 450
  - wizard look and feel 449

- RGB 479, 487
- Rich Client Platform, *see* RCP
- rollback 387
- RowData
  - class 172
  - height 172
  - width 172
- RowLayout
  - class 171
  - example 173
  - justify 171
  - marginBottom 171, 173
  - marginLeft 172–173
  - marginRight 172–173
  - marginTop 172–173
  - pack 172
  - spacing 172–173
  - type 172
  - wrap 172
- RTFTransfer 298
- Run 55
  - run 120, 219, 382, 385, 429, 434, 517, 721, 743
  - Run > Debug As > Java Application** command 58
  - Run > Debug History** command 58
  - Run > Run As > JUnit Test** command 62
  - Run > Run...** command 56, 63
  - Run > Run History** menu 55
  - Run Ant** command 85
  - Run As > Ant Build...** command 652, 662
  - Run As > Java Application** command 55–56, 133
  - Run As > JUnit Plug-in test** command 97
  - Run As > Run...** command 97
  - Run As > SWT Application** command 133
  - Run dialog** 133
  - Run history 55
  - Run in the same JRE as the workspace option** 85, 670
  - Run menu** 12
  - Running a plug-in test 97
  - Runtime 721
  - runtime classpath 23
  - Runtime** page 74, 92, 591
  - Runtime preferences** 663, 690
  - Runtime Workbench
    - launch configuration 235
    - launching 90
    - using 88, 90, 380, 731
    - vs. Development Workbench 90
- S**
  - SameShellProvider 421, 425
  - Sangam plug-in 763
  - Sash 135
  - SaveAsDialog 408
  - saveChanges 304

- saveChangesAndDisposeEditor 304
- saveDialogSettings 118
- saveFavorites 313
- savePluginPreferences 116, 118, 471
- saveState 264, 309–310
- saveState, view 310
- Saving local view information 308
- Scale 135
- ScaleFieldEditor 457
- scanPlugin 507
- scanProperties 507
- schema editor
  - accessing 599
  - Description 600
  - Documentation 600
  - Element Grammar 600, 605–606
  - Extension Point Elements 600, 605–606
  - General Information 600
  - New Attribute button 603
  - New Element button 603
- schema, extension point 598–599
- schema subdirectory 597
- Scrollable 140
- ScrollBar 135, 137
- scrollDown 200
- scrollUp 200
- SDP xxxvii
- search 555
- Search > Declarations** command 32
- Search > Implementors** command 32
- Search > References** command 32
- Search > Search...** command 28
- Search > Write Access** command 32
- Search dialog 28
- Search for
  - new features to install 646
  - updates of the currently installed features 645
- Searching 28
  - declarations 30
  - file search 28
  - implementors 30
  - Java search 30
  - options 31
  - references 30
  - regular expressions 28
  - scope 29–30
  - working set 30, 32
- Search menu 12, 28
- Search preferences 16
- Search, reference projects 710
- Search Results wizard 644–646
- Search string field 30
- Search view 16, 31
- select 149, 152, 155, 190
- selectAll 147, 149, 155, 159
- selectAndReveal 525
- Selected resources scope 29–30
- selection
  - class 231
  - name 231
- SelectionAdapter 146, 150–151, 153–154, 157–158, 160–162, 164, 169, 171, 442
- selectionChanged 195, 218–219, 236, 354, 439
- SelectionChangedEvent 194
- SelectionDialog 407
- SelectionEvent 146, 150, 153, 160, 169, 171, 442
- Selection event 135, 144
- SelectionListener 134, 144, 146, 148, 151, 154–155, 158, 164, 168
- selection listener 305
- selection provider 305
- Selections
  - addSelectionChangedListener 355
  - provider 276, 286
  - publish 286
  - structured 276
  - view 282
- SelectionStatusDialog 408
- selectReveal 236
- Select Search Scope** dialog 541
- SelectStringsWizardPage 447
- Select Working Sets** dialog 32–33
- Separator 356, 361
- separator 241
- sessionProperty 231
- setAccelerator 168–169
- setActive 143
- setActiveEditor 357–358
- setActivePage 358–359
- setActivePart 236, 429, 439
- setAlignment 144, 155
- setAllChecked 197
- setAllGrayed 197
- setAlwaysIncompatible 491–492
- setAttribute 518
- setAttributes 518–519
- setAutoExpandLevel 200, 343
- setBackground 139, 156, 159, 180
- setBody 723
- setBounds 131–132, 139, 146, 170, 198
- setBuilderName 510
- setBuildSpec 510–511
- setCanceled 330, 383
- setCategory 491
- setCellEditors 196, 344
- setCellModifier 196
- setChecked 156, 159, 197, 201
- setCheckedElements 197, 201

- setColorValue 487
- setColumnProperties 196
- setComparer 191
- setContentProvider 80, 188, 191, 194–195, 198–200, 202, 265, 277, 343, 447
- setControl 165–166
- setCursorLocation 142
- setData 137, 142, 191
- setDefault 470
- setDefaultPageImageDescriptor 432
- setDerived 509
- setDescription 433, 447, 491, 510–511, 534
- setDocument 204–205
- setEchoChar 147
- setEditable 147, 204
- setEditorAreaVisible 396
- setEditor, Tables 302
- setEnabled 139, 143, 167–168, 218, 283, 285, 287
- setErrorMessage 433, 444–445, 460, 463
- setExpanded 159
- setExpandedElements 200
- setExpandedState 200
- setFilter 189
- setFilterFlags 491
- setFixed 396
- setFocus 80, 139, 264, 331, 459
- setFont 139, 181, 426
- setForeground 131–132, 139, 156, 160, 180
- setGlobalActionHandler 292, 360
- setGrayChecked 201
- setGrayed 156, 160, 197, 201
- setGrayedElements 197, 201
- setHeaderVisible 155, 157–158, 198, 265, 448
- setHelp 553–556
- setHelpAvailable 432
- setHelpContextIDs 553
- setHelpContextIds 491
- setImage 144–145, 156, 160, 165, 168
- setImageDescriptor 433, 561, 719, 723
- setImageIndent 156
- setInitializationData 504, 724–725
- setInput 80, 188, 191, 194–195, 198, 202, 204, 265, 277
- setItems 149–153
- setLabelProvider 80, 187, 192, 194–196, 198–199, 201–202, 265, 343, 447, 491, 737
- setLabelText 459
- setLayout 131–132, 146, 161, 163, 173, 198, 316
- setLayoutData 139, 174, 417
- setLinesVisible 155, 157–158, 198, 265
- setLocation 139
- setMenu 168–169
- setMenuBar 169
- setMessage 433, 444–445, 460
- setNatureIds 534
- setNeedsProgressMonitor 432
- setPageComplete 433–434, 445
- setPageImage 331
- setPageText 331
- setParentsGrayed 201
- setPartName 332
- setPersistentProperty 480
- setPreferenceName 459
- setPreferenceStore 459
- setPresentsDefaultValue 459
- setProject 529
- setPropertyChangeListener 459
- setPropertyValue 490
- setRecipient 723
- setRedraw 139, 204, 277, 355, 364–365, 381
- setRemoveAllWhenShown 285, 356
- setResizable 156
- setReturnCode 412
- setSelectedNode 435
- setSelectedRange 204
- setSelection 145, 147, 149, 155, 159, 165, 168, 192, 204, 717
- setSelectionProvider 218, 305
- setSessionProperty 480
- setShellStyle 411, 414
- setSize 139
- setSorter 189, 192, 194
- setSubject 723
- setSubtreeChecked 201
- setTabList 161, 163
- setTaskName 384
- setText 131–132, 144–147, 152–153, 156, 158, 160–161, 163, 165, 168–169, 198, 334
- setTextColor 204
- setTextHover 204
- setTextLimit 147, 152
- Setting breakpoints 58
- Setting up your environment 14
- setTitle 433, 447
- setTitleBarColor 432
- setTitleToolTip 332
- setToDefault 470
- setToolTipText 139, 165, 561, 719, 723
- setTopIndex 147, 149, 155
- setTopItem 159
- setUp 220, 236
- setUseHashlookup 192
- setValid 456, 460, 463
- setValidator 348, 491
- setValue 470
- setVisible 139, 143, 167, 302, 433, 448, 456
- setWidth 156, 198, 334
- setWindowTitle 432, 440

- shared images 80
- SheetEntry, FILTER\_ID\_EXPERT 491
- Shell
  - class 131–132, 135, 142, 363, 366, 414, 421, 425
  - finding a parent 142
  - parent 142
  - setText 426
- Shell event 135
- ShellListener 142
- Shortcuts** page 14
- shortenText 412
- shouldAudit 505
- shouldEdit 350
- Show Advanced Properties** command 492
- Show Advanced Properties** option 493
- showEditor 303
- showErrorMessage 460
- showInDialog() 387, 742
- showMessage 460
- Show Next Match** command 31
- Show only extension points from required** 210, 558, 565
- showPage 434
- ShowPartInfoActionDelegate 729
- Show Previous Match** command 31
- Show Source of Selected Element Only** command 35
- showView 94, 236
- Show View** command 6
- Show View** dialog 87, 90, 98, 124, 260, 262, 710
- Show View** menu 87, 113, 400
- shutdown 114, 375
- Simple projects 19
- Singleton 269
- site
  - category-def 642
  - description 642
  - feature 642
- site.css file 638
- Site Manifest Editor
  - Add Feature** command 639
  - Archive Mapping** section 641
  - Archives** page 639, 641
  - Build All** button 641
  - Description** field 639, 641
  - Feature Environments** 640
  - Feature Properties** 640
  - Label** field 639
  - Managing the Site list** 639
  - Name** field 639
  - New Category** button 639
  - Site Map** page 639
  - site.xml page 639, 641
  - This feature is a patch for another feature** 640
  - URL** field 640–641
  - site.xls file 638
  - site.xml file 526, 637–639, 641
- sleep 95, 131, 142, 146, 194, 198, 385
- Slider 135
- Smalltalk
  - language xxxv, 8, 127–128, 177
  - layout manager origins 170
- sort 189
- Sorters 189
- Sorters, hierarchy 189
- Sorting
  - table 278
  - view 278
- Source > Add Import** command 36
- Source > Clean Up...** command 44
- Source > Externalize Strings...** command 579
- Source > Format** command 36
- Source > Organize Imports** command 36, 131
- Source** menu 11
- Source** page 20
- Spellchecker 752
- splash.bmp file 632, 637
- splash screen
  - restrictions 648
  - splash.bmp file 637
- src directory 20
- startup 114
- Startup and Shutdown** preferences 16, 748
- state
  - action 213, 226, 239, 249
  - decorator 734, 737
- stateMask 289, 305
- Status
  - CANCEL\_STATUS 363
  - class 124
  - OK\_STATUS 364–365
- StatusDialog 408
- StatusInfo 408
- Status objects 123
- stop 118, 311, 613
- store 460, 471
- StringFieldEditor 457
- StringMatcher 281–282
- StringReader 338
- Strings
  - formatting 582
  - matching 281
- Structured parameters 725
- StructuredSelection 717
  - class 236
  - EMPTY 221
- StructuredViewer
  - class 190, 281
  - subclasses 190

- Struts support 756
- style, action 214, 227, 249, 555, 720
- StyledText 135–136, 203
- StyleRange 206
- subfeatures 628
- submenu 234, 237, 241
- Submitting Changes to Eclipse 731
- SubProgressMonitor
  - class 383–384
  - example 382
- subTask 739, 741
- Supporting multiple versions of Eclipse
  - code branching 694
  - Facade Pattern 694
  - Preprocessor 695
  - using fragments 698
- Swing
  - early use in Eclipse 129
  - Java Foundation Classes 128
  - Swing Designer 757
- Swing Designer 757
- SWT
  - ABORT 406
  - ALT 305, 349–350, 361
  - APPLICATION\_MODAL 407, 411, 425
  - ARROW 145
  - BAR 167, 169
  - BEGINNING 175
  - Binary and Source 130
  - BOLD 181, 205
  - BORDER 161, 163, 411, 417, 425, 434, 443, 485
  - BOTTOM 178
  - CANCEL 406
  - CASCADE 168–169
  - CENTER 144–145, 147, 175, 178, 198
  - CHECK 145, 155, 159, 168
  - classpath 130
  - CLOSE 411
  - DEFAULT 178, 427
  - DEL 289, 361
  - DIALOG\_TRIM 411, 425
  - DOWN 145
  - drawRectangle 302
  - DROP\_DOWN 152, 167
  - early risk 129
  - Eclipse user interface foundation 129
  - END 175
  - event loop example 131
  - FILL 175
  - FULL\_SELECTION 155, 198, 264–265, 332
  - getPlatform 721
  - H\_SCROLL 80, 161, 265, 425
  - HelloWorld example 130
  - history and goals 127
  - HORIZONTAL 144, 170, 172
  - ICON\_ERROR 407, 422
  - ICON\_INFORMATION 407, 422
  - ICON\_QUESTION 407
  - ICON\_WARNING 407, 422
  - ICON\_WORKING 407
  - IGNORE 406
  - interoperability with Swing 129
  - ITALIC 181
  - LEFT 144–145, 147, 178, 198, 265, 319
  - MAX 411, 414
  - MIN 411
  - MODELESS 407, 411
  - Modify 303
  - MULTI 80, 147, 150, 155, 159, 205, 265, 332, 425, 485
  - native platform 130
  - NO 406
  - NO\_RADIO\_GROUP 161, 163
  - NONE 417
  - NORMAL 181
  - OK 406
  - OPEN 406, 446
  - origins 128
  - parent widget requirement 134
  - POP\_UP 167
  - PRIMARY\_MODAL 407, 411
  - PUSH 145, 168
  - RADIO 145, 168
  - RCP usage 129
  - READ\_ONLY 147, 152, 425
  - RESIZE 411, 414, 425
  - Resource Management 180
  - RETRY 406
  - RIGHT 144–145, 147, 178
  - SAVE 406, 446
  - SEPARATOR 144, 168–169
  - SHADOW\_IN 144
  - SHADOW\_NONE 144
  - SHADOW\_OUT 144
  - SHELL\_TRIM 411
  - SIMPLE 152
  - SINGLE 147, 150, 155, 159, 194, 198
  - stand alone example 130
  - style settings 134
  - SWT Designer 757
  - SYSTEM\_MODAL 407, 411
  - TITLE 411
  - TOGGLE 145
  - TOP 178
  - Traverse 303
  - TRAVERSE\_ESCAPE 303
  - TRAVERSE\_NONE 303

**SWT** (*continued*)

- TRaverse\_RETURN 303
- UI thread 140
- UP 145
- use in RCP 129
- V\_SCROLL 80, 161, 265, 425
- versus Swing 129
- VERTICAL 144, 170, 172
- VSCROLL 205
- widgets 130
- widget state 133
- WRAP 144, 147, 485
- YES 406
- SWT Application** configuration 57
- SWTError 291
- SWTException 140, 381
- syncExec 140
- Synchronize** view 51–52
- Syntax Coloring** preferences 35
- System, currentTimeMillis 95
- system properties 658
- systemProperty 229
- systemTest 229

**T**

- Tabbed pages, example 352
- Tabbed Preference Pages 466
- TabFolder
  - class 135, 164, 166
  - example 166
- TabItem 164–166
- Table
  - cell editors 344
  - cell validation 491
  - change listeners 347
  - class 135, 154, 157, 195, 302
  - example 157
- TableColumn 135, 154–155, 157, 198, 265, 279, 281, 317, 319, 448
- TableEditor 301–302
- TableItem 154, 156, 264, 302
- Table Label Providers, hierarchy 187
- TableLayout, extends 316
- Tables
  - addKeyListener 349
  - auto-sizing 316
  - cell modifiers 345
  - cell validator 348
  - editing vs. selecting 349
  - setCellEditors 344
  - setValidator 348
  - sorting 278
  - used in views 264
- TableTree 135–136, 355, 700
- tableTreeModified 351
- TableTreeView 354, 700
- TableViewer
  - class 80, 195, 198, 264, 276, 279, 295
  - example 197
- TableViewerExample 198
- TableViewers 195
- Target, Ant 652
- targetClass, itemType 600
- targeted, viewContribution 240
- targetID
  - editorContribution 247
  - perspectiveExtension 397
  - viewerContribution 238
  - visibility 245
- Target Platform** preferences 728
- TaskPropertiesDialog 410
- Tasks, Ant 653
- task scheduler 753
- Tasks** view 394, 399, 497
- Team > Create Patch...** command 732
- Team > Synchronize with Repository** command 51
- Team Development 48
- TeamException 124
- TeamStatus 124
- tearDown 94, 236
- Templates 39, 41
- Templates** preferences 17, 40
- test 229
- TestCase, extends 93
- Test Case** wizard 62
- Testing
  - actions 220, 235, 242, 250
  - creating a plug-in test 93
  - creating a plug-in test project 92
  - creating JUnit test case 61
  - creating tests 61
  - introduction 61
  - plug-ins 92, 98
  - running a plug-in test 97
  - running tests 62
  - suite 222
  - using JUnit 57
  - views 314
- testView 314
- Text 135–136, 146, 203, 303, 417
- TextActionHandler 301–302
- TextCellEditor 344
- TextEditor 332
- TextEditorActionContributor 358
- Text Editors** preferences 16
- Text, multi line text example 148
- TextPresentation 204–206
- TextTransfer 291, 295–296, 298

- TextViewer
  - class 203, 205
  - example 205
  - subclasses 203
- TextViewerExample 205
- Text viewers 203
- Thread
  - class 381
  - sleep 95, 385
- Throwable 422
- timerExec 141
- TimeTriggeredProgressMonitorDialog 385–386
- Tips and Tricks** command 634
- TitleAreaDialog 408
- toc
  - anchor 548
  - bottom-up composition 549
  - extradir 548
  - file 548
  - href 549
  - primary 548
  - top-down nesting 549
  - topic 548
- tocgettingstarted.xml file 547–549, 551
- tocreference.xml file 547–548
- toc.xml file 547–548, 550
- Toggle Breakpoint** command 58
- toggleDetailsArea 427
- ToggleProjectNatureActionDelegate 532
- Toolbar
  - action 240
  - views 287
- toolbar button 212
- toolbarPath 216
  - action 212, 249, 555, 724
  - viewContribution 241
- Toolbars, workbench 13
- ToolItem** 135
- tooltip 226
- tooltip
  - action 212, 226, 231, 239, 249, 555, 720, 724
  - viewContribution 241
- top-level editor menu 247
- top-level menu discussion 222
- top-level menus 11
- toString 137
- Tracker 135, 137
- Transfer 190–191, 291, 298
- translated files 577
- Traverse event 136
- TraverseListener 138
- Tree
  - class 135–136, 158, 160, 199, 356, 700
  - example 160
- TreeColumn 334
- Tree event 136
- TreeItem 159–160
- TreeListener 158
- treeModified 346
- TreeViewer
  - ALL\_LEVELS 343
  - class 199, 202, 332, 334, 700
  - example 202
- TreeViewerExample 202
- TreeViewers 199
- TwoPaneElementSelector 409
- TypeFilteringDialog 409
- Type Hierarchy** view 27
- Types
  - parameterized 724
  - referencing a class in a different plug-in 726
  - specified in an extension point 613, 723
  - structured parameters 725
  - unstructured parameters 724
- Types view 8
- U**
- UI Thread
  - invalid thread access 381
  - SWT 140–141
  - SWTException 140
  - WorkspaceModifyOperation 382
- UML, EclipseUML 754
- undefined property 657
- underscore in Actions 255
- undo 364
- UndoActionHandler 367
- Undo, editor 362
- UndoHistoryView 369
- Uninstalling 98
- unless, Ant target 653
- unregisterAdapters 717
- UnsatisfiedLinkError 133
- Unstructured parameters 724
- update 139, 142, 192
- updateButtons 434
- updateColumnWidth 473
- Update** command 52
- updateLabel 278
- Update Manager 619, 625, 627, 629, 631, 637–638, 640, 643
- updateMessage 434
- updatePageComplete 433–434, 445
- Update Site Project 637



- Update sites
    - index.html 638
    - project 637
    - Scan for Updates** command 644
    - site.xml file 639
    - update and discovery URLs 643
    - using 637, 643
    - Web site 642
  - updateSize 435
  - updateTextEditorFromTableTree 352
  - updateTextEditorFromTree 353
  - updateTitleBar 434
  - updateTreeFromTextEditor 343, 352
  - updateWindowTitle 434
  - URL 120, 719
  - url
    - action 720
    - feature 623
  - Usage of nonexternalized strings** option 586
  - Use Eclipse's string externalization mechanism** 580
  - Use global properties** checkbox 663
  - User 727
  - User-specific build properties 679
  - Use Supertype Where Possible** command 42
- V**
- VA Assist xxxvi, xlii
  - VAME 129
  - Variables** view 60–61
  - VerifyEvent** 148
  - Verify event 136
  - VerifyKeyListener** 203
  - VerifyListener** 147–148
  - verifyText 148
  - version
    - feature 623
    - plugin 624, 698
  - Version checking 705
  - Version Synchronization** dialog 626
  - View
    - createPartControl 218
    - identifier 217
    - selection provider 218
    - site 218
  - view
    - category 262, 576
    - class 262, 576
    - icon 263, 576
    - id 263, 398–399, 576
    - name 263, 576
    - relationship 398–399
    - relative 398–399
    - visible 398–399
  - VIEW\_ID 220
  - ViewContentProvider 79
  - viewContribution
    - class 240
    - icon 240
    - id 240–241
    - targeted 240
    - toolbarPath 241
    - tooltip 241
  - Viewer 188–190
  - viewerContribution
    - extension 237–238
    - id 238
    - targetID 238
  - ViewerFilter
    - class 189, 191, 281
    - extends 281
    - subclasses 190
  - Viewers
    - CheckboxTableViewer 195
    - CheckboxTreeViewer 199
    - content providers 187
    - filters 189
    - label providers 186
    - list example 194
    - list-oriented 185
    - ListViewers 192
    - overview 185
    - sorters 189
    - StructuredViewer 190
    - TableViewer example 197
    - TableViewers 195
    - text 203
    - TextViewer example 205
    - TextViewer subclasses 203
    - TreeViewer example 202
    - TreeViewers 199
  - ViewerSorter
    - class 189, 192, 194, 278
    - extends 279
    - subclasses 189
  - ViewFilter 190
  - ViewLabelProvider 80
  - ViewPart
    - class 79, 259
    - classes 260
  - Views
    - action 283–284
    - actions 237
    - active view 6
    - Ant** 242
    - attributes 262
    - Bookmarks** 242
    - Breakpoints** 242
    - category 261

Views (*continued*)

- Console 55, 242, 380, 517, 655, 731
  - content provider 276
  - context menu 283
  - createPartControl 263
  - CVS Repositories 49, 727
  - Debug 60, 243
  - declaration 261–262
  - detached 6
  - direct edit 301
  - Display 61, 243
  - dispose 264
  - editors vs. views 260
  - Error Log 124, 618
  - Expressions 60, 243
  - fast views 6
  - Favorites 78
  - filter 281
  - flicker 277
  - global actions 289
  - Hierarchy 552
  - init 310
  - inline edit 301
  - introduction 5
  - IViewActionDelegate 238, 240
  - Java Package 296
  - JUnit 62
  - keyboard 288
  - label provider 277
  - linking 305
  - Members 237, 243, 305
  - Memory 243
  - menu 287
  - Navigator 6, 9, 12, 21, 32, 243, 296, 718, 732
  - New Search 29, 31
  - obtaining progress monitor 386
  - opening 6
  - opening an editor 307
  - Outline 27, 369, 374, 393–394
  - Package Explorer 7, 21, 32, 243
  - Packages 243, 305
  - part 263
  - PDE views 90
  - Plug-in 91
  - Plug-in Dependency 91
  - Plug-in Registry 90
  - Plug-ins 710
  - Problems 243, 394, 497, 514, 517, 520, 728
  - Progress 741
  - Projects 243, 305
  - Properties 477, 489, 491, 495, 603
  - reference 259
  - Registers 243
  - repositioning 6
  - resizing 6
  - RFRS 319
  - saveState 264, 310
  - saving local information 308
  - saving state 308
  - selection 282
  - selection listener 306
  - selection provider 286, 305
  - setFocus 264
  - show 113
  - Show View 6
  - sorting 278
  - Tasks 243, 394, 497
  - testing 314
  - Threads and Monitor 244
  - toolbar 287
  - Type Hierarchy 27
  - Types 244, 305
  - Variables 60–61, 244
  - viewerContribution 238
  - Welcome 4
  - viewShortcut 400–401
  - ViolationResolutionGenerator 522–523
  - visibility
    - id 245
    - targetID 245
  - visible 399
    - actionSet 211
    - view 398–399
  - VisualAge for Java
    - IDE xxxv, 8, 35, 44–45, 127
    - layout manager origins 170
  - VisualAge Micro Edition 129
  - VisualAge Smalltalk xxxv
  - VisualWorks 128
  - VM arguments 56
- W**
- waitForJobs 94, 96, 220–221
  - Watch command 61
  - WebBrowserEditor 719
  - Web Browser preferences 16
  - Web delivery 637
  - web directory 638
  - Web page, opening programmatically 562
  - Web resources location field 638
  - Web Resources options 638
  - Welcome view 4
  - Widget
    - class 135, 137
    - classes 136
    - events 134
  - widgetDefaultSelected 150–151

- Widgets
  - constructors 136
  - disposal 134
  - Hierarchy 136
  - Layout 170
  - lifecycle 133
  - Resource Management 180
  - style bits 134
  - SWT 130
  - UI Thread 140
- widgetSelected 146, 150–151, 153–154, 157–158, 160–161, 169, 171, 442
- Window
  - CANCEL 410
  - OK 411
  - Window > Customize Perspective... 14, 211, 219
  - Window > Open Perspective > Debug command 10
  - Window > Open Perspective > Java Browsing 7
  - Window > Open Perspective > Java command 7
  - Window > Open Perspective > Other... command 49
  - Window > Open Perspective command 401
  - Window > Preferences... command 14
  - Window > Reset Perspective command 219
  - Window > Show View > Other... command 49, 90, 124
  - Window > Show View command 6, 400
- WindowBuilder Pro xlii, 316, 757
- windowImages 636
- Window menu
  - items 12
  - Open Perspective 401
  - Show View 400
- Windows registry 3
- Wizard
  - class 431
  - extends 440
- wizard
  - class 436, 438
  - icon 436
  - id 436, 438
  - name 436, 438
- WizardDialog 385, 410, 430–431, 439
- WizardPage 442, 447
- Wizards
  - API 431
  - buttons 430
  - class hierarchy 430
  - content 441
  - content area 430
  - Default Plug-in Project 543
  - described 430
  - dialog settings 441
  - error message 445
  - example 439
  - example page 442
  - Export 81
  - extension points 435
  - Externalize Strings 579
  - Extract Strings 441
  - Feature Updates 645
  - help 432
  - IExportWizard 435
  - IImportWizard 436
  - INewWizard 436, 438
  - IWizard 431
  - IWizardContainer 434
  - IWizardPage 433
  - Java Class 24
  - Java Package Wizard 24
  - Java Project 19
  - JUnit TestCase 61
  - launching 435
  - look and feel 449
  - manually launching 439
  - message 445
  - nested 435
  - New Extension 390, 396, 451, 453, 558, 565, 614
  - New Extension Point 597
  - New Fragment Project 588
  - New Plug-in Project 543
  - New Project 66, 543, 621, 637
  - new project switches perspective 449
  - open new file in editor 449
  - page content based on prior page 447
  - Plug-in project 66
  - progress monitor 432
  - Reference Projects 710
  - RFRS 449
  - setErrorMessage 445
  - setHelpAvailable 432
  - setMessage 445
  - setNeedsProgressMonitor 432
  - setVisible 448
  - show new object 450
  - warning message 445
  - WizardDialog 431
- WizardSelectionPage 435
- Workbench
  - CVS 48
  - CVS label decorators 53
  - File Extension Associations 46
  - layout customization 8
  - local history 44
  - navigating 26
  - obtaining progress monitor 386
  - overview 3
  - page 259
  - preferences 15

**Workbench** (*continued*)

- progress service 386
  - refactoring 41
  - Runtime 90
  - status bar 385
  - templates 39
  - writing code 34
- WorkbenchAdapter** 718
- WorkbenchHelp** 700
- WorkbenchHelpSystem30** 699–700
- WorkbenchLabelProvider** 278, 718
- WorkbenchPart** 259–260, 325–326
- WorkbenchPartLabelProvider** 278
- Workbench window**
- actions 209
  - menu 209
- workbench.xml** file 311
- worked 384, 739, 741
- Working set name field** 33
- Working Sets**
- defined 32
  - New Working Set** dialog 33
  - Select Working Sets** dialog 33
- Working set scope 30

**Workspace**

- addSaveParticipant** 387
  - administration 753
  - defined 104
  - launch configuration plug-ins 89
  - metadata 116, 313, 467
  - modify operation 382
  - scope 29–30
- WorkspaceModifyOperation**
- class 382, 384
  - extends 382
- Workspace preferences** 16, 535
- Writing Code** 34
- X**
- XDoclet Support** 756
- XML**
- IMemento** 308
  - reading and writing 312
- XMLBuddy** 48, 759
- XMLMemento** 312–313
- XMLRootElementContentDescriber** 330
- XP-like pair programming 763
- Z**
- ZIP file 106