

INDEX

Regular Expression Symbols

- . escape character, 368, 369
- . metacharacter, 361
- ? metacharacter, 361, 375
- (metacharacter, 361
-) metacharacter, 361
- { metacharacter, 361
- } metacharacter, 361
- + metacharacter, 361, 375
- * metacharacter, 361, 375
- ^ metacharacter, 379
- \ metacharacter, 361
- | metacharacter, 361
- \. escape character, 366
- \? escape character, 366
- \(escape character, 367
- \) escape character, 367
- \{ escape character, 367
- \} escape character, 367
- \+ escape character, 367
- \- escape character, 366
- * escape character, 366
- \^ escape character, 366
- \\ escape character, 366
- \| escape character, 366
- \c escape character, 368
- \C escape character, 368
- \d escape character, 368
- \D escape character, 368
- \i escape character, 368
- \I escape character, 368
- \n escape character, 366
- \r escape character, 366
- \s escape character, 368
- \S escape character, 368
- \t escape character, 366
- \w escape character, 368
- \W escape character, 368
- \[escape character, 367
- \] escape character, 367
- metacharacter, 377
- [metacharacter, 361
-] metacharacter, 361

A

- ABSENT value, 67**
- abstract attribute, 62, 64–66**
 - of complexType element, 247–248, 512, 719
 - of element element, 148–149
 - mapping to object-oriented language, 513–514
- Abstract**
 - attribute type, 934
 - defined, 58
 - element type, 16, 17, 18, 934
 - object, corresponding to document, 14
 - uses of term, 238, 931–932
- Abstract character, 67**
- Abstract document**
 - document information item view of, 62
 - infoset view of, 62
 - makeup of, 59
 - properties of, 66
- Abstract element, 14–15**
 - properties of, 66
- AbstractDOMParser class (DOM), 446**
- AbstractSAXParser class (SAX), 446**
- Active Server Page (ASP), 810**
- address.xml example file, 489–491**
- address.xsd explanation, 117, 139–141, 164–165, 174–176, 192**
 - complete listing, 890–895
- all element, 254, 859**
 - attributes of, 271–273, 722
 - content options for, 273–274
 - function of, 271
 - and relational database, 709, 720–722
- All model group, 96, 97**
- AlphabeticPresentationForms Unicode character block, 372**

- Alternatives, 362**
- Analysis Patterns: Reusable Object Models, 521**
- ancestor (XPath axis), 54**
- ancestor-or-self (XPath axis), 54**
- Annotation, 82**
 - defined, 390
 - mapping to object-oriented language, 521
 - Microsoft use of term, 821–822
 - properties of, 411
- annotation content option for schema element, 115**
- annotation element, 82, 83, 254, 260, 722, 859**
 - attributes of, 118
 - content options for, 118–119
 - example of use of, 117
 - function of, 116, 124, 128
 - nested, 83–84
- Anonymous component, 82**
- any element, 859**
 - attributes of, 168–171
 - content options for, 171
 - function of, 167
 - and relational database, 722–723
 - specification of, 168
- anyAttribute element, 177–179, 254, 391, 859**
 - attributes of, 196–198
 - content options for, 199
 - function of, 196
 - and relational database, 709, 723–724
- anyAttributeDemo.xsd example file, 178–179**
- anyURI datatype, 318**
 - alternatives to, 329
 - constraining facets of, 328–329
 - and relational database, 633
 - unique features of, 322
 - use of, 320, 327–328

- Apache**
 history of, 428
 projects of, 428–429
See also Xerces.
- appinfo element, 82, 859**
 attributes of, 119
 content options for, 120
 function of, 119
- Application, defined, 31, 937**
- Arabic Unicode character block, 370**
- ArabicPresentationForms-A Unicode character block, 372**
- ArabicPresentationForms-B Unicode character block, 373**
- Archetype, 12**
- Argument description, schemas for, 558–559**
- Armenian Unicode character block, 370**
- Arrows Unicode character block, 371**
- ASBuilder Xerces sample class (DOM), 433**
- ASP (Active Server Page), 810**
- ASP code, 580**
- ASP.NET, receiving data through, 801–807**
- async property, in DOMDocument40, 477**
- Attr interface (DOM), 443**
- Attribute, 48**
 adding to simple type, 231–233
 constraint of, 87–88
 defined, 60, 931
 mapping to object-oriented language, 519
 type name of, 931
 value of, 931–932
- attribute (XPath axis), 48, 54**
- attribute content option for schema element, 115**
 form of values of, 66
- Attribute use, 174, 193, 401**
 properties of, 403
- Attribute wildcard, 88, 174, 401, 404**
- Attribute-use group**
 named, 409–410
 reuse of, 409
- attributeFormDefault attribute, 80**
 of schema element, 108, 109
- attributeGroup content option for schema element, 115**
- attributeGroup element, 88, 193, 254, 724, 860**
 attributes of, 193–195
 content options for, 195–196
 and relational database, 709
- Attributes interface (SAX), 444**
- Attributes property, of element information item, 63, 64, 66**
- AttributesImpl class (SAX), 445**
- Axis (XPath), 47**
 types of, 54
- AxKit, Apache XML subproject, 428**
- attribute element, 182, 254, 859, 934**
 attributes of, 182–191
 content options for, 191–193
 and relational database, 709
- Attribute declaration, 403**
 of schema, 391, 935
- Attribute group definitions, of schema, 391**
- Attribute information item, 62, 64–66, 931**
 basic, 421
 default value of, 65
 PSVI, 68, 421–423
 normalization of, 65
- Attribute set model, 389, 401**
 components in, 403–404
 described, 402–403
- Attribute specification, defined, 60, 931**
- Attribute type, 11, 88**
 abstract vs. concrete, 934
 associations of, 389
 DTD-defined, 934
 defined, 934
 example of, 174–176
 function of, 174
 indications for use of, 180–181
 instantiability of, 101
 name of, 392
 namespaces and, 181–182
 prohibiting, 189–191
 properties of, 392–393
 qualified vs. unqualified, 181
 schema-defined, 934
 structure of, 392
 structure restrictions on, 392
 structure type of, 935
 value constraints on, 393
- Attribute type declaration, 934**
- Attribute type property, of attribute information item, 64, 65**

B

- base attribute**
 of extension element, 263
 of restriction element, 212, 213, 267
- Base class, 926**
- Base ten, 295**
- Base type, 12, 935**
- Base type definition, 394**
- Base URI property, of element information item, 63, 64**

- base64Binary datatype, 322**
 - compatibility issues, 902–903
 - constraining facets of, 327
 - and relational database, 633
 - use of, 326–327
 - Basic infoset, 929**
 - distinguished from PSVI, 416
 - information items in, 417
 - BasicLatin Unicode character block, 370**
 - Batik, Apache XML subproject, 428**
 - Bengali Unicode character block, 370**
 - BLOB, SQL datatype, advantages of, 632**
 - Block (Unicode character), defined, 370**
 - block attribute, 143, 166**
 - of complexType element, 247, 248–250, 720
 - of element element, 148, 150–151
 - blockDefault attribute, of schema element, 108, 109–110**
 - BlockElements Unicode character block, 372**
 - Blocking**
 - of complex type, 96, 245
 - impact of, 111
 - methods of, 144
 - non-inheritance of, 250
 - of simple type, 208
 - of substitution, 143–146
 - boolean datatype, 322**
 - constraining facets of, 325
 - in relational database, 589, 634
 - representation of, 634–635
 - using, 324
 - Bopomofo Unicode character block, 372**
 - BopomofoExtended Unicode character block, 372**
 - BoxDrawing Unicode character block, 371**
 - BraillePatterns Unicode character block, 372**
 - Builder pattern, 528**
 - Building Web Services with Java, 762**
 - Built-in datatypes, 89**
 - date, time, and duration, 304–316
 - numeric, 295–304
 - oddball, 322–330
 - and relational database, 598
 - string, 316–322
 - time-line-based, 306–311
 - built-in.xsd example file, 128–129**
 - byte datatype, 297**
 - constraining facets of, 303–304
 - derivation relationships of, 304
 - and relational database, 630
 - use of, 302, 303, 304
 - ByzantineMusicalSymbols Unicode character block, 373**
- C**
- C Unicode character category, 365**
 - C++**
 - class polymorphism in, 535
 - XML implementation using, 533–535
 - C#**
 - and .NET Framework, 536
 - XML implementation using, 535–539
 - Campus Resource and Scheduling System (CRSS) case study, 758**
 - application requirements of, 831
 - architecture of, 770–771, 836–837
 - business logic of, 847–851
 - creating views of, 795–800
 - database design for, 810–823
 - high-level view of, 765
 - requirements of, 759
 - scalability issues, 760
 - SecurityBroker component
 - construction, 846–847
 - sending form data in, 800–807
 - system architecture for, 774–795
 - system users in, 759–764
 - technologies for, 760–764
 - template queries in, 851–852
 - UIBroker component construction, 842–846
 - Web tier construction of, 838–842
 - XML/XSLT files of, 842
- Canonical lexical representation, 202, 206–207**
- Canonical representation, 294**
- Cardinality quantifiers, 374–377**
- Cascading style sheets, 796**
- catalog.xsd explanation, 161–162, 183, 202–204, 216, 221–223, 234–238, 240–241, 243–244, 260–262, 266–267, 282–289, 675–677, 679, 690–695, 709–713**
 - complete listing, 878–890
- Cc Unicode character category, 365**
- CDATASection interface (DOM), 443**
- Cf Unicode character category, 365**
- CHAR datatype, 598**
- Character categories, 364**

- Character class, 869–870**
- Character class expressions, 377, 870**
 - subtraction, 380
- Character code property, of character information item, 66**
- Character information item, 62, 66**
- Character set, 359–360**
- CharacterData interface (DOM), 443**
- Check constraints (SQL), 598**
- child (XPath axis), 54**
- Children, of element, defined, 60, 931**
- Children property, 15**
 - of element information item, 63, 64, 66
- choice element, 255, 860**
 - attributes of, 275–277
 - content options for, 277–278
 - function of, 274–275
 - and relational database, 724–727
 - restrictions on, 278, 281
- Choice model group, 96, 97–98**
- CJKCompatibility Unicode character block, 372**
- CJKCompatibilityForms Unicode character block, 372**
- CJKCompatibilityIdeographs Unicode character block, 372**
- CJKCompatibilityIdeographsSupplement Unicode character block, 373**
- CJKIdeographs Unicode character block, 372**
- CJKIdeographsExtensionA Unicode character block, 372**
- CJKIdeographsExtensionB Unicode character block, 373**
- CJKRadicalsSupplement Unicode character block, 372**
- CJKSymbolsandPunctuation Unicode character block, 372**
- Class, 14**
 - characteristics of, 925–926
 - derivation of, 926
 - instantiable vs. non-instantiable, 12, 926
 - provision of aspects by, 925
- Class generator, 926**
- Client tier, 774, 782**
 - reusable datatypes in, 782–795
- CLOB, SQL datatype, 902**
 - drawbacks of, 632
 - Oracle support of, 599
- CLSIDs, 473**
- Cn Unicode character category, 365**
- Co Unicode character category, 365**
- Cocoon, Apache XML sub-project, 428**
- Code generation, 332**
- COLLAPSE process, 318**
- COM (Component Object Model), 570**
- CombiningDiacriticalMarks Unicode character block, 370**
- CombiningHalfMarks Unicode character block, 372**
- CombiningMarksforSymbols Unicode character block, 371**
- Comment, 83**
- Comment information item, 62**
- Comment declaration, 932**
- Comment interface (DOM), 443**
- Common Object Request Broker Architecture (CORBA), 570**
- compact.xml example file, 77–78**
- compact.xsd example file, 76–77**
- Company catalog example, 20–22**
- Complex content**
 - empty content, 85
 - mixed, 86–87
 - nested elements, 85
 - wildcards in, 87
- Complex type, 11, 79**
 - adding attributes to simple type, 231–233
 - annotations in, 402
 - blocking, 96
 - with complex content, 92
 - defined, 935
 - derivation data for, 401–402
 - derivation by extension, 92–93
 - derivation by restriction, 94–96
 - explicitly non-instantiable, 238–240
 - function of, 230
 - implicitly non-instantiable, 240–244
 - instantiability of, 101
 - longhand notation of, 245–246
 - mapping to database schema, 709–713, 718
 - mapping to object-oriented language, 511–517
 - mapping supporting mixed content to database schema, 713–718
 - name of, 401
 - prohibiting extension of, 245
 - redefined, 133

Complex type (continued)

- and relational databases, 708–718
- restriction of, 245, 249–250, 257–258
- shorthand notation of, 245, 246
- with simple content, 91
- specifying attribute types, 244
- specifying empty content, 230–231
- specifying mixed content, 237–238
- specifying nested element types, 234–237
- structure restrictions on, 401
- substitution restrictions on, 402
- use in content models, 407

complexContent element, 245, 255, 860

- attributes of, 258–260
- content options for, 259–260
- and relational database, 727

complexType content option for schema element, 115**complexType element, 230, 246, 860**

- attributes of, 247–253, 719–720
- content options for, 254–255
- and relational database, 719–720

Component Object Model (COM), 570**Component tier, 775–776****Components, of schema, 34****Concatenation, of expressions, 362, 363****Concrete**

- attribute type, 934
- defined, 58
- element, 14, 15
- element type, 17, 18, 934
- uses of term, 932

Constraining

- of attributes, 87–88
- of derived types, 383–384
- of elements, 84–87
- of simple content, 381–383

Constraining facets

- described, 396
- listed, 90
- of restriction element, 215
- of simpleType element, 212
- and relational databases, 590–597
- of simple type, 88–89, 91, 202, 205

Content

- complex, 85–87
- of element, 59, 60, 930
- mixed, 86–87
- simple, 84–85

Content model, 389, 401

- options for, 405

Content pattern, 12, 935**Content type, 401, 405****Content-Length header,****HTTP, 565****Content-Type header, HTTP,****565****ContentHandler interface****(SAX), 444, 459–460****ControlPictures Unicode****character block, 371****Coordinated Universal Time,****308, 310****CORBA (Common Object****Request Broker****Architecture), 570****Correspond, defined, 15, 19****Counter Xerces sample class****(DOM), 433****Crimson, XML subproject,****428****Cs Unicode character category, 365****CurrencySymbols Unicode character block, 371****Customer list example, 22–24****Cyrillic Unicode character block, 370****D****Data character, defined, 61, 927****Data-oriented schemas**

- complex types, 708–754
- datatypes, 588–671
- simple types, 674–706

Database

- check constraints vs. triggers in, 598
- design of, using XML schemas, 810–815
- facet restrictions and, 590–597
- mapping complex types to, 708–754
- mapping schemas to, 815–823
- mapping simple types to, 674–706
- Oracle PL/SQL functions and, 678
- XML datatypes and, 598–671
- XML schema design considerations regarding, 588–590, 674–675, 708–709

Database data

- direct access of, 824
- updategrams and, 832–833

Database sequence identifiers, support for, 899–900**Database tier, 776****Datatypes**

- built-in, 89
- date, time, and duration, 304–316
- defined, 936
- derived, 294
- numeric, 295–304
- oddball, 322–330
- Oracle, 902–921
- and relational databases, 598

- reusable, 782–795
- string, 316–322
- time-line-based, 306–311
- types of, 936
- user-defined, 936
- date datatype, 89, 308**
 - constraining facets of, 642–645
 - Oracle8i compatibility issues, 906–909
 - and relational database, 641–645
 - time zones and, 641
- dateTime datatype, 306, 307**
 - constraining facets of, 638–641
 - Oracle8i compatibility issues, 904–906
 - and relational database, 637–641
- Daylight Savings Time, 310**
- decimal datatype, 84, 294, 295**
 - alternatives to, 298
 - constraining facets of, 297, 625–629
 - derivation relationships of, 297, 302
 - level of validation and, 625
 - in relational database, 589, 625
 - use of, 296–297, 300
- Decimal point, 295**
- Declaration**
 - defined, 932–933
 - entity, 29
 - schema component as, 389
- default attribute**
 - of attribute element, 182, 183
 - of element element, 148, 151–152
- Default namespace, 40**
 - declaring, 39
 - using, 41, 43
- DefaultHandler class (SAX), 445, 465**
- Definition**
 - defined, 933
 - schema component as, 389
- definitions element, in WDSL document, 570**
- DelayedInput Xerces sample class (SAX), 433**
- DELETE, HTTP verb, 565**
- Derived complex type**
 - adding element types or attribute types to, 244
 - instantiability of, 239
 - removing element types or attribute types from, 244
- Derived datatypes, 294**
- Derived type, 12, 935**
- descendant (XPath axis), 54**
- descendant-or-self (XPath axis), 54**
- Describe, defined, 19**
- Deseret Unicode character block, 373**
- Design patterns, 527**
 - Builder pattern, 528
- Design Patterns: Elements of Reusable Object-Oriented Software, 527**
- Designated value, of optional property, 67**
- Devanagari Unicode character block, 370**
- Developing SGML DTDs, 548**
- Dingbats Unicode character block, 372**
- Document**
 - abstract vs. concrete, 58
 - display of, 543
 - display conventions for, 550
 - editing of, 542–543
 - as flat character string, 13
 - parsing of, 13
 - parts of, 929–932
- Document analysis**
 - personnel for, 544
 - procedures for, 545–546
 - schema arising from, 546
- Document element, 66**
 - defined, 60, 931
- Document element property, of document information item, 63**
- Document information item, 33, 59, 62–63**
- Document interface (DOM), 438, 443**
- Document Object Model (DOM), 428**
 - advanced example of, 456–458
 - advanced functionality in, 458–459
 - advantages and disadvantages of, 488
 - APIs based on, 28
 - creating documents, 449–452
 - example file, 450–452
 - Level 3 functionality, 459
 - recommendation for, 33
 - validation using, 492
- Document processing**
 - editor programs for, 551
 - importance of, 549
 - production software for, 551–553
 - XML-smart authoring tools for, 549–550
- Document structure**
 - finding, 546
 - major divisions, 547
 - paragraphs, 547–548
 - specialized pieces, 547
 - specialized structures, 548
- Document Style Semantics and Specification Language (DSSSL), 552**
- Document type declaration information item, 62, 932**

Document Type Definitions.
See DTDs.

documentation element

- attributes of, 120–122
- content options for, 122
- function of, 120

documentation subelement,
82, 860

DocumentBuilder class
(DOM), 440, 442

DocumentBuilderFactory
class (DOM), 442

DocumentFragment interface
(DOM), 443

DocumentTracer Xerces sam-
ple class (SAX), 433

DocumentTraversal interface
(DOM), 444

DocumentType interface
(DOM), 443

DOM. See Document Object
Model (DOM).

DOMAddLines Xerces sample
class (DOM), 433

DOMASBuilderImpl class
(DOM), 447

DOMBuilderImpl class
(DOM), 447

DOMDocument40
(Microsoft), 476

- creating document with, 476
- loading document with, 477
- parsing errors in, 478
- reading XML with, 477–478
- unique properties of, 477–478
- validation using, 492

DOMException (DOM), 443

DOMImplementation inter-
face (DOM), 443

DOMParser class (DOM), 447

DOMSerializer interface
(DOM), 445

DOMUtil class (DOM), 446

double datatype, 295
 alternatives to, 300

- constraining facets of, 300
- in relational database, 589, 632
- use of, 298, 302

DSSSL (Document Style
Semantics and
Specification Language),
552

DTD (Document Type
Definition), 8

- abstract, 388
- attribute type defined by, 934
- compared with schema, 14, 388
- defined, 932
- element type defined by, 16–17, 18, 934
- entity-declarations-only, 31
- validating against, 30

DTDHandler interface (SAX),
444

DTD-valid document, 936

duration datatype

- constraining facets of, 313
- ordering of, 314
- and relational database, 636
- use of, 311–313
- database validation of, 636

Durations, 311, 315–316

E

Editing programs, 549–550

Element(s), 15, 18

- abstract, 14–15
- annotation of, 82–85
- attributes of, 931
- children of, 60, 931
- components of, 14
- concrete, 14, 15
- constraint of, 84–87
- content of, 59, 60, 930
- defined, 60, 929
- form of, 59

- listed, 858–865
- overriding definition of, 782–783
- qualified vs. unqualified, 147
- removing, 161–162
- terminology of, 15
- type name of, 14, 15, 16, 81, 389, 930
- value of, 931
- in XML document, 58

element content option for
schema element, 115

Element content whitespace
property, of character infor-
mation item, 66

Element declaration, 17
 of schema, 391

Element declaration schema
component, 17, 934

element element, 147, 861,
934

- attributes of, 148–166
- content options for, 166–167

Element IDs, 103

Element information item,
15, 62, 63–64

- basic, 418
- defined, 930
- PSVI, 68, 418–420

Element interface (DOM),
438, 443

Element type, 11, 15–16, 389

- abstract, 16, 17, 18
- annotations in, 400
- associations of, 389
- concrete, 17, 18
- DTD-defined, 16–17, 18, 934
- example of, 138
- function of, 138
- global vs. local, 138–139
- instantiability of, 101, 146–147
- mapping to object-oriented language, 518
- and namespace, 147–148

- millable value of, 398
- properties of, 398
- referencing of, 164–165
- schema-defined, 17, 18, 934
- scope of, 400
- structure of, 396–397
- structure type of, 935
- substitutability of, 398, 399–400
- terminology of, 18, 933
- type definition of, 397, 398
- value constraint on, 398
- Element type declaration, 18, 934**
- Element wildcard, 87**
- elementFormDefault attribute, 80**
 - of schema element, 108, 109
- Empty content, 85–86**
 - specification of, 230–231
- Empty-element tag, 14, 59, 930**
- Encapsulation, 509, 510**
- EnclosedAlphanumerics Unicode character block, 371**
- EnclosedCJKLettersandMonths Unicode character block, 372**
- EncodingMap class (Xerces), 446**
- End-tag, 14, 29**
 - of concrete element, 59
- ENTITIES datatype, 317**
 - constraining facets of, 322
 - derivation of, 321
 - and relational database, 618
- ENTITY datatype, 317**
 - constraining facets of, 322
 - derivation of, 321
 - and relational database, 617
- Entity interface (DOM), 443**
- Entity manager, 28, 29**
- Entity-declarations-only DTD, 31**
 - and object-oriented languages, 515
 - and relational database, 745–754
 - use of, 260
- EntityReference interface (DOM), 443**
- EntityResolver interface (SAX), 444**
- enumeration constraining facet, 90, 220**
 - hard-coded values in, 593
 - picklist table for, 594–597
 - and relational database, 592–593, 689, 706
 - separate table for, 593–594
- Equality, testing identity constraints for, 342**
- ErrorHandler interface (SAX), 444**
- Ethiopic Unicode character block, 371**
- Event, 28**
- Event-token emitting parser, 31–32**
 - validation by, 32
- eXcelon Stylus Studio, 771**
- Expressions, 358**
- Extensible Style Language Transform (XSLT), 552**
 - advantages of, 765
 - business uses for, 766, 767
 - characteristics of, 764–766, 800
 - conversion of XML to relational data, 766, 767
 - debugging templates in, 771
 - HTML creation in, 795–800
 - using System.XML classes, 846
- Extensible Stylesheet Language (XSL), 552, 553**
- Extension, of complex type, 92–93**
- extension element, 260, 514, 861**
 - attributes of, 263–264
 - content options for, 264–265
 - examples of use of, 746–754
 - function of, 745–746
- Facets, 395**
 - described, 294
- Factory class (Xerces), 440**
- FactoryConfigurationError (SAX), 442**
- field element, 862**
 - attributes of, 354–355
 - content options for, 356
- Field, in XML schema, 339**
 - XPaths for, 340–341
- Final, 395**
- final attribute**
 - of complexType element, 245, 247, 250–252, 265, 720
 - of element element, 148, 152–153, 166
 - of simpleType element, 208, 209–210
- finalDefault attribute, of schema element, 108, 109**
- Finality, non-inheritance of, 252**
- fixed attribute**
 - of attribute element, 182, 184–185
 - of element element, 149, 157
- float datatype, 69, 295**
 - alternatives to, 300
 - constraining facets of, 300
 - data space of, 299
 - in relational database, 589, 631–632
 - use of, 298–299, 302
 - values of, 298

following (XPath axis), 54
following-sibling (XPath axis), 54
Fonts, 551
FOP, XML subproject, 428
form attribute
 of attribute element, 182, 185–187
 of element element, 149, 158–159
Form data, sending, 800–807
Formal grammar, 30
formElementDefault attribute, 147
Fowler, Martin, 521
fractionDigits constraining facet, 90, 625
Frameworks, types of, 759
fullFeaturedSchema.xsd example file, 107
Fundamental facets, 395

G

Gamma, Erich, 527
gDay datatype, 314, 315
 Oracle8i compatibility issues, 918–919
 in relational database, 590, 663–666
GeneralPunctuation Unicode character block, 371
Generic identifier, 14, 930
GeometricShapes Unicode character block, 372
Georgian Unicode character block, 371
GET, HTTP verb, 565, 567
GetElementsByTagName Xerces sample class (DOM), 433
getFeature method, 482
getProperty method, 482
Global component, 81

 XML instance and, 81–82
 XML schema document and, 81

Global element type, 138
 referencing, 164–165
gMonth datatype, 314, 315
 constraining facets of, 660–663
 Oracle8i compatibility issues, 916–917
 in relational database, 590, 658–663
gMonthDay datatype, 314, 315
 constraining facets of, 668–671
 Oracle8i compatibility issues, 920–921
 and relational database, 667–671

Googol, 295

Gothic Unicode character block, 373
Grammar, formal, 30
Greek Unicode character block, 370
GreekExtended Unicode character block, 371
Greenwich Mean Time, 308
group content option for schema element, 115
group element, 255, 862
 advanced use of, 729–730
 attributes of, 289–291
 content options for, 292
 function of, 281
 and relational database, 727–730
 reuse of, 282–289
 use of, 728
Groupings, of expressions, 363
Gujarati Unicode character block, 370

Gurmukhi Unicode character block, 370

gYear datatype, 308
 constraining facets of, 647–650
 Oracle8i compatibility issues, 909–911
 and relational database, 590, 645–650
 and time zones, 646
gYearMonth datatype, 308
 constraining facets of, 651–654
 Oracle8i compatibility issues, 911–913
 and relational database, 650–654

H

Haines, Eric, 580
HalfwidthandFullwidthForms Unicode character block, 373
HangulCompatibilityJamo Unicode character block, 372
HangulJamo Unicode character block, 371
HangulSyllables Unicode character block, 372
HEAD, HTTP verb, 565
Hebrew Unicode character block, 370
hello.xml, 566, 567, 568
HelloApache.java, 435–437
 parsing, 439–441
HelloApacheDOM example file, 450–452
HelloApacheDOM2 example file, 457–458
HelloApacheSAX example file, 462–463

HelloApacheSAX2 example file, 465–468**Helm, Richard, 527****hexBinary datatype, 322**

- compatibility issues, 902–903
- constraining facets of, 327
- and relational database, 632–633
- use of, 325–327

HighPrivateUseSurrogates**Unicode character block, 372****HighSurrogates Unicode character block, 372****Hiragana Unicode character block, 372****HTML**

- advantages of, 552
- creating using XSLT, 795–800
- shortcomings of, 775

HTMLSerializer class (DOM and SAX), 446**HTTP (Hypertext Transfer Protocol), 561, 563**

- actions in, 565
- request-response structure for, 564–566
- sample request in, 565
- sample response in, 566
- transmission of XML
 - instances through, 576
 - XML and, 566–569

I**IBM, parsers from, 781****id attribute, 13**

- of all element, 272, 722
- of complexType element, 247, 252, 720
- of annotation element, 118
- of any element, 168, 169
- of anyAttribute element, 196–197

- of attribute element, 182, 187
- of attributeGroup element, 194

- of choice element, 275, 276
- of complexContent element, 258–259

- of element element, 149, 159–160

- of extension element, 263–264

- of field element, 355
- of group element, 289, 290

- of import element, 126
- of include element, 123

- of key element, 347
- of keyref element, 351

- of list element, 217

- of notation element, 130
- of redefine element, 134, 135

- of restriction element, 212, 213, 267, 268

- of schema element, 108, 111
- of sequence element, 278, 279

- of simpleContent element, 256

- of simpleType element, 209, 210

- of union element, 224
- of unique element, 344, 345

id function (XPointer), 49**ID datatype, 317**

- constraining facets of, 322
- defined, 13, 937
- derivation of, 321
- and relational database, 612
- use of, 320

ID/IDREF binding, 68, 69

- properties added by, 424–425
- schema reference capabilities substituted for, 408

Identity constraint(s), 49, 101

- binding, 424, 425
- definitions, 400
- enforcing uniqueness, 342
- examples of, 59, 332–338

- fields in, 339
- properties of, 408–409
- and referential integrity, 343
- representation of, 408
- selectors in, 339
- shortcuts for, 59
- terminology of, 339
- value equality and, 342
- and XPath support, 340–341

Identity-constraint table property, 68, 69**IdeographicDescriptionCharacters Unicode character block, 372****IDL (Interface Definition Language), 570****IDREF datatype, 317**

- constraining facets of, 322
- derivation of, 321
- and relational database, 612
- use of, 320

IDREFS datatype, 317

- constraining facets of, 322, 612
- derivation of, 321
- in relational database, 590, 612–617
- single-column implementation of, 612, 613–614
- table implementation of, 612, 614–617
- use of, 320
- VARRAY implementation of, 612

ixm1ts.exe, 781**IIS (Internet Information Services)(Microsoft), 823**

- configuration of SQL 2000 to work with, 823–829
- testing of configuration, 829–830
- using, 823–824

IIS Support tool, configuration, 824–829

- Immediate subelement, defined, 60, 930**
 - import content option for schema element, 115**
 - import element, 71, 103, 571, 862**
 - attributes of, 126
 - content options for, 127–128
 - purpose of, 124–125
 - using, 572
 - include content option for schema element, 115**
 - include element, 71, 102–103, 862**
 - attributes of, 123
 - content options for, 124
 - purpose of, 122
 - IndentPrinter class (DOM and SAX), 446**
 - Individual character (regular) expressions, 363**
 - Inf (infinity), 295, 298**
 - Infinite integers, representing, 302**
 - Information item, 33**
 - attribute, 62, 64–66, 68, 421–423
 - element, 15, 62, 63–64, 68, 418–420
 - terminology issues, 423
 - types of, 62–66, 928
 - XML, 31
 - Information set (infoset), 28, 31, 59**
 - Infoset Recommendation, of W3C, 8–9, 58, 59, 61**
 - Inheritance, 509, 510**
 - in intensional technologies, 10
 - mapping to object-oriented language, 514–515
 - Input, 557**
 - Input controller, 28**
 - InputSource class (SAX), 444**
 - In-scope namespaces property, of element information item, 63, 64**
 - Instance, 14, 925**
 - Instantiability, 935**
 - of attribute type, 100
 - of complex type, 101, 146
 - of derived type, 239–240
 - of element type, 100, 146–147
 - of simple type, 101
 - Instantiable class, 12, 926**
 - int datatype, 297**
 - constraining facets of, 303–304
 - derivation relationships of, 304 and relational database, 630
 - use of, 302, 303, 304
 - integer datatype**
 - constraining facets of, 301–302
 - derivation of, 294, 297
 - derivation relationships of, 302
 - and relational database, 629
 - use of, 298, 301
 - Intensional objects, 10**
 - Intensional OO, 924**
 - Interface Definition Language (IDL), 570**
 - Internet Explorer (Microsoft), XML compatibility of, 800**
 - Internet Information Services (Microsoft), 823**
 - configuration of SQL 2000 to work with, 823–829
 - testing of configuration, 829–830
 - using, 823–824
 - IPAEExtensions Unicode character block, 370**
 - ISchema interface, 486–487**
 - getting, 486
 - properties of, 487
 - ISchemaItem interface, 484–486**
 - properties of, 484
 - Item type definition, 395**
 - itemType attribute, of list element, 217, 218**
 - IVBSAXContentHandler interface, 479**
- ## J
- J2EE, 759**
 - transport protocols for, 563
 - Java Development Kit (JDK), 432**
 - Java Runtime Environment (JRE), 432**
 - java.xml.parsers package, 442**
 - JavaServer Page (JSP), 810**
 - Johnson, Ralph, 527**
- ## K
- Kanbun Unicode character block, 372**
 - KangxiRadicals Unicode character block, 372**
 - Kannada Unicode character block, 371**
 - Katakana Unicode character block, 372**
 - KeepSocketOpen Xerces sample class, 433**
 - key element, 101, 102, 342, 343, 408, 862**
 - attributes of, 347–348
 - content options for, 348
 - example of, 346–347
 - function of, 346
 - Key sequence, in XML validation, 339**
 - keyref element, 101, 102, 343, 408, 862**
 - attributes of, 350–352

content options for, 352
example of, 349–350
function of, 349

Khmer Unicode character block, 371

L

L Unicode character category, 364

L& Unicode character category, 364

Language, specifying, 113
language datatype

derivation of, 318
and relational database,
604–608
treatment of whitespace in,
319

Lao Unicode character block, 371

Latin character set, 359–360

Latin-1Supplement Unicode character block, 370

LatinExtendedA Unicode character block, 370

LatinExtendedAdditional Unicode character block, 371

LatinExtendedB Unicode character block, 370

Lax validation, 415

length constraining facet, 90, 220

and relational database, 599,
682–686

LENGTHC (SQL) function, 600

LetterLikeSymbols Unicode character block, 371

Lexical analyzer, 29

Lexical constraint, 84

Lexical space, 294

of simple type, 202, 206

List

constrained, 221

delimited nature of, 216

sample program for, 219, 221

list element, 91, 215–216, 862

attributes of, 216–218

constraining facets of,
220–221, 682–689

content options for, 218–219
example of, 216

and relational databases, 674,
678–689

single-column implementation
of, 678, 679–680

table implementation of, 678,
680–682

LI Unicode character category, 364

Lm Unicode character category, 364

Lo Unicode character category, 364

Local component, 82

Local element type, 138, 139

Local name, 13

Local name property, 15

of attribute information item,
64, 66

of element information item,
63

Local part, of name, 39

Location path, 47

Location set, 51

Locator interface (SAX), 444

LocatorImpl class (SAX), 445

long datatype, 297, 302

constraining facets of,
303–304

derivation relationships of,
304

and relational database, 630
use of, 302, 303, 304

LowSurrogates Unicode character block, 372

Lt Unicode character category, 364

Lu Unicode character category, 364

M

M Unicode character category, 365

Magic string-derived datatypes

constraining facets of, 322
derivation of, 321
function of, 321

Malayalam Unicode character block, 371

Markup, 927

Markup punctuation, 61, 927

MathematicalAlphanumericSymbols Unicode character block, 373

MathematicalOperators Unicode character block, 371

maxExclusive constraining facet, 90

Oracle8i compatibility issues,
905–906, 908, 910,
912–913, 915, 917, 919, 921
and relational database, 627,
639, 643–644, 648, 652,
656–657, 661, 665, 669

maxInclusive constraining facet, 90

Oracle8i compatibility issues,
905, 907–908, 910, 912,
915, 916–917, 919–919,
920–921
and relational database,
626–627, 638, 642–643,
647, 651–652, 655–656,
660, 664, 668

maxLength constraining facet, 90, 220

and relational database, 599,
687–689

maxOccurs attribute

- of all element, 272–273, 722
- of element element, 149, 160–161
- of choice element, 275, 276
- of group element, 289, 290
- of sequence element, 278, 280

Mc Unicode character category, 365**Me Unicode character category, 365****Member type definition, 395****memberTypes attribute, of union element, 224****message element, in WDSL document, 570****Metacharacters, 361–362****Metadata string, 61, 927****Method, of object, 924****Microsoft Common Dialog Control, 493****Microsoft .NET XML Web Services, 762**

See also .NET Framework.

Microsoft Windows Common Controls, 493**Microsoft XML Core Services. *See* MSXML.****minExclusive constraining facet, 90**

- Oracle8i compatibility issues, 906, 908, 910–911, 913, 915, 917, 919, 921
- and relational database, 628–629, 640–641, 645, 649–650, 653–654, 658, 662–663, 666, 670–671

minInclusive constraining facet, 90

- Oracle8i compatibility issues, 906, 908, 910, 913, 915, 917, 919, 921
- and relational database, 627–628, 640, 644–645,

- 648–649, 653, 657, 661–662, 665–666, 669–670

minLength constraining facet, 90, 220

- and relational database, 687

minOccurs attribute

- of all element, 272, 273, 722
- of choice element, 275, 277
- of element element, 149, 162
- of group element, 289, 290–291
- of sequence element, 279, 280

Misc, of XML document, 58**MiscellaneousSymbols Unicode character block, 372****MiscellaneousTechnical Unicode character block, 371****mixed attribute**

- of complexContent element, 258, 259
- of complexType element, 247, 253, 709

Mixed content, 86–87, 230

- mapping to database schema, 713–718
- specification of, 237–238

Mn Unicode character category, 365**Model group, 96–98**

- characteristics of, 407
- named, 410–411
- properties of, 407
- redefined, 133

Model group definitions, of schema, 391**Mongolian Unicode character block, 371****msxm14.dll, 472, 473****MSXML (Microsoft XML Core Services), 576, 580**

- downloading, 472, 493
- example of use of, 493–503
- for parsing, 472

- proprietary features of, 474
- structure of, 473
- using DOM with, 476–478
- using SAX with, 478–483
- validation in, 488–493
- Visual Basic and, 475
- XSLT processor in, 472

Multiple character escape (regular expression), 367–368

- examples of, 368

MusicalSymbols Unicode character block, 373**Myanmar Unicode character block, 371****N****N Unicode character category, 365****n-tier architecture, 775**

- XML and, 776–777

Name

- defined, 39
- of element, 14
- locally scoped, 79
- namespace, 390, 929
- qualified vs. unqualified, 38, 79
- of schema-defined element type, 17

name attribute

- of attribute element, 182, 187–188
- of attributeGroup element, 194–195
- of complexType element, 247, 253, 720
- of element element, 149, 163
- of group element, 289, 291
- of key element, 347, 348
- of keyref element, 351
- of notation element, 130
- of simpleType element, 209, 210–211

- of unique element, 344, 345
- Name datatype, 317, 937**
 - derivation of, 318, 320
 - and relational database, 608–609
 - treatment of whitespace in, 319
- Named attribute use-group, 88, 174, 193, 391, 409–410**
 - example of, 176–177
 - function of, 410
 - representation of, 410
- Named model group, 96, 98, 391, 410–411**
- NamedNodeMap interface (DOM), 443**
- Namespace, 36**
 - and attribute type, 181–182
 - components of, 38
 - declaration of, 38–39, 780, 929
 - default, 39, 40, 41, 43, 79–80
 - defined, 929
 - element type and, 147–148
 - qualifier of, 79
 - importance of specifying, 107–108
 - scoping rules for, 42
 - specifying, 78
 - target, 17, 80
 - and XML instance, 80–81
 - XPointer and, 51–52
- namespace attribute**
 - of any element, 168, 169–170
 - of anyAttribute element, 197–198
 - of import element, 126, 127
- Namespace attributes property, of element information item, 63, 64**
- namespace (XPath axis), 54**
- Namespace declaration, 38–39, 780**
 - defined, 929
 - scope of, 929
- Namespace identifier (NID), 36**
 - registering, 37
- Namespace information item, 62**
- Namespace name, 390, 929**
- Namespace name property**
 - of attribute information item, 64, 66
 - of element information item, 63
- Namespace Recommendation, of W3C, 8, 36**
- Namespace schema information, added by PSVI, 424, 425**
- Namespace URI, 39**
- Namespace-specific string (NSS), 36**
- NamespaceSupport class (SAX), 445**
- NaN (not a number), 295, 298, 631**
- Natural numbers, 295**
- NCHAR datatype, 598**
- NCLOB datatype, 599, 902**
- NCName datatype, 317, 937**
 - defined, 13
 - derivation of, 320
 - derivative datatypes of, 321
 - use of, 317–318, 320
 - and relational database, 609–612
 - treatment of whitespace in, 319
- Nd Unicode character category, 365**
- Negative character ranges, 379**
- Negative infinity (Inf-), 295, 298, 631**
- negativeInteger datatype, 300, 302**
 - and relational database, 629
 - use of, 302
- Nested elements, 85**
 - complex type and, 234–237
- .NET Framework, 536, 557, 759**
 - programming languages for, 801
 - as replacement for COM, 770
 - schema and DTD support of, 849
 - transport protocols for, 563
 - validation in, 781, 849
- Netscape (AOL), XML compatibility of, 800**
- NID (Namespace identifier), 36**
 - registering, 37
- nil attribute, 147**
- Nil PSVI property, 68, 69**
- nilable attribute, 146, 398**
 - of element element, 149, 163
- NI Unicode character category, 365**
- NMTOKEN datatype, 317**
 - derivation of, 318
 - and relational database, 618–619
 - treatment of whitespace in, 319
- NMTOKENS datatype, 317**
 - derivation of, 318, 320
 - and relational database, 590, 620–624
 - single-column implementation of, 620–621
 - table implementation of, 620, 622–624
 - treatment of whitespace in, 319
 - VARRAY implementation of, 620
- No Unicode character category, 365**
- NO VALUE value, 67**
- Node, in XML, 339**

- Node ID, 48–49**
 - Node interface (DOM), 443**
 - Node set, 47**
 - use of predicates on, 47–48
 - NodeFilter interface (DOM), 444**
 - Nodelterator interface (DOM), 444**
 - NodeList interface (DOM), 443**
 - Non-instantiable class, 12, 926**
 - Non-instantiable types, 207–208, 400, 935**
 - explicitly, 238–240
 - implicitly, 240–244
 - mapping to object-oriented language, 512–513
 - nonNegativeInteger datatype, 297, 300, 302**
 - and relational database, 630
 - use of, 302
 - Nonnegative integers, 295**
 - nonPositiveInteger datatype, 297, 300, 302**
 - and relational database, 629
 - use of, 302
 - Normal characters, 363**
 - Normalized value property, of attribute information item, 64, 66**
 - normalizedString datatype, 317**
 - derivation of, 318, 320
 - Oracle8i compatibility issues, 903–904
 - and relational database, 602
 - treatment of whitespace in, 319
 - Not a number (NaN), 295, 298, 631**
 - Notation**
 - described, 411–412, 417, 936
 - properties of, 412
 - XML, 102
 - notation content option for schema element, 116**
 - notation datatype, 322**
 - constraining facets of, 339
 - function of, 389
 - non-instantiability of, 329
 - and relational database, 633
 - use of, 329–330
 - Notation declaration, 936**
 - of schema, 391
 - notation element, 128–129, 862**
 - attributes of, 130–132
 - content options for, 132
 - Notation information item, 62, 932**
 - Notation interface (DOM), 443**
 - NSS (Namespace-specific string), 36**
 - NumberForms Unicode character block, 371**
 - Numbers**
 - characteristics of, 295
 - as datatype, 89
 - treatment in relational database, 589
 - Numeric range, 376**
 - NVARCHAR2 datatype, 598**
- O**
- Object, 14**
 - characteristics of, 924–925
 - Object-oriented (OO) programming, 508–509**
 - described, 509
 - design patterns and, 527–528
 - encapsulation in, 509
 - examples of, 529–539
 - extensional vs. intensional, 924
 - inheritance in, 509
 - polymorphism in, 510
 - and XML, 510–527
 - Ogham Unicode character block, 371**
 - OldItalic Unicode character block, 373**
 - Operators, precedence of, 380–381**
 - OpticalCharacterRecognition Unicode character block, 371**
 - Optional property, 67**
 - Optional quantifiers, 375**
 - Optional repeating quantifiers, 375**
 - OPTIONS, HTTP verb, 565**
 - or (regular expression) operator, 361, 362**
 - Oracle8i**
 - features not supported by, 902–903
 - workarounds in, 903–921
 - Oracle9i**
 - column datatype support, 598
 - PL/SQL functions in, 678
 - XML compatibility, 588–671, 815
 - org.apache.xerces package, 446**
 - org.apache.xerces.parsers package, 446–447**
 - org.apache.xml.serialize package, 438, 445–446**
 - org.w3c.dom package, 443**
 - org.w3c.dom.Document interface, 447–449**
 - org.w3c.dom.Element interface, 453**
 - org.w3c.dom.events package, 459**
 - org.w3c.dom.htmls package, 459**
 - org.w3c.dom.Node interface, 454–456**
 - org.w3c.dom.ranges package, 459**

org.w3c.dom.traversal package, 444, 459
org.w3c.sax package, 444–445
org.w3c.sax.helpers package, 445
org.xml example file, 525–526
Oriya Unicode character block, 370
Output, 557
Output token, 29
OutputFormat class (DOM and SAX), 446
Owner element property, of attribute information item, 64

P

P Unicode character category, 365
parent (XPath axis), 54
Parent property
 of character information item, 66
 of element information item, 63, 64
parse function, in DocumentBuilder, 440–441
Parser, 28–29
 nonvalidating, 31
 for SGML, 30
 syntax-driven, 31
 for XML, 30
ParserAdaptor class (SAX), 445
ParserConfigurationException, 442
Parsing, 13
Parsing event, 31
Parsing-event token, 31
Particle
 described, 406
 properties of, 406
Party, defined, 521
party.xsd example file, 521–525
Pattern, enforcement of, 588
pattern constraining facet, 90, 220, 381
 use of multiple, 382–383
 and relational database, 590–592, 689, 706
 use of, 382
pattern element, within restriction element, 358
Pattern facet, 294, 302
Pattern-constrained simple type, 203
Pc Unicode character category, 365
PCDATA strings, 406
Pd Unicode character category, 365
Pe Unicode character category, 365
Perl, regular expressions in, 360
Pf Unicode character category, 365
Pi Unicode character category, 365
Picklist tables, 594–597
Po Unicode character category, 365
Point in Polygon sample application, 572–583
Polymorphism, 510
 mapping to object-oriented language, 515–517
Positive character groups, 377–379
Positive infinity (Inf+), 295, 298, 631
positiveInteger datatype, 300, 302
 and relational database, 630
 use of, 302
POST, HTTP verb, 565
Post-schema-validation infoset (PSVI). See **PSVI**.
Potential substitution group, 398
Precedence of operators, 380–381
preceding (XPath axis), 54
preceding-sibling (XPath axis), 54
Predicate, 47–48
 validity of, 48
Prefix, 13, 38, 39
 absence of in schema, 390
Prefix property
 of attribute information item, 64
 of element information item, 63
pricing.xsd explanation, 176–177, 207, 230–233, 238–240, 257–258, 274, 282–289
 complete listing, 895–899
Primitive, defined, 394–395
Primitive type definition, 394, 395
Printer class (DOM and SAX), 446
PrivateUse Unicode character block, 372, 373
processContents attribute, of any element, 168, 170
 and relational database, 708, 723
 values of, 170
processContents attribute, of anyAttribute element, 198
Processing instruction information item, 62, 932
ProcessingInstruction interface (DOM), 443
Production software
 formatting-markup based, 552–553
 stylesheet-based, 551–552
PROGID, 476, 477

Prolog, of XML document, 58
Properties, 15
 of objects, 924
 values of, 67
propertyMethods, 59, 924–925
Provide, defined, 925
Ps Unicode character category, 365
PSVI (Post-schema-validation infoset), 34, 520
 characteristics of, 67
 construction of, 415
 described, 928
 distinguished from basic infoset, 416
 information items added by, 423–426
 properties of, 68–69
 properties added by, 418–423
ptinpoly.xsd sample application, 574–575, 580–583
ptest.htm example file, 577–578
public attribute, of notation element, 130, 131
PUT, HTTP verb, 565
putFeature method, 482
putProperty method, 482

Q

QName datatype, 13, 40, 937
 alternatives to, 324
 constraining facets of, 324
 defined, 13
 and relational database, 633
 structure of, 323
 unique features of, 322
 use of, 317–318, 320, 323
Qualified attribute, 181
Qualified element, 147
Qualified name, 13, 38, 39
 defined, 79, 937

as value, 40–41
Qualifier, of namespace, 79
Quantifier, 868, 869
Query types, SQL support of, 768–769

R

range-to function (XPointer), 53
Rational numbers, 295
Real numbers, 295
redefine content option for schema element, 116
redefine element, 71, 862
 attributes of, 134–135
 content options for, 135–136
 function of, 132–134
ref attribute, 81
 of attribute element, 182, 188, 191
 of attributeGroup element, 195
 of element element, 149, 164
 of group element, 289, 291
refer attribute, of keyref element, 351, 352
Reference, entity, 29
References property, of attribute information item, 64, 65
Referential integrity, 343
regexpDemo.xml online example file, 359
regexpDemo.xsd online example file, 359
Regular expressions
 constraint of simple content using, 381–384
 grammar for, 868–876
 guidelines for, 359
 Perl, 360
 syntax of, 361–381
Relational database

check constraints vs. triggers in, 598
 facet restrictions and, 590–597
 mapping complex types to, 708–754
 mapping schemas to, 815–823
 mapping simple types to, 674–706
 Oracle PL/SQL functions and, 678
 XML datatypes and, 598–671
 XML schema design considerations regarding, 588–590, 674–675, 708–709
Repeating dates and times, 314–315
 constraining facets of, 315
REPLACE process, 318
Request-response application, 561, 562
Required repeating quantifiers, 376
Resource Directory Description Language (RDDL), 38
Restriction
 of complex type, 94–96
 of simple type, 89
 in XML, 10
restriction element, 212, 243, 260, 358, 514, 863–864
 attributes of, 212–213, 267–268
 constraining facets of, 215
 content options for, 213–215, 268–271
 examples of use of, 739–745
 function of, 266–267, 738
 and object-oriented languages, 515
 and relational database, 738–745
Restrictor, 925
Result-oriented schemas, 505
 application-oriented, 556–584

document-oriented, 542–553
object-oriented, 508–539

Reusable datatypes

creating, 786–789
identifying, 783–786
XML schema support for,
782–783

Rich Text Format (RTF), 552–553

**Routing application, 561,
562, 563**

Runic Unicode character block, 371

S

S Unicode character category, 365

SAX (Simple API for XML), 428

advantages and disadvantages
of, 460
ContentHandler interface of,
459–469

SAX-compliant token, 28

SAX2, 478–483

validation using, 492–493

SAXContent VB class, 479

SAXException, 445

SAXNotRecognizedException, 445

SAXNotSupportedException, 445

SAXParseException, 445

SAXParser class (SAX), 442, 447, 465

SaxParserFactory class (SAX), 442

SAXTest.cls example file, 500–501

SAXXMLReader40 (Microsoft)

configuration of, 482
handler interfaces of, 479
handler properties of, 481–482

parsing errors in, 482–483
reading XML with, 479–482

Sc Unicode character cate- gory, 365

Scalability, 760

Schema(s)

abstract vs. concrete, 58
benefits of, 6
characteristics of, 10, 388
combining, 840
compared with DTDs, 14
creating, 779
database design using,
810–823
data-oriented, 585–754
default namespace of, 114
for describing applications,
560, 569–572
for describing arguments,
558–559
document-oriented, 542–553
drawbacks of, 6–7
locating components of, 125
mapping to object-oriented
language, 518–520
object-oriented, 508–536
properties of, 69–70
purpose of, 5
reasons for using, 761, 776
regular expressions in, 360
result-oriented, 505–580
role in applications, 558
set-valued properties of, 391
testing using, 764
validation of, 771, 780–782
for validation of data, 558
WDSL and, 570–572

Schema component, 34, 388

as declaration, 389
defined, 933
as definition, 389
types of, 390

Schema document. See XML schema document.

Schema document informa- tion, added by PSVI, 424, 426 schema element, 78, 571, 864

attributes of, 108–114
content options for, 115–116
sample, 106–107

Schema normalized value, PSVI property, 68

Schema Object Model. See SOM.

Schema processing, 33–34, 414

steps of, 415

Schema Recommendation, of W3C, 9–10

online resources regarding, 26

Schema schema component, 69, 388, 391

Schema value, 12–13

Schema-defined element types, 18

abstract, 17
concrete, 18
name of, 17

schemaLocation attribute, 51

of import element, 127
of include element, 123
of redefine element, 134, 135

SchemaTreeForm.frm exam- ple file, 495–499

Schema-valid document, 936

Schmuller, Joseph, 760

Scientific notation, 295

Scope, of component, 81

anonymous, 82
global, 81–82
local, 82
of namespace declaration, 929

Scoping, 42

Scripting languages, 557

Selector, in XML schema, 339

XPaths for, 340–341

selector element, 865

attributes of, 353–354
content options for, 354

- self (XPath axis), 54**
- sequence element, 255, 865**
 - attributes of, 278–280, 731
 - content options for, 280–281
 - examples of use of, 731–738
 - function of, 278, 731
 - and relational database, 731–738
- Sequence model group, 96, 98**
- sequence.xsd explanation, 153–156, 241–243**
 - complete listing, 899–900
- Serializer classes, 439**
- Serializer interface (DOM), 445**
- SGML, 8, 29**
 - characteristics of, 405
 - ISO 8879 standard for, 14, 30
 - parsing, 30
- short datatype, 297**
 - constraining facets of, 303–304
 - derivation relationships of, 304
 - and relational database, 630
 - use of, 302, 303, 304
- Sign, of number, 295**
- Simple attribute values, 87**
- Simple content, 84, 405, 408**
 - and attribute types, 85
 - constraint with regular expressions, 381–384
 - lexically constrained values, 84
- Simple Object Access Protocol (SOAP), 557**
 - references on, 762
 - sample of, 762–763
- Simple type, 11, 79, 358, 936**
 - adding attributes to, 231–233
 - annotations in, 396
 - anonymous, 208
 - base type definition of, 394–395
 - blocking of, 208
 - constraining facets of, 88–89, 205
 - custom, 89
 - defined, 935
 - derivation data of, 394
 - derivation from token datatype, 202–203
 - derivation from user-derived simple type, 204
 - derivation by restriction, 89
 - examples of, 202–204, 207
 - functions of, 407
 - global vs. local, 208
 - instantiability of, 101, 240
 - lexical space of, 202, 206
 - list in, 91
 - mapping to database schema, 675–677
 - mapping to object-oriented language, 520
 - name of, 394
 - non-instantiable, 207–208
 - pattern-constrained, 203
 - redefined, 133
 - and relational databases, 674–677
 - structure of, 204
 - union in, 91, 690–697
 - value space of, 202, 205–206
- Simple-API-for-XML (SAX)-compliant token, 28**
- simpleContent element, 244, 245, 255, 865**
 - attributes of, 256
 - content options for, 256–258
 - and relational database, 738
- simpleSchema.xsd example file, 106**
- simpleType content option for schema element, 116**
- simpleType element, 84, 208, 865**
 - attributes of, 208–211
 - constraining facets of, 212
 - content options for, 211
- Single character escape (regular expression), 366–367**
 - examples of, 367
- Sinhala Unicode character block, 371**
- Sk Unicode character category, 365**
- Skip validation, 415**
- Sm Unicode character category, 365**
- SmallFormVariants Unicode character block, 373**
- So Unicode character category, 365**
- SOAP (Simple Object Access Protocol), 557**
 - references on, 762
 - sample of, 762–763
 - XML subproject, 428
- SoftModeler (Softera), 24**
- SOM (Schema Object Model), 474**
 - advantages and disadvantages of, 488
 - creating schemas using, 488
 - interfaces of, 483–488
 - structure of, 485
- source attribute**
 - of appinfo element, 119–120
 - of documentation element, 121
- Sovereign application, 561**
- SpacingModifierLetters Unicode character block, 370**
- Specials Unicode character block, 373**
- Specified property, of attribute information item, 64**
- SQL 2000, 767**
 - template-based queries in, 769
 - XML support in, 768, 815
- SQL XML View Mapper, 816–819**

SQLXML3 (Microsoft), 815, 818, 819
 Configure IIS Support tool in, 824–829

Standard Time, 310

Start-tag, 14, 29, 930
 of concrete element, 59

STL (Standard Template Library), 534

strict keyword, importance of, 632

Strict validation, 415

String
 as datatype, 89
 length of, 589
 treatment in relational database, 589

string datatype, 89
 alternatives to, 317
 constraining facets of, 317
 datatypes derived from, 317–322
 derivation relationships of, 317
 use of, 316–317

String datatypes, 316
 constraining facets of, 317, 320
 derivation relationships of, 317, 320
 treatment in relational database, 589
 use of, 316–317

string-derived datatypes, 318–319
 alternatives, 320
 constraining facets of, 320
 derivation relationships of, 320
 magic, 321–322

Structure type, 11, 66, 935
 element type and, 138

Stylesheet, 551

Subelement, 930
 immediate, 60, 930

Subelement sequence, 52

substGroup.xsd example file, 142–143, 144–146

Substitution group, 99–100, 139, 389, 398
 in derived type, 142–143
 of element type, 398
 examples of, 139–141, 153–156
 features of, 141
 potential, 398

substitution value, in blockDefault attribute, 109

substitutionGroup attribute of element element, 149, 166

Subtraction, character class, 380

Superclass, 12

SuperscriptsandSubscripts Unicode character block, 371

Supporting Database Sequence Schema explanation, 153–156, 241–243
 complete listing, 899–900

Supporting Pricing Schema Document explanation, 176–177, 207, 230–233, 238–240, 257–258, 274, 282–289
 complete listing, 895–899

Syriac Unicode character block, 370

SYS.AnyData Oracle type, 903

SYS.AnyData type database mapping, 702–705
 column inserts in, 704
 column retrieval in, 705

SYS.UriType Oracle type, 903

system attribute, of notation element, 130, 132

T

Tags Unicode character block, 373

Tamil Unicode character block, 370

Target namespace, 17, 80

Target node set, in XML validation, 339

targetNamespace attribute, 42, 80
 of schema element, 108, 112

Teach Yourself UML in 24 Hours, 760

T_EX-based systems, 552–553.

Telugu Unicode character block, 370

Template files, 824
 use of, 845, 846

Template-based queries, 769, 824
 implementation of, 851–952

Terminology, questions of, 11–12

Testing, using schemas, 764

TestShapeTrue.xml example file, 578–579

Text editors, 24

Text interface (DOM), 443

TextSerializer class (DOM and SAX), 446

Thaana Unicode character block, 370

Thai Unicode character block, 371

Thematic Address Schema Document. See address.xsd.

Thematic Catalog Schema Document. See catalog.xsd.

Tibetan Unicode character block, 371

time datatype, 913–915
 constraining facets of, 655–658
 and relational database, 6654–658

Time line, 304–305**Time zones, 308–310, 902**

treatment in relational database, 590, 641, 646

Time-line-based datatypes

constraining facets of, 310
derivation relationships of, 311

integralization of, 307–308

ordering of, 310, 311

syntax of, 306

time zones and, 308–310

using, 306–307

TIMESTAMP datatype, 637, 902**Token, 28**

output, 29

parsing-event, 31

token datatype, 84, 317

derivation of, 318, 320
and relational database, 603–604

simple type derived from, 202–203

treatment of whitespace in, 319

use of, 320, 329

tokenAttribute attribute, 85, 88**tokenElement element, 85, 88****totalDigits constraining facet, 90, 625****TRACE, HTTP verb, 565****Transport protocols, 563–569**

for input and output, 557

TreeView Xerces sample class, 433**TreeWalker interface (DOM), 444****Triggers**

vs. check constraints, 598

for picklist table, 595–597

Type

avoiding use of term, 66

defined, 389

types of, 11, 926, 935

See also Complex type;
Simple type.

type attribute, 81, 84

of attribute element, 182, 188

of element element, 149

Type generator, 926**Type name, 396**

of attribute, 931

of element, 14, 15, 16, 81,
389, 930

types element, 571**U****UIBroker, 842**

function of, 842, 845–846

implementation of, 842,
843–844

UML (Unified Modeling Language), 760

component model of, 837

UML-style editing tools, 24**Unexpanded entity preference information item, 62****Unicode Regular Expression Guidelines, 359****Unicode Standard, 359, 873–876**

character blocks in, 370–373

character references in, 374

Unified Modeling Language (UML), 760

component model of, 837

UnifiedCanadianAboriginalSyllabics Unicode character block, 371**Uniform Record Locator. *See* URL.****Uniform Resource Name, 36, 37****union element, 91, 221, 865**

attributes of, 223–226

constraining facets of, 227,
706

content options for, 226

of enumerations, 690–694

examples of, 221–223,
225–226, 227

multiple column database

mapping of, 697–702

and relational databases, 675,
690–706

single column database mapping of, 696–697

of single-valued simple types,
694–696

SYS.AnyData type mapping of, 702–705

unionExamples.xsd example file, 225–226, 227**unique element, 101, 342, 343, 408, 865**

attributes of, 344–345

content options for, 345–346

example of, 344

function of, 343–344

Uniqueness

aspects of, 343

enforcing with identity constraints, 342

UNISTR function, 903**Unparsed entity declaration, 321****Unparsed entity information item, 62****Unqualified**

attribute, 39, 181

element, 147

name, 38, 79

unsignedByte datatype, 302

constraining facets of,

303–304

derivation relationships of,

304

and relational database, 631

use of, 302, 303, 304

unsignedInt datatype, 297, 302

constraining facets of,
 303–304
 derivation relationships of,
 304
 and relational database, 630
 use of, 302, 303, 304
unsignedLong datatype, 297, 302
 constraining facets of,
 303–304
 derivation relationships of,
 304
 and relational database, 630
 use of, 302, 303, 304
unsignedShort datatype, 297, 302
 constraining facets of,
 303–304
 derivation relationships of,
 304
 and relational database, 631
 use of, 302, 303, 304
Updategrams, 832–833
URI, 36
 creating, 37
 namespace, 39
URI class (Xerces), 446
URL (Uniform Record Locator), 36
 to locate schema and components, 103
 RFCs about, 37
 using RDDL with, 37–38
URL Schema Validation Service, 771
URN (Uniform Resource Name), 36
 RFCs about, 37
use attribute, of attribute element, 182, 189
 values for, 189–190
UTF-8, 598, 902
UTF-16, 598, 902
UTL_ENCODE PL/SQL package, 902

V

Valid document, 936
validateOnParse property, in DOMDocument40, 478
Validation, 414, 849–850
 catching errors in, 851
 defined, 389
 of list element, 683, 685, 686
 in MSXML, 488–493
 results of, 416
 schemas for, 558
 types of, 414–415
Validation root, 414, 415
Validator, 30, 32, 332
Value, defined, 931
Value constraint, 389
 on attribute type, 393
 on element type, 397
Value model, 389
Value space, 294
 of simple type, 202, 205–206
VARCHAR datatype, 902
VARCHAR2 datatype, 598, 599
 use of, 600
Variety, of simple type, 395
VBScript, 581
version attribute, of schema element, 108, 112–113
Visual Basic
 use with MSXML, 475
 XML implementation using, 530–533
Visual Studio .NET, 770, 788
 table creation using, 811–812
 Web page views of, 840
Vlissides, John, 527

W

Web Services Definition Language (WDSL), 569
 described, 570

 files, 824
 using, 571–572
Web tier, 775
 construction of, 838–842
 views of, 840
Well-formed XML document, defined, 929
Whitespace character
 in strings, 318–319
 treatment of, 67
 treatment in relational database, 589
whiteSpace constraining facet, 90, 220
 characteristics of, 317
 and relational database, 597
Wildcard
 attribute, 88, 174
 element, 87, 407
 properties of, 404
 uses of, 407
Wildcard escape (regular expressions), 369, 377
Wilson, Flip, 550
World Wide Web Consortium (W3C)
 Infoset Recommendation of, 8–9, 58, 59, 61
 Namespace Recommendation of, 8, 36
 Schema Recommendation of, 9–10, 26
World Wide Web Consortium (continued)
 XML Recommendation of, 7–8
 XPath Recommendation of, 9, 46
Writer Xerces sample class (SAX), 433

X

- Xalan, Apache XML subproject, 428**
- Xang, Apache XML subproject, 428**
- XDR (XML Data Reduced), Microsoft, 474, 811**
schemas, 818
- Xerces, 781**
- Xerces Java XML parser, 428**
content handler interface of, 459–469
document interface of, 447–449
downloading, 430–431
element interface of, 452–454
exceptions in, 441
package contents, 431–432
running, 432–435
sample classes in package, 433
versions of, 429
- Xerces Native Interface (XNI), 429**
- XHTMLSerializer class (DOM and SAX), 446**
- XLink Recommendation, 38**
xlink:arcrole attribute, 38
xlink:href attribute, 38
- XML**
characteristics of, 4–5
context-based markup, 542
conversion to, 763–764
Data Reduced (XDR), Microsoft, 474, 811, 818
declarations in, 8
document analysis for, 544–548
document processing in, 548–553
documents in, 542–544
DTDs, 932–936
mapping to relational databases, 815–823
Microsoft compatibility of, 472–504
and object-oriented programming, 508–539
parsing, 30
reduced versions of, 474
and SQL 2000, 767–770
subprojects of, 428
XSLT and, 766, 767
- XML application**
architecture of, 556
business logic of, 557
described using schemas, 560, 569–572
client code in, 575–580
defined, 937
example of, 572–583
input and output for, 557
role of schemas in, 558
scripting languages and, 557
server code in, 580–583
structure of, 561–563
transport protocols and, 563–569
- XML document**
defined, 927
DTD-valid, 936
insertion of bit strings into, 325–327
schema-valid, 936
structure of, 32–33
valid, 936
well-formed, 929
- XML document information item, 31**
- XML information set (infoset), 33**
characteristics of, 61, 66–67
defined, 928
importance of, 61
structure of, 61
- XML instance, 12**
defined, 927–928
example of, 77–78
namespace and, 80–81
quantity of elements in, 276, 279
validating, 24–25
- XML Parser 4.0 (Microsoft), 576, 580. See also MSXML (Microsoft XML Core Services).**
- XML Recommendation, of W3C, 7–8**
- XML representation, defined, 19**
- XML schema. See Schema; XML schema document.**
- XML schema document, 5**
characteristics of, 70–71
creating, 24–25
defined, 34
documenting, 82–83
editing, 24
element IDs for, 103
elements of, 70
examples of, 76–77, 106
imports and includes in, 102–103
locating, 103
notations in, 102
processing, 34
validating, 18, 24–25
- XML Spy (Altova), 24, 771**
sample creation facility of, 794–795
table creation using, 812–814
validation using, 780, 788
XDR mapping schemas using, 818
- XML validator, 12, 936**
- xml:lang attribute**
of documentation element, 121, 122
of schema element, 108, 113
- XMLFilter interface (SAX), 444**
- XMLFilterImpl class (SAX), 445**
- XMLHTTP object, 576–577**
xmlns attribute, 79

- of schema element, 108, 113–114
- XMLReader interface (SAX), 444**
- XMLReaderAdaptor class (SAX), 445**
- XMLReaderFactory class (SAX), 445**
- XMLSerializer class (DOM), 438, 446**
- XNI (Xerces Native Interface), 429**
- XPath**
 - defined, 937
 - evaluation of, 46, 48
 - and identity constraints, 49–50, 340
 - to locate schemas, 53
 - location paths of, 47
 - XPointer extensions to, 53
- xpath attribute, of field element, 355–356**
- XPath queries, executing, 824**
- XPath Recommendation, of W3C, 9, 46**
- XPointer, 46, 51**
 - examples of, 55
 - function of, 47
 - to locate schemas, 53
 - and namespaces, 51–52
- XPointer Recommendation, 46**
- xsd.exe, 536**
- xsi:type attribute, 240, 244**
- XSL (Extensible Stylesheet Language), 552, 553**
- XSL Transformations (XSLT), 552**
 - advantages of, 765
 - business uses for, 766, 767
 - characteristics of, 764–766, 800
 - conversion of XML to relational data, 766, 767
 - debugging templates in, 771
 - HTML creation in, 795–800
 - using System.XML classes, 846

Y

- YiRadicals Unicode character block, 372**
- YiSyllables Unicode character block, 372**

Z

- Z Unicode character category, 365**
- zip format, 431**
- ZI Unicode character category, 365**
- Zp Unicode character category, 365**
- Zs Unicode character category, 365**