

Index

NOTE: Page references followed by *f* and *t* indicate figures and tables, respectively.

A

- Abstract classes, 34–36
 - code implementations and, 59
 - defining, 34–35
 - vs.* interfaces, 59–60
 - in Remoting, 222
 - use of, 34
 - virtual, 107
- Abstract factory pattern, 555
- Abstract members, 35
- Abstract methods, 60
- AcceptChanges**, in **DataSet** update, 371
- Access Control List (ACL), users
 - added to, 449–454
- Access member, invocation of, 9
- Access modifiers
 - default, 26
 - definition of, 24
 - in information hiding, 27, 43–45
 - in interfaces, 49
 - rules for, 26, 44–45
 - using, 24–26
- ACL (Access Control List), users
 - added to, 449–454
- Activator** class, instance created with, 94–95
- ActiveX controls
 - importing, 214, 215*f*, 216*f*
 - smart-updating of, 349–350
- Adapter
 - DataSet** use of, 360–362
 - for parameterized values, 368
 - in stored procedures, 388
- Adapting pattern, 46
- AddHandler** statement, 74–75
- Add** method, in returning typed collection, 485, 486*f*
- AddNew** method, 381, 386
- ADO.NET
 - about, 351–352
 - command builder in, for SQL generation, 367–368
 - command objects in, 366–367
 - database connections in, 353–360
 - database relationships in, 364–366
 - DataReader** class in, 362–363
 - DataSet** in, 360–362
 - adding data to, 371–373
 - filtering and sorting, 373–376
 - updating, 369–371
 - DataTable** in, 363–364
 - DataGridView** in, 363–364
 - updating, 380–387
 - fundamentals of, 352–353
 - inheritance from, 385
 - interfaces in, 554–555
 - programming with, 421–422
 - provider classes for, 352–353
 - stored procedures in,
 - programming with, 387–403
 - transactions in, 407–410
- Aggregation
 - definition of, 28
 - vs.* inheritance, 45–48
 - relationship in, 45
- Algorithm, interfaces and, 577
- AllowDelete** property, 380
- AllowEdit** property, 380
- AllowNew** property, 380
- AllowPaging** property, 572
- AllowSorting** property, 573
- Application caching, *vs.* session caching, 531
- Application configuration file
 - Boolean switch defined in, 626–627
 - for server application, 232–233
- Application domain, Remoting and, 229
- Application domain security policy, 648
- Application-level event handlers, 516–518
- Application loader
 - generic, 336–337
 - for thin clients, 323–324
- Application log, definition of, 628
- Application state, use of, 519
- appSettings**, connection string externalized with, 385, 552
- Array
 - binding to **DataGrid**, 574–577
 - sorting, **IComparer** for, 577–579
 - typed collection as, 481–482
- ArrayList**, in binding, 110, 112
- .asmx** file
 - copying, 444
 - for Web Service, 441, 462, 462*f*
- ASP, migration from, 685–686
- ASP.NET
 - caching in, 518–540
 - cascading style sheets in, 494–497
 - debugging in, 635–636
 - reenabling, 357, 358*f*
 - event handlers in, application level, 516–518
 - user controls in, 503–516
 - Web service application in, 436, 436*f*
- ASP.NET applications, screen layout for, designing, 492–503

694 Index

- Assembly(ies)
 - consuming, in VB6, 205–207, 206f
 - conversion of, to type library, 203–205
 - in copy-and-paste deployment, 323–324
 - definitions of, 132
 - downloading, 470
 - permissions for, 653–655, 653f, 655f
 - fat objects and, 477–478
 - IL code in, 125–126
 - metadata in, 126
 - for policy, 652
 - registration of, 203–204
 - in Remoting, 225–229, 225f
 - sandboxing, for testing, 664–665, 665f
 - security asserts and, 663
 - in thin client, 326–327
 - downloading, 334
 - security and, 333–334, 333f
 - unregistration of, 205
- Assembly attributes
 - for application information, 132–141, 136f
 - reading, Reflection for, 132–136
 - using, 132–133
- AssemblyAttributeVersion, Reflecting, 137
- Assembly class
 - loading, at runtime, 91–93
 - in thin client, 326
- Assembly keyword, 132
- Assert method
 - behavior of, 665–669
 - in Code Access Security, 663–669, 671
 - for debugging, 615, 617–618, 618f
- Association, definition of, 28
- Asynchronous behavior
 - completing, 164–167
 - execution of, 161
 - for file operations, 169–170
 - in .NET framework, 167–171
 - programming, 163–164
 - vs. Timer control, 170–171
 - Web method and, 488
 - for XML Web Services, 167–169, 433, 486–489
- Asynchronous Remoting, 261
- @ blocks, in cascading style sheets, 497
- @ prefix, 393
- Attribute(s). *See also* DefaultMemberAttribute
 - applying, 127–132
 - for bitmap association, 274
 - classes and, 126
 - of controls, modifying programmatically, 502–503
 - conventions for, 126–127
 - custom
 - creating, 141–143
 - Reflection of, 113–114
 - emitting
 - with CodeDom classes, 153–157
 - to IL, 150–153, 150f
 - of HTML tables, 493
 - notation for, 127
 - parameters for, 127
 - Reflection of, 144–150
 - custom, 113–114
 - security and, 157
 - usage of, specifying, 141–143
 - in VB6, 66
- Attributes collection, 503
- Attribute suffix, 127
- AttributeTargets, 132
- Authentication
 - cookies for, 548
 - for Web applications, 546–548
 - in Web.config, 446, 448, 547
- Authorization, in Web.config, 454–456
- Automatic navigation, Reflection for, 112
- Automation Model, for debugging, 641
- AutoResetEvent, for blocking, 173, 178
- Autos window, for debugging, 605
- Available Mbytes counter, 633
- aximp.exe, 214, 215f, 216f
- B**
- Base class. *See* parent class
- Base class libraries (BCL), 574
- BeginInvoke method
 - for asynchronous behavior, 163
 - for asynchronous Remoting, 261
 - for file read, 170
 - IAAsyncResult and, 165
 - Windows Form controls and, 180
- Begin method
 - for asynchronous behavior, 170
 - in Web methods, 486–487
- Bézier curves, 39
- Binary assemblies, downloading, 470
- Binder class
 - about, 99
 - ArrayList and, 110, 112
 - custom, 107–109
 - inheritance in, 99, 107–109
- Binding. *See* data binding
- BindingFlags enumerator, in Reflection, 101–102
 - of nonpublic fields, 106
 - properties and, 104
 - of public fields, 105
- Bitmap, for custom control, 273–276, 275f, 276f
- Black-box testing, of Web Services, 439–440
- Blocking
 - in assembly loading, 92–93
 - AutoResetEvent for, 173, 178
 - with EndInvoke, 165–166
 - ManualResetEvent for, 173, 178
 - with resource protection block, 363, 402
 - with WaitHandle objects, 166–167
- Boolean switches, debug code managed with, 625–628
- Bound columns. *See* columns, binding
- Boxing, 6, 10–13, 12f
- Brackets, for keywords, 92
- Breakpoints
 - conditional, 612, 613f
 - managing, 611–613, 612f, 613f
 - in Web applications, 637
- BrowsableAttribute, 284, 287–288
- Build-and-browse menu, for Web Services testing, 440–441
- Builder classes, 115–116, 121
 - for emitting IL, 152
- By-reference objects
 - vs. by-value objects, 248
 - event handler attached to, 254
 - for Remoting, 223–239
- Byte code, in Java language, 29
- By-value classes, as by-value objects, 239–242

- By-value objects
vs. by-reference objects, 248
 for Remoting, 239–248
 revising for, 242–243
- C**
- cache class, 537
- Caching. *See also* session caching
 HttpApplicationState class in,
 519–530
 importance of, 518
 of objects, 518–540
 session *vs.* application, 531
- calculate method, synchronous call
 to, 161–163
- Calculator, code for, 594–604
- Callback function, 73–74
 delegates and, 74, 82
- Call stack, security asserts for, 663
- Call Stack window, for debugging,
 608, 609*f*
- cancelEdit method, 381, 386
- canConvertFrom, 304–305
- canConvertTo, 304–306
- canExtend, 313
- CAO. *See* Client-Activated Objects
- Cascading style sheets, for ASP.NET
 pages, 494–497
- Case-sensitivity, in Visual Basic
 .NET, 14
- caspol.exe, 338, 649–650, 650*f*
- catch block, 92–93
- CCW. *See* COM callable wrapper
- Channel
 for client, 231, 255
 for server, 230, 256
- Character encoding, 170
- Child class
 definition of, 28
 inheritance of, 33
 reason for, 33
 synonyms for, 32
- Class(es), 8–10. *See also* Metaclasses
 abstract (*See* abstract classes)
 access modifiers for, 26
 attributes and, 126
 Code Access Security for, 647
 control and, 19
 definition of, 5–6, 8, 27
 event declared in, 80–81
 event implementation in, 23
 exposing to COM, interfaces for,
 211
 in imported COM code, 194–195
 inheritance of, 33–34
 instantiating, 9
 nested, 79, 417
vs. objects, 9
 proxy (*See* proxy class)
 public members in, 28, 43
 support in, 8, 13
 threading and, 174–175
- Class(es), in cascading style sheets,
 497
- Class header, in inheritance
 statement, 33
- class_initialize method, *vs.*
 constructors, 17
- ClassInterfaceAttribute, 211
- Class library
 COM, debugging, 216–217, 217*f*
 creating, 202–203
 debugging, 217–218
 Toolbox and, 271
- Client, remote
 channel for, 231, 255
 event handlers on, 249
 requests from, 229–232
 revising, for by-value objects,
 242–243
 server and, relationship between,
 232*f*
- Client-Activated Objects (CAO)
 implementation of, 237–239
 for Remoting, 234–239
 Server-Activated Objects *vs.*, 235
 server for, 235–236
- Client application, 224–225, 225*f*
 configuration file for, 255–256
 event registration by, 256
 implementation of, 237–239,
 256–259
 migration of, from VisualBasic 6,
 677–678, 678*f*–685*f*
 Web shared directory for, 325
- CLR. *See* Common Language
 Runtime
- CLS (Common Language
 Specification), 5
- Code, managed *vs.* unmanaged, 646
- Code Access Security
 about, 645–646
 attributes and, 157
 demands in, 660–663
 Windows security and,
 645–646
- CodeDOM
 attributes emitted with, 153–157
 dynamically loaded controls and,
 510–511
 source code from, 413
 WSDL and, 469
- Code Editor, event handlers in, 67
- Code generators, 153–156
- Code group
 managing programmatically,
 341–344
 in runtime security policy, 652
 security permissions for, 338–341,
 339*f*, 340*f*
- Code implementations
 abstract classes and, 59
 interfaces and, 49, 59
- Code testing. *See* testing
- Collection
 indexer in, 479, 481–482
 strongly typed
 about, 479–482
 implementation of, 479–480,
 519–522
 navigation links as, 508–510
 returning, 478–486
 serialization of, 482–485
 storing, in application cache,
 523–524
 typed, 479
 as array, 481–482
- ColorInfo class, 516–518
- Columns
 binding, to DataGrid, 569–571,
 570*f*, 571*f*
 template, 586–588
- COM (Common Object Model)
 calling from .NET, 188–202
 calling .NET from, 202–213
 early bound, 194–196
 exposing delegates to, 207–210
 exposing types to, 203–205
 debugging and, 217–218
 imported, 191–196, 194*f*
 late bound, 197–198
 parameterized constructors and,
 202
 support for (*See* COM Interop)
 test object in, 189–191
 viewing, 191, 192*f*
- COM callable wrapper (CCW),
 202
 exporting to, 211–213, 212*f*

696 Index

- COM class libraries, debugging, 216–217, 217*f*
- COM Class template, 211–213, 212*f*
- COM components, smart-updating of, 349–350
- COM events
 consuming, 198–202, 200*f*
 delegates for, 198–200, 200*f*
 multicast, 200–202
- COM Interop
 attributes for, 210–211
 for calling .NET code, 202
 debugging, 214–218
 error handling in, 213–214
 migration with, 674
- Command builder
 for DataSet updating, 369–371
 SQL generated with, 367–368
- Command objects
 DataSet filled by, 366–367
 in stored procedures, 387–388
- Command window, for debugging, 609–611, 610*f*
- Common Language Runtime (CLR)
 inheritance of, 31
 managed code and, 646
- Common Language Specification (CLS), 5
- Common Object Model. *See* COM
- Compiled regular expressions, 117–118
 emitting dynamically, 122–123
- Compiler, *vs.* IL, 126
- Complex type
 flattening, 468
 implementation of, 463–466
- ComponentDesigner class, 317
- Components, *vs.* controls, 264
- Components, custom
 implementation of, 264–267
 inheritance in, 264
 testing, 270–271, 271*f*
- Composite user control
 data binding and, 581
 defining, 579–582
 definition of, 503
 implementation of, 580–581, 580*f*
 repeating, DataSet for, 579–585
 Web page with, 582–585, 583*f*
- Composition. *See* aggregation
- ComRegisterFunctionAttribute, 210
- ComUnregisterFunctionAttribute, 210
- ComVisibilityAttribute, 210–211
- ConditionalAttribute, for connection testing, 556–557
- Conditional breakpoints, 612, 613*f*
- Configuration file
 for client application, 255–256
 for connection string, 356–357
 for security policy, modifying, 649
 for server application, 232–233
 for server registration, 233–234
 for Web Services, default, 445–446, 446–448
 for Windows applications, Boolean switch defined in, 626–627
- Configuration utility, for security management, 338–341, 339*f*, 340*f*, 651
- Connection
 to database, 551–557
 DataSet use of, 360, 371
 security and, 671
- Connection pooling, in .NET, 359
- Connection string
 centralizing, 554
 contextual wrapper for, 358–359
 database providers in, 354, 379
 defining, 354–356, 355*f*
 externalizing, 552
 with appSettings, 385
 reading, 357, 553
 for SQL server, defining, 390–391, 391*f*
 storing, 356–357
 testing, 358–360, 555–556
 in Web.config file, 552–553
- Constructor(s)
 adding, 17–19
 arguments passed to, 98
 definition of, 17
 for deserialization, 244, 247–248
 dynamically invoking, 95–98
 inherited, 42–43
 parameterized, 18–19
 COM and, 202
 for Remoting, 237
 UserControl object and, 48
- Consumer, of Web Service, implementation of, 469–471
- Contract, for interfaces, 49
- Control. *See also* control, custom; user control; Windows control
 attributes of, modifying
 programmatically, 502–503
 binding, to methods, 527
vs. components, 264
 composite (*See* composite user control)
 position of, HTML tables for, 492–494
 properties bound to, Reflection in, 110, 111*f*
 source code for, 270
 style applied to, 501–502
- Control, custom
 adding to Toolbox, 271–273, 272*f*, 273*f*, 274*f*
 attributes of, 283–288
 bitmap for, 273–276, 275*f*, 276*f*
 documentation for, 277–278, 277*f*
 implementation of, 267–271
 properties of
 categorizing, 293–294, 294*f*
 default value for, 293
 editing, 288
 type conversion for, 294–310
 testing, 270–271, 271*f*
 type editor for, 288–293
 for Web, 320–321
- ControlDesigner class, 314–317
- ControlHintAttribute, 143, 144, 148–149
- ConvertFrom, 304–305
- ConvertTo, 304–306
- Cookies
 for authentication, 548
 session ID and, 532, 534, 534*f*
 use of, 537–538
- Copy-and-paste deployment, 323–324
- Copy Project, for Web Service deployment, 442, 442*f*
- CreateInstance, 326
- Custom attributes
 creating, 141–143
 Reflection of, 113–114
- Custom binder, implementation of, 107–109
- Custom components. *See* components, custom
- Custom control. *See* control, custom

- Custom event log
 - for debugging, 264–267, 628–631
 - information sent to, 631, 632*f*
- Custom log, definition of, 628
- Custom user control. *See* user control, custom
- D**
- Database
 - connections to, 551–557
 - in ADO.NET, 353–360
 - simultaneous, 351
 - relational
 - normalization of, 407
 - object-oriented systems and, 478
- Database class, interfaces for
 - defining, 553–555
- Database providers
 - for ADO.NET, 352–353
 - in connection string, 354, 379
 - interfaces and, 422, 555
- Database relationships, defining, 364–366
- Data binding
 - composite user control and, 581
 - to custom user control, 281–283
 - early, for COM objects, 194–196
 - in HTML editor, 568–569
 - late
 - for COM objects, 197–198
 - definition of, 88
 - disadvantages of, 198
 - `Option Strict On` and, 89–90
 - in Reflection, 87–90
 - for multi-value Web controls, 569–571
 - serialization for, 575
 - for single-value Web controls, 562–569, 563*f*
- DataGrid
 - for adding data, 371
 - binding array object to, 574–577
 - binding data to, 569
 - bound columns of, 569–571, 570*f*, 571*f*
 - changes to, 371
 - CRUD operations performed by, 386
 - dynamically loaded, 513–514, 513*f*
 - for paging, 572–573, 574*f*, 587, 587*f*
 - for sorting, 573–579, 574*f*
- Data Link properties, for connection string, 355, 355*f*
- DataList control
 - binding data to, 569, 581–582
 - for navigation links, 505
 - for repeating composite controls, 579–585
 - for repeating user controls, 527–530
 - template for, 528, 528*f*
 - Web page with, 582–585, 583*f*
- DataReader class, use of, 362–363
- DataRelation object
 - in DataSet, 380
 - for relationship defining, 363, 364–366
 - version of, 360
- DataRow object
 - in filtering, 376
 - in sorting, 376
- DataSet class (object???)
 - adding data to, 371–373
 - as base class for object, 478
 - command objects and, 366–367
 - connection of, 360, 371
 - database providers and, 353
 - DataTable and, 363–364
 - filtering, 373–376
 - sorting, 373–376
- DataSet object (class???)
 - fat, 477
 - filling, with adapter, 360–362
 - inheritance from, 385
 - returning, 470–477
 - serialization into, 471–474
 - serialization of, 419–421
 - storing, in session cache, 535–536
 - typed, 372
 - creating, 410–419
 - generating, 414–417, 416*f*
 - initializing, 417–419
 - multiple tables added to, 412–413
 - programming with, 417–419
 - updating, 369–371
 - version of, 360
- Data source, in connection string, 354
- DataSource property, in data binding, 569
- DataTable object
 - in DataSet, 380
 - default data view in, 380
 - definition of, 361
 - filtering with, 376
 - inheritance from, 385
 - row added to, 371–373
 - sorting with, 376
 - use of, 363–364
 - version of, 360
- Data view
 - custom, 558–561, 561*f*
 - default
 - binding to data grid, 557–558, 558*f*
 - in DataTable, 380
- DataView class, 380, 557–561
- DataView control, binding data to, 562–568, 567*f*
- DataView object
 - filtering, 373–376
 - sorting, 373–376
 - updating, 380–387
 - use of, 363–364
 - version of, 360
- DateTime variable, 7
- Davis, Phillip, 311
- DbType property, 393–394
- DCOM, configuring, for stored procedure debugging, 405, 406
- Deadlock, in multithreading, 177
- Debug class, 614–615
- Debugger
 - integrated, 438–439, 440*f*, 441*f*
 - non-integrated, 642
- Debugging
 - application event log for, 628–631
 - in ASP.NET, reenabling, 357, 358*f*
 - `Assert` method for, 615, 617–618, 618*f*
 - Automation Model for, 641
 - Autos window for, 605
 - Boolean switches for, 625–628
 - Call Stack window for, 608, 609*f*
 - in COM Interop, 214–218
 - Command window for, 609–611, 610*f*
 - Disassembly window for, 608, 609
 - event log for, 264
 - guidelines for, 403

- Debugging, *continued*
- Immediate window for, 609–611
 - Locals window for, 605
 - Memory window for, 608
 - of multi-language applications, 638–641
 - Output window for, 611
 - performance counters for, 631–634
 - practice code for, 594–604
 - Process class for, 634–635
 - QuickWatch window for, 606, 607*f*
 - of running processes, 635–636
 - of stored procedures, 403–407
 - Trace class for, 618–619
 - Watch window for, 605, 606–607, 608*f*
 - of Web application, 636–638
 - of Windows application, 636–637
 - of XML Web Services, 438–441
- Debugging Object Model, 641
- DEBUG token, for connection testing, 556, 556*f*
- Declaration, in style block, 498
- Declarative caching, 539
- Declarative security
- advantages of, 659
 - attributes and, 157
 - definition of, 656
 - exceptions in, 658, 658*f*
 - vs.* imperative security, 655–660
- DefaultBinder property, 99
- Default data view, in `DataTable`, 380
- DefaultMemberAttribute, 99–100, 128–129
- Default modifier, 129–130
- Default properties, 319–320
- DefaultPropertyAttribute, 129, 320
- DefaultTraceListener, 619
- Default value
- for control properties, 293
 - in Reflection, 292
- DefaultValueAttribute, 292
- Dehydrated classes, 477
- Delegate(s)
- for asynchronous Remoting, 261
 - callback function and, 74, 82
 - for COM events, 198–200, 200*f*
 - multicast, 200–202
 - consuming, in COM, 209–210
 - conversion of, to COM connection points, 207–209
 - creating, 83
 - defining, 83–84
 - definition of, 63, 82
 - events as, 80–81
 - existing, 84–85
 - exposing to COM, 207–210
 - vs.* method heading, 83
 - multicast, 200–202
 - for multithreading, 171–172, 178
 - procedure signature and, 84
 - Remote events and, 249
 - use of, 82–83
- Delegate class, 22–23
- Delete method, 386
- Demand method, 660–663
- Deny action, 669
- Derived class. *See* child class
- DescriptionAttribute, for custom control, 277, 277*f*
- Deserialization
- automatic, 242–243
 - constructor for, 244
 - GetObjectData and, 485
- Designer, for Windows control, 314–319, 317*f*, 318*f*
- DesignerAttribute, 317
- DesignerSerializationVisibilityAttribute, 283–284, 285–287
- Design patterns
- abstract factory, 555
 - definition of, 524
 - interfaces as, 422
 - Iterator pattern, 50
 - purpose of, 46
- Design time
- event handler association at, 73
 - type conversions at, 307–310
- Deterministic memory management, 20
- Diagnostics namespace, 614–615
- dim statement, for variables, 3–4
- Disassembly window, for debugging, 608, 609
- Discovery (.DISCO) files
- definition of, 428
 - in Web Service deployment, 444–445
- Dispose method
- implementation of, 21–22
 - overloading, 22
- DLL file, for Web Service, 167, 441, 444
- Document Outline, for cascading style sheets, 496–498, 497*f*
- Document Styles, for linking style sheets, 501, 502*f*
- Dot operator (.)
- access member invocation with, 9
 - Intellisense and, 4
 - operation invocation with, 9
- Dynamic filtering, 373–376
- Dynamic sort behavior, 373–376
- callback function for, 76–80
- E**
- Early binding, for COM objects, 194–196
- Edit and continue behavior, 614
- EditorAttribute, 292
- EditorBrowsableAttribute, 283–285, 285*f*, 286*f*
- EditValue, 291–292
- Elements, in cascading style sheets, 497
- Emitting code
- for attributes, 150–153, 150*f*
 - benefits of, 118
 - at runtime, 114–123, 115*f*
- Encapsulation
- definition of, 27
 - MyBase keyword and, 37
- EndEdit method, 381, 386
- EndInvoke method
- for asynchronous Remoting, 261
 - blocking with, 165–166
 - Windows Form controls and, 180
- End method
- for asynchronous behavior, 170
 - in Web methods, 486–487
- Enterprise security policy, 649
- Enumeration, abstract classes and, 35
- Enum method, code for, 16
- Equality testing, of structures, 8
- Error handling, in COM Interop, 213–214
- Event(s)
- access modifiers for, 26
 - adding, 22–24
 - as delegate, 80–81
 - handling, 23–24 (*See also* event handler)
 - in interfaces, adding, 55–56

- multiple, event handler for, 68–69, 71–72
- multiple handlers for, 72
- Reflection of, 109–110
- remote
 - behavior of, 250
 - handling, 249–259
 - invoking, 250–259
 - registration of, 256
- return types and, 80
- in Windows operating system, 63
- EventArgs** argument, 70–71, 84
- Event handler**
 - AddHandler** statement for, 74–75
 - application level, 516–518
 - association of
 - at design time, 73
 - at runtime, 73, 75–80
 - for by-reference objects, 254
 - on client, remote, 249
 - in Code Editor, 67, 68*f*
 - coding, habits for, 71–72
 - for extender provider, 313–314
 - in Form Designer, 64–67
 - generating, 24, 25*f*
 - method inheritance and, 67, 68*f*
 - multiple, 72
 - for multiple events, 68–69, 71–72
 - for paging, 572–573
 - for Remoting, 258
 - signature for, 67, 74
 - for sorting, 573–574
 - thread for, 259
 - in VB6, 66
- EventHandler** class, 69
 - as delegate, 81, 84
- Event log**
 - custom
 - for debugging, 264–267, 628–631
 - information sent to, 631, 632*f*
 - for debugging, 264
 - information sent to, 629–630
 - for tracing, 264, 622, 623*f*
 - writing to, 249
- EventLog** class, versions of, 9
- EventLogTraceListener**, 619
- Event signatures**
 - defining, 80
 - event handlers and, 69
 - in interfaces, 50
 - types of, 80
- Exceptions**
 - COM and, 213–214
 - in declarative security, 658, 658*f*
 - file not found, 92–93
 - in imperative security, 658, 658*f*
 - in Remoting, 259
 - in type conversion, 301
- Expressions**, definition of, 607
- eXtended Markup Language**. *See* XML
- Extender providers**, implementation of, 310–314
- External style sheet**
 - for ASP.NET pages, 496–498, 497*f*
 - in cascading, 501
 - linking to, 501, 502*f*
 - style block in, 498–499, 498*f*, 499*f*
 - visually building, 499–500, 500*f*
- F**
- Façade**, for security, 647
- Factoring**, 49
- Factory methods**, 522
- Fat objects**
 - DataSet** as, 477
 - definition of, 468
 - proxy class and, 477–478
- Fields**
 - access modifiers for, 26
 - access to, 14
 - adding, 13–14
 - definition of, 13
 - Reflection of, 104–109
- FileNotFoundException**, 92–93
- File operations**
 - asynchronous invocation of, 169–171
 - synchronous invocation of, 170
- File read**, asynchronous, 169–170
- FileStream** trace listener, 620–622
- FileVersionInfo** class, 132, 137–139
- Filtering**
 - of **DataSet**, 373–376
 - in XSLT, 542
- Finalize** method
 - implementation of, 20–21
 - properties of, 21
- Flattening**, of complex types, 468
- Football game**, 331–333, 332*f*
- Form**. *See* Windows Forms
- Form Designer**
 - for ASP.NET, 492
 - event handlers in, 64–67
- Friend** access, 26, 44
- Function pointers**, *vs.* delegates, 82
- G**
- Garbage collection**
 - definition of, 20
 - imported COM code and, 197
- Generalizer**
 - definition of, 25
 - inheritance used by, 270
- get** blocks, read-only and, 15
- GetCustomAttributes** method, 113
- Get methods**
 - for attributes, 113
 - extender providers and, 313
 - plural forms of, 97
 - for property Reflection, 103–104
 - for serialization, 244, 247–248, 287, 485
 - for services, 291
 - for type information, 91, 301–302
- GetObjectData**, for serialization, 244, 247–248, 485
- GetService** method, 291
- GetType**, for type information, 91
- GetTypeCode**, 301–302
- Grandparent** class, 32
- Grid Layout** panel, for control position management, 492
- Groups**, in Windows authentication, creating, 451–454, 451*f*, 452*f*, 453*f*
- H**
- Hackers**, 643
- Handles** clause, 68–69
- Hejlsberg**, Anders, 84, 222
- Hollis**, Billy, 323
- HRESULT**, exceptions and, 213–214
- HTML (HyperText Markup Language)**, debugging, 637
- HTML controls**, as server controls, 511–512, 512*f*
- HTML editor**, data binding in, 568–569
- HTML Flow Layout**, for control position management, 492

700 Index

- HTML tables
 context menu for, 494*f*
 for control positions management, 492–494, 492*f*, 504–505
- HtmlTextWriter object, 321
- HttpApplicationState class, 519–530
- HttpChannel constructor, 230
- HttpContext object, 516–518, 537
- HTTPS, thin client applications and, 350
- HttpSessionState class, 531–537
- HyperText Markup Language. *See* HTML
- I**
- IAsyncResult interface, 165, 166
- ICollection interface, 485
- IComparer interface
 for array sorting, 577–579
 for dynamic sort behavior, 78–80
- IConvertible interface, 295–302
 behavior of, 306–307
 conditions for, 295
- IDbCommand interface, 422
- IDesigner interface, 314, 319
- IDisposable interface, 22
- IEnumerable interface, 50
 binding and, 575
 serialization and, 482, 483
- IEnumerator interface, 50
- IExtenderProvider interface, 310–314
- If conditional statements, *vs.* sentinels, 91
- IFormatProviders interface, 307
- IIS. *See* Internet Information Services
- IL. *See* Intermediate Language
- ildasm.exe, 12*f*, 29
- Immediate window, for debugging, 609–611
- Imperative caching, 539
- Imperative security
 advantages of, 659–660
vs. declarative security, 655–660
 definition of, 656
 exceptions in, 658, 658*f*
- Implementations, in imported COM code, 194–195
- Implements statement, for
 IDisposable interface, 22
- Imports statement, COM importing and, 196
- Indexer
 in collections, 479, 481–482
 default properties and, 319
- Information hiding
 access modifiers in, 43–45
 definition of, 27
 ease of use and, 43
- Inheritance
 in Adapter pattern, 46
 from ADO.NET, 385
vs. aggregation, 45–48
 of binder class, 99, 107–109
 of classes, 33
 conditional invocation of, 269
 of constructors, 42–43
 in custom components, 264
 definition of, 28
 of interfaces, 56–58
 multiple, 58–59
 of methods, event handlers and, 67, 68*f*
 relationship in, 45
 single, 31
 terminology for, 32
 of TypeConverter class, 304
 in typed DataSets, 410, 417
 in user controls, 516
 of Windows control, 267
- InheritanceDemand action, 669
- Inheritance polymorphism, definition of, 421
- Inherits keyword, 32–33
 in interface inheritance, 56
- InitializeLifetimeService, 254, 259
- Initialize method, for constructor implementation, 18
- Initializers, for variables, 4
- Inline style, in cascading, 501
- In-process state servers,
 configuration of, 532–534
- Input parameters, for stored procedures, 391–394
- Installer file, security management with, 337–349, 650, 652–653
- Installer library, implementation of, 344–346
- Instantiation, lazy, 110
- Integer type, System.Int32 and, 13
- Integer variable, 7
- Integrated debugger, for Web Services testing, 438–439, 440*f*, 441*f*
- Intelligent Background Transfer Service, 350
- Intellisense, 4–5
 EditorBrowsableAttribute and, 283
 styles in, 496–497, 496*f*
 Web Services and, 432
- Interface(s)
vs. abstract classes, 59–60
 access modifiers in, 49
 in ADO.NET, 554–555
 programming with, 421–422
 aggregation and, 46
 for classes, exposed to COM, 211
 code implementation in, 49, 59
 Database class defined by, 553–555
 defining, 49, 50–51
 dynamic, with XML, 540–546
 events in
 adding, 55–56
 declaring, 81
 flexibility of, 422
 implementation of, 49, 51–56
 in imported COM code, 194–195
 inheritance of, 56–59
 members of, 50
 access modifiers for, 26
 multiple, inheritance of, 58–59
 prefix for, 49
 properties in, 50
 adding, 54–56
 in Remoting, 225–229, 225*f*
 securing code with, 647
 security attributes and, 49
 for sort comparisons, 78–80
 in stored procedures, 388
 use of, 34
- Interface polymorphism, 421
- Interface programming, 137–141
- Intermediate Language (IL), 29
 in assemblies, 125–126
vs. compiler, 126
 emitting at runtime, 114–123, 115*f*
 for attributes, 150–153, 150*f*
- Internet connection
 simultaneous, 351
 for thin clients, 329–330, 337

- Internet Information Services (IIS),
 Remoting and, 230–231
- Interop assembly, 188–189, 193,
 193*f*. *See also* COM Interop
- Interop attributes, 210–211
- InvokeDefaultMember, 100
- InvokeMember method
 DefaultMemberAttribute and,
 128
- in Reflection, 101–102, 104
- Invoke method
 for marshaling, 488–489
- synchronous call to, 162–163
- Windows Form controls and, 180
- InvokeRequired, 160
- IPrincipal interface, 658
- ISerializable interface, 239
 implementation of, 243–248,
 483–485
- SerializableAttribute and, 247
- IsPostBack property, 588
- IsValidContext, 291
- IsValidProvider, 291
- Item properties, 319–320
- ItemTemplate, adding controls to,
 582, 584*f*
- Iterator pattern, 50
- J**
- Java language, byte code in, 29
- JITters, 29
- K**
- Kernighan, Brian, 324
- Keyboard hooks, 643
- Keywords, brackets for, 92
- Knopka, Ray, 273
- L**
- Late binding
 for COM objects, 197–198
- definition of, 88
- disadvantages of, 198
- Option Strict On and, 89–90
- in Reflection, 87–90
- Lazy instantiation, 110
- Lifetime, for remote objects, 259
- LinkDemand action, 669
- Links. *See* navigation links
- ListBox
 objects and, 97–98
- sorting, 79–80
- Listener. *See also* trace listeners
 definition of, 615
- Output window as, 615, 616*f*
- Listeners collection, 619
- Load event handler, 258
- Local style block
 in ASP.NET pages, 495–496
- in cascading, 501
- Locals window, for debugging, 605
- Logging. *See specific logs*
- Loose coupling, events for, 24, 81–82
- M**
- Machine security policy, 648–649
- Managed code, *vs.* unmanaged code,
 646
- Managed memory, *vs.* unmanaged,
 189
- ManualResetEvent, for blocking,
 173, 178
- MarshalByRefObject, inheritance
 from, 239
- Marshaling. *See also* Remoting
 across Web, 435
- definition of, 222, 224
- by reference, 223–239
- by value, 239–248
- into Windows Forms thread,
 488–489
- Me keyword, *vs.* MyClass keyword,
 38–40
- Member(s)
 abstract, 35
- default, 99–100
- Reflection and, 128
- definition of, 4
- encapsulation of, 27
- of interfaces, 26, 50
- nonpublic, 114
- public
 COM and, 203, 210–211
- security and, 646
- Reflection of, 101–110
- shared, 9
- surfacing, 45
- in type, 27
- virtual, 36
- MemberInfo object, 103
- Memory
 managed *vs.* unmanaged, 189
- reference types in, 10
- value types in, 10
- Memory leaks, 20
- Memory window, for debugging, 608
- Metaclasses, definition of, 9, 27
- Metadata
 in assemblies, 126, 202
- generating, 237
- server, exporting, 236
- Metaphors, event handlers for, 71
- Method(s)
 abstract, 60
- access modifiers for, 26
- adding, 16–22
- arguments passed to, 98
- asynchronous invocation of,
 168–169
- Code Access Security for, 647
- controls bound to, 527
- debugging and, 593, 637
- definition of, 16
- dynamic changes to, 76
- factory, 522
- inherited
 calling, 18
- event handlers and, 67, 68*f*
- in interfaces, 50
- On prefix for, 268
- overriding, 36
- parameterized, invoking, 98
- private, definition of, 16
- proxy, Web Services and, 167, 429
- public
 constraining, 17
- definition of, 16
- Reflection of, 101–102
- invoking, 93–94
- replacing, 40–42
- virtual, 36
- Method heading, *vs.* delegate, 83
- MethodInvoker delegate,
 multithreading with, 85
- Method signature
 definition of, 23
- event implementation with, 81
- Microsoft Corporation, customer
 service commitment of, 187–188
- Microsoft Desktop Engine (MSDE),
 debugging stored procedures
 on, 403–405
- Migration, from VisualBasic 6,
 673–687
- decision about, 674
- errors in, resolving, 679–685

702 Index

- Migration, *continued*
 of Web applications, 685–686
 of Windows applications, 675–685
 Migration wizard, 674–675, 677–678, 678f–685f
- Modules
 threading and, 174–175
 type and, 40
- MostRecentThree** method, 522
- MSDE (Microsoft Desktop Engine),
 debugging stored procedures
 on, 403–405
- Multicasting, by delegates, 82
- Multi-language programs,
 debugging, 638–641
- Multithreading. *See also* thread(s)
 delegates for, 85
 disadvantages of, 171
 guidelines for, 177
 Invoke method for, 163
 safety of, 173–177
 with **Thread** class, 177–179
 with **ThreadPool** class, 171–177
 with **Timer** class, 182–183
 Timer control and, 159–160
 in Windows Forms, 179–183
- MustInherit** modifier, 34–35, 148
- MustOverride** modifier, 148
 in abstract classes, 35
- MyBase** keyword, 37
- MyClass** keyword, *vs.* **Me** keyword,
 38–40
- N**
- Named arguments, 127, 143
- Navigation
 automatic, Reflection for, 112
 data binding and, 283
- Navigation links
 creating, 505–510, 506f
 test page for, 513
- Nested class, 79, 417
- New** keyword
 object instantiation with, 18
 parameters and, 19
- New** operator
 in class instantiation, 9
 data passed with, 7
- NewRow** method, 372
- Nondeterministic memory
 management, 19–20
- NonInheritable** modifier, 34
- Nonpublic members, Reflection of,
 105, 114
- Normalization, in relational database
 design, 407
- Nothing**, structure assigned to, 8
- NotOverridable** modifier, 36
- NT File System (NTFS),
 permissions in, in stored
 procedure debugging, 405,
 405f
- NUnit, for code testing, 354
- O**
- Object(s)
 by reference
 vs. by-value objects, 248
 event handler attached to, 254
 for Remoting, 223–239
 by value
 vs. by-reference objects, 248
 for Remoting, 239–248
 revising for, 242–243
 caching, 518–540
vs. class, 9
 class as (*See* Metaclasses)
- Client-Activated (CAO)
 implementation of, 237–239
 for Remoting, 234–239
 Server-Activated Objects *vs.*,
 235
 server for, 235–236
- command
 DataSet filled by, 366–367
 in stored procedures, 387–388
 debugging and, 637
 definition of, 27
- fat
 DataSet as, 477
 definition of, 468
 proxy class and, 477–478
 serialization of, into **DataSet**,
 471–474
 Server-Activated (SAO), for
 Remoting, 232–234
 type and, 5
 as variable, 4
- Obsolete** member attribute, 131,
 131f
- OleDb camp, 352–353
- OleView.exe**, for COM binary, 191,
 192f
- OneWayAttribute**, 254, 259
- On prefix, 268
- Operating systems, event-driven, 64
- Operations, dot operator (.) and, 9
- Option Explicit On**, 4
 late binding and, 89–90
 for type checking, 17
 type conversion and, 310
- Out-of-process state server,
 configuration of, 534–536, 535f
- Output parameters, for stored
 procedures, 394–403, 398–403
- Output window
 for debugging, 611
 as listener, 615, 616f
- Overloading
 definition of, 9
 of **Dispose** method, 22
 of **Sub New** method, 42
- Overloads** keyword, in **Dispose**
 method, 22
- overridable** modifier, 36
 rules for, 45
- overrides** modifier, 36
- P**
- Paging, **DataGrid** control for,
 572–573, 574f, 587, 587f
- PaintEventArgs** argument,
 delegates and, 84
- PaintEventHandler** class, 55, 71
 as delegate, 84
- Parameter(s)
 adapter for, 368
 Reflection of, 102–103
 for stored procedures, 388
 input, 391–394
 output, 394–403, 398–403
- ParameterDirection**, 394
- Parameterized constructor(s),
 18–19
 COM and, 202
 for Remoting, 237
- Parameterized methods, invoking,
 98
- Parent class
 constructor invocation on, 42
 definition of, 28
 methods in, calling, 37
 synonyms for, 32
- Partial page caching, 539
- Password, in connection string, 354

- Patterns (design). *See* design patterns
 - Patterns (matching), regular
 - expressions for, 117
 - Performance counters, 631–634
 - Permissions. *See also* security
 - for assemblies, downloaded, 653–655, 653*f*, 655*f*
 - in code access security, 645
 - for code groups, 341, 341*f*
 - declarative *vs.* imperative, 655–660
 - granting gradually, 671
 - managing
 - installer for, 344–349
 - programmatically, 341–344
 - in runtime security policy, 652
 - for thin client assemblies, 335, 335*f*, 336*f*
 - `PermitOnly` action, 670
 - Pointer(s), reference types and, 10
 - Policy assemblies, in runtime security policy, 652
 - Polymorphism
 - controversy of, 40
 - definition of, 28–29
 - enforcement of, 35
 - flavors of, 421
 - `Me` and, 40
 - `MyClass` and, 38
 - Portal modules, user controls as, 503
 - Positional arguments, 127, 143
 - Prefix notation, 4
 - Prime numbers, determining, 458
 - `PrincipalPermissionAttribute`, 656
 - `PrincipalPermission` class, 656
 - Printing permissions, demanding, 661–662
 - Private access, definition of, 25, 44
 - Private method(s), definition of, 16
 - Procedural types, *vs.* delegates, 82
 - Procedures, stored. *See* stored procedures
 - Process, running, debugging, 635–636
 - `Process` class, 634
 - Programming tools, *vs.* user expectations, 386–387
 - Project template, 411, 460–461
 - Properties. *See also* `DefaultPropertyAttribute`
 - access modifiers for, 26
 - adding, 14–16
 - for binding controls, to methods, 527
 - binding of, to controls, 110, 111*f*
 - Code Access Security for, 647
 - of controls, applying styles with, 501–502
 - of custom controls
 - categorizing, 293–294, 294*f*
 - default values for, 293
 - editing, 288
 - type conversion for, 294–310
 - default, 319–320
 - definition of, 14
 - in interfaces, 50
 - adding, 54–56
 - overriding, 36
 - read-only, 15
 - Reflection of, 103–104
 - replacing, 40–42
 - Properties window, icon for, 293
 - `Property` keyword, 97
 - Protected access
 - definition of, 25–26, 44
 - generalizers and, 270
 - Reflecting, 101–102
 - Protected friend access, definition of, 26, 44
 - `ProvidePropertyAttribute`, 313
 - Providers. *See* database providers
 - Proxy class
 - about, 433–435, 467–469
 - `Begin` and `End` methods in, 486–487
 - creating instance of, 168–169
 - `DataSet` and, 474–477
 - fat objects returned by, 477–478
 - generation of, 167, 428, 474–475, 474*f*
 - Proxy methods, 167, 429
 - Proxy object, in Remoting, 232, 232*f*
 - Proxy types, 167
 - Public access
 - in classes, 28, 43
 - definition of, 24–25, 44
 - generalizers and, 270
 - Public members
 - COM and, 203, 210–211
 - Reflection of, 105
 - security and, 646
 - Public methods
 - constraining, 17
 - definition of, 16
 - Public properties
 - serialized, 243
 - surfacing, 279–281
- Q**
- QuickWatch window, for debugging, 606, 607*f*
- R**
- Range checking, shadowing for, 42
 - Read-only properties, 15
 - Record lock, ADO.NET and, 352
 - Reference types
 - assignment of, 10, 12*f*
 - copying, 10
 - in memory, 10
 - type information for, 6
 - vs.* value types, 5
 - `ReflectedVersionInformation`, 136–137, 141
 - Reflection
 - applications of, 110–112
 - for assembly attribute reading, 132–136
 - assembly loading with, at runtime, 91–98
 - of attributes, 144–150
 - custom, 113–114
 - in binding controls, 110, 111*f*, 576–577
 - definition of, 87
 - emitting dynamically with, 118–122
 - of events, 109–110
 - of fields, 104–109
 - late binding in, 87–90, 197
 - of members, 101–110
 - of methods, 93–94, 101–102
 - for navigation, automatic, 112
 - of objects, instance created from, 94–98
 - of parameters, 102–103
 - of properties, 103–104
 - security and, 114
 - for serialization, of typed collections, 483
 - type information and, 90–91, 326
 - `Reflection.Emit` classes, 116, 120–121
 - `regasm.exe`, 204
 - `Region` directive, 40

704 Index

- Registration, of server
 - for Client-Activated Objects, 235–236
 - configuration file for, 233–234
 - as service type, 230
 - XML for, 233
 - Registry
 - access to, 665–669
 - type library and, 203–205
 - Registry read permissions, demanding, 662–663
 - Regular expressions
 - about, 116–117
 - compiled, 117–118
 - emitting dynamically, 122–123
 - in security, 647
 - in `TextBox` control, custom, 268–270
 - `RejectChanges`, in `DataSet` update, 371
 - Relational databases
 - normalization of, 407
 - object-oriented systems and, 478
 - Relationship. *See* database relationships
 - Remote client. *See* client, remote
 - Remote events
 - behavior of, 250
 - handling, 249–259
 - invoking, 250–259
 - registration of, 256
 - Remote server. *See* server, remote
 - Remoting. *See also* client, remote; marshaling; server, remote
 - about, 221–223
 - application bridging with, 674
 - asynchronous, 261
 - with by-reference objects, 223–239
 - with by-value objects, 239–248
 - Client-Activated Objects for, 234–239
 - definition of, 221
 - event handler for, 258
 - exceptions in, 259
 - lifetime management in, 259
 - parameterized constructors for, 237
 - security of, 261
 - Server-Activated Objects for, 232–234
 - threads and, 259
 - `RemoveHandler` statement, 75
 - `Render` method, 321
 - `Repeater` control, binding data to, 569
 - Request-and-response model, 351
 - `RequestMinimum` action, 670
 - `RequestOptional` action, 670
 - `RequestRefuse` action, 670
 - Resource protection block (`Try...Finally` block), 363, 402
 - Return types, events and, 80
 - Reuse, information hiding and, 43
 - Ritchie, Dennis, 324
 - `RowFilter`, 373
 - RTTI (Run Time Type Information). *See* type information
 - `RunInstallerAttribute`, 345, 346
 - `Run` method, code for, 16
 - Runtime
 - assembly loading at, 91–93
 - emitting code at, 114–123, 115f
 - event handler association at, 73, 75–80
 - type checking at, 69–70
 - type conversions at, 306–307
 - type information at, 90–91
 - Runtime callable wrapper (RCW), 188
 - Runtime security policy, in
 - Configuration utility, 651–652, 651f
 - Run Time Type Information (RTTI). *See* type information
- S**
- Sandbox, for assembly testing, 664–665, 665f
 - SAO. *See* Server-Activated Objects
 - Scaffolding, definition of, 353–354
 - Screen layout, for ASP.NET applications, 492–503
 - Script, debugging, 637
 - Script block, for Tool Tip properties, 507
 - Secure HTTP, 261
 - Security. *See also* code access security; permissions; security policy
 - assemblies and, 333–334, 333f
 - attributes and, 157
 - of binary assemblies, 470
 - of connections, 671
 - cookies and, 538
 - declarative *vs.* imperative, 655–660
 - façade for, 647
 - installer file for management of, 337–349
 - practices for, 644
 - in programming, 646–648
 - recommendations for, 670–671
 - Reflection and, 114
 - Remoting and, 261
 - thin clients and, assemblies in, 333–334, 333f
 - for Web applications, 546–548
 - XML Web Services and, 446–456
 - Security attributes, interfaces and, 49
 - Security log, definition of, 628
 - Security policy
 - levels of, 648–649
 - managing, 648–655
 - modifying, 649–653
 - Selector, in style block, 498
 - Self-testable code, 555–556
 - sender argument, 69–70
 - Send message, 254, 258–259
 - Sentinels, *vs.* `if` conditional statements, 91
 - Sentries, definition of, 16
 - `SerializableAttribute`, 239–242
 - `ISerializable` and, 247
 - public properties and, 243
 - for typed collections, 483
 - Serialization
 - automatic, 242–243
 - for binding, 575
 - custom, 244–247
 - `DataSet` and, 419–421, 471–474
 - `GetObjectData` for, 244, 485
 - `IEnumerable` and, 482
 - in session caching, 419, 536
 - of strongly typed collections, 482–485
 - XML for, 285
 - XML Web Services and, 239
 - `SerializationInfo`, 247–248
 - `SerializedAt`, 248
 - Server, remote
 - application for, 224–225, 225f
 - configuration file for, 232–233
 - channel for, 230, 256
 - for Client-Activated Objects, 235–236
 - client and, relationship between, 232f

- host for, 261
- listening by, 229–232
- metadata of, exporting, 236
- registering
 - for Client-Activated Objects, 235–236
 - configuration file for, 233–234
 - as service type, 230
- Server-Activated Objects (SAO), for Remoting, 232–234
- Server controls, HTML controls as, 511–512, 512*f*
- Server Explorer, SQL
 - database created in, 394
 - schema defined in, 412, 413*f*
- Server precursors, configuration of, for thin clients, 335, 335*f*, 336*f*
- Service type, server registered as, 230
- Session caching
 - vs. application caching, 531
 - in-process state server for, 532–534
 - out-of-process state server for, 534–536
 - serialization for, 419, 536
 - SQL server for, 536–537
- Session ID, cookies and, 532, 534, 534*f*, 538
- set blocks, read-only and, 15–16
- Set methods
 - in deserialization, 248, 287
 - extender providers and, 313
- Setter, for property Reflection, 103–104
- Setup project, defining, 347–349, 348*f*, 349*f*
- Shadowing, 40–42
- Shared directory. *See* Web shared directory
- Shared event wrapper,
 - implementation of, 251–256
- Shared members, 9. *See also* Metaclasses
- Sibling class, 32
- Sieve of Eratosthenes, 458–460
- Simple Object Access Protocol (SOAP), for returning data, 463
- singleCall, 231
- singleton objects, 249, 628
- Sink, 198
- Slicing problem, 20
- Smart client. *See* thin client
- SOAP (Simple Object Access Protocol), for returning data, 463
- Solution Explorer, Web reference in, 429, 430*f*
- Sort behavior, dynamic, 373–376
 - callback function for, 76–80
- Sorting
 - of array, `IComparer` for, 577–579
 - `DataGrid` for, 573–579, 574*f*
 - of `DataSet`, 373–376
 - in XSLT, 542
- Source, 198
- Specifications, deviation from, 276
- SQL
 - debugging, 637
 - generating
 - with command builder, 367–368
 - for update, 386
- SqlClient camp, 352
- SQL Query Analyzer, table created with, 395–396, 395*f*
- SQL server
 - connection string for, defining, 390–391, 391*f*
 - debugging in, of stored procedures, 406–407
 - .NET debugging and, 403
 - for session management, 536–537
 - table defined in, 394–396
- SQL Server Explorer
 - database created in, 394
 - schema defined in, 412, 413*f*
- State variables. *See* fields
- Stored procedures
 - about, 387
 - debugging, 403–407
 - in MSDE, 403–405
 - in SQL server, 406–407
 - implementation of, 396–398
 - input parameters for, 391–394
 - invoking, 388–390
 - output parameters for, 394–403, 398–403
 - programming with, 387–403
 - Windows Form application for, 398–403, 398*f*
- Stream class, in trace listener initialization, 619
- StreamingContext, 247–248
- Strongly typed collection
 - about, 479–482
 - implementation of, 479–480, 519–522
 - navigation links as, 508–510
 - returning, 478–486
 - serializing, 482–485
 - storing, in application cache, 523–524
- Structure(s)
 - assignment of, 8
 - definition of, 5, 6
 - equality testing of, 8
 - event implementation in, 23
 - events in, declaring, 81
 - parameterized constructors for, 19
 - properties of, 6–7
 - support in, 6, 13
 - vs. types, 6
- Style
 - applying to control, 501–502
 - cascading of, 501
- Style block, in external style sheet, 498–499, 498*f*, 499*f*
- Style Builder, 500, 500*f*
- Style sheets, cascading, 494–497
- Subclass. *See* child class
- Sub New method
 - implementing, 18
 - overloading, 42
- Superclass. *See* parent class
- Surfacing constituent object
 - members, 45
- Surfacing constituent properties, 279–281
- Synchronous behavior
 - execution of, 161
 - for file operations, 170
 - programming, 161–163
- SyncLock, for thread safety, 175–177
- System.Attribute class, inheriting from, 143
- System.ComponentModel.Component, inheritance from, 264
- System.Convert class, 295
- System.Data namespace, 353
- System.Int32, Integer type and, 13
- System log, definition of, 628
- System.Text.ASCIIEncoding, 170
- System.Threading.Timer class, 182

706 Index

`System.Type` class, binder in, 99
`System.Xml` namespace, 353

T

Tables. *See also* HTML tables

in `DataSet`, 361
 default view from, 557–558, 558*f*

Template(s)

for navigation links, 505–506, 506*f*
 for projects, 411
 use of, 577
 user control as, 528, 528*f*

Template columns, 586–588

Temporary variables, 522

Terrarium, 324

Testing

assembly sandboxing for,
 664–665, 665*f*
 black box, 439–440
 code for, writing, 555–556
 of connection strings, 358–360,
 555–556
 of custom components, 270–271,
 271*f*
 custom event log for, 628–629
 equality, of structures, 8
 NUnit for, 354
 XML Web Services, 438–441

`TextBox` control

binding, 562–569, 563*f*
 custom, 268–270

`TextWriterTraceListener`, 619

with `FileStream` object, 620–622

Thin client

configuration of, 329–335
 definition of, 91–92
 implementation of, 324–329
 Internet connection for, 329–330,
 337
 in Remoting, 222
 Trusted Sites and, 330–333, 331*f*
 uses of, 327–329
 Web shared directory for, 325,
 327, 328*f*

Thread(s). *See also* multithreading

for event handlers, 259
 programming with, 171–179
 Remoting and, 259
 safety of, 173–177
`ThreadPool` for, 173

Thread class

multithreading with, 177–179
vs. `ThreadPool` class, 171

`ThreadPool` class

multithreading with, 171–177
vs. `Thread` class, 171

Tick event, 159–160

`Timer` class, multithreading with,
 182–183

Timer control, 159–160

vs. asynchronous processing,
 170–171

`tlbexp.exe`, 202, 204

`tlbimp.exe`, for COM importing,
 192*f*

`ToBoolean` method, 295

Toolbar, extender provider for,
 311–314

Toolbox

code added to, 385
 control added to, 271–273, 272*f*
 documentation added to,
 277–278, 277*f*

`ToolBoxBitmapAttribute`, 274

Tool Tip, script block for, 507

`ToolTip` control, 310–311

`ToString`, 301–302

`ToType`, 301–302

`Trace` class, for debugging, 618–619

Trace information

`EventLog` component for, 264
 from `Send`, 254, 255*f*

Trace listeners

custom, 619, 623–625
 definition of, 619
 event logging with, 622, 623*f*
 initialization of, 619
 logging with, 620–622
 programming with, 619–625

Transactions, in ADO.NET, 407–410

Trust an Assembly, 333–334, 333*f*, 650

Trusted Sites, thin clients and,

330–333, 331*f*

Try block, 92–93

`Try...Catch...Finally...EndTry`
 block, 409–410

`Try...Finally` block, 363, 402

Type

algorithm and, 577
 complex
 flattening, 468
 implementation of, 463–466
 emitting dynamically, Reflection
 for, 118–122
 exposing to COM, 203–205
 debugging and, 217–218

members in, 27

modules and, 40

`Object` class and, 5

properties of, 5

proxy, 167

Reflection of, instance created
 from, 94–98

type converter associated with,
 306

Type checking

`Option Strict On` for, 17, 89
 runtime, `sender` argument and,
 69–70

in type conversion, 305

Type construct, structure and, 6

Type conversions

`Binder` class for, 99
 for custom control properties,
 294–310
 at design time, 307–310
 exceptions in, 301
 at runtime, 306–307
 type checking in, 305

Type converter

definition of, 295
 existing, 306
 implementation of, 302–306
 type associated with, 306

Typed collection, 479. *See also*

strongly typed collection
`Add` method and, 485, 486*f*
 as array, 481–482

Type editor, for custom controls,
 288–293

`Type.GetMember` method, 103

Type information

for reference types, 6
 Reflection and, 87, 90–91

at runtime, 90–91

`typeof` keyword for, 91

for value types, 6

Type library, 203–205

`typeof` keyword, for type
 information, 91

U

UDDI (Universal Description,
 Discovery, and Integration),
 428

`UITypeEditor` class, 288–294

Unboxing, 10–13

Uniform Resource Identifier (URI),
 for service, 230

- Unit testing, self-testable code for, 555–556
 - Universal Description, Discovery, and Integration (UDDI), 428
 - UNIX, hacks and, 644
 - Unmanaged code, *vs.* managed code, 646
 - Unmanaged memory, *vs.* managed, 189
 - URI (Uniform Resource Identifier), for service, 230
 - User, in Windows authentication, defining, 449–454, 451*f*, 452*f*, 453*f*, 454*f*
 - User control. *See also* control
 - adding to page, 510, 511*f*
 - in ASP.NET, 503–516
 - composite
 - data binding and, 581
 - defining, 579–582
 - definition of, 503
 - implementation of, 580–581, 580*f*
 - repeating, **DataList** for, 579–585
 - Web page with, 582–585, 583*f*
 - converting Web page into, 514–516
 - custom, 278*f*
 - data binding to, 281–283
 - implementation of, 278–283
 - for Web, 320–321
 - as **DataList** template, 528, 528*f*
 - defining, 525–527, 525*f*
 - dynamically loading, 510–514, 513*f*
 - editable version of, 585, 586*f*
 - inheritance in, 516
 - layout for, 504–505
 - read-only version of, 585, 586*f*
 - repeating automatically, 527–530, 531*f*, 583*f*
 - UserControl** object
 - adaptation with, 47–48
 - creating, 46–48
 - definition of, 46
 - User expectations, *vs.* programming tools, 386–387
 - User interface
 - Reflection for generating, 469–470, 471*f*
 - of Web applications, 373
 - User interface generator, 141, 144–150
 - User security policy, 648
- V**
- Validation, regular expressions for, 268
 - Value types
 - assignment of, 10, 11*f*
 - copying, 10
 - definition of, 5
 - in memory, 10
 - type information for, 6, 10 (*See also* boxing)
 - Variables
 - declaring, 3–5
 - state (*See* fields)
 - temporary, 522
 - thread safety and, 173–177
 - VCL (Visual Control Library), 222
 - Verb, 314–317
 - View state, 538–539
 - Virtual abstract classes, 107
 - Virtual member, **overrides** modifier for, 36
 - Virtual methods, 36
 - Virtual methods table, 29
 - VisualBasic 6
 - attributes in, 66
 - consuming assemblies in, 205–207, 206*f*
 - event handler in, 66
 - features of, not supported in .NET, 675, 676*t*
 - migration from, 673–687
 - Visual Control Library (VCL), 222
- W**
- Wahoo!, 331
 - waitCallback** delegate, multithreading with, 85
 - waitHandle** objects, blocking with, 166–167
 - Watch window, for debugging, 605, 606–607, 608*f*
 - Web application
 - debugging, 636–638
 - migration of, from VisualBasic 6, 685–686
 - security for, 546–548
 - user interface of, 373
 - vs.* Windows application, 323
 - Web application director, creation of, 443–444, 443*f*
 - web.config** file
 - authentication in, 446, 546–548
 - authorization in, 454–456
 - connection string in, 552–553
 - default, 445–446, 446–448
 - Web controls
 - custom, 320–321
 - multi-value, binding data to, 569–571
 - single-value, binding data to, 562–569
 - Web Forms controls, view state of, 538–539
 - Web methods
 - asynchronous invocation of, 488
 - Begin** method in, 486–487
 - DataSet** returned by, proxy class for, 474–477
 - End** method in, 486–487
 - writing, 438
 - Web page
 - caching, 539–540
 - with composite user control, 582–585, 583*f*
 - converting user control into, 514–516
 - IsPostBack** property of, 588
 - Web reference, 466–467, 467*f*
 - adding, 428, 429*f*, 430–431
 - in Solution Explorer, 429, 430*f*
 - Web Service
 - definition of, 167
 - file components of, 441, 444
 - XML (*See* XML Web Service)
 - WebService** attribute, applying, 437
 - Web Service class, declaring instance of, 431–432
 - Web Service methods
 - asynchronous calling of, 433
 - invoking, 432
 - Web Services Description Language. *See* WSDL
 - Web shared directory
 - creating, 335, 335*f*, 336*f*
 - for thin client application, 325, 327, 328*f*
 - Web user controls, custom, 320–321
 - Windows application
 - debugging, 636–637
 - migration of, from VisualBasic 6, 675–685
 - vs.* Web application, 323
 - Windows authentication, with Web Services, 449–456, 449*f*, 450*f*

708 Index

- Windows control, custom, 267–271
 - adding to Toolbox, 271–273, 272*f*, 273*f*, 274*f*
 - bitmap for, 273–276, 275*f*, 276*f*
 - designer for, 314–319, 317*f*, 318*f*
 - documentation for, 277–278, 277*f*
 - inheritance of, 267
 - testing, 270–271, 271*f*
- Windows Forms
 - inheritance in, 33
 - multithreading in, 179–183
 - for stored procedure, 398–403, 398*f*
- Windows Forms application, for thin client, 325–326
- Windows Forms authentication, for Web applications, 546–548
- Windows Forms thread, marshaling data onto, 488–489
- Windows Installer package, policy settings modified with, 650
- Windows operating system, events in, 63
- `WindowsPrincipal` class, 658
- Windows security, Code Access Security and, 645–646
- `withEvents` statement, event handlers and, 72–73
- Wizards
 - migration with, 674–675, 677–678, 678*f*–685*f*
 - policy management with, 650
- World Wide Web, simultaneous connections on, 351
- Wrapper classes, for Web Service methods, 429
- `writeEntry` method, versions of, 9
- WSDL (Web Services Description Language), 167, 428
 - CodeDOM and, 469
 - proxy file generated by, 467–469
- WSDL utility
 - `Begin` method and, 486
 - `End` method and, 486
- X**
- XML (eXtended Markup Language)
 - as data, 541–542
 - dynamic interfaces with, 540–546
 - for serialization, 285
 - of typed collection, 482–483
 - for server registration, 233
- XML document
 - caching dependency for, 545–546
 - style sheet for (*See* XSLT)
- XML Schema
 - adding to project, 412
 - defining, 411–414
 - relationships added to, 414, 415*f*
- XML Schemas and Data (XSD), about, 411–412
- XML Style Transform. *See* XSLT
- XML Web Service
 - application bridging with, 674
 - asynchronous invocation of, 167–169, 486–489
 - collection returned from, 485
 - consumer of, implementation of, 469–471
 - creating, 436–438, 436*f*
 - data returned from, 458–462
 - complex, 463–471
 - `DataSets` returned from, 419, 471–477
 - debugging, 438–441
 - deployment of, 441–446, 442*f*
 - existing, 428–435
 - fat objects and, 468–469
 - finding, 427–428
 - implementation of, 460–462, 462*f*, 466
 - referencing, 466–467, 467*f*
 - security and, 446–456
 - serialized data and, 239
 - Sieve of Eratosthenes as, 459–460
 - testing, 438–441
 - Windows authentication and, 449–456, 449*f*, 450*f*
- XSD (XML Schemas and Data), about, 411–412
- XSLT (XML Style Transform)
 - caching dependency and, 545–546
 - implementation of, 542–545, 544
 - for layout description, 540–541