Inside Dreamweaver MX 073571181X Laura Gutman, Patricia J. Ayers, and Donald S. Booth

Copyright© 2003 by New Riders Publishing

Warning and Disclaimer: Every effort has been made to make this book as complete and accurate as possible, but no warranty or fitness is implied. The information is provided on an as-is basis. The authors and New Riders Publishing shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the discs or programs that may accompany it.

Misprint	Correction
Page 8 You can now have the Site panel grouped with all your other panels!	Windows users can now have the Site panel grouped with all your other panels!
Page 11 In previous version, it would show up in Dreamweaver as Custom JavaScript in the Behaviors panel. Dreamweaver will now recognize it as a pop-up menu in the Behaviors panel.	In previous version, the code for these menus would show up in Dreamweaver as Custom JavaScript in the Behaviors panel. Dreamweaver will now recognize the code as a Show Pop-Up Menus behavior.
Page 13 Selecting a tag from the tree view displays a Tag Inspector in the bottom half of the panel, listing all the attributes for the tag and its values.	Selecting a tag from the tree view displays a property sheet in the bottom half of the panel, listing all the attributes for the tag and its values.
Page 32 Missing sentence at the end of final paragraph.	All panels are available under the Windows menu.
Page 34-Note Missing final sentence.	The Sitespring panel allows users to access Sitespring functionality.
Page 41 The display for this setup would look like this: 27K/1 sec.	The display for this setup would look like this: 28K/1 sec.
Page 57-First Note Just enable the Show Site panel Only on Startup option, and those automatically created new documents are a thing of the past.	Just enable the Show Only Site Window on Startup option, and those automatically created new documents are a thing of the past.
Page 59 All references to "color palette" should be "color picker."	
Page 78 Although by default Dreamweaver can edit any HTML page, available extension can help you with the conversion process.	Although by default Dreamweaver can edit any HTML page, available third-party extension can help you with the conversion process.
Page 79-First Note Extensions are additions to Dreamweaver that are written by developers to enhance and extend the inherent functionality of the program.	Third-party extensions are additions to Dreamweaver that are written by developers to enhance and extend the inherent functionality of the program.
Page 160 <a href="http://www.macromedia.com<br">target=" new">Click here!	<pre>Click here!</pre>

Page 190 Figure 6 25 r

Figure 6.25 replacement.

N 🗆 🕹	三百 🖾 🗷 🖼 🖉	\$ 5 4 5 8 4 6	2
rt Rollover Image			X
Image Name:	home_button		Cancel
Original Image:	mybutton.gif	Browse	Help
Rollover Image:	mybutton_over.gif	Browse	
	Preioad Rollover Image		
Alternate Text:	Go Home		
nen Clicked, Go To URL:	home.html	Browse	

Page 203-Table 7.1 (See Chapter 11 "Working with Forms)	(See Chapter 16, "Getting Interactive with Behaviors)
Dage 21.4	moto name_"rebeta" gentent_"index
mate name "rebeta" content Window	nofollow">
villeta halle="robots" content="fildex,	
Page 225	This should be the beginning of another bullet
Don't forget the final slash $(/)$	point.
Page 237	Designing the frames is covered in detail in
Designing the frames is covered in detail in	Chapter 12 "Designing Frame-Based Pages"
Chapter II "Working with Frames "	Chapter 12, Designing France Dased Fages.
Page 265	To merge two or more table cells select the cells
To merge two or more table cells select the cells	and either click the Merge icon in the Property
and either click the Split icon in the Property	inspector, or go to Modify > Table > Merge Cells
inspector or ∞ to Modify > Table > Merge Cells	inspector, or go to mouny > rable > merge cens.
Page 265	To split a table cell click to put the insertion
To split a table cell click to put the insertion	point inside the cell and either click the Split
point inside the cell and either click the Merge	icon in the Property inspector, or go to Modify >
icon in the Property inspector or go to Modify >	Table > Split Cell
Table > Split Cell	rusie > opiie dell.
Page 274	8. Place your cursor in the third row, and using
8 Place your cursor in the third row and using	Text > CSS Styles select date
Modify > CSS Styles, select date.	
Page 275	9. Position your cursor in Row 5 (the last row).
9. Position your cursor in Row 5 (the last row).	using Text $>$ CSS Styles, select copyr from the
using Text $>$ CSS Styles, select copy from the list.	list.
Page 276	11. Type the following in this cell:
11. Type the following in this cell:	{spacebar}{spacebar}This week's focus is
{spacebar}This week's focus is on the	on the family
family	
Page 276	13. Type in the following text at the current
13. Type in the following text at the current	cursor position: {spacebar}{spacebar}A
cursor position: {spacebar}A bathroom	bathroom
Page 276	14. Type the following text at the current cursor

14. Type the following text at the current cursor position: Read more inside Use the Text > Align > Right menu item and using the Property inspector, type in javascript;; in the Link field.	position: Read more inside Select this text in the Property inspector, select right alignment, and type javascript;; in the Link field.
Page 277 15Now, select Insert > Table and in the Insert Table Dialog, specify 5 Rows, 1 Column, 0 for Cell spacing, Cell padding and Border. Change width to 75 Pixels.	15Now, select Insert > Table and in the Insert Table Dialog, specify 6 Rows, 1 Column, 0 for Cell spacing, Cell padding and Border. Change width to 175 Pixels.
Page 277 16. Place your cursor in the top most cell of this new table and insert a spacer image 100 pixels wide and 5 pixels high.	16. Place your cursor in the top most cell of this new table and insert a spacer image 175 pixels wide and 5 pixels high.
Page 287 Dreamweaver might not have moveable rulers you can pull out from the rulers, but it does have a grid.	Dreamweaver might not have moveable ruler guides you can pull out from the rulers, but it does have a grid
Page 307 But this indicates that the grid has outlived its usefulness, so turn it off by choosing View > Grid > Show Grid, to toggle the command off.	But this indicates that the grid has outlived its usefulness, so turn it off by choosing View > Grid > Show Grid, to toggle both commands off.
Page 317 If you're thinking ahead, before you create your layer-based layout you'll open the Layers panel (Window > Other > Layers, which opens the Advanced Layout panel group) and select the Do Not Allow Overlaps options (see Figure 10.24).	If you're thinking ahead, before you create your layer-based layout you'll open the Layers panel (Window > Others > Layers, which opens the Advanced Layout panel group) and select the Do Not Allow Overlaps options (see Figure 10.24).
Page 323 4 To keep yourself from accidentally overlapping them, open the Layers panel and select Prevent Overlap (Windows > Other > Layers, or expand the Advanced Layout panel group).	4 To keep yourself from accidentally overlapping them, open the Layers panel and select Prevent Overlap (Windows > Others > Layers, or expand the Advanced Layout panel group).
Page 324 7Choose Modify > Convert Layers to Table.	7Choose Modify > Convert > Layers to Table.
Page 325 8Then choose Modify > Convert Layers to Table again.	8Then choose Modify > Convert > Layers to Table again.
Page 334 In this exercise, you build a simple HTML form that includes several <input/> .	In this exercise, you build a simple HTML form that includes several <input/> elements.
Page 379 I. With the Site panel open and the site chapter_12 displayed, from the Site panel's menu, choose New > New File.	1. With the Site panel open and the site chapter_12 displayed, right-click (Mac users Ctrl-click) in the window and choose New File from the contextual menu.
Page 410 An update has been made to the CSS Styles panel in Dreamweaver MX; the Style Editor view has been added.	An update has been made to the CSS Styles panel in Dreamweaver MX; the Edit Styles view has been added.
Page 410 The Style Applier view is also new, and is found in the classic Dreamweaver panel.	The Apply Styles view is also new, and is found in the classic Dreamweaver panel.

Page 410	This button is available in either the Apply Styles
This button is available in either the Style	or Edit Styles views.
Applier or Style Editor views	
Page 412	To remove a custom class from the element itself
To remove a custom class from the element itself	select the element and go to the CSS Styles papel
soloot the element and so to the Apply Styles	in Apply Styles view
select the element and go to the Apply Styles	in Apply Styles view.
panel.	
Page 429	Highlight some text on your page, right-click
Highlight some text on your page, right-click	(Ctrl-click) and choose CSS Styles
(Cmd-click) and choose CSS Styles	
Page 430	Yet another way to access the classes is from the
Yet another way to access the classes if from the	contextual menu (see Figure 13.20).
right-click menu (see Figure 13.20).	
Page 135	8. In the CSS Styles panel, click the positioning
8 In the CSS Styles papel double-click the	class
table pogitioning class	Ciu55.
	To get your workspace ready for lover work
Tage 454	ab a sas Windows Others Lawre (or pross Es)
1 To get your workspace ready for layer work,	choose window > Others > Layers (or press F2)
choose Window > Other > Layers (or press F2) to	to show the layers panel.
show the layers panel.	
Page 466	2 When the dialog box comes up, set it to
2When the dialog box comes up, set it to	Make New Custom Style
Create New Custom Style	
Page 469-Note	See Chapter 3, "Creating and Working with
See Chapter 32. "Technical Issues." for more on	Documents," for more on using the Ouick Tag
using the Ouick Tag Editor and setting its	Editor and setting its preferences
preferences	Editor and setting its preferences.
Daga (To	That's the nerver of CSS at work
That's the power of CSSs at work	That's the power of C55 at work.
Page (72	a Cata the Desitioning actors and set the
rage 473	3 Go to the Positioning category and set the
3 Go to the Positioning category and set the	Position pop-up menu to absolute (see Figure
Position pop-up menu to absolute (see Figure	14.27). Set left and top values to 0 pixels.
14.27).	
Page 474	From the pop-up list of available styles, choose
From the pop-up list of available styles, choose	title.
heading.	
Page 477	In the CSS Styles panel, click the Attach Style
In the CSS Styles panel, click the Attach Style	Sheet button and link to the siteStyles.css
Sheet button and link to the sitestyles.css	document.
document.	
Page 508	In this exercise, we will attach a behavior to an
In this evercise, we will attach a behavior to an	image Specifically we will attach a Donup
image Specifically we will attach a Denup Monu	Mage. Specifically, we will attach a ropup
haberian to an image	wiessage benavior to an image.
Denavior to an image.	
Page 512	2. Insert the navigation.rig image (from the
2. Insert the navigation.fig image (from the	cnapter_to folder on the CD) onto the page.
chapter_16 folder on the CD) onto the page.	Make sure that it is selected on the page. In the
Make sure that it is selected on the page.	Property inspector, name the image home .
Page 513	5In the Link Field, type in
5In the Link Field, type in	http://www.macromedia.com/dreamweaver.
http://www.macromedia.com.	
Page 521	1. Create a new document and save it as
I. In a new document, go to Insert > Interactive	rollover test.html. Go to Insert > Interactive
Images > Rollover Image	Images > Rollover Image
Page 222	12 For Set Source To click the Browse button
1 age 722	and choose goanals ing from the abartor
and choose generate ing from the	folder
and choose geanal2.jpg from the	101001.
cnapter_10/samples/images folder.	
rage 546	Search for double quotes (") and replace with
Search for double quotes (") and replace with	single quotes (').
single quotes (').	

Page 547-Note	If your pasted code contains incorrect quote
If your pasted code contains incorrect quote	marks, the improperly terminated string literals
marks, the improperly terminated string literals	will turn black. If the quote marks are correct.
will turn blue. If the quote marks are correct, the	the entire function call (everything after
entire function call (everything after	onMouseOver-) will be blue
onMouseQuer_) will be pink	omouseover-) win be blue.
Dage 6 of	Vou can set them up to match the clown
Vou can get them up to match the eleven	animation or create your own different
i ou can set them up to match the clown	animation, of create your own unrefent
animation (side out onmouseOver, side away	animation.
onMouseOut), or create your own different	
animation.	
Page 620	width = 340
width = 250	height = 265
height = 345	
	(The true height of the movie is 240 pixels,
(The true height of the movie is 329 pixels,	
Page 621	Different RealMedia elements can even be
Different RealMedia elements can even be	combined into mulitmedia presentations using an
combined into mulitmedia presentations using an	XML-based language called SMIL
offshoot of XML called SMIL	
Page 626	3(To create a completely empty file in
3(To create a completely empty file in	Dreamweaver, go to File > New and, from the
Dreamweaver, go to File > New and, from the	New Document dialog box, choose Other/Text.)
New Document dialog box choose Script	
Files/Text File)	
Dago 600	If you want controllable wideo files build the
	I I VOU WALL COULTAINE VILLEN THES INTITUDE
If you want controllable wideo files, build the	an you want controllable video mes, build the
If you want controllable video files, build the	controls into a QuickTime file or put the video
If you want controllable video files, build the controls into a QuickTime file or put the	controls into a QuickTime file or put the video into a Flash movie.
If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.	controls into a QuickTime file or put the video into a Flash movie.
If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645	Controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set
Fage 039 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set	Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains	Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files.
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.	Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files.
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11	Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files.
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value	Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (1) delimited string where
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first	 Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (1) delimited string where the first item is the guote
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the guote	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote
Fage 039 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 660	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the
 Fage 039 If you want controllable video files, build the controls into a Quick Time file or put the Quick Time video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2 You should get a lovely preview of the 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quotePage 669 2 You should get a lovely preview of the animated background but the content layers	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows
 Fage 039 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2 You should get a lovely preview of the animated background, but the content layers won't show even in LF/Windows 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows.
 Fage 039 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows. 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows.
Page 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quotePage 6692You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows.Page 671c Page 671	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie or the movie and
Page 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quotePage 6692You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows.Page 6715In other browsers and platforms, you'll just reaction background marked	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and participates participates.
Page 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quotePage 6692You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows.Page 6715In other browsers and platforms, you'll just see the background movie.	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents.
Fage 039If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave.Page 645Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files.Page 647-Table 19.11For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quotePage 6692You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows.Page 6715In other browsers and platforms, you'll just see the background movie.Page 761Time the state of the state of the state of the state of the tree of the state of the sta	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2 You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents.
 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows. Page 671 5In other browsers and platforms, you'll just see the background movie. Page 761 This is because these two asset types do not have a background move. 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (1) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents. This is because these two asset types do not have files associated with them; they are simply strings
 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows. Page 671 5In other browsers and platforms, you'll just see the background movie. Page 761 This is because these two asset types do not have files associated with them; they are simply strings 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents. This is because these two asset types do not have files associated with them; they are simply strings of code inside files.
 If you want controllable video files, build the controls into a QuickTime file or put the QuickTime video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows. Page 671 5In other browsers and platforms, you'll just see the background movie. Page 761 This is because these two asset types do not have files associated with them; they are simply strings of text inside files. 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents. This is because these two asset types do not have files associated with them; they are simply strings of code inside files.
 If you want controllable video files, build the controls into a Quick Time file or put the Quick Time video into Shockwave. Page 645 Base adds the base parameter, and should be set to the name of the folder, if any, that contains the Java applet files. Page 647-Table 19.11 For each occurrence of the parameter, the value must be a vb] delimited string where the first item is the quote Page 669 2 You should get a lovely preview of the animated background, but the content layers won't show, even in IE/Windows. Page 671 5In other browsers and platforms, you'll just see the background movie. Page 761 This is because these two asset types do not have files associated with them; they are simply strings of text inside files. Page 773 	 If you want controlable video files, build the controls into a QuickTime file or put the video into a Flash movie. Base adds the base parameter, and should be set to the URL of the folder, if any, that contains the Java applet files. For each occurrence of the parameter, the value must be a vertical bar (I) delimited string where the first item is the quote 2You should get a lovely preview of the animated background, but the content layers won't show correctly, even in IE/Windows. 5In other browsers and platforms, you'll just see the background movie, or the movie and partial page contents. This is because these two asset types do not have files associated with them; they are simply strings of code inside files.

If you haven't done so already, copy the files from the chapter_22 folder on the CD to your hard drive. Define a site called Grandpa's Ice Cream, with chapter_22/local as the local root folder and chapter_22/local as the local root folder. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Figure 26.16 replacement. Ster befinition for New Mexico Design Ster Mediation for New Mexico Design Ster Mexico Me	Page 810	If you haven't done so already, copy the	
 the chapter_22 folder on the CD to your hard drive. Define a site called Grandpa's Ice Cream, with chapter_22/local as the local root folder and chapter_22/local as the local root folder. Page 882 This will install Apache 1.3.22. Page 882 Source that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. 	If you haven't done so already, copy the files from	chapter_22 folder on the CD to your hard	
drive. Define a site called Grandpa's Jce Crean, with chapter_22/local as the local root folder and chaptter_22/as the local root folder. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Figure 26.16 replacement. State Definition for New Mexico Design State Marked Design State Interview Collection (See Figure 26.13). Page 886 Figure 26.16 replacement. State Definition for New Mexico Design State Definiti	the chapter 22 folder on the CD to your hard	drive. Define a site called Grandpa's Ice Cream.	
 with chapter_22/local as the local root folder and chaptter_22/remote as the remote folder. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Ste Definition for New Mexico Design Stere Model ASP Jandorty I. Starting web web for the lating figure 26.16 replacement. 	drive. Define a site called Grandpa's Ice Cream.	with chapter_22 as the local root folder and	
and chapter_2/remote as the remote folder. Page 882 This will install Apache 1.3.22. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mode AP JuneScope George Despiny New Folder (New Field Hole) Field Field Start Field Start (Start Start) Field Start (Start) Field Start) Stever Folder (Start) Field Start) Field Start) Field Start (Start) Field Start) Field Start) Field Start) Field Start (Start) Field Start) Field S	with chapter 22/local as the local root folder	chaptter 23 as the remote folder.	
Page 882 This will install Apache 1.3.22 or higher. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. 2. If you're running Jaguar, click the Personal Web Sharing checkbox. For systems prior to Jaguar, click the Start button in the Web Sharing section (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design The is medicate Mexico Design Vel Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Server Model ASP JavGreet Design Network The is the location of the stell Vel Page 886 Figure 26.16 replacement.	and chaptter 22/remote as the remote folder.	chapter_23 as the remote folder.	
 This will install Apache 1.3.22. Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Maxice Design Server Model (SP JevoScipt) This de contart Control to the server included on the server. URL Prefix Imp.//ocadout/NMO_Remote/ The Imp. Prefix Imp.//ocadout/NMO_Remote/ The Imp. Prefix Imp.//ocadou	Page 882	This will install Apache 1.3.22 or higher.	
 Page 882 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Testing Server Model ASP JavaScript Mexico	This will install Apache 1.3.22.	This will histail repactice 1.3.22 of higher.	
 2. In the web Sharing section, click the Start button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Testing Server Model ASP JavaScript Testing Server Model ASP JavaScript URL Prefix The URL Prefix The Ladomatically URL Prefix The URL Prefix The Link Automatically URL Prefix The URL Prefix The URL Prefix The Link Automatically The URL Prefix The URL Prefix The Link Automatically URL Prefix The URL Prefix The Link Automatically The URL Prefix The Link Automatically URL Prefix The URL Prefix The Link Automatically The Link	Page 882	2. If you're running Jaguar, click the Personal	
button to start web sharing (see Figure 26.13). Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Testing Server Code/No Period Note Field View Columns Field	2. In the web Sharing section, click the Start	Web Sharing checkbox. For systems prior to	
Note that you need to be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Server Model ASP JavaScript Testing Server Server Model ASP JavaScript Testing Server Server Model ASP JavaScript Verve Column Verve Column <tr< td=""><th>button to start web sharing (see Figure 26.13).</th><td>Jaguar, click the Start button in the Web Sharing</td></tr<>	button to start web sharing (see Figure 26.13).	Jaguar, click the Start button in the Web Sharing	
administrator to do this. be logged in as an administrator to do this. Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Image Server Model ASP JavaScript Design Server Server Model ASP JavaScript Design Server Codes: Image Server Folder: CUnetpublicker Model File List Automatically URL Prefix Influence File List Automatically Image Server URL Prefix Influence File List Automatically Image Server URL Prefix Influence File List Automatically Image Server URL Prefix Influence/Microschost/MMD_Remote/ The URL Prefix is the location of the site's root loder on the testing server.	Note that you need to be logged in as an	section (see Figure 26.13). Note that you need to	
Page 883 Figure 26.13 Starting web sharing in OS X launches Apache. Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Site Definition for New Mexico Design Category Testing Server Server Model ASP JavaScript Color Info Remote Info Site Map Layout Fiesting Server URL Prefix: http://locathoit/NMD_Remote/ Will Prefix: http://locathoit/NMD_Remote/ The URL Prefix: http://locathoit/NMD_Remote/ The URL Prefix: http://locathoit/NMD_Remote/ The URL Prefix: http://locathoit/NMD_Remote/	administrator to do this.	be logged in as an administrator to do this.	
Figure 26.13 Starting web sharing in OS X launches Apache. Iaunches Apache. (OS Io.I shown.) Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Image: Category Testing Server Server Model ASP JavaScript Cooling Design Notes Image: Category Unclosed for the New Columns Image: Category Testing Server Server Model ASP JavaScript Cool Info The Server Model ASP JavaScript Design Notes Image: Cool Info File View Columns Image: Category UFL Prefix Image: Category UFL P	Page 883	Figure 26.13 Starting web sharing in OS X	
Iaunches Apache. Site Definition for New Mexico Design Figure 26.16 replacement. Site Definition for New Mexico Design Rende Info Server Model: ASP JavaScript Cooking Design Notes Site Map Layout Testing Server File View Columns Very Model: ASP JavaScript URL Prefix: Map Java Hitp://localhost/NMD_Remote/ Testing Server Folder: URL Prefix: Mtp://localhost/NMD_Remote/ The URL Prefix: Mtp://localhost/NMD_Remote/ The URL Prefix: Mtp://localhost/NMD_Remote/	Figure 26.13 Starting web sharing in OS X	launches Apache. (OS 10.1 shown.)	
Page 886 Figure 26.16 replacement. Site Definition for New Mexico Design Rende Info Rende Info Design Notes Site Map Layout File View Columns Vie	launches Apache.		
Figure 26.16 replacement.	Page 886	Site Definition for New Mexico Design	
Category Testing Server Local Info Remote Info Testing Server Server Modet Cloaking Design Notes Site Map Layout File View Columns File View Columns Design Notes URL Prefix Mathematically URL Prefix http://localhost/NMD_Remote/ The URL Prefix http://localhost/NMD_Remote/ The URL Prefix http://localhost/NMD_Remote/ The URL Prefix http://localhost/NMD_Remote/	Figure 26.16 replacement.	Basic Advanced	
Local Info Testing Server Cloaking Design Notes Site Map Layout File View Columns Server Modet ASP JavaScript This site contains: Designweaver MCPages Only Access: Local/Network Testing Server Folder: C:Unetpub/www.rod/WMD_Remote/ Testing Server Folder: WRefresh Remote File List Automatically URL Prefix: Mtp://localhost/NMO_Remote/ The URL Prefix in the location of the site's root folder on the testing server.		Category Testing Server	
Testing Server Cloaking Design Notes Site Map Layout File View Columns Server Modet ASP JavaScript Image: Cloaking Server Modet ASP JavaScript This site contains: Desimweaver MC Pages Only Image: Cloaking Server Folder: Image: Cloaking Cloaking Tiesting Server Folder: C: VinetpublywwwootNNMD_Remote\ Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image: Cloaking Image		Local Info Remote Info	
Design Notes Site Map Layout File View Columns This site contains: Desamweaver MC Pages Only Access: Loca/Network Testing Server Folder: C:\Unetpub\www.rooNNMD_Remote.\ Testing Server Folder: C:\Unetpub\www.rooNNMD_Remote.\ WRL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/		Testing Server Server Modet: ASP JavaScript	
File View Columns Access: Loca/Network Testing Server Folder: C:\Intpub\www.rootNNMD_Remote\ Image: Regime File List Automatically URL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/ The URL Prefix: http://localhost/NIMD_Remote/		Design Notes This site contains: Dreamweaver MX Pages Only	
Testing Server Folder: C:\Interpub\www.root\NMD_Remote\ Image: C:\Interpub\www.root\NMD_Remote\ Image: C:\Interpub\www.root\NMD_Remote Image: C:\Interpub\www.root\NMD_Remote\ Image: C:\Interpub\www.root\NMD_Remote\ URL Prefix: http://localhost/NIMD_Remote/ Image: C:\Interpub\www.root\NMD_Remote/ Image: C:\Interpub\www.root\NMD_Remote/ URL Prefix: http://localhost/NIMD_Remote/ Image: C:\Interpub\www.root\NMD_Remote/ Image: C:\Interpub\www.root\NMD_Remote/ Image: C:\Interpublic C:\		File View Columns Access: Local/Network	
URL Prefix: http://localhost/NMD_Remote/ URL Prefix: http://localhost/NMD_Remote/ The URL Prefix is the localion of the site's root folder on the testing server.		Testing Server Folder: C:\Inetpub\www.root\NMD_Remote\	
URL Prefix: http://localhost/NMD_Remote/ The URL Prefix is the location of the site's root folder on the testing server.		Refresh Remote File List Automatically	
URL Prefix http://localhost/NMD_Remote/ The URL Prefix is the location of the site's root folder on the testing server.			
URL Prefix: http://localhost/NMD_Remote/ The URL Prefix is the location of the site's root folder on the testing server.			
URL Prefix: http://localhost/NMD_Remote/ The URL Prefix is the location of the site's root folder on the testing server.			
The URL Prefix is the location of the site's root folder on the testing server.		URL Prefix: http://localhost/NMD_Remote/	
i dok tudet on the texting server.		The URL Prefix is the location of the site's	
		Tool tollate on the testing server.	
OK Cancel Help		OK Cancel Help	
		<u>N</u>	

Page 906 You also can create a recordset by going to Insert > Application panel, and choosing the Recordset object.	You also can create a recordset by going to Insert > Application bar, and choosing the Recordset object.
Page 911 6(Use the Image object from the Insert > Common panel.)	6(Use the Image object from the Insert > Common bar.)
Page 916 3. From the Insert > Application panel, choose the Repeat Region object.	3. From the Insert > Application bar, choose the Repeat Region object.
Page 927 7. Go to the Application Server page.	7. Go to the Testing Server category.
Page 948 In this exercise, you add dynamic elements to the catalog.asp page, which already has its static layout element in place.	In this exercise, you add dynamic elements to the catalog.cfm page, which already has its static layout element in place.
Page 958 3. From the Insert > Application panel, choose the Repeat Region object.	3. From the Insert > Application bar, choose the Repeat Region object.
Page 966 4. Finally, type the following (no typos!): sudo perl -p -i.bak -e `s%#(AddType \S+- php[-])%\$1%I' httpd.conf	<pre>4. Finally, type the following (no typos!): echo 'echo "AddType application/x-httpd-php .php" >> /etc/httpd/httpd.conf' sudo sh -s</pre>
	For systems prior to Jaguar, type: sudo perl -p -i.bak -e `s%#(AddType \S+- php[-])%\$1%I' httpd.conf
	When you're sure the code is correct, press Enter or Return.
Page 968 See Appendix B for detailed instructions on all of these tasks.	See Appendix C for detailed instructions on all of these tasks.
Page 977 You also can create a recordset by going to Insert > Application panel, and choosing the Recordset object.	You also can create a recordset by going to Insert > Application bar, and choosing the Recordset object.
Page 980 Figure 30.12 replacement.	Antiques Barn Catalog (chapter_50_working/catalog.php) Antiques Barn Catalog Antiques Bar

Page 981-Tip	In the Application panel group, open the Server
In the Applications panel group, open the Server	Behaviors panel, and you'll see one behavior for
Behaviors panel, and you'll see one behavior for	every dynamic text element.
every dynamic text element.	
Page 1013-Note	Dreamweaver uses the files in the testing server
Dreamweaver uses the files in the application	to generate previews.
server to generate previews.	
Page 1070	If the expected value is a color, the color picker
If the expected value is a color, the color palette	will appear (use the arrow keys to navigate
will appear (use the arrow keys to navigate	through the swatches).
through the swatches).	
Page 1079	<input name="check" type="checkbox"/> Lorem
<pre><input name="check" type="checkbox"/></pre>	Ipsum
Page 1090	Dreamweaver is expecting a text value, for
Dreamweaver is expecting a text value, for	instance, no code hint will be given; if a color
instance, no code hint will be given; if a color	value is expected, the color picker will appear;
value is expected, the color pallet will appear;	
Page 1094	1. Start by choosing Edit > Tag Libraries, to open
1. Start by choosing Edit > Edit Tag Libraries, to	the Tag Library Editor.
open the Tag Library Editor.	
Page 1095	8Go to Edit > Tag Libraries, to open the Tag
8Go to Edit > Edit Tag Libraries, to open the	Library Editor.
Tag Library Editor.	
Page 1096	
Figures 33.33 an d33.34 replacements.	

Figure 33.33

💼 33idx33 - Imaging Prev	iew	
File View Page Zoom He	lp	
🖻 🖪 🔿 QQ		
Tag Library Edito	r	× i
Tags:	ASP.NET Tags JSP Tags JSP Tags JRun Custom Library ASP Tags PHP Tags PHP Tags Template Tags Sitespring Project Site Tags Sitespring Project Site Tags find	OK Cancel Help
Attribute Case:	Default Set Default	
Attribute Type:	Enumerated 💌	
	Values: sly,crooked,wicked,toothy	
Preview:	text <grin kind="value"> text</grin>	
Kodak For Help, press F1	133.30% Page 1 of 1	

Figure 33.34

💈 33idx34 - Imaging Preview 📃 💽 2
File View Page Zoom Help
5 Untitled Document (Untitled-1*)
1 <html></html>
2 <head></head>
3 <title>Untitled Document</title>
4 <meta "="" content="text/html; charset=utf-8" http-equiv="Content-Type"/>
9 9 ground
10 (btml> style="border: 10;")
11 Swicked
Kodak For Help, press F1 106.10% Page 1 of 1

Page 1105 Open the Find and Replace dialog box, and set it up as shown in Figure 33.40.	To do this, perform a search with the settings as shown in Figure 33.40.
Page 1107 4. One of our headers has the text pop., but you've changed your mind and want it to say Population.	4. One of our header cells has the text pop., but you've changed your mind and want it to say Population.
Page 1112 If you're frustrated by the viewing restrictions, you can customize the behavior it present a text area rather than a text field in its dialog box by editing the calljavascript.htm file (located in the Dreamweaver application folder, in Configuration/Behaviors/Actions). Page 1115 Figure 33.49 replacement.	If you're frustrated by the viewing restrictions, you can customize the behavior it present a text area rather than a text field in its dialog box by editing the Call JavaScript.htm file (located in the Dreamweaver application folder, in Configuration/Behaviors/Actions).
	Source Count Per and Source Sour

Page 1137 2. Open the History panel by choosing Windows > Other > History, so you'll be ready to work with it.	2. Open the History panel by choosing Window > Other > History, so you'll be ready to work with it.
Page 1232 cd /users/fred/mysqul ./scripts/mysql install db	<pre>cd /users/fred/mysqul ./scripts/mysql_install_db -force.</pre>
CD A copy of the antiques database folder (antiques_mysql folder) was inadvertently placed in the Chapter 30 files. Please do not use this database for the introduction to MySQL in Appendix C.	

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.