

INDEX

A

- absolute paths, file systems, 312
- abstraction layers (SCSI)
 - architecture, 118
 - commands, 128–132
 - SAM, 119–128
- access
 - availability, 6–7
 - backups, 277–278
 - drive contention limitations, 80
 - exported storage, 107–108
 - file I/O, 32
 - filing, 32
 - historical file versions, 381–382
 - LUN masking, 110–111
 - permissions, 319
 - SAPs, 18
 - snapshots, 382
 - subsystem redundancy, 112
- ACLs (access control lists), 32
- active/active clusters, 348
- active/passive clusters, 347
- active/passive multipathing configurations, 241
- actuators, 72
- adapters
 - FAs, 97
 - HBAs, 135
 - subsystems, 91
- adding NAS systems, 342
- addresses
 - block, 28
 - DAS, 13
 - LBA, 153
 - logical block, 76
 - LUN, 107–108
 - parallel SCSI buses, 143
 - SATA, 162
 - space, 29
 - allocation, 31
 - clusters, 353
 - filing, 31
 - JBOD, 112
 - logical directory structures, 313
 - management, 105
 - sizing, 185
 - storage virtualization, 259–261
- storage virtualization, 249–250
 - applications, 267
 - management, 267–269
 - performance, 255, 266
 - pooling, 262–266
 - products, 251–254
 - reliability, 269–271
 - scaling, 255–259
 - technologies, 250
- administration
 - address space, 29, 105
 - ASM, 366
 - availability, 6–7
 - backups, 289–296
 - centralized storage, 334
 - containers, 111
 - DAS costs, 11–12
 - data
 - capacity, 385
 - file replication, 378
 - government compliance, 383–385
 - historical file versions, 378–382
 - ILM, 388
 - in time, 372
 - point-in-time snapshots, 372–378
 - distributed backup systems, 290
 - HSM, 155, 278, 386
 - Information Life Cycle Management, 155
 - media, 281
 - NAS, 339
 - operating systems, 308
 - power, 92
 - RAID, 205–206
 - SCSI, 111, 124, 335
 - SRM, 386
 - storage
 - pooling, 262–266
 - virtualization, 267–269
 - volumes, 51, 362
- Advanced Intelligent Tape (AIT), 85
- Advanced Services and Caching Services modules, 224
- Advanced Technology Attachment (ATA), 8, 25, 91

- agents
 - backup, 279
 - serverless backups, 295
- aggregation
 - devices, 92
 - virtualization, 260
- AIT (Advanced Intelligent Tape), 85
- algorithms
 - GFS, 281
 - RAID, 191
 - routing, 57
- alignment of zones, 81
- allocation
 - of address space, 31
 - of logical directory file system structures, 314
- analysis
 - SMART, 153
 - three-legged stool, 23
 - applications (filing), 34–38
 - connections, 24–27
 - filing, 31–33
 - storage processes, 23–30
- APIs (application programming interfaces), 326
- appliances
 - NAS, 337–341
 - SAN, 224
- applications. *See also* files
 - ATA network storage, 155
 - backups, 276–277, 289–296
 - clusters, 345–348
 - implementation, 353
 - NAS, 355–356
 - sharing, 349–351
 - structures, 351–352
 - data management, 372. *See also* management
 - DFS, 358
 - disk drive specifications, 78–80
 - Fibre Channel, 160
 - file systems, 309
 - filing, 34–38
 - historical file versions, 378–382
 - hosts
 - remote copy, 225
 - systems, 49
 - hotspots, 195
 - HSM, 386
 - I/O paths, 46–54
 - components, 55–58
 - operating systems, 60–63
 - subsystem hardware, 58–60
 - mirroring, 180, 184
 - multipathing, 239
 - networks, 56
 - NFSs, 334
 - centralized storage management, 334
 - data sharing, 334
 - parallel SCSI buses, 146
 - RAID 5, 203–204
 - remote copy, 209–215
 - architecture, 226–227
 - implementation, 223–225
 - processing, 216–223
 - SATA, 165
 - servers, 328
 - SRM, 266
 - storing, 33, 267
 - switch application blades, 224
- arbitrated loops, 159. *See also* Fibre Channel
- arbitration
 - buses, 13
 - parallel SCSI buses, 143
- architecture
 - DAS, 14–21
 - data-centric computing, 18–19
 - disk-based backups, 299
 - remote copy, 210, 226–227
 - SCSI, 118
 - commands, 128–132
 - SAM, 119–128
 - subsystems, 89–90
 - availability, 93–97
 - capacity, 98
 - controllers, 90–91
 - device aggregation, 92
 - internal connections, 91–92
 - modular enclosures, 102–105
 - performance, 99–102
 - three-legged stool analysis, 23
 - applications (filing), 34–38
 - connections, 24–27
 - filing, 31–33
 - storage processes, 23–24
 - storing, 27–30

- archiving. *See also* backup; historical file versions
 - ATA, 155
 - ILM, 388
- arms, 72
- arrays
 - RAID, 105, 192
 - data strips, 202
 - degraded mode operations, 201
 - RAID 10, 204–205
 - reliability of parity, 198
 - subsystems, 106
 - ASM (Automated Storage Manager), 366
- assignment of addresses (SCSI buses), 143
- asymmetrical communications, 122
- asynchronous operating modes, remote copy, 220
- ATA (Advanced Technology Attachment), 8, 25, 91
 - interconnects, 152–157
 - SATA, 162–167, 413
 - T13 AT Attachments, 413
- ATAPI (ATA Packet Interface), 153
- atomicity, 213
- attributes of file systems, 32, 318
- autoloaders, 113
- Automated Storage Manager (ASM), 366
- automation
 - backups, 284. *See also* backup
 - data migration, 268
 - EDA, 334
 - HSM, 386
- availability
 - clusters, 345–348
 - implementation, 353
 - NAS, 355–356
 - sharing, 349–351
 - structures, 351–352
 - DAS, 9
 - NAS, 340
 - remote copy, 212
 - requirements, 6–7
 - subsystems, 93–97
- average seek time, 79
- back end functions, 90
- back end networks, 16–17
- backplanes, parallel SCSI buses, 148
- backup, 275–276
 - agents, 279
 - applications, 276–277, 289–296
 - ATA, 155
 - automated, 284
 - D2D, 300
 - DAS, 14
 - databases, 367
 - decentralized approach to, 14
 - disk-based, 296–301
 - engines, 279
 - file restoration, 382
 - historical file versions, 380
 - ILM, 388
 - legacy networks, 283
 - location of, 277–278
 - NAS, 341
 - operations, 284–289
 - storage devices, 59
 - subsystems, 113–114
 - systems, 279–283
 - tape drives, 82–85
 - windows, 284
- bandwidth, 41–42
- basic address space manipulations, 29
- blocks
 - addresses, 76
 - commands, 129. *See also* SCSI
 - free block maps, 314
 - I/O, 28, 326
 - large size definitions, 335
 - LBA, 153
 - logical directory structures, 314
 - sizing, 266
 - superblocks, 317
- Boolean values, XOR parity, 199
- bottlenecks
 - DAS, 9
 - many-to-many relationships, 15
 - one-to-many relationships, 14
- breadth in pooled storage, 265
- buffers
 - file systems, 319
 - hosts, 377
 - memory, 56, 73, 351

B

bunker sites, remote copy, 212
 bunker storage, remote copy, 227
 buses
 arbitration, 13
 ATA, 25
 DAS, 8
 dual, 94
 I/O, 48, 91
 memory, 47
 parallel, 24–25
 parallel SCSI, 141–152
 SCSI, 25
 business continuity protection, backups, 276
 business issues, DAS, 11
 bytes
 location/range, 32
 parallel buses, 24

C

cabinets, modular components, 104
 cables
 ATA, 154
 latency of light propagation, 219
 parallel SCSI buses, 143
 redundancy, 232
 SCSI, 145, 219
 wiring, 24. *See also* connections
 caches
 clusters, 351–353
 file systems, 319
 I/O performance, 100
 memory, 59, 96. *See also* memory
 storage virtualization, 255
 calculations, 200. *See also* parity
 calls
 file systems, 50
 remote procedure, 121
 capacity
 Block I/O, 28
 costs, 13
 DAS, 11
 management, 385
 NAAS, 338
 scalability, 194
 scaling, 92

 sizing, 185
 subsystems, 98
 utilization of storage, 266
 captive resources, DAS, 12
 CAS (content addressable storage), 384
 CDB (command descriptor block), 129, 184
 central processing units (CPUs), 61
 centralized layout reference systems (DFS), 360
 centralized management. *See also* management
 DAS, 12
 storage management, 334
 channels, read/write, 72
 checking file systems, 320
 choke points, 41–42
 CIFS (Common Internet File System), 331–333
 CIM (Common Information Model), 112
 Cisco MDS9000 products, 224
 clients
 DFS, 360
 IFSs, 62
 NFSs, 327
 traditional computing, 7–14
 clusters, 345–348. *See also* redundancy
 active/active, 348
 active/passive, 347
 implementation, 353
 n+1, 347
 NAS, 355–356
 SAN virtualization, 270
 sharing, 349–351
 structures, 351–352
 systems, 332
 cold backups, 286–287. *See also* backup
 command descriptor block (CDB), 129
 commands
 block I/O, 28
 EXTENDED COPY (SCSI), 131
 media changer, 130
 NCQ, 164
 pending, 121
 primary, 129
 protocols, 28
 SCSI, 128–132, 216
 SCSI EXTENDED COPY, 123
 streaming, 129
 TCQ, 127
 Common Information Model (CIM), 112

- Common Internet File System (CIFS), 331–333
- communication
 - consolidated, 92
 - many-to-many relationships (DAS), 15
 - one-to-many relationships (DAS), 14
- compliance (government), data storage, 383–385
- components
 - disk drives, 69–74
 - data structures, 75–78
 - performance, 80–81
 - I/O paths, 55–58
 - modular cabinets, 104
 - redundancy, 173
 - metrics, 174–175
 - mirroring, 178–187
 - threats to data, 174
 - types of, 176–177
 - redundant paths, 231–234
 - specifications, 78–80
 - subsystems, 89–90
 - availability, 93–97
 - capacity, 98
 - controllers, 90–91
 - device aggregation, 92
 - internal connections, 91–92
 - modular enclosures, 102–105
 - performance, 99–102
 - TCQ, 127
- compression, tape drives, 84
- concatenation
 - capacity scalability, 98
 - virtualization, 260
- configuration
 - ATA, 154–155
 - Fibre Channel, 160
 - multipathing, 241
 - multiple HBAs, 134
 - parallel SCSI buses, 142, 146
 - RAID, 205–206
 - SATA, 162–167
 - static, 9
 - subsystems
 - availability, 93–97
 - capacity, 98
 - controllers, 90–91
 - modular enclosures, 102–105
 - performance, 99–102
- connections
 - ATA, 152–157
 - DAS, 8, 24–25
 - dual-controller parallel SCSI, 151
 - flexibility, 16–17
 - interconnects, 140–141
 - legacy DAS, 141–157
 - SATA, 162–167
 - serial, 158–161
 - internal, 89, 91–92
 - logical storage, 26
 - options, 19
 - parallel SCSI buses, 142, 148
 - point-to-point, 162
 - redundancy, 231–234
 - relationships, 127
 - SAN, 26, 282
 - technologies, 8, 24–27
- consistency, 45
 - host buffers, 377
 - remote copy, 213
- consolidated communications, 92
- consolidated management, 195. *See also* management; RAID
- constructs, file systems, 317–322
- container management, 111
- content addressable storage (CAS), 384
- contention, drive limitations, 80
- continuity of backups, 276
- continuous backups, 289
- continuous volume snapshots, 377
- control paths, backups, 291
- controllers, 135
 - dual-mode, 123
 - forwarding, 216
 - hardware, 89
 - HBAs, 135
 - host storage, 181
 - RAID, 193
 - redundancy, 95
 - remote copy, 210
 - subsystem, 90–91
- convergence, multipathing, 244
- cooling, redundancy, 97
- copying files, 321. *See also* replication
- copy-on-write backups, 288. *See also* backup
- core switching technology, 56

- core system hardware, 47
- costs of DAS, 11
- CPUs (central processing units), 61
- cross-shipping data., 350
- customization. *See also* configuration; design
 - Fibre Channel, 160
 - parallel SCSI bus configuration, 146
 - RAID, 205–206
 - remote copy, 218, 223–225
 - SATA, 164
- cylinders, 75

D

- D2D (disk to disk) backups, 300
- D2D2T (disk to disk to tape) backups, 300
- daisy chains, 8
- DAS (direct attached storage), 106
 - access control capabilities, 32
 - architectures, 14–21
 - client/server computing, 7–14
 - connections, 24–25
 - legacy interconnects, 141–157
- data consistency, 45, 213
- Data Core SAN Symphony, 224
- data integrity, 213
- data management. *See* management
- data movers, 294
- data paths, 291
- data rebuild, 103
- data redundancy, 92, 173
 - metrics, 174–175
 - mirroring, 178–187
 - multi-level, 183
 - RAID, 193
 - threats, 174
 - types of, 176–177
- data sharing
 - backups, 277
 - NFSs, 334
- data snapshots, 365
- data striping, 194–197
- data structures, 75–78
- databases
 - filig, 365
 - NFSs, 365–368
- data-centric computing architectures, 18–19
- decentralized backup approaches, 14
- degraded mode operations, 201
- delay, 42
- delivery
 - guaranteed in-order, 25
 - in-order (SCSI), 123
 - remote copy, 215
- Dell Powervault 530F, 224
- delta redundancy, 177
- delta snapshots, volumes, 375
- dense wavelength division multiplexing (DWDM), 92
- depth of strips (RAID), 202
- design
 - clusters, 345–348
 - implementation, 353
 - NAS, 355–356
 - sharing, 349–351
 - structures, 351–352
 - DFS, 357–365
 - EDA, 334
 - NAS, 337–341
 - remote copy, 226–227
 - subsystems
 - availability, 93–97
 - capacity, 98
 - controllers, 90–91
 - device aggregation, 92
 - internal connections, 91–92
 - modular enclosures, 102–105
 - performance, 99–102
- desktops, ATA, 152–157
- devices, 59
 - HBAs, 49, 135
 - hot-spare, 103
 - interconnects, 140–141
 - legacy DAS, 141–157
 - SATA, 162–167
 - serial, 158–161
 - overlapped I/Os, 99
 - RAID, 193
 - redundancy, 93, 173
 - metrics, 174–175
 - mirroring, 178–187
 - threats to data, 174
 - types of, 176–177

- SCSI enclosure services, 130
- starving, 13
- subsystem aggregation, 92
- T11 interfaces, 410
- tape backups, 282
- DFS (distributed file system), 356–365
- difference redundancy, 177
- differential backup operations, 285
- differential LVD SCSI buses, 145
- direct attached storage (DAS) technology, 106
- directories, 311–317
- disassembling data, 24
- disk controllers, 74
- disk drives
 - clusters, 354
 - components, 69–74
 - data structures, 75–78
 - performance, 80–81
 - redundancy, 173
 - metrics, 174–175
 - mirroring, 178–187
 - threats to data, 174
 - types of, 176–177
 - SATA, 165
 - specifications, 78–80
- disk mirroring, 93, 179
- disk platters, 70
- disk quotas (NFSs), 335
- disk subsystems, 114
- disk technology selection (NAS), 338
- disk to disk (D2D) backups, 300
- disk to disk to tape (D2D2T) backups, 300
- disk trays, 148
- disk-based backups, 296–301
- distance
 - limitations, 10
 - mirroring, 186
- distributed backup systems, 290
- distributed database systems, 368
- distributed file system. *See* DFS
- Distributed Management Task Force (DMTF), 112
- distribution, parity, 203
- DMP (dynamic multipathing), 234–244
- DMTF (Distributed Management Task Force), 112
- domains
 - NAS, 340
 - NFSs, 336

- downstream, 52
- downtime, availability (IEC), 6
- drivers
 - HBA, 53
 - multipathing, 49, 52
- drives
 - clusters, 354
 - disk. *See* disk drives
 - exported, 30
 - tape. *See* tape drives
- dual-controller parallel SCSI connections, 151
- dual-function storage, 340
- dual-mode controllers, 123
- dual-ported devices, 94
- dual-ported Fibre Channel disk drives, 160
- duplication
 - mirroring, 178–187
 - redundancy, 176. *See also* redundancy
 - requests, 184
- DWDM (dense wavelength division multiplexing), 92
- dynamic address space expansion (DFS), 364
- dynamic file system expansion, 342
- dynamic load balancing, 243
- dynamic multipathing (DMP), 234–244

E

- e-copy, 131
- EDA (electronic design automation), 334
- electric-connections, DAS, 9
- electronic design automation (EDA), 334
- elements, redundant I/O paths, 231–234
- e-mail, historical storage of, 384–385
- EMC SRDF (Symmetrix Remote Data Facility), 223
- enclosure services, 130. *See also* SCSI
- engines, backup, 279
- enterprise storage, 20
- expanded metadata (DFS), 363
- expansion
 - dynamic address spaces, 364
 - dynamic file systems, 342
 - file systems, 322
- exported drives, 30
- exported storage, 107–108
- EXTENDED COPY command (SCSI), 131

extended copy, serverless backups, 294
external storage network ports, 89

F

- fail back, 244
- failover processing, 243
- failure mode links (remote copy), 222
- Falconstor IPStor, 224
- fan-in ratios, 108–109
- fan-out ratios, virtualization lens, 256
- farm-style redundancy (FDS), 357
- FAs (Fibre adapters), 97
- fiber-optic cables, 219. *See also* cables
- Fibre Channel
 - applications, 160
 - latency, 43
 - loop networks, 91
 - networking technology, 26. *See also* SAN
 - serial storage interconnects, 158
 - subsystems, 161
 - T11, 411
 - WWPN, 237
- file I/Os, 32
 - NFSs, 326, 329–331
 - redirection, 327
- file systems, 31–33, 49–50
 - access permissions, 319
 - buffers, 319
 - caches, 319
 - checking, 320
 - clusters, 345–348
 - implementation, 353
 - NAS, 355–356
 - sharing, 349–351
 - structures, 351–352
 - constructs/functions, 317–322
 - expansions, 322
 - IFSs, 62
 - integration, 61
 - journaling, 320
 - locking, 319
 - operating systems, 307–310
 - scaling, 321
 - scanning, 317
 - semantics, 319
 - snapshots, 376
 - structures, 310
 - traversing, 317
- files, 311
 - copying, 321
 - historical versions, 378–382
 - HSM, 386
 - journaling, 339
 - NFSs, 325. *See also* NFSs
 - replication, 378
 - restoring, 382
- file-sharing networks, 7
- filing
 - applications, 34–38
 - databases, 365
 - technologies, 31–33
- five-nines availability, 6. *See also* availability
- flexibility of connections, 16–17
- flow control, 57
- flushing data, host buffers, 377
- flying height, 72
- forwarding controllers
 - remote copy, 210
 - SCSI, 216
- four-stroke SCSI write process, 219
- fragmentation of file systems, 315
- free block maps, 314
- front end functions, 90
- front end networks, 16–17
- Fujitsu Softek Replicator, 225
- full backup operations, 285
- full paths, file systems, 312
- functions. *See also* commands
 - back end, 90
 - file systems, 317–322
 - front end, 90
 - RAID, 193, 195
 - redundancy, 235
 - storage processes, 23–24
 - subsystems
 - address space management, 105
 - arrays, 106
 - LUN, 107–111
 - multiplexing, 108–109
 - redundancy, 112
 - SMI, 111

G

- gap, head, 72
- geometry of disk drives, 77
- GFS (grandfather, father, son) algorithm, 281
- global name spaces
 - clusters, 352
 - DFS, 357
- GMR (giant magnetoresistive) technology, 72
- government compliance, data storage, 383–385
- guaranteed in-order delivery, 25

H

- hardware
 - core system, 47
 - I/O paths, 46
 - networks, 55
 - subsystem I/O paths, 58–60
- HBAs (host bus adapters), 18, 48–49
 - bandwidth measurements, 41
 - device/subsystem controller/adapters, 135
 - drivers, 49
 - Fibre Channel, 160
 - interfaces, 132–133
 - as SCSI initiators, 133–134
 - vendor qualification, 134
 - mirroring, 181
 - multipathing, 239
 - multipathing drivers, 52
 - multiple, 134
 - network drivers, 53
 - parallel SCSI buses, 142
 - RAID, 193, 206
 - redundancy, 232
 - storing drivers, 53
- heads
 - gap, 72
 - NAS, 342
 - read/write, 71
 - tape, 83
- helical scan tape technology, 85. *See also* tape drives
- hierarchical storage management (HSM), 155, 278, 386
- hierarchies, remote copy, 210

- high availability. *See also* availability
 - clusters, 345–351
 - implementation, 353
 - NAS, 355–356
 - DAS, 9
 - structures, 351–352
 - subsystems, 93–97
- high priority applications, file systems as, 309
- historical archiving, 276. *See also* archiving; backup
- historical file versions, 378–382
- histories
 - RAID, 191
 - SCSI, 118
- Hitachi Truecopy, 223
- hits, caches, 100
- host bus adapters. *See* HBAs
- hosts
 - applications, 49
 - buffers, 377
 - controllers, 181
 - I/O paths, 47
 - limitations, 289
 - mirroring, 180, 184
 - multipathing, 239
 - RAID, 205
 - remote copy, 225
- hot backups, 287. *See also* backup
- hot sparing, 268
- hot swapping, 92
- hot-spare devices, 103
- hotspots, 195
- HP CASA (Continuous Access Storage Appliance), 224
- HP Stagerworks DRM (Data Replication Manager), 223
- HSM (hierarchical storage management), 155, 278, 386

I

- I/O (input/output)
 - buses, 48, 91
 - NFSs, 329–331
 - overlapped, 122
 - paths
 - DMP, 234–244
 - operation, 62

- RAID, 193
 - redundant elements, 231–234
 - termination, 183
- IBM PPRC (Peer-to-Peer Remote Copy), 223
- IBM SVC (SAN Volume Controller), 224
- IDE (Integrated Device Electronics), 25
- IEC (International Engineering Consortium), 6
- IFSs (installable file systems), 62
- ILM (information life cycle management), 155, 388
- implementation. *See also* configuration
 - clusters, 353
 - RAID, 205–206
 - remote copy, 223–225
- in-band virtualization, 254
- INCITS (International Committee for Information Technology), 118, 409–413
- incremental backups, 285. *See also* backup
- information life cycle management (ILM), 155, 388
- initialization of LIP, 159
- initiators, 28, 119
 - CDBs, 129
 - HBAs, 133–134
 - hosts, 239
 - SCSI, 216
- in-order delivery
 - remote copy, 215
 - SCSI, 123
- installable file systems (IFSs), 62
- integrated controller/adapters (subsystems), 91
- Integrated Device Electronics (IDE), 25
- integration
 - DFS, 358
 - disk-based backups, 300
 - file systems, 61
 - packaging, 92
 - Volume Manager (DFS), 362
- integrity
 - remote copy, 213
 - storage I/O, 44
- intellectual property (IP), 378
- interconnections. *See also* connections
 - backups, 282
 - internal, 59
 - legacy DAS, 141–157
 - NAS, 338
 - redundancy, 233
 - serial, 158–161/167

- interfaces
 - APIs, 326
 - ATAPI, 153
 - HBAs, 132–133
 - device/subsystem controller/adapters, 135
 - multiple, 134
 - as SCSI initiators, 133–134
 - vendor qualification, 134
 - private/public, 310
 - SCSI, 8, 25
 - architecture, 118
 - commands, 128–132
 - SAM, 119–128
 - semantics, 319
 - T10, 409
 - T11 device level, 410
- internal connection technology, 89–92
- internal interconnections, 59
- internal networks, dual, 94
- internal parallel SCSI interconnects, 151
- internal SCSI disks, 146
- International Committee for Information Technology Standards (INCITS), 118, 409–413
- International Engineering Consortium (IEC), 6
- IP (intellectual property), 378

J

- JBOD, 112
 - Fibre Channel, 161
 - parallel SCSI buses, 148
- journaling
 - clusters, 352
 - file systems, 320, 339
- jumps, file systems, 311

K

- Kashya KBX4000, 224

L

- LANs (local area networks)
 - backups
 - DAS, 14
 - LAN-free, 291
 - front end networks, 16–17
 - limitations, 290
 - VLANs. *See* VLANs
- laptops, ATA, 152–157
- large block size definitions, 335
- large-capacity storage, 193. *See also* RAID
- latency, 42
 - of light propagation, 219
 - rotational speed and, 78
 - storage virtualization, 255
- layers, disk platters, 70
- layout reference systems
 - clusters, 351
 - DFS, 360
 - systems, 315
- LBA (logical block addressing), 76, 153
- legacy DAS interconnects, 141–157
- legacy networks
 - backups, 283
 - troubleshooting, 289
- lenses, virtualization, 256
- levels
 - of RAID, 196–197
 - of RAID 5, 203–204
 - of RAID 10, 204–205
- libraries, subsystem backups, 113
- life cycles. *See* ILM
- light propagation, latency of, 219
- limitations
 - DAS
 - architecture solutions, 14–21
 - scalability, 13
 - distance, 10
 - drive contention, 80
 - hot backups, 289
 - LAN, 290
 - parity, 204–205
- linear tape open (LTO), 85
- linear tape technology, 84. *See also* tape drives
- links
 - failure modes (remote copy), 222
 - networks, 41
 - oversubscription, 108–109
- LIP (loop initialization process), 159
- load balancing
 - dynamic, 243
 - static, 241
- local area networks. *See* LANs
- location
 - of backups, 277–278
 - of bytes, 32
 - of mirroring operators, 179
- locking
 - clusters, 352
 - DFS, 363
 - file systems, 319
 - strong (UNIX), 333
- logic, 89
 - SAM, 119–132
 - SCSI, 118
- logical block addressing (LBA), 76, 153
- logical container partitions, 75
- logical directory file system structures, 310–317
- logical storage connections, 26
- logical unit number. *See* LUN
- logical units
 - LUs, 214
 - SCSI, 124
- logs, databases, 367
- loop initialization process (LIP), 159
- loops
 - FC, 91
 - Fibre Channel, 158
 - servo-controlled closed, 73
- LTO (linear tape open), 85
- LUN (logical unit number), 29
 - addressing, 107–108
 - masking, 110–111
 - multipathing, 235
 - parallel SCSI buses, 149
 - recursive virtualization, 258
- LUs (logical units), 214
- LVD (low-voltage differential), 141

M

management

- address space, 29, 105
- ASM, 366
- availability, 6–7
- backups, 289–296
- centralized storage, 334
- containers, 111
- DAS costs, 11–12
- data
 - capacity, 385
 - file replication, 378
 - government compliance, 383–385
 - historical file versions, 378–382
 - ILM, 388
 - in time, 372
 - point-in-time snapshots, 372–378
- distributed backup systems, 290
- HSM, 155, 278, 386
- Information Life Cycle Management, 155
- media, 281
- NAS, 339
- NDMP, 341
- operating systems, 308
- power, 92
- RAID, 205–206
- SCSI, 124
- SMI, 111
- SRM, 266, 335, 386
- storage
 - pooling, 262–266
 - virtualization, 267–269
 - volumes, 51, 267, 335, 362
- many-to-many relationships, DAS, 15
- maps, free block, 314
- masking (LUN), 110–111
- masters, 28, 154
- matching rotation speed, 81
- mean time between failures (MTBF), 78, 175, 198
- mean time to repair (MTTR), 175
- measurements, bandwidth, 41
- media, 45
 - components, 55–58
 - disk platters, 70
 - I/O paths, 46–54, 59
 - management, 281
 - networks, 56
 - removable backup, 281
 - rotational speed, 78
 - tape drives, 82
 - transfer rates, 79
 - WORM, 384
- media changer commands, 130. *See also* SCSI
- members (RAID), 192
 - parity rebuild operations, 201
 - RAID 5, 203
- memory
 - buffers, 56, 73
 - caches, 59
 - clusters, 351
 - CPUs, 61
 - I/O paths, 47
 - redundancy, 96
 - subsystems, 89
- metadata
 - backups, 282
 - DFS, 363
 - file systems, 318
 - virtualization, 261
- metrics, redundancy, 174–175
- migration
 - backups, 277
 - DFS, 365
 - storage virtualization, 268
- mirroring, 178–187
 - address space management, 105
 - caches, 354
 - disk, 93
 - distance, 186
 - multipathing, 235
 - RAID 10, 204–205
 - RAID level 1, 196
 - virtualization, 261
- misses, caches, 100
- models, 326. *See also* NFSs
- modes
 - link failure (remote copy), 222
 - operating, 220
 - standby (clusters), 347
- modification of address spaces, 29
- modular cabinet components, 104
- modular enclosures, 102–105
- modular scalability, 363

- monitoring, SMART, 153
- motherboards, ROM, 206
- mounting NFSs, 327
- movers, data, 294
- moving files, 321
- MTBF (mean time between failure), 78, 175, 198
- MTTR (mean time to repair), 175
- multi-level data redundancy, 183
- multinode active/passive clusters, 347
- multipathing
 - clusters, 353
 - DMP, 234–244
 - drivers, 49, 52
 - SAN virtualization/volume managers, 269
- multiple applications, 80. *See also* applications
- multiple controller cards, redundancy, 95
- multiple devices, 99
- multiple HBAs, 134, 239
- multiple mirroring functions, 183
- multiple partitions, 75
- multiple SAN, 134
- multiple spindles, spreading hotspot data over, 196
- multiplexing
 - DWDM, 92
 - subsystems, 108–109
- multipliers, ports, 164
- multiprocessing, 203–204
- multitasking, 203–204

N

- n+1 clusters, 347
- NAC (network accelerator card), 133
- names
 - SCSI, 123
 - spaces
 - clusters, 352
 - DFS, 357
 - file systems, 318
 - virtualization, 335
 - WWN, 124, 237
 - WWNN, 124, 237
 - WWPN, 237
- NAS (network attached storage), 8
 - ATA, 155
 - clusters, 355–356

- databases, 368
 - as filing/storing applications, 34–38
- heads, 342
- IFSs, 62
- legacy DAS interconnects, 141–157
- NFSs, 325–326, 337
 - applications, 334
 - backups, 341
 - block I/Os, 326
 - centralized storage management, 334
 - clients, 327
 - data sharing, 334
 - designs, 337–341
 - disk quotas, 335
 - domains, 336
 - file I/Os, 326, 329–331
 - large block size definitions, 335
 - name space virtualization, 335
 - NFS protocol, 331–333
 - redirection (file I/Os), 327
 - remote mounts, 327
 - SAMBA, 337
 - scalability, 342–343
 - servers, 327–329
 - SRM, 336
 - volume management, 335
- NCQ (Native Command Queuing), 164
- NDMP (Network Data Management Protocol), 341
- near-line storage, backups, 277–278
- network accelerator card (NAC), 133
- network attached storage. *See* NAS
- Network Data Management Protocol. *See* NDMP
- Network File Systems. *See* NFSs
- network interface cards (NICs), 18, 49
- network operating systems (NOSSs), 325
- networks
 - applications, 56
 - backup systems, 279–283
 - bandwidth measurements, 41
 - computer storage, 19
 - dual internal, 94
 - equipment, 218
 - file-sharing, 7
 - filing services, 328
 - hardware, 55
 - HBA drivers, 53

- I/O paths, 55–58
 - operating systems, 60–63
 - subsystem hardware, 58–60
- LAN limitations, 290
- legacy backup systems, 283
- loop, 91
- paths, 53
- RAID, 206
- SAN, 8
- upgrading, 17
- virtual technologies, 57
- nexus objects, SCSI, 127
- NFSs (Network File Systems), 325–326
 - applications, 334
 - block I/Os, 326
 - clients, 327
 - clusters, 356. *See also* clusters
 - databases, 365–368
 - design, 357–365
 - DFS, 356
 - disk quotas, 335
 - domains, 336
 - file I/Os, 326–331
 - large block size definitions, 335
 - name space virtualization, 335
 - NAS, 337
 - backups, 341
 - designs, 337–341
 - scalability, 342–343
 - NFS protocol, 331–333
 - remote mounts, 327
 - SAMBA, 337
 - servers, 327–329
 - SRM, 336
 - volume management, 335
- NFSV4, 331
- NICs (network interface cards), 18, 49
- nodes, WWNN, 124, 237
- noncompliance, risks of, 383
- NOSs (network operating systems), 325
- notebook computer storage, 19

O

- objects, 127
- offline storage, backups, 277–278

- one-to-many relationships, DAS, 14
- online storage, backups, 277–278
- operating modes, remote copy, 220
- operating systems, 31–33
 - DAS, 12
 - file systems, 307–310
 - I/O paths, 60–63
 - NAS, 338
- operations
 - backups, 284–289
 - degraded mode, 201
 - I/O, 62
 - RAID, 93
 - rebuild, 201
 - schedulers (backups), 280
 - start-stop (tape drives), 84
- operators
 - location of, 179
 - mirroring, 178
- optimization. *See also* configuration
 - ATA interconnects, 154
 - backups, 291
 - DAS, 9
 - disk drives, 80–81
 - read operations, 186
 - remote copy, 218
 - SATA, 164
 - storage virtualization, 255, 266
 - subsystems, 99–102
 - tape drives, 83
 - TCQ, 127
- options
 - connections, 19
 - Fibre Channel, 160
 - parallel SCSI bus configuration, 146
 - RAID, 205–206
 - remote copy, 218, 223–225
 - SATA, 164
- oracle 10g Automated Storage Manager, 366
- ordering, write, 45
- out-of-band virtualization, 254
- overlapping
 - I/Os, 99, 122
 - read operations, 186
- oversubscription of links, 108–109

P

- packets, ATAPI, 153
- pairs, mirroring, 178
- parallel buses, 24–25
- parallel SCSI buses, 141–152
- parallelism, 99, 193, 266
- parity
 - distribution, 203
 - RAID, 196–197
 - limitations, 204–205
 - rebuild operations, 201
 - redundancy, 197–202
 - redundancy, 177
- partitions, 75
 - address space management, 105
 - RAID, 192
 - raw, 365
 - short-stroking, 81
- passive clusters, 347
- passive multipathing configurations, 241
- paths
 - backups, 291
 - clusters, 353
 - failover processing, 243
 - file systems, 312
 - I/O redundant elements, 231–234
 - multipathing, 52
 - networks, 53
 - redundancy, 234–244
 - storage I/O, 46–54
 - components, 55–58
 - operating systems, 60–63
 - subsystem hardware, 58–60
- PCI (Peripheral Component Interconnect), 91
- PCI Extended (PCI-X), 91
- PDUs (protocol data units), 120, 129
- pending commands, 121
- percentages, availability (IEC), 6
- performance. *See also* specifications
 - ATA interconnects, 154
 - backups, 291
 - DAS costs, 13
 - DFS, 363
 - disk drives, 80–81
 - Fibre Channel, 160
 - NAS, 339
 - RAID, 205–206
 - read operations, 186
 - remote copy, 218
 - SATA, 164
 - storage
 - I/O, 41–43
 - virtualization, 255, 266
 - subsystems, 99–102
 - tape drives, 83
 - TPC, 348
- Peripheral Component Interconnect (PCI), 91
- permissions, access to file systems, 319
- persistence, SAN, 237
- physical components, redundant paths, 231–234
- physical dimensions, NAS, 338
- ping pong remote copy, 226. *See also* remote copy
- pipelines, latency, 43
- platforms, traditional client/server computing, 7
- platters, disk, 70
- point-in-time snapshots, 372–378
- point-to-point connections, SATA, 162
- pooling
 - applications, 267
 - storage, 262–266
- ports
 - buffer memory, 56
 - dual-ported devices, 94
 - Fibre Channel disk drives, 160
 - HBA redundancy, 232
 - I/O paths, 56
 - IDs, 123
 - multipliers, 164
 - redundancy, 97, 233
 - SCSI, 120, 123
 - selectors, 165
 - subsystem networks, 59
 - WWPN, 237
- power
 - management, 92
 - redundancy, 97
- primary commands, 129
- primary sites, remote copy, 215
- primary storage, remote copy, 210
- prioritization, 57
 - file systems (as applications), 309
 - parallel SCSI buses, 143
- private data areas, virtualization, 261

- private interfaces, 310
- processing
 - failover, 243
 - four-stroke SCSI write process, 219
 - remote copy applications, 216–223
- processors
 - I/O paths, 47
 - redundancy, 95
- products, storage virtualization, 251–254
- propagation, latency of light, 219
- properties, XOR, 199
- proprietary bus implementations, 91
- protection, 276. *See also* backup
- protocol data units (PDUs), 120, 129
- protocols
 - command/response, 28
 - NDMP, 341
 - NFS, 331–333
- provisioning, 125
- public interfaces, 310

Q

- QoS (quality of service)
 - DFS, 364
 - I/O paths, 57
- qualification of vendors, 134
- queuing
 - NCQ, 164
 - TCQ, 127
- quotas, disk (NFSs), 335

R

- RAID (redundant array of inexpensive disks)
 - arrays, 105, 192
 - backups, 298
 - controllers, 193
 - Fibre Channel, 161
 - functions, 193
 - history of, 191
 - implementation, 205–206
 - levels, 196–197
 - members, 192
 - parallel SCSI buses, 148

- parity redundancy, 197–202
- RAID 5, 203–204
- RAID 10, 204–205
 - stripes, 202, 260
 - subsystems, 93
- RAID on motherboard (ROM), 206
- ranges, byte, 32
- raw partitions, 365
- read operations, overlapping, 186
- read/write channels, 72
- read/write heads, 71
- reassembling data, 24
- rebuild operations, RAID parity, 201
- receiving controller, remote copy, 210, 217
- recording
 - heads, 71
 - read/write channels, 72
 - zoned-bit, 77
- recovery, 275–276
 - DAS, 14
 - databases, 367
 - historical file versions, 380
 - NAS, 341
 - storage devices, 59
 - tape drives, 82–85
- recursive virtualization, 257
- redirection of file I/Os, 327
- redundancy, 7, 173
 - cache memory, 96
 - connections, 231–234
 - controllers, 95
 - data, 92
 - data-centric architectures, 20
 - dual-controller parallel SCSI connections, 151
 - farm-style (DFS), 357
 - functions, 235
 - HBAs, 232
 - interconnections, 233
 - metrics, 174–175
 - mirroring, 178–187
 - multi-level, 183
 - paths, 234–244
 - ports, 97
 - power, 97
 - processors, 95
 - RAID. *See* RAID

- remote copy, 209–215
 - architecture, 226–227
 - implementation, 223–225
 - processing, 216–223
- servers, 232
- storage devices, 93
- subsystems, 112, 233
- switches, 233
- threats to data, 174
- types of, 176–177
- regulations, data storage, 383–385
- relationships
 - connections (SCSI), 127
 - initiators/targets, 28
 - many-to-many, 15
 - one-to-many, 14
 - strips/stripes (RAID), 202
- reliability
 - availability, 6–7
 - NAS, 340
 - RAID
 - arrays, 192
 - controllers, 193
 - functions, 193, 195
 - history of, 191
 - implementation, 205–206
 - levels, 196–197
 - members, 192
 - parity redundancy, 197–202
 - RAID 5, 203–204
 - RAID 10, 204–205
 - stripes, 202
 - redundancy. *See* redundancy
 - storage
 - I/O, 44
 - virtualization, 269–271
- remote copy, 209–215
 - architecture, 226–227
 - implementation, 223–225
 - processing, 216–223
- remote mounts, NFSs, 327
- remote procedure calls, 121
- remote tertiary storage, remote copy, 227
- removable backup media, 281
- replicated layout reference systems (DFS), 360
- replication of files, 378
- reporting, SMART, 153

- requests, duplication, 184
- requirements. *See also* configuration
 - availability, 6–7
 - storage I/O, 41
 - integrity, 44
 - performance, 41–43
 - reliability, 44
- reservation mechanisms, SCSI, 131
- resistance, read/write channels, 72
- resources
 - captive (DAS), 12
 - SRM, 266, 335, 386
- responses
 - protocols, 28
 - SCSI, 121
- restoring files, historical file versions, 382
- results, XOR Boolean, 199
- Revivio CPS (Continuous Protection System), 224
- risks of storage virtualization, 269–271
- ROM (RAID on motherboard), 206
- rotation
 - backups, 281. *See also* backup
 - speeds, 78, 81
- routers, 124
- routes, multipathing, 244
- routing
 - algorithms, 57
 - multipathing, 235

S

- SAM (SCSI Architecture Model), 119–128
- SAMBA, 337
- SAN (storage area network), 8
 - ATA, 155
 - back end networks, 16–17
 - backups, 282, 289–296
 - clusters, 353
 - connections, 26
 - databases, 368
 - designs, 357–365
 - DFS, 356
 - dual-function storage, 340
 - as filing/storing applications, 34–38
 - latency, 43
 - legacy DAS interconnects, 141–157

- multiple, 134
- persistence, 237
- remote copy, 224
- SATA, 166
- virtualization
 - clusters, 270
 - management, 267
 - reliability, 269
 - views, 258
- VSANs. *See* VSANS
- SAPs (service access points), 18
- Sarbanes-Oxley Act, 379
- SAS (Serial Attached SCSI), 91
- SATA (Serial ATA), 25, 91, 162–167, 413
- scalability
 - capacity, 92, 98, 194
 - DAS, 13
 - designs, 357–365
 - DFS, 363
 - file systems, 321
 - NFSs, 356
 - pooled storage, 264
 - storage virtualization, 255–259
- scanning
 - directories, 311
 - file systems, 317
- schedulers, operations (backups), 280
- SCSI (Small Computer System Interface), 8, 25, 91
 - architecture, 118
 - commands, 128–132
 - SAM, 119–128
 - clusters, 354
 - DAS scalability limitations, 13
 - forwarding controllers, 216
 - four-stroke write process, 219
 - initiators, 133–134
 - LVD, 141
 - multipathing, 235
 - parallel buses, 141–152
 - remote copy application processing, 216–223
 - T10 interfaces, 409
- SCSI Architecture Model (SAM), 119–128
- SCSI enclosure services (SES), 103
- SCSI EXTENDED COPY command, 123
- SCSI-2, 118
- SCSI-3, 118
- SDLT (super digital linear tape), 85
- secondary storage, 211, 226
- sectors, 75
- security, 32
- seek time, 79
- selection of file systems, 338
- selectors, port, 165
- Self-Monitoring Analysis and Reporting Technology (SMART), 153
- semantics, interfaces, 319
- semisynchronous operating modes, 220
- separation of DFS, 358
- Serial ATA (SATA), 25, 91, 162–167, 413
- Serial Attached SCSI (SAS), 91
- serial interconnects, 158–167
- server farms, 232. *See also* redundancy
- serverless backups, 294
- servers
 - ATA interconnects, 152–157
 - DFS, 357
 - file server applications, 328
 - NFSs, 327–329
 - parallel SCSI buses, 141–152
 - redundancy, 232
 - spare, 17
 - traditional computing, 7–14
- service access points (SAPs), 18
- service level agreements (SLAs), 44
- services
 - domains
 - NAS, 340
 - NFSs, 336
 - enclosure, 130
 - network filing, 328
- servo control electronics, 73
- servo-controlled closed loops, 73
- SES (SCSI enclosure services), 103
- SFF 8020, 153
- shared everything cluster file systems, 349
- shared nothing cluster file systems, 350
- sharing
 - caches, 354
 - clusters, 349–351
 - DAS storage, 12
 - data
 - backups, 277
 - NFSs, 334
 - file-sharing networks, 7

- short-stroking disk drives, 81
- single points of failure (DAS), 9
 - many-to-many relationships, 15
 - one-to-many relationships, 14
- single-ended LVD SCSI buses, 145
- sites
 - ping pong remote copy, 226
 - remote copy, 210
- sizing
 - address spaces, 185
 - blocks, 266, 314
 - file system expansions, 322
- SLAs (service level agreements), 44
- slaves, 28, 154
- small computer systems interface. *See* SCSI
- SMART (Self-Monitoring Analysis and Reporting Technology), 153
- SMI (Storage Management Initiative), 111
- snapshots. *See also* backup
 - accessing, 382
 - continuous volume, 377
 - DFS, 365
 - file systems, 376
 - historical file versions, 381
 - point-in-time, 372–378
 - volume delta, 375
 - whole volume, 373
- sneaker net, 82
- SNIA (Storage Network Industry Association), 174
- software. *See* applications
- spaces
 - addresses, 29
 - allocation, 31
 - clusters, 353
 - DFS, 364
 - filing, 31
 - JBOD, 112
 - logical directory structures, 313
 - management, 105
 - sizing, 185
 - storage virtualization, 259–261
 - names
 - clusters, 352
 - DFS, 357
 - file systems, 318
 - virtualization, 335
- spare servers, 17
- specialized networking equipment, 218
- special-purpose backup operations, 286
- specifications of disk drives, 78–80
- speed
 - matching, 81
 - rotational, 78
 - SCSI, 145
- spindles
 - hotspots, 196
 - motors, 71–73
- SRM (Storage Resource Management), 266, 335, 386–388
- stacks
 - spindle motors, 71–73
 - storage
 - applications, 54
 - processes, 34
- standards
 - ATA, 153
 - INCITS, 409–413
 - SCSI, 118
 - SMI, 111
 - T11, 410
- standby mode, clusters, 347
- start-stop operations (tape drives), 84
- states, point-in-time snapshots, 372–378
- static configuration, DAS, 9. *See also* configuration
- static load balancing, 241
- storage area network. *See* SAN
- storage controllers, 27
 - bandwidth measurements, 41
 - subsystem hardware, 59
- storage devices, 59
- storage flat address spaces, 260
- storage I/O
 - paths, 46–54
 - components, 55–58
 - operating systems, 60–63
 - subsystem hardware, 58–60
 - requirements, 41
 - integrity, 44
 - performance, 41–43
 - reliability, 44
- Storage Management Initiative (SMI), 111
- Storage Network Industry Association (SNIA), 174
- storage NICs, 49

- Storage Resource Management. *See* SRM
- storage virtualization, 249–250
 - address spaces, 259–261
 - applications, 267
 - management, 267–269
 - performance, 255, 266
 - pooling, 262–266
 - products, 251–254
 - reliability, 269–271
 - scaling, 255–259
 - technologies, 250
- StorageTek Mirrorstore Replication Appliance, 224
- Storageworks Continuous Access EVA products, 223
- StoreAge SAN Volume Manager, 224
- store-and-forward remote copy applications, 210
- streaming
 - SCSI, 129
 - tape drives, 84
- striping, 192, 202
 - capacity scalability, 98
 - RAID, 194–197
 - RAID 10, 204–205
 - virtualization, 260
- strong locking (UNIX), 333
- structures
 - clusters, 351–352
 - data, 75–78
 - file systems, 310–317
 - remote procedure calls, 121
- subcommittees, T10, 410
- subdirectories, 311
- subdivisions, address spaces, 261
- substitutions, address spaces, 261
- subsystems
 - architecture, 89–90
 - availability, 93–97
 - capacity, 98
 - controllers, 90–91
 - device aggregation, 92
 - internal connections, 91–92
 - modular enclosures, 102–105
 - performance, 99–102
 - backups, 113, 282, 298
 - autoloaders, 113
 - disk subsystems, 114
 - libraries, 113
 - Fibre Channel, 161
 - functions
 - address space management, 105
 - arrays, 106
 - LUN, 107–111
 - multiplexing, 108–109
 - redundancy, 112
 - SMI, 111
 - HBAs, 135
 - interconnects, 140–141
 - legacy DAS, 141–157
 - redundancy, 233
 - SATA, 162–167
 - serial, 158–161
 - I/O paths, 58–60
 - JBOD, 112
 - mirroring, 182
 - multipathing, 235
 - NAS, 340
 - parallel SCSI buses, 148
 - RAID, 193, 206
 - redundancy, 233
 - remote copy, 210, 223
 - SAN, 157
 - SATA, 165–166
 - virtualization, 258
 - WORM, 384
- super digital linear tape (SDLT), 85
- superblock file systems, 317
- support, remote copy, 212
- sustained transfer rates, 80
- switches
 - application blades, 224
 - buffer memory, 56
 - latency, 43
 - mirroring, 181
 - redundancy, 233
- switching
 - bandwidth measurements, 41
 - core technologies, 56
- switching-based controllers (subsystems), 91
- synchronous operating modes, remote copy, 220
- system migration backups, 277
- system state point-in-time snapshots, 372–378
- system-based controllers (subsystems), 91
- systems
 - backups, 279–283

file. *See* file systems
operating. *See* operating systems
subsystems. *See* subsystems

T

T10

interfaces, 409
SCSI Standards Committee, 118
subcommittees, 410
working groups, 410

T11

device level interfaces, 410
Fibre Channel, 411
Storage Network Management subcommittee,
412

T13 AT Attachments, 413

tablespace data, 367

tagged command queuing (TCQ), 127

tagged tasks, SCSI, 126

tape devices

backups, 282
DAS backups, 14
troubleshooting, 297

tape drives, 82–85, 382

targets, 28, 119

mirroring, 178
pooled storage, 265
SCSI, 216

task managers, SCSI, 124

task routers, SCSI, 124

task sets, SCSI, 126

TCQ (Tagged command queuing), 127

technologies

connections, 24–27
core switching, 56
DAS, 106
filing, 31–33
GMR, 72
helical scan tape, 85
internal connections, 89
linear tape, 84
storage virtualization, 250
storing, 27–30
virtual networking, 57

termination, I/O, 183

tertiary sites, remote copy, 211

tertiary storage, remote copy, 227

third-party copy, 131

threats to data, 174

three-legged stool analysis, 23

applications (filing), 34–38

connections, 24–27

filing, 31–33

storage processes, 23–24

storing, 27–30

thresholds, SRM, 386

throughput, NAS, 339

time

data management in, 372

point-in-time snapshots, 372–378

TOE adapters, 133

tolerances, head gap, 72

Topio SANSafe, 225

topologies

DAS, 8

Fibre Channel, 158

traditional client/server computing, 7

tow-node active/passive clusters, 347

TPC (Transaction Processing Performance Council),
348

tracks, 75

traditional client/server computing, 7–14

traffic, prioritization, 57

Transaction Processing Performance Council (TPC),
348

transactions, average seek time, 79

transfer rates

media, 79

sustained, 80

transfers, backup, 280

transmissions

latency, 42

parallel buses, 25

traversing file systems, 317

trays, parallel SCSI buses, 148

troubleshooting

backup, 275–276

applications, 276–277, 289–296

disk-based, 296–301

legacy networks, 283

location of, 277–278

operations, 284–289

systems, 279–283

DAS, 9, 14

- DFS, 363
- failover processing, 243
- file system fragmentation, 315
- recovery, 275–276
- remote copy, 215
- tape devices, 297
- tape drives, 83

types

- of backups, 277–278, 284
- of database data, 366
- of redundancy, 176–177
- of SCSI, 145

U

- unaltered storage, 384
- unique identifier (UUID), 236
- unique identifiers (port IDs), 123
- UNIX, strong locking, 333
- upgrading networks, 17
- upper-layer storing device drivers, multi-pathing, 52
- upstream addresses, 52, 249–250
 - address spaces, 259–261
 - applications, 267
 - management, 267–269
 - performance, 255, 266
 - pooling, 262–266
 - products, 251–254
 - reliability, 269–271
 - scaling, 255–259
 - technologies, 250
- uptime, availability (IEC), 6
- utilization of DAS, 12
- UUID (unique identifier), 236

V

- values
 - Boolean (XOR parity), 199
 - parity calculations, 200
- vendors, qualification, 134
- VERITAS Storage Foundation for Networks, 224
- Veritas Volume Replicator, 225
- versions, historical file, 378–382
- views, virtualization, 258

- virtual LANs (VLANs), 57
- virtual networking technologies, 57
- virtual SANs (VSANs), 57, 259
- virtual storage, 30
- virtualization
 - in-band, 254
 - lens, 256
 - name space, 335
 - out-of-band, 254
 - SAN remote copy, 224
 - serverless backups, 296
 - storage, 249–250
 - address spaces, 259–261
 - applications, 267
 - management, 267–269
 - performance, 255, 266
 - pooling, 262–266
 - products, 251–254
 - reliability, 269–271
 - scaling, 255–259
 - technologies, 250
- VLANs (virtual LANs), 57
- volumes, 30, 251–254
 - continuous snapshots, 377
 - delta snapshots, 375
 - host volume management, 205
 - management, 49, 51, 267, 335
 - DFS, 362
 - views, 258
 - whole snapshots, 373
- VSANs (virtual SANs), 57

W

- WAFL (write anywhere file layout), 339
- warm swapping, 103
- whole volume snapshots, 373
- windows, backup, 284
- wiring, 24. *See also* connections
- working groups, T10, 410
- world wide name (WWN), 124, 237
- world wide node name (WWNN), 124, 237
- world wide port name (WWPN), 237
- WORM (write-once, read-many) media, 384

write
 atomicity, 214
 ordering, 45, 213
 penalties, 203–204
write anywhere file layout (WAFL), 339
write-back caches, 101
write-once, read-many (WORM) media, 384
write-through caches, 101
WWN (world wide name), 124, 237
WWNN (world wide node name), 124, 237
WWPN (world wide port name), 237

X

x-copy, 131

Z

zones
 bit-recording, 77
 alignment, 81