

---

# Index

## A

access control list permissions,  
protecting data sets, 49-53  
ACLs, modifying, 53  
activating UNIXPRIV, 59-60  
adding  
dataset profiles, 47  
profiles, 46  
users (RACF), 28  
administrators, limited-  
authority RACF  
administrators. *See* limited-  
authority RACF  
administrators  
APF lists, 114  
audit settings, 94  
auditing, 99  
Program Properties Table  
report, 103  
RACF Authorized Caller  
(ICHAUTAB) Table  
report, 104  
RACF Exits report, 104-105  
RACF health checks. *See*  
RACF health checks

running DSMON, 101-102  
Selected Data Sets report,  
106-107  
Selected User Attribute  
report, 105-106  
Set RACF options  
(SETROPTS) command,  
108-110  
System Report, 102-103  
z/OS, 99  
zSecure, 118-119  
auditors, audit settings, 94  
authentication, enterprise  
security administration, 145  
authorization, enterprise  
security administration, 145

## B

backward compatibility,  
z/OS, 10  
batch jobs, ISPF, 10  
dataset creation, 11-12  
editing data set members,  
12-15

## C

categories, security data, 65-66  
checks, RACF health  
checks, 114  
classes, 117-118  
RACF\_IBMUSER\_  
REVOKED, 117  
RACF\_SENSITIVE\_  
RESOURCES, 114-116  
chown privileges, deleting,  
61-63  
CICS (Customer Information  
Control System), 141  
classes  
RACF active health checks,  
117-118  
for USS logging, 92  
client/server architecture  
versus mainframes, 3-4  
CMDVIOL, 108  
commands  
console commands, 74  
Set RACF options  
(SETROPTS), 108-110

communicating between enterprises, 148-149  
 communication protocols, enterprise components, 141-144  
 components of enterprises, 137-139  
   communication protocols, 141-144  
   security, 139-141  
 configuring logging, 73  
   RACF configuration, 80-82  
   SMF configuration, 74-80  
 connecting users to groups (RACF), 39-41  
 console commands, 74  
 context-sensitive help, 22  
 converting dates, 85  
 credential propagation, enterprise security administration, 145-147  
 Customer Information Control System (CICS), 141

## D

data set members, editing, 12-15  
 data sets  
   JCL, 9-10  
   protecting, 45  
     access control list permissions, 49-53  
     default permissions, 45-48  
     project groups and generic profiles, 53-57  
 dataset creation, batch jobs (ISPF), 11-12  
 dataset profiles, adding, 47  
 dates, converting, 85  
 DD (data definition), JCL, 83

default permissions, protecting data sets, 45-48  
 delegating chown privileges, protecting other resources, 61-63  
 deleting resource profiles, protecting resources, 63  
 DIRACC, 92  
 DIRSRCH, 92  
 displaying groups (RACF), 38-39  
 DRDA (Distributed Relational Database Architecture), 143  
 DSMON, running, 101-102

## E

editing data set members, batch jobs (ISPF), 12-15  
 editors, ISPF editor, 13  
 EJBs (Enterprise Java Beans), 143  
 enterprises  
   communicating between, 148-149  
   components of, 137-139  
   communication protocols, 141-144  
   security, 139-141  
   defined, 136-137  
   security administration, 144  
     authentication and authorization, 145  
     credential propagation and transformation, 145-147  
 event logging, 74

## F

FACILITY, 117, 131-133  
 filtering jobs, JCL, 18-19  
 FSOBJ, 92  
 FSSEC, 92

## G

generating reports  
   ICETOOL, 87-91  
   other reports, 91  
   sequential reports, 85-86  
   unloading log data to sequential text files, 82-85  
 generic profiles, protecting data sets, 53-57  
 group authorities, limited-authority RACF administrators, 122-124  
 group authority, 40  
 group-AUDITOR, 123-127  
 group-OPERATIONS, 123, 128  
 group-owned profiles, limited-authority RACF administrators, 122-124  
   group-AUDITOR, 124-127  
   group-OPERATIONS, 128  
   group-SPECIAL, 127-128  
 group-SPECIAL, 123, 127-128  
 groups, project groups (protecting data sets), 53-57  
 groups (RACF), 36  
   connecting users to, 39-41  
   displaying, 38-39  
   searching, 36-38

## H

“Hello, World,” TSO, 6-7  
 help, 22  
   context-sensitive help, 22  
   ISPF, 23  
   manuals, 24-25  
   TSO, 23  
 HLQ (high-level qualifier), 49  
 home directories, OMVS, 34-36  
 HTTP (Hyper Text Transfer Protocol), 142  
 HTTP proxy servers, 140

**I**

IBM Health Checker for z/OS, 114  
 IBM LookAt search engine, 48  
 IBM Tivoli zSecure, 42-43  
 ICETOOL, 87-91  
 ICHAUTAB report, 104  
 IDs  
   removing with IRRRID00, 111-113  
   residual IDs, IRRRID00, 111  
   specified IDs, IRRRID00, 111  
 IMS (Information Management System), 141  
 INDD1, 111  
 Information Management System (IMS), 141  
 INITSTATS, 108  
 Interactive System Productivity Facility (ISPF), 10  
   batch jobs, 10  
   dataset creation, 11-12  
   editing data set members, 12-15  
   help, 23  
 IPCOBJ, 92  
 IRR.DIGTCERT.\*\*, 131  
 IRR.LISTUSER, 131  
 IRR.PASSWORD.RESET, 131  
 IRRDBU00, 110-111  
   removing IDs with IRRRID00, 111-113  
 IRRDU00, 110  
 IRRRID00, removing IDs, 111-113  
 ISPF (Interactive System Productivity Facility), 10  
   batch jobs, 10  
   dataset creation, 11-12  
   editing data set members, 12, 14-15  
   help, 23  
 ISPF editor, 13

**J**

JCL (Job Control Language), 7  
 data sets, 9-10  
 DD (data definitions), 83  
 introduction to, 8  
 ISPF, batch jobs, 10-15  
 job output, viewing, 16, 18  
 jobs, filtering, 18-19  
 syntax, 15-16  
 JES (Job Entry Subsystems), 16  
 JES2, 16  
 JES3, 16  
 job output, viewing (JCL), 16-18  
 jobs, filtering (JCL), 18-19

**L**

libraries, parameter libraries, 75  
 limited-authority RACF administrators  
   group authorities, 122-124  
   profiles owned by groups, 122-124  
   group-AUDITOR, 124-127  
   group-OPERATIONS, 128  
   group-SPECIAL, 127-128  
   profiles owned by users, 121-122  
   system-level authorities, 128  
   users, 129  
   creating, 129-130  
   creating TSO segments, 131  
   manipulating, 131-133  
   permitting access to TSO segments, 130  
 LINKLIST concatenation, 114  
 logging

configuring, 73  
   RACF configuration, 80-82  
   SMF configuration, 74-80  
 events, 74  
 reports  
   ICETOOL, 87-91  
   other reports, 91  
   sequential reports, 85-86  
   unloading log data to sequential text files, 82-85  
 USS, 91-92  
   classes for, 92  
   SMF settings, 93  
   specifying, 93-94  
   viewing log records, 95  
 zSecure, 95-97  
 logging into mainframes, 5-6

**M**

main menu, RACF, 28  
 mainframes, 2-3  
   history of, 1-2  
   logging into, 5-6  
   versus client/server, 3-4  
 manipulating users, limited-authority RACF administrators, 131-133  
 manuals, help, 24-25  
 modifying  
   ACLs, 53  
   users (RACF)  
     for OMVS access, 31-36  
     from TSO, 34-36

**N**

NOPROTECTALL, 109

**O**

OMVS, 20-21  
   home directories, creating, 34-36  
   modifying users for access, 31-32, 34  
   verifying access, 36  
 Open Edition, 20  
 Open Transaction Manager Access (OTMA), 143  
 OPERAUDIT, 108  
 OPERCMDS, 117  
 OS/390, 2  
 OTMA (Open Transaction Manager Access), 143  
 OUTDD, 111

**P**

parameter libraries, 75  
 PARMLIB concatenation, 114  
 PDSs (partitioned data sets), 10  
 permission levels for data sets, RACF, 46  
 permissions  
   access control list permissions, protecting data sets, 49-53  
   default permissions, protecting data sets, 45-48  
 permitting access to TSO segments, limited-authority RACF administrators, 130  
 policies, security data, 64  
   categories, 65-66  
   security labels, 66-68  
   security levels, 64-66  
 PPT (Program Properties Table), 103  
 Principle of Least Privilege, 40  
 Privileges, delegating chown privileges (protecting other resources), 61-63  
 PROCACT, 92  
 PROCESS, 92

## profiles

adding, 46  
 dataset profiles, adding, 47  
 generic profiles, protecting data sets, 53-57  
 group-owned profiles, limited-authority RACF administrators, 122-124  
   group-AUDITOR, 124-127  
   group-OPERATIONS, 128  
   group-SPECIAL, 127-128  
 resource profiles, deleting, 63  
 user-owned profiles, limited-authority RACF administrators, 121-122  
 Program Properties Table (PPT), 103  
 project groups, protecting data sets, 53-57  
 PROTECTALL, 56  
 PROTECTALL(FAIL), 109  
 PROTECTALL(WARN), 109  
 protecting  
   data sets, 45  
     access control list permissions, 49-53  
     default permissions, 45-48  
     project groups and generic profiles, 53-57  
   other resources, 57  
     delegating chown privileges, 61-63  
     deleting resource profiles, 63  
     gathering information, 57-59  
     UNIXPRIV, 59-60  
     verifying change, 63

**R**

RACF (Resource Access Control Facility), 1  
   configuring logging, 80-82  
   groups, 36  
     connecting users to, 39-41  
     displaying, 38-39  
     searching, 36-38  
   main menu, 28  
   permission levels for data sets, 46  
   users  
     adding, 28  
     creating, 27-31  
     modifying, 31-34  
 RACF Administrators report, 105  
 RACF Administrators Summary report, 105  
 RACF Authorized Caller Table (ICHAUTAB) report, 104  
 RACF Database Unload Utility (IRRDBU00), 110-111  
   removing IDs with IRRRID00, 111-113  
 RACF databases, 114  
 RACF Exits report, 104-105  
 RACF health checks, 114  
   RACF classes, 117-118  
   RACF\_IBMUSER\_REVOKED, 117  
   RACF\_SENSITIVE\_RESOURCES, 114-116  
   RACF\_IBMUSER\_REVOKED, 117  
   RACF\_SENSITIVE\_RESOURCES, 114-116  
 RACLIST, 61  
 removing IDs with IRRRID00, 111-113

- reports
    - logging
      - ICETOOL, 87-91
      - other reports, 91
      - sequential reports, 85-86
      - unloading log data to
        - sequential text files, 82-85
    - PPT (Program Properties Table), 103
    - RACF Administrators report, 105
    - RACF Administrators Summary report, 105
    - RACF Authorized Caller Table (ICHAUTAB), 104
    - RACF Exits, 104-105
    - Selected Data Sets report, 106-107
    - Selected User Attribute report, 105-106
  - residual IDs, IRRRID00, 111
  - Resource Access Control Facility (RACF), 1
    - configuring logging, 80-82
    - groups, 36
      - connecting users to, 39-41
      - displaying, 38-39
      - searching, 36-38
    - main menu, 28
    - permission levels for data sets, 46
    - users
      - adding, 28
      - creating, 27-31
      - modifying, 31-34
  - resource profiles, deleting, 63
  - resources, protecting, 57
    - delegating chown privileges, 61-63
    - deleting resource profiles, 63
    - gathering information, 57-59
    - UNIXPRIV, 59-60
    - verifying change, 63
  - running DSMON, 101-102
- S**
- SAUDIT, 108
  - searching groups (RACF), 36-38
  - securing USS files, 68-69
  - security
    - enterprise components, 139-141
    - enterprise security administration, 144
      - authentication and authorization, 145
      - credential propagation and transformation, 145-147
    - zSecure, 70-71
  - security categories, 64
  - security data, policies, 64
    - categories, 65-66
    - security labels, 66-68
    - security levels, 64-66
  - security labels, 64
    - security data, 66-68
  - security levels, 64-65
    - security data, 65-66
  - Selected Data Sets report, 106-107
  - Selected User Attribute report, 105-106
  - separation of duties, 41
  - sequential reports, 85-86
  - servers, HTTP proxy
    - servers, 140
  - Set RACF options (SETROPTS) command, 108-110
  - SETROPTS, 108-110
  - size fields, TSO, 21
  - SMF (System Management Facility), 73-74
    - configuring logging, 74-80
    - settings for USS logging, 93
  - specified IDs, 111
  - syntax, JCL, 15-16
  - SYSPRINT, 111
  - System Report, 102-103
  - system-AUDITOR, 128
  - system-level authorities, limited-authority RACF administrators, 128
  - system-OPERATIONS, 128
  - system-SPECIAL, 128
  - System/360, 2
- T**
- TAPEVOL, 117
  - TEMPDSN, 117
  - transformation, enterprise security administration, 145-147
  - TSO
    - “Hello, World,” 6-7
    - help, 23
    - modifying users, 34-36
    - size fields, 21
  - TSO parameters, users (RACF), 30
  - TSOAUTH, 117
- U**
- UACC, default access permissions, 49
  - UNIX System Services files. *See* USS files, 68
  - UNIX systems
    - protecting resources, 57
      - delegating chown privileges, 61-63
      - deleting resource profiles, 63

- gathering information, 57-59
- UNIXPRIV, 59-60
- verifying change, 63
- UNIXPRIV, 117
  - activating, 59-60
- unloading log data to sequential text files (generating reports), 82-85
- user IDs, 4
- user-owned profiles, limited-authority RACF administrators, 121-122
- users
  - connecting to groups (RACF), 39-41
  - limited-authority RACF administrators, 129
    - creating TSO segments, 131
    - creating users, 129-130
    - manipulating users, 131-133
    - permitting access to TSO segments, 130
- users (RACF)
  - adding, 28
  - creating, 27-31
  - modifying for OMVS access, 31-32, 34
    - creating OMVS home directories, 34-36
    - verifying OMVS access, 36
- USS, logging, 91-92
  - classes for, 92
  - SMF settings, 93
  - specifying, 93-94
  - viewing log records, 95
- USS (UNIX System Services) files, 68
  - securing, 68-69

## V

- verifying
  - change, protecting resources, 63
  - OMVS access, 36
- viewing
  - job output, JCL, 16-18
  - USS log records, 95
- VSAM (Virtual Storage Access Method), 46

## W-X-Y-Z

- z/OS
  - auditing, 99
  - backward compatibility, 10
  - history of, 2
- z/OS UNIX System Services, 19-21
- zSecure, 42-43
  - auditing, 118-119
  - logging, 95-97
  - security, 70-71