
Index

A

accuracy of data, 193
defining, 194-197
 attribute accuracy, 194
 configuration item
 accuracy, 194-195
 relationship accuracy,
 195-197
during pilot programs, 144
improving, 202-205
measuring, 197-202
 counting errors,
 197-200
 investigating
 errors, 200
 reporting measure-
 ments, 200-202
advertising success of pilot
programs, 150-151
allocation reports, 180-181

ambiguity of requirements, 22
analyzing requirements,
31-36
 derived requirements,
 33-34
 prioritization of
 requirements, 31-32
 scope of project, determin-
 ing, 34-36
 sizing requirements, 32-33
application management,
 relationship with configura-
 tion management, 6
architecture documents in
project plans, 95
asset databases, populating
CMDB from, 71-73
asset management, configura-
tion management versus, 71
associations. *See*
 relationships

attributes, accuracy of, 194.
See also granularity
audiences, in communication
plans, 154
auditing
 automating audits, 215
 CMDB in standard ITIL
 framework, 59
 procedures for, 62-63
automating audits, 215
availability management, 4

B

baselining project plans, 96
batch loaders, 82
bottom up schedules,
 building, 94
boundaries. *See* span
budgets, development of, 94

- business decision
 - empowerment (maturity milestones), 15
 - business goals, process modifications for, 63-64
 - business impact analysis, 211-214
 - business organization-based pilot programs, 141
 - business processes, relationships with IT processes, 212-214
 - business requirements, 28
 - prioritizing, 32
 - when to stop gathering, 30
 - business value of configuration management, 7, 207-208
 - business impact analysis, 211-214
 - decision-making support, 8-9
 - IT governance, 214-216
 - IT services catalogs, 208-211
 - as service support process, 9-11
- C**
- capacity management, 4
 - categories (of requirements), 27-29
 - category structure (documenting scope), 43-44
 - change management, 4
 - configuration management and, 6, 12, 182
 - during pilot programs, 144
 - populating CMDB and, 133-134
 - for project plans, 96
 - chargeback, enabling, 186-188
 - choosing. *See* selecting
 - CIM (Common Information Model), 38
 - CIs (configuration items)
 - identifying procedures for, 60-61
 - in standard ITIL framework, 57
 - tracking status in standard ITIL framework, 58
 - clarity of requirements, 22
 - classification errors, 195
 - clerical errors, 203
 - CMDB (Configuration Management Database), 37
 - auditing procedures for, 62-63
 - in standard ITIL framework, 59
 - data accuracy, 193
 - defining, 194-197
 - improving, 202-205
 - measuring, 197-202
 - dedicated CMDB tools, 100-102
 - granularity, 37, 46-47
 - criteria for defining, 49-51
 - documenting, 51-53
 - fixed granularity, 47-48
 - variable granularity, 48-49
 - ITIL process interaction with, 6-7
 - in pilot programs, moving into deployment, 152-153
 - populating, 67-68
 - approaches to, 127-128
 - from asset databases, 71-73
 - with compliance tracking data, 78
 - data integration, 128-132
 - data sources, 68-79
 - from discovery tools, 73-74
 - federated data models for, 81-84
 - formatting gathered data, 78-79
 - integrating data for, 80-81
 - with location data, 77
 - naming conventions for, 79-80
 - normalizing data for, 80-81
 - with organizational structure data, 77
 - with people data, 69-71
 - process integration, 132-136
 - in project plans, 91, 93
 - with software license data, 74-77
 - scope, 37-39
 - criteria for determining, 40-43
 - documenting, 43-44
 - included and excluded scope, 39-40

- span, 37, 44
 - criteria for defining, 44-46
 - documenting, 46
 - tracking status, procedures for, 62
- collecting data. *See* populating CMDB
- Common Information Model (CIM), 38
- communication
 - advertising success of pilot programs, 150-151
 - with IT organization for configuration management process, 119-120
- communication plans
 - creating, 153-155
 - in project plans, 96
- communications person, 169-170
- compliance management for software licenses, 190-191
- compliance reports, 183
- compliance tracking data, populating CMDB with, 78
- component requirements, 28
 - when to stop gathering, 30
- configuration data accuracy. *See* data accuracy
- configuration items (CIs), 38
 - accuracy of, 194-195
 - linking with IT services, 209-210
 - non-included items, relationships with, 44
 - standard reports, 180-182
- configuration management, 1, 5. *See also* CMDB (Configuration Management Database)
 - architects, 164-165
 - asset management
 - versus, 71
 - business value of, 7, 207-208
 - business impact analysis, 211-214
 - decision-making support, 8-9
 - IT governance, 214-216
 - IT services catalogs, 208-211
 - as service support process, 9-11
- challenges for
 - departmental servers, 158
 - physically unreachable devices, 158-159
 - unsupported applications/devices, 158
- deployment
 - communication plans, creating, 153-155
 - moving pilot programs into, 149-157
- data, uses for, 179-180
 - chargeback, enabling, 186-188
 - equipment refresh cycles, planning, 188-190
- single point of failure analysis, 183-186
- software license
 - compliance, 190-191
 - standard reports, 180-183
- importance of, 5-7
- integrators, 171-172
- maturity milestones, 13-15
 - business decision empowerment, 15
 - dependency documentation, 14
 - inventory exercises, 14
 - process alignment, 14
- planning, 57
- process
 - customization, 59-66
 - implementation of, 117-125
 - importance of, 55-56
 - standard ITIL framework, 56-59
 - standard reports about, 182-183
- process area relationships with, 5-7
- requirements management for, 19
 - analyzing requirements, 31-36
 - gathering requirements, 20-31
- teams, roles in, 163-164
 - building staffing plan, 176-178
 - implementation roles, 168-171
 - operational roles, 171-175

- planning roles, 164-168
 - quality manager
 - role, 176
 - technical challenges to, 11
 - change management, 12
 - data overload, 11
 - tool integration, 12-13
 - tools
 - capabilities of, 103-113
 - defining span, 45
 - integration, as
 - challenge for configuration management, 12-13
 - selecting, 113, 115-116
 - testing, 139
 - types of, 99-103
 - Configuration Management Database. *See* CMDB
 - controls
 - procedures for, 61-62
 - in standard ITIL framework, 58
 - correlation of data, 130-132
 - cost
 - in determining scope, 41
 - of granularity of CMDB, 50-51
 - customizations to process, 59
 - audit procedures, 62-63
 - control procedures, 61-62
 - to fit business goals, 63-64
 - identifying CIs
 - procedures, 60-61
 - level of detail, 64-66
 - planning procedures, 60
 - in project plans, 90-92
 - status tracking
 - procedures, 62
 - top down process, 59-60
- D**
- data accuracy, 193
 - defining, 194-197
 - attribute accuracy, 194
 - configuration item accuracy, 194-195
 - relationship accuracy, 195-197
 - during pilot programs, 144
 - improving, 202-205
 - measuring, 197-202
 - counting errors, 197-200
 - investigating errors, 200
 - reporting measurements, 200-202
 - data bridges, 83
 - data collection. *See* populating CMDB
 - data correlation, 130-132
 - data integration
 - across processes, 136
 - configuration management integrators, role of, 171-172
 - populating CMDB, 128-132
 - data correlation and reconciliation, 130-132
 - by direct entry, 129-130
 - by federation, 128-129
 - data overload, 11
 - data quality in determining scope, 41-42
 - data reconciliation, 130-132
 - data sources
 - for granularity of CMDB, 50
 - integration in project plans, 91-93
 - populating CMDB, 68-79
 - from asset databases, 71-73
 - with compliance tracking data, 78
 - from discovery tools, 73-74
 - formatting gathered data, 78-79
 - with location data, 77
 - with organizational structure data, 77
 - people data, 69-71
 - with software license data, 74-77
 - DBAs (database analysts), 168-169
 - decision-making support, business value of configuration management, 8-9
 - dedicated CMDB tools, 100-102
 - defining
 - data accuracy, 194-197
 - attribute accuracy, 194
 - configuration item accuracy, 194-195
 - relationship accuracy, 195-197
 - IT services, 208-209
 - departmental servers, as configuration management challenge, 158

- dependency documentation (maturity milestones), 14
 - deployment
 - communication plans, creating, 153-155
 - moving pilot programs into, 149-150
 - adjusting project plan, 152
 - advertising success, 150-151
 - building on CMDB data foundation, 152-153
 - roll out methods, 155-157
 - derived requirements, 33-34
 - Desktop Management Task Force (DMTF), 38
 - direct entry, populating CMDB, 129-130
 - discovery tools, 99-101
 - populating CMDB from, 73-74
 - distributed sources of truth, populating CMDB, 128-129
 - DMTF (Desktop Management Task Force), 38
 - documenting
 - dependencies (maturity milestones), 14
 - gathering requirements from documentation, 23
 - granularity of CMDB, 51-53
 - project tasks, 86, 93
 - data source integration, 91-93
 - process customization, 90-92
 - requirements
 - implementation, 88-90
 - scope, granularity, and span, 86-88
 - requirements, 27-29
 - importance of, 22
 - scope of CMDB, 43-44
 - span of CMDB, 46
 - work instructions for configuration management process, 121-122
- E**
- enabling chargeback, 186-188
 - environment reports, 181
 - equipment refresh cycles, planning, 188-190
 - errors. *See also* data accuracy
 - classification errors, 195
 - clerical errors, 203
 - counting, 197-200
 - investigating, 200
 - process errors, 203-204
 - programming errors, 204-205
 - reporting data accuracy, 200-202
 - evaluating. *See also* selecting configuration management process implementation, 124-125
 - pilot programs, 145-146
 - exception reports, 181
 - excluded scope of CMDB (Configuration Management Database), 39-40
 - executing pilot programs, 143-144
 - expectations in requirements management, 20
 - extensibility of configuration management tools, 111-113
- F**
- failure of pilot programs, 146-147
 - federated data models for populating CMDB, 81-84, 128-129
 - federation capabilities of configuration management tools, 109-111
 - financial management, 4
 - fixed granularity of CMDB (Configuration Management Database), 47-48
 - fixed refresh cycles for equipment, 188
 - formats of messages in communication plans, 154
 - formatting gathered data for CMDB population, 78-79
 - framework. *See* standard ITIL framework
- G-H**
- gathering requirements, 20-31
 - documentation of requirements, 27-29
 - importance of, 21-23
 - techniques for, 24-27
 - when to stop, 29-31
 - where to find requirements, 23-24

- general discovery tools, 100
 geographically based pilot programs, 140
 granularity, 11
 of CMDB (Configuration Management Database), 37, 46-47
 criteria for defining, 49-51
 documenting, 51-53
 fixed granularity, 47-48
 variable granularity, 48-49
 in project plans, 86-88
 high-level design in project plans, 95
 higher order relationships, 211-212
- I**
- identification
 procedures for, 60-61
 in standard ITIL framework, 57
 impact analysis, 211-214
 impact managers, 175
 implementation of process, 117
 communication with IT organization, 119-120
 evaluating, 124-125
 staffing requirements, 118-119
 training materials, building, 122-123
 work instructions documentation, 121-122
- implementation roles, 168-171
 communications person, 169-170
 DBAs (database analysts), 168-169
 trainers, 170-171
 import federation in configuration management tools, 110
 import process
 in configuration management tools, 104-105
 populating CMDB, 129-130
 improvement
 of data accuracy, 202-205
 during pilot programs, 143
 incident management, 4
 configuration management and, 6, 9, 183
 populating CMDB and, 134-135
 included scope of CMDB (Configuration Management Database), 39-40
 inheritance, 48
 integrated service management suites, 102-103
 integration
 configuration management tool capabilities, 104-106
 of data sources in project plans, 91-93
 when populating CMDB, 80-81
- interviews for gathering requirements, 26-27
 inventory exercises (maturity milestones), 14
 issue management in pilot programs, 144
 IT governance, 214-216
 IT Infrastructure Library.
 See ITIL
 IT organization,
 communication for configuration management process, 119-120
 IT processes, relationships with business processes, 212-214
 IT services
 defining, 208-209
 linking with configuration items (CIs), 209-210
 IT services catalogs, 208-211
 IT standards, establishing, 215
 ITIL (IT Infrastructure Library), 1
 process areas in, 2-5. *See also names of specific process areas (capacity management, configuration management, etc.)*
 configuration management support for, 9-11
 relationship with configuration management, 5-7
 ITIL framework. *See* standard ITIL framework

J-K-L

job descriptions in team roles, 164

level of detail for process customiziation, 64-66

levels (of requirements), 27-29

linking configuration items (CIs) and IT services, 209-210

location data, populating CMDB with, 77

M

manual attributes in CMDB granularity, avoiding, 51

maturity milestones, 13-15

- business decision empowerment, 15
- dependency documentation, 14
- inventory exercises, 14
- process alignment, 14

measurability in requirements management, 21

measurements

- of data accuracy, 197-202
 - counting errors, 197-200
 - investigating errors, 200
- reporting measurements, 200-202
- in pilot program, 140-143

messages in communication plans, 153-155

N-O

naming conventions when populating CMDB, 79-80

non-included configuration items, relationships with, 44

normalizing data when populating CMDB, 80-81

operational roles, 171-175

- configuration management integrators, 171-172
- impact managers, 175
- reporting specialists, 174
- tools support person, 173

organization structures, testing, 139

organization-based pilot programs, 141

organizational structure data, populating CMDB with, 77

outsourcing management, relationship with configuration management, 11

P

people data, populating CMDB with, 69-71

pertinence of requirements, 22

physical storage of data. *See* federated data models

physically unreachable devices, as configuration management challenge, 158-159

pilot programs, 137-138

- evaluating, 145-146
- executing, 143-144
- failure of, 146-147
- measurements in, 142-143
- moving into deployment, 149-150
 - adjusting project plan, 152
 - advertising success, 150-151
 - building on CMDB data foundation, 152-153
 - roll out methods, 155-157
- reasons for, 138-140
- selecting, 140-142
- testing versus, 139

planning. *See also* project plans

- equipment refresh cycles, 188-190
- procedures, 60
- in standard ITIL framework, 57

planning roles, 164-168

- configuration management architects, 164-165
- process engineers, 167
- project managers, 168
- requirements analysts, 165-166

point solutions, 99

policy statements for defining span, 46

populating CMDB, 67-68

- approaches to, 127-128
- from asset databases, 71-73
- with compliance tracking data, 78

- data integration, 128-132
 - data sources, 68-79
 - from discovery tools, 73-74
 - federated data models for, 81-84
 - formatting gathered data, 78-79
 - integrating data for, 80-81
 - with location data, 77
 - naming conventions for, 79-80
 - normalizing data for, 80-81
 - with organizational structure data, 77
 - with people data, 69-71
 - process integration, 132-136
 - in project plans, 91-93
 - with software license data, 74-77
 - practicality in requirements management, 21
 - prioritizing requirements, 31-32
 - problem management, 4
 - process
 - customization, 59
 - audit procedures, 62-63
 - control procedures, 61-62
 - to fit business goals, 63-64
 - identifying CIs
 - procedures, 60-61
 - level of detail for, 64-66
 - planning procedures, 60
 - status tracking
 - procedures, 62
 - top down process, 59-60
 - implementation of, 117
 - communication with IT organization, 119-120
 - evaluating, 124-125
 - staffing requirements, 118-119
 - training materials, building, 122-123
 - work instructions
 - documentation, 121-122
 - importance of, 55-56
 - standard ITIL framework, 56
 - auditing CMDB, 59
 - controls, 58
 - identifying CIs, 57
 - planning, 57
 - status tracking, 58
 - standard reports about, 182-183
 - testing, 139
- process alignment (maturity milestones), 14
 - process areas (ITIL), 2-5. *See also names of specific process areas (capacity management, configuration management, etc.)*
 - configuration management support for, 9-11
 - relationship with configuration management, 5-7
 - process customization in project plans, 90-92
 - process engineers, 167
 - process errors, 203-204
 - process integration,
 - populating CMDB, 132-136
 - change management, relationship with, 133-134
 - data integration across processes, 136
 - incident management, relationship with, 134-135
 - release management, relationship with, 135-136
 - software configuration management, relationship with, 135
 - program integration in configuration management tools, 105-106
 - programming errors, 204-205
 - project managers, 168
 - project plans, 85-86
 - adjusting after pilot program, 152
 - baselining, 96
 - configuration management plans versus, 57
 - elements of
 - communications plan, 96
 - high-level design, 95
 - project schedule, 94-95
 - scope, 93-94
 - project schedules versus, 85

- task documentation, 86, 93
 - data source integration, 91-93
 - process customization, 90-92
 - requirements implementation, 88-90
 - scope, granularity, and span, 86-88
 - project schedules
 - in project plans, 94-95
 - project plans versus, 85
 - project scope, determining, 34-36
 - projects, defining with span, 45
 - prototypes, in gathering requirements, 29
- Q–R**
- quality of data, in
 - determining scope, 41-42
 - quality managers, 176
 - RASIC model, 164
 - reconciliation of data, 130-132
 - refresh cycles for equipment, planning, 188-190
 - relationship data, viewing in configuration management tools, 108-109
 - relationship documentation (maturity milestones), 14
 - relationships, 38
 - accuracy of, 195-197
 - between business and IT processes, 212-214
 - higher order relationships, 211-212
 - with non-included configuration items, 44
 - release management, 4
 - configuration management, relationship with, 10
 - populating CMDB and, 135-136
 - reporting
 - with configuration management tools, 108
 - data accuracy, 200-202
 - reporting specialists, 174
 - reports, 179-180
 - chargeback, enabling, 186-188
 - equipment refresh cycles, planning, 188-190
 - single point of failure analysis, 183-186
 - software license compliance, 190-191
 - standard reports, 180-183
 - about configuration items (CIs), 180-182
 - about configuration management process, 182-183
 - requirements
 - implementation in project plans, 88-90
 - staffing requirements for configuration management process, 118-119
 - requirements analysts, 165-166
 - requirements management, 19
 - analyzing requirements, 31-36
 - derived requirements, 33-34
 - prioritization of requirements, 31-32
 - scope of project, determining, 34-36
 - sizing requirements, 32-33
 - gathering requirements, 20-31
 - documentation of requirements, 27-29
 - importance of, 21-23
 - techniques for, 24-27
 - when to stop, 29-31
 - where to find requirements, 23-24
 - requirements workshops for gathering requirements, 24-26
 - responsibilities in team roles, 164
 - risk reduction in determining scope, 42
 - risks in defining span, 45
 - roles
 - building staffing plan, 176-178
 - in configuration management teams, 163-164
 - implementation roles, 168-171
 - operational roles, 171-175

- planning roles, 164-168
 - quality manager
 - role, 176
 - roll out methods for
 - deployment, 155-157
 - root cause analysis for pilot program failure, 146
- S**
- schedules (project)
 - in project plans, 94-95
 - project plans versus, 85
 - schema (CMDB), defining, 52-53
 - scope, 11
 - of CMDB (Configuration Management Database), 37-39
 - criteria for determining, 40-43
 - documenting, 43-44
 - included and excluded scope, 39-40
 - of project, determining, 34-36
 - in project plans, 86-88, 93-94
 - scope creep, 157
 - search features in
 - configuration management tools, 107-108
 - security management,
 - relationship with configuration management, 6
 - selecting. *See also* evaluating
 - configuration management tools, 113-116
 - pilot programs, 140-142
 - service continuity
 - management, 4
 - configuration management, relationship with, 10
 - service delivery processes (ITIL), 3-4
 - service level management, 4
 - service models, example of, 9-10
 - service support processes (ITIL), 2, 4
 - configuration management as, 9-11
 - services (IT)
 - defining, 208-209
 - linking with configuration items (CIs), 209-210
 - shadow records, 110-111
 - simplicity in determining scope, 40-41
 - single point of failure
 - analysis, 183-186
 - sizing requirements, 32-33
 - skill sets in team roles, 164
 - software configuration
 - management, populating CMDB and, 135
 - software license compliance, 190-191
 - software license data,
 - populating CMDB with, 74-77
 - source of truth in populating CMDB, 128-132
 - data correlation and reconciliation, 130-132
 - direct entry, 129-130
 - federation, 128-129
 - sources of data
 - for granularity of CMDB, 50
 - integration in project plans, 91-93
 - populating CMDB, 68-79
 - from asset databases, 71-73
 - with compliance tracking data, 78
 - from discovery tools, 73-74
 - formatting gathered data, 78-79
 - with location data, 77
 - with organizational structure data, 77
 - people data, 69-71
 - with software license data, 74-77
 - span
 - of CMDB (Configuration Management Database), 37, 44
 - criteria for defining, 44-46
 - documenting, 46
 - in project plans, 86-88
 - sponsorship
 - importance of, 11
 - scope of project,
 - approving, 36
 - staffing plan, building, 176-178. *See also* teams, roles in
 - staffing requirements for
 - configuration management process, 118-119

stakeholders, gathering
 requirements from, 23
standard ITIL framework, 56
 auditing CMDB, 59
 controls, 58
 identifying CIs, 57
 planning, 57
 status tracking, 58
standard reports, 180-183
 about configuration items,
 180-182
 about configuration
 management process,
 182-183
standards (IT), establishing,
215
status tracking
 procedures for, 62
 in standard ITIL
 framework, 58
storyboarding for gathering
 requirements, 26
success of pilot programs,
 advertising, 150-151
system requirements, 28
 prioritizing, 32
 when to stop gathering, 30

T

task documentation in project
plans, 86, 93
 data source integration,
 91-93
 process customization,
 90-92

 requirements
 implementation, 88-90
 scope, granularity, and
 span, 86-88
teams, roles in, 163-164
 building staffing plan,
 176-178
 implementation roles,
 168-171
 operational roles, 171-175
 planning roles, 164-168
 quality manager role, 176
technology-based pilot
 programs, 141
testing
 organization structures, 139
 pilot programs versus, 139
 processes, 139
 tools, 139
timing of messages in
 communication plans, 155
tools
 capabilities of, 103
 extensibility, 111-113
 federation capabilities,
 109-111
 integration capabilities,
 104-106
 visualization
 capabilities, 106-109
defining span, 45
integration, as challenge
 for configuration
 management, 12-13
selecting, 113-116
testing, 139

 types of, 99-100
 dedicated CMDB tools,
 100-102
 discovery tools, 99-101
 integrated service
 management suites,
 102-103
 tools support person, 173
 top-down process, 59-60
 top-down schedules,
 building, 94
tracking CI status in standard
 ITIL framework, 58
trainers, 170-171
training materials, building
 for configuration
 management process,
 122-123

U-V

unsupported applications/
 devices, as configuration
 management challenge, 158
use cases in gathering
 requirements, 29
variable granularity of
 CMDB (Configuration
 Management Database),
 48-49
variable refresh cycles for
 equipment, 189-190
viewing relationship data in
 configuration management
 tools, 108-109
visualization capabilities of
 configuration management
 tools, 106-109

W-Z

work instructions,
 documenting for
 configuration management
 process, 121-122

workshops for gathering
 requirements, 24-26