

THE
ADDICTED
WHY WE ABUSE DRUGS, ALCOHOL, AND NICOTINE
BRAIN

M I C H A E L K U H A R

The Addicted Brain

This page intentionally left blank

The Addicted Brain

Why We Abuse
Drugs, Alcohol, and Nicotine

Michael Kuhar

Vice President, Publisher: Tim Moore
Associate Publisher and Director of Marketing: Amy Neidlinger
Acquisitions Editor: Tim Moore
Editorial Assistant: Pamela Boland
Development Editor: Russ Hall
Operations Specialist: Jodi Kemper
Senior Marketing Manager: Julie Phifer
Assistant Marketing Manager: Megan Graue
Cover Designer: Chuti Prasertsith
Managing Editor: Kristy Hart
Project Editor: Jovana San Nicolas-Shirley
Copy Editor: Ginny Bess Munroe
Proofreader: Kathy Ruiz
Senior Indexer: Cheryl Lenser
Senior Compositor: Gloria Schurick
Manufacturing Buyer: Dan Uhrig

© 2012 by Pearson Education, Inc.

Publishing as FT Press

Upper Saddle River, New Jersey 07458

FT Press offers excellent discounts on this book when ordered in quantity for bulk purchases or special sales. For more information, please contact U.S. Corporate and Government Sales, 1-800-382-3419, corpsales@pearsontechgroup.com. For sales outside the U.S., please contact International Sales at international@pearson.com.

Company and product names mentioned herein are the trademarks or registered trademarks of their respective owners.

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher.

Printed in the United States of America

First Printing December 2011

ISBN-10: 0-13-254250-1

ISBN-13: 978-0-13-254250-0

Pearson Education LTD.

Pearson Education Australia PTY, Limited.

Pearson Education Singapore, Pte. Ltd.

Pearson Education Asia, Ltd.

Pearson Education Canada, Ltd.

Pearson Educación de México, S.A. de C.V.

Pearson Education—Japan

Pearson Education Malaysia, Pte. Ltd.

The Library of Congress cataloging-in-publication data is on file.

*This book is dedicated to those afflicted with brain disease,
to their caregivers and supporters, and to the researchers
who hope for a better future.*

This page intentionally left blank

Contents

	Introductionxi
Chapter 1	What's in This Book, and Why Should I Read It?	1
Chapter 2	Hardwired: What Animals Tell Us About the Human Desire for Drugs	15
Chapter 3	Feeling Good: The Brain's Own Reward System	29
Chapter 4	The ABCs of Drug Action in the Brain	39
Chapter 5	The Dark Side Develops!	59
Chapter 6	Why Are Drugs So Powerful?	73
Chapter 7	The Brain Is Changed—For a Long Time!	85
Chapter 8	Could I Become an Addict?	99
Chapter 9	Stress, Social Status, and Drugs	115
Chapter 10	Gambling, Sex, and Food	127
Chapter 11	What Else Do Drugs Do to Me?	137
Chapter 12	Women and Adolescents	159
Chapter 13	Treatment: How Do I Get Better?	171
Chapter 14	What Does the Future Hold?	189
Glossary	203
Index	211

This page intentionally left blank

Acknowledgments

Several individuals made important contributions to this book. I thank Dr. JoAnna Perry, who edited, contributed to several chapters, and obtained permissions for reproducing data; Sylvia Wrobel, who contributed to the first three chapters; Jordan Licata, who compiled the glossary; and Janie Langford, who helped obtain permissions.

I also thank others who contributed to the book in various ways: Jo Tunstall, Pat Harris, Brenda Lloyd, Susan Marshall, Dr. David Gorelick, Dr. Eliot Gardner, Dr. Roy Wise, Dr. Leonard Howell, Dr. Heather Kimmel, and Dr. Darryl Neill.

The editors, Russ Hall and Kirk Jensen, provided much needed advice and assistance every step of the way.

I am very grateful for my mentors, colleagues, and trainees, who, for more than four decades helped develop my skills and knowledge so that this book was possible. Support from the National Institutes of Health (NIH) was essential.

Finally, I thank the Fulbright program and colleagues at the Catholic University in Santiago, Chile, especially Dr. Katya Gysling, who helped shape this book in my mind.

About the Author

Michael Kuhar, Ph.D., is currently a professor at the Yerkes National Primate Research Center, Candler professor in the Emory University School of Medicine, and a Georgia Research Alliance Eminent Scholar. His general interests have been the structure and function of the brain, mental illness, and the drugs that affect the brain. Addiction has been his major focus for many years, and he is one of the most productive and highly cited scientists worldwide. He has trained a large cadre of students, fellows, and visitors, received a number of prestigious awards for his work, and remains involved in many aspects of addiction research and education. In June 2011, he received the Nathan B. Eddy lifetime achievement award from the College on Problems of Drug Dependence.

Introduction

Robert's friends convinced him to try crack cocaine at a senior party when he was still 17 years old. It took his head places he could only imagine, and he wanted more, more, more. Three years later, he could no longer hold a job. His teeth were loose and two had fallen out. He stole. He sold his body. He did anything for more! He had been to rehab twice and was back on the street again, and all he wanted was more.

This is a book about seduction, amazing pleasure, and a world inside your head that is both fantasy and real. This fantasy world is not easy to give up, and, like all fantasies, it can be trouble if you can't get back into the real world where you need to live, work, pay bills, and take care of loved ones. Drugs, the brain, and addiction create this dreamland of fantasy, but it can quickly turn into a hell, and it often does.

Research has taught us how drugs and other pleasures affect the brain. It turns out that drugs, gambling, Internet use, and chocolate all affect the brain in similar ways. The importance of this discovery extends well beyond knowing about drug abuse and pleasure; it impacts on ethics and morality, the nature of the brain as a survival organ, the evolution of the brain, and the good, the bad, and the ugly of human nature. Anything that reveals the vagaries and limitations of the human brain is useful and a service to us all. Understanding the brain and human behavior is a basic requirement for setting realistic goals for personal and societal improvement.

Aside from the amazing discoveries, a special glory of this book is the inclusion of wonderful techniques that help us examine the brains of drug users. For example, the development of brain imaging enables us to study how drugs affect the brain without any physical invasion of the head. This is something not even imagined decades

ago. There are many other striking techniques such as drug self-administration and biochemical analyses of tissues. When I say this is a glory, I realize that reveals something about me and my preferences, but you are invited to share in this. I'm lucky that I have spent more than four decades doing this science, watching its progress, and seeing its impact on public health. Within these pages is a fascinating story of science in the service of men.

Different drugs, some legal and others illegal, release powerful demons in our brains. Surprisingly, the demons—the chemicals and nerve cells in our brains—are already there, working in an important but much smaller way that is essential for our functioning. Drugs create the demons by disrupting the chemicals and nerve cells so that they get out of control and wreak havoc in many people. Decades of scientific research have revealed how this happens.

The demons behave as expected. Once unleashed and in power, they don't go away easily. Even after we stop taking drugs, they influence our actions for a long time, for many months or even years. They want you to continue to feed them by taking more and more drugs. Part of the power of the demons is that they reside in powerful brain systems. These brain systems *have* to be powerful because they have a big job, such as keeping us fit and surviving. The long life and the power of the demons make them formidable enemies, but we are not alone or helpless. Treatment and rehab centers help us regain control of our lives. The same demons seem to apply to other addictions—gambling, carbohydrates, sex, and the Internet. Studying one addiction—drugs—helps us understand other addictions.

Knowing the demons is helpful. Because we can understand them and what they do, we can develop medications and other treatments to thwart them and help drug users. In fact, the search for medications, although not yet complete, has been quite successful. We gain ground every day. Also, changing our behaviors and habits in constructive ways thwarts the demons.

Some of us are lucky and we either have no interest in drugs or can walk away from them at any time. Everybody's brains are different, at least to some degree, and have different vulnerabilities to drug use. Surprisingly, women and men respond differently to drugs, and so do adolescents and adults. Teens are a special concern because of their youth and increased sensitivity to drugs. Many studies have revealed why this is so and why some of us are more likely to get into trouble with drugs than others. Stress, involved in so many health problems, also feeds the demons of drug abuse. Our genetics also play a role, but not an overwhelming one; we can still fight back.

Drug abuse and addiction are costly, not the least because of the misery they bring. Because of this cost, society has invested in science to combat drug use. It is paying off. We have found the demons, and we can fight. But if you are new to the war itself, because of the addiction of a loved one, a patient, or yourself, then prepare to arm yourself to fight.

This page intentionally left blank

1

What's in This Book, and Why Should I Read It?

“I’m only 14 years old and I’m in a drug counselor’s office. I’ve been stealing, missing school, and failing most of my subjects. It seemed to start when I got involved with drugs. We got dope from older brothers and sisters, from parents’ medicine cabinets, and on the streets. We never thought of it as ‘doing drugs.’ We were just having fun and hanging out, and we thought we could stop anytime. But we fooled ourselves. It caught up to us big time. Now I need to find out about what happened and what I can do to turn my life around. I need to know everything!”

Getting hooked on drugs is a sequence of attraction, seduction, compulsion, and pain. Drugs are dangerous and widespread, and dealing with them requires knowledge and help. This book is about alcohol, nicotine, and illegal drugs—how they work, what they do to the brain, and what can be done to stop using them. The book is especially about what happens inside the brain and why the brain just happens to be set up for drugs. Yes, the brain is set up for drugs; the brain is a co-conspirator, albeit an unwitting one!

When is someone a drug abuser or an addict?¹ If someone uses drugs casually and infrequently without significant problems and can take them or leave them, that person might best be called a *user*, which is still a dangerous situation. If taking drugs causes significant distress and problems in the person’s life, then *abuser* might be the

best descriptor. If drugs are in control of a person's life, or if they can't stop, or if they do drugs in spite of personal distress and negative consequences, then they might be drug *dependent* or *addicted*. Even people who are not users, abusers, or addicts are very likely to gain from reading this book.

The text box that follows provides definitions of specific levels of drug use. Addiction is the most serious form of the disorder² and it can develop when drugs are taken repeatedly over a long period of time. Taking larger quantities of drugs more frequently is likely to result in addiction more quickly. However, there is no mathematical equation describing this process. It is not exact. Moreover, the process varies depending on the individual and his or her circumstances.

Definitions

DSM IV TR is the latest edition of the *Diagnostic and Statistical Manual of Mental Disorders* that is published through the American Psychiatric Association. It is the official manual for defining and diagnosing the spectrum of disorders that involve drug use. It is used by professionals to more precisely define the degree of drug abuse. Please see this manual for the official definitions.³

- **Drug use** can refer to any use of a drug, but more often, it refers to an occasional or recreational use of drugs. In this case, acute or immediate effects and toxicities can be significant. If the drug used is an illegal one, then there is the legal transgression to be concerned with, too. Also, there is the danger of continued use of drugs to where they become a more serious problem.
- **Drug abuse** is a more serious problem where there is a greater degree of drug use and a distressing or negative impact on the drug user's life. It can get further out of control.

- **Addiction** or **dependence** is yet more serious and includes more of a loss of control over drug seeking and drug taking in spite of distress and/or negative consequences. Note that both loss of control over behavior and distress or negative consequences are emphasized. But, there are additional characteristics of drug addiction that are well known. Considerable time may be spent getting and using the drug. More drug is taken than intended. Efforts to stop taking the drug often fail. Tolerance, which is the need to take larger quantities of the drug to get the same effect, develops. Also, perhaps there are withdrawal symptoms when the effect of the drug wears off. Thus, an individual might have a problem with drugs even though there are no distressing feelings or negative consequences that are evident. The words addiction or dependence are used to refer to more severe cases of drug seeking and taking.

The use of drugs is not simply a passing fad or the latest, cool thing. Drugs of one type or another have been with us for a long time, literally thousands of years. Opium has been used in China for centuries, and cocaine use in early Indian cultures goes back centuries. There is even a reference in the Bible about getting drunk on wine. There are things about both the nature of drugs and the human brain that make drug use enduring over the ages, and this reveals a special vulnerability in humans. For example, in 2006-2007 in the United States, there were more than 22 million people, 12 years of age and older, who were classified with drug abuse or drug dependence on illicit drugs⁴ or alcohol.

What is it about addiction that grips certain individuals so firmly that they lose at least some control over their drug taking and sometimes over their lives? This book attempts to answer this question by examining research discoveries from the previous couple of decades. Extraordinary progress has been made in drug abuse research.

What Is a Drug?

When talking about drugs that can be abused, there are about seven different groups of substances. These are nicotine; sedatives such as alcohol, barbiturates, benzodiazepines, and inhalants such as fumes from glue; opiates such as heroin and morphine; psychostimulants such as cocaine, amphetamine, and methamphetamine; marijuana; hallucinogens; and caffeine. Prescription drugs that are abused comprise many of the previous classes and are shown in the following list:

- Club drugs, which includes:
 - GHB (Also known as Goop)
 - Ketamine (Also known as K)
 - MDMA (Also known as E)
 - Rohypnol (Also known as Roofies)
- Cocaine, which is also known as nose candy, C, and blow
- Crack (another form of cocaine, and also known as Freebase, Rooster, and Tornado)
- Hallucinogens, which includes:
 - LSD
 - Mescaline (cactus)
 - Psilocybin (Mexican mushrooms)
- Heroin (Also known as Big H, China White, and Smack)
- Inhalants, which include:
 - Air blast
 - Huffing
 - Moon gas
- Marijuana
- Methamphetamine (Also known as Crank, Ice, and Stove top)
- Prescription drugs, which include:
 - Methaqualone (Also known as Ludes)
 - Oxycontin (Also known as Hillbilly heroin)
 - Ritalin (Also known as Vitamin R)
- Steroids (Also known as Juice, Pumpers, and Weight trainers)

This list is composed of illicit drugs and doesn't include alcohol or nicotine. A much more detailed list of abused drugs can be found on the ONDCP (Office of National Control Drug Policy) website at <http://www.whitehousedrugpolicy.gov/drugfact/crack/index.html>.

Why are *these* groups of chemicals addicting? It is striking how they can have such different effects and uses; for example, opiates relieve pain, and sedatives produce sleep, yet both have the danger of addiction. What is it about these chemicals, and not others, that give them such power? A reasonable answer is that it is an *accident* that all these particular compounds are addicting. There are, perhaps, millions of chemical compounds on this earth, and it is, perhaps, just unfortunate that some of these chemicals can hook into the brain in such a way that they become addicting. Of course, some of these drugs are used more than others (see Figure 1-1).

It is useful and can eliminate confusion to make a distinction between the words *drugs* and *medications*. The word *drug* is used in this book to refer to a substance with the potential to cause harm, abuse, and addiction. Of course, there are other drugs that are therapeutic, cure diseases, and are employed by doctors to treat specific maladies. These latter substances are referred to herein as *medications*. Drugs of abuse can also have legitimate uses in medicine and be medications. Cocaine is a powerful vasoconstrictor in that it closes off blood vessels and can be used to reduce bleeding in surgery. Amphetamine is a stimulant and can be used to treat Attention Deficit Hyperactivity Disorder (ADHD). Opiates are indispensable in the treatment of pain, but they can cause addiction nonetheless. Depending on how and why they are used, many of the substances can be both drugs *and* medications. *Prescription drugs* are another example of this; they are medications that can be abused and therefore are also drugs.




Figure 1-1 The number of individuals, ages 12 or older, who have used the indicated drug within the past 12 months (in millions). Psychotherapeutics refers to prescription drugs that were abused; these drugs include Oxycontin, Vicodin, amphetamines, Ritalin, and sedatives. These numbers of users, which range from 200,000 to over 15 million, are small compared to the number of individuals using the legal drugs, like alcohol and nicotine. More than 50 million people smoke, and an even larger number take alcohol regularly. The relatively larger use of alcohol and nicotine are probably due to the legality of these drugs and their greater availability. Legal drugs are used probably ten times more than illicit ones. (Source: SAMSHA, 2008, National Survey on Drug Use and Health, September 2009).

Why People Take Drugs

People take drugs for many reasons. They can produce a so-called rush of pleasurable sensations, which is a dramatic and memorable experience. Sometimes drugs are taken because of peer pressure or stress. Related to the latter, drugs are sometimes used to self-medicate unpleasant feelings such as pain, anxiety, or depression. When addicted, users may take drugs to avoid the negative symptoms of withdrawal. Withdrawal is a series of distressing feelings and physiologic reactions that occur when drug taking is stopped.

The Drug Experience

The drug experience usually fits a pattern among users. The first use of a drug, a critical occurrence, is often influenced by various factors that include curiosity, friends who may apply pressure to try a drug, availability of a drug, or even a permissive home where parents and siblings are users. Reactions to a drug can vary among individuals. Some people enjoy them and some don't. Perhaps someone begins taking a medication for a medical problem such as pain and then continues using.

The next phase is persistent drug use, in which there is more individual initiative and drive to find and take drugs. This can result in problems such as chronic intoxication, missing work or school, and perhaps stealing. There might be other missed obligations, arrests, or irresponsible behaviors such as unprotected sex. If drug taking continues, a state of addiction can result. Also, more and more of a drug may be taken to get the same effect, and efforts to stop drug use may fail. Other drug-related problems can occur in life, and good health can be threatened. Although some people can stop using drugs, others drift in and out of drug use for decades or for a lifetime. Someone might someday find that his or her life is gone, wasted by a brain disorder that he or she failed to understand and cope with.

Some drug abusers are lucky; they can quit by themselves or find a family member, friend, or counselor who can help them stop. They might get into treatment on their own or they might be forced into treatment by a judge. However it happens, treatment is effective, even for people forced into it. Sadly, because of ignorance, poverty, denial, or fear of the stigma of being labeled an addict, some never find treatment.

Drug Use Is Costly in Many Ways

Many individuals and families know from first-hand experience how hurtful addiction can be, not only to the drug users, but also to

individuals around them. The consequences of drug use include damaging families, relationships, or communities, and perhaps increasing the risks for serious illness or crime. Often, the drug user has vowed to stop and has tried to stop many times only to fall back and relapse into further drug use or dependence. The resulting feelings of helplessness, impotence, and failure can engulf and doom someone's entire world.

The personal and societal costs of drugs can be seen around us and in the media. Robert Downey Jr., a well known actor, producer, and singer, had a serious problem with drugs. He described to a judge how he couldn't stop using them even though he knew he was in trouble. He also said that while starring on the television series *Ally McBeal*, he was at a low point and didn't care if his acting career was over. But after five years of drug abuse, arrests, stints in rehab, and many relapses, he settled down to work on his problem. Ray Charles, the legendary performer, was addicted to heroin, but after his third drug bust, he went into rehab and gave up the drug. Fortunately, there are individuals who generously come forward, tell us their stories, and warn us about drugs. But not all drug users accept treatment or stop taking drugs, and that group generates great concern. There is even greater concern when our peers or the media glamorize drug use, which is quite dangerous.

Drug abuse is expensive. When we include additional health care costs, productivity losses, costs of crime, and so on, the dollar amount is great.⁵ In 2002, for example, overall costs exceeded 180 billion dollars, and loss of productivity accounted for a large portion of that (see Figure 1-2). Costs increased more than 5 percent annually since 1992, with the most rapid increase in costs related to the criminal justice system. These dollar figures are comparable to those for heart disease, cancer, and mental illness. They reflect a major drain on society's resources. Of course, dollar amounts do not begin to reflect the *misery* that drug use can create for the individual, his or her friends, and family.

While the problems are great, they are not hopeless. Perhaps determination is wanting. Dr. Bertha Madras, a Harvard researcher in drug addiction and a former White House official, says, “When viewed from a national perspective, the drug abuse problem in this country is staggering. Yet I am certain that we can develop effective solutions and strategies if we overcome our biggest challenge—finding resolve.”




Figure 1-2 Distribution of illicit drug costs in 2002 by major components. The largest fraction of the cost of drug abuse is due to loss of productivity. “Other” costs primarily reflect the costs of the criminal justice system (incarceration, court costs, and so on) costs to victims of related crimes, and costs for social welfare. From source cited in note 5.

Other Addictions

Although this is a book about drugs and how people become hooked on drugs, it is also about *all* of our appetites; therefore, it can help us understand other potential addictions such as eating and gambling. For example, if someone overeats, craves carbohydrates every day, and has withdrawal symptoms when he stops cold turkey, then he may have a problem with carbohydrates. If such a person seeks help, then this book can help with understanding the problem and the needs for treatment. More is said later about food, gambling, and sexual drives.

Other Medications

Another point is that some therapeutically useful medicines (not addicting drugs), such as antidepressants, need to be taken over long periods of time and should not be stopped abruptly because of the danger of recurring disease. Studies of abused drugs, which also involve taking drugs over a long period of time, can inform us not only about how the useful medications produce their beneficial actions in the brain, but also about the problems in abruptly stopping their use.

Brain Structure and Functions

Before embarking on a study of the addicted brain, it is necessary to be aware of the brain and its organization. Different parts of the brain have different functions. Seventy-five percent of the human brain is made up of the wrinkled outer covering referred to as the cerebral cortex, which has different functional areas. Strokes or lesions of the motor cortex result in paralysis, the extent of which is dependent on the extent of the motor area involved. Patients with strokes in the association cortex have deficits of perception and attention. When the temporal lobe is damaged, the ability to recognize or name objects is impaired. Lesions or strokes of the frontal lobe result in personality changes, planning deficits, and inability to carry out complex behaviors. Strokes or tumors in other parts of the brain have many other effects as well (see Figure 1-3).

The brain is also the organ of awareness. When general anesthetics are administered, the electrical activity of the brain is reduced, and we lose awareness or go to sleep. If we stimulate the visual cortex, we might have visual images pop into our awareness. If the olfactory cortex is stimulated, then we might perceive odors. If we stimulate other parts of the brain, other events or sensations enter our awareness. Emotional behavior is also based in the brain. A group of brain regions collectively known as the limbic system controls emotional behavior and is partly responsible for feeling good. The following chapters link certain brain regions with feeling good and with drugs.




Figure 1-3 A lateral (sideways) surface view of the brain shows some of the more obvious regions, and each region has its own function. The specific functions of the various brain regions have become known after centuries of studies of patients with strokes, injuries, and tumors. Drug addiction also involves certain regions. (Adapted from <http://medicalimages.allrefer.com/large/brain.jpg>, accessed on December 20, 2010.)

The Tool Box

Science, like everything else in our lives, has become technology-driven, and there are marvelous new approaches and instruments that allow us to examine the tiniest parts of our chromosomes or peer into the depths of our brains without surgical invasion of the skull. These tools are powerful and interesting in and of themselves.

The science of genetics has advanced, and it is now possible, with a small sample of blood, to examine our genes. Because genes are the basis of heredity, and some aspects of drug addiction are heritable, studies of genes can be informative. The target of these studies is DNA, which is made up of four different chemicals called bases, and it is *the order of these chemicals in our DNA* that specifies our genes. These chemicals—abbreviated as the letters A, T, G, and C—are lined up in two parallel strands that comprise the structure of DNA. Again, it is the sequence of these bases, in groups of three, that

constitutes our genetic code, and certain parts of our genetic code can contribute to the likelihood of our becoming a drug user.

For looking inside our brains, noninvasive brain imaging techniques can be astonishing. Magnetic resonance imaging (or MRI) describes the structure of our brains, such that changes in the size of parts of our brains can be measured. Functional magnetic resonance imaging (fMRI) tells us about the functional activity of various brain regions. Positron emission tomography (PET) scanning is versatile. It can be used to reveal the activity of different brain regions or even the levels of certain brain chemicals and proteins. Overall, genetic and imaging studies are but two of the new tools that have become available over the past 25 to 35 years. These tools are out in front in the attack on drugs.

Questions to Be Answered

This book addresses many questions about drugs and the brain, including:

- Why is it said that addiction is a brain disorder rather than perhaps a moral failing?
- What happens in the brain of someone who uses drugs repeatedly?
- Can better medications for addicted individuals be expected in the future?
- Why is drug abuse chronic and relapsing, which is part of the essence of this disorder?
- Why are drugs so powerful that they can gain control of our behaviors, but we can't give up responsibility for our actions?
- Will *I* become drug dependent?
- Are there differences among, men, women, adolescents, and older adults in how they respond to and experience drugs?
- Can one recover from drug addiction and be cured?
- The stigma of being a drug abuser is a problem in that it often prevents searching for treatment or dealing with the problem openly.

Endnotes

- ¹ Throughout this book, we tend to refer to addiction as a disorder, but it is also often called a disease. The definition of addiction that is used in this book focuses on continued drug use in spite of distress and negative consequences. However, the official description is given in the Diagnostic and Statistical Manual of Mental Disorders produced by the American Psychiatric Association, and it includes more elements. The DSM IV TR is the current edition used by medical professionals for official diagnoses. The DSM is an evolving document and DSM V is due in the near future. Currently, the diagnosis of drug dependence requires the presence of three or more of several symptoms, and it is possible to have a diagnosis of substance dependence without the presence of distress or negative consequences. The official list of symptoms and diagnostic criteria for Substance Dependence and Substance Abuse can be found in an online version of the DSM IV TR. One possible site is <http://www.psychiatryonline.com/content.aspx?aID=629>, which was accessed on June 28, 2011. Only a qualified professional can make a diagnosis.
- ² Ibid.
- ³ Ibid.
- ⁴ An illicit drug is one that is not legal to produce, not legal to use or possess, or a medically useful therapeutic drug that is used non-medically.
- ⁵ Office of National Drug Control Policy (2004). "The Economic Costs of Drug Abuse in the United States," 1992–2002. Washington, DC: Executive Office of the President (Publication No. 207303).

This page intentionally left blank

Index

A

abused drugs. *See* drugs, of abuse
abusers, defined, 1

acetylcholine

- breaking down, 46-47
- dopamine and, 80-81
- nicotine's effect on, 104, 141-142

ACTH hormone, 116

action potential, 39-40

addiction

- defined, 127, 134
- drug addiction. *See* drug addiction
- eating disorders, 130-132
- as excuse, 133
- gambling, 127-130
- helpfulness in studying all addictions, 9
- nonregular rewards and, 20-21
- as scare tactic, 133
- sexual addiction, 130

addictive properties of drugs,

harmful effects versus, 137-138

addicts, defined, 2

adenosine, 152

Adler, Martin, 174

adolescents

- drug addiction in, 164-166
- vulnerability to drug use in, 107-109

adrenal glands, 116-117

age differences in drug addiction

- adolescents, 164-166
- elderly adults, 167

airline pilots, marijuana testing on, 154

Alavi, Abass, 95

alcohol

- adolescent usage of, 164
- benefits of, 140
- elderly adult usage of, 167
- gender differences in effects, 160
- harmful effects of, 138-141
- medications for treating addiction to, 180
- public good and, 202
- stress and, 120
- withdrawal symptoms, 62

alert mechanisms, dopamine and, 81

Ali, Syed, 147

amphetamine

- harmful effects of, 148
- legitimate use of, 5
- methamphetamine compared, 146

amygdala, 116

anabolic steroids, harmful effects

versus addictive properties, 138

anandamide, 143, 191

angel dust, 151-152

animals

- advantages in research usage, 15-16
- drug use in nature, 19-20
- nonregular rewards and addiction, 20-21
- self-administration of drugs, 16-19
 - CART peptide example*, 22-24
 - in phases of drug use*, 22
 - relapse and cravings*, 25-26
- self-stimulation of brain, 30-32

antibodies, 192-194
 antigen, 192
 apomorphine, 56, 155
 assessment of treatment plans, 175
 association cortex, 10
 Ativan, 148
 attitude toward drug abuse,
 changing, 200
 autoradiography, 96
 availability of drugs, vulnerability to
 drug use and, 107
 aversive properties of drugs, 37
 awareness in brain, 10
 axon, 39-40

B

bases (in DNA), 11
 Beck, Aaron, 178
 Becker, Jill, 163
 behavioral treatments, 177-179
 benzodiazepines, harmful effects of,
 148-149
 binge eating
 as addiction, 130-132
 gene expression and, 76-77
 blockers, 180
 body, response to stress, 115-117
 brain
 chemical neurotransmission
 cocaine's effect on, 49-51
 discovery of, 55
 morphine's effect on, 51-52
 development in adolescents,
 164-166
 drug addiction's effect on, 59-60
 gene expression, 63-69
 glucose utilization, 70-71
 postmortem studies, 69-70
 questions about, 12
 sensitization and, 63
 tolerance and, 62-63
 withdrawal and, 60-62
 future of research on, 191
 imaging studies, 85-90
 necessity of, 41
 neurons, structure of, 39-41
 neurotransmitters
 binding to receptors, 43-45
 dopamine research, 56-57

drugs of abuse compared,
 48-49
 removing receptors, 46-47
 synthesis of, 41-42
 variety of, 42-43
 plasticity of, 54, 72
 pleasure and reward system, 29
 deep brain stimulation (DBS),
 33-34
 drug use and, 35-37
 food and water deprivation, 34
 self-stimulation, 30-33
 returning to normal after drug
 addiction, 93-94
 speed of entry of drugs, 52-54
 structure of, 10-11
 tools for studying, 11-12
 vaccines and, 193-194
 brainstem, 116
 breaking down neurotransmitters, 46
 Brownell, Gordon, 95
 bulimia, dopamine and, 75
 Bullitt-Jonas, Margaret, 130
 Burham, Charles, 95

C

Cadet, Jean Lud, 147
 caffeine
 as drug class, 4
 harmful effects of, 152-153
 withdrawal symptoms, 62
 "Call Off the Global Drug War"
 (Carter), 199
 cannabidiol, 143
 cannabis, harmful effects of, 143-144
 carbohydrates, comparison with
 cocaine, 131
 cardiovascular disease, drug
 addiction compared, 173-174
 Carr, Ken, 77
 Carroll, Ivy, 196
 Carroll, Marilyn, 77
 CART peptide, 22, 24
 Carter, Jimmy, 199
 cell membrane, 39
 cerebral cortex, 10, 150
 changes in environment,
 detecting, 53
 Charles, Ray, 8

chemical neurotransmission. *See also*
 neurotransmitters
 cocaine's effect on, 49-51
 defined, 40-41
 discovery of, 55
 gene expression changes, 65-66
 morphine's effect on, 51-52
 childhood stress, drug use and,
 119-121
 Childress, Anna Rose, 79
 chromosomes, 63, 68
 club drugs
 harmful effects of, 150-151
 list of, 4
 cocaine
 alternate names for, 4
 blocking of dopamine transporter,
 154, 201
 comparison with carbohydrates, 131
 dopamine, effect on, 49-51
 environmental enrichment and, 125
 gender differences in effects,
 160-163
 glutamate, effect on, 80
 harmful effects of, 145-146
 addictive properties versus, 138
 legitimate use of, 5
 long-lasting effects of, 88-90, 94
 lowering attractiveness of, CART
 peptide example, 22-24
 RTI-336 medication, 195-196
 social rank and, 121-123
 stress and, 120-121
 vaccines against usage of, 192-194
 codons, 64
 Cognitive Behavioral Therapy, 178
 colleges, treatment programs in, 179
 contingency management, 178
 cortisol, 116-117
 cost
 of drug abuse, 7-9
 of treatment, 172
 crack cocaine, 4, 145
 crank. *See* methamphetamine
 cravings, animal research on, 25-26
 CRH hormone, 117
 cues, defined, 22

D

D2 dopamine receptors, 88-89, 122
 Darwin, Charles, 19-20
 DAT (dopamine transporter), 57
 cocaine blocking, 154, 201
 DBS (deep brain stimulation), 33-34
 de Wit, Harriet, 56, 155
 decriminalization of drugs, 198-200
 deep brain stimulation (DBS), 33-34
 defeated individuals, drug use
 and, 124
 degradation rates for protein, 91-92
 delirium tremens (DTs), 140
 delta Fos-B transcription factor, 65
 delta-9-THC, 143
 dendrites, 39-40
 dependence. *See* drug addiction;
 drug dependence
 detoxification, 176
 Dewey, Bill, 63
*Diagnostic and Statistical Manual of
 Mental Disorders (DSM IV TR)*, 2,
 13, 130
 diencephalic DA system, 75
 dissociative drugs, 151
 DNA (deoxyribonucleic acid), 11,
 63-64, 67-68
 Dole, Vincent, 182
 dopamine, 191
 action of, 40
 adolescent brain and, 109, 166
 cocaine's effect on, 49-51, 146
 D2 dopamine receptors, 88-89
 eating and, 74-77
 estrogen and, 163
 glutamate, acetylcholine and, 80-81
 in neurotransmitter research, 56-57
 in pleasure centers, 32
 reasons for existence, 81
 reuptake of, 47
 sexual behavior and, 77-79
 survival functions and, 79-80
 synthesis of, 41
 dopamine system
 binge eating and, 131-132
 drug addiction and, 155-156
 gambling addiction and, 129
 methamphetamine and, 148
 social rank and, 121-123

- dopamine transporter (DAT), 57
 cocaine blocking, 154, 201
- dopaminergic neurons, 49
- dose-response studies, 37
- “Double Helix” (Watson), 96
- Downey, Robert Jr., 8
- drinking. *See* alcohol
- Dronabinol, 143
- drug abuse. *See also* drug addiction;
 drug use
 brain and. *See* brain
 changing attitude toward, 200
 costs of, 7-9
 defined, 2
 impaired judgment from, 109
 list of abused drugs, 4-5
 prevention of, 183
- drug addiction. *See also* drug abuse;
 drug use
 in adolescents, 164-166
 defined, 3
 dopamine system and, 155-156
 effect on brain, 59-60
gene expression, 63-69
glucose utilization, 70-71
postmortem studies, 69-70
 in elderly adults, 167
 gambling addiction compared,
 127-130
 long-lasting effects of, 85
benefits of researching, 92-93
brain imaging studies of, 85-90
*protein synthesis/degradation
 rates*, 91-92
*returning brain to normal
 after*, 93-94
 as metabolic disease, 182-183
 moral versus physical effects, 27
 powerfulness of, 73-74
*eating and dopamine
 connection*, 74-77
*glutamate, acetylcholine, and
 dopamine connection*, 80-81
*sexual behavior and dopamine
 connection*, 77-79
*survival functions and
 dopamine connection*, 79-80
 research. *See* research
 sensitization and, 63
 stigma of, 173-174, 196-197
 tolerance and, 62-63
 withdrawal and, 60-62
 women, differences from men,
 159-161
hormonal influences, 161-163
treatment plans, 163-164
- drug dependence, defined, 3
- drug treatment programs. *See*
 treatment
- drug use. *See also* drug abuse; drug
 addiction
 by animals in nature, 19-20
 defined, 2
 enriched environments and,
 124-125
 history of, 3
 legal versus illegal, statistics on, 6
 phases of
animal research in, 22
explained, 7
 self-administration of drugs by
 animals, 16-19
CART peptide example, 22-24
in phases of drug use, 22
relapse and cravings, 25-26
 self-stimulation of brain and, 35-37
 stress and, 118-119
early life stress, 119-121
social defeat, 124
social rank, 121-123
 vulnerability to, 99-100
adolescence and, 107-109
availability of drugs and, 107
controlling risk factors, 110
factors in, 100
gene expression and, 101-106
impaired judgment, 109
personality traits and, 107
psychological problems and,
 106-107
rider and elephant metaphor,
 110-112
- drugs
 of abuse. *See also* names of specific
 drugs (for example cocaine,
 morphine, etc.)
neurotransmitters compared,
 48-49
related neurotransmitters, 43
speed of entry into brain,
 52-54

classes of, 4-5
 delivery methods, 53
 dose-response studies, 37
 harmful effects
 addictive properties versus,
 137-138
 of alcohol, 138-141
 of benzodiazepines, 148-149
 of caffeine, 152-153
 of club drugs, 150-151
 of cocaine, 145-146
 of marijuana, 143-144
 of methamphetamine, 146-148
 of nicotine, 141-143
 of opiates, 149-150
 of PCP, 151-152
 legalization versus
 decriminalization, 198-200
 legitimate uses for, 5
 medications versus, 5
 reasons for taking, 6
DSM IV TR (*Diagnostic and Statistical Manual of Mental Disorders*), 2, 13, 130

E

early life stress, drug use and,
 119-121
 eating, dopamine and, 74-77
 eating disorders
 as addiction, 130-132
 gene expression and, 76-77
 Ecstasy, harmful effects of, 150-151
 Edwards, Griffith, 202
 Edwards, Roy, 95
 elderly adults, drug addiction in, 167
 electrical stimulation
 reinforcement, 29
 deep brain stimulation (DBS),
 33-34
 drug use and, 35-37
 food and water deprivation and, 34
 self-stimulation, 30-33
 elephant and rider metaphor,
 110-112
 emotional behavior, limbic system
 and, 10

emotional problems, vulnerability to
 drug use and, 106-107
 emotional reactions to stress, 116
 endogenous cannabinoids, 143
 endorphins, morphine's effect on,
 51-52
 enkephalins
 morphine's effect on, 51-52
 as neurotransmitters, 191
 enriched environments, drug use
 and, 124-125
 enzymes, defined, 41
 epigenetics, 67-68, 191
 epinephrine, 116
 estrogen, effect on cocaine
 addiction, 161-163
 excitatory signals, 42
 excuse, addiction as, 133
 exercise, as treatment, 178

F

family therapy, 178
 finding treatment, resources for
 information, 184-186
 Fitch, F., 192
 Fleckenstein, Annette, 147
 fMRI (functional magnetic
 resonance imaging), 12
 food addiction, 130, 132
 food deprivation, electrical
 stimulation reinforcement and, 34
 food intake, dopamine and, 74-77
 Fowler, Joanna, 95, 131
 Francis, Darlene, 119
 Freud, Sigmund, 111, 145
 frontal cortex, 116, 164
 frontal lobe, 10, 90, 165
 functional magnetic resonance
 imaging (fMRI), 12
 functions of brain regions, 10-11
 future
 of addiction research, 191
 of treatment programs, 190
 of vaccines against drug abuse,
 192-194

G

G-protein coupled receptors, 44

GABA

- alcohol's effects on, 140
- as neurotransmitter, 191

GABA-A receptors, 149

gambling addiction, 127-130

- nonregular awards and, 20-21

Gardner, Elliot, 37

gender differences in drug

addiction, 159-161

- hormonal influences, 161-163
- treatment plans, 163-164

gene expression, 191

- binge eating and, 76-77
- changes in, 63-69
- vulnerability to drug use and, 101, 103-106

genetic changes

- enriched environments and, 125
- tracking, 101

genetics, 11

genome-wide association studies

(GWAS), 103-104

GHB, harmful effects of, 151

glucose utilization, 70-71

glutamate

- dopamine and, 80-81
- as neurotransmitter, 191

Goeders, Nick, 146

Goldstein, Avram, 199

Gorelick, David, 77

Grant, K., 122

group therapy, 178

Guide for the Care and Use of Laboratory Animals, 28

GWAS (genome-wide association studies), 103-104

H

Haidt, Jonathan, 110

half life, 91

hallucinations, as withdrawal symptom, 62

hallucinogens, as drug class, 4

harmful effects of drugs

- addictive properties versus, 137-138
- of alcohol, 138-141

of benzodiazepines, 148-149

of caffeine, 152-153

of club drugs, 150-151

of cocaine, 145-146

of marijuana, 143-144

of methamphetamine, 146-148

of nicotine, 141-143

of opiates, 149-150

of PCP, 151-152

hashish, 143

Hatsukami, Dorothy, 142

Heath, Robert, 32

heroin

- alternate names for, 4
- harmful effects of, 149
- addictive properties versus*, 138

Higgins, Steve, 178

histones, 67-68

history

- of chemical neurotransmission discovery, 55
- of dopamine and drug addiction research, 155-156
- of dopamine in neurotransmitter research, 56-57
- of drug use, 3

Hoebel, Bartley, 132

hormones

- influence in drug addiction, 161-163
- released during stress, 116

Howell, Leonard, 201

humans

- drug abuse research on, 28
 - limitations of research on, 69
 - self-stimulation of brain, 32-33
- hypothalamus, 77, 116-117

I

ice. *See* methamphetamine

illicit drugs

- legal drug use versus, statistics on, 6
- legalization versus decriminalization, 198-200

imaging tools, 12

impaired judgment from drug

abuse, 109

in vitro labeling autoradiography of receptors, 90

individual therapy, 178
 infectious disease testing in
 treatment plans, 176
 inhalants
 adolescent usage of, 164
 list of, 4
 inhibitory signals, 42
 injection of drugs, 53
 intermediates, 42
 involuntary treatment, 176
 ion channel receptors, 44-45

J-K

Johanson, Chris-Ellyn, 25
 judgment, impairment from drug
 abuse, 109
 Kalivas, Peter, 80
 Ketamine, harmful effects of, 151
 King, Brett, 156
 Klonopin, 148
 Koob, George, 18, 60
 Korsakoff's syndrome, 140
 Kosten, TA, 120
 Kreek, Mary Jeanne, 118
 Kuhar, Mike, 57, 96
 Kuhl, David, 95

L

lateral hypothalamus, 32
 legal drug use, statistics on illegal
 drug use versus, 6
 legalization of drugs, 198-200
 Life Skills Training (LST), 183
 ligand-gated ion channel
 receptor, 45
 limbic system, 10
 liver disease, 140
 Loewi, Otto, 55
 London, Edythe, 110
 long-lasting effects of drug
 addiction, 85
 benefits of researching, 92-93
 brain imaging studies of, 85-90
 protein synthesis/degradation rates,
 91-92
 returning brain to normal after,
 93-94

*Love Sick: One Woman's Journey
 Through Sexual Addiction*
 (Silverman), 130
 LST (Life Skills Training), 183
 Lukas, Scott, 150
 Lundahl, Leslie, 25
 lungs, damage from smoking, 142

M

Madras, Bertha, 9
 magnetic resonance imaging (MRI),
 12, 87
 marijuana
 adolescent usage of, 164
 as drug class, 4
 harmful effects of, 143-144
 Marinol, 143
 MDMA, harmful effects of, 150-151
 Meaney, Michael, 119
 medial forebrain bundle, 32
 medial prefrontal cortex (mPFC), 75
 medical marijuana, 144
 medications
 drugs versus, 5
 risk to benefit ratio, 201
 RTI-336, 195-196
 in treatment plans, 175, 179-183
 usefulness of drug abuse studies
 for, 10
 men, differences from women in
 drug addiction, 159-164
 mental health disorders
 managing in treatment plans, 175
 vulnerability to drug use and,
 106-107
 mesocortical DA system, 75
 mesolimbic dopamine system
 diagram of, 75
 survival functions of, 79-80
 metabolic disease, drug addiction as,
 182-183
 methadone, 181-183, 193, 202
 methamphetamine
 alternate names for, 4
 effect on society, 59
 harmful effects of, 146-148
 withdrawal symptoms, 62
Methland (Reding), 59, 147

Meyer, Jerry, 147
 Milner, Peter, 30
Molecules of Emotion, 96
 moral effects of drug addiction,
 physical effects versus, 27
 Morgan, D., 122
 morphine
 antibodies against, 192
 effect on receptors in brain, 51-52
 harmful effects of, 149
 motor cortex, 10
 MRI (magnetic resonance imaging),
 12, 87
 mRNA (messenger ribonucleic
 acid), 64
 Murphy, Ann Z., 161
 muscarinic receptors, 143
 mutations in genes, tracking, 101
 myelin sheath, 40

N

NAcc (nucleus accumbens), 75, 77,
 129, 141
 Nader, Michael, 94, 122
 naltrexone, 180, 193
 National Institute on Drug Abuse
 (NIDA), 184
 nature, drug use by animals in, 19-20
 need for treatment, realizing, 177
 nerve cells, structure of, 39-41
 nerve terminals, 39-40
 Nestler, Eric, 65
 neurons, structure of, 39-41
 neuroplasticity. *See* plasticity
 of brain
 neurotransmission
 alcohol and, 140
 benzodiazepines and, 149
 caffeine and, 152
 club drugs and, 150
 cocaine and, 146
 future of research on, 191
 marijuana and, 143
 methamphetamine and, 148
 nicotine and, 142
 opiates and, 150
 PCP and, 152

neurotransmitters
 action of, 40
 binding to receptors, 43-45
 defined, 41
 dopamine research, 56-57
 drugs of abuse and, 43, 48-49
 in pleasure centers, 32
 removing from receptors, 46-47
 synthesis of, 41-42
 variety of, 42-43
 nicotine
 as drug class, 4
 effect on acetylcholine, 81
 gender differences in effects, 160
 genetic susceptibility to addiction,
 104-105
 harmful effects of, 141-143
 medications for treating addiction
 to, 180
 nicotine patch, 181, 202
 nicotinic receptors, 104-105,
 141-143
 NIDA (National Institute on Drug
 Abuse), 184
 nigrostriatal DA system, 75
 nonregular rewards, addiction and,
 20-21
 norepinephrine, 148
 nucleus accumbens (NAcc), 75, 77,
 129, 141
 Nyswander, Marie, 182

O

O'Brien, Charles, 79
 Office of National Control Drug
 Policy (ONDCP) website, 5
 Olds, James, 30
 olfactory cortex, 10
 opiates
 as drug class, 4
 effect on receptors in brain, 51
 harmful effects of, 149-150
 legitimate use of, 5
 medications for treating addiction
 to, 180
 oral ingestion of drugs, 53
 overeating, 130-132
 oxycontin, harmful effects of, 149

P

pathological gambling. *See* gambling addiction

PCP, harmful effects of, 151-152

peptidases, 47

peptides, 47

peripheral neuropathies, 140

personality traits, vulnerability to drug use and, 107

PET (Positron Emission Tomography) scanning, 12, 85-86, 95

phases of drug use
 animal research in, 22
 explained, 7

Phelps, Michael E., 95

phosphorylation, 67

physical effects of drug addiction, moral effects versus, 27

physical reactions to stress, 115-117

Pickens, Roy, 56, 155

pilots, marijuana testing on, 154

pituitary gland, 116-117

plasticity of brain, 54, 72

pleasure, dopamine and, 81

pleasure centers in brain, 29
 deep brain stimulation (DBS), 33-34
 drug use and, 35-37
 food and water deprivation, 34
 self-stimulation, 30-33

Plotsky, Paul, 119

Porrino, Linda, 70

Positron Emission Tomography (PET) scanning, 12, 85-86, 95

post-traumatic stress disorder (PTSD), 118

postmortem studies on drug-addicted brains, 69-70

powerfulness of drug addiction, 73-74
 eating and dopamine connection, 74-77
 glutamate, acetylcholine, and dopamine connection, 80-81
 sexual behavior and dopamine connection, 77-79
 survival functions and dopamine connection, 79-80

prefrontal cortex, 116, 139

“Prelude to passion: limbic activation by ‘unseen’ drug and sexual cues” (Childress et al.), 79

prescription drugs
 drugs versus medications, 5
 examples of abused drugs, 4

prevention of drug abuse, 183, 190

principles of treatment, 174-176

proteins
 antibodies and, 192
 brain functions explained, 63-69
 half life of, 91
 synthesis/degradation rates, 91-92

psychological problems, vulnerability to drug use and, 106-107

psychostimulants, as drug class, 4

PTSD (post-traumatic stress disorder), 118

public good, alcohol and, 202

Q-R

realizing need for treatment, 177

receptor autoradiography, 96

receptors, 40
 D2 dopamine receptors, 88-89, 122
 morphine’s effect on, 51-52
 neurotransmitters binding to, 43-45
 nicotinic cholinergic receptors, 104-105
 removing neurotransmitters from, 46-47

recovery. *See* treatment

Reding, Nick, 59, 147

regions of the brain, 10-11

reinforcement, 29

relapse, animal research on, 25-26

Renshaw, Perry, 150

research
 advantages of animal usage in, 15-16
 dopamine system and drug addiction, 155-156
 electrical stimulation
 reinforcement, 29
deep brain stimulation (DBS), 33-34

- drug use and*, 35-37
 - food and water deprivation and*, 34
 - self-stimulation*, 30-33
 - future of addiction research, 191
 - gender differences in drug addiction, hormonal influences, 161-163
 - on human drug abusers, 28
 - postmortem studies on drug-addicted brains, 69-70
 - self-administration of drugs by animals, 16-19
 - CART peptide example*, 22-24
 - in phases of drug use*, 22
 - relapse and cravings*, 25-26
 - resources for information on treatment plans, 184-186
 - reticular formation, 30
 - reuptake of neurotransmitters, 46-47
 - reward system in brain, 29
 - deep brain stimulation (DBS), 33-34
 - drug use and, 35-37
 - food and water deprivation, 34
 - self-stimulation, 30-33
 - rewards
 - adolescent brain and, 165-166
 - dopamine and, 81
 - nonregular rewards, addiction and, 20-21
 - rider and elephant metaphor, 110-112
 - risk factors, controlling, 110
 - risk to benefit ratio, 201
 - Ritz, Mary, 57, 146
 - Roberts, Dave, 56, 155
 - rocket fuel, 151-152
 - Rohypnol, harmful effects of, 151
 - Rothberg, R., 192
 - RTI-336 medication, 195-196
- S**
- salience, dopamine and, 81
 - SAMHSA (Substance Abuse and Mental Health Services Administration), 184
 - scare tactic, addiction as, 133
 - schizophrenia, 151
 - Schuster, C.R., 16, 192
 - sedatives
 - as drug class, 4
 - harmful effects of, 148-149
 - self-administration of drugs by animals, 16-19
 - CART peptide example, 22-24
 - in phases of drug use, 22
 - relapse and cravings, 25-26
 - self-stimulation of brain
 - by animals, 30-32
 - drug use and, 35-37
 - by humans, 32-33
 - sensitization, 63
 - septum, 30
 - serotonin, 148, 191
 - settings for treatment, 179
 - sex differences. *See* gender differences in drug addiction
 - sexual addiction, 130
 - sexual behavior, dopamine and, 77-79
 - SFP (Strengthening Families Program), 183
 - side effects. *See* harmful effects of drugs
 - signal transduction, 66
 - Silverman, Sue Williams, 130
 - single nucleotide polymorphisms (SNPs), 104
 - smoking cigarettes, harmful effects of, 141-143. *See also* nicotine; tobacco, harmful effects of
 - smoking of drugs, 53
 - snorting of drugs, 53
 - SNPs (single nucleotide polymorphisms), 104
 - social defeat, drug use and, 124
 - social rank, drug use and, 121-123
 - society, methamphetamine's effect on, 59
 - speed of entry of drugs into brain, 52-54
 - statistics
 - cost of drug abuse, 8-9
 - legal versus illegal drug use, 6
 - Stein, Larry, 56, 155
 - steroids, 4
 - stigma of drug addiction, 173-174, 196-197
 - stimulants, caffeine, 152-153

stimulation of brain. *See* electrical stimulation reinforcement
 storage vesicles. *See* vesicles
 Strengthening Families Program (SFP), 183

stress

alleviating, 117
 body's response to, 115-117
 defined, 115
 drug use and, 118-119
 early life stress, 119-121
 social defeat, 124
 social rank, 121-123

stressors

defined, 115
 examples of, 116

Substance Abuse and Mental Health Services Administration (SAMHSA), 184

substitute medications

list of, 180
 purpose of, 180-183
 RTI-336, 195-196
 successful substitutes, 202

successful treatment, defining, 172-173

survival functions, dopamine and, 79-80

symptoms of withdrawal, 62

synapses, 39-40

synaptic space, 39-40

synthesis

of neurotransmitters, 41-42
 protein synthesis/degradation rates, 91-92

T

temporal lobe, 10

Ter-Pogossian, Michel, 95

testosterone, effect on cocaine addiction, 161-163

therapy sessions, types of, 177-178

thiamin deficiency, 140

thresholds, 35

time requirements of treatment plans, 175-176

tobacco, harmful effects of, 141-143
 addictive properties versus, 138
 long-lasting effects, 94

tolerance, 62-63

tomography, 95

tracking genetic mutations, 101

transcription factors, 64-66

transporters, 40, 47

treatment, 171

behavioral treatments, 177-179
 cost of, 172
 future of, 190
 for gambling addiction, 129
 gender differences in, 163-164
 length of, 92-93
 medications for, 179-183
 prevention as, 183
 principles of, 174-176
 realizing need for, 177
 resources for information, 184-186
 RTI-336 medication, 195-196
 settings for, 179
 stigma associated with drug addiction, 173-174, 196-197
 successful treatment, defining, 172-173
 twelve-step programs, 93
 vaccines, 192-194

tuberoinfundibular DA system, 75

twelve-step programs, 93

tyrosine, 42

U-V

Uhl, George, 103

uncertain rewards, addiction and, 20-21

universities, treatment programs in, 179

users, defined, 1

vaccines, 192-194

Valium, 148

variable number tandem repeat (VNTR), 76

Ventral Tegmental Area (VTA), 75, 79, 109

vesicles, 40, 42

visual cortex, 10

vitamin B deficiency, 140

VNTR (variable number tandem repeat), 76

Volkow, Nora, 131

- voluntary treatment, 176
- VTA (Ventral Tegmental Area), 75, 79, 109
- vulnerability to drug use, 99-100
 - adolescence and, 107-109
 - availability of drugs and, 107
 - controlling risk factors, 110
 - factors in, 100
 - gene expression and, 101-106
 - impaired judgment, 109
 - personality traits and, 107
 - psychological problems and, 106-107
 - rider and elephant metaphor, 110-112

W-Z

- Wagner, Henry, 95
- Wainer, B., 192
- Wang, G., 131
- water deprivation, electrical
 - stimulation reinforcement and, 34
- Watson, James, 96
- websites for treatment information, 185-186
- Weeks, James, 16
- Wernicke's encephalopathy, 139
- Wise, Roy, 56, 146, 155
- withdrawal, 60-62
 - from alcohol addiction, 140
 - from benzodiazepines, 149
 - from caffeine, 152
 - from cocaine, 145
 - defined, 6
 - from heroin, 149
 - from marijuana, 144
 - from methamphetamine, 147
 - from nicotine, 141
 - as step in treatment, 176
 - substitute medications and, 181
- Wolfe, Al, 95
- women, drug addiction in, 159-161
 - hormonal influences, 161-163
 - treatment differences, 163-164
- Xanax, 148
- Yamamura, Hank, 96
- Yanagita, Tomoji, 16
- Yokel, Bob, 56, 155
- Young, W. Scott, 96

This page intentionally left blank