




Adobe

InDesign CC

2014 release



Bē
Shakoor Bukhuth

CLASSROOM IN A BOOK[®]

The official training workbook from Adobe

Kelly Kordes Anton and John Cruise



Adobe

InDesign CC

2014 release



Bē
Shakoor Bukhuth

CLASSROOM IN A BOOK[®]

The official training workbook from Adobe

Kelly Kordes Anton and John Cruise

Adobe® InDesign® CC Classroom in a Book® (2014 Release)

© 2015 Adobe Systems Incorporated and its licensors. All rights reserved.

If this guide is distributed with software that includes an end user license agreement, this guide, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by any such license, no part of this guide may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Adobe Systems Incorporated. Please note that the content in this guide is protected under copyright law even if it is not distributed with software that includes an end user license agreement.

The content of this guide is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe Systems Incorporated. Adobe Systems Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in the informational content contained in this guide.

Please remember that existing artwork or images that you may want to include in your project may be protected under copyright law. The unauthorized incorporation of such material into your new work could be a violation of the rights of the copyright owner. Please be sure to obtain any permission required from the copyright owner.

Any references to company names in sample files are for demonstration purposes only and are not intended to refer to any actual organization.

Adobe, the Adobe logo, Acrobat, Adobe Reader, the Adobe PDF logo, Classroom in a Book, Illustrator, InDesign, Photoshop, PostScript, and Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Apple, Mac OS, Macintosh, and Safari are trademarks of Apple, registered in the U.S. and other countries. Microsoft, Windows, and Internet Explorer are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. All other trademarks are the property of their respective owners.

Adobe Systems Incorporated, 345 Park Avenue, San Jose, California 95110-2704, USA

Notice to U.S. Government End Users. The Software and Documentation are “Commercial Items,” as that term is defined at 48 C.F.R. §2.101, consisting of “Commercial Computer Software” and “Commercial Computer Software Documentation,” as such terms are used in 48 C.F.R. §12.212 or 48 C.F.R. §227.7202, as applicable. Consistent with 48 C.F.R. §12.212 or 48 C.F.R. §§227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation are being licensed to U.S. Government end users (a) only as Commercial Items and (b) with only those rights as are granted to all other end users pursuant to the terms and conditions herein. Unpublished-rights reserved under the copyright laws of the United States. Adobe Systems Incorporated, 345 Park Avenue, San Jose, CA 95110-2704, USA. For U.S. Government End Users, Adobe agrees to comply with all applicable equal opportunity laws including, if appropriate, the provisions of Executive Order 11246, as amended, Section 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974 (38 USC 4212), and Section 503 of the Rehabilitation Act of 1973, as amended, and the regulations at 41 CFR Parts 60-1 through 60-60, 60-250, and 60-741. The affirmative action clause and regulations contained in the preceding sentence shall be incorporated by reference.

Adobe Press books are published by Peachpit, a division of Pearson Education located in San Francisco, California. For the latest on Adobe Press books, go to www.adobepress.com. To report errors, please send a note to errata@peachpit.com. For information on getting permission for reprints and excerpts, contact permissions@peachpit.com.

Project Editor: Susan Rimerman

Production Editor: Lisa Brazieal

Copyeditor: Scout Festa

Technical Editor: Cari Jansen

Proofreader: Liz Welch

Compositor: WolfsonDesign

Indexer: Karin Arrigoni

Cover design: Eddie Yuen

Printed and bound in the United States of America

ISBN-13: 978-0-133-90439-0

ISBN-10: 0-133-90439-3

9 8 7 6 5 4 3 2 1

About the Authors

Kelly Kordes Anton has written and edited dozens of books and training resources on InDesign, including *Adobe InDesign HOW TOs: 100 Essential Techniques* and four previous editions of the *Adobe InDesign Classroom in a Book*. She also writes about such diverse topics as youth hockey, service dog training, and financial education. Kelly lives in Littleton, Colorado.

John Cruise has been writing about and using page layout software for more than two decades. He's coauthored numerous books, including the *InDesign Bible*, *Adobe InDesign HOW TOs: 100 Essential Techniques*, and several editions of the *Adobe InDesign Classroom in a Book*. He's written articles for numerous publications, including *Macworld*, *MacAddict*, *MacLife*, and *Layers* magazines. John is also a page layout and design instructor at Metropolitan State University of Denver.

CONTENTS

GETTING STARTED	1
About Classroom in a Book.....	1
Prerequisites	2
Installing the software	2
Saving and restoring the InDesign Defaults file	3
Additional resources	4
Adobe Authorized Training Centers.....	5
Checking for updates	5
1 INTRODUCING THE WORKSPACE	6
 Getting started	8
Looking at the workspace.....	8
Working with panels.....	15
Customizing the workspace.....	20
Navigating through a document	22
Using context menus	24
Modifying Interface preferences.....	25
Exploring on your own.....	26
2 GETTING TO KNOW INDESIGN	28
 Getting started	30
Viewing guides	31
Preflighting as you work	32
Adding text.....	33
Working with styles.....	37
Working with graphics.....	40
Working with objects	43
Working with object styles	45
Viewing the document in Presentation mode.....	46
Exploring on your own.....	48

3 SETTING UP A DOCUMENT AND WORKING WITH PAGES 50




Getting started	52
Creating and saving custom document settings	53
Creating a new document	54
Switching between open InDesign documents	56
Working with master pages	56
Applying master pages to document pages	66
Adding new document pages	68
Rearranging and deleting document pages	68
Changing the size of pages	69
Adding sections to change page numbering	70
Overriding master page items on document pages and placing text and graphics	72
Viewing the completed spread	74
Exploring on your own	76

4 WORKING WITH OBJECTS 78



Getting started	80
Working with layers	81
Creating and modifying text frames	86
Creating and modifying graphics frames	92
Adding metadata captions to graphics frames	99
Placing and linking graphics frames	101
Changing the shape of a frame	104
Wrapping text around a graphic	106
Modifying the shape of frames	108
Transforming and aligning objects	112
Selecting and modifying grouped objects	116
Creating a QR code	118
Finishing up	119
Exploring on your own	119

5	FLOWING TEXT	122
	Getting started	124
	Flowing text into an existing frame	125
	Flowing text manually	127
	Creating text frames while flowing text	129
	Flowing text automatically	131
	Creating threaded frames automatically	132
	Resizing text frames automatically	133
	Adding a jump line page number	135
	Exploring on your own	136
6	EDITING TEXT	138
	Getting started	140
	Finding and changing a missing font	141
	Entering and importing text	143
	Finding and changing text and formatting	145
	Checking spelling	148
	Editing text by dragging and dropping	152
	Using the Story Editor	153
	Tracking changes	155
	Exploring on your own	156
7	WORKING WITH TYPOGRAPHY	158
	Getting started	160
	Adjusting vertical spacing	161
	Changing fonts and type styles	165
	Fine-tuning columns	170
	Changing paragraph alignment	172
	Creating a drop cap	174
	Adjusting letter and word spacing	177
	Adjusting line breaks	178
	Setting tabs	182
	Adding a rule above a paragraph	186
	Exploring on your own	188

8	WORKING WITH COLOR	190
	Getting started	192
	Managing color	193
	Defining printing requirements	198
	Creating and applying colors	199
	Working with gradients	205
	Creating a tint	209
	Creating a spot color	210
	Using advanced gradient techniques	215
	Exploring on your own	218
9	WORKING WITH STYLES	220
	Getting started	222
	Creating and applying paragraph styles	224
	Creating and applying character styles	227
	Nesting character styles inside paragraph styles	230
	Creating and applying object styles	235
	Creating and applying table and cell styles	239
	Globally updating styles	246
	Loading styles from another document	248
	Exploring on your own	250
10	IMPORTING AND MODIFYING GRAPHICS	252
	Getting started	254
	Adding graphics from other programs	255
	Comparing vector and bitmap graphics	255
	Managing links to imported files	256
	Updating revised graphics	258
	Adjusting display quality	260
	Working with clipping paths	261
	Working with alpha channels	264
	Importing native Adobe graphics files	268
	Using a library to manage objects	275
	Using Adobe Bridge to import graphics	278
	Exploring on your own	280

11 CREATING TABLES 282



Getting started	284
Converting text to a table	285
Changing rows and columns	287
Formatting a table	290
Creating a header row	293
Adding graphics to table cells	294
Creating and applying table and cell styles	295
Exploring on your own	298

12 WORKING WITH TRANSPARENCY 300



Getting started	302
Importing and colorizing a grayscale image	303
Applying transparency settings	305
Adding transparency effects to imported vector and bitmap graphics	309
Importing and adjusting Illustrator files that use transparency	312
Applying transparency settings to text	313
Working with effects	314
Exploring on your own	322

13 PRINTING AND EXPORTING 324



Getting started	326
Preflighting files	327
Packaging files	330
Creating an Adobe PDF proof	331
Previewing separations	333
Previewing how transparency effects will be flattened	334
Previewing the page	336
Printing a laser or inkjet proof	336
Using the Ink Manager	341
Exploring on your own	342

14 CREATING ADOBE PDF FILES WITH FORM FIELDS	344
	Getting started 346
	Adding form fields 347
	Exporting an interactive Adobe PDF file 353
	Exploring on your own 354
15 CREATING AND EXPORTING AN EBOOK	356
	Getting started 358
	Completing the booklet 359
	Choosing the content of an ebook 364
	Adding metadata 367
	Exporting an EPUB file 368
	Exploring on your own 371
16 CREATING AN IPAD PUBLICATION	374
	Getting started 376
	Creating a new digital publication 377
	Adding interactive elements 378
INDEX	396

GETTING STARTED

Welcome to Adobe® InDesign® CC (2014 release), a powerful page-design and production application that offers precision, control, and seamless integration with other Adobe professional graphics software. Using InDesign, you can produce professional-quality, full-color documents and print them using a variety of output devices, including desktop printers, high-resolution imaging devices, and high-volume color printing presses. You can also design publications for a broad range of electronic devices, such as tablets, smart phones, and eReaders, and export InDesign document in several formats, including PDF, HTML, and EPUB.

Writers, artists, designers, and publishers can communicate to a broader audience than ever before and through an unprecedented variety of media. InDesign supports this with its seamless integration with other Creative Cloud components.

About Classroom in a Book

Adobe InDesign CC Classroom in a Book® is part of the official training series for Adobe graphics and publishing software with the support of Adobe product experts. The lessons are designed so that you can learn at your own pace. If you're new to Adobe InDesign, you'll master the fundamentals and learn to put the software to work for you. If you've already been using Adobe InDesign, you'll find that Classroom in a Book teaches many advanced features, including tips and techniques for using the latest version of InDesign.

Each lesson provides step-by-step instructions for creating a specific project. You can follow the book from start to finish, or do only the lessons that meet your interests and needs. Each lesson concludes with several optional tasks that let you further explore the features covered in the lesson, as well as a set of review questions and answers.

Prerequisites

● **Note:** When instructions differ by platform, Windows commands appear first, and then the Mac OS commands, with the platform noted in parentheses. For example, “press the Alt (Windows) or Option (Mac OS) key and click away from the artwork.” In some instances, common commands may be abbreviated with the Windows commands first, followed by a slash and the Mac OS commands, without any parenthetical reference. For example, “press Alt/Option” or “press Ctrl/Command-click.”

Before beginning to use *Adobe InDesign CC Classroom in a Book*, you should have a working knowledge of your computer and its operating system. Make sure that you know how to use the mouse and standard menus and commands, and also how to open, save, and close files. If you need to review these techniques, see the printed or online documentation included with your operating system.

Installing the software

Before you begin using *Adobe InDesign CC Classroom in a Book*, make sure that your system is set up correctly and that you’ve installed the proper software and hardware.

The Adobe InDesign CC software is not included with this book; you must purchase the software separately. (The lessons in this book cannot be performed with the trial version of Adobe InDesign.) In addition to Adobe InDesign CC, some lessons in this book have steps that can be performed with Adobe Bridge and other Adobe applications. You must install these applications from Adobe Creative Cloud onto your computer. Follow the onscreen instructions.

Classroom in a Book fonts

The Classroom in a Book lesson files use fonts that are installed with Adobe InDesign along with free fonts synchronized from the Adobe Typekit online service. When fonts are synchronized, they are automatically downloaded and installed. These fonts are installed in the following locations:

- Windows: [startup drive]\Windows\Fonts\
- Mac OS: [startup drive]/Library/Fonts/

Synchronizing fonts using Adobe Typekit requires an Internet connection. Once a lesson file is open and the fonts are synced, the connection is no longer required. For more information about fonts and installation, see the Adobe InDesign Read Me included with your product.

Accessing the Classroom in a Book files

To work through the projects in this book, you will need to download the lesson files from peachpit.com. You can download the files for individual lessons or download them all in a single file.

To access the Classroom in a Book files:

- 1 On a Mac or PC, go to www.peachpit.com/redeem and enter the code found at the back of your book.
- 2 If you do not have a peachpit.com account, you will be prompted to create one.
- 3 The downloadable files will be listed under Lesson & Update Files tab on your Account page.
- 4 Click the lesson file links to download them to your computer.

● **Note:** Each time you begin working on a new lesson, some panels may remain open even if you restore your InDesign Defaults file. If this occurs, you can close the panels manually if you want.

Saving and restoring the InDesign Defaults file

The InDesign Defaults file stores program preferences and default settings, such as tool settings and the default unit of measurement. To ensure that the preferences and default settings of your Adobe InDesign program match those used in this book, you should move the current InDesign Defaults file to a different location before you begin working on the lessons. When you have finished the book, you can return the saved InDesign Defaults file to its original folder, which restores the preferences and default settings used before you started working on the lessons.

To save or delete the current InDesign Defaults file, follow these steps:

- 1 Quit Adobe InDesign.
- 2 Locate the InDesign Defaults file.
 - In Windows 7 [Service Pack 1] and Windows 8, the InDesign Defaults file is located in the folder [startup drive]\Users\[username]\AppData\Roaming\Adobe\InDesign\Version 10.0\en_US*\InDesign Defaults.
 - In Mac OS, the InDesign Defaults file is located in the folder [startup drive]/Users/[username]/Library/Preferences/Adobe InDesign/Version 10.0/en_US*/InDesign Defaults.

When you launch Adobe InDesign after moving the InDesign Defaults file to another folder, a new InDesign Defaults file is automatically created, and all preferences and defaults are reset to their original factory settings.

● **Note:** On Windows 7 and Windows 8, the AppData folder is hidden by default. To display it, click Appearance And Personalization in the Control Panel, and then click Folder Options. Click the View tab in the Folder Options dialog box, select Show Hidden Files, Folders, And Drives, and then click OK.

● **Note:** In Mac OS 10.7 and later, the Library folder is hidden. To access this folder, choose Go > Go To Folder from the Finder menu. Type ~/Library in the Go To The Folder box, and then click OK.

* Folder name may be different depending on the language version you have installed.

● **Note:** If hidden files are visible and you still cannot locate the preferences file, use your operating system's Find File feature and search for "InDesign Defaults."

If you can't find the file, either you haven't started Adobe InDesign CC yet or you have moved the preferences file. The preferences file is created after you quit the program the first time and is updated thereafter.

- 3 Copy the file and save it to another folder on your hard disk (if you wish to restore those preferences) or delete it.
- 4 Start Adobe InDesign CC.

To restore the saved InDesign Defaults file after completing the lessons, follow these steps:

- 1 Quit Adobe InDesign.
- 2 Locate your saved InDesign Defaults file, drag it back into its original folder, and replace the current InDesign Defaults file.

Additional resources

► **Tip:** To quickly locate the InDesign Defaults file so that you can move or delete it before you begin a new lesson, create a shortcut (Windows) or an alias (Mac OS) to the folder in which the InDesign Defaults file is stored.

Adobe InDesign CC Classroom in a Book is not meant to replace documentation that comes with the program or to be a comprehensive reference for every feature. Only the commands and options used in the lessons are explained in this book. For comprehensive information about program features and tutorials, refer to these resources:

Adobe InDesign Help and Support: helpx.adobe.com/indesign.html is where you can find and browse Help and Support content on Adobe.com. Adobe InDesign Help and Adobe InDesign Support Center are accessible from the Help menu in InDesign.

Adobe Creative Cloud Learn: helpx.adobe.com/creative-cloud/learn/tutorials.html provides inspiration, key techniques, cross-product workflows, and updates on new features. Available to all.

Adobe TV: tv.adobe.com is an online video resource for expert instruction and inspiration about Adobe products, including a How To channel to get you started with your product.

Adobe InDesign CC product home page: www.adobe.com/products/indesign provides information about new features and intuitive ways to create professional layouts for print, tablets, and ebooks.

Resources for educators: www.adobe.com/education and <http://edex.adobe.com> offer a treasure trove of information for instructors who teach classes on Adobe software. Find solutions for education at all levels, including free curricula that use an integrated approach to teaching Adobe software and can be used to prepare for the Adobe Certified Associate exams.

Adobe Authorized Training Centers

Adobe Authorized Training Centers offer instructor-led courses and training on Adobe products, employing only Adobe Certified Instructors. A directory of AATCs is available at partners.adobe.com.

Checking for updates

Adobe periodically provides updates to software. You can easily obtain these updates through the Creative Cloud.

4

WORKING WITH OBJECTS

Lesson Overview

In this lesson, you'll learn how to do the following:

- Work with layers.
- Create and edit text frames and graphics frames.
- Import graphics into graphics frames.
- Import multiple graphics into a grid of frames.
- Crop, move, and scale graphics.
- Adjust the space between frames.
- Add captions to graphics frames.
- Place and link graphics frames.
- Change the shape of frames.
- Wrap text around an object.
- Create complex frame shapes.
- Convert frame shapes to other shapes.
- Modify and align objects.
- Select and modify multiple objects.
- Create a QR code.



This lesson will take approximately 90 minutes.

Download the project files for this lesson from the Lesson & Update Files tab on your Account page at www.peachpit.com and store them on your computer in a convenient location, as described in the Getting Started section of this book.

Your Account page is also where you'll find any updates to the chapters or to the lesson files. Look on the Lesson & Update Files tab to access the most current content.



Customer Testimonials



Photo by Scott Phillips



Photo by Scott Phillips

John Q.
Senior Administrator
Faccummy nibh enim ex et adigna conasad fat, conemy nism var il et dileratio convalpudiam vevnde modposuacing etum vel ipit dabit luptatu. Ewercil quipit ligiqui.

Molly H.
Br-Flagged Content
Auzurue dolibore dabit lummy nos nuplaq inruoi Sametwero do conasequt. Ewercil quipit ligiqui adit utpitem variato dabit al nibh et inci ex endatiam.



Photo by Scott Phillips



Photo by Scott Phillips

Amy Q.
Senior Designer
Faccummy nibh enim ex et adigna conasad fat, conemy nism var il et dileratio convalpudiam vevnde modposuacing etum vel ipit dabit luptatu. Ewercil quipit ligiqui adit utpitem variato dabit al nibh et inci ex endatiam.

John C.
Creative Director
Ewercil quipit ligiqui adit utpitem variato dabit al nibh et inci ex endatiam. Auzurue dolibore dabit lummy.



Photo by Scott Phillips



Photo by Scott Phillips

Jeff G.
Sales
Faccummy nibh enim ex et adigna conasad fat, conemy nism var il et dileratio convalpudiam vevnde modposuacing etum vel ipit dabit luptatu. Ewercil quipit ligiqui adit utpitem variato dabit al nibh et inci ex endatiam.

Hannah B.
Creative Director
Ewercil quipit ligiqui adit utpitem variato dabit al nibh et inci ex endatiam. Auzurue dolibore dabit lummy.

evolve
Computer Graphics Training Inc.
159 West Park Ave Suite 400
Seattle, WA 98119



SCAN for the latest information from Adobe.

evolve
Computer Graphics Training Inc.

arrive smart. leave smarter.™

www.evolveSeattle.com

IN THIS ISSUE:

Investing in Training. Whether you're a small startup or a Fortune 500 company, providing training for your employees is one of the best investments you can make. Page 3.



CSS Master Class. This educational seminar for experienced web designers will teach you how to get the most out of cascading style sheets to create state-of-the-art web pages. Page 3



Adobe Creative Cloud Master Class

Adobe Creative Cloud Master Class is officially hitting the road! Beginning in Seattle and moving on to Portland, the Midwest and eventually several cities on the East Coast, this educational seminar will teach you how to use the many new features in Adobe Creative Cloud. Designed for experienced users of previous versions of the Creative Suite, this two-day seminar covers all of the major new features in Photoshop, Illustrator, Dreamweaver, InDesign, and Acrobat. In addition to the course training materials, the seminar features several prominent guest speakers, online support materials, and a free tote bag to the first 50 people who sign up.

Given the rapidly evolving digital publishing scene, this seminar is a must for anyone who is considering electronic distribution of content. It will explain how you can use Adobe software to create virtually any kind of digital publication — for tablets, eReaders, and smartphones. Unleash your creative power and stay ahead of the curve by getting the most out of Adobe Creative Cloud.

www.evolveSeattle.com
T 555.555.5555
F 555.555.5555

Have any ideas for us? We welcome your suggestions on new classes, seminars, and trends. Send an email with the subject "MyRecommendations" to info@evolveSeattle.com

the BUZZ

NEW Day & Evening Classes

- » We're forever eVolve-ing, and this year is no exception. At the start of the new year, we rolled out a whopping NINE new classes!
- » Advanced Dreamweaver Techniques
- » Creating HTML Email (eve)
- » InDesign Intermediate (eve)
- » Illustrator Intermediate (eve)
- » Photoshop Intermediate (Sat.)
- » Intro to ActionScript (eve)
- » Expression Web Immersion (day)

Seattle Acrobat User Group

- » Brian Wood, eVolve's Director of Training, continues as Chapter Leader of the Acrobat Users Group. The next meeting is on Wednesday, June 21 at Adobe University in Fremont. The meeting topic will be posted at eVolve's website a week before the event. The event is free and refreshments will be served. First arrivals get seats.

InDesign frames can contain text, graphics, or color. As you work with frames, you'll discover that Adobe InDesign provides you a great amount of flexibility and control over your design.

Getting started

In this lesson, you'll work on a pair of spreads that make up a four-page newsletter. You'll add text and images and make several modifications to the objects on the two spreads.

● **Note:** If you have not already downloaded the project files for this lesson to your computer from your Account page, make sure to do so now. See “Getting Started” at the beginning of the book.

● **Note:** If an alert is displayed when you open the sample document, click Update Links.

● **Note:** As you work through the lesson, move panels or change the magnification to the level that works best for you.

- 1 To ensure that the preference and default settings of your Adobe InDesign program match those used in this lesson, move the InDesign Defaults file to a different folder following the procedure in “Saving and restoring the InDesign Defaults file” on page 3.
- 2 Start Adobe InDesign. To ensure that the panels and menu commands match those used in this lesson, choose Window > Workspace > [Advanced], and then choose Window > Workspace > Reset Advanced. To begin working, you'll open an InDesign document that is already partially completed.
- 3 Choose File > Open, and open the 04_a_Start.indd file in the Lesson04 folder, located inside the Lessons folder within the InDesignCIB folder on your hard drive. (If the Adobe Typekit dialog box displays, click Sync Fonts.)
- 4 Choose File > Save As, rename the file **04_Objects.indd**, and save it in the Lesson04 folder.
- 5 To see what the finished document looks like, open the 04_b_End.indd file in the same folder. You can leave this document open to act as a guide as you work. When you're ready to resume working on the lesson document, choose Window > 04_Objects.indd or click its tab at the top of the document window.



The newsletter that you will work on in this lesson contains two spreads: The spread on the left contains page 4 (the back page on the left) and page 1 (the cover on the right); the spread on the right contains pages 2 and 3 (the center spread). Keep this page arrangement in mind as you navigate from page to page. Here you see the finished newsletter.

Working with layers

Before you begin creating and modifying objects, you should understand how layers work in InDesign. By default, every new InDesign document contains one layer (named Layer 1). You can rename this layer and add more layers at any time as you create a document. Placing objects on different layers lets you organize them for easy selection and editing. In the Layers panel, you can select, display, edit, and print different layers individually, in groups, or all together.


The 04_Objects.indd document has two layers. You'll experiment with these layers to learn how the arrangement of the layers and the placement of objects on layers can affect the design of your document.

About layers


Think of layers as transparent sheets stacked on top of each other. When you create an object, you can place it on the layer of your choice, and you can move objects between layers. Each layer contains its own set of objects.

The Layers panel (Window > Layers) displays a list of a document's layers and lets you create, manage, and delete layers. The Layers panel also lets you display the names of all objects on a layer and show, hide, or lock individual objects. Click the triangle to the left of a layer name to alternately display and hide the names of the objects on the layer.


By using multiple layers, you can create and edit specific areas or kinds of content in your document without affecting other areas or kinds of content. For example, if a document prints slowly because it contains many large graphics, you can use one layer for only the text in the document; then, when it's time to proofread the text, you can hide all other layers and quickly print only the text layer. You can also use layers to display alternate design ideas for the same layout or different versions of an advertisement for different regions.



- 1 Click the Layers panel icon or choose Window > Layers to open the Layers panel.
- 2 If the Text layer is not selected in the Layers panel, click to select it. The layer is highlighted to indicate that it's selected. Notice that a pen icon (✎) appears to the right of the layer name. The pen icon indicates that this layer is the target layer, and while it's selected anything you import or create is placed on this layer.
- 3 Click the small triangle to the left of the Text layer name. All of the groups and objects on this layer are now displayed below the layer name. Use the panel's scroll bar to view the names in the list, and then click the triangle again to hide them.
- 4 Click the eye icon (👁) to the far left of the Graphics layer name. All the objects on the Graphics layer are hidden. The eye icon lets you hide or display individual layers. When you turn off the visibility of a layer, the eye disappears. Click the empty box again to display the layer contents.



Click to hide layer contents.



The spread with the Graphics layer hidden.

- 5 Use the Zoom tool (🔍) to zoom in on the dark blue frame on the front page (page 1).
- 6 Using the Selection tool (🖱), move the pointer within the Yield sign graphic. Notice the highlighted blue rectangle around the frame. The blue border indicates that the frame is on the Text layer, which has been assigned a blue color. A transparent doughnut shape, otherwise known as the content grabber, is displayed in the center of the frame. When you move the pointer within the content grabber, it changes to a hand.

- 7 Now move the pointer within the circular graphics frame below the Yield sign. Notice that this frame has a red highlight, the color assigned to the Graphics layer.



Click and drag when the arrow pointer is displayed to move the frame along with the graphic.




Click and drag when the hand pointer is displayed to move only the graphic within the frame.

- 8 Move the pointer back to the frame with the Yield sign, make sure the arrow pointer is displayed, and then click within the graphics frame to select it.


In the Layers panel, you'll notice that the Text layer is selected, and a small blue square appears to the right of the layer name. This indicates that the selected object belongs to this layer. You can move objects from one layer to another by dragging this square between layers in the panel.

- 9 In the Layers panel, drag the small blue square from the Text layer up to the Graphics layer and release the mouse button. The image now belongs to the Graphics layer and is now the topmost object on the top layer.

► **Tip:** To see the position of the Yield sign in the Graphics layer relative to other objects in the layer, expand the Graphics layer by clicking the triangle to the left of the layer name.




Select the image and drag its icon in the Layers panel.



Result.

- 10 Click the empty layer lock box to the left of the Graphics layer to lock the layer.



► **Tip:** If you Alt-click (Windows) or Option-click (Mac OS) the Create New Layer button, the New Layer dialog box opens and lets you name the new layer as part of the layer-creation process.

If you Ctrl-click (Windows) or Command-click (Mac OS) the Create New Layer button, a new layer is added below the currently selected layer.


If you Ctrl+Alt-click (Windows) or Command+Option-click (Mac OS) the Create New Layer button, the New Layer dialog box opens. A new layer is placed below the currently selected layer when you close the dialog box.

► **Tip:** You can also rename a layer by selecting the layer in the Layers panel and then clicking its name.


- 11 Choose View > Fit Spread In Window.

Next, you will make a new layer and move existing content to it.

- 12 At the bottom of the Layers panel, click the Create New Layer button (📄).
Because the Graphics layer was selected when you created the new layer, the new layer is positioned above the Graphics layer in the Layers panel.



- 13 Double-click the name of the new layer (Layer 3) to open the Layer Options dialog box. Change the name to **Background**, and click OK.
- 14 In the Layers panel, drag the Background layer to the bottom of the layer stack. A horizontal line appears when you move the pointer below the Text layer, indicating that the layer will be moved to the bottom when you release the mouse button.



- 15 Choose File > Save.

Using Smart Guides

The Smart Guides feature gives you great flexibility in precisely creating and positioning objects. With Smart Guides, you can snap objects to the edges and centers of other objects, to the vertical and horizontal centers of pages, and to the midpoints of columns and gutters. Plus, Smart Guides appear dynamically as you work to provide instant visual feedback.

You can enable four Smart Guide options in the Guides & Pasteboard preferences (Edit > Preferences > Guides & Pasteboard [Windows] or InDesign > Preferences > Guides & Pasteboard [Mac OS]):

- **Align To Object Center.** Causes object edges to snap to the center of other objects on a page or spread when you create or move an object.
- **Align To Object Edges.** Causes object edges to snap to the edge of other objects on a page or spread when you create or move an object.
- **Smart Dimensions.** Causes the width, height, or rotation of an object to snap to the dimensions of other objects on a page or spread when you create, resize, or rotate an object.
- **Smart Spacing.** Lets you quickly arrange objects so that the space between them is equal.

The Smart Guides command (View > Grids & Guides > Smart Guides) lets you turn Smart Guides on and off. You can also enable/disable Smart Guides from the View Options menu in the Application bar. Smart Guides are enabled by default.

To familiarize yourself with Smart Guides, create a new multicolumn one-page document. (In the New Document dialog box, specify a value greater than 1 in the Columns Number field.)

- 1 In the Tools panel, select the Rectangle Frame tool (▭). Click the left margin guide and drag to the right. As the pointer moves across the page, notice that a guide is displayed when the pointer reaches the middle of a column, the midpoint within a gutter, and the horizontal center of the page. Release the mouse button when a Smart Guide appears.
- 2 With the Rectangle Frame tool still selected, click the top margin guide and drag downward. Notice that when the pointer reaches the top edge, center, and bottom edge of the first object you created, as well as the vertical center of the page, a Smart Guide appears.
- 3 In an empty area of the page, create one more object with the Rectangle Frame tool. Drag the mouse slowly and watch carefully. Smart Guides appear when the pointer reaches the edge or center of any of the other objects. Also, when the height or width of the new object equals the height or width of either of the other two objects, a vertical or horizontal (or both) line with arrows at both ends appears next to the object you're creating and the object with the matching height or width.
- 4 Close the document without saving changes.


Creating and modifying text frames

In most cases, text is placed inside a frame. (You can also use the Type On A Path tool [⌘+T] to flow text along a path.) The size and location of a text frame determine where the text appears on a page. Text frames can be created with the Type tool and modified using a variety of tools—as you’ll do in this part of the lesson.

Creating and resizing text frames

Now you’ll create your own text frame, adjust its size, and then resize another frame.

- 1 In the Pages panel, double-click the icon for page 4 to center it in the document window.
- 2 In the Layers panel, click the Text layer to select it. Any content created when the Text layer is selected will be placed on that layer.
- 3 Select the Type tool (T) in the Tools panel. Position the pointer where the left edge of the first column meets the horizontal guide at 22p0 on the vertical ruler. Drag to create a frame that snaps to the right edge of the second column and has a height of about 8p.




- 4 Use the Zoom tool (Z) to magnify the text frame, then select the Type tool.
- 5 In the new text frame, type **Customer**, press Shift+Enter (Windows) or Shift+Return (Mac OS) to create a forced line break (without creating a new paragraph), and then type **Testimonials**. Click anywhere within the text to select the paragraph.

Now you’ll apply a paragraph style to the text.

- 6 Click the Paragraph Styles panel icon or choose Type > Paragraph Styles to open the panel. Click the style named Testimonials to apply it to the selected paragraph.

► **Tip:** It isn’t necessary to highlight an entire paragraph before applying a paragraph style to it. You can select a paragraph by clicking anywhere within it.



Read more about styles in Lesson 9, “Working with Styles.”

- 7 Using the Selection tool (⌘), double-click the bottom center handle of the selected text frame to fit the frame to the text vertically.



Double-click to fit the frame to its content.




Result.

- 8 Choose View > Fit Spread In Window, and then press Z to temporarily access the Zoom tool, or select the Zoom tool (⌘) to magnify the rightmost column on the front page (page 1). Use the Selection tool (⌘) to select the text frame below “the BUZZ” text. The frame contains the text “NEW Day & Evening Classes.”

The red plus sign (+) at the lower-right corner of the text frame indicates that the frame contains overset text. Overset text is not visible because the frame is too small to display it. You’ll fix this by changing the size and shape of the text frame.

- 9 Drag the center bottom handle of the selected text frame downward to resize the height of the frame until the bottom edge snaps to the ruler guide at 48p0 on the vertical ruler. When the pointer approaches the ruler guide, the arrows change in appearance from black to white, indicating that the frame edge is about to snap to the guide.



Resize the frame by dragging the center point.



Result.


10 Choose Edit > Deselect All, and then choose File > Save.

► **Tip:** To resize a text frame and the text characters inside it simultaneously, select the frame, and then double-click the Scale tool () , which is combined with the Free Transform, Rotate, and Shear tools in the Tools panel, and specify values in the Scale dialog box or hold down Ctrl (Windows) or Command (Mac OS) as you drag a text frame handle with the Selection tool. Add the Shift key as you drag to maintain the proportion of the text and frame.


Reshaping a text frame

So far, you've resized a text frame with the Selection tool by dragging a handle. Now you'll reshape the frame using the Direct Selection tool to move one of the frame's anchor points.

1 In the Tools panel, select the Direct Selection tool () , and then click within the text frame you just resized. Four very small anchor points now appear at the corners of the selected text frame. The anchor points are all hollow, indicating that none of them is selected.




Unselected anchor point.




Selected anchor point.

- 2 Select the anchor point at the lower-left corner of the text frame, pause for a moment until the arrow pointer turns black, and then drag it straight down until the point touches the margin guide at the bottom of the page, and then release the mouse button. As you drag, the text is simultaneously reflowed to give you a real-time view. After you release the mouse button, notice that the overset text indicator (the red plus sign) is no longer displayed, and all of the story's text is now visible.



Be sure to drag only the anchor point—if you drag just above or to the right of the anchor point, you'll move other corners of the text frame, too. If you accidentally move the frame, choose Edit > Undo Move and try again.

- 3 Press the V key to switch to the Selection tool.




- 4 Deselect all objects, and then choose File > Save.

Creating multiple columns

Now you'll take an existing text frame and convert it to a multiple-column text frame.


- 1 Choose View > Fit Spread In Window, and then use the Zoom tool (🔍) to display the lower-right portion of the back page (page 4). Use the Selection tool (🖱️) to select the text frame that begins with “John Q.”
- 2 Choose Object > Text Frame Options. In the Text Frame Options dialog box, type **3** in the Number box and **p11** (11 points) in the Gutter box if necessary. The gutter controls the distance between the columns. Click OK.



- 3 To begin each column with a heading, select the Type tool (T), place the insertion point in front of the name “Amy O.,” and then choose Type > Insert Break Character > Column Break. This forces “Amy O.” to the top of the second column. Insert a column break before the name “Jeff G.”

- 4 Choose Type > Show Hidden Characters to see the break characters. (If Hide Hidden Characters is displayed—rather than Show Hidden Characters—at the bottom of the Type menu, hidden characters are already showing.)

► **Tip:** You can also display hidden characters by choosing Hidden Characters from the View Options menu in the Application bar.



The red circles indicate the Column Break characters.

- 5 Choose Type > Hide Hidden Characters.

Adjusting text inset and vertical alignment


You'll now finish the red title bar on the cover by fitting the text nicely into the frame. By adjusting the space between the edge of the frame and the text, you make the text easier to read.

- 1 Choose View > Fit Spread In Window, and then use the Zoom tool (🔍) to magnify the red text frame near the top of the front page (page 1) with the text “arrive smart. leave smarter.” Select the Selection tool (🖱️), and then select the red text frame.




- 2 Choose Object > Text Frame Options. If necessary, drag the Text Frame Options dialog box aside so that you can still see the selected text frame as you set options.
- 3 In the Text Frame Options dialog box, make sure that the Preview option is selected. Then, in the Inset Spacing section, click the Make All Settings The Same icon (🔗) to disable it so that you can change the Left setting independently. Change the Left value to **3p** to move the left margin of the text frame 3 picas to the right and away from the left edge of the frame, and then change the Right value to **3p9**.

- 4 In the Vertical Justification section of the Text Frame Options dialog box, choose Center from the Align menu. Click OK.



- 5 Select the Type tool (T), and then click to the left of “www.evolveseattle.com” to establish an insertion point. To move the URL text so that it aligns with the right inset you specified earlier, choose Type > Insert Special Character > Other > Right Indent Tab.



- 6 Choose Edit > Deselect All, and then choose File > Save.

Creating and modifying graphics frames


Now you're ready to add the company logo and the employees' images to the spread. In this section, you'll focus on different techniques for creating and modifying graphics frames and their contents.

Because you'll be working on graphics rather than text, your first step is to make sure that the graphics appear on the Graphics layer rather than on the Text layer. Isolating objects on different layers streamlines your workflow and makes it easier to find and edit elements of your design.


Drawing a new graphics frame

To begin, you'll create a frame for the logo at the top of the cover page (the recto page in the first spread).

- 1 If the Layers panel is not visible, click the Layers panel icon or choose Window > Layers.
- 2 In the Layers panel, click the lock icon (🔒) to unlock the Graphics layer. Lock the Text layer by clicking the box to the left of the layer name. Select the Graphics layer by clicking the name of the layer so that the new elements are assigned to this layer.



- 3 Choose View > Fit Spread In Window, and then use the Zoom tool (🔍) to zoom in on the upper-left corner of the front page (page 1).
- 4 In the Tools panel, select the Rectangle Frame tool (📐). Move the pointer to the corner where the top and left margin guides intersect and drag down until the pointer reaches the horizontal guide, and then across to the right edge of the first column.



Drag to create a graphics frame.


- 5 Switch to the Selection tool (🖱️) and make sure that the graphics frame is still selected.

Placing a graphic within an existing frame

Now, you'll place the company logo within the selected frame.

● **Note:** If a graphics frame isn't selected when you place an image, the pointer changes to the loaded graphics icon (🖼️). In this case, you could click within the frame to place the image.

- 1 Choose File > Place and then double-click logo_paths.ai in the Links folder in the Lesson04 folder. The image appears in the graphics frame.
- 2 To ensure that the graphic is displayed at the highest possible resolution, choose Object > Display Performance > High Quality Display.



Resizing a graphics frame to crop a graphic

The graphics frame you created isn't quite wide enough to show the entire logo, so you'll widen it to reveal the hidden portion.

- 1 Using the Selection tool (⌘), drag the center-right handle until the entire logo is visible. If you pause before you drag, you'll be able to see the cropped portion of the image as you drag and easily determine when the frame edge is beyond the edge of the logo. Make sure you drag the small, white handle and not the larger, yellow one. The yellow handle lets you add corner options, and you'll learn more about them later in this lesson.




- 2 Choose Edit > Deselect All, and then choose File > Save.

Placing a graphic without an existing frame

The design of the newsletter uses two versions of the logo—one on the front cover and one on the back cover. You could simply use the logo you just placed and the Copy and Paste commands (Edit menu) to add the logo to the back cover, and you'll do that later in this lesson, but instead you'll import the logo graphic without first creating a graphics frame.

- 1 Choose View > Fit Spread In Window, and then use the Zoom tool (🔍) to display the upper-right quarter of the back page (page 4).
- 2 Choose File > Place and then double-click logo_paths.ai in the Links folder in the Lesson04 folder. The pointer changes to a loaded graphics icon (🖱️).
- 3 Position the loaded graphics icon (🖱️) at the left edge of the rightmost column slightly below the rotated text frame that contains the return address, drag until the pointer reaches the right edge of the column, and then release the mouse button. Notice that as you drag, a rectangle is displayed. This rectangle is proportional to the logo image.

▶ **Tip:** If you click—rather than click and drag—on an empty area of the page when you place an image, the image is placed at 100 percent of its original size. The upper-left corner of the image is placed where you click.



You don't need to resize the frame as you did earlier because the frame already shows the entire image. The graphic still needs to be rotated, but you'll do that later in the lesson.


- 4 Choose Edit > Deselect all, and then choose File > Save.

Placing multiple graphics in a grid of frames

The back cover of the newsletter should contain six photos. You could place the photos one by one and then position each one individually, but because they will be arranged in a grid, you can place all the photos and arrange them in a grid at the same time.

- 1 Choose View > Fit Spread In Window.
- 2 Choose File > Place. Navigate to the Links folder in the Lesson04 folder, click the graphic file named 01JohnQ.tif to select it, and then press Shift and click the file named 06HannahB.tif to select all six photos. Click Open.

- 3 Position the loaded graphics icon (🖼️) at the intersection of the horizontal ruler guide in the top half of the page and the left edge of the third column.



► **Tip:** When using any of the frame creation tools (Rectangle, Polygon, Type, and so on), you can create multiple and equally spaced frames by using the same arrow key gestures as you drag with the tool.

- 4 Drag down and toward the right margin. As you drag, press the Up Arrow key once and the Right Arrow key twice. As you press the arrows, the proxy image changes to a grid of rectangles to indicate the layout of the grid.
- 5 Continue dragging until the pointer snaps to the intersection of the right margin guide and the lower horizontal ruler guide, and then release the mouse. A grid of six graphics frames displays the six photos you placed.




- 6 Choose Edit > Deselect All, and then choose File > Save.

Resizing and moving images within frames

Now that you've placed the six photos, you need to resize and reposition them so that they fill the graphics frames and are cropped correctly.

The image and the frame for any placed graphic are separate elements. Unlike text frames, a graphics frame and its content each has its own bounding box. Resizing the image (without resizing the frame) is exactly like resizing the frame and the image together, except that you first select the image's bounding box before resizing it.

- 1 Using the Selection tool () , position the pointer over the content grabber within the image of John Q. (the top-left photo). When the pointer is within the content grabber, a hand icon () is displayed. Click to select the frame's contents (the image itself).



Before clicking.

Result.

- 2 While holding down the Shift key, drag the center bottom handle to the bottom edge of the graphics frame. Do the same with the center top handle and drag it to the top edge of the frame. The Shift key maintains the proportions of the graphic so that it is not distorted. If you pause briefly before you start dragging, you'll see a ghosted image of the cropped areas of the graphic contents, a feature called Dynamic Preview.



► **Tip:** When resizing an image with the Selection tool, press Shift+Alt (Windows) or Shift+Option (Mac OS) to size the image proportionately from the center outward.

- 3 Make sure that the image entirely fills the graphics frame.
- 4 Repeat steps 1–3 for the remaining two photos in the top row.



You'll use a different method to resize the other three photos.

► **Tip:** Bitmap images resized more than 120 percent of their original size may not contain enough pixel information for high-resolution offset printing. Check with your print service provider if you're unsure of the resolution and scaling requirements for any documents you plan to have printed.

► **Tip:** You can also access the fitting commands from the context menu by right-clicking (Windows) or Control-clicking (Mac OS).

- 5 Select the graphic on the left of the second row. You can select either the frame or its content.
- 6 Choose Object > Fitting > Fill Frame Proportionally. This increases the scale of the graphic so that the frame is filled. Small portions of the graphic are now cropped by the left and right edges of the frame.
- 7 Repeat steps 5 and 6 for the remaining two photos in the bottom row.



- 8 Choose Edit > Deselect All, and then choose File > Save.

► **Tip:** If you enable the Auto-Fit option for a graphics frame, the image within will automatically resize when you resize the frame. To enable Auto-Fit for a selected graphics frame, choose Object > Fitting > Frame Fitting Options, and then select Auto-Fit or select Auto-Fit in the Control panel.

You can simultaneously resize a graphics frame and its content by selecting the frame (rather than the content) and holding down Shift+Ctrl (Windows) or Shift+Command (Mac OS) as you drag a handle of the frame. The Shift key maintains the proportions of the bounding box so that the graphic is not distorted. Using the Shift key is optional if distorting the graphic doesn't matter to your design.

Next, you're going to adjust the space between some of the photos to give the grid arrangement a visual tweak.

Adjusting the space between frames

The Gap tool () lets you select and adjust the space between frames. You'll use it to adjust the space between two of the photos in the top row and then two of the photos in the bottom row.

- 1 Choose View > Fit Page In Window. Hold down the Z key to temporarily access the Zoom tool () , zoom in on the two photos at the top right, and then release the Z key to return to the Selection tool.
- 2 Select the Gap tool () , and then move the pointer into the vertical gap between the two pictures. The gap is highlighted—all the way down to the bottom of the two photos below.

- 3 Hold down the Shift key and drag the gap one gutter width to the right, making the graphics frame on the left one gutter width wider and the one on the right one gutter width narrower. (If you don't hold Shift while dragging, you'll move the gap between the two photos below as well.)



- 4 Choose View > Fit Page In Window. Press Z to temporarily access the Zoom tool, and then zoom in on the two photos on the bottom left.
- 5 With the Gap tool, move the pointer to the vertical gap between the two pictures. Press Shift+Ctrl (Windows) or Shift+Command (Mac OS), and then drag to widen the gap from one gutter width to approximately three gutter widths. (You may have to drag left or right depending on which graphic you click closest to.) It's important to release the mouse button before releasing the keys.



- 6 Choose View > Fit Page In Window, and then choose File > Save.
You've completed the grid of images on the back page (page 4).


Adding metadata captions to graphics frames

You can automatically generate captions for placed graphics based on metadata information stored in the original graphics files. Next, you'll automatically add photographer credits to the pictures using metadata information.

► **Tip:** If Adobe Bridge is installed on your computer, the Metadata panel lets you easily edit metadata for images and see metadata associated with images.


► **Tip:** You can also open the Caption Setup dialog box by choosing **Object > Captions > Caption Setup**.

- 1 With the Selection tool () , Shift-click to select the six graphics frames.
- 2 Click the Links panel icon and choose **Captions > Caption Setup** from the panel menu.
- 3 In the Caption Setup dialog box, specify the following settings:
 - In the Text Before box, type **Photo by** . (Make sure to enter a space character after **by**. Don't add a period after the space character.)
 - Choose **Author** from the Metadata menu; leave the Text After box blank.
 - Choose **Below Image** from the Alignment menu.
 - Choose **Photo Credit** from the Paragraph Style menu.
 - In the Offset box enter **p2**.



- 4 Click **OK** to save the settings and close the Caption Setup dialog box.
- 5 From the Links panel menu, choose **Captions > Generate Static Captions**.

► **Tip:** InDesign lets you create either static captions, which generate caption text from a graphic's metadata and must be updated manually, or live captions, which are variables that retain links to a graphic's metadata and can be automatically updated.



Each of the graphic files contains a metadata element named “Author,” which stores the name of the photographer. This metadata information is used when the photo credit caption is generated.

- 6 Choose **Edit > Deselect All**, and then choose **File > Save**.

Placing and linking graphics frames

The two imported graphics on the cover page within the “IN THIS ISSUE” frame are used again on page 3 of the newsletter to accompany articles. Next, you’ll use the Place and Link feature to create copies of these two graphics and place them on page 3.

Unlike the Copy and Paste commands, which simply create a duplicate of the original object, the Place and Link feature creates a parent-child relationship between the original object and the copy. If you make changes to the parent object, you have the option to update the child object.

▶ **Tip:** In addition to placing and linking objects within a document, you can place and link objects between documents.

- 1 Choose View > Fit Spread In Window.
- 2 Select the Content Collector tool (📁). Notice that an empty Content Conveyor panel is now displayed at the bottom of the window.
- 3 Move the pointer over the Yield sign graphic on page 1. Notice that a heavy red border is displayed around the image, indicating that this graphics frame is on the Graphics layer. Click within the frame. The graphics frame is added to the Content Conveyor panel.

▶ **Tip:** You can also add objects to the Content Conveyor panel by selecting them and then choosing Edit > Place And Link.



- 4 Click within the circular graphics frame below the Yield sign to add it to the Content Conveyor panel.



- 5 Open the Pages panel, and double-click page 3 to center it in the document window.
- 6 Select the Content Placer tool (📁). (It’s paired with the Content Collector tool in the Tools panel, and it’s also available in the lower-left corner of the Content Conveyor panel.) The pointer changes to a loaded graphics icon with the Yield sign graphic active. Both graphics are loaded.

▶ **Tip:** You can also press the B key to alternate between the Content Collector and Content Placer tools.

● **Note:** Creating a link when placing content not only creates a link to the parent graphic, it also links the object's appearance. Link Options can be set from the Links panel menu.

► **Tip:** When you select the Content Placer tool, it is loaded with all objects in the Content Conveyor panel. Press the arrow keys to move between objects in the Content Conveyor panel. To remove an object from the Content Conveyor panel, press Esc.

7 Select Create Link at the lower-left corner of the Content Conveyor panel. If you don't select Create Link, you will simply create copies of the original objects without any parent-child relationships.




8 Click the pasteboard to the right of the top article to place a copy of the Yield sign graphic, and then click the pasteboard to the right of the bottom article to place a copy of the circular graphic. The small chain in the upper-left corner of the graphics frames indicates that the frames are linked to parent objects.

9 Close the Content Conveyor panel.

Modifying and updating parent-child graphics frames


Now that you've placed and linked the two graphics frames, you'll see how the parent-child relationships work between the original objects and the copies.

1 Open the Links panel and adjust the panel so that all of the filenames of the imported graphics are visible in the scroll list. The selected circular graphic (<ks88169.jpg>) is highlighted in the list. The other graphic you placed and linked (<yield.ai>) is the next filename in the list. The greater than and less than characters (<>) that bracket the filenames indicate that these graphics are linked to parent objects. Notice that these two graphic files—the parent objects—are also listed higher up in the scroll list.




- 2 Use the Selection tool () to position the circular graphics frame to the left of the “CSS Master Class” article. Align the top of the graphics frame with the top of the article’s text frame; align the right edge of the graphics frame with the column guide to the left of the article’s text frame.

► **Tip:** A Smart Guide appears when the top of the circular graphics frame is aligned with the top of the text frame.




- 3 Navigate to page 1 (the front cover page), and then select the circular graphics frame.
- 4 Use the Control panel to apply a 5-point white [Paper] stroke to the frame.




- 5 In the Links panel, notice that the status of the <ks88169.jpg> graphic on page 3 has changed to Modified (). That’s because its parent object has been modified.
- 6 Navigate to page 3. Notice that the circular graphics frame no longer matches the version on the cover, and its link badge (the yellow triangle with the exclamation mark) also indicates it’s been modified. Select the circular graphics frame, and then click the Update Link button () in the Links panel. The frame now matches its parent.

► **Tip:** You can also click the modified link badge on the circular graphics frame on page 3 to update the link or double-click the modified link icon to the right of <ks88169.jpg> in the Links panel.



Next, you'll replace the Yield sign graphic with a newer version, and then update its child frame.

- 1 Navigate to page 1, and then select the Yield sign graphic with the Selection tool.
- 2 Choose File > Place. Make sure Replace Selected Item is selected in the Place dialog box, and then double-click yield_new.ai in the Links folder in the Lesson04 folder.




In the Links panel, notice that the status of the file named <yield_new.ai> that's on the pasteboard of page 3 is Modified. That's because you replaced the parent graphic on page 1.

- 3 Select <yield_new.ai> in the scroll list, and then click the Update Link button (🔄) in the Links panel. If you want, navigate to page 3 to see the updated graphic on the pasteboard, and then return to page 1.
- 4 Click the pasteboard to deselect all objects, choose View > Fit Spread In Window, and then choose File > Save.

Changing the shape of a frame

When you resized a graphics frame using the Selection tool, the frame maintained its rectangular shape. Now you'll use the Direct Selection tool and the Pen tool to reshape a frame on page 3 (the right page of the center spread).


- 1 Choose 3 from the page box at the bottom of the document window. Choose View > Fit Page In Window.




- 2 Click the Layers panel icon, or choose Window > Layers. In the Layers panel, click the lock icon for the Text layer to unlock it, and click the Text layer to select it if it's not selected.

Next, you'll change the shape of a rectangular frame and, by doing so, change the background of the page.

- 3 Press the A key to switch to the Direct Selection tool (). Move the tip of the pointer over the right edge of the green frame that covers the page, and click when the pointer appears with a small diagonal line (). This selects the path and reveals the four anchor points and the center point of the frame. Leave the path selected.
- 4 Press the P key to switch to the Pen tool ().
- 5 Carefully position the pointer over the top edge of the frame path where it intersects with the vertical ruler guide in the first column on page 3. When a plus sign is displayed at the lower right of the pointer, click. A new anchor point is added. The Pen tool automatically changes to the Add Anchor Point tool when it moves over an existing path.



- 6 Move the pointer to where the horizontal guide below the two-column text frame intersects with the bleed guide. Using the Pen tool, click again to add another new anchor point, and then choose Edit > Deselect All.



This point and the point you created in the previous step will form the corners of the irregular shape you're creating. Repositioning the anchor point at the upper-right corner of the green frame will complete the reshaping of the frame.

- 7 Switch to the Direct Selection tool (⌘). Click to select the upper-right corner point of the green frame. Drag the point down and to the left. (Pause before you drag so you can see the frame change as you drag.) When the anchor point snaps into place at the intersection of the right edge of the first column and the first horizontal guide from the top of the page (at 40p9 on the vertical ruler), release the mouse button.



The graphics frame is now properly shaped and sized for the design.

- 8 Choose File > Save.

Wrapping text around a graphic


With InDesign you can wrap text around the rectangular bounding box of any object, around objects of any shape, and around imported images. As you wrap text around the Yield sign in this exercise, you'll see the difference between wrapping around its bounding box and around the shape of the graphic.

Your first task is to move the Yield sign graphic. For precise positioning, you can use the Smart Guides that are displayed dynamically when you create, move, or resize objects.


- 1 Using the Selection tool (⌘), select the graphics frame with the image of a Yield sign on the pasteboard to the right of page 3. Make sure to click when the arrow pointer is displayed. If you click when the hand pointer is displayed, you'll select the graphic instead of the graphics frame.

- 2 Being careful not to select one of the handles, drag the frame to the left so that the center point of the frame is aligned with the center point of the text frame that contains the article text. When the two center points align, you should see a purple vertical Smart Guide and a green horizontal Smart Guide appear. When these guidelines appear, release the mouse button.


Make sure that you have moved the frame onto the page without changing its size. Notice that the graphic overlaps the text. You'll change this by applying a text wrap.



- 3 Choose Window > Text Wrap. In the Text Wrap panel, select Wrap Around Bounding Box to wrap the text around the bounding box, not around the Yield graphic's shape. If necessary, choose Show Options from the panel menu to display all of the controls in the Text Wrap panel.



Wrap text around a bounding box.




Result.


The option leaves too much white space for your desired design, so you'll try another Text Wrap option.

● **Note:** The Wrap To menu in the Text Wrap panel is available only if you select Wrap Around Bounding Box or Wrap Around Object Shape at the top of the panel.

- 4 Select Wrap Around Object Shape. In the Wrap Options section, choose Both Right & Left Sides from the Wrap To menu if it isn't already selected. In the Contour Options section, choose Detect Edges from the Type menu. Enter 1p in the Top Offset box to add space between the edge of the graphic and the text, and press Enter or Return. Click a blank area to deselect all, or choose Edit > Deselect All.



Wrap text around an object shape.



Result.

- 5 Close the Text Wrap panel, and choose File > Save.

Modifying the shape of frames


In this section, you'll use various features that allow you to create nonrectangular frames. To begin, you'll subtract the area of one shape from another. After that, you'll create a polygon-shaped frame, and then you'll add rounded corners to a frame.

Working with compound shapes

You can change the shape of an existing frame by adding other shapes to or subtracting other shapes from its area. The shape of a frame can also be changed, even if the frame already contains text or graphics. Now you'll subtract a shape from the green background on page 3 to create a white background for the article at the bottom of the page.


- 1 Choose View > Fit Page In Window to fit and center page 3 in the document window.

- Using the Rectangle Frame tool () , draw a frame from where the right edge of the first column meets the horizontal guide at 46p6 on the vertical ruler, to the intersection of the bleed guides that meet outside the lower-right corner of the page.



Draw a rectangle, and snap to the bleed guide corner.

- With the Selection tool () , hold down the Shift key and click the green box (outside of the frame you just created) that covers a good part of page 3 to simultaneously select the new rectangle and the green box. Two frames are now selected.
- Choose Object > Pathfinder > Subtract to subtract the top shape (the new rectangle) from the green shape. The text frame at the bottom of the page is now on a white background.



- With the green box still selected, choose Object > Lock. This helps avoid accidental repositioning of the frame.


Tip: A lock icon () is displayed in the upper-left corner of a locked frame. Clicking the icon unlocks the frame.

Creating polygons and converting shapes


You can use the Polygon tool () or the Polygon Frame tool () to create regular polygons with however many sides you want. You can also change the shape of an existing frame, even if the frame already contains text or graphics. You'll try this out by creating an octagonal frame, placing a graphic within it, and then resizing the frame.

- Click the Layers panel icon or choose Window > Layers to open the Layers panel.
- Click the Graphics layer to select it.

- 3 Select the Polygon Frame tool (Ⓜ) in the Tools panel. It's grouped with the Rectangle Frame tool (Ⓜ) and the Ellipse Frame tool (Ⓜ).
- 4 Click anywhere on page 3 to the left of the text "Wasting Time." In the Polygon dialog box, change Polygon Width and Polygon Height to **9p**, change Number Of Sides to **8**, and then click OK.



- 5 With the polygon shape selected, choose File > Place, and select stopsign.tif in the Links folder in the Lesson04 folder. Click Open.



- 6 Use the Zoom tool (Ⓜ) to zoom in on the graphic, and then choose Object > Display Performance > High Quality Display to display the graphic as clearly as possible.
- 7 Using the Selection tool (Ⓜ), drag the midpoint handle on the top of the graphics frame downward until the edge of the frame is even with the top of the Stop sign. Drag the three other midpoint handles so that all of the surrounding area is cropped and only the red of the Stop sign is visible.



- 8 Choose View > Fit Page In Window, and then use the Selection tool (⌘) to move the frame so that its vertical center edge aligns with the top edge of the text frame to the right that contains the headline (a green Smart Guide is displayed), and its right edge is approximately one gutter width to the left of the right edge of the green background frame. Pause briefly before dragging to display the graphic as you drag.




Adding rounded corners to frames


Next, you'll modify a text frame by rounding its corners.

- 1 Choose 1 from the page box at the bottom of the document window. Choose View > Fit Page In Window.
- 2 With the Selection tool (⌘) still selected, hold down the Z key to temporarily access the Zoom tool (⌘), zoom in on the dark blue text frame on page 1, and then release the Z key to return to the Selection tool.
- 3 Select the dark blue text frame, then click the small yellow square that's slightly below the resizing handle at the upper-right corner of the frame. Four small yellow diamonds replace the four resizing handles at the corners of the frame.

► **Tip:** If the yellow square is not visible when selecting the frame, choose View > Extras > Show Live Corners. Also ensure Screen Mode is set to Normal (View > Screen Mode > Normal).




Click the yellow square.



Result.

► **Tip:** After you create rounded corners, you can Alt-click (Windows) or Option-click (Mac OS) any of the diamonds to cycle through several different corner effects.

- 4 Drag the diamond at the upper-right corner of the frame to the left and release the mouse button when the live radius (R:) value is approximately 2p0. As you drag, the other three corners change, too. (If you hold down the Shift key when dragging, only the corner you are working on changes.)



- 5 Choose Edit > Deselect All to exit live corner edit mode, then choose File > Save.

Transforming and aligning objects

Various tools and commands in InDesign let you modify an object's size or shape and change its orientation on the page. All transformations—rotating, scaling, shearing, and flipping—are available in the Transform and Control panels, where you can precisely specify transformations. You can also align or distribute objects horizontally or vertically along the selection, margins, page, or spread.



You'll experiment with some of these features now.

Rotating an object

InDesign offers several methods for rotating objects. In this part of the lesson, you'll use the Control panel to rotate one of the logos you imported earlier in the lesson.

- 1 Use either the page box at the bottom of the document window or the Pages panel to display page 4 (the first page of the document; the back page of the newsletter). Choose View > Fit Page In Window.
- 2 Using the Selection tool (⌘), select the “evolve” logo you imported earlier in the lesson. (Make sure you select the graphics frame and not the graphic within.)

- At the left end of the Control panel, make sure that the center point is selected on the Reference Point locator (☐) so that the object rotates around its center. Choose 180° from the Rotation Angle menu in the Control panel.



Rotating an image within its frame

You can rotate the content of a graphics frame with the Selection tool.

- Using the Selection tool (⌘), select the image of Jeff G. (top right) by clicking within the content grabber. The arrow pointer changes to a hand when it's within the doughnut shape.



Move the pointer within the doughnut.




Click to select the content of the frame.

- In the Control panel, make sure that the center point in the reference point locator (☐) is selected.
- Move the pointer slightly outside the resizing handle at the upper-right corner of the picture. The rotate pointer (↻) is displayed.

Tip: You can also rotate a selected object by choosing Object > Transform > Rotate and entering a value in the Angle field of the Rotate dialog box.

- 4 Click and drag clockwise to rotate the image until the head is approximately vertical (about -25°), and then release the mouse button. As you drag, the angle of rotation is displayed along with the image.



► **Tip:** To fill the frame with the image after rotating it, you can also choose Object > Fitting > Fill Frame Proportionately.

- 5 After being rotated, the image no longer fills the frame. To fix this, first make sure that the Constrain Proportions For Scaling icon (⌘) to the right of the Scale X Percentage and Scale Y Percentage boxes in the Control panel is selected, and then enter 55 in the Scale X Percentage box and press Enter or Return.




- 6 Choose Edit > Deselect All, and then choose File > Save.

Aligning multiple objects

Precise alignment is made easy when you use the Align panel. Next, you'll use the Align panel to horizontally center multiple objects on a page, and then you'll align multiple images.

- 1 Choose View > Fit Page In Window, and then choose page 2 in the page box at the bottom of the document window.
- 2 Using the Selection tool (⌘), Shift-click the text frame at the top of the page containing the "Partial Class Calendar" text and the "evolve" logo above it. (Unlike the two logos you imported earlier, this logo was created within InDesign and is a group of objects. You'll work with this group later in the lesson.)
- 3 Choose Window > Object & Layout > Align to open the Align panel.


- 4 In the Align panel, choose Align To Page from the Align To menu, and then click the Align Horizontal Centers button (☐). The objects are now aligned to the center of the page.



Top: Select the text frame and logo. Center: Align the objects. Bottom: Result.

- 5 Click a blank area or choose Edit > Deselect All.
- 6 Use the scroll bar at the bottom of the document window to show more of the pasteboard on the left of page 2. You'll see seven program icons.
- 7 Using the Selection tool (☒), select the graphics frame at the upper-left corner of the calendar, and then Shift-click to select the seven graphics frames.
- 8 In the Align panel, choose Align To Key Object from the Align To menu. Notice that the first graphics frame you selected now has a thick blue border, indicating it's the key object.
- 9 Click the Align Right Edges button (☐).

● **Note:** When you specify a key object, the alignment of the other selected objects will be relative to the key object's position.



► **Tip:** InDesign automatically assigns the object you selected first as the key object. To change the key object once you've selected all objects to be aligned, click the object that should be the key object. A thicker selection border will then appear around that object.


- 10 Choose Edit > Deselect All, and then choose File > Save.

Scaling multiple objects

In earlier versions of InDesign you could transform multiple objects only by using the transform tools or by first grouping the objects. You can now scale multiple selected objects without the need to select a transform tool first or group objects.

Next you'll select two of the icons and resize both of them at once.

- 1 Use the Zoom tool (🔍) to zoom in on the two Acrobat PDF icons on the left side of the page.
- 2 Using the Selection tool (🖱️), Shift-click each of the two icons to select both of them.
- 3 Press Shift+Ctrl (Windows) or Shift+Command (Mac OS), and then drag the handle at the upper-left corner down and to the right to make the two icons the same width as the Adobe Photoshop icon above the selected icons. A Smart Guide is displayed when the left edges of the selected frames align with the frame above.



Drag to resize the selected icons.

Result.

- 4 Choose Edit > Deselect All, and then choose File > Save.

Selecting and modifying grouped objects

Earlier you aligned the “evolve” logo at the top of page 2 to the center of the page. Now you'll change the fill color of some of the logo's shapes. Because they're grouped, you can select and modify them as a unit. You'll now change the fill color of just a few of the shapes without ungrouping or changing the other objects of the group.

The Direct Selection tool, or a set of commands in the Object menu (Object > Select), lets you select individual objects in a grouped object.

- 1 Choose View > Fit Spread In Window.
- 2 With the Selection tool (🖱️), click the “evolve” group at the top of page 2. If you want, use the Zoom tool (🔍) to magnify the area you're working on.

- 3 Click the Select Content button (⌘) in the Control panel to select one object in the group without ungrouping.



Select the group with the Selection tool.



Choose Select Content.



Result.

► **Tip:** You can also select an object in a group by double-clicking the object with the Selection tool; by selecting the group and choosing Object > Select > Content; or by right-clicking (Windows) or Control-clicking (Mac OS) the group and choosing Select > Content from the context menu.

- 4 Click the Select Previous Object button (⌘) in the Control panel six times to select the first “e” in the word “evolve.” Note that the Select Next Object button selects in the opposite direction.




Click Select Previous Object six times. Result.



- 5 Using the Direct Selection tool (⌘), hold down the Shift key and click the “v,” “l,” “v,” and “e” letters in the logo to simultaneously select them.

- 6 Click the Swatches panel icon or choose Window > Color > Swatches. Click the Fill box at the top of the Swatches panel and choose [Paper] to fill the letter shapes with a white color.



Change the fill of the selected shapes to [Paper].




Result.

Creating a QR code


A new feature introduced in InDesign CC lets you quickly add QR (short for Quick Response) codes to a layout. A QR code is a type of barcode that consists of black or colored squares arranged in a grid on a white background. The code contains information, such as a hyperlink, plain text, or a text message, that can be electronically scanned by devices such as smartphones.

Next, you'll add a QR code to the back page of the newsletter and configure it to open a web page.

- 1 Navigate to page 4 of the document (the back cover) and choose View > Fit Page In Window to center the page.
- 2 Choose Object > Generate QR Code.
- 3 Choose each of the options in the Type menu to view the associated controls, and then choose Web Hyperlink.
- 4 In the URL field, enter **http://www.adobe.com** (or the complete URL for any website you want).




- 5 Click OK to close the dialog box.
- 6 Click the intersection of the margin guides at the lower-left corner of the page, and then drag upward until the edge of the frame aligns with the first column guide.



Finishing up

Now it's time to admire your work.

- 1 Choose Edit > Deselect All.
- 2 Choose View > Fit Spread In Window.
- 3 At the bottom of the Tools panel, hold down the current screen mode button (🖨️) and choose Preview from the hidden menu that appears. Preview mode is an ideal way to see what a document will look like when printed. Preview mode displays artwork as if it were output, with all nonprinting elements suppressed (grids, guides, nonprinting objects) and the pasteboard set to the preview color defined in Preferences.
- 4 Press the Tab key to close all the panels at the same time. Press the Tab key again when you are ready to show all the panels.
- 5 Choose File > Save.



Congratulations. You have finished the lesson.


Exploring on your own

One of the best ways to learn about frames is to experiment on your own.

In this section, you'll learn how to nest an object inside a frame. Follow these steps to learn more about selecting and manipulating frames.


- 1 Create a new (Print) document using the default settings in the New Document dialog box.
- 2 Use the Ellipse Frame tool (📄) to create a small circular text frame, approximately 12p0 x 12p0". (Press the Shift key as you drag to constrain the shape to a circle.)
- 3 Select the Type tool and then click within the frame to convert it to a text frame.
- 4 Choose Type > Fill With Placeholder Text to fill the frame with text.
- 5 Press the Esc key to switch to the Selection tool, and then use the Swatches panel to apply a fill color to the text frame.

- 6 Select Edit > Deselect All, then select the Polygon tool (🔷) and draw a shape on the page. (Before creating the polygon, you can double-click the Polygon tool to specify the number of sides and optionally a star inset value if you want to create a starburst shape.)



- 7 Select the Selection tool (🖱️), select the text frame you created earlier, and then choose Edit > Copy.

- 8 Select the polygon frame, and then choose Edit > Paste Into to nest the text frame inside the polygon frame. (If you choose Edit > Paste, the copied text frame is not pasted inside the selected frame.)



- 9 Use the Selection tool to move the text frame by positioning the pointer within the content grabber in the center of the polygon frame and then dragging.

- 10 Use the Selection tool to move the polygon frame and its content by positioning the pointer outside the content grabber and then dragging.

- 11 Choose Edit > Deselect All.

- 12 Select the Direct Selection tool (⌘), use it to select the polygon frame, and then drag any of the handles to change the shape of the polygon.

- 13 When you have finished experimenting, close the document without saving.



Review questions

- 1 When should you use the Selection tool to select an object, and when should you use the Direct Selection tool to select an object?
- 2 How do you resize a graphics frame and its content simultaneously?
- 3 How do you rotate the graphic within a graphics frame without rotating the frame?
- 4 Without ungrouping objects, how do you select an object within a group?

Review answers

- 1 Use the Selection tool for general layout tasks, such as positioning, rotating, and resizing objects. Use the Direct Selection tool for tasks involving editing paths or frames; for example, to move an anchor point on a path or to select objects within a group and change their color.
- 2 To resize a graphics frame and its content simultaneously, select the frame with the Selection tool, hold down Ctrl (Windows) or Command (Mac OS), and then drag a handle. Add the Shift key while dragging to maintain the object's and content's proportions. Alternatively, you can enable the Auto-Fit feature for a selected graphics frame and resize it without the need to hold down the Ctrl (Windows) or Command (Mac OS) key.
- 3 To rotate a graphic within a frame, use the Selection tool to select the graphic within the frame by clicking within the content grabber. Then position the pointer slightly outside any of the four corner handles and drag to rotate the graphic.
- 4 To select an object within a group, use the Selection tool () to select the group, and then click the Select Content button () in the Control panel to select one object in the group. You can then click the Select Previous Object or Select Next Object button to select different objects in the group. You can also select an object in a group by clicking the object with the Direct Selection tool () or double-clicking it with the Selection tool.

INDEX

A

- AATC (Adobe Authorized Training Centers), 5
- Acrobat, 332–333, 335
- Acrobat Distiller, 340
- Add Anchor Point tool, 105
- Adobe Acrobat, 332–333, 335
- Adobe Acrobat Distiller, 340
- Adobe Authorized Training Centers (AATC), 5
- Adobe Bridge
 - accessing files with, 279–280
 - accessing original files, 279–280
 - Browse In Bridge command, 279
 - described, 11, 278
 - importing graphics, 278–280
 - launching, 11, 30, 279
 - naming/renaming files, 279
 - obtaining, 11
 - reducing window size, 279
 - storing snippets in, 277
- Adobe certification, 5
- Adobe Certified Associate exams, 4
- Adobe Certified Instructors, 5
- Adobe Content Viewer, 388
- Adobe Creative Cloud, 4
- Adobe Digital Editions software, 358
- Adobe Digital Publishing Suite, 378
- Adobe Download Center, 11
- Adobe Illustrator, 255–256, 335. *See also* Illustrator files
- Adobe InDesign. *See* InDesign
- Adobe InDesign Read Me file, 2
- Adobe InDesign Support Center, 4
- Adobe Paragraph Composer, 178–181
- Adobe PDF files. *See* PDF files
- Adobe Reader, 333
- Adobe TV, 4
- Adobe Typekit font library, 142
- Adobe Viewer app, 388
- Adobe.com, 4
- Advanced command, 20
- aliases (Mac), 4
- Align panel, 114–115
- aligning text
 - with baseline grid, 161–162
 - centering, 61–62, 91–92
 - considerations, 34
 - justified text, 188
 - Optical Margin Alignment, 173–174
 - right-alignment, 60
 - stories, 161–163, 172–174
 - to tabs, 182–183, 184
 - vertically, 91–92, 161–164
- alignment
 - drop cap letters, 176
 - graphics captions, 99–100
 - margins, 161–162, 173–174
 - objects, 85, 114–115
 - paragraphs, 172–174
 - Smart Guides, 85
 - text. *See* aligning text
- alpha channels, 264–268
- Amazon Kindle, 358
- anchor points, 88–89, 105–106, 273
- anchored graphics, 360–361, 367
- anchored graphics frames, 270–273
- anchored objects, 211
- App Store, 377
- AppData folder (Windows), 3
- Apple App Store, 377
- Apple iBooks, 358
- Application bar, 9, 11, 14
- Application frame, 11
- Arabic numerals, 70–71
- Arrange Documents button, 14
- arrow key gestures, 96
- arrow keys, 32, 44, 218
- Articles panel, 364–367
- Auto Play option, 381

Autocorrect feature, 151
autoflow feature, 129–131
Auto-Size feature, 133–134

B

background layers, 84, 269, 303
backgrounds
 changing, 105–106
 master pages as, 55
 removing, 261–263
 transparent, 264, 274
Balance Ragged Lines feature, 181
barcodes, 118
Barnes & Noble Nook, 358
baseline grids, 161–164, 173
best practices, 47
bevel effect, 315
bitmap graphics
 applying transparency effects to, 311
 printing, 97
 resizing, 97
 vs. vector graphics, 255–256
bleed area, 31, 54, 336, 337
bleed guides, 66, 73
Bleed mode, 31
bleed settings, 54, 337
bleed values, 54
bleeds, 13
Blending Mode settings, 306
blending modes, 306, 308–309, 314
blends, gradient, 206, 207
borders
 changing to strokes, 203–204
 rows, 293
bounding boxes, 96–98, 106, 107
break character, 90, 91, 126, 131
Bridge. *See* Adobe Bridge
brightness, 197
Browse In Bridge command, 279
bullet character, 188
bulleted lists, 186

buttons
 converting frames to, 347–348, 354
 page, 22
 radio, 348–349
 sample, 348–349, 354
Buttons And Forms panel, 347–352, 354

C

calibrating monitor/printers, 193, 197
captions, 99–100
cell strokes, 290, 292
cells. *See also* tables
 editing cell strokes, 292
 fill color, 291–292
 graphics in, 294–295
 lines around, 292
 merging, 288
 overset, 299
 styles, 239–242, 295–298
centering
 graphics, 114–115
 objects, 114–115
 spreads, 56, 75
 text, 61–62, 91–92
certification, 5
chain icon, 133
Channels panel, 266–267
Character panel, 161, 165, 177
character styles. *See also* styles
 applying, 39–40, 228–229
 creating, 39–40, 227–228
 described, 37
 formatting text for, 38
 mapping to export tags, 361–363
 nesting in paragraph styles, 230–235
Character Styles panel, 38–40, 227–231
characterizing monitors, 197
characters. *See also* text
 adding strokes to, 175
 drop caps, 174–176, 231
 end-of-story, 167
 formatting, 12

- fraction, 169–170
- glyphs, 165–170, 340
- hidden, 31, 91, 182, 270, 360
- nonprinting, 31
- replacing with glyphs, 166–167
- selecting, 34
- special, 92, 135, 167–170, 188
- styles. *See* character styles
- child masters, 63
- Classroom in a Book files/fonts, 2–3
- Clear Effects button, 306
- Clear Overrides feature, 126
- Click appearance, 383
- clipping paths, 261–263, 267–268, 273
- CMYK color model, 32, 210, 329, 338
- CMYK process color, 200, 208
- CMYK values, 193, 208
- color, 190–219
 - applying with Control panel, 203
 - applying with Eyedropper tool, 202
 - applying with Swatches panel, 201
 - CMYK. *See* CMYK color
 - colorizing grayscale images, 303–305
 - copying, 200, 202
 - creating, 199–200
 - dashed strokes, 203–204
 - fill, 291–292
 - fills, 43, 116–117, 201–203, 244
 - gradients. *See* gradients
 - importing, 218
 - LAB, 208
 - light level and, 195
 - monitors, 208
 - names for, 199–200
 - objects, 201–203, 212–213
 - Pantone, 210, 334
 - paper, 202
 - presets, 194
 - previewing, 208
 - print, 198–199, 208
 - process, 208
 - proofing onscreen, 196
 - RGB, 32, 208, 338
 - rows, 243–244
 - specifying settings in InDesign, 194
 - spot, 208, 210–211, 339, 341
 - strokes, 43, 44–45, 201–203, 213
 - swatches, 116–117, 199–201
 - text, 211–212
 - tints, 209–210, 212–214
 - tools, 10
 - Undo feature, 201
 - viewing environment for, 195
- color gamuts, 208
- color management, 193–197
- color models, 32, 210, 329
- Color panel, 199
- color profiles, 197
- color separations, 208, 333–334, 338, 341
- Color Settings dialog box, 194
- color settings file (CSF), 194
- color stops, 205–206, 321
- color temperature, 195
- Color Theme menu, 25
- Column Break character, 125
- columns. *See also* table columns
 - balancing, 171–172
 - breaking, 90, 91, 131
 - changing number of, 9, 11, 53
 - creating, 127
 - fine-tuning, 170–172
 - flowing text in. *See* text flows
 - guides, 69
 - gutters, 90
 - headlines, 170–171
 - left/right pages, 61
 - multiple, 90–91
 - options for, 53, 64, 69
 - “straddle head,” 170–171
 - threaded frames, 35–36, 127
 - types of, 9
- combo boxes, 347, 349–350
- commands. *See also specific commands*
 - key, 11, 21, 26
 - magnification, 14, 20–22
 - menu customization, 19

- view, 20–21
- Community Help, 11
- Composite CMYK option, 338
- Composite Gray option, 338
- content. *See also* stories; text
 - centering, 56, 75
 - choosing for eBooks, 364–367
 - layer, 81, 82, 84
 - placing into table cells, 294–295
 - reordering in eBooks, 366
 - selecting, 117
 - snippets, 277
 - web content overlay, 387–388
- Content Collector tool, 101
- Content Conveyor panel, 101–102
- content grabber, 42, 82, 97
- Content Placer tool, 101
- context menus, 24, 98, 117, 167
- contrast, 197
- Control panel
 - applying colors to objects, 203
 - formatting text, 34, 38
 - illustrated, 9
 - overview, 12
- “copy,” 35
- copying
 - color, 200, 202
 - fonts, 330, 331
 - objects, 136
 - styles, 233
 - table cell content, 294
 - text, 120, 152
 - via drag/drop, 152, 264
- corner effects, 111–112
- cover page, eBooks, 364–365
- Cover Preview settings, 392
- Create Guides command, 57
- Creative Cloud, 4, 142, 378
- Creative Cloud membership, 377, 378
- creative.adobe.com, 11
- crop marks, 337
- cropping images, 42, 94
- CSF (color settings file), 194

- CSS style sheets, 369–370, 371
- Current Page Number option, 61

D

- dashed strokes, 203–204
- Defaults file, 3–4, 8
- devices, 193. *See also specific devices*
- digital publications. *See* iPad publications
- Digital Publishing Suite Help, 377, 378
- Direct Selection tool
 - reshaping text frames, 88–89, 105–106
 - selecting objects with, 88–89, 116, 117
 - switching to/from Selection tool, 89, 105
- Discretionary Line Break character, 180
- Display Performance menu, 192, 193
- Display Performance preference, 8, 25
- displays. *See* monitors
- dock
 - described, 15
 - dragging panels to/from, 16
- dock, working with, 15–17
- docked panels, 9–17
- Document fonts folder, 330
- document page icons, 55, 58, 64
- document windows, 8, 9, 13–15
- documentation, 4
- documents. *See also* pages
 - actual size, 21, 46
 - adding pages to, 68
 - adding snippets to, 277
 - applying masters to, 66–67
 - creating, 54–55
 - custom settings, 53–54
 - exporting. *See* exporting items
 - importing. *See* importing items
 - loading styles from, 248–249
 - loading Type tool with, 127
 - magnification, 14, 20–22
 - margins. *See* margins
 - navigating, 22–24
 - opening multiple, 14
 - preflighting, 32–33, 47, 327–329

- presets. *See* presets
- previewing. *See* previews
- printing. *See* printing
- renaming, 8, 279
- saving, 8, 33
- spell checking, 148–151, 153
- switching between, 56
- turning pages, 22–23
- viewing, 31
 - viewing in Presentation mode, 46
- Documents Fonts folder, 142
- Download Center, 11
- DPS Desktop tools for InDesign, 377
- dragging/dropping images, 264
- dragging/dropping text, 152
- Dreamweaver, 371
- drop caps, 37, 174–176, 231
- drop shadows, 235, 238, 315, 318
- Dynamic Preview, 97

E

- eBooks, 356–373. *See also* EPUB files
 - adding new articles, 366–367
 - anchored graphics, 360–361
 - choosing content of, 364–367
 - cover page, 364–365
 - exporting, 361–363, 368–371
 - font embedding, 369
 - local overrides, 370
 - manual overrides, 370
 - metadata, 367, 370
 - reordering content in, 366
 - splitting into smaller pieces, 360, 368, 371
 - table of contents, 363–364
 - text frames, 361, 366
 - title pages, 366
- edges
 - detecting, 261, 262, 263
 - feathering, 315–317
 - hiding/showing, 144
 - snapping to guides, 85, 87
- Edit Original button, 266
- editing
 - by dragging/dropping, 152
 - Edit Original button, 266
 - effects, 320–321
 - objects, 12
 - paths, 273
 - Story Editor, 152, 153–155
- educational resources, 4
- effects
 - clearing, 306, 320–321
 - editing, 320–321
 - multiple, 318–320
 - previewing, 316, 318
 - removing, 306, 320–321
 - transparency, 314–321
 - working with, 314–321
- Effects panel, 306
- em dashes, 188
- e-mail, 352
- emboss effect, 315
- Encapsulated PostScript. *See* EPS
- end-of-story character, 167
- Enterprise Edition membership, 378
- EPS files, 335
 - .epub extension, 371
- EPUB files. *See also* eBooks
 - commercial, 370
 - editors for, 371
 - exporting, 361–363, 368–371
 - metadata, 367, 370
 - naming, 368
 - unique IDs for, 370
 - viewing component files, 371
- EPUB standard, 358
- Erase tool, 10
- eReader, 358
- errors
 - missing fonts, 141
 - during preflighting, 32, 33, 198, 199, 327
 - profiles, 198, 199
 - spelling, 148–151, 153
- Excel, 286
- Explorer (Windows), 258, 264

- export tags, 361–363
- exporting items. *See also* output
 - alerts, 326
 - anchored graphics, 361
 - EPUB files, 361–363, 368–371
 - flattening and, 334, 335
 - InDesign files as PDF files, 331–333
 - interactive PDF files, 353
 - missing elements and, 260
 - as snippets, 277
- eye icon, 82, 303
- Eyedropper tool, 202

F

- feathering, 315–317
- fields, form, 344–355
- files. *See also* documents
 - accessing in Adobe Bridge, 279–280
 - accessing in InDesign, 30
 - accessing original, 279–280
 - associating with applications, 266
 - Classroom in a Book, 3
 - CSE, 194
 - Defaults, 3–4, 8
 - EPS, 335
 - EPUB. *See* EPUB files
 - exporting. *See* exporting items
 - .folio, 391–392
 - hidden, 4
 - HTML, 360, 363, 387
 - IDML, 331
 - Illustrator. *See* Illustrator files
 - iPad. *See* iPad publications
 - JPEG, 385, 392
 - lesson, 3
 - linked. *See* linked items
 - missing, 260, 326, 327–328
 - modified, 258–260
 - naming/renaming, 8, 279
 - native, 268–275
 - packaging, 330–331
 - PDF. *See* PDF files

- Photoshop. *See* Photoshop files
- PNG, 392
- PostScript, 335, 336, 340
- preflighting, 32–33, 47, 327–329
- saving, 8, 33
- snippets, 277
- viewing in Explorer/Finder, 258
- XHTML, 371
- fills
 - color, 43, 116–117, 201–203, 244
 - gradient, 206, 207, 209–210
 - rows, 290–292
- Find/Change dialog box, 145–147
- Finder (Mac), 258, 264
- finding items, 145–147. *See also* search entries
- Fit Page In Window command, 20
- Fit Spread In Window command, 20
- flattener presets, 334–335, 338–339
- flattening transparency, 334–335
- floating panels, 9, 12, 17, 18
- flowing text. *See* text flows
- Folio Builder panel, 377, 391–392
- .folio extension, 376
- .folio files, 391–392
- Folio Overlays panel, 379–380
- folios, 376
- font library, 142
- fonts. *See also* text; typography
 - acquiring, 142
 - changing, 141–142, 165–170
 - copying, 330, 331
 - downloading to printer, 340
 - embedded, 369
 - finding, 141
 - glyphs, 165–170, 340
 - included with InDesign, 2
 - installed, 2
 - licensing restrictions, 331
 - Mac OS systems, 2
 - missing, 32, 140, 141
 - OpenType, 165–169
 - packaging and, 330–331
 - PPD, 340

- preflighting and, 327–329
- print settings, 338, 340
- replacing, 141–142
- resources, 142
- in Story Editor, 153
- styling, 34
- text flow and, 130
- Typekit Desktop, 330
- Windows systems, 2

footers

- adding via snippets, 65–66
- master pages, 59–61
- table, 293–294

Forced Line Break character, 180

Forced Line Break option, 126

form fields, 344–355

formatting. *See also* styles

- automating, 37
- best practices, 47
- characters, 12
- finding/changing, 146–147
- local, 223, 230, 246
- paragraphs, 12, 60
- table cells, 239–242, 295–298
- tables, 290–293
- text, 33–35, 37–40, 146–147

forms, 344–355

fraction characters, 169–170

Frame Break character, 125

frames

- adding text to, 33–36
- breaks, 131
- changing shape of, 104–106, 108–112
- contents of, 79
- converting to buttons, 347–348, 354
- filling proportionally, 98
- flowing text into, 125–127
- graphics. *See* graphics frames
- grids of, 95–96
- layers in. *See* layers
- locking/unlocking, 109
- placeholder. *See* placeholders
- placing graphics in, 94, 95–96

- placing/flowing text in. *See* text flows
- positioning graphics in, 40, 96–98
- preexisting, 72
- repositioning, 12
- reshaping, 104–106, 108–112
- resizing, 36
- resizing automatically, 133–134
- rounded corners, 111–112
- shapes, 104–106, 108–112
- spacing between, 96, 98–99
- text. *See* text frames
- threaded. *See* threaded frames
- zooming in/out, 86

FX button, 306

G

gamma, 197

gamut, 193, 208

Gap tool, 98–99

global liquid layout rules, 389–390, 393

glow effect, 315

glyphs, 165–170, 340

Google Play Books app, 358

gradient feathering, 315, 316–317

Gradient Swatch tool, 207, 215–217

gradient swatches, 205–207, 215–218

gradients, 205–207

- advanced techniques, 215–218
- applying to objects, 216–218
- blends, 206, 207
- color, 205–207, 215–218
- described, 205
- fills, 206, 207, 209–210
- transparency and, 316–317

graphics, 252–281. *See also* graphics frames;

- images
 - accessing in Adobe Bridge, 279–280
 - adding placeholder frames for, 62–63
 - anchored, 360–361, 367
 - associating with applications, 266
 - bitmap. *See* bitmap graphics
 - captions for, 99–100

- centering, 114–115
- cropping, 42, 94
- display quality, 260–261
- dragging/dropping, 264
- importing. *See* importing graphics/images
- inline, 360
- Library items, 360
- links to, 255–260, 327–328, 331
- moving between layers, 82–84
- from other programs, 255
- pan-and-zoom, 385
- placing and linking, 101–104
- placing in frames, 40, 94, 95–96
- placing in grid of frames, 95–96
- placing on pages, 72–74
- placing without frames, 95
- positioning, 41
- positioning in frames, 96–98
- positioning on pages, 72–74
- previewing, 40
- printing, 339
- removing backgrounds, 261–263
- resizing, 42, 94, 96–98
- resolution, 94, 193, 260
- revised, 258–260
- RGB, 198, 329, 330, 338
- rotating, 112–114
- scaling, 42
- in scrollable content, 387
- selecting with Selection tool, 43
- in table cells, 294–295
- text, 72–74
- updating, 258–260
- vector. *See* vector graphics
- wrapping text around, 106–108
- zooming in/out, 82

graphics frames, 92–106. *See also* frames; graphics

- adding text wraps to, 271–273
- anchored, 270–273
- changing shape of, 104–106, 108–112
- compound shapes, 108–109
- converting to text frames, 133
- creating, 41, 93
- image size, 42, 94, 96–98
- linking, 101, 102–104
- metadata captions, 99–100
- parent-child, 102–104
- placing, 101–102
- placing/positioning images in, 94, 95–96
- reshaping, 104–106, 108–112
- resizing, 42, 94, 96–98

Graphics layer, 82–84, 92–93

graphics library, 275–278

grayscale images, 303–305

grayscale profiles, 196

grids

- adding, 56–57
- baseline, 161–164, 173
- hiding/showing, 31, 74
- leading, 161

grouped items

- applying effects to, 306
- knockout/blockout groups, 306
- objects, 116–117
- panels, 17–19

guides

- adding to master page, 56–57
- bleed, 66, 73
- columns, 69
- described, 56
- dragging from rulers, 57–59
- dragging on rulers, 58
- fitting to margins, 57
- hiding/showing, 31, 74
- pasteboard, 58, 62
- Smart Guides, 85, 106–107
- snapping to, 58, 60, 85, 87
- viewing, 31

gutters, 90

H

- hand icon, 97
- Hand tool, 23–24, 82
- hanging indents, 185–186
- hanging punctuation, 159, 173–174

- header cells, 293–294
- headers, adding via snippets, 65–66
- headlines, 170–171, 181, 225, 247
- Help and Support content, 4
- help features, 4, 11, 26
- Help file, 193
- Help menu, 4, 26
- helpx.adobe.com, 4
- hidden characters, 31, 91, 182, 270, 360
- hidden files, 4
- HTML files, 360, 363, 387
- HTML tags, 362
- hyperlinks
 - described, 379
 - iPad publications, 379–380
 - QR codes, 118
- hyphenation settings, 181, 188
- hyphens, 188

I

- iBooks, 358
- IDML files, 331
- .IDMS extension, 277
- Illustrator, 255–256, 335
- Illustrator files
 - adjusting display quality, 260–261
 - adjusting transparency, 312–313
 - earlier versions, 335
 - importing, 273–275, 312–313
 - layers and, 273–275
 - transparency flattener presets, 335
 - vector graphics and, 255–256
- images. *See also* graphics
 - accessing in Adobe Bridge, 279–280
 - associating with applications, 266
 - bitmap. *See* bitmap graphics
 - cropping, 42, 94
 - display quality, 260–261
 - displaying, 25
 - dragging/dropping, 264
 - feathering, 315–317
 - grayscale, 303–305
 - importing. *See* importing graphics/images
 - opening, 265–266
 - panoramas, 384
 - poster, 380
 - previews, 274
 - removing backgrounds, 261–263
 - resizing, 96–98
 - resolution, 94, 193, 260
 - static, 380
 - thumbnails, 279
 - vector. *See* vector graphics
 - zooming in/out, 82
- importing graphics/images
 - with Adobe Bridge, 278–280
 - alpha channels and, 264–265
 - identifying images already imported, 256–257
 - importing/colorizing grayscale images, 303–305
 - from other programs, 255
 - with Place command, 72–74, 273–275, 312–313
 - placing graphics on pages, 72–74
- importing items
 - colors, 218
 - graphics. *See* importing graphics/images
 - Illustrator files, 273–275, 312–313
 - managing links, 256–258
 - from other programs, 255
 - Photoshop files, 264–265, 268–269
 - profiles, 198–199
 - snippets, 65–66
 - styles, 248–249
 - tables, 286
 - text, 35–36, 72–74, 143–144
- indenting paragraphs, 167, 168, 184, 185–186
- InDesign CC
 - defaults, 3–4
 - described, 1
 - documentation, 4
 - fonts included with, 2
 - help features, 4
 - installing, 2–3
 - instructional videos, 4
 - learning about, 4
 - obtaining, 2

- product home page, 4
- resources, 4
- support, 4
- updates to, 5
- InDesign CC product home page, 4
- InDesign CS5
 - accessing files, 30
 - best practices, 47
 - customizing, 25
 - defaults, 8
 - help features, 26
 - interface, 25
 - key features, 28–49
 - quick tour, 28–49
- InDesign Defaults file, 3–4, 8
- InDesign Fonts folder, 142
- InDesign Help file, 193
- InDesign Read Me file, 2
- InDesign Support Center, 4
- .INDS extension, 277
- Ink Manager, 341–342
- Insert Pages command, 68
- inset values, 91
- installation, 2–3
- instructions text file, 330
- interactive elements, 378–394
- interactive PDF files, 353
- Interface preferences, 25
- iOS Developer Program, 377
- iPad, 358, 372
- iPad apps, 377
- iPad publications, 374–395
 - adding interactive elements, 378–394
 - creating, 377
 - .folio files, 391–392
 - hyperlinks in, 379–380
 - liquid layout rules, 389–390, 393
 - movies, 380–381
 - naming, 377
 - pan-and-zoom graphics, 385
 - panoramas, 384
 - previewing, 388
 - scrollable text frames, 386–387

- slideshows, 381–383
- web content overlay, 387–388
- iPhone, 358
- ISBN number, 370
- Isolate Blending option, 306

J

- JPEG files, 385, 392
- jump line page numbers, 135–136
- jump lines, 135–136
- justified text, 188

K

- Keep Lines Together format, 125
- Keep With Next format, 125
- Keep With Previous format, 125
- kerning text, 177–178
- key commands, 11, 20–21, 26
- keyboard shortcuts
 - creating, 225
 - document magnification, 14, 20–21
 - Go To Page, 23
 - Mac OS, 22
 - styles, 223
 - tools, 11
 - turning pages, 22–23
- Kindle, 358
- Knockout Group option, 306
- Kobo eReader, 358

L

- LAB color, 208
- layer comps, 268–269
- layer overrides, 269
- layered PDF files, 333
- layers
 - background, 84, 269, 303
 - considerations, 47
 - content, 81, 82, 84

- creating, 84
- described, 81
- Graphics, 82–84, 92–93
- hiding/showing, 81, 82
- imported Illustrator files, 273–275
- imported Photoshop files, 268–269
- locking/unlocking, 83, 93
- moving objects between, 83
- multiple, 81
- multiple objects and, 47
- naming, 84
- Text, 82, 86, 93
- working with, 81–84

Layers panel, 81–84

layouts

- alternate, 63–64, 389–390
- liquid, 389–390, 393
- text wrap and, 271

Leader box, 181, 182

leading, 161

leading grids, 161. *See also* baseline grids

lesson files, 3

lessons, described, 1

letters, spacing, 177–178

Levels settings, 306

libraries, object, 275–278

Library folder (Mac), 3

Library items, as inline graphics, 360

line break characters, 180

line breaks, 86, 126, 178–180

line numbers, 153

line spacing, 161

lines

- hyphenation, 181
- jump, 135–136
- orphan, 125, 126
- ragged, 181
- styles, 231

Link Info section, 257–258, 269

linked items

- graphics files, 255–260, 327–328, 331
- graphics frames, 101, 102–104
- imported files, 256–258

- information about, 257–258, 269
- managing, 256–258
- missing, 254, 276, 326, 327–328
- overset text, 36
- reassigning, 259
- relinking, 259, 276, 328
- revised files, 258–260
- status, 260
- tables, 286
- updated, 331
- updates to, 255, 258–260
- viewing information about, 257–258

Links panel, 255–260, 266, 276

liquid layout rules, 389–390, 393

list boxes, 347, 350

lists

- bulleted, 186

- numbered, 186

- ordered/unordered, 369

- sorting, 350

Live Preflight feature, 32–33, 327, 329

Load Swatches command, 218

loaded graphics icon, 40, 94, 95, 274, 313

loaded snippet icon, 66, 73

loaded text icon, 35, 36, 72, 125, 129, 131

loading styles, 248–249

local formatting, 223, 230, 246

local overrides, 126, 223, 246

lock icon, 93, 109, 303, 307

locked frames, 109

M

Mac OS systems

- aliases, 4

- Application frame, 11

- considerations, 2

- context menus, 24

- creating snippets, 277

- Finder, 258, 264

- fonts, 2

- InDesign Defaults file, 3–4

- keyboard shortcut issues, 22

- Library folder, 3
- maximizing windows, 13
- measurement units, 53
- monitor calibration, 197
- PDF files, 332
- viewing files in Finder, 258
- magnification commands, 14, 20–22
- Make All Settings The Same icon, 91
- margins
 - aligning, 161–162, 173–174
 - baseline grids, 161–162
 - fitting guides to, 57
 - hanging punctuation, 173–174
 - left/right pages, 61
 - Optical Margin Alignment, 173–174
 - setting tabs, 182–186
 - settings, 53–54
 - specifying, 69
- master page icons, 55, 58, 64, 66
- master page items, 64–65, 74
- master page spreads, 56, 58
- master pages, 56–67
 - adding footers, 59–61
 - adding guides, 56–57
 - adding pages, 68
 - applying to document pages, 66–67
 - creating, 63–64
 - creating text frames on, 59–61
 - deleting pages, 68
 - described, 55
 - dragging guides from rulers, 57–59
 - editing, 60
 - footers, 59–61
 - multiple, 63–64
 - objects on, 56, 65, 66, 74, 75
 - options for, 61
 - page numbers, 59–61
 - parent/child, 63, 64, 65–66
 - placeholder frames for graphics, 62–63
 - rearranging pages, 68
 - renaming, 61
 - working with, 56–67
- measurement units, 53, 54
- menu bar, 9
- menus
 - context, 24, 98, 117
 - customizing, 19, 20, 150
 - panel, 19
 - tools with, 10
- metadata
 - captions, 99–100
 - eBooks, 367, 370
 - EPUB files, 367, 370
- Microsoft Excel, 286
- Microsoft Word, 35–36
 - importing tables from, 286
 - importing text from, 35–36, 143–144
 - placing text from, 35–36, 143–144
 - threading text from, 35–36
- Mode buttons, 31
- monitors
 - calibration, 193, 197
 - characterization, 197
 - color, 208
 - performance, 197
 - profiles, 197
 - second, 38
 - view quality, 260–261
 - viewing color on, 195
- movies, iPad publications, 380–381

N

- native files, 268–275
- nesting styles, 37, 230–235
- New Document dialog box, 54, 134, 218
- Next button, 383
- Next Page Number character, 135
- Next Style menu, 225
- Nook, 358
- Normal mode, 31, 182
- notes
 - inserting, 154
- Notes panel, 154

numbered lists, 186

numbers

Arabic numerals, 70–71

fractions, 169–170

line, 153

page. *See* page numbers

Roman numerals, 70

O

Object Layer Options dialog box, 269

object libraries, 275–278

objects, 78–121

aligning, 85, 114–115

anchored, 211

applying gradients to, 216–218

centering, 114–115

changing opacity of, 307–308

color. *See* color

controlling attributes, 12

copying, 136

deselecting, 40, 45

editing, 12

examples of, 43

grouped. *See* grouped items

on layers. *See* layers

managing with libraries, 275–278

on master pages, 56, 65, 66, 74, 75

moving, 12, 44

moving between layers, 83

multistate, 383

naming, 278

placing and linking, 101–104

position, 12

reordering in eBooks, 366

resizing, 12

rotating, 112–114

scaling, 116

in scrollable content, 387

selecting with Direct Selection tool, 88–89, 116,
117

selecting with Selection tool, 82

size, 12, 85

snapping, 85

styles, 37, 45, 47, 235–239

working with, 43–45

wrapping text around, 43

offset press, 196

offset printing, 32

opacity

changing in objects, 307–308

settings, 306

text, 313–314

Open in Device Browser option, 380

Open in Folio option, 380

OpenType fonts, 165–169

Optical Margin Alignment, 173–174

orphans, 125, 126

output. *See also* exporting items

packaging files, 330–331

PDF proofs, 331–333

preflighting files, 32–33, 47, 327–329

overprinting, 196

overrides, local, 126

overset cells, 299

overset text, 32–33, 36, 128–133, 327

oXygen XML Editor, 371

P

Package command, 330–331

packaging files, 330–331

page bleeds, 13

page buttons, 22

page icons, 66–67

page numbers

adding to master pages, 59–61

Arabic numerals, 70–71

changing numbering scheme, 70–71

Current Page Number, 61

jump lines, 135–136

master pages, 59–61

navigating, 14

options for, 55

Roman numerals, 70

sections, 55, 70–71

- Page tool, 69
- pages. *See also* documents
 - adding to documents, 68
 - adding while flowing text, 134
 - applying masters to, 66–67
 - custom settings, 53–54
 - deleting, 68
 - facing, 53, 80, 134
 - first, 23
 - fitting in window, 11, 13, 20, 21, 22, 84
 - Go To Page command, 23
 - last, 23
 - margins. *See* margins
 - master. *See* master pages
 - navigating, 14, 22–24, 31
 - number of, 53
 - overriding master page items on, 64–65, 74
 - placing text/graphics on, 72–74
 - positioning graphics on, 72–74
 - previewing, 334–335, 336
 - “pushing” with Hand tool, 23–24
 - rearranging sequence, 68
 - recto, 54
 - size, 53, 69
 - specifying number of, 53, 54
 - spreads. *See* spreads
 - turning, 22–23
 - verso, 54
 - viewing, 13–15
 - zooming in/out, 13
- Pages panel, 55, 68
 - expanding/collapsing, 15–17
 - turning pages, 22–23
- pan-and-zoom graphics, 385
- panel menus, 19
- panels. *See also* windows; *specific panels*
 - customizing, 17–19
 - default, 9
 - displaying hidden, 15
 - docked, 9–17
 - dragging to/from dock, 16
 - expanding/collapsing, 15–17, 19
 - floating, 9, 12, 17, 18, 19
 - grouping/ungrouping, 17–19
 - hiding/showing, 16, 74
 - opening/closing, 15, 16
 - rearranging, 17–19
 - removing from dock, 17
 - resetting, 13
 - resizing, 16, 18
 - stacking, 18
 - working with, 15–19, 38
- panoramas, 384
- Pantone colors, 210, 334
- paper color, 202
- paragraph attributes, 163
- Paragraph Composer, 178–181
- Paragraph Formatting Controls, 60
- paragraph styles. *See also* styles
 - applying, 37–38, 86, 226
 - creating, 224–226
 - described, 37
 - local overrides, 126
 - mapping to export tags, 361–363
 - nested, 37
 - nesting character styles in, 230–235
- paragraphs
 - aligning, 172–174
 - applying rule above, 186–187
 - density, 179, 180
 - formatting, 12, 60
 - indenting, 167, 168, 184, 185–186
 - line breaks, 86, 126, 178–180
 - selecting, 86
 - spacing between, 163–164
 - styles. *See* paragraph styles
- parent masters, 63, 64, 65–66
- parent-child graphics frames, 102–104
- partners.adobe.com, 5
- Paste and Link feature, 101–104
- Paste command, 120
- pasteboard, 9, 13, 58, 62, 74
- pasting
 - content into table cells, 294–295
 - styles, 233
 - text frames, 120

- Pathfinder, 109
- paths
 - clipping, 261–263, 267–268, 274
 - Photoshop files, 265–268
- PDF files
 - considerations, 326
 - creating PDF proofs, 331–333
 - exporting InDesign files as, 331–333
 - form fields, 344–355
 - including in packages, 331
 - interactive, 353
 - layered, 333
 - presets, 331, 332
 - transparency flattener presets, 335
- pen icon, 303
- Pen tool, 104, 105
- Pencil tool, 10
- photographs. *See* images
- Photoshop alpha channels, 265–268
- Photoshop files
 - importing, 264–265, 268–269
 - paths, 265–268
- Place and Link feature, 101–104
- Place command
 - importing graphics, 72–74, 273–275, 312–313
 - importing text, 35–36, 72–74, 144
 - placing graphics within frames, 94
 - placing graphics without frames, 95
 - placing snippets, 65–66
- Place dialog box, 35, 40, 127
- placeholders, 61–63
 - adding for graphics, 62–63
 - adding for text, 61–62
 - deleting, 64
 - form fields, 344–355
 - master pages, 62–63
 - selecting, 74
- Play Books app, 358
- Play Full Screen option, 381
- PNG files, 392
- Polygon Frame tool, 109, 110
- Polygon tool, 109–111, 120
- polygons, 109–111, 120
- poster images, 380
- PostScript files, 335, 336, 340
- PPD (printer description), 336, 339
- PPD fonts, 340
- preferences
 - Display Performance, 8, 25
 - file handling, 277
 - Interface, 25
- preferences, default, 3–4
- preflight errors, 32, 33, 198, 199, 327, 329
- Preflight panel, 32–33, 198–199, 327, 329
- preflight profiles, 32, 198–199, 329
- preflighting, 32–33, 47, 327–329
- prerequisites, 2
- Presentation mode, 31, 46, 218
- presets
 - color settings, 194
 - custom page settings, 53–54
 - described, 53
 - flattener, 334–335, 338–339
 - PDF, 331, 332
 - print, 338, 339–340
- Preview mode, 31, 119
- preview thumbnails, 279
- previews
 - color, 208
 - documents, 31
 - Dynamic Preview, 97
 - effects, 316, 318
 - .folio files, 391–392
 - graphics, 40
 - hiding nonprinting elements, 31, 74
 - images, 274
 - interactivity, 395
 - overlays, 388
 - pages, 334–335, 336
 - separations, 333–334
 - spreads, 74
 - styles, 233, 234, 246
 - transparency flattener, 334–335
- Previous button, 383
- Print dialog box, 335, 336–340
- printer description (PPD), 336, 339

printers

- calibrating, 193
- choosing, 336
- downloading fonts to, 340
- presets, 338, 339–340

printing

- color, 198–199, 208
 - fonts and, 338, 340
 - graphics, 339
 - Ink Manager, 341–342
 - laser/inkjet proofs, 326, 336–340
 - offset, 32
 - PDF forms and, 348
 - requirements for, 198–199
 - resolution, 331, 334, 335, 338, 339
- Printing Instructions dialog box, 330
- process colors, 208
- production rules. *See* profiles
- Professional Edition membership, 378
- ## profiles
- default, 32
 - described, 32
 - importing, 198–199
 - preflight, 32, 198–199, 329
 - using, 32, 198–199
- Proof Colors command, 196
- proofs, printing, 326, 336–340
- .psd files. *See* Photoshop files
- pull quotes, 165–166, 173
- punctuation, 40, 159, 166, 173

Q

- QR (Quick Response) codes, 118
- quality checks, 327
- quality, display, 260–261
- Quick Apply, 229
- Quick Response (QR) codes, 118
- quotes, pull, 165–166, 173

R

- radio buttons, 348–349
- ragged lines, 181
- rasterization, 361, 364
- Read Me file, 2
- Rectangle Frame tool, 62–63, 93, 109
- Rectangle tool, 62–63
- recto pages, 54
- reference point, 349
- reference point locator, 349
- Relative To Page Size option, 361
- Relative To Text Flow option, 369
- Relink button, 257, 259, 276, 328
- Reset Advanced command, 8
- resolution
 - bitmap images and, 97
 - changing, 30
 - considerations, 193
 - for flattening, 334, 335
 - graphics/images, 94, 193, 260
 - high, 30
 - high vs. low, 193
 - increasing, 8
 - printing, 331, 334, 335, 338, 339
- resources, 4, 142
- RGB color, 208, 338
- RGB color model, 32
- RGB graphics, 198, 329, 330, 338
- RGB values, 193
- Roman numerals, 70
- rotation
 - graphics, 112–114
 - objects, 112–114
 - spreads, 75
- rows. *See also* tables
 - adding/deleting, 287–288
 - borders, 293
 - cell style for, 241–242
 - colors, 243–244
 - distributing evenly, 290
 - dragging/dropping, 289
 - fills, 290–292

- header, 293–294
- rearranging, 288–289
- resizing, 289–290
- selecting, 287
- separators, 285
- tables, 293–294

rulers

- dragging guides from, 57–59
- dragging guides on, 58
- working with tabs, 182, 184, 186

rules, 186–187

S

Sample Buttons And Forms panel, 348–349, 354

satin effect, 315

saving documents, 8, 33

Scale tool, 88

scaling

- constraining proportions, 114
- graphics, 42
- objects, 116
- text, 88

screen modes, 336

scrollable text frames, 386–387

Search box, 26

Search menu, 145, 146, 148

search/replace function, 145–147. *See also* finding items

sections, 55, 70–71

Select Content button, 117

Selection tool

- cropping with, 42, 94
- displaying context menus, 24
- selecting frames, 36
- selecting objects with, 82
- selecting text frames, 36, 45
- selecting text in threaded frames, 37
- selecting text with, 12, 72–74, 90
- switching to/from Direct Selection tool, 89, 105
- switching to/from Type tool, 11
- working with graphics, 40, 42
- zooming with, 22

- semi-autoflow feature, 129

separations

- color, 208, 333–334, 338, 341–342
- previewing, 333–334

shadows, 235, 238, 315, 318

shapes

- compound, 108–109
- frames, 104–106, 108–112
- graphics frames, 104–106, 108–112
- polygons, 109–111, 120
- rounded corners, 111–112

Shift key, 55, 60, 68, 97, 98

shortcuts. *See also* keyboard shortcuts

- tools, 11
- Windows, 4

signature fields, 347, 354

Single Edition iPad apps, 377

Single Edition membership, 378

Single-Line Composer, 179–180

slideshows, 381–383

slug area, 31, 336

Slug mode, 31

Smart Dimensions, 85

Smart Guides, 85, 106–107

Smart Spacing, 85

Smart Text Reflow feature, 134

snapping to guides, 58, 60, 85, 87

snippets, 65–66, 277

soft proofing, 196

spacing

- even spacing with Smart Guides, 85
- between frames, 96, 98–99
- between letters, 177–178
- line, 161
- between paragraphs, 163–164
- Smart Spacing, 85
- vertical, 161–164
- between words, 177–178

special characters, 92, 135, 167–170, 188

spelling checker, 148–151, 153

spot colors, 208, 210–211, 339, 341

spreads

- centering, 56, 75

- facing-page, 80, 134
 - fitting in window, 20, 23, 57, 60, 74, 87
 - margin/column settings, 61
 - navigating, 23
 - rotating, 75
 - viewing, 74–75
 - stories. *See also* content; text
 - aligning text, 161–163, 172–174
 - considerations, 47
 - described, 37
 - editing text, 152, 153–155
 - end-of-story character, 167
 - Find/Change function, 146–147
 - formatting, 37–38
 - importing text, 143–144
 - jump line page numbers, 135–136
 - placing, 125, 131
 - spell checking, 148–151
 - viewing text, 89
 - Story Editor, 153–155
 - “straddle head,” 170–171
 - Stroke/Fill toggle, 201
 - strokes
 - adding to text, 175
 - changing, 44–45
 - color, 43, 44–45, 201–203, 213
 - dashed, 203–204
 - weight, 43, 44–45
 - styles, 220–251. *See also* formatting
 - advantages of, 224
 - applying, 37–38, 86, 223, 226
 - applying with Quick Apply, 229
 - based on other styles, 225, 237
 - basic, 223
 - best practices, 47
 - cells, 239–242, 295–298
 - characters. *See* character styles
 - considerations, 47
 - copying/pasting, 233
 - creating, 38–40
 - default, 223
 - finding/changing formatting, 146–147
 - fonts, 32
 - globally updating, 246–247
 - importing, 248–249
 - keyboard shortcuts, 223
 - line, 231
 - loading from other documents, 248–249
 - modifying, 223
 - nested, 37, 230–235
 - objects, 37, 45, 47, 235–239
 - overrides, 223, 246
 - overview, 37, 223
 - paragraphs. *See* paragraph styles
 - previewing, 233, 234, 246
 - sharing, 223
 - tables, 239, 243–245, 285, 295–298
 - text, 33–35, 37–40
 - type, 165–170
 - updating, 223, 225, 238–239, 246–247
 - working with, 37
 - subheads, 163–164, 186
 - Submit button, 352
 - subsampling, 338, 339
 - support, 4
 - swatches
 - color, 116–117, 199–201
 - creating new colors, 200
 - gradient, 205–207, 215–218
 - loading, 218
 - tints, 209–210, 212–214
 - Swatches panel, 199–218
- ## T
- tab leaders, 182–183, 184
 - tab order, 351
 - table columns. *See also* columns
 - adding/deleting, 287–288
 - distributing evenly, 290
 - dragging/dropping, 289
 - rearranging, 288–289
 - resizing, 289–290
 - selecting, 287
 - separators, 285
 - table of contents, eBooks, 363–364

- tables, 282–299
 - adding graphics to, 294–295
 - cells. *See* cells
 - columns. *See* table columns
 - converting text to, 285
 - described, 285
 - Excel, 286
 - formatting, 290–293
 - headers/footers, 293–294
 - importing, 286
 - links to, 286
 - rows. *See* rows
 - selecting text in, 285
 - styles, 239, 243–245, 285, 295–298
 - Word, 286
- tabs, setting, 182–186
- text. *See also* fonts; text frames; typography; words
 - adding placeholder frames for, 61–62
 - adding strokes to, 175
 - adding to frames, 33–36
 - aligning. *See* aligning text
 - anchoring graphics in, 360–361
 - autoflow, 131–132
 - centering, 61–62, 91–92
 - changing, 145–146, 147
 - characters. *See* characters
 - color, 211–212
 - converting to outlines, 211
 - converting to tables, 285
 - “copy,” 35
 - copying, 120, 152
 - deselecting, 37, 38, 40
 - dragging/dropping, 152
 - drop caps, 174–176, 231
 - drop shadows, 235, 238, 315, 318
 - entering, 143
 - finding/changing, 145–146, 147
 - finding/changing formatting, 146–147
 - fitting to frames, 87
 - flowing. *See* text flows
 - formatting. *See* formatting; styles
 - glyphs, 165–170, 340
 - graphics, 72–74
 - gutters, 90
 - hanging punctuation, 173–174
 - hidden characters, 31, 91, 182, 270, 360
 - hyphenation, 181
 - importing, 35–36, 72–74, 143–144
 - in InDesign, 33
 - justified, 188
 - kerning, 177–178
 - moving, 12
 - moving with drag/drop, 152
 - opacity, 313–314
 - overset, 32–33, 36, 128–133, 327
 - paragraphs. *See* paragraphs
 - placing, 72–74
 - placing into text frames, 35–36, 143–144
 - pull quotes, 173
 - replacing, 145–146, 147
 - repositioning, 12
 - scaling, 88
 - selecting, 12, 37, 38, 40, 72, 90
 - size, 34
 - small caps, 146
 - spacing. *See* spacing
 - special characters, 92, 135, 167–170, 188
 - spell checking, 148–151, 153
 - stories. *See* stories
 - styles. *See* formatting; styles
 - threading. *See* threaded frames; threading text
 - tracking, 126–127, 177–178
 - tracking changes to, 154–155
 - transparency, 313–314
 - typing/styling, 33–35, 37–40
 - vertical spacing, 161–164
 - words. *See* words
 - wrapping around graphics, 106–108
 - wrapping around objects, 43
- text fields, 347–348
- text flows, 122–137. *See also* threaded frames
 - adding pages during, 134
 - adjusting within frames, 131
 - automatic, 131–132
 - into existing frames, 35–36, 125–127
 - fonts and, 130

- manual, 127–129
- with semi-autoflow, 129
- Smart Text Reflow feature, 134
- text frames, 86–88. *See also* frames
 - adding text to, 33–36
 - adjusting text inset, 91–92
 - changing dimensions, 12
 - changing number of columns, 90
 - constraining, 60
 - converting graphics frames to, 133
 - copying/pasting, 120
 - creating, 33, 35–36, 86–88
 - creating columns with, 127
 - creating on master page, 59–61
 - creating with Type tool, 59–61, 62, 86
 - described, 33
 - deselecting, 60
 - eBooks, 361, 366
 - empty, 132
 - fitting text to, 87
 - flowing text in. *See* text flows
 - importing text into, 35–36, 72–74
 - options for, 36, 90–91, 91–92
 - placing text into, 35–36, 143–144
 - removing, 132
 - reshaping, 88–89, 104–106, 108–112
 - resizing, 36, 86–88
 - resizing automatically, 133–134
 - scrollable, 386–387
 - selecting, 36, 45
 - threaded. *See* threaded frames
 - vertically aligning text in, 91–92
- Text layer, 82, 86, 93
- text threads. *See* threaded frames
- text wraps
 - graphics frames, 271–273
 - objects, 43
- TextWrangler, 371
- threaded frames. *See also* text flows
 - adding pages, 134
 - best practices, 47
 - considerations, 47
 - creating automatically, 132–133
 - creating columns via, 127
 - creating within columns, 35–36
 - described, 35
 - pre-threading text frames, 132
 - process for, 35–36
 - selecting text in, 37
- threading text
 - automatically, 132–133
 - manually, 127–129
 - process for, 35–36
- thumbnails, 279
- tints, 209–210, 212–214
- titles, eBooks, 366
- tool tips, 11
- tools, 9–11
- Tools panel, 9–11
- Track Changes panel, 154
- tracking, 126–127, 177–178
- tracking text changes, 154–155
- Transform panel, 58, 59
- transparency, 300–323
 - applying to bitmap images, 311
 - Background layers and, 303
 - effects, 314–321
 - flattening, 334–335
 - gradients and, 316–317
 - Illustrator files, 312–313
 - settings, 305–309
 - text, 313–314
 - vector images, 309–310
- transparent backgrounds, 264, 274
- Trash Can button, 306
- tutorials, 4
- TV, Adobe, 4
- Type menu, 167
- type styles, 165–170. *See also* fonts
- Type tool
 - adding anchored graphics, 360
 - adding text with, 34, 143
 - creating text frames, 59–61, 62, 86
 - displaying context menu, 24
 - displaying Hand tool, 23
 - drawing frames with, 60

- loading with multiple files, 127
- placing content into table cells, 294–295
- placing text into text frames, 143–144
- selecting rows/columns, 287
- selecting text with, 12, 37
- switching to/from Selection tool, 11

Typekit Desktop fonts, 330

Typekit font library, 142

typesetters, 40

typography, 158–189. *See also* fonts; text

- changing type style, 165–170
- drop caps, 174–176, 231
- glyphs, 165–170, 340
- hanging punctuation, 173–174
- Paragraph Composer, 178–181
- Single-Line Composer, 179–180
- special characters, 92, 135, 167–170, 188
- vertical spacing, 161–164

U

Undo feature, 147, 151, 201, 289, 320

updates, InDesign, 5

URLs, 118, 387, 388

V

vector graphics

- adding transparency to, 309–310
- vs. bitmap graphics, 255–256

verso pages, 54

videos

- instructional, 4
- iPad publications, 380–381
- poster images and, 380

view commands, 20–21

view modes, 31

view quality, 260–261

View Threshold menu, 162

W

web browsers

- Adobe Creative Cloud, 4
- Adobe TV, 4
- digital publications and, 380

web content overlay, 387–388

web pages, 380

websites

- Adobe Authorized Training Centers, 5
- Adobe certification program, 5
- InDesign Help and Support, 4
- InDesign product home page, 5
- InDesign training resources, 4

windows. *See also* panels

- consolidating, 15
- document, 9, 13–15
- fitting pages in, 11, 13, 20, 21, 22, 84
- fitting spreads in, 87
- managing, 14
- repositioning, 15
- resizing, 15

Windows systems

- AppData folder, 3
- considerations, 2
- context menus, 24
- creating snippets, 277
- Explorer, 258, 264
- fonts, 2
- InDesign Defaults file, 3–4
- maximizing windows, 13
- measurement units, 53
- monitor calibration, 197
- PDF files, 332
- shortcuts, 4
- viewing files in Explorer, 258

Word. *See* Microsoft Word

word processors, 35

words. *See also* text

- checking spelling of, 148–151, 153
- copying, 152
- formatting, 38, 39
- hyphenating, 181

- selecting, 38, 40
- spacing, 177–178
- work environment, 195
- workflows, 194, 199, 338
- workspaces, 6–27
 - advanced, 20
 - components, 7, 8–15
 - creating, 20
 - customizing, 8, 20
 - default, 20
 - managing, 18
 - resetting, 8
 - selecting, 18
 - types of, 20

X

- XHTML files, 371

Z

- zoom controls, 13, 20–22
- Zoom Level box, 20, 21
- Zoom Level menu, 21, 23
- Zoom tool, 14, 21–22, 82, 86
- Zoom tool icon, 22
- zooming in/out, 14, 20–22, 82, 86