



# Index

---

## Symbols

- \* operator, XPath, 333, 334
- / operator, XPath, 332, 334
- @ operator, XPath, 332–333, 334
- [ ] operator, XPath, 333, 335

## A

- Absolute mapping mode, 230–231
- Actions, 365–389
  - commands, 373–379
  - commands and data binding, 380–383
  - declarative, 369
  - element composition and, 366–367
  - events, 369–372
  - loose coupling and, 366–368
  - triggers. *See* Triggers
- Activated event, Window, 72
- Active X DocObjects, 109
- Actual size, two-phase layout, 175
- AddHandler, 373
- Algorithmic layout, 208–214
  - arranging children in, 211–214
  - calculating desired size of, 209–210
  - example of, 208
  - fitting into available size, 210–211
- Alpha channel of color, 228, 250–253
- AmbientLight, 265
- Anchored blocks, 279–280
- AnimationClock, 286, 293
- Animations, 283–300
  - AnimationClock, 286
  - defined, 283
  - defining, 293–296
  - with DoubleAnimation, 286–287
  - encapsulating time-based values for
    - properties, 285–286
  - hard way of building, 283–285
  - integration and, 34–37, 296–300
  - predefined, 286
  - roll-over effects for, 287–288
  - storyboards for, 288–290
  - summary of, 290–292
  - time and timelines in, 292–293
  - triggers in, 291
- Anti-aliasing, 220
- Application manifest, browser-hosted applications, 105
- Application object, 52–71
  - building program using markup, 19–20
  - configuration state, 61–64
  - content state, 64–71
  - controlling lifetime of process, 55–56
  - creating scalable applications, 45–46
  - definition, 53–55
  - Document state, 71
  - error handling, 57–59
  - informed about all windows, 78–80
  - invoking Run method, 52–53
  - managing state, 59–60
  - open packaging conventions, 68–69
  - starting WPF application with, 17
- Application-scoped settings, Configuration state, 62
- Application.Current property, 53

- Applications
    - Application object. *See* Application object
    - desktop style, 50–52
    - hosting in browser. *See* XBAPs (XAML Browser Application)
    - navigation. *See* Navigation
    - overview of, 43
    - passing state between pages, 89–94
    - principles of creating, 43–44
    - scalable, 44–48
    - tools for building, 39–41
    - user controls, 80–83
    - Web style, 48–50
    - windows. *See* Windows
  - ApplicationSettingsBase, Configuration state, 61
  - Application.StartupUri, 104–105
  - Application.Windows property, 79
  - ArcSegment, 223
  - Arrange phase, two-phase layout, 175
  - ArrangeOverride, 185
  - ASP.NET, 10–11
  - assemblyIdentity tag, browser hosting, 108
  - Attached properties, 16–17, 186
  - Attributes
    - defining fonts, 272–274
    - defining text, 268–269
    - name of XML, 332–333
  - Audio, 301–303
  - Author time, 64
  - Automatic sizing, 177
  - AutoReverse, Storyboard, 294
  - Available size, two-phase layout, 175
  - AxisAngleRotation3D, 266–267
- B**
- BarrelButton, 157
  - Base services, 421–442
    - dispatchers, 427
    - input device communication, 441
    - InputBinding, 438–440
    - keyboard focus, 441–442
    - keyboard, mice and styluses, 437–442
    - metadata, 434–437
    - .NET properties, 427–431
    - property system, 431–434
    - threading, 421–426
  - BasedOn property, 413–414
  - BeginStoryboard, 291–292, 297–298
  - BezierSegment, 223
  - Binding
    - collection views. *See* Collection views
    - commands, 377–383
    - controls, 27–30
    - defined, 316
    - hierarchical, 342–349
    - to objects, editing, 325–331
    - to objects, overview of, 322–325
    - overview of, 316–322
    - pervasiveness throughout system, 308–309
    - resources, 314–315
    - templates, 126–127
    - to XML, 331–337
  - Bitmap effects, 2D graphics, 253–254
  - BitmapImage
    - adding richer display to, 359–361
    - displaying with ContentControl, 358–359
    - displaying with interesting template, 359
    - encapsulating functionality for images, 245
  - BitMapMetadata, 246–248
  - Block elements
    - defined, 269
    - text containment rules for, 147–148
    - in text layout in paragraphs, 274–275
    - in text layout in tables, 277–279
  - Blocked command, 381
  - Boilerplate code, 54–55
  - Border control
    - creating template for controls with, 125
    - with LinearGradientBrush, 231
    - overview of, 165–166
    - as render control, 121
  - BorderLayout class, 191
  - Bottom property, Canvas, 186–187
  - Browser-based applications
    - adding navigation to, 48–51
    - converting to desktop applications, 46–47
  - Browser hosting, 103–111
    - HelloBrowser, 103–109
    - loose markup and, 111
    - overview of, 103–104
    - PresentationHost view and, 109–110
  - Brushes, 228–234
    - 3D equivalent of, 256
    - combining with pens, 234–237
    - defined, 218
    - gradient, 228–232
    - overview of, 228
    - tiling, 232–234

- Bubbling events, 370–371
- Built-in layout, 185–186
- Button control
  - as content control, 121
  - hierarchy, 129–130
  - overview of, 129–130
  - setting content of, 116–117
  - stack panel layout for, 22
  - supporting clicking, 368, 373
  - template binding in, 126–127
  - templates in, 122–125
  - three principles of, 114–116
  - toolbar, 141–142
  - in window, 21
- ButtonChrome, 116–117
  
- C**
- C#
  - compiler, 18–19
  - partial types, 24–25
  - Visual C# Express, 39
- Cameras, 3D graphics
  - creating, 256–258
  - defined, 265–266
  - overview of, 265–266
- CanExecute method, 374–375, 382–383
- CanGoBack property, 97
- Canvas, 186–189
- Caret, 150–151
- CaretPosition, 151
- Cascading Style Sheets. *See* CSS (Cascading Style Sheets)
- Center property, 229
- CER (constrained execution region), 57
- CheckBox control, 129–130, 367
- Child/children
  - Border control containing, 165–166
  - controlling in layout with Visibility, 176
  - defined, 120
  - effects of z-index on layout of controls, 183–184
  - ScrollViewer and, 167–168
  - Viewbox control stretching, 169–170
- Circle layout, 208–214
  - arranging children in, 211–214
  - calculating desired size of, 209–210
  - example of algorithmic layout as, 208
  - fitting into available size, 210–211
- ClearType, 220
- Click events, 140, 366–368
- Clipping
  - GDI and User32 based on, 219
  - layout patterns and, 180
  - overview of, 4
- Clocks, 293, 301–302
- Closed events, Window, 72–74
- Closing events, Window, 72–74, 94
- CLR objects
  - binding to, editing, 325–331
  - binding to, overview of, 322–325
  - naming components authored in XAML, 69–71
  - retrieving data from, 308
- Code-behind files, 24–27
- Collection-based text object model, 146–148
- Collection trigger types, 384
- Collection views, 349–357
  - currency management, 349–351
  - describing in markup, 355–356
  - filtering, 351–353
  - grouping, 353–355
  - overview of, 349
  - sorting, 353
- CollectionViewSource, 351, 355–356
- Color, 2D graphics, 225–228
- ColumnDefinitions property, Grid, 196, 202–203
- Columns, 280–281
- COM, 68
- CombinedGeometry, 224–225
- CombineGeometry, 224
- ComboBox, 131–135
- Command property
  - data-bound commands, 380–383
  - DataTriggers, 385
  - InputBinding, 438
- CommandParameter, 380–383
- Commands, 373–379
  - command binding, 377–379
  - data binding and, 380–383
  - defining with ICommand interface, 374–377
  - naming desired action with, 374
  - routed, 378–379
  - secure, 379
- Community technology preview. *See* CTP (community technology preview)
- ComponentResourceKey, 403
- Composite rendering, 2D graphics, 218–219
- Compositing system, 219

- Concurrency management, 432–434
- Configuration file bindings, setup, 62
- Configuration state settings
  - configuration file bindings for, 62–63
  - defining object model for, 61–62
  - running application using, 63–64
- ConstantAttenuation property, light, 256
- Constrained execution region (CER), 57
- Constraints, layout, 177
- Containers, 7, 143–144
- Content controls
  - binding TextBox to, 317
  - binding with data templates, 320–322
  - defined, 81
  - displaying bitmap image with, 358–359
  - overview of, 121
  - supporting templates. *See* Templates
- Content model, 116–121
  - Children and Child of, 120
  - content controls of, 121
  - ContentPresenter of, 117–119
  - creating Window template, 127–128
  - function of, 27
  - Items of, 119–120
  - layout controls of, 121
  - overview of, 116–117
  - render controls of, 121
- Content state (resources), 64–71
  - adding to application, 65–67
  - applications and, 312–314
  - configuring, 65–66
  - defined, 64, 310–311
  - loading, 68–69
  - lookup path for, 312
  - Open Packaging Conventions and, 68–69
  - overriding in element hierarchy, 311–312
  - overview of, 28–29
  - static assignment or dynamic binding of, 314–315
  - styles and, 400, 403
  - types of, 65
  - using more than once, 314
- ContentPresenter, 116–120, 402
- ContentRendered event, Window, 72
- ContentTemplate property, 118, 320–321
- ContentTemplateSelector, 118
- Context menus, displaying, 139
- Control library, 128–161
  - buttons, 129–130
  - containers, 143–144
  - document viewers, 160
  - Frame, 160–161
  - menus, 138–140
  - overview of, 128–129
  - ranges, 144–145
  - toolbars, 138–143
- Control library, editors, 145–159
  - ink data, 154–158
  - overview of, 145–146
  - text data, 146–150
  - using InkCanvas, 158–159
  - using RichTextBox, 150–154
  - using TextBox, 154
- Control library, lists, 130–138
  - creating with templates, 137–138
  - ListBox and ComboBox, 131–135
  - ListView, 135–137
  - overview of, 130–131
  - TreeView, 137
- Controls, 113–171. *See also* Control library
  - as 2D drawings, 31–33
  - as 3D shapes, 33–35
  - adding styles to, 37–39, 401, 418
  - adding triggers to, 387–388
  - binding, 27–30
  - Border, 165–166
  - bubbling events for, 371
  - code interacting with, 24–27
  - content model for, 116–121
  - creating themes for, 406–407
  - customizing appearance of. *See* Templates
  - keyboard focus for, 441–442
  - layout of. *See* Layout
  - overview of, 113
  - Popup, 167
  - ScrollViewer, 167–169
  - three principles of, 113–116
  - Thumb, 163–165
  - ToolTip, 161–163
  - user, 80–83
  - Viewbox, 169–170
- ControlTemplate
  - adding triggers to controls with, 388, 400
  - animation integration with, 296–298
  - customizing ListBox with, 134
  - DataTemplate vs., 338–340
  - defined, 123
  - defining new, 123–125
  - integrating animation with, 296–298

- CopyToOutputDirectory, 65
- CroppedBitmap class, 244
- CS\_PARENTDC, 219
- CSS (Cascading Style Sheets)
  - customizing controls in HTML using, 122
  - customizing style for tags using, 392
  - encoding styles using, 396–397
- CTP (community technology preview), 41
- Currency management, collection view, 349–351
- CWnd, 71
- D**
- DashStyle property, pens, 236–237
- Data, 307–364
  - adding triggers to, 384–387
  - binding. *See* Binding
  - data-driven display, 357–362
  - .NET data model, 307–308
  - pervasive binding, 308–309
  - resources, 310–316
  - transformation, 309–310
  - working with, 27–30
- Data-driven display
  - data models in, 361
  - example of, 358–362
  - reusing rich views in, 361–362
  - reversed relationships in, 357–358
- Data model, .NET, 307–308, 361
- Data point, 316
- Data templates
  - adding content to display tree, 118
  - adding triggers to data, 384–387
  - binding with, 320–322, 338–340
  - data-bound commands, 381–382
  - data-driven display. *See* Data-driven display
  - display
  - defined, 309
  - defining, 123
  - in hierarchical binding, 342–349
  - selecting, 340–342
- DataTemplateKey, 399
- DataTemplateSelector, 340–343
- DataTrigger
  - adding triggers to controls, 388
  - adding triggers to data, 384–387
  - defined, 383–384
- DataType property, 347
- Deactivated event, Window, 72
- Declarative actions, 369
- Declarative programming, 10, 54
- DeclareChangeBlock, 153–154
- DefaultValue, metadata, 434
- DependencyObject, 432–434
- DependencyProperty system, 326, 432–434
- Deployment, scalable, 47–48
- Deployment tag, browser hosting, 106–108
- Desired size, two-phase layout, 175
- Desktop applications
  - adding navigation to, 48–50
  - converting browser applications to, 46–47
  - deploying, 48
  - overview of, 50–52
- Dialogs
  - displaying modal, 74–75
  - preventing user from dismissing, 94
  - with scroll view, 168–170
  - windowing model for, 51
- Diffuse materials, 264–265
- Direct events, 369
- DirectionalLight, 265
- DirectoryInfo, 344–345
- Dispatchers, 422, 427
- DispatcherUnhandledException event, 58–59
- DispatcherUnhandledExceptionEventArgs, 58
- Display, and styles, 401–405
- Display tree
  - adding content to, 118
  - binding with data templates, 320–322
  - ControlTemplate vs. DataTemplate, 338
  - defined, 116–117
  - ListBox, 120
  - templates creating, 123–124
- Display, windows, 74–77
- Dock property, 191
- DockPanel, 139–140, 190–193
- DocObjects, Active X, 109
- Document property, 150
- Document state, 71
- Document viewers, 160
- Documents and text, 267–283
  - advanced typography, 281–283
  - columns and page-level formatting, 280–281
  - figures and floaters, 279–280
  - fonts, 272–274
  - Hello World, text style, 268–272
  - lists, 275–277
  - paragraph formatting, 274–275
  - tables, 277–279

DoubleAnimation, 36, 286–288, 295–296  
 DoubleAnimationUsingKeyFrames, 295–296  
 Drawing attributes, Stroke, 156–157  
 Drawing instructions, 218  
 DrawingBrush, 232–234, 303  
 DrawingGroup, 239  
 DrawingImage type, 241  
 Drawings, 218, 237–239  
 Dynamic resource binding, 314–315  
 DynamicResource, 356

## E

Editing
 

- binding to CLR objects, 325–331
- two-way data binding for, 327–328

 Editors, 145–159
 

- ink data, 154–158
- overview of, 145–146
- text data, 146–150
- using InkCanvas, 158–159
- using RichTextBox, 150–154
- using TextBox, 154

 Element composition
 

- for actions, 366–367
- for controls, 114, 116–117
- for styles, 392–393
- for templates, 126

 ElementName property, 317
   
 Ellipse control, 121
   
 EmbeddedResource, 65–67
   
 Emissive materials, 264–265
   
 Error handling, 57–59
   
 Event handlers
 

- linking markup to code-behind files, 25–27
- setting new control template, 124–125

 Event setters, 398
   
 Events
 

- loose coupling and, 367–368
- overview of, 369–372
- reporting property changes with, 326–327

 EventTrigger
 

- adding to controls, 387–388
- defined, 383–384
- integrating animation with
  - ControlTemplate, 296–298

 Exception-handling, 57–59
   
 Exceptions, unrecoverable, 57
   
 Execute, commands, 375–376
   
 Exit command, 375–377

Expander control, 143–144
   
 Expression Blend, 41
   
 Extensible Application Markup Language.
 

- See XAML (Extensible Application Markup Language)

## F

FamilyNames property, fonts, 273–274
   
 FamilyTypeface, 272–273
   
 FieldOfView, 256–258
   
 Figures, 279–280
   
 FillRule property, 224
   
 Filtering, in collection view, 351–353, 356
   
 FindResource, 289–290
   
 Flexible sizing models, Grid, 197–199
   
 Floaters, 279–280
   
 FlowDocument
 

- controlling column layout, 280–281
- overview of, 269–271
- TextBox allowing editing of single, 150

 FlowDocumentPageViewer control, 160
   
 FlowDocumentReader control, 160, 271
   
 FlowDocumentScrollViewer control, 160, 270
   
 FocusManager, 441–442
   
 Fonts
 

- FontFamily, 273, 317–318
- overview of, 272–274

 Forever, RepeatBehavior, 294
   
 Form, in Windows Forms, 71
   
 FormatConvertedBitmap class, 244
   
 Formatting, of arbitrary ranges, 149
   
 Frame, 160–161
   
 FrameworkContentElement, 384
   
 FrameworkElement
 

- controlling layout constraints, 177
- defined, 176
- triggers properties on, 384
- using layout properties of, 185

 FrameworkElementFactory, 124, 314, 338
   
 FrameworkElement.SetResourceReference
 

- API, 315

 FrameworkPropertyMetadata type, 437
   
 Freezable objects, 314
   
 Fully qualified file path, 64–65
   
 Functional navigation, 97–103
 

- building Welcome page, 99–100
- call to SayHello, 100–101
- creating UI to display to user, 99–100
- defined, 98

- implementing, 98–99
- implementing flow of, 101–102
- implementing GetName, 102–103
- overview of, 97–98

## G

- GDI coordinate system, 219
- Geometries
  - 2D graphics, 222–225
  - 3D graphics, 255
  - basic, 218
  - outlining shape with pens, 234–236
- GeometryCombineMode, 224–225
- GeometryDrawing, 239, 255
- GeometryGroup, 224
- GeometryModel3D, 255, 259
- Gestures
  - InkCanvas recognizing, 158–159
  - InputBinding, 438
- GetContentStream, 68
- GetDefaultView static method, 351
- GetName event, 101, 102–103
- GetName.Return event, 101
- GetRemoteStream, 68
- GetResourcesStream, 68, 69
- GlyphRunDrawing, 239
- GoBack method, 97
- Gradient brushes, 228–232
- GradientOrigin property, 229
- Graphics
  - effects of painter’s algorithm on, 5–6
  - power of integration for, 30–37
  - stretch for, 242–243
  - vector vs. raster, 5–6
- Gravity, and RichTextBox, 151
- Grid, 196–207
  - editing at runtime with GridSplitter, 205–207
  - flexible sizing models in, 197–199
  - layout, 202–306
  - overview of, 196
  - with shared sizing, 199–202
  - UniformGrid, 194–195
- GridSplitter, 205–207
- GridView, 135–137
- GroupBox control, 143–144
- Grouping
  - in collection view, 353–355, 357
  - shared size, 200–202
- Gupta, Namita, 308

## H

- Handled flag, 58
- Handled property, routed events, 372
- HeaderedContentControl, 144
- HeaderedItemsControl, 138, 140
- Headers, toolbar, 141–142
- Height property
  - controlling window size, 77–78
  - layout constraints, 177
- Hello World
  - in 3D graphics, 255–258
  - requiring STA threading, 422
  - in text style, 268–272
  - in User32, 1–2
  - in Windows Forms, 3
  - in WPF, 3–4
  - writing scalable applications, 44–46
- HelloBrowser, 104–109
- Hierarchical binding, 342–349
  - fixing copy problem in, 346–347
  - using HierarchicalDataTemplate, 347–349
  - using nested data templates, 342–346
- HierarchicalDataTemplate, 347–349
- Hierarchy, TreeView display, 137
- HorizontalAlignment property, layout
  - patterns, 178–180
- HostInBrowser attribute, 46–47, 104–105
- Hosting
  - with document viewers, 160
  - with Frame, 160–161
  - scalable, 48
- Hosting in browser, 103–111
  - HelloBrowser, 103–109
  - loose markup, 111
  - overview of, 103–104
  - PresentationHost view, 109–110
- HTML
  - customizing appearance of controls in, 121–122
  - popularizing navigation, 83–84
  - XAML vs., 8–11
- HWND, User32, 71
- Hyperlinks
  - adding to page, 86
  - binding to shutdown of application, 375
  - creating between Welcome page and SayHello, 100–101
  - supporting clicking, 368
- Hyphenation, 282–283

## I

- ICC (International Color Consortium) color profiles, 227–228
- ICommand interface, 374–376
- ICustomTypeDescriptor, 328, 330
- Image control, 242–243, 358
- ImageBrush, 232–234
- ImageDrawing, 239
- Images, 241–250
  - in 2D graphics. *See* Images
  - basics of, 242
  - creating, 248–250
  - data-driven display of. *See* Data-driven display
  - defined, 241
  - ImageSource and, 242–245
  - metadata, 246–248
  - overview of, 241
- ImageSource
  - basic imaging, 242–243
  - data-driven display and, 358
  - images deriving from, 241
  - Metadata property of, 246–248
  - overview of, 242–245
- In-line text elements, 147–148, 269
- Incremental customization, 127
- Inheritance, style, 412–415
- InitializeComponent, 25, 69–71
- Ink data, 154–158
- Ink serialized format (ISF), 154
- InkCanvas control
  - defined, 146
  - overview of, 158–159
  - working with, 155–156
- INotifyCollectionChanged, 328, 330
- INotifyPropertyChanged, 326–327, 329–330
- Input device communication, 441
- Input events, 370
- InputBinding, 438–440
- Integrated hosting, 161
- Integration
  - animation, 296–300
  - WPF features for, 30–37
- InternalChildren property, 208
- International Color Consortium (ICC) color profiles, 227–228
- IsChecked property, 129
- ISF (ink serialized format), 154
- Isolated hosting, 160–161
- IsReadOnly property, 434–435
- IsSharedSizeScope property, 201
- IsSynchronizedWithCurrentItem property, 349–351
- IsThreeState property, 129
- IStorage, 68
- IStream, 68
- Items property
  - adding data to lists with, 131
  - overview of, 119–120
  - TreeView using, 137
- ItemsPanel, 132–134
- ItemsPanelTemplate, 132–134
- ItemsPresenter, 120
- ItemsSource property
  - binding to list, 325
  - in collection view, 357
  - filling list controls using, 131
  - in hierarchical binding, 343, 345, 347–348
  - ListBox and ComboBox using, 131–135
  - TreeView using, 137
- ItemTemplate property, 339–340
- IValueConverter
  - binding using, 318–320
  - data-bound commands using, 382
  - value conversion using, 318

## J

- Java, with docking, 191
- Joins, pen, 235
- Journal
  - controlling, 96–97
  - defined, 84
  - implementing with InkCanvas control, 158–159
  - querying, 97
- Justification, 282–283

## K

- KeepAlive property, 101
- KeepWithNext, Paragraph, 275–276
- Key chords, 438
- Key frames, animation, 295–296
- Keyboard
  - focus, 441–442
  - input device communication in, 441
  - structuring in WPF, 437–438
  - structuring with InputBinding, 438–440
- KeyboardNavigation, 441–442
- KeyGesture type, 438–440



**L**

Layout  
 contract, 174–176  
 controls, 121  
 Grid. *See* Grid  
 panel, 22–23  
 writing custom, 207–214

Layout library, 186–195  
 Canvas, 186–189  
 DockPanel, 190–193  
 StackPanel, 189–190  
 UniformGrid, 194–195  
 WrapPanel, 194

Layout principles  
 implementing consistent, 185  
 layout constraints, 177  
 layout contract, 174  
 no built-in layout, 185–186  
 size to content, 174  
 slot model, 178–181  
 transforms, 181–183  
 two-phase layout, 174–176  
 Z-index, 183–184

LayoutTransform property, 181–183

Left property  
 Canvas, 186–187  
 window position and size, 78

Library, layout. *See* Layout library

Lifetime, controlling process, 55–56

Ligatures, 282

Light, 3D graphics, 265

Light point, 3D graphics, 256–258

LinearDoubleKeyFrame, 296

LinearGradientBrush, 228–232

LineHeight, Paragraph, 275

LineJoin, pens, 235–236

LineSegment, 222

List controls, 130–138  
 creating with templates, 137–138  
 ListBox and ComboBox, 131–135  
 ListView, 135–137  
 in .NET, 308  
 overview of, 130–131  
 TabControl as, 144  
 TreeView, 137

ListBox  
 binding to, 325  
 containing strings and display tree, 119–120  
 as content control, 121  
 currency management in, 349–350

ListView deriving from, 135–137  
 making into radio button list, 137–138  
 overview of, 131–135

ListItem, 275–277

ListOpenWindows event handler, 80

ListView, 135–137

LoadCompleted event, 93–94

LoadComponent, 69

Loaded event, window, 72–73, 95–96

Logical pixels, 220

LookDirection, 256–257

Lookup path, for resources, 312

Loose coupling, 368, 422

Loose markup, 111

**M**

Mapping Mode, for brushes, 230–231

Margins, 178–180, 187

MarkerStyle, lists, 275–276

Markup  
 associating code with, 24–25  
 building program using, 19–21  
 declaring bindings in, 317  
 defining application in, 54–55  
 deploying, 47  
 describing collection views in, 355–356  
 loose XAML hosted in browser, 111  
 templates and, 124  
 writing simple WPF applications in, 44–46

Markup extensions, XAML, 13, 15

Materials, 3D, 255–256, 264–265

MatrixCamera, 265

MaxHeight property  
 circle layout, 208–209  
 Grid layout, 203  
 layout constraints, 177  
 for user interactivity with window, 77–78

Maximum property, 144–145

MaxWidth property  
 circle layout, 208–209  
 Grid layout, 203  
 layout constraints, 177  
 for user interactivity with window, 77–78

MDIs (multiple-document interfaces), 51–52

Measure phase, two-phase layout, 175

MeasureOverride, 185

Media  
 audio, 301–303  
 defined, 300–301  
 video, 303–305

- MediaClock, 301–302
  - MediaElement
    - playing audio, 302–303
    - playing video, 303–305
  - MediaPlayer, 301–302
  - MediaTimeline, 301
  - Memory gates, 57
  - MenuItem controls, 138–140
  - Menus
    - binding to shutdown of application, 375
    - overview of, 138–140
    - toolbars vs., 139
  - MergedDictionaries property, Resource Dictionary, 405–406
  - Mesh, 259
  - MeshGeometry3D, 259–260
  - Metadata
    - base services, 434–437
    - image, 246–248
  - Microsoft
    - Expression Blend, 41
    - Presentation Foundation. *See* WPF (Windows Presentation Foundation)
    - Windows. *See* Windows
    - Windows Explorer, 191–193
    - Windows Forms. *See* Windows Forms
    - Windows Software Development Kit, 39
    - Windows XP, 132–133, 155–156
  - Microsoft Foundation Classes (MFC), 71
  - MinHeight property
    - Grid layout, 203
    - layout constraints, 177
    - for user interactivity with window, 77–78
  - Minimum property, 144–145
  - MinWidth property
    - Grid layout, 203
    - layout constraints, 177
    - for user interactivity with window, 77–78
  - Miter joins, pens, 235
  - Model-view-controller (MVC) pattern, 400
  - Models
    - 3D, creating complex, 258–264
    - 3D, defined, 255
    - and styles, 401–405
  - Mouse
    - events, 366–367
    - input device communication, 441
    - overview of, 437–438
    - roll-over effects for animation, 287–288
    - structuring with InputBinding, 438–440
  - MouseEnter, 287–288, 291
  - MSBuild project file, 18–19
  - MultiDataTrigger, 384, 389
  - Multiple-document interfaces (MDIs), 51–52
  - Multithreading, 422
  - MultiTrigger, 384, 389
  - MVC (model-view-controller) pattern, 400
  - MyFontAnimation, 285–286
- ## N
- Named resources, and styles, 403
  - Namespaces, XAML, 11–12, 14–15
  - Naming conventions
    - code-behind files, 24–27
    - components authored in XAML, 69
  - Navigable content (Page), 84, 86
  - NavigateUri property, 88
  - Navigating events
    - adding validation to page, 95–96
    - canceling navigation with, 94
  - Navigation
    - adding hyperlink to page for, 86–88
    - controlling, 94–96
    - functional, 97–103
    - hosting applications in browser. *See* XBAPs (XAML Browser Application)
    - HTML popularizing, 83–84
    - initial display of, 87
    - journal, 88, 96–97
    - NavigationWindow as host for, 84–85
    - passing state between pages, 89–94
    - SDI (single-document interface), 51
    - Web style, 48–50
  - navigation-State argument, 93
  - NavigationService
    - adding hyperlink to page, 86
    - adding validation to page, 95–96
    - controlling journal, 97
    - passing state between pages, 93
    - preventing user from dismissing dialogs, 94
  - NavigationWindow, 84–88
  - Nesting
    - toolbars vs. menus, 140–141
    - WPF composition engine for, 7
  - .NET Framework
    - 3.0 Extensions for Visual Studio, 41
    - data model, 307–308

- online resource for, 39
- properties, 427–431
- simple programming model in, 114
- .NET properties, 427–431
- NewWindowClicked event handler, 80
- Nodes, XML, 332–333, 335
- NormalPressure property, ink data, 157

## O

- Object binding
  - editing values, 325–331
  - to list, 325
  - overview of, 322
  - with property path, 322–324
- Object model, for ContentPresenter, 117–118
- ObservableCollection<T>, 131, 329
- Offsets, RichTextBox and, 151–153
- Opacity (transparency)
  - in 2D graphics, 250–253
  - color, 228
- OpacityMask, 251–253
- OPC (Open Packaging Convention), 68–69
- Open Packaging Convention (OPC), 68–69
- OpenCommand, 381, 385
- OpenType file, 272–273, 281–282
- Orcas, 41
- Orientation property, StackPanel, 189–190
- OriginalSource, in routed events, 372
- OrthographicCamera, 265
- OutOfMemoryException, 57
- Overflow menu, 142
- Overlapping controls, 4–5
- Owner property, in window, 75–76

## P

- Packages, OPC model, 68–69
- Page build type, compiled markup, 21
- PageFunction
  - building Welcome page, 99–100
  - creating for SayHello, 100–102
  - navigation innovation of, 103
- Pages
  - adding validation to, 95–96
  - functional applications and, 97–103
  - passing state between, 89–94
  - sizing for documents, 280–281

- Painter's algorithm, 5–6, 180
- Panel, layout, 121, 207
- Paragraphs
  - FlowDocument model for, 269–270
  - formatting, 274–275
  - text containment rules for, 147–148
  - text layout for, 274–275
  - TextBlock designed for single, 269
- Partial types feature, 24–25
- Parts, OPC model, 69
- PasswordBox control, 146
- PathGeometry, 222–225
- Pens, 218, 234–237
- Percentage sizing, 177, 197–199
- Performance
  - cost of using dynamic resource references, 315
  - customizing layout for, 207
- PerspectiveCamera, 265–266
- Petzold, Charles, 1
- Pixel snapping, 220–221
- Pixels, 219–221
- Player, 302–303
- Point light, 256–258
- PointLight, 265
- Popup, 167
- Positions property, lighting in 3D, 255
- Positions property, MeshGeometry3D, 259–260
- PresentationHost, 109–110
- Preview, 370
- Primitives namespace, 167, 194–195
- Printing, documents and text, 272
- ProgressBar control, 144–145
- Project files, signing manifests for, 46
- Properties
  - base services, 431–434
  - binding between controls, 29–30
  - controlling layout constraints, 177
  - customizing appearance of controls
    - using, 122
  - layout implementation with attached, 186
  - setting new control template, 124
- Properties dictionary, 89
- Properties property, 59–60
- Property path, binding to, 322–324
- Property setters
  - applying to styles, 394–395
  - setting styles with, 397–398
- PropertyMetadata type, 434–437

## Q

QuadraticBezierSegment, 223  
 Queries, XPath, 334–335

## R

RadialGradientBrush, 228–232  
 RadioButton control, 129–130, 368  
 RadioButtonList, 131, 137  
 RadiusX property, 229  
 RadiusY property, 229  
 Range controls, 144–145, 149  
 Range property, light, 256  
 Raster graphics
 

- basic imaging, 242–243
- generating image, 248–249
- overview of, 5–6
- supporting frames, 244

 Reader control, FlowDocumentReader,
 

- 160, 271

 Rectangle, as render control, 121  
 Relationships, OPC model, 69  
 RelativeToBoundingBox, 230–231  
 RemoveBackEntry, 97  
 Render controls, 121, 165  
 RenderTargetBitmap, 248–249  
 RenderTransform property, 181–182  
 RepeatBehavior, 294  
 RequestNavigate event, 89  
 ResizeBehavior, 207  
 ResizeDirection, 206  
 ResizeMode property, 77–78  
 Resolution independence, in 2D graphics,
 

- 219–221

 Resource binding, 28–29  
 Resource references
 

- overview of, 49–50
- for state determined at author time, 64–65
- for styles, 398–399

 ResourceDictionary, 405–406, 408–409  
 Resources (content state), 64–71
 

- adding to application, 65–67
- applications and, 312–314
- configuring, 65–66
- defined, 64, 310–311
- loading, 68–69
- lookup path for, 312
- Open Packaging Conventions and, 68–69
- overriding in element hierarchy, 311–312
- overview of, 28–29

- static assignment or dynamic binding of,
  - 314–315
- styles and, 400, 403
- types of, 65
- using more than once, 314

 Rich content, 114, 126  
 RichEdit control, Win32, 114  
 RichTextBox control
 

- displaying documents with, 160
- TextBox vs., 146
- video as foreground for, 303–305
- working with, 150–154

 Right property, 78, 186–187  
 Root browser window, 111  
 RotateTransform, 181–182, 221  
 RoutedCommand, 378–379  
 RoutedEvent field, 373  
 RowDefinitions property, Grid, 196,
 

- 202–203

 Run method, 52–53, 55–56

## S

SayHello, 100–101  
 Scalable applications, 44–48, 169–170  
 ScaleTransform, 181, 221  
 Scope named styles, 392–393  
 scRGB, 227–228  
 Script programming, 10  
 ScrollBar control, 144–145, 418  
 ScrollViewer control, 167–170, 190  
 SDI (single-document interface)
 

- overview of, 50
- windowing model, 51
- windows and dialogs, 71

 Security, 109, 379  
 Selection.End, 151  
 Selection.Start, 151  
 SelectTemplate method, 340–342  
 Server-side programming, 10  
 SetBinding method, 316  
 Setters
 

- adding to triggers, 385–386
- responding to triggers, 388
- types of, 397–398

 SettingsBase, Configuration state, 61  
 Settings.Save method, Configuration state,
 

- 63–64

 Shapes
 

- 2D graphics, 239–241
- defined, 218

- Shared sizing, Grid, 199–202
- SharedSizeGroup property, 201
- Shift+F10, 139
- Show method, 74–76
- ShowDialog method, 74–75
- Shutdown method
  - calling, 375
  - controlling process lifetime, 56
- Shutdown property, 79
- Simple programming model, 114–116
- Single-document interface (SDI)
  - overview of, 50
  - windowing model, 51
  - windows and dialogs, 71
- Single-threaded apartment (STA) threading, 422
- Size to content, 77, 174
- Sizing
  - in Grid, 197–198, 200–202, 205–207
  - layout constraints, 177
  - in two-phase layout, 174–175
  - windows, 77–78
- Skinning, 407–412
- Slider control, 144–145, 435–436
- Slot model, 178–181
- Slotless layout panel, Canvas as, 187
- SolidColorBrush, 228
- Sorting, in collection view, 353, 356–357
- Source property
  - in binding, 337
  - in collection view, 356
  - in data-driven display, 358
  - in routed events, 372
- Sparkle, 41
- Sparse storage, 432–434
- Specular materials, 264–265
- SpotLight, 265
- SpreadMethod property, gradient brushes, 229–230
- sRGB, 226–228
- STA (single-threaded apartment) threading, 422
- Stack panel, 22
- StackOverflowException, 57
- StackPanel
  - DockPanel vs., 190–191
  - as layout control, 121
  - overview of, 189–190
- Star sizing, Grid, 197–199
- StartIndex, lists, 275–276
- Startup behavior, window, 77
- Startup event, process lifetime, 55–56
- StartupUri property, 88
- State
  - Configuration, 61–64
  - Content, 64–71
  - Document, 71
  - managing, 59–60
  - passing between pages, 89–94
- STAThread attribute, 422
- StaticResource
  - in style inheritance, 413–414
  - wiring up data to collection view source, 356
  - in XML binding, 337
- Storage, sparse, 432–434
- Storage, structured, 68–69
- Storyboard
  - control actions and triggers for, 388
  - defining animation with, 294–295
  - integrating animation with text, 299–300
  - overview of, 288–290
- Streaming-based text object model, 146
- Stretch, image, 242–243
- Stretch property, Viewbox, 169–170
- StretchDirection property, Viewbox, 169–170
- Stroke, 154–157
- Structured storage, 68–69
- Styles, 391–419
  - cautions when applying, 415–416
  - consistency in, 417–418
  - conveying something to user, 419
  - defined, 391
  - element composition and, 392–393
  - inheritance, 412–415
  - models, display and, 401–405
  - optimizing tool, 396–397
  - overview of, 37–40
  - principles of, 391–397
  - skinning and, 407–412
  - starting to use, 397–401
  - themes vs., 405–407, 417
  - as unified model for customization, 393–395
- Style.Triggers, 400
- Stylus packets, 156–157
- Styluses
  - input device communication in, 441
  - overview of, 437–438
  - structuring with InputBinding, 438–440

SynchronizationContext, 422–424  
 System.Collection interfaces, 308  
 System.Collections.IDictionary, 59  
 System.Configuration APIs, 61  
 System.IO.Packaging namespace, 69  
 System.Windows.Window, 71

## T

Tab key, for keyboard focus, 442  
 TabControl control, 143–144  
 Table element, 147–148  
 Table layout, 277–279  
 Tags, in WPF, 268  
 TargetType property, 398–399  
 TemplateBinding, 402  
 Templates, 121–128. *See also* Data templates  
   binding with, 126–127, 309  
   list controls with, 132–135, 137–138  
   overview of, 121–125  
   reusing in list of images, 361–362  
   styles and, 401–405  
   tool tips with, 163–164  
   working with, 127–128  
 Tessellation, 2D constructs, 258  
 Text  
   communicating through, 267  
   data for, 146–150  
   fonts for, 272–274  
   Hello World in, 268–272  
   integrating animation with, 298–300  
 Text layout, 274–283  
   advanced typography, 281–283  
   challenges of, 173  
   columns and page-level, 280–281  
   figures and floaters, 279–280  
   lists, 275–277  
   paragraphs, 274–275  
   tables, 277–279  
 TextBlock control  
   adding content to display tree, 118  
   containing single paragraph, 269  
   defined, 116–117  
   StackPanel problems in, 190  
   targeting text with, 268  
 TextBox control  
   adding to window, 23  
   binding to Content control, 317  
   binding to FontFamily, 317–318  
   overview of, 146  
   RichTextBox control vs., 150–154  
   updating data in, 327–328  
   working with, 154  
 TextEffects, 298–300  
 TextIndent, Paragraph, 275  
 TextPointer objects, 149, 151  
 TextRange objects, 149  
 Texture, 260–262  
 ThemeInfoAttribute, 405–406  
 Themes  
   consistency of, 417–418  
   conveying message through, 419  
   defined, 391  
   isolating from application, 417  
   skinning, 407–412  
 ThreadAbortException, 57  
 Threading, 421–426  
   multithreading vs., 424–426  
   STA used in, 421–422  
   SynchronizationContext used in, 422–426  
   WPF dispatcher for, 422, 427  
 3D graphics, 255–267  
   animating, 34–37  
   cameras, 265–266  
   Hello World in, 255–258  
   lights, 265  
   materials, 33–34, 264–265  
   models, 258–264  
   overview of, 254–255  
   transforms, 266–267  
 Thumb, 163–165  
 Tiling brushes, 232–234  
 Time, animation and, 292–293  
 Time zero, 292  
 Timelines, 292–293, 301  
 Toolbars, 139, 140–143  
 Tools  
   for building applications, 39–41  
   for styles, 396–397  
 ToolTips, 161–164  
 ToolTipService, 161  
 Top property, Canvas, 186–187  
 ToString method, 118–119  
 Transform models, 5–6  
 Transformations, 5–6, 309–310  
 TransformGroup, 181  
 Transforms  
   2D graphics, 221, 266  
   3D graphics, 266–267  
   layout with, 181–183

TranslateTransform  
 in 3D graphics, 266–267  
 defined, 221  
 layout with, 181

Tree hierarchy concept, 237

TreeView control, 137, 138

TriangleIndices property, 255, 260–261

Triangles, 3D, 258–261

Triggers  
 adding to controls, 387–388  
 adding to data, 384–387  
 in animation, 291  
 applying styles to, 395, 400  
 overview of, 383–384  
 summary of, 388–389

Triggers property, 384, 395

TrueType file, 272–273

Tunneling events, 370–371

Two-phase layout model, 174–176

Two-way data binding, 327–331

2Dgraphics, 218–254  
 bitmap effects, 253–254  
 brushes, 228–234  
 color, 225–228  
 composite rendering, 218–219  
 drawings, 237–239  
 geometry, 222–225  
 images. *See* Images  
 integration and, 30–31  
 opacity, 250–253  
 pens, 234–237  
 resolution independence, 219–221  
 shapes, 239–241  
 transforms, 221

TypeConverter, 118, 318

Typefaces, basic, 272–274

Typography, 281–283

## U

UIElement, 118, 175

Undo units, 153–154

Unicode support, 269

Unified model, for customizing styles,  
 393–395

UniformGrid, 194–195, 207

Unrecoverable exceptions, 57

Updates, TextBox data, 327–330

UpdateSourceTrigger property,  
 327–328

URIs  
 referencing resources with, 64–65  
 Web-style applications with, 49  
 XAML and, 69–71

User controls, 80–83

User-scoped settings, Configuration state, 62

User32, 1–7  
 clipping system in, 4, 219  
 customizing controls in, 121–122  
 display of menus in, 139  
 Hello World written in, 1–2  
 HWND in, 71  
 no container nesting in, 5–6  
 Windows Forms and, 3–4

Users  
 creating UI to display to, 99–100  
 interactivity with window, 77–78

## V

Validation, 95–96

Value coercion, leveraging for properties,  
 435–436

Value conversion, 309, 318–320

Vector graphics  
 3D as form of, 254–255  
 integrating with layout engine, 30–31  
 overview of, 5–6

VerticalAlignment property, 178–180

Video, 303–305

VideoDrawing, 239, 303–305

ViewBase type, 136

Viewbox, 169–170

Viewport, 257

Visibility property, 74–75, 175–176

Visual C# Express, 39

Visual Studio, 41

VisualBrush, 31–32, 232–234

Visuals  
 2D graphics. *See* 2D graphics  
 3D graphics. *See* 3D graphics  
 animation. *See* Animations  
 documents and text. *See* Documents and text  
 media, 300–305  
 overview of, 217

## W

Web  
 applications, 48–50  
 development, 8–11  
 styles, 391

- Welcome page, 99–100
  - Width property, 77–78, 177
  - Win32, 114, 116
  - Windowing models, 50–52
  - windows, 69–71
    - Application object and, 78–80
    - creating for WPF applications, 17–18
    - creating template for, 127–128
    - displaying, 74–77
    - overview of, 71–74
    - sizing and position of, 77–78
    - using markup, 20–21
  - Windows Explorer, 191–193
  - Windows Forms
    - clip-based painting systems and, 4
    - customizing controls in, 121–122
    - docking support in, 191
    - form in, 71
    - MDI support in, 52
    - nesting problems in, 7
    - WPF vs., 3–4
  - Windows Presentation Foundation). *See* WPF (Windows Presentation Foundation)
  - Windows Software Development Kit, 39
  - Windows XP, 132–133, 155–156
  - WindowStartupLocation property, 77
  - WPF (Windows Presentation Foundation),
    - overview of, 1–41
    - composition, 7
    - controls, 21–24
    - events, 25–27
    - getting up and running, 17–19
    - integration, 30–37
    - layouts, 22–23
    - markup, 19–21
    - styles, 37–39
    - tools for building applications, 39–41
    - transformations, 5–6
    - User32 and, 1–2
    - vector-based graphics of, 5–6
    - Web development, 8–11
    - working with data, 27–30
    - XAML programming model, 11–17
  - Wrap panel, 23–24
  - WrapPanel, 194
  - WritableBitmap, 248–249
- ## X
- XAML (Extensible Application Markup Language), 11–17
    - attached properties in, 16–17
    - built-in features of, 14–15
    - encoding styles with, 396–397
    - HTML vs., 8–11
    - importing WPF into, 15–16
    - loose, 111
    - markup extensions in, 13, 15
    - as XML-based instantiation script for CLR, 11–13
  - XBAP (XAML Browser Application)
    - converting to desktop application, 46–47
    - HelloBrowser and, 104–109
    - loose markup and, 111
    - overview of, 103–104
    - PresentationHost in, 109–110
  - x:Class attribute, 44
  - XML binding, 331–337
  - XML namespace, 82
  - XML Paper Specification (XPS), 272
  - Xml property, TextRange, 149
  - XmlAttributeNode, 333
  - XmlDataProvider, 336–337
  - XmlDocument, 337
  - XmlElement, 337
  - xmlns attribute, 11–12
  - x:Name attribute, 44
  - XPath, 331–333, 334–335
  - XPS (XML Paper Specification), 272
  - XTilt, 157
- ## Y
- YTilt, 157
- ## Z
- Z-index, for layout, 183–184
  - ZipPackage, 69