

---

# Index

## A

- abstract requirements, 10
- activity diagram section (Use Case Specification documents), 142-144
- actors
  - identifying, 130-131
  - relationships, generalization between, 137
  - use cases, 133-135
- Actual completion date attribute (features), 111
- actual iteration attribute
  - features, 111
  - requirements, 39
- Add Attribute dialog box, 50
- adding document types, 276-278
- affects architecture attribute, requirements, 39
- affinity diagrams, requirements elicitation, 77
- alternative flows section (Use Case Specification documents), 139-141
- Ambler, Scott, 155
- analysis
  - existing documents, 78
  - existing systems, 79-80
  - requirements, 227-228
    - test results, 239-241
    - views, 91-97
- architectural requirements. *See* supplementary requirements
- Archive Project dialog box, 290
- archiving projects, 290-291
- Assigned To attribute (FEAT requirements), 324

- Assigned To attribute (features), 111
- assigning variables to test cases, 210-211
- atomic requirements, 10
- Attribute Matrix view, 26
- attributes
  - features, 110-112
  - requirements, 37-40, 322-325
    - adding to RequisitePro projects, 49-50
    - changing, 90
    - changing values of, 50-52
    - supplementary requirements, 172
    - entering, 176-181
    - importance attribute, 173
    - satisfaction shape attribute, 173-176
    - traceability, 181-188
- automated testing, requirements, 228-229
  - Rational Robot, 229-234
  - Rational Test Manager, 233-238

## B

- basic flow section (Use Case Specification documents), 138-139
- Benefit attribute (FEAT requirements), 323
- Bittner, Kurt, 155
- Booch, Grady, 21, 272
- boundary classes, 244
- brainstorming sessions, requirements elicitation, 76-77

- brief description section (Use Case Specification documents), 138
- Browser window (Rational Rose), 257
- Business Rules document, 212

## C

- characteristics, good requirements, 6-12
- checking specific uses cases, 225
- checklists, requirements, 227
- checks, uses cases, adding to, 223-225
- class diagrams, 246, 255
  - creating
    - Rational Rose, 258-261
    - Rational Software Architect, 267-269
- Class Specification dialog box (Rational Rose), 259
- classes, 244-255
- classifications, supplementary requirements, 159-162
  - design constraints, 168
  - documentation requirements, 169
  - functionality, 163
  - implementation requirements, 168
  - interface requirements, 168
  - licensing and legal requirements, 169
  - performance, 165-166
  - physical requirements, 169

- reliability, 164-165
- supportability, 166-168
- usability, 163-164
- clear requirements, 9
- ClearCase, 45
- ClearQuest Test Manager, 45, 53, 221
- combining options for test cases, 200-209
- complete requirements, 12
- concise requirements, 9
- Configure Project dialog box, 56
- consistent requirements, 11
- Construction phase, requirements pyramid, 304-305
- Contact Name attribute (features), 111
- contact name attribute, requirements, 39
- context diagram section (Use Case Specification documents), 142
- controller classes, 244
- copying projects, 291
- correct requirements, 9
- Cost to implement attribute (features), 111
- Cost/reward attribute (features), 111
- Create Test Datastore dialog box, 57
- cross-project traceability, 291-294

## D

- decisions, documenting, RMPs (Requirements Management Plans), 36-44
- defect attribute, requirements, 39
- deriving supplementary requirements from features, 169-172
- design constraints section, supplementary requirement classification, 168
- design diagrams, 316
  - scenarios, 244
- designing use cases, 244-257, 272
  - Rational Rose, 257-264
  - Rational Software Architect, 264-271
- designs
  - publishing, Rational Software Architect, 270-271
  - system designs, RM (requirements management), 20
- diagrams
  - activity diagrams, 142-144
  - class diagrams, 246, 255
    - creating, 258-261, 267-269
  - context diagrams, 142
  - sequence diagrams, 256-257
    - creating, 262-264, 269-270
  - state machine diagrams, 144
  - use case diagrams, 133-135, 267

- Dick, Jeremy, 21
- different environments, test cases, executing in, 222-223
- difficulty attribute
  - features, 111
  - requirements, 39
- Document Properties dialog box, 53, 83-84, 149, 177, 276
- Document Type dialog box, 82, 213-214
- document types
  - adding, 276-278
  - creating, 278
  - projects, adding to, 81-82
- documentation, 273-274, 282-283
- documentation requirements
  - section, supplementary requirement classification, 169
- documenting decisions, RMPs (Requirements Management Plans), 36-44
- documents, 29-30
  - Business Rules documents, 212
    - creating, 215, 276-282
  - document types, adding, 276-278
  - existing documents, analyzing, 78
  - existing systems, analyzing, 79-80
  - Glossary documents, 30, 320
  - importing, 52-53, 278
  - new document types, creating, 212-214
  - required documents, 41
  - requirement text, highlighting, 87
  - requirements, adding to, 87-89
  - RequisitePro, 274-278
  - RMP (Requirements Management Plan) documents, 320
  - Stakeholder Requests documents, 80-86, 320
  - Supplementary Specification documents, 30, 320
  - Test Case document type, creating, 212-214
  - Use Case documents, 29
  - Use Case Specification documents, 138-145, 320
    - creating, 149-153
  - Vision documents, 29, 99-100, 320
    - creating, 112-113, 127
    - developing, 15-16
    - stakeholder needs, 101-110
    - structure, 100-101

## E

- Eeles, Peter, 158, 190
- Effort attribute (FEAT requirements), 323

- Effort attribute (features), 111
- Elaboration phase, requirements pyramid, 302-304
- elicitation (requirements), 14-15, 65-67
  - affinity diagrams, 77
  - brainstorming sessions, 76-77
  - existing document analysis, 78
  - existing system analysis, 79-80
  - interviews, 67-71
  - observation demonstration, 79
  - prototyping, 78
  - questionnaires, 71-72
  - role playing, 75
  - Stakeholder Requests documents, creating, 80-86
  - storyboarding, 74
  - supplementary requirements, 158-159
  - task demonstration, 79
  - use cases, 79
  - workshops, 72-73
- enhancement request attribute, requirements, 39
- entering supplementary requirements, 176-181
- executing test cases in different environments, 222-223
- existing documents, analyzing, 78
- existing systems, analyzing, 79-80
- Explorer (RequisitePro), 24-25
  - requirements, 91
  - test cases, adding requirements to, 215-217
- exporting views, 94-95
- extend relationships, use case models, 136
- extension points section (Use Case Specification documents), 142

## F

- feasible requirements, 9
- FEAT (Feature Requirements), attributes, 322-324
- features
  - attributes, 110-112
  - requirements pyramid, 314
  - requirements pyramids, 100
  - stakeholder needs, deriving from, 101-110
  - supplementary requirements, deriving from, 169-172
  - type attribute, setting for, 181-183
- features requirements, creating, 113-116
- file types, RequisitePro, 288-290

files, project files, 288-290  
 functionality section, supplementary  
 requirement classification, 163

## G-H

generalization, relationships,  
 136-137  
 generating reports, 279-282  
 Glossary documents, 30, 320  
 Gornik, Davor, 309  
 Grady, Robert, 160, 190

Heumann, Jim, 191, 220  
 Hierarchy tab (Requirement  
 Properties dialog box), 152  
 highlighting requirement text,  
 documents, 87  
 Hull, Elizabeth, 21

## I-K

identifying  
 actors, 130-131  
 stakeholders, 64-65  
 use cases, 131-133  
 variables, test cases, 192-200  
 implementation requirements  
 section, supplementary requirement  
 classification, 168  
 implementation-free requirements, 10  
 Import Wizard, 52-53  
 importance attribute  
 features, 111  
 supplementary requirements, 173  
 importing documents, 52-53, 278  
 Inception phase, requirements  
 pyramid, 300-302  
 include relationships, use case  
 models, 135-136  
 independent requirements, 10  
 infinite loops, scenarios, 146  
 interface requirements section,  
 supplementary requirement  
 classification, 168  
 interface, Rational RequisitePro,  
 23-31  
 internal documentation, 273  
 International Council on Systems  
 Engineering, 36  
 interviews, requirements elicitation,  
 67-71

Jackson, Kenneth, 21  
 Jacobson, Ivar, 21, 272

Kroll, Per, 44, 309  
 Kruchten, Philippe, 44, 309

## L

labeling requirements, 180  
 Lauesen, Soren, 190  
 Leffingwell, Dean, 21  
 licensing and legal requirements  
 section, supplementary requirement  
 classification, 169  
 linear satisfaction shape,  
 supplementary requirements,  
 175-176  
 links, traceability links, 120-121  
 locations, requirements, creation,  
 40-41  
 LoginController class, 252  
 Ludwig Consulting Services, LLC, 21

## M

managing projects, 287-294  
 marketing materials, 274  
 Matsumoto, M., 159, 190  
 McCall, J.A., 159, 190  
 measures, RMPs (Requirements  
 Management Plans), 325  
 medium satisfaction shape,  
 supplementary requirements,  
 174-175  
 Microsoft Access Settings dialog  
 box, 58  
 Microsoft Word, Rational  
 RequisitePro, integration, 23  
 modeling associations, Rational  
 Rose, 261-262  
 models, use case models, structuring,  
 135-137  
 modifying specific use cases, 225  
 moving projects, 291

## N

necessary requirements, 10  
 needs, stakeholders, 101-110, 159  
 new document types, creating,  
 212-214  
 New Project dialog box (Rational  
 Software Architect), 265  
 New Project - General dialog box, 54  
 New Project - Security dialog box, 55  
 New Project - Summary dialog  
 box, 55  
 New Suite dialog box, 235  
 nonfunctional requirements, 242  
 nonredundant requirements, 11

## O

Object Oriented Analysis and Design  
 (OOAD), 212  
 object-oriented design, uses cases,  
 244-257, 272  
 Rational Rose, 257-264  
 Rational Software Architect,  
 264-271  
 observation demonstration,  
 requirements elicitation, 79  
 obsolete attribute, requirements, 39  
 OOAD (Object Oriented Analysis  
 and Design), 212  
 Open Project dialog box, 48-49, 81  
 opening  
 projects, 81  
 views, 92-94  
 options, combining for test cases,  
 200-209  
 origin attribute, requirements, 39  
 overviews, RMPs (Requirements  
 Management Plans), 319

## P

packages, creating, 214-215  
 Passenger class, 252  
 passwords, 192  
 pending requirements, 89  
 performance section, supplementary  
 requirement classification, 165-166  
 Performance Testing Wizard, 235  
 physical requirements section,  
 supplementary requirement  
 classification, 169  
 Planned completion date attribute  
 (features), 111  
 Planned iteration attribute  
 (features), 111  
 planned iteration attribute,  
 requirements, 39  
 Pollice, Gary, 309  
 possible requirements, 9  
 postconditions section (Use Case  
 Specification documents), 142  
 precise requirements, 9  
 preconditions section (Use Case  
 Specification documents), 142  
 previously created views, accessing,  
 119-120  
 printing project summaries, 287-288  
 Priority attribute (FEAT  
 requirements), 111, 322  
 priority attribute, requirements, 38  
 Project Properties dialog box,  
 47-49, 292  
 project summaries, printing, 287-288

projects, 45, 60-61  
 archiving, 290-291  
 copying, 291  
 cross-project traceability, 291-294  
 document types, adding to, 81-82  
 managing, 287-294  
 moving, 291  
 opening, 81  
 project files, 288-290  
 project summaries, printing, 287-288  
 Rational projects, setting up, 53-60  
 requirements, 3-20, 30  
 requirements elicitation, 65-86  
 RequisitePro projects, setting up, 45-53  
 stakeholders, 4, 64-65  
 prototyping requirements elicitation, 78  
 purpose document, RMPs, 319  
 pyramid (requirements). *See* requirements pyramid

## Q

quality factors. *See* supplementary requirements  
 queries, 121-123  
 Query Column Requirements dialog box, 187  
 querying requirements, 95-97, 186-188  
 questionnaires, requirements elicitation, 71-72

## R

Rational Administrator, 53-54  
 Rational Data Architect, 20  
 Rational projects, setting up, 53-60  
 Rational RequisitePro, 23, 45  
 Attribute Matrix view, 26  
 documents, 29-30, 274-278  
 file types, 288-290  
 interface, 23-31  
 Microsoft Word, integration, 23  
 projects, setting up, 45-53  
 reports, generating, 279  
 requirements, 30  
 creating, 86-91  
 traceability views, 26-27, 119-127  
 Word workplace, 28-29  
 Rational Robot, 36, 53, 221  
 initial screen, 230  
 requirements, automated testing, 229-234  
 Session Record toolbar, 232

Rational Rose, 20, 36, 45  
 Browser window, 257  
 class diagrams, creating, 258-261  
 Class Specification dialog box, 259  
 modeling associations, 261-262  
 object-oriented design, 257-264  
 sequence diagrams, creating, 262-264  
 Rational SoDA (Software Documentation Automation), 278-282  
 Rational Software Architect, 20  
 class diagrams, creating, 267-269  
 designs, publishing, 270-271  
 New Project dialog box, 265  
 object-oriented design, 264-271  
 sequence diagrams, creating, 269-270  
 use case diagrams, creating, 267  
 Workspace Launcher dialog box, 264  
 Rational Software Modeler, 20  
 Rational Suite Enterprise, 36  
 Rational Test Login dialog box, 230  
 Rational Test Manager, 221, 233-238  
 Rational Unified Process (RUP). *See* RUP (Rational Unified Process)  
 realistic requirements, 9  
 Reason attribute (FEAT requirements), 324  
 relationships, 135-137  
 reliability section, supplementary requirement classification, 164-165  
 reports  
 generating, 279-282  
 RMPs (Requirements Management Plans), 325  
 requests (stakeholders), 63-64  
 gathering, 65-67  
 affinity diagrams, 77  
 brainstorming sessions, 76-77  
 existing document analysis, 78  
 existing system analysis, 79-80  
 interview, 67-71  
 observation demonstrations, 79  
 prototyping, 78  
 questionnaires, 71-72  
 role playing, 75  
 storyboarding, 74  
 task demonstrations, 79  
 use cases, 79  
 workshops, 72-73  
 requirements pyramid, 313  
 Stakeholder Requests documents, creating, 80-86  
 required documents, 41

requirement attributes  
 RequisitePro projects, adding to, 49-50  
 values, changing, 50-52  
 Requirement Properties dialog box, 87-88, 114, 179, 216-219  
 requirement text, documents, highlighting, 87  
 Requirement Type dialog box, 293  
 requirement types, creating, 153-154  
 requirements, 3-4, 30  
 abstract requirements, 10  
 analyzing, 91-97, 227-228  
 atomic requirements, 10  
 attributes, 37-40, 90, 322-325  
 automated testing, 228-238  
 checklists, 227  
 clear requirements, 9  
 complete requirements, 12  
 consistent requirements, 11  
 correct requirements, 9  
 creating, 86-91, 150-153  
 design diagrams, 316  
 documents, adding to, 87-89  
 elicitation, 14-15  
 Explorer, 91  
 feasible requirements, 9  
 FEAT (Feature Requirements), attributes, 322-324  
 features, 110-116  
 good requirements, characteristics, 6-12  
 independent requirements, 10  
 labeling, 180  
 locations, creation, 40-41  
 necessary requirements, 10  
 nonfunctional requirements, 242  
 nonredundant requirements, 11  
 pending requirements, 89  
 pyramid. *See* requirements pyramid  
 querying, 95-97, 186-188  
 requirement types, creating, 153-154  
 RM (requirements management), 12-20, 316-317  
 RMPs (Requirements Management Plans), 319-325  
 saved requirements, 89  
 stakeholders, identifying, 64-65  
 STRQ (Stakeholder Request) requirements, attributes, 324  
 SUPL (Supplemental) requirements, attributes, 325  
 supplementary requirements, 18, 158-189, 221-242  
 test cases, adding to, 215-217  
 test results, analyzing, 239-241

- traceability, 6, 116-127, 321-322
  - tracking, 36-38
  - UC (User Cases) requirements,
    - attributes, 324
    - unambiguous requirements, 7-8
    - understandable requirements, 9
    - verifiable requirements, 8-9
    - views, modifying in, 120
    - white-box testing, 228
  - requirements elicitation, 65-67
    - affinity diagrams, 77
    - brainstorming sessions, 76-77
    - existing documents, analyzing, 78
    - existing systems, analyzing, 79-80
    - interviews, 67-71
    - observation demonstrations, 79
    - prototyping, 78
    - questionnaires, 71-72
    - role playing, 75
    - Stakeholder Requests documents,
      - creating, 80-86
    - storyboarding, 74
    - task demonstrations, 79
    - use cases, 79
    - workshops, 72-73
  - Requirements Management Plans.
    - See* RMPs (Requirements Management Plans)
  - requirements management, RUP, 295-309
  - requirements management. *See* RM (requirements management)
  - requirements management tool, 316-317
  - Requirements Properties dialog box, Hierarchy tab, 152
  - requirements pyramid, 4-5, 313-316
    - features, 100, 314
    - RUP (Rational Unified Process), 297-309
    - second level, 314
    - stakeholders' requests, 63-64, 313
    - supplementary requirements, 158, 314-316
    - third level, 314-316
    - top level, 313
    - use cases requirements, 130, 314-316
  - Risk attribute (FEAT requirements), 323
  - Risk attribute (features), 112
  - risk attribute, requirements, 39
  - Risk impact attribute (features), 112
  - Risk probability attribute (features), 112
  - Risk/reward attribute (features), 111
  - RM (requirements management), 3, 12-13, 20. *See also* RMP (Requirements Management Plan) documents
    - advantages of, 316
    - requirements, elicitation, 14-15
    - requirements management tool, 316-317
    - requirements pyramid, 313-316
    - supplementary specification, 18-20
    - system design, 20
    - use cases, 16-19
    - Vision documents, developing, 15-16
  - RMP (Requirements Management Plan) documents, 35, 44, 320
    - creating, 35-36
    - decisions, documenting, 36-44
    - establishing, 13-14
    - measures, 325
    - overview, 319
    - purpose document, 319
    - reports, 325
    - required documents, 41
    - requirement types, 36-38, 320
    - requirements
      - attributes, 37-40, 322-325
      - creation location, 40-41
      - traceability, 321-322
  - RM (requirements management) tool, 36
  - sample RMP, 319-325
  - scope, 319
  - role playing, requirements elicitation, 75
  - Rumbaugh, James, 21, 272
  - Run Properties of User Group dialog box, 237
  - RUP (Rational Unified Process), requirements management, 295-309
- S**
- satisfaction shape attribute, supplementary requirements, 173-176
  - saved requirements, 89
  - scenarios
    - design diagrams, 244
    - infinite loops, 146
    - test cases, creating, 214-217
    - use cases, 145-148
  - scenarios section (Use Case Specification documents), 145
  - scope, RMPs (Requirements Management Plans), 319
  - scripts, VU (virtual users) scripts,
    - creating, 229-234
  - second level, requirements pyramid, 314
  - sections, Use Case Specification documents
    - activity diagram section, 142-144
    - alternative flows section, 139-141
    - basic flow section, 138-139
    - brief description section, 138
    - context diagram section, 142
    - extension points section, 142
    - postconditions section, 142
    - preconditions section, 142
    - scenarios section, 145
    - special requirements section, 141
    - state machine diagram section, 144
  - Select Attribute dialog box, 187
  - sequence diagrams, 256-257
    - creating
      - Rational Rose, 262-264
      - Rational Software Architect, 269-270
  - Session Record toolbar (Rational Robot), 232
  - setting
    - traceability, 183-187
    - type attribute for features, 181-183
  - setting up projects, 45
    - Rational projects, 53-60
    - RequisitePro projects, 45-53
  - sharp satisfaction shape, supplementary requirements, 174
  - simple requirements, 9
  - special requirements section (Use Case Specification documents), 141
  - Spence, Ian, 155
  - SSTRQ (Supplementary Stakeholder's Request), 159
  - Stability attribute (FEAT requirements), 323
  - stability attribute, requirements, 39
  - stakeholder attribute, requirements, 39
  - stakeholder requests, 159
    - gathering, 65-67
      - affinity diagrams, 77
      - brainstorming sessions, 76-77
      - existing document analysis, 78
      - existing system analysis, 79-80
      - interviews, 67-71
      - observation demonstrations, 79
      - prototyping, 78
      - questionnaires, 71-72
      - role playing, 75
      - storyboarding, 74

- task demonstrations, 79
  - use cases, 79
  - workshops, 72-73
- Stakeholder Requests documents, creating, 80-86
- Stakeholder Requests documents, 80-86, 320
- stakeholders, 3-4
  - identifying, 64-65
  - needs, 101-110, 159
  - requests, 63-64, 313
- state machine diagram section (Use Case Specification documents), 144
- Status attribute (FEAT requirements), 322
- status attribute, requirements, 39
- storyboards, requirements elicitation, 74
- STRQ (Stakeholder Request)
  - requirements, attributes, 324
- structure, Vision document, 100-101
- structuring use-case models, 135-137
- SUPL (Supplemental) requirements, attributes, 325
- supplementary requirements, 158, 189
  - attributes, 172-176
    - classification, 159-169
    - eliciting, 158-159
    - entering, 176-181
    - features, deriving from, 169-172
    - querying, 186-188
    - requirements pyramid, 158, 314-316
    - test cases, creating from, 221-242
    - traceability, 181-188
  - supplementary specification, 18
- Supplementary Specification, 157, 189
  - supplementary requirements, 158
    - attributes, 172-176
      - classification, 159-169
      - deriving from
        - features, 169-172
        - eliciting, 158-159
        - entering, 176-181
        - requirements pyramid, 158
        - traceability, 181-188
      - test cases, creating for, 18-20
- Supplementary Specification documents, 30, 320
- Supplementary Stakeholder's Request (SSTRQ), 159
- supportability section, supplementary requirement classification, 166-168
- suspect traceability, 123-124
- system design
  - RM (requirements management), 20
  - use cases, 244-257, 272
    - Rational Rose, 257-264
    - Rational Software Architect, 264-271
- T**
- Target Release attribute (FEAT requirements), 323
- task demonstration, requirements elicitation, 79
- technical documentation, 273-274
- templates, RequisitePro projects, 46-47
- terse requirements, 9
- test case, third level of requirements pyramid, 315
- Test Case Allocation Matrix, 200-209
- Test Case document type, creating, 212-214
- test cases
  - creating, 192-206, 209-220
    - Business Rules document, 212
    - from supplementary requirements, 221-242
    - Test Case document type, 212-214
  - different environments, executing, 222-223
  - options, combining, 200-209
  - requirements, adding to, 215-217
  - scenarios, adding to, 214-217
  - supplementary specification, creating for, 18-20
  - Test Case Allocation Matrix, 200-209
  - traceability, setting, 217-220
  - use cases
    - creating for, 18-19
    - creating from, 191-192
  - variables
    - assigning, 210-211
    - identifying for each use case steps, 192-193
    - identifying significantly different options for each, 194-200
- test datastores, creating, 56-58
- test results, requirements, analyzing, 239-241
- testable requirements, 8-9
- testing requirements
  - automated testing, 228-238
  - white-box testing, 228
- third level, requirements pyramid, 314-316
- toolbar, 28
- top level, requirements pyramid, 313
- traceability, 3
  - cross-project traceability, 291-294
  - requirements, 6, 116-119, 321-322
  - setting, 183-187
  - supplementary requirements, 181-188
  - suspect traceability, 123-124
  - test cases, adding to, 217-220
  - Traceability Matrix, 184-186
  - Traceability Tree, 187
    - views, 119-127
  - traceability diagrams, 321
  - traceability links, 120-121
  - Traceability Matrix, 26, 120-121, 183-186
  - Traceability Tree, 187
    - use cases, 220
  - Traceability Tree view, 27, 124-127
- Tracer tool, 36
- tracking requirements, 36-38
- Transition phase, requirements pyramid, 305
- type attribute
  - features, setting for, 181-183
  - requirements, 38
- types, requirements, RMPs (Requirements Management Plans), 320
- U**
- UC (Use Cases) requirements, attributes, 324
- UML (Unified Modeling Language), 20
  - use cases, designing, 244-272
- unambiguous requirements, 7-8
- understandable requirements, 9
- usability section, supplementary requirement classification, 163-164
- Use Case documents, 29
- Use Case Specification documents, 138, 191, 320
  - activity diagram section, 142-144
  - alternative flows section, 139-141
  - basic flow section, 138-139
  - brief description section, 138
  - context diagram section, 142
  - creating, 149-153
  - extension points section, 142
  - postconditions section, 142

- preconditions section, 142
- scenarios section, 145
- special requirements section, 141
- state machine diagram section, 144
- use cases. *See also* Use Case Specification documents
  - actors, 133-135
    - identifying, 130-131
  - Book of Flight* use case, variables, 192-193
  - checking specific, 225
  - checks, adding to, 223-225
  - creating, 16-17, 129-130, 149-155
  - identifying, 131-133
  - modifying specific, 225
  - relationships, generalization
    - between, 136-137
  - requirements elicitation, 79
  - requirements pyramid, 130
  - scenarios, 145-148
  - system design, 244-257, 272
    - Rational Rose, 257-264
    - Rational Software Architect, 264-271
  - test cases
    - creating for, 18-19
    - creating from, 191-206, 209-220
  - Traceability Tree, 220
  - use case diagrams, 133-135
  - use case model, structuring, 135-137
  - use case steps, identifying variables for, 192-193
- use cases requirements, requirements pyramid, 314-316
- use case diagrams, 133-135, 267
- use case models, structuring, 135-137
- user documentation, 274
- user IDs, 192
- variables
  - assigning, 210-211
  - identifying, 194-200
- verifiable requirements, 8-9
- View Properties dialog box, 92, 177, 183-184, 217
- views, 27-28
  - Attribute Matrix view, 26
  - exporting, 94-95
  - opening, 92-94
  - previously created views, accessing, 119-120
  - requirements
    - analyzing, 91-97
    - modifying in, 120
  - Traceability Matrix view, 26
  - Traceability Tree, 27, 124-127
- Vision documents, 29, 99-100, 320
  - creating, 112-113, 127
  - developing, 15-16
  - stakeholder needs, deriving from features, 101-110
  - structure, 100-101
- VU (virtual users), scripts, recording, 229-234

## W-Z

- Waterfall lifecycle, requirements pyramid, 305-308
- West, David, 309
- white-box testing, requirements, 228
- Widrig, Don, 21
- wizards
  - Import Wizard, 52-53
  - Performance Testing Wizard, 235
- Word, Rational RequisitePro, integration, 23
- Word workplace, 28-29
- workshops, requirements elicitation, 72-73
- Workspace Launcher dialog box (Rational Software Architect), 264
- Young, Ralph R., 21

## V

- values, requirement attributes, changing, 50-52
- variables
  - Book of Flight* use case, 192-193
  - test cases
    - assigning, 210-211
    - identifying for each use case steps, 192-193
    - identifying significantly different options for each, 194-200