

Index

Symbols & Numerics

(pound sign) delimiter, 310
- (minus sign) delimiter, 310

307 redirects, 42

A

abstract base model classes, 291-292
acceptance tests, 588-589
AccountController class, Acts_as_Authenticated
 method, 496-498
Action Cache plugin, 337-338
action caching, 328-330
ActionMailer framework, setting up, 531
actions (Selenium), 589
ActionView, 308
Active Record framework, 140-142, 158
 attributes
 default values, 160-162
 serialized, 162
 configuring, 196-197
 CRUD, 163-178
 database connections, 189-196
 database locking, 179
 optimistic locking, 180-182
 pessimistic locking, 182

database schema, naming conventions, 159
finders

 conditions, 183-185
 options, 187-189
 parameters, 186
 results, ordering, 186

macro-style methods, 155
 convention over configuration, 156
 pluralization, 157-158
 relationship declarations, 155-156
Migration API, 146-148
migrations, 142-145
 columns, defining, 149-155
 query cache, 172-174

ActiveRecord

abstract base model classes, 291-292
callback registration, 272-273
 before after/callbacks, 274
callbacks, 271
 after_find callback, 278-279
 after_initialize callback, 278
classes, 279-282
 halting execution, 274
 usage examples, 275-278
classes, modifying at runtime, 301-304
common behavior, reusing, 296-301
observers, 282
 naming conventions, 283
 registration, 283

- polymorphic has_many relationships, 292-296
- STI, 284-291
 - inheritance, mapping to database, 286-287
- ActiveRecord models, creating forms, 362-369
- ActiveRecord SessionStore, 473-474
- ActiveRecordHelper module, 342-345, 347-348
- ActiveResource, 519
 - Create method, 522-523
 - customizing, 527-528
 - Delete method, 524-525
 - Find methods, 519-521
 - headers, 526
 - Update method, 524
- ActiveSupport library, 726-739, 759
 - Array class, 724
 - Class object, 729-730
 - default log formatter, 764-765
 - dependencies, 740
 - module attributes, 740-741
 - public instance methods, 742-743
 - Deprecation module, 744-745
 - Enumerable module, 747-748
 - Exception module, 748
 - FalseClass module, 749
 - File module, 749
 - Hash module, 750-757
 - Inflections class, 757-759
 - Module class, 765-769
 - NilClass, 772-773
 - Numeric class, 773-776
 - Object class, 776-777, 779
 - Proc class, 781-782
 - Range class, 782
 - String class, 783-790
 - Symbol class, 790
 - Time class, 792-798
- active_record_defaults plugin, 807
- acts-as-authenticated plugin
 - AccountController class, 496-498
 - authenticate method, 494
 - before-save callback, 493
 - current user, 499-501
 - installing, 486-487
 - login from cookie, 498-499
 - remember token, 495
 - User model, 487-492
 - validation rules, 492
- Adam, James, 650
- adding
 - classes to mocks folder, 548-549
 - load paths, 10
 - plugin sources, 630
- after_find callback, 278-279
- after_initialize callback, 278
- Ajax, Prototype, 420-421
 - Class object, 424
 - Enumerable object, 437-443
 - Firebug, 421
 - Hash class, 443
 - Object class, 425-426
 - Prototype object, 445
 - Responders object, 437
 - top-level functions, 422-424
- alert() method (RJS), 457
- aliases, 806
- analyzing log files, 22-23
- ante-default route, 69-70
 - respond to method, 70
- APIs
 - integration test API, 585-586
 - Migration, 146-148
 - Prototype, 421
 - Class object, 424
 - Object class, 425-426
 - top-level functions, 422-424
 - RSelenese, 592
 - partial test cases, 592-593
- application console
 - route objects, 129-131
 - routes
 - dumping, 128-129
 - manual recognition and generation, 132-134
 - named routes, executing, 134-135
- application.rhtml layout template, 312-313
- arbitrary predicates, 599-601
- arguments
 - for named routes, 84-85
 - hashes, syntax, 136
- around filters, 48
- Array class

- ActiveSupport library, 724
- JavaScript extensions, 426-428
- to_xml method, 510-513
- assertions, 553, 562-566
 - assert_block, 563
 - for functional tests, 572-576
 - one-assertion guideline, 566-567
- assert_block assertion, 563
- AssetTagHelper module, 348-352
- assigning instance variables to view specs, 622
- associated objects, validating presence of, 261
- AssociationProxy class, 249-250
- associations, 199
 - belongs_to, 207-208
 - options, 209-215
 - class hierarchy, 199-201
 - extensions, 247-248
 - has_many, 215
 - options, 216-224
 - proxy methods, 224-225
 - many-to-many relationships, 225
 - has_and_belongs_to_many method, 225-232
 - through association, 233-241
 - objects, adding to collection, 203-207
 - one-to-many relationships, 201-203
 - one-to-one relationships, 241
 - has_one relationship, 241-246
 - unsaved, 246
- Astels, Dave, 566
- attribute-based finders, 170
- attributes
 - default values, 160-162
 - serialized, 162
- attributes method, 168
- authenticate method, acts as authenticated, 494
- AuthenticatedTestHelper module, 501-502
- auto-loading classes and modules, 8
- autocompleters, 466-467
- automatic class reloading, 15
- Autotest project, 624
- auto_discovery_link_tag method, 348
- auto_link method, 393

B

- BackgounDRb, adding background processing
 - to applications, 713-718
- background processing
 - with BackgounDRb, 713-718
 - with daemons, 719-722
 - with DRb, 710-712
 - with script/runner, 708-710
- Bates, Ryan, 810
- BDD (Behavior-Driven Development), 611
- before save callback, Acts as Authenticated, 493
- before/after callbacks, 274
- behaviors, 598, 603-604
 - shared behaviors, 604-607
- belongs_to association, 207-208
 - options, 209-215
- benchmark method, 353
- BenchmarkHelper module, 353
- bidirectional relationships, 227-228
- Bilkovich, Wilson, 249
- BNL (Business Natural Languages), 303
- boot script, initializer.rb file, 6
- bootstrapping, 3
 - auto-loading classes and modules, 8
 - initializer.rb file, 6
 - default load paths, 6-7
 - mode override, 2
 - Rails gem version, 2
 - RubyGems, 5
- bound parameters for routes, 60-61
- breadcrumbs help method, writing, 409-410
- Buck, Jamis, 108, 131, 808
- Builder API, 513-515
- building production stack, required components, 655
 - application tier, 656
 - database tier, 656
 - monitoring tools, 657
 - web tier, 656
- builtins, 8
- button_to method, 400

- Monit, 667-669
 - init script, 673-675
- Nginx, 663-667
 - init script, 670-672
- SMTP servers, 543
- constants, JSON, 760
- content_tag_for method, 390
- controller-only resources, 113-115
- controllers, 28-31
 - filters, 43-44
 - around filters, 48
 - conditions, 50
 - external filter classes, 46
 - filter chain halting, 50
 - filter chain ordering, 47-48
 - filter chain skipping, 49
 - halting the filter chain, 46
 - inheritance, 44-46
 - inline filter method, 47
 - functional testing, 570-571
 - assertions, 572-576
 - methods, 571
 - instance variables, 42-43
 - namespaced controllers, 107
 - post-backs, 112
 - requests, redirecting, 39-42
 - REST actions, 96-98
 - explicitly specifying, 105
 - session class method, 471
 - specs, 617-619
 - streaming, 51
 - send data() method, 51-52
 - send file() method, 52-55
 - templates, rendering, 33-36
 - view templates, 31
- convention over configuration, 32
- converting
 - numeric data to formatted strings,
 - NumberHelper module, 383-385
 - vendor libraries to Piston, 638
 - XML to Ruby hashes, 515-516
- cookies, 481
 - reading, 482
 - writing, 482
- CookieStore session storage, 476-478
- create actions, 123-124

- Create method (ActiveResource), 522-523
- creating
 - mailer model, 532-533
 - migrations, 143-144
 - named routes, 81-83
 - route helper methods, 82
 - via with options mapping method, 86-87
- sortable lists, 465-466
- CRUD (Create Read Update Delete),
 - 92, 168-172
 - creating, 163
 - deleting, 178
 - reading, 164-168
 - updating, 174-178
- CSV fixtures, 555
- current user, Acts as Authenticated, 499-501
- current user id, storing in session hash, 470
- current_page? method, 401
- custom actions (REST), syntax, 112-113
- custom expectation matchers, 601-603
- custom parameters, receptors, 73-74
- custom routes, writing, 72
- custom SQL queries, 171-172
- custom validation, 268-269
- customizing
 - ActiveResource, 527-528
 - environments, 18
 - SCM System (Capistrano), 692
 - to_xml method output, 505-506
 - validation error behavior, 347-348
- cycle method, 394

D

- daemons, adding background processing to
 - applications, 719-722
- database locking, 179
 - optimistic locking, 180-182
 - pessimistic locking, 182
- database schema
 - Active Record framework, 140-142, 158
 - attributes, 160-162
 - configuring, 196-197
 - connections, 189-196

- CRUD, 163-178
- database locking, 179-182
- finders, 183-189
- macro-style methods, 155-158
- Migration API, 146-148
- migrations, 142-145, 149-155
- naming conventions, 159
- query cache, 172-174
- database.yml, storing, 693-695
- DateHelper module, 355-361
- Davis, Ryan, 624
- DebugHelper module, 361
- debug_view_helper plugin, 808
- deep nesting, 108-109
- default load paths (initializer.rb file), 6-7
- default log formatter, 764-765
- default routes (routes.rb file), 65-66
 - ante-default route, 69-70
 - resond to method, 70
 - generating, 67-68
 - id field, 66, 77-78
 - modifying, 68
- delay() method (RJS), 458
- Delete method (ActiveResource), 524-525
- DELETE requests, handling with REST, 98
- delimiters, 308, 310
 - blank lines, removing, 310
- deploying
 - Capistrano, 687-688, 691
 - multiserver deployments, 702-703
 - via :copy, 692
 - production environment
 - Capistrano installation procedures, 661
 - Mongrel installation procedures, 659
 - Monit installation procedures, 661
 - MySQL installation procedures, 660
 - Nginx installation procedures, 659
 - predeployment concerns, 676-677
 - Ruby installation procedures, 658
 - RubyGems installation procedures, 658
 - Subversion installation procedures, 660
- deployment machine (Capistrano), setting up, 689-690
- destroy actions, 121-122
- destroy method, 179

- development mode, 14
 - automatic class reloading, 15
 - caching, 328
 - class loader, 15-16
- development mode:fixtures, 557
- disabling sessions for robots, 472
- discover command, 631
- dispatcher, 29-31
- distance_of_time_in_words method, 360
- div_for method, 391
- dom_class method, 389
- dom_id method, 389
- draggable() method (RJS), 458
- dragging and dropping, 463-464
- DRb (Distributed Ruby)
 - adding background processing to applications, 710-712
 - session storage, 475
- drop_receiving() method (RJS), 458
- DSL (Domain-Specific Language), 155
- dumping
 - routes, 128-129
 - schema, 11
- dynamic fixture content, 556-557

E

- edge rails, 5, 805-806
 - applications, freezing/unfreezing, 4
- edit actions, 124-125
- edit/update operations (REST), 99-100
- email
 - file attachments
 - receiving, 543
 - sending, 539-540
 - receiving, 541-543
 - sending, 540
 - SMTP servers, configuring, 543
 - TMail methods, 542
- empty routes, 71
- enabling sessions, 473
- end_form_tag method, 378
- enforcing uniqueness of join models, 262
- Enumerable object (prototype), 437-443

- forcing plugin reinstallation, 633
- form method, 344-345
- form tags (HTML), generating, 378-381
- formatted named routes, 117
- FormHelper module, 362-370
 - faux accessors, 370
- FormOptionsHelper module, 371-377
- FormTagHelper module, 378-381
- form_tag method, 379
- Fowler, Martin, 139
- fragment caching, 330
 - global fragments, 332-333
 - named fragments, 331-332
 - storage, 338-340
- frameworks, skipping, 9
- freezing/unfreezing applications, 4
- Function class (JavaScript), extensions, 430-431
- functional tests, 570-571, 576-580
 - assertions, 572-576
 - equality parameter, 580-581
 - methods, 571
 - RJS behavior, testing, 581-582
 - routing rules, testing, 582-584
 - selection methods, 582
- functions (prototype), 422-424

G

- gateway capability (Capistrano), 705
- gems
 - color gem, 807
 - Rails versions, 2
- generating
 - fixtures from development data, 558-559
 - HTML tags, 378-381
 - TagHelper module, 391-392
 - routes, 132-134
- generating default route, 67-68
- generators, 614
- globs
 - key value pairs, globbing, 80-81
 - route globbing, 79-80
- green bars, 553
- Grosenbach, Geoffrey, 806

H

- h method, 319
- halting
 - callback execution, 274
 - filter chain, 46
- Hash class (prototype), 443
- hashes, syntax, 136
- has_and_belongs_to_many method, 225-228
 - columns, adding to join tables, 232
 - custom SQL options, 229-231
- has_finder plugin, 808
- has_many association, 215
 - options, 216-224
 - proxy methods, 224-225
- has_many_polymorphs plugin, 809
- has_one relationship, 241-244
 - options, 244-246
- HEAD element, yielding additional content, 315
- headers (ActiveResource), setting, 526
- Helmkamp, Bryan, 808
- helper methods, 311
 - breadcrumbs, writing, 409-410
 - photo_for, writing, 408
 - stubbing, 623
 - tiles, writing, 410-416
 - title helper, writing, 407-408
- helper modules
 - ActiveRecordHelper, 342-348
 - AssetTagHelper, 348-352
 - BenchmarkHelper, 353
 - CaptureHelper, 354
 - DateHelper, 355-361
 - DebugHelper, 361
 - FormHelper, 362-369
 - faux accessors, 370
 - FormOptionsHelper, 371-377
 - FormTagHelper, 378-381
 - JavaScriptHelper, 381-383
 - NumberHelper, 383, 385
 - PaginationHelper, 386-388
 - PrototypeHelper
 - link_to_remote method, 445-449
 - observe_field method, 451-453

- observe_form method, 453
 - periodically_call_remote method, 451
 - remote_form_for method, 449-451
 - RecordIdentificationHelper, 388-389
 - RecordTagHelper, 390-391
 - TagHelper, 391-392
 - TextHelper, 393-400
 - UrlHelper, 400-406
 - writing, 407
 - helper specs, 623
 - hide() method (RJS), 458
 - highlight method, 395
 - Hodel, Eric, 624
 - hook code, 641
 - HTML
 - adding content to HEAD, 348
 - form tags, generating, 378-381
 - input tags, generating, 378-381
 - messages, sending, 536-537
 - select helper methods, 371-373
 - select tags, creating for calendar data, 355-359
 - TagHelper module, 391-392
 - tags, generating, 391-392
 - HTTP requests, processing using REST, 98
 - HTTP status codes, 37
 - for redirection, 41-42
 - HTTPS, securing sessions, 473
 - Hyett, PJ, 807
- I**
- image_path method, 350
 - image_tag method, 350
 - implicit multipart messages, 539
 - importing vendor libraries into Piston, 637
 - in-place editors, 467
 - index actions, 118-121
 - inflections, 157-158
 - Inflections class (ActiveSupport Library), 757-759
 - Inflector class, 511
 - inheritance, 44-46
 - STI, 284-291
 - mapping to the database, 286-287
 - init scripts, configuring
 - Mongrel, 672-673
 - Monit, 673-675
 - Nginx, 670-672
 - init.rb file, 640
 - initializer.rb file, 6
 - default load paths, 6-7
 - injection attacks, preventing, 319
 - inline filter method, 47
 - inline rendering, 35
 - input method, 346
 - input tags (HTML), generating, 378-381
 - insert_html() method (RJS), 458
 - install command, 632
 - install.rb file, 645-647
 - installing
 - Capistrano, 661, 684
 - Mongrel, 659
 - Mongrel Cluster, 659
 - Monit, 661
 - MySQL, 660
 - Nginx, 659
 - Piston, 636
 - plugins, 629
 - Acts as Authenticated, 486-487
 - Routing Navigator, 136
 - RSpec, 613
 - Ruby, 658
 - RubyGems, 658
 - Selenium on Rails, 591
 - Subversion, 660
 - instance variables, 42-43, 315-319
 - assigning to view specs, 622
 - integration mode (RSpec on Rails), 619
 - integration tests, 550-551, 584-586
 - sessions, 586
 - invalid?() method, 267
 - isolation mode (RSpec on Rails), 619
- J-K**
- JavaScript
 - Array class extensions, 426-428
 - Event class extensions, 428-430
 - Function class extensions, 430-431
 - JSON, 461-462

Number class extensions, 432-433
 RJS, 453-455
 alert() method, 457
 call() method, 457
 delay() method, 458
 draggable() method, 458
 drop_receiving() method, 458
 hide() method, 458
 insert_html() method, 458
 literal() method, 459
 redirect_to() method, 459
 remove() method, 459
 replace() method, 460
 replace_html() method, 460
 select() method, 460
 show() method, 460
 sortable() method, 460
 templates, 455-456
 toggle() method, 461
 visual_effect() method, 461
 String class extensions, 433-436
 JavaScriptHelper module, 381-383
 javascript_include_tag method, 351
 javascript_path method, 352
 join models, enforcing uniqueness, 262
 JSON (JavaScript Object Notation),
 420, 461-462, 760
 class methods, 761-762
 constants, 760
 rendering, 36
 Kernel class
 public instance methods, 762-764
 key-value pairs, globbing, 80-81
 keywords, yield, 313
 Koziarski, Michael, 158

L

lambdas, 415
 layouts, application.rhtml layout template,
 312-313
 legacy naming schemes, 159
 link_to method, 401-402
 link_to_remote method, 445-449

list command, 629-630
 listing available plugins, 629-630
 literal() method (RJS), 459
 load paths, 15
 adding, 10
 class loader, 15-16
 locators (Selenium), 590
 locking, 179
 optimistic locking, 180-182
 pessimistic locking, 182
 locking down plugin versions, 636
 locking Piston revisions, 639
 log files, 20-22
 analyzing, 22-23
 log level, overriding, 10
 logging, 18
 log files, 20-22
 analyzing, 22-23
 severity levels, 19
 Syslog, 24
 logging partials, 327
 login from cookie, Acts as Authenticated,
 498-499

M

macro-style methods, 43, 155
 convention over configuration, 156
 pluralization, 157-158
 relationship declarations, 155-156
 mailer methods, 533
 email
 receiving, 541-543
 sending, 540
 file attachments, sending, 539-540
 HTML messages, sending, 536-537
 multipart messages, sending, 537-539
 options, 534-536
 mailer models, 531
 creating, 532-533
 mail_to method, 404-405
 manipulating Errors collection, 267
 manual route recognition and generation,
 132-134

- many-to-many relationships, 225
 - has_and_belongs_to_many method, 225-228
 - columns, adding to join tables, 232
 - custom SQL options, 229-231
 - through association, 233-238
 - options, 238-241
- markdown method, 396
- Marklund, Peter, 798
- memcache session storage, 475-476
- messages
 - error messages, 266
 - validating, 267
- metaprogramming, 155
- methods
 - assertion methods, 562-565
 - assert_block, 563
 - attributes, 168
 - auto_discovery_link_tag method, 348
 - auto_link, 393
 - benchmark, 353
 - button_to, 400
 - checkbox_tag, 378
 - concat, 393
 - content_tag_for, 390
 - Create, 522-523
 - current_page?, 401
 - cycle, 394
 - delete, 524-525
 - destroy, 179
 - distance_of_time_in_words, 360
 - div_for, 391
 - dom_class, 389
 - dom_id, 389
 - end_form_tag, 378
 - error_messages_for, 342-343
 - error_message_on, 342-343
 - excerpt, 395
 - file_field_tag, 378
 - Find, 519-521
 - for functional tests, 571
 - form, 344-345
 - form_tag, 379
 - h, 319
 - has_and_belongs_to_many method, 225-228
 - helper methods, 311
 - writing, 407-416
 - highlight, 395
 - image_path, 350
 - image_tag, 350
 - inline filter method, 47
 - input, 346
 - javascript_include_tag, 351
 - javascript_path, 352
 - lambdas, 415
 - link_to, 401-402
 - macro-style, 43, 155
 - convention over configuration, 156
 - pluralization, 157-158
 - relationship declarations, 155-156
 - mailer methods, 533
 - email, receiving, 541-543
 - email, sending, 540
 - file attachments, sending, 539-540
 - HTML messages, sending, 536-537
 - multipart messages, sending, 537-539
 - options, 534-536
 - mail_to, 404-405
 - markdown, 396
 - mock_model, 617
 - partial_path, 389
 - pluralize, 396
 - public instance methods, 726
 - reload, 169
 - render
 - :content type option, 37
 - :layout option, 37
 - :status option, 37-39
 - reset_cycle, 397
 - respond_to, 69-70
 - resource representations, 116
 - route helper methods, 82
 - sanitize, 397
 - select helper methods, 371-373
 - send data(), 51-52
 - send file(), 52-55
 - setup methods, 553
 - simple_format, 398
 - strip_links, 398
 - strip_tags, 398
 - stylesheet_link_tag, 352
 - textilize, 399

- textilize_without_paragraph, 399
 - TMail, 542
 - to_xml, 503-504
 - include parameter, 507-508
 - methods parameter, 508-509
 - output, customizing, 505-506
 - overriding, 510
 - procs parameter, 509-510
 - truncate, 399
 - update, 524
 - url_for, 76-77, 405-406
 - validation errors
 - skipping validations, 269-270
 - validation methods
 - :allow_nil option, 263
 - :message option, 263
 - :on option, 264
 - conditional validation, 264-266
 - custom validation, 268-269
 - RecordInvalid, 263
 - validates_acceptance_of, 254
 - validates_associated, 255-256
 - validates_confirmation_of, 256
 - validates_each, 256
 - validates_exclusion_of, 257
 - validates_existence_of, 257
 - validates_format_of, 258-259
 - validates_inclusion_of, 257
 - validates_length_of, 259-260
 - validates_numericality_of, 260
 - validates_presence_of, 261
 - validates_uniqueness_of, 261-262
 - word_wrap, 400
 - methods:invalid?(), 267
 - methods:on(), 267
 - Migration API, 146-148
 - migrations, 142
 - caveats, 145
 - columns, creating, 149-155
 - creating, 143-144
 - naming, 144
 - MIT-LICENSE files, 644
 - Mocha library, 549
 - stubbing, 549-550
 - mocking
 - mock objects, 607-608
 - partial mocking, 609-610
 - mocks folder, adding classes, 548-549
 - mock_model method, 617
 - model classes, associations, 199
 - belongs_to, 207-215
 - class hierarchy, 199-201
 - extensions, 247-248
 - has_many, 215-225
 - many_to_many relationships, 225-232
 - objects, adding to collection, 203-207
 - one_to_many relationships, 201-203
 - one_to_one relationships, 241-246
 - model specs, 614-616
 - models, unit testing, 568-569
 - modifying ActiveRecord classes at runtime, 301-304
 - modifying default route, 68
 - Module class, 765-769
 - modules
 - AuthenticatedTestHelper, 501-502
 - auto-loading code, 8
 - Mongrel, 652
 - init script, configuring, 672-673
 - installing, 659
 - Mongrel Cluster
 - configuring, 662
 - installing, 659
 - Monit
 - configuring, 667, 669
 - init script, configuring, 673-675
 - installing, 661
 - multipart messages
 - implicit multipart messages, 539
 - sending, 537-539
 - multiserver deployments (Capistrano), 702-703
 - MySQL, installing, 660
- ## N
- named routes, 81, 94-95
 - arguments, 84-85
 - creating, 81-87
 - route helper methods, 82
 - executing in application console, 134-135
 - namespaced controllers, 107

- naming conventions
 - for database schema, 159
 - for observers, 283
 - for migrations, 144
 - for routes, 83-84
- nested resources, 101-103, 106-108
 - :name_prefix option, 103-105
 - :path_prefix option, 103
 - deep nesting, 108-109
- new actions, 123-124
- new/create operations (REST), 99-100
- Nginx
 - configuring, 663-667
 - init script, configuring, 670-672
 - installing, 659
- Nilclass, 772-773
- null objects, 608
- Number class (JavaScript), extensions, 432-433
- NumberHelper module, 383-385
- Numeric class (ActiveSupport library), 773-776

O

- Object class (ActiveSupport library), 776-779
- Object class (Prototype), 425-426
- objects
 - adding to collection, 203-207
 - errors, finding, 254
 - storing in session hash, 470
- observers, 11, 282
 - naming conventions, 283
 - registration, 283
- observe_field method, 451-453
- observe_form method, 453
- Olson, Rick, 136, 486
- on() method, 267
- one-to-many relationships, 201-203
- one-to-one relationships, 241
 - has_one relationship, 241-244
 - options, 244-246
- optimistic locking, 180-182
- options
 - for belongs_to associations, 209-215
 - for has_many associations, 216-224

- for has_one relationships, 244-246
- for mailer methods, 534-536
- for through associations, 238-241
- ORM frameworks, ActiveRecord
 - abstract base model classes, 291-292
 - before/after callbacks, 274
 - callbacks, 271, 275-282
 - halting execution, 274
 - registration, 272-273
 - classes, modifying at runtime, 301-304
 - common behavior, reusing, 296-301
 - observers, 282-283
 - polymorphic has_many relationships, 292-296
 - STI, 284-291
- overriding
 - environment.rb file, 9-11
 - TZ code, 12-13
 - to_xml method, 510

P

- page caching, 328
- PaginationHelper module, 386-388
- parameters, 60-61
 - receptors, 73-74
 - wildcard parameters for routes, 61-62
- parsing XML, 515-518
 - XmlSimple library, 516-517
- partial mocking, 609-610
- partial stubbing, 609-610
- partial templates
 - inline rendering, 35
 - rendering, 35
- partial test cases, 592-593
- partials, 320-322
 - collections, rendering, 325-327
 - logging, 327
 - passing variables to, 324-325
 - reusing, 322
 - shared, 323-324
- partial_path method, 389
- passing variables to partials, 324-325
- patterns (Selenium), 590
- PeepCode screencast, 810

- performance of applications, analyzing, 22
- periodically_call_remote method, 451
- pessimistic locking, 182
- photo_for method, writing, 408
- Piston
 - installing, 636
 - properties, 639
 - revisions, locking and unlocking, 639
 - vendor libraries,
 - converting, 638
 - importing, 637
 - updating, 638
- piston lock command, 639
- plugins, 628
 - Action Cache plugin, 337-338
 - active_record_defaults, 807
 - Acts as Authenticated
 - AccountController class, 496-498
 - authenticate method, 494
 - before save callback, 493
 - current user, 499-501
 - installing, 486-487
 - login from cookie, 498-499
 - remember token, 495
 - User model, 487-492
 - validation rules, 492
 - checking out via Subversion, 634
 - debug_view_helper, 808
 - exception_logger, 808
 - exception_notification, 808
 - has_finder, 808
 - has_many_polymorphs, 809
 - installing, 629-632
 - listing, 629-630
 - locking down, 636
 - Piston, properties, 639
 - query_trace, 809
 - Rake tasks, 647
 - Rakefiles, 648-649
 - reinstalling, 633
 - removing, 633
 - Routing Navigator, 137
 - installing, 136
 - RSpec on Rails, 613
 - generators, 614
 - model specs, 614-616
 - session timeout, 478-479
 - sources, adding, 630
 - sources, removing, 631
 - Subversion externals, 635
 - testing, 649
 - updating, 634
 - will_paginate, 386
 - writing, 640, 644-647
 - Rake tasks, 647
 - Rakefiles, 649
- plural REST routes, 98-99
- pluralization, 157-158
- pluralize method, 396
- polymorphic associations, 293-296
- polymorphic has_many relationships, 292-296
- post-backs, 112
- predicates, 599-601
- preinitializing Capistrano, 698-700
- prerequisites for production environment, 652-654
- Proc class (ActiveSupport library), 781-782
- processing order of routes, 75-76
- production environment, 652
 - caching, 676
 - components of, 655
 - application tier, 656
 - database tier, 656
 - monitoring tools, 657
 - web tier, 656
 - performance issues, 676-677
 - predeployment concerns, 676-677
 - prerequisites, 652-654
 - redundancy, 676
 - scalability issues, 676-677
- production mode, 2-4, 17
- Prototype, 420-421
 - Ajax object, 436
 - Class object, 424
 - Enumerable object, 437-443
 - Firebug, 421
 - Hash class, 443
 - Object class, 425-426
 - Prototype object, 445
 - Responders object, 437
 - top-level functions, 422-424

Prototype object, 445
 PrototypeHelper module
 observe_field method, 451-453
 observe_form method, 453
 link_to_remote method, 445-449
 periodically_call_remote method, 451
 remote_form_for method, 449-451
 proxy collection objects, 202
 proxy methods for has_many associations,
 224-225
 PStore files, 474
 public instance methods, 726
 PUT requests, handling with REST, 98

Q-R

query cache, 172-174
 query_trace plugin, 809

Railcasts, 810
 Rake tasks, 647
 freezing/unfreezing, 4
 Rakefiles, 648-649
 rake tests, 587
 for SVN, 811-812
 Rakefiles, 648-649
 Range class (ActiveSupport library), 782
 RCov, 624
 reading cookies, 482
 README files, 644
 receiving email, 541-543
 file attachments, 543
 TMail methods, 542
 receptors, 61-62, 73-74
 recipes (Capistrano), managing Mongrel clusters,
 701-702
 RecordIdentificationHelper module, 388-389
 RecordInvalid method, 263
 RecordTagHelper module, 390-391
 red bars, 553
 redirect to command, 41
 redirecting
 HTTP status codes, 41-42
 requests, 39-42
 redirect_to() method (RJS), 459

Redpath, Luke, 478
 registration of observers, 283
 regular expressions in routes, 76
 reinstalling plugins, 633
 reload method, 169
 remember token, acts as authenticated, 495
 remote user accounts (Capistrano), 691
 remote_form_for method, 449-451
 remove command, 633
 remove() method (RJS), 459
 removing
 blank lines from output, 310
 plugin sources, 631
 plugins, 633
 render command, 33
 render method. *See also* rendering
 :content type option, 37
 :layout option, 37
 :status option, 37-39
 rendering
 collections, 325-327
 templates, 33-34
 inline rendering, 35
 partial templates, 35
 structured data, 36
 text rendering, 35
 view templates, 31
 replace() method (RJS), 460
 replace_html() method (RJS), 460
 representations of resources, 115
 request handling, 28
 requests
 dispatcher, 29-31
 redirecting, 39-42
 requirements for using Capistrano, 682-684
 reset_cycle method, 397
 resources (REST), 93
 controller-only, 113-115
 nested, 101-108
 deep nesting, 108-109
 name_prefix option, 103-105
 path_prefix option, 103
 representations of, 115
 respond to method, 69-70
 Responders object (Prototype), 437

- respond_to method, resource representations, 116
- REST, 91
 - controller actions, 96-98
 - controllers
 - explicitly specifying, 105
 - post-backs, 112
 - create action, 123-124
 - custom actions, syntax, 112-113
 - destroy action, 121-122
 - edit action, 124-125
 - edit/update operations, 99-100
 - formatted named routes, 117
 - HTTP requests, 96-98
 - index action, 118-121
 - named routes, 95
 - new action, 123-124
 - new/create operations, 99-100
 - plural routes, 98-99
 - resources, 93
 - controller-only, 113-115
 - nested, 101-109
 - representations of, 115
 - route customizations
 - extra collection routes, 111
 - extra member routes, 110-111
 - show action, 121
 - singular resource routes, 100-101
 - singular routes, 98-99
 - syntactic vinegar, 113
 - update action, 124-125
- REST (Representational State Transfer), 57, 89
- reusing
 - common behavior, 296-301
 - code, 628
 - partials, 322
- REXML, 515
- RJS (Ruby JavaScript), 453-456
 - alert() method, 457
 - call() method, 457
 - delay() method, 458
 - draggable() method, 458
 - drop_receiving() method, 458
 - hide() method, 458
 - insert_html() method, 458
 - literal() method, 459
 - redirect_to() method, 459
 - remove() method, 459
 - replace() method, 460
 - replace_html() method, 460
 - select() method, 460
 - show() method, 460
 - sortable() method, 460
 - templates, 455-456
 - toggle() method, 461
 - visual_effect() method, 461
- RJS behavior, testing, 581-582
- robots, disabling sessions, 472
- route customizations (REST)
 - extra collection routes, 111
 - extra member routes, 110-111
- route globbing, 79-80
 - globbing key-value pairs, 80-81
- route objects, 129-131
- routes
 - bound parameters, 59-61
 - custom routes, writing, 72
 - default routes, :id value, 77-78
 - dumping, 128-129
 - empty routes, 71
 - literal URLs, 79
 - manual recognition and generation in application console, 132-134
 - named routes, 81
 - arguments, 84-85
 - creating, 81-83
 - creating via with options mapping method, 86-87
 - executing in application console, 134-135
 - naming, 83-84
 - processing order, 75-76
 - regular expressions, 76
 - routes.rb file, 63-64
 - ante-default route, 69-70
 - default route, 65-68
 - static strings, 62-63, 72-73
 - syntax, 59
 - testing, 135
 - url for method, 76-77
 - wildcard parameters, 61-62

- routes.rb file, 63-64
 - ante-default route, 69-70
 - respond to method, 70
 - custom routes, writing, 72
 - default route, 65-66
 - :id field, 66
 - generating, 67-68
 - modifying, 68
 - empty routes, 71
 - routing, 59
 - receptors, 73-74
 - Routing Navigator plugin, 137
 - installing, 136
 - routing rules, testing, 582-584
 - RSelenese, 592
 - partial test cases, 592-593
 - RSpec, 546
 - arbitrary predicates, 599-601
 - Autotest project, 624
 - behaviors, 603-604
 - shared behaviors, 604-607
 - controller specs, 617-619
 - expectations, custom expectation matchers, 601-603
 - installing, 613
 - mock objects, 607-608
 - null objects, 608
 - partial mocking, 609-610
 - partial stubbing, 609-610
 - RCov, 624
 - running specs, 610
 - scaffolding, 623
 - speccodoc format, 611-612
 - specs, helper specs, 623
 - stub objects, 608
 - view specs, 621
 - helper methods, stubbing, 623
 - instance variables, assigning, 622
 - RSpec on Rails, 613
 - errors, specifying, 620
 - generators, 614
 - model specs, 614-616
 - integration mode, 619
 - isolation mode, 619
 - routes, specifying, 620
 - RSpec scripts, 597
 - expectations, 599
 - Ruby, installing, 658
 - RubyGems, 5
 - installing, 658
 - running edge rails, 4
 - running specs, 610
- ## S
- sanitize method, 397
 - scaffolding, 623
 - schema dumping, 11
 - SCM System (Capistrano), customizing, 692
 - scoping Capistrano variables, 696-698
 - screencasts, 810
 - script/plugin command, 629
 - script/runner, adding background processing to
 - applications, 708-710
 - Scriptaculous
 - dragging and dropping, 463-464
 - in-place editors, 467
 - sortable lists, creating, 465-466
 - scripts
 - RSpec, 597
 - expectation matchers, 599
 - spawner script, 688
 - SpiderTester, 809
 - securing sessions, 480
 - select helper methods, 371-373
 - select tags (HTML), creating for calendar data, 355-359
 - select() method (RJS), 460
 - Selenium, 589
 - actions, 589
 - assertions, 590
 - locators, 590
 - patterns, 590
 - RSelenese, partial test cases, 592-593
 - Selenium on Rails, 591
 - self-referential relationships, 226
 - send data() method, 51-52
 - send file() method, 52-55
 - sending
 - email, 540
 - file attachments, 539-540
 - HTML messages, 536-537
 - multipart messages, 537-539
 - serialized attributes, 162

- session hash
 - current user id, storing, 470
 - objects, storing, 470
- session id, 469
- sessions, 469, 586
 - cleaning up, 481
 - enabling, 473
 - for robots, disabling, 472
 - options, 471
 - securing, 480
 - securing with HTTPS, 473
 - storing
 - DRb session storage, 475
 - in ActiveRecord, 473-474
 - in CookieStore, 476-478
 - in memcache, 475-476
 - in PStore files, 474
 - timing out, 478-479
 - tracking, 479-480
- setting up ActionMailer framework, 531
- setup methods, 553
- shared behaviors, 604-607
- shared partials, 323-324
- shared secrets, 495
- Shaw, Zed, 652
- show actions, 121
- show() method (RJS), 460
- simple_format method, 398
- single responsibility principle, 282
- singular resource routes, 100-101
- singular REST routes, 98-99
- skipping
 - error validation, 269-270
 - frameworks, 9
- SMTP server, configuring, 543
- sortable lists, creating, 465-466
- sortable() method (RJS), 460
- sources command, 630
- spec method, specdoc format, 611-612
- specdoc format (spec method), 611-612
- specs, 597
 - controller specs, 617-619
 - expectations, 599
 - helper specs, 623
 - model specs, 614-616
 - running specs, 610
 - view specs, 621
 - helper methods, stubbing, 623
 - instance variables, assigning, 622
- SpiderTester script, 809
- SQL
 - custom options, 229-231
 - custom queries, 171-172
- static strings, 62-63, 72-73
- Stephenson, Sam, 420
- STI (single-table inheritance), 284-291
 - inheritance, mapping to the database, 286-287
- storing
 - database.yml, 693-695
- sessions
 - ActiveRecord, 473-474
 - CookieStore, 476-478
 - current user id, 470
 - DRb session storage, 475
 - memcache, 475-476
 - objects, 470
 - PStore files, 474
- streaming, 51
 - send data() method, 51-52
 - send file() method, 52-55
- String class (ActiveSupport library), 783-790
- String class (JavaScript), extensions, 433-436
- strings, typecasting, 518
- strip_links method, 398
- strip_tags method, 398
- structured date, rendering, 36
- stub objects, 608
 - partial stubbing, 609-610
- stubbing, 549-550
- stylesheet_link_tag method, 352
- stylesheet_path method, 352
- Subversion, 810-811
 - externals, 635
 - installing, 660
 - plugins, updating, 634
 - rake tests, 811-812
 - website, 633
- suffices for templates, 312
- Susser, Josh, 112, 233, 369
- SVN (Subversion). *See* Subversion
- Sweeper class, 335-336
- Symbol class (ActiveSupport library), 790

syntactic sugar, 113
 syntactic vinegar, 113
 syntax
 for custom REST actions, 112-113
 for hashes in arguments, 136
 Syslog, 24

T

TagHelper module, 391-392
 templates
 application.rhtml layout template, 312-313
 delimiters, 308-310
 partials, 320-322
 collections, rendering, 325-327
 logging, 327
 passing variables to, 324-325
 reusing, 322
 shared partials, 323-324
 rendering, 33-35
 RJS, 455-456
 structured data, rendering, 36
 suffixes, 312
 text, rendering, 35
 variables, 315
 instance variables, 315-319
 test mode, 17
 test suites, 553
 testing, 553
 acceptance tests, 588-589
 assertions, 562-566
 assert, 563
 one-assertion guideline, 566-567
 errors, 553
 failures, 553
 fixtures, 554-556
 CSV fixtures, 555
 disadvantages of, 560-561
 dynamic content, 556-557
 generating from development data, 558-559
 in development mode, 557
 options, 559
 functional tests, 570-571, 576-580
 assertions, 572-576
 equality parameter, 580-581
 methods, 571
 routing rules, testing, 582-584
 selection methods, 582
 testing RJS behavior, 581-582
 integration tests, 550-551, 584-586
 plugins, 649
 Selenium, 589
 actions, 589
 assertions, 590
 locators, 590
 patterns, 590
 routes, 135
 unit tests, 568-569
 with Rake, 587
 XUnit framework, 552
 text, rendering, 35
 TextHelper module, 393-400
 textilize method, 399
 textilize_without_paragraph method, 399
 tiles help method, writing, 410-416
 time and date information, creating HTML
 select tags, 355-359
 Time class (ActiveSupport library), 792-798
 time zones, 798-802
 timing out sessions, 478-479
 TMail, 540
 file attachments, receiving, 543
 methods, 542
 toggle() method (RJS), 461
 to_xml method, 503-504
 Array class, 510-513
 :include parameter, 507-508
 :methods parameter, 508-509
 :procs parameter, 509-510
 output, customizing, 505-506
 overriding, 510
 tracking sessions, 479-480
 transactional fixtures, 559
 transactions (Capistrano), 703-705
 truncate method, 399
 typecasting strings, 518
 TZ (time zone) code, overriding in environ-
 ment.rb file, 12-13

U

- unfreezing edge rails applications, 4
- uninstall.rb file, 645-647
- uniqueness of join models, enforcing, 262
- unit tests, 568-569
- unlocking Piston revisions, 639
- unsaved associations, 246
- unsource command, 631
- update actions, 124-125
- Update method (ActiveResource), 524
- updating plugins, 634
- url for method, 76-77
- UrlHelper module, 400-406
- URLs, generating, 133-134
- url_for method, 405-406
- User model, Acts as Authenticated, 487-492
- user-submitted content, preventing injection attacks, 319

V

- validates_acceptance_of method, 254
- validates_associated method, 255-256
- validates_confirmation_of method, 256
- validates_each method, 256
- validates_exclusion_of method, 257
- validates_existence_of method, 257
- validates_format_of method, 258-259
- validates_inclusion_of method, 257
- validates_length_of method, 259-260
- validates_numericality_of method, 260
- validates_presence_of method, 261
- validates_uniqueness_of method, 261-262
- validation errors
 - reporting, 342-343
 - skipping validation, 269-270
- validation methods
 - allow_nil option, 263
 - conditional validation, 264
 - when to use, 265-266
 - custom validation, 268-269

- message option, 263
 - on option, 264
- validation rules, Acts as Authenticated, 492
- variables, 315
 - instance variables, 315-319
 - passing to partials, 324-325
- variables (Capistrano), 696-698
- vendor libraries
 - converting to Piston, 638
 - importing into Piston, 637
- view specs, 621
 - helper methods, stubbing, 623
 - instance variables, assigning, 622
- view templates, rendering, 31
- viewing generated routes, 132
- views
 - functional testing, 576-580
 - equality parameter, 580-581
 - routing rules, testing, 582-584
 - selection methods, 582
 - instance variables, 42-43
- visual_effect() method (RJS), 461

W

- Wanstrath, Chris, 807
- websites, Subversion project, 633
- whiny nil, 772
- wildcard parameters for routes, 61-62
- Williams, Bruce, 387
- will_paginate plugin, 386
- word_wrap method, 400
- writing
 - cookies, 482
 - custom routes, 72
 - helper methods, 407-408
 - breadcrumbs, 409-410
 - photo_for, 408
 - tiles, 410-416
 - helper modules, 407
- writing plugins, 640, 644-647
 - Rake tasks, 647
 - Rakefiles, 649

X-Y-Z

XML

- Builder API, 513-515
 - parsing, 516-518
 - parsing into Ruby hashes, 515-517
 - rendering, 36
 - to_xml method, 503-504
 - include parameter, 507-508
 - methods parameter, 508-509
 - output, customizing, 505-506
 - procs parameter, 509-510
 - XmlSimple library, 516-517
 - XUnit framework, 552
-
- YAML (Yet Another Markup Language), 554
 - yield keyword, 313
 - yielding additional HEAD element content, 315