

Index

- Abstraction, 311
 - cut-and-paste, 162–163, 178
 - for DRY, 30
- Abstraction layers, 164–165
- accept method
 - Friendship, 417–418
 - FriendshipController, 432
- accept_one_side method, 418
- Accepted friendships, 412
- Access protection for pages
 - smart way, 152–154
 - stupid way, 150–151
 - testing, 155
- ACID properties, 64
- Action caching, 510
- Action Mailer package, 389
 - configuration, 390–391
 - linking and delivering reminders, 392–395
 - password reminders, 391–392
 - testing reminders, 396–399
- ActionController class, 77
- Active Record
 - avatars, 366, 378
 - console tool, 52–53
 - element access, 185, 291
 - fixtures, 306–308
 - friendships, 415, 418
 - searches, 309–311
 - sessions, 132–133
 - spec, 282
 - user model, 52
 - user specs, 265, 268
- ActiveRecordStore method, 132
- acts_as_ferret plugin, 330, 332
- add method, 380
- add_column method, 62
- add_to_base method, 379–380
- AddAuthorizationToken class, 193
- ADDDATE function, 347
- AddUserTimestamps class, 62
- Adjectives for modifiers, 443
- Administration basics in deployment,
 - 511–514
- after_filter function, 152
- age method, 317–318
- Agile framework, 62
- Ajax comments, 479
 - beginning, 485–486
 - creating, 490–492
 - debugging and testing, 501–504
 - destroying, 492–494
 - new, 486–490

- Ajax comments (*continued*)
 - visual effects
 - cancel button, 499
 - creating, 495–499
 - degrading gracefully, 499–501
- Alphabetical index, 313–316
- Alternate layouts, 29
- and operator, 191–192
- Another RJS Testing System (ARTS), 501
- Apache server, 508
- APIs (Application Programming Interface)
 - Rails, 23–24
 - REST style, 444–445
- Application controller
 - for authorization, 195–197
 - for user specs, 266
- application error page, 514
- Application Programming Interface (APIs)
 - Rails, 23–24
 - REST style, 444–445
- ApplicationController class, 23–24
 - logins, 195–197, 214
 - searches, 336–337
 - user specs, 266–267
- ApplicationHelper module, 167, 197, 211
- Arguments, optional, 93
- around_filter function, 152
- Arrays
 - associative, 34
 - clearing, 338
 - concatenating, 335
 - friendships, 426
 - Ruby, 115
 - subtraction operator, 291
- ArsDigita, 6
- ARTS (Another RJS Testing System), 501
- assert method, 100
- assert_email_field method, 240, 242
- assert_equal method, 102, 124
- assert_form_tag method, 239
- assert_in_delta method, 208
- assert_input_field method, 239–240
- assert_length method, 244–245, 299
- assert_match method, 397
- assert_password_field method, 240, 242
- assert_redirected_to profile_for method, 409
- assert_screen_name_field method, 241
- assert_status method, 419
- assert_submit_button method, 239
- assert_tag method, 105, 109, 148
- assigns function, 102, 108
- Associations, comments, 481–482
- Associative arrays, 34
- Asterisks (*) in searches, 342
- At sign symbols (@) in ERb, 31–32
- attr_accessor construct
 - passwords, 231
 - remember me, 185
- Authorization
 - cookies, 193–195
 - login. *See* Login systems
- authorization_token cookie, 201
- authorize method
 - session variables, 149
 - user specs, 274–275
- authorized? method, 481
- avatar_tag function, 370
- Avatars, 365
 - deleting, 382–385
 - friendships, 430
 - ImageMagick and convert for, 374–377
 - manipulating, 373–374
 - models, 365–368
 - partials, 371–373
 - saving, 377–378
 - testing, 385–387
 - upload page, 368–371

- upload preparation, 365–366
- validations, 378–382
- barely_invalid_string method, 244
- before_filter method
 - AvatarController, 368
 - CommentController, 483
 - cookies, 196–197
 - email address updates, 229
 - EmailController, 401
 - FaqController, 292
 - FriendshipController, 423, 432
 - logins, 216–217
 - PostsController, 457
 - SpecController, 272–273
 - UserController, 152–154, 284
- begin . . . rescue blocks
 - for browsing, 359–361
 - for search exceptions, 339–341
- belongs_to method
 - blogs, 447, 454–455
 - comments, 481–482, 484
 - FAQs, 290
 - friendships, 414, 416, 426–427
 - specs, 265, 332
- Bignum class, 189
- blank? method, 287
- Blind_down effect, 495
- Blind_up effect, 497
- Blocks, 31, 48, 71–72
- Blog class, 447, 455
- blog_id attribute, 454
- @blog variable, 468
- blogs. *See* RESTful blog
- Body content in pages, 32
- @body variable, 392, 404
- Boolean contexts, 82
- Boolean functions, 169
- breakup method, 418, 433
- browse page, 343–345
- Browsing for users, 343
 - browse page, 343–345
 - find_by_asl, 345–350
 - geographical location, 350
 - GeoData, 352–355
 - local databases, 351–352
 - names, 355–358
 - validation, 358–363
- button_to function, 81
- button_to_function function, 499
- Caching, 510
- Calculations for distances on spheres, 353–355
- Cancel button, 499
- cancel method, 432
- cancel URL modifier, 443
- Capistrano version control system, 511
- capitalize! method, 357
- capitalize_each! method, 356–357
- Cascading Style Sheets (CSS), 39–41
- Chains of filters, 153
- check_authorization method, 196–197, 214
- Clark, Mike, 8
- Class functions, 172
- Classes
 - adding methods to, 188–189
 - in modules, 92, 165
 - superclasses, 291
- clear method, 398
- clear_password! method
 - password updates, 231–232
 - refactoring, 173–176
- Clearing passwords, 173–176
- Clients, HTTP, 77
- CocoaMySQL, 44
- Code duplication. *See* Refactoring
- collection option, 282
- Colons (:) for symbols, 35
- Comment class, 481

- Comments, 26
 - Ajax. *See* Ajax comments
 - controller and preemptive partial, 482–484
 - documentation, 93, 95
 - models and associations, 481–482
 - resources, 480–481
 - routing, 484–485
- comments_path method, 489
- CommentsController class, 483, 503–504
- Common ids, user specs, 264
- Communities, 303
 - avatars. *See* Avatars
 - browsing. *See* Browsing for users
 - building, 303–304
 - final page, 363–364
 - index action, 308–309
 - alphabetical, 313–316
 - find for, 309–311
 - results, 316–320
 - working with, 311–313
 - pagination, 321–323
 - results summaries, 323–325
 - sample user setup, 304
 - collecting data, 305
 - loading data, 305–307
 - searching. *See* Searching
- CommunityController class, 312
- concat function, 334–335
- Concatenating arrays, 335
- Conditional statements, 82
- confirm function, 383
- confirm option, 382
- connect method
 - blog resources, 446
 - map, 440–441
- console tool
 - for help, 118–120
 - user model validations, 52–53
- Constants, 55–56
- content_tag function, 269
- content_type attribute, 381
- Controllers
 - comments, 482–484
 - communities, 303–304
 - controlling our, 255–256
 - FAQ, 292–293
 - generating, 20–22
 - personal profiles, 258–260
 - Posts, 450–454, 456–459
 - site, 22–24, 99–100
 - spec, 266–268, 440–442
 - user registration, 65–66
- convert utility, 374–377
- cookie_expires function, 206
- cookie_value function, 206
- Cookies, 181, 192–193
 - authorization, 193–195
 - finding, 195–197
 - logout!, 197–199
 - remember me, 186–192
 - secure, 199–201
 - summary, 201–203
 - testing, 203–212
- cookies variable, 187
- correct_error_message function, 245
- correct_password? function, 236
- correspond method, 401–403, 407
- count method, 474
- Create, Read, Update, Delete (CRUD)
 - operations, 439–441, 448
- create action and method
 - blog posts, 471
 - comments, 490–491
 - Friendship, 417
 - FriendshipController, 423
 - friendships, 415–416
 - PostsController, 451–452, 457–459
 - visual effects, 498, 501

- create_reminder method, 397
- create_table method, 413
- CreateBlogs class, 446
- CreateComments class, 480
- CreateFriendships class, 413–414
- CreateGeoData class, 351–352
- CreatePage class, 289
- CreatePosts class, 449–450
- CreateSpecs class, 261
- cross-site scripting (XSS) attacks, 282
- CRUD (Create, Read, Update, Delete) operations, 439–441, 448
- CSS (Cascading Style Sheets), 39–41
- CURDATE function, 347
- Cut-and-paste abstraction, 162–163, 178
- cycle function, 317
- Daftuar, Sumit, 7
- darcs version control system, 511
- database.yml file, 45–46, 99–100, 507
- Databases
 - choosing, 44
 - configuration testing, 98–99
 - creating, 45
 - data integrity, 63–64
 - geographic data, 351–352
 - normalization, 414
 - sessions, 132–133
 - user models, 43–46
 - wiping, 51
- date field, 397
- date_select function, 271
- Dead Ferret, 333–334
- debug function for forms, 75–77
- Debugging
 - Ajax comments, 501–504
 - logins, 135–138
- decline method, 432
- def keyword, 23
- Defaults
 - index actions, 24
 - REST tests, 474–476
- defined? function, 250
- delete method
 - avatars, 383–385
 - cookies, 195
 - FriendshipController, 432–433
 - Rake, 307
- delete_all method, 307
- DELETE requests
 - blogs, 467
 - REST, 440–441
- Deleting
 - avatars, 382–385
 - friendships, 418
- deliver_friend_request method, 423–424
- deliver_message method, 402, 404
- deliver_reminder method, 391, 395
- Dependent comments, 482
- Deployment, 505
 - administration basics, 511–514
 - minimal production servers, 508–509
 - production mode, 506–508
 - scaling, 509–511
 - software and hardware options, 506
- Design, 1
- destroy method
 - comments, 492–494
 - friendships, 418
 - PostsController, 452, 458
 - visual effects, 498–499
- Development environments, 15
- development.log file, 79, 512
- Development servers, 18–19
- Dictionaries, 34
- display action, 257
- Distances on spheres calculations, 353–355

- do statements, 48, 71
- Documentation comments, 93, 95
- Don't Repeat Yourself (DRY) philosophy, 30
- Double-blind email system, 399
 - correspond function, 401–403
 - email link, 399–400
 - messages, 403–406
 - testing, 406–409
- DRY (Don't Repeat Yourself) philosophy, 30
- Duck typing, 459
- Duplicate blog posts, 471–473
- duplicate? method, 471–473, 481
- Duplicated code. *See* Refactoring
- each method, 314
- edit method
 - FaqController, 292
 - passwords, 236
 - PostsController, 451, 457
 - user specs, 267
- edit page testing, 242–243
- edit_profile action, 151
- edit URL modifier, 441–442, 467
- elsif keyword, 190
- Email, 389
 - Action Mailer package, 389
 - configuration, 390–391
 - linking and delivering reminders, 392–395
 - password reminders, 391–392
 - testing reminders, 396–399
 - addresses
 - testing, 122, 127–128
 - updating, 226–229, 242–243
 - validating, 57–60, 63
 - double-blind email system, 399
 - correspond function, 401–403
 - email link, 399–400
 - messages, 403–406
 - testing, 406–409
 - email attribute, 46
 - EmailController class, 394, 398, 401–403
 - EmailControllerTest class, 398, 409
 - @emails variable, 398
 - Embedded Ruby (ERb)
 - overview, 27–28
 - templates, 30–31
 - Empty strings, 276, 286–287
 - encode method, 397
 - Encryption of passwords, 61
 - Environment variables, 157–160
 - ERb (Embedded Ruby)
 - overview, 27–28
 - templates, 30–31
 - Error messages
 - avatars, 379–382
 - user registration forms, 82–88
 - error_messages_for function, 82, 358, 382
 - errors attribute, 114–115
 - errors object, 237
 - Escape, HTML, 282
 - Exceptions
 - browsing, 359–361
 - raising, 79–80
 - searching, 339–341
 - Exclamation points (!) with functions, 168–169, 194
 - exist? method, 367
 - exists? method
 - Avatar, 366–367
 - Friendship, 416–417
 - Expiration of cookies, 188
 - FAQ (Frequently Asked Questions)
 - adding to hub, 294–298
 - controller, 292–293
 - editing, 293–294
 - model, 288–292
 - testing, 298–299
 - Faq class, 290–291

- FaqController class, 292
- FaqTest class, 299
- Ferret, 327
 - dead, 333–334
 - installing, 330–332
 - searching with, 330–336
- Fielding, Roy, 438
- fieldset tag, 67
- Filters, chains of, 153
- find method
 - blog posts, 473
 - community index actions, 309–311
 - user specs, 267
 - users, 226
- find_by method, 142
- find_by_asl method, 361
 - distance search, 354–355
 - implementing, 345–350
- find_by_authorization_token method, 196
- find_by_contents method, 332–336
- find_by_email method, 394–395
- find_by_first_name_and_last_name method, 311
- find_by_screen_name method, 53–54
- find_by_screen_name_and_password method, 108, 142, 311
- find_by_sql method, 311, 349
- find_by_user_id_and_friend_id method, 415–416, 418
- find_by_zip_code method, 352, 354
- first method, 206
- Fixnum class, 188
- Fixtures
 - community data, 305–308
 - loading, 112
- fixtures function, 112
- flash container, 85–88
- Float class, 189
- for element in array do structure, 115
- Foreign keys with friendships, 414
- forget! method, 218–219
- form_for function
 - error messages, 82
 - password updating, 230
 - user registration, 67–72, 77, 107
- form_tag function, 328
- Formats, REST style, 444–445
- Forms
 - appearance, 66–70
 - debug for, 75–77
 - error messages, 82–88
 - refactoring, 176–177
 - refinements, 72–75
 - structure, 70–72
- Forwarding, URL. *See* Friendly URL
 - forwarding
- Fragment caching, 510
- Free productivity, 1–3
- Frequently Asked Questions. *See* FAQ (Frequently Asked Questions)
- friend_id attribute, 426–427
- friend_request method, 424
- @friend variable
 - friendships, 423, 431
 - UserMailerTest, 407
- Friendly URL forwarding, 156
 - login, 158–161
 - refactoring, 177–179
 - register, 161–162
 - request variable, 156–158
 - testing, 162–163
- friendly_url_forwarding_aux method, 179
- Friendship class, 414, 416–418
- friendship_status method, 421
- FriendshipController class, 423, 432–434
- FriendshipControllerTest class, 434–435
- FriendshipHelper module, 421

- Friendships, 411
 - management
 - actions, 431–433
 - has_many, 426–428
 - hub friendships, 428–431
 - models, 411–412
 - abstract, 412–413
 - completing, 417–418
 - overview, 413–415
 - pending friendships, 415–416
 - requests, 416–417
 - testing, 419–420
 - requests, 412, 420
 - controlling, 423–425
 - links, 420–422
 - testing, 433–435
- FriendshipTest class, 419–420
- @from variable, 397
- full_messages method, 58, 82
- full_name method, 277
- Full-strength validations, 59–61
- Functional programming, 123
- Functional tests, 97
- Functions
 - class, 172
 - on-the-fly, 108
- generate command, 47, 260–261
- generate script, 20–22
- geo_data.csv file, 351–352
- Geographical location in browsing, 350
 - GeoData, 352–355
 - local databases, 351–352
 - names, 355–358
 - validation, 358–363
- GET requests
 - blogs, 462, 465
 - REST, 440–441
 - user registration, 77–78
- Global variables, 214
- Graphical representation of people.
 - See* Avatars
- Greenspun, Philip, 6
- Hairy code, 111
- Hansson, David Heinemeier, 52, 439
- Hartl, Michael, 7–9, 511
- has_many method
 - blogs, 455
 - comments, 481–482
 - friendships, 426–428
- has_one method, 265, 291, 332, 426, 428, 447
- Hash keys, symbols as, 77
- Hashes
 - cookies, 187–188, 199–200
 - links, 33
 - overview, 34
- Haversine formula, 354
- HeidiSQL, 44
- Help and helper files
 - ApplicationHelper module, 167, 197, 211
 - console tool, 118–120
 - friendships, 421
 - registration, 92–94
 - user information tests, 237–242
- Help page, 28, 30, 32
- helper method, 285
- hide_edit_links? function
 - avatars, 372
 - friendships, 428
- @hide_edit_links? variable, 300–301
- href option, 500
- HTML escape, 282
- HTML skeletons, 32
- HTTP (hypertext transfer protocol), 77–78, 438–441
- httpd.conf file, 509
- Hubs
 - FAQ for, 294–298
 - friendships, 428–431

- personal profiles, 277–280, 285–288
- user registration, 89–90
- humanize function, 281
- Hypertext transfer protocol (HTTP), 77–78, 438–441
- if statements, 82
- image_tag function, 370
- ImageMagick package, 374–377
- Importing projects into RadRails, 16–17
- Incremental development, 104
- Index action and method, 151–152
 - blogs, 460, 469
 - communities, 308–309
 - alphabetical, 313–316
 - find for, 309–311
 - results, 316–320
 - working with, 311–313
 - controllers, 21
 - default, 24
 - FAQ, 294–296
 - personal profiles, 259–260
 - PostsController, 451, 457
- index page
 - avatars, 368
 - blogs, 461, 466
 - content, 26
 - redirection to, 146, 151
 - testing, 155
 - users, 88, 108
- index URL modifier, 442
- Inflectors, 49, 325
- Inheritance, 23
- initialize method
 - Avatar, 366–367
 - Faq, 290–291
 - Message, 401
- Injection attacks, 310
- Inline RJS, 488
- input tags, 72, 105–106, 247, 269
- inserts_fixtures function, 307
- inspect method, 78–80
- Inspecting variables, 78–80
- Installing
 - Ferret, 330–332
 - Ruby, 14
 - RubyGems, 14–15
- Instance variables, 32
- Instances of classes, 53
- Integration tests, 97, 209–215
- Integrity, user model, 63–64
- Interests, personal. *See* FAQ (Frequently Asked Questions)
- Interpolation, variables, 89
- irb program
 - for console, 52
 - for hashes, 34
- join method, 367
- Join operations, 355
- Key/value pairs
 - cookies, 187–188
 - hashes, 34
- Latitude in sphere distance calculations, 353–355
- Layouts, 28–30
 - alternate, 29
 - ERb, actions, and instance variables, 30–32
 - hashes, 34
 - link_to, 35–36
 - navigation, 32–34, 37
 - splitting pages, 32
 - style, 36–37
 - symbols, 35
- Leading underscores in filenames, 246
- Left joins, 355

- Length
 - passwords, 120–121
 - screen names, 117–118
- lib directory, 287
- Libraries
 - Active record, 43
 - Ajax, 495
 - Ferret, 330
 - JavaScript, 479, 486
 - ORB, 52
- link_to function, 33
 - comments, 487
 - communities, 317
 - overview, 35–36
 - style, 36–37
 - symbols and strings in, 154
- link_to_remote function, 487–489
- link_to_unless_current function, 37, 91, 148, 320
- Links
 - friendship requests, 420–422
 - navigation, 32–34
 - in registration, 90–94
- Linux
 - Ruby installation on, 14
 - RubyGems installation on, 15
- load_post function, 483
- load task, 307
- Local databases of geographic data, 351–352
- local error page, 514
- Local requests, 513
- Local variables, 72, 214
- location method, 277
- logged_in? method
 - cookies, 197
 - refactoring, 164–168
- @logged_in_user variable, 400
- logger function, 79
- Logical operators, 191–192, 267–268
- login method, 160–161, 168–169, 178
- login! method
 - cookies, 197
 - refactoring, 168–172
- Login systems, 131
- logging in, 134
 - debugging, 135–138
 - registration, 134–135
 - testing, 142–146, 203–209
 - tracking login status, 134
 - view and action, 138–142
- logging out
 - process, 146–147
 - testing, 147–148, 209
- navigation, 148–150
- page protection, 150
 - smart way, 152–154
 - stupid way, 151
 - testing, 155
- refactoring, 164
 - clear_password!, 173–176
 - form handling, 176–177
 - friendly forwarding, 177–179
 - logged_in?, 164–168
 - login!, 168–172
 - logout!, 172–173
 - testing, 179
- remembering in. *See* Remember me feature
- session state, 131–133
- updating, 250–252
- URL forwarding, 156
 - login, 158–161
 - register, 161–162
 - request variable, 156–158
 - testing, 162–163
- logout method, 146
- logout! method
 - cookies, 197–199
 - refactoring, 172–173

- Long output suppression, 119
- Longitude in sphere distance calculations, 353–355
- Magic code, 111
- Magic columns, 61–63
- Magic numbers, 55
- Maintaining session state, 131–133
- Make files, 49–50
- make_profile_vars method, 469
- maxlength attribute
 - login tests, 143
 - testing, 107
 - user registration, 72–73
- memcached system, 132, 510
- merge! function, 205, 240
- Message class, 401
- Message digests, 199–201
- message method, 404–405
- Messages, email. *See* Email
- Metaprogramming, 54
- method_missing function, 56
- Methods
 - adding to classes, 188–189
 - defined, 72
 - parentheses with, 53
- Migrations
 - magic columns, 61–62
 - user model, 46–47
 - raking, 49–51
 - skeleton files, 47–48
- MIME (Multipurpose Internet Mail Extensions), 369
- Minimal production server, 508–509
- Minus signs (–) for newlines, 87
- Mixins, 165
- mod_proxy_balance method, 506
- mod_rewrite method, 505
- Model-view-controller (MVC)
 - architecture, 20
- Models
 - avatars, 365–368
 - comments, 481–482
 - friendships. *See* Friendships
 - user. *See* User models
- Modifiers, URL, 441–443
- Modules, classes in, 92, 165
- Mongrel server, 506, 508–510
- Multipart encoding, 369
- Multipurpose Internet Mail Extensions (MIME), 369
- Mutation operations, 169, 194
- MVC (model-view-controller) architecture, 20
- MySQL, 44–45
- mysqladmin command, 45
- name method, 317
- Named routes, 282–285
- Names
 - conventions, 37–38
 - database, 44
 - screen. *See* Screen names
 - tables, 48–49
- nav_link function, 93, 95, 320
- Navigation
 - layouts, 32–34, 37
 - testing, 148–150
- Negation operator (!) with functions, 168–169
- New comments, 486–490
- new method
 - comments, 488, 502
 - PostsController, 451, 457
 - visual effects, 495, 497, 500–501
- new_post_path method, 460
- new URL modifier, 441–442
- newlines, 87
- Nginx webserver, 506
- nil, meaning of, 153
- nil? method, 81
- Normalization, database, 414

- not keyword, 168, 191–192
- Numeric class, 189
- Object-relational mapping (ORM), 52
- On-the-fly functions, 108
- Operator precedence, 191–192
- Optional arguments, 93
- Optional characters, 36
- or_else function, 285–287
- or operator precedence, 191–192
- or-equals operator (||), 267–268
- Order of operator execution, 191–192
- ORM (object-relational mapping), 52
- OS environment variable, 376
- OS X
 - Ruby installation on, 14
 - RubyGems installation on, 15
- Outside requests, 513
- Page caching, 510
- Page protection, 150
 - smart way, 152–154
 - stupid way, 151
 - testing, 155
- Pages, splitting, 32
- paginate function, 322, 325, 336–338
- paginated? function, 460
- Pagination
 - communities, 321–323
 - in searching, 336–339
- pagination_links function, 322–323
- Paginator class, 336–337
- Pairs of users in friendships, 411–412
- param_posted? function, 176, 266
- params variable, 75–77
- Parentheses (), optional, 53
- Partials, 245
 - advanced, 247–250
 - avatar, 371–373
 - comment, 482–484
 - login and register views, 250–252
 - simple, 246–247
 - spec, 281–282
- password attribute, 46, 231
- password_confirmation attribute, 231
- password_errors function, 236–237
- password_field function, 248
- Password reminders
 - Action Mailer package, 391–392
 - linking and delivering, 392–395
 - testing, 396–399
- Passwords
 - clearing, 173–176
 - databases, 45–46
 - encryption, 61
 - length, 120–121
 - login, 142
 - partials for, 247–252
 - testing, 120–121, 126–127
 - updating, 229–237, 242–243
 - user registration, 72
 - validating, 63
- Paths for comments, 485
- Pending friendships, 412, 415–416
- Percent symbols (%) in searches, 309
- Personal profiles, 255
 - controller for, 258–260
 - FAQ
 - adding to hub, 294–298
 - controller, 292–293
 - editing, 293–294
 - model, 288–292
 - testing, 298–299
 - hub main content, 285–288
 - hub view for, 277–280
 - named routes and URLs, 282–285
 - public-facing, 299–302
 - spec box for, 280–282
 - URLs, 256–258

- user specs, 260
 - editing, 266–272
 - models, 260–265
 - protecting, 272–273
 - testing, 273–276
- PHPMyAdmin program, 44
- Platforms, 13–14
- pluralize function, 325
- Post class, 454, 473, 482
- post function, 107
- POST requests
 - blogs, 462, 465, 467
 - REST, 440–441
 - user registration, 77–78, 80–82
- post_url method, 454
- PostgreSQL, 44
- Posts, blog, 447–450
 - creating, 461–463
 - duplicate, 471–473
 - editing, 467–468
 - publishing, 468–471
 - routing, 455–456
 - showing, 463–467
- posts_path method, 459, 462
- posts URL modifier, 443
- PostsController class, 450–454, 456–459
- PostsControllerTest class, 473–477
- Pound server, 506
- Precedence of operators, 191–192
- Preemptive partials, 482–484
- Pretty URLs, 25
- Prochazka, Aurelius, 5–8
- Production environment, 506
- Production mode, 505–508
- Production servers, minimal, 508–509
- Productivity, free, 1–3
- profile_for function, 284, 312, 402, 409, 483
- profile_url function, 284, 317
- ProfileController class, 370–371, 422
- ProfileHelper class, 423
- Profiles. *See* Personal profiles
- protect method, 152–153
 - comments, 483
 - login forwarding, 158–159
 - in refactoring, 165–166
 - user specs, 272–273
- protect_blog method, 458–459
- Protecting
 - pages, 150
 - smart way, 152–154
 - stupid way, 151–152
 - testing, 155
 - user specs, 272–273
- public error page, 514
- Public-facing profiles, 299–302
- Publishing blog posts, 468–471
- PUT requests
 - blogs, 467
 - REST, 440–441
- Question marks (?)
 - boolean functions, 169
 - variables, 300
- radio_button function, 271
- radio_button_tag function, 345
- RadRails IDE, 15–17
- Rails
 - API, 23–24
 - scaffolds, 447–448
 - URLs, 24–25
 - views, 26–28
- rails program, 15–17
- rails_space_production database, 507
- raise function, 79–80
- Rake tasks, 306–307
- rake utility, 99

- Rakefiles
 - loading data, 306–307
 - migrations, 49–51
- Ranges, 55
- read_fixture method, 397
- Rebuilding indexes, 334
- @recipients variable, 397
- RecordInvalid exception, 194
- redirect_to method, 161
- redirect_to_forwarding_url method, 177
- redirect_url method, 161
- Redirection, return statement after, 151–152
- Refactoring, 131
 - login system, 164
 - clear_password!, 173–176
 - form handling, 176–177
 - friendly forwarding, 177–179
 - logged_in?, 164–168
 - login!, 168–172
 - logout!, 172–173
 - testing, 179
 - remember me feature, 215–216
 - completed, 222–223
 - forget!, 218–219
 - remember!, 216–218
 - remember me checkbox, 219–220
 - ternary operator, 220–221
- Reflection, 54
- register action and method
 - complete, 88
 - in refactoring, 171, 175–178
 - User controller, 66, 78, 91
- Registering users. *See* User registration
- Regular expressions
 - testing, 122–128
 - in validations, 59–60
- Related functions, 38
- Relationships in friendships, 411–412
- reload! function, 56
- Remember me feature, 181–182
 - cookies, 192–193
 - authorization, 193–195
 - finding, 195–197
 - logout!, 197–199
 - secure, 199–201
 - summary, 201–203
 - refactoring, 215–216
 - completed, 222–223
 - forget!, 218–219
 - remember!, 216–218
 - remember me checkbox, 219–220
 - ternary operator, 220–221
 - remember_me attribute, 184–186
 - remember me box, 182–184
 - remember me cookie, 186–192
 - testing
 - integration, 209–215
 - login, 203–209
 - logout, 209
 - remember! method, 216–218
- RememberMeTest class, 210–212
- remind method, 394–395
- reminder method, 391–392
- Reminders
 - Action Mailer package, 391–392
 - linking and delivering, 392–395
 - testing, 396–399
- remote_form_for method, 489
- replace function, 356
- Representational State Transfer (REST) style.
 - See* REST (Representational State Transfer) style
- request method, 416, 420, 423
- request_uri function, 157
- request variable, 156–158
- Requests
 - blogs, 467

- friendship, 412, 416–417, 420
 - controlling, 423–425
 - links, 420–422
 - testing, 433–435
- HTTP, 77–82
- REST, 440–441
- rescue blocks
 - for browsing, 359–361
 - for search exceptions, 339–341
- Resources
 - comments, 480–481
 - REST, 438
 - RESTful blog, 445–447
- resources method, 440–442, 446
- respond_to method, 441, 452–453
- Responders, HTTP requests, 441
- REST (Representational State Transfer) style, 437–438
 - CRUD with, 439–441, 448
 - formats, 444–445
 - semicolons in, 442–444
 - URL modifiers, 441–442
- RESTful blog, 437–438
 - comments. *See* Ajax comments
 - managing, 459–461
 - model connections, 454–455
 - posts
 - creating, 461–463
 - duplicate, 471–473
 - editing, 467–468
 - publishing, 468–471
 - routing, 455–456
 - showing, 463–467
 - Posts controller, 456–459
 - scaffolds, 445
 - posts, 447–450
 - Posts controller, 450–454
 - resources, 445–447
 - testing, 473–477
- Results summaries for searches, 323–325
- return keyword
 - need for, 93
 - after redirection, 151–152
- reverse! function, 169
- rhtml files, 22, 25
- RJS (Ruby JavaScript), 479, 489, 495–496
- RMagick interface, 374
- Rolled back transactions, 417
- Roundy, David, 511
- Routes
 - changing, 25–26
 - personal profiles, 282–285
- Routing
 - blog posts, 455–456
 - comments, 484–485
- Ruby
 - arrays, 115
 - installing, 14
- Ruby JavaScript (RJS), 479, 489, 495–496
- RubyGems, 14–15
- Salted hashes, 200
- Sandbox, 512
- sanitize method
 - blog posts, 465
 - FAQs, 297–298
 - spec, 282
- save method, 377–378
- save! method, 194
- Saving avatars, 377–378
- scaffold command, 448
- scaffold_resource, 449–450, 473
- Scaffolds, 3
 - Rails, 447–448
 - RESTful blog, 445
 - posts, 447–450
 - Posts controller, 450–454
 - resources, 445–447
- Scaling, 509–511

- schema_info table, 51
- screen_name attribute, 46
- Screen names
 - hashing, 200
 - length, 117–118
 - regular expressions for, 60
 - testing, 117–118, 124–126, 128
 - UserMailer, 392
 - validating, 60, 63
- Searching, 327
 - exceptions in, 339–341
 - with Ferret, 330–332
 - with find, 309–311
 - with find_by_contents, 332–336
 - pagination in, 336–339
 - testing, 341–343
 - views in, 328–330
- Secure hashing algorithms, 200–201
- Security. *See* Cookies; Login systems
- Self-handling forms, 77
- self keyword
 - eliminating, 217
 - friendships, 416
 - local variables, 174
 - need for, 170, 172
- Semicolons (;)
 - edit modifier, 467
 - in URLs, 442–444
- @sent_on variable, 397
- server_settings, 390
- Servers
 - development, 18–19
 - HTTP, 77
 - minimal production, 508–509
- Session state, maintaining, 131–133
- session variable
 - debugging with, 135–138
 - login status, 131–132, 134
- set_table_name function, 49
- setup_friends method, 423, 431, 433
- SHA1 secure hashing algorithm,
 - 200–201
- Shared-nothing architectures, 509
- Short-circuit evaluation, 191, 268
- show method
 - blogs, 469
 - email, 400
 - PostsController, 451, 457
 - profiles, 257
- Simple Mail Transfer Protocol (SMTP), 390
- Site controller
 - generating, 20–22
 - layouts, 29–31, 67
 - overview, 22–24
 - for routes, 25–26
 - tests, 99–100
 - functional, 104
 - nontrivial, 100–103
 - overkill, 103
- Site documentation, 95
- SiteController class, 22–23, 31, 99, 101
- SiteControllerTest class, 100–101
- Size, avatars, 375
- size attribute
 - avatars, 381
 - login tests, 143
 - testing, 107
 - user registration, 72
- Skeletons, HTML, 32
- SMTP (Simple Mail Transfer Protocol), 390
- Spec box, 280–282
- Spec class, 262, 265
- @spec variable, 274
- SpecControllerTest class, 273–274
- Specs, user. *See* User specs
- Specs controller, 440–442
- Sphere distance calculations, 353–355
- split function, 312–313

- Splitting
 - pages, 32
 - strings, 312–313
- sprintf function, 118
- SQL injection attacks, 310
- Strings
 - empty, 276, 286–287
 - splitting, 312–313
 - vs. symbols, 154–155
- Strong mutation functions, 194
- Style
 - development, 38–41
 - layouts, 36–37
- stylesheet_link_tag function, 39–41
- @subject variable, 397
- Subtraction operator for arrays, 291
- Subversion version control system,
 - 331, 511
- successful_conversion? function, 377–379
- super command, 291
- Superclasses, 291
- Suppressing long output, 119
- Symbols
 - as hash keys, 77
 - overview, 35
 - vs. strings, 154–155
- system function, 375–376

- Table names, 48–49
- tag function, 269
- tag URL modifier, 443
- tail command, 513
- TDD (Test-Driven Development), 98
- Templates, ERb, 30–31
- Ternary operator, 220–221
- test_about method, 101
- test_accept method, 419
- test_blank method, 276
- test_breakup method, 419
- test_catch_blog_id_mismatch method, 477
- test_correspond method, 408–409
- test_create method, 434–435
- test_create_comment method, 503
- test_create_post method, 475–476
- test_delete_comment method, 503–504
- test_destroy_post method, 476
- Test-Driven Development (TDD), 98
- test_edit_page method, 242–243
- test_edit_success method, 274
- test_email_maximum_length method, 127
- test_email_with_invalid_examples method,
 - 123–124, 127–128
- test_email_with_valid_examples method,
 - 122, 127
- Test environment, 506
- test_get_edit method, 476
- test_get_index method, 475
- test_get_new method, 475
- test_help method, 101
- test_index method, 103
- test_index_authorized method, 155
- test_index_unauthorized function, 155
- test_login_failure_with_nonexistent_screen_name method, 145
- test_login_failure_with_wrong_password method, 145
- test_login_friendly_url_forwarding method,
 - 162–163, 178
- test_login_page method, 143–144, 203
- test_login_success method, 144, 168, 204, 206
- test_login_success_with_remember_me method, 207
- test_logout method, 148, 168, 209
- test_max_lengths method, 299
- test_message method, 408
- test_navigation_not_logged_in method,
 - 148–149
- test_new_comment method, 503
- test_password_length_boundaries method, 245

- test_password_maximum_length method, 120–121, 127
- test_password_minimum_length method, 120, 126
- test_password_reminder method, 399
- test_register_friendly_url_forwarding method, 163, 178
- test_registration_failure method, 109–110, 175–176
- test_registration_page method, 104–106, 241–242
- test_registration_success method, 107, 135, 167–168
- test_remember_me method, 211–213
- test_remind method, 408
- test_reminder method, 396–397
- test_request method, 419
- test_screen_name_length_boundaries method, 245
- test_screen_name_maximum_length method, 118, 126
- test_screen_name_minimum_length method, 117, 125–126, 243
- test_screen_name_with_invalid_examples method, 124–125, 128
- test_screen_name_with_valid_examples method, 124, 128
- test_should_create_post method, 474
- test_show_post method, 476
- test_truth method
 - RememberMeTest, 211
 - SiteControllerTest, 100
 - UserTest, 111
- test_unauthorized_delete_comment method, 504
- test_unauthorized_redirected method, 477
- test_uniqueness_of_screen_name_and_email method, 116, 125
- test_update_post method, 476
- test_user_invalidity method, 113–114, 125
- test_user_validity method, 113, 125
- Tests, 97
 - avatars, 385–387
 - blogs, 473–477
 - comments, 501–504
 - database configuration, 98–99
 - double-blind email system, 406–409
 - FAQ, 298–299
 - friendship models, 419–420
 - friendship requests, 433–435
 - login
 - invalid, 145–146
 - valid, 142–145
 - logout, 147–148
 - navigation, 148–150
 - page protection, 155
 - password reminders, 396–399
 - philosophy, 98
 - reflections on, 214–215
 - remember me feature
 - integration, 209–215
 - login, 203–209
 - logout, 209
 - search, 341–343
 - site controller, 99–100
 - nontrivial, 100–103
 - overkill, 103
 - testing, 212–214
 - user information updates, 237
 - advanced, 243–245
 - edit page, 242–243
 - helpers, 237–242
 - user models, 111–113
 - console, 118–120
 - password length, 120–121
 - regular expressions, 122–128
 - running, 128–129
 - screen name length, 117–118

- uniqueness, 115–117
- validation, 113–115
- user registration, 103
 - additional, 111
 - basic, 104–107
 - functional, 104
 - running, 110
 - successful, 107–108
 - unsuccessful, 108–110
- user specs, 273–276
- text_area function, 293–294
- text_field_for function, 268–270
- text_field_tag function, 329, 345
- TextMate IDE, 15
- Thomas, Dave, 8, 200
- thumbnail_tag method
 - avatars, 370
 - comments, 483
- thumbnail_url method, 366, 430
- time_ago_in_words function, 465
- Time classes, 189
- Timestamps, 62, 207–208
- @title variable, 394–395
- Titles in pages, 32
- tmp directory, 385
- to field, 397
- to_i function, 337
- to_s function, 206
- to_xml method, 453
- Tracking login status, 134
- Transactions, friendships, 416–417
- try_to_login method, 144, 149,
204–205, 275
- try_to_update method, 235
- Underscores (.) in filenames, 246
- Uniform Resource Identifiers (URIs), 157
- uniq! function, 334–335
- Uniqueness, testing, 115–117
- Unit tests, 97
- update method, 452, 458
- update_attributes method, 227–228
- Updating user information. *See* User
information updates
- upload method, 369, 373–374
- Upload page, 368–371
- uploaded_file function, 386
- URIs (Uniform Resource Identifiers), 157
- URL forwarding, 156
 - login, 158–161
 - refactoring, 177–179
 - register, 161–162
 - request variable, 156–158
 - testing, 162–163
- url method, 366
- URLs
 - blogs, 462
 - forwarding. *See* URL forwarding
 - modifiers, 441–442
 - personal profiles, 256–258, 282–285
 - pretty, 25
 - REST, 438–439
 - semicolons in, 442–444
 - UserMailerTest, 408
- Use default location option, 17
- User class, 426–428, 447, 482
- User controller, 65–66
- user_id field, 261, 265
- User information updates, 225–226
 - email addresses, 226–229
 - partials, 245
 - advanced, 247–250
 - login and register views, 250–252
 - simple, 246–247
 - passwords, 229–237
 - testing, 237
 - advanced, 243–245
 - edit page, 242–243
 - helpers for, 237–242

- User models, 43
 - data integrity, 63–64
 - database for, 43–46
 - migrations, 46–47
 - raking, 49–51
 - skeleton files, 47–48
- tests, 111–113
 - console, 118–120
 - password length, 120–121
 - regular expressions, 122–128
 - running, 128–129
 - screen name length, 117–118
 - uniqueness, 115–117
 - validation, 113–115
- validations, 51–52
 - console, 52–53
 - example, 56–57
 - full-strength, 59–61
 - improving, 57–58
 - magic columns, 61–63
 - simple, 54–56
- User profiles. *See* Personal profiles
- User registration, 65, 134–135
 - example user, 95
 - hub stub, 89–90
 - linking in, 90–94
 - page for, 77–82
 - register function, 88
- tests, 103
 - additional, 111
 - basic, 104–107
 - functional, 104
 - running, 110
 - successful, 107–108
 - unsuccessful, 108–110
- views
 - appearance, 66–70
 - debug for, 75–77
 - error messages, 82–88
 - partials, 250–252
 - refinements, 72–75
 - structure, 70–72
- User specs, 260
 - editing, 266–272
 - models, 260–265
 - protecting, 272–273
 - testing, 273–276
- user variable, 84, 142
 - @user variable, 84
 - email, 404
 - friendships, 423, 431
 - UserMailer, 392
 - UserMailerTest, 407
 - working with, 142
- UserMailer class, 391–392, 404–405, 424
- UserMailerTest class, 396–397, 407–408
- users function, 114
- users.yml file, 112–113, 341–342, 406–407
- valid? method
 - messages, 401–402
 - passwords, 236
- valid_file? method, 381
- valid_float? method, 361
- valid_input? method, 360–362
- validate method, 57–58
- validates_format_of method, 59, 122, 264
- validates_inclusion_of method, 263–264
- validates_length_of method, 55, 59, 121, 263
- validates_uniqueness_of method, 55
- Validations
 - avatars, 378–382
 - basic, 113–115
 - browse, 358–363
 - user model, 51–52
 - console, 52–53
 - example, 56–57

- full-strength, 59–61
 - improving, 57–58
 - magic columns, 61–63
 - simple, 54–56
- Variables
- inspecting, 78–80
 - instance, 32
 - interpolation, 89
 - local and global, 72, 214
- VC caching, 510
- Version control systems, 331, 510–511
- Vertical bars (|)
- links, 33
 - logical operator, 267–268
- Views
- login, 138–142, 250–252
 - personal profiles, 277–280
 - Rails, 26–28
 - search, 328–330
 - user registration
 - appearance, 66–70
 - debug for, 75–77
 - error messages, 82–88
 - refinements, 72–75
 - structure, 70–72
- visual_effect method, 495
- Visual effects, Ajax
- cancel button, 499
 - creating, 495–499
 - degrading gracefully, 499–501
- Weak mutation functions, 194
- Web services with REST, 438
- Weblogs. *See* RESTful blog
- Wildcard symbols in searches, 309, 342
- Windows
- Ruby installation on, 14
 - RubyGems installation on, 14–15
- Wiping databases, 51
- xhr method, 502–504
- XHR object, 486, 489
- XHTML, 39
- XMLHttpRequest object, 486, 489
- XSS (cross-site scripting) attacks, 282
- YAML, 46
- Yellow fade technique, 497
- .yml configuration files, 46
- ZeroDivisionError exception, 79