

Index

Symbols

`%b` fields (logs), 45
`%h` fields (logs), 45
`%r` fields (logs), 45
`%{Referer}`i fields (logs), 46
`%>s` fields (logs), 45
`%t` fields (logs), 45
`%u` fields (logs), 45
`%{User-agent}`i fields (logs), 46
`%v` fields, 57
| (pipes), redirecting logs, 47
/ (slashes), trailing slash problems, 78-79
* (wildcards), configuring
 IP-based virtual hosts, 85
403 Forbidden/Access Denied, 35
404 Document Not Found responses, redirecting, 64-65
443, as default SSL port, 124

A

Accept mechanism, tuning
 Apache, 171
AcceptFilter directive, 172
access control. *See also*
 authorization; security
 Apache 2.2, 117
 browser types, restricting
 access by, 114
 CGI scripts, restricting
 execution, 110
 combining control methods,
 106
 custom access denied
 pages, 106-107

denial-of-service attacks,
 110
denying system access, 109
directory listings, disabling, 111
D<Directory> section, using,
 115
hotlinking, preventing,
 112-113
HTTP methods, restricting,
 113-114
IP addresses, allowing/deny-
 ing specific access,
 104-105
L<Location> section, using,
 115
mod_ssl and complex
 access control, 143
need for, understanding,
 97-98
overview, 100
restricting by default, 121-122
self-controlled password-
 protection for users, 108
Server: headers, changing,
 111-112
 user databases, creating,
 101-102
access denied errors, 35
access forbidden problems,
 40-41
access logs, description of, 44
AccessFilename directive, 95
Action directive, 68
AddDefaultCharset directive,
 77
AddHandler directive, 65, 110
AddModule directive, 17

AddModuleList directive

AddModuleList directive, 119

address already in use errors,
startup errors, 32-33

AJP protocol, 193

alert argument (LogLevel
directive), 26

Alias directive, 61-62

AliasMatch directive

default name-based virtual
hosts, configuring, 88

favicon.ico requests,
redirecting, 16

URL patterns, mapping to
files, 62

All (per-directory
configuration files), 95

Allow directive

access control and, 100
browser type, restricting
access by, 114

specifying allowed
addresses, 104

AllowOverride directive, 95

AllowOverride none, 170

alternatives to Apache, 179

Apache

advantages of, 3-4

alternatives to, 179

configuration file. *See*
configuration files
(Apache)

downloading, 6

groups run as, changing, 14

installations. *See*
installations (Apache)

IP addresses, changing, 13-14

modules

adding without
recompiling, 18-19
enabling/disabling, 17
listing compiled-in
modules, 16

my Web Page icons,

providing, 15-16

official website, 6

ports, changing, 13-14

publishing content, 19-20

server names, specifying, 15

starting/stopping, 11-13

users run as, changing, 14

versions, security
differences, 98

Apache 1.3. *See also* Apache

caching in, 182

comparing to 2.0, 4

DAV, installing, 149-150.

See also DAV

Apache 2.0. *See also* Apache

caching in, 182, 191-192

comparing to 1.3, 4

DAV, installing, 149. *See*
also DAV

Apache 2.2. *See also* Apache

access control, 117

caching in, 182, 191-192

Apache LogView SQL tool, 52

Apache Monitor, 12, 30

Apache-SSL. *See* SSL

apache.exe executable, 12

apachectl configtest
command, 27

apachectl tool, 11-12

apachetop tool, 51

apxs tool, 18

archiving logs, 53

asymmetric cryptography, 126

Authconfig (per-directory
configuration files), 95

AuthDBMAuthoritative
directive, 104

AuthDBMGroupFile directive,
104

AuthDBMUserFile directive,
104

authentication. *See also* access control

- application level management, 116
- basic authentication, 98–100
- configurations, 101
- differences in Apache versions, 98
- digest authentication, 98–100
- mod_auth_anon, 115
- mod_auth_ldap, 115
- mod_security, 116
- mod_ssl, 115
- third-party modules for, 116

AuthGroupFile directive, 103

AuthName directive, 101

authorization. *See also* authentication

- configurations, 101
- differences in Apache versions, 98
- with Require directive, 103–104
- SSL. *See* SSL

AuthType directive, 101

AuthUserFile directive, 101

AWStats, log analysis, 51

B

backend servers, hiding, 185

bandwidth, limiting, 174–175

bandwidth share module, 174

basic authentication, 98–100.
See also authentication

BindAddress directive, 14

binding to ports, 33. *See also* could not bind to port errors

Boa, 178

bottlenecks, finding, 164

BrowserMatch directive, 73

browsers, controlling access by browser type, 114

BufferedLogs directive, 170

buggy clients (DAV), 157–158

builtin value (SSLPassPhraseDialog), 135

bzip2 compressed releases, 7

C

–c option, adding users to user databases, 102

CA (Certificate Authorities).
See Certificate Authorities (CAs)

ca argument, creating client certificates, 140

CA.pl wrapper script, creating client certificates, 140

CacheDisable directive, 191

CacheEnable directive, 191

CacheGcInterval directive, 191

CacheMaxExpire directive, 191

CacheRoot directive, 190

CacheSize directive, 190

caching, 181

- in Apache, 182, 191–192
- with proxies, 190
- tuning Apache, 177–178

cadaver, accessing DAV, 156–157

cannot determine hostname errors (startup errors), 34

case sensitivity

- BrowserMatch/SetEnvIf directives, 73
- URLs, fixing problems, 80–81

certificate signing requests, 129–131

certificates

- client certificates, creating, 139–141
- definition of, 124

certificates

- expired certificates, 139
 - mismatched domains, 139
 - SSL. *See* SSL, certificates
- Certificate Authorities (CAs), 128.** *See also* certificates
 - unknown CAs, 139
- CGI scripts**
 - associating with HTTP
 - methods/MIME types, 68-69
 - DAV and, 158-159
 - description of, 67
 - disabling for security, 120
 - performance, improving, 69-70
 - resources, marking as CGI, 67-68
 - restricting execution, 110
 - troubleshooting, 69
- character sets**
 - default charsets, assigning, 77
 - negotiating, 75
- charsets. *See* character sets
- chmod utility, 34-35
- clear text, security dangers, 99
- ClearModuleList directive, 17, 119
- client certificates, creating, 139-141
- Client denied by server configuration statements, 35
- Combined Log Format, creating, 44-46
- command line
 - DAV, accessing, 156-157
 - kill command, 30
 - SSL, testing, 141-142
 - testing Apache from, 27-28
- Common Gateway Interface scripts.** *See* CGI scripts
- Common Log Format, creating, 44-46**
- Common Name fields (certificates), 130**
- compiled-in modules, listing, 16
- compression
 - with filters, 204
 - tuning Apache, 177-178
- conditionally logging requests, 47-48
- configuration files (Apache)**
 - compiled-in modules, listing, 16
 - multiple configuration files, using, 10-11
 - overview, 9-10
 - per-directory configuration files, 94
 - disabling, 96
 - scope of, controlling, 95
- configuration problems, testing, 27**
- configure command, 17**
- configuring**
 - Prefork MPM, 197-198
 - Worker MPM, 199-200
- connections**
 - limiting, 174-175
 - testing with traceroute utility, 39
 - to Tomcat, 193
 - troubleshooting, 39-40
- content handlers, defining, 65**
- content negotiation**
 - configuring, 75-76
 - disadvantages of, 77
 - overview, 74-75
- could not bind to port errors (startup errors), 33**
- could not open configuration file errors (startup errors), 34**
- could not open log errors (startup errors), 34**
- CPUs, tuning Apache, 164

- crashes, automatically restarting after, 55–56
- crit argument (LogLevel directive), 26
- CSRs. *See* certificate signing requests
- CustomLog directive
 - conditionally logging requests, 47
 - creating custom logs, 46
 - external programs, redirecting logs to, 47
 - virtual hosts, logging separately, 57

D

- databases, logging to, 52
- DAV
 - accessing
 - from command line, 156–157
 - from Firefox, 155
 - from Microsoft Office, 152
 - from Windows, 153–154
 - advantages of, 147
 - buggy clients, 157–158
 - configuring, 150
 - DavLockDB directive, 160–161
 - dynamic content and, 158–159
 - HTTP protocol and, 148
 - installing, 149–150
 - mod_speling and, 158
 - overview, 145, 147
 - per-user pages, enabling, 159–160
 - securing, 150–151
- DAV-enabled directories, password protecting, 110
- DavLockDB directive, 160–161
- dbmmanage, 104
- debug argument (LogLevel directive), 26
- debugging
 - Apache with Apache, 31
 - virtual host setups, 91
- DefaultLanguage directive, 77
- denial pages (access control), customizing, 106–107
- denial-of-service attacks, 110
- Deny directive, 100, 114
- digest algorithms, 99
- digest authentication, 98–100. *See also* authentication
- Direct Memory Access support, 164
- directive containers
 - for conditional evaluation, 21–22
 - default Apache directive containers, 20–21
 - overview, 20
- directives, configuration files and, 10
- Directory container, 104
- <Directory> directive containers, 20
- Directory index forbidden by rule statements, 35
- directory listings, disabling for access control, 111
- <Directory> section, 115
- Directory sections, tilde characters, 21
- DirectoryIndex directive, 111
 - disable-module, 17
- <DirectoryMatch> directive containers, 20
- disk speeds, increasing, 164
- DNs (Subject Distinguished Names), 138
- Document not found errors, 40
- document tree, making read only, 110

DocumentRoot directive

- DocumentRoot directive, 19, 85
- DoS attacks, 173
- downloading Apache, 6
- DSSL flag, 135
- dynamic content, DAV and, 158-159. *See also* CGI scripts

E

- emerg argument (LogLevel directive), 26
- enable-module, 17
- enable-shared=max option, 7
- enable-ssl option, 133
- enabling
 - forward proxy support, 183-184
 - proxy support, 183
- encoding, negotiating, 75
- encryption keys. *See also* SSL, certificates
 - overview, 126
 - pairs, creating, 127
 - password-protected pairs, creating, 127-128
 - passwords, removing, 128
- End Task button (Windows Task Manager), 31
- environment variables
 - accessing, 72
 - conditionally logging requests, 47-48
 - logging, 72
 - setting, 71-73
 - special environment variables, overview, 74
- error argument (LogLevel directive), 26

- error logs
 - files of, 37
 - LogLevel directive, 25-26
 - overview, 24
- error.log, 24. *See also* error logs
- ErrorDocument directive, 88
- ErrorLog directive, 24
- errors. *See* troubleshooting
- Event MPM, 200
- ExecCGI parameter (Options directive), 69
- experimental MPMs, 200
- explicit configuration settings, denying system access, 109
- ExtendedStatus, 172
- ExtendedStatus On directive, 49
- external processes, controlling, 167

F

- facilities. *See* syslog facilities
- failed requests, redirecting, 64-65
- failures (Apache), automatically restarting Apache after, 55-56
- FastCGI, 70, 178
- favicon.ico Not Found log entries, 58
- favicon.ico requests, redirecting, 15
- File favicon.ico Not Found log entries, 58
- File robots.txt Not Found log entries, 58
- file systems, 168
- FileInfo (per-directory configuration files), 95
- <Files> directive containers, 21
- Files sections, tilde characters, 21

<FilesMatch> directive
 containers, 21
 filters, 195, 201–202
 compression with, 204
 Firefox, accessing DAV, 155
 FollowSymLinks parameter,
 109, 169
 forking, 196
 forward proxies, 182–184
 FTP servers, Apache as, 202–203

G–H

gensa, 127
 graceful restarts (Apache), 13
 Group directive, 14
 groups
 Apache server running as,
 changing, 14
 authorizing. *See* authorization

handlers. *See* content handlers
 hdparm utility, 164
 Header directive, 189–190
 headers
 malformed header from
 script errors, 37
 manipulating in reverse
 proxies, 189–190
 passing proxy information,
 188
 premature end of script
 headers errors, 37
 hiding backend servers, 185
 hosting. *See* virtual hosts
 HostNameLookups directive,
 54–55, 171
 hostnames
 IP addresses, replacing with
 hostnames, 54–55
 resolving, 34

Host: headers, name-based
 virtual hosts and, 86–87.
See also name-based virtual
 hosts
 hotlinking, access control for,
 112–113
 .htaccess files, allowing users
 self-protection, 108. *See also*
 per-directory configuration
 files
 htdbm, 104
 htdocs/ directory, publishing
 content, 19
 HTML, validating with Tidy, 81
 htpasswd utility, 101
 HTTP
 content negotiation, 74–77
 DAV and, 148
 methods, restricting for
 access control, 113–114
 httpd -M, 16
 httpd -S, 91
 httpd -V, 5
 httpd process, 29–30
 httpd.conf. *See* configuration
 files (Apache)
 httpd.pid Overwritten log
 entries, 58
 HTTPS, 124. *See also* SSL
 HUP, kill command and, 30

I

IE (Internet Explorer),
 server-generated error
 messages and, 107
 <IfDefine> directive
 containers, 22
 IfDefine SSL block, 134
 <IfModule> directive
 containers, 22
 ifModule sections, 17

ImageMagick tools

- ImageMagick tools, 178
- Include directive, 10, 134
- Indexes (per-directory configuration files), 95
- info argument (LogLevel directive), 26
- installations (Apache)
 - checking for, 5
 - Linux/Unix OSs, installing on, 6-7
 - multiple version installations, 8-9
 - Windows PCs, installing on, 8
- internal server errors
 - malformed header from script errors, 37
 - premature end of script headers errors, 36-37
 - questions to ask, 41
 - segmentation faults, 36
- IP address resolution, controlling, 54
- IP addresses
 - access control, 104-105
 - Apache servers, changing IP addresses, 13-14
 - hostnames, replacing IP addresses with hostnames, 54-55
 - logged addresses, processing, 54-55
- IP-based virtual hosts. *See also* virtual hosts
 - configuring, 84-85
 - default hosts, configuring, 89-90
 - definition of, 84
 - mixing with name-based virtual hosts, 90-91

J-K

- keepalive support, disabling, 74
- KeepAlives, tuning Apache, 172-173
- KeepAliveTimeout directive, 172
- keys (encryption). *See* encryption keys
- kill command, 30
- killall command, 30

L

- LanguagePriority directive, 77
- languages
 - defaults, assigning, 77
 - negotiating, 75
- lighttpd, 178
- <Limit> directive, 113
- Limit (per-directory configuration files), 95
- <LimitExcept> directive, 113, 151
- LimitRequestBody directive, 174
- LimitRequestFields directive, 174
- LimitRequestFieldSize directive, 174
- LimitRequestLine directive, 174
- LimitXMLRequestBody directive, 174
- links, monitoring linkers, 48
- Linux
 - file descriptors, increasing, 166
 - file systems, mounting with noatime, 168
 - installations (Apache), 5-7
 - limits, increasing, 165
 - process limits, increasing, 165-166

- Listen directive
 - ports/IP addresses, changing, 13-14
 - SSL, configuring Apache for, 134
 - V<VirtualHost> sections, 84
- load balancing
 - with proxies, 192
 - tuning Apache, 176-177
- LoadModule directives, 16, 19
- local0 – local10 facilities. *See* syslog facilities
- <Location> directive
 - containers, 21
- <Location> section, 115
- Location sections, tilde characters, 21
- <LocationMatch> directive
 - containers, 21
- LogFormat directive, 44–46
- logging, disabling/minimizing, 170
- LogLevel directive, 25–26
- logresolve tool, processing
 - logged IP addresses, 55
- logs. *See also* access logs; error logs
 - %b fields, 45
 - %h fields, 45
 - %r fields, 45
 - %o{Referer}i fields, 46
 - %o>s fields, 45
 - %ot fields, 45
 - %o{User-agent}i fields, 46
 - %ou fields, 45
 - archiving, 53
 - common entries, 58
 - conditionally logging
 - requests, 47-48
 - custom log files, creating, 46
 - databases, logging to, 52
 - default log files, 43-44
 - external programs,
 - redirecting logs to, 47
 - IP address resolution,
 - controlling, 54
 - IP addresses, processing, 54-55
 - linkers, monitoring, 48
 - LogFormat directive, 44-46
 - merging and splitting, 56-57
 - open-source tools,
 - analyzing with, 51
 - real time monitoring, 51-52
 - rotating, 53
 - system log daemon, as error log, 25
 - unusual requests, 59
 - virtual hosts, separate logs for, 57
- logs/ directory, 24. *See also* error logs
- Logscan, 52
- logtool project, 56
- lsuf tool, 29
- lynx command-line browser,
 - testing Apache from, 28. *See also* command line

M

- Mac OSX
 - file descriptors, increasing, 166
 - installations (Apache),
 - checking for, 5
 - limits, increasing, 165
 - process limits, increasing, 165-166
- malformed header from script errors, 37
- mapping URLs. *See* URL mapping

MaxKeepAliveRequest directive

- MaxKeepAliveRequest
 - directive, 173
 - merging log files, 56–57
 - methods, associating with CGI scripts, 68–69. *See also* HTTP, methods
- Metux MPM, 201
- Microsoft Knowledge Base, server-generated error messages, 107
- Microsoft Office, accessing DAV, 152
- MIME types
 - CGI scripts, associating with, 68–69
 - configuring, 66
 - description of, 66
- mod_jk module, 193
- mod_proxy, enabling support, 183. *See also* proxies
- mod_proxy_ajp module, 193
- mod_proxy_html module, 186
- module not compatible errors (startup errors), 33–34
- modules
 - adding without recompiling, 18–19
 - compiled-in modules, listing, 16
 - disabling for security, 118–119
 - enabling/disabling, 17
 - filters. *See* filters
 - MPMs. *See* MPMs
 - Protocol. *See* Protocol modules
- mod_access. *See* access control
- mod_actions, 68
- mod_apache_snmp, 50. *See also* SNMP
- mod_auth, 151. *See also* access control
 - mod_auth_anon, 115
 - mod_auth_basic, 117
 - mod_auth_dbm, 104
 - mod_auth_digest, 117
 - mod_auth_ldap, 115
 - mod_authn_alias, 117
 - mod_authn_dbm, 117
 - mod_authn_file, 117
 - mod_autoindex, 111
 - mod_backhand, 177
 - mod_bandwidth, 174
 - mod_cache module, 177, 191
 - mod_cgi, 37. *See also* CGI scripts
 - mod_choke, 175
 - mod_dav module. *See* DAV
 - mod_deflate module, 178
 - mod_disk_cache module, 191
 - mod_file_cache module, 191
 - mod_include, 71, 110
 - mod_logio tool, 31
 - mod_log_spread, 170
 - mod_log_sql, 52
 - mod_loopback tool, 31
 - mod_mem_cache module, 191
 - mod_nocase, 80
 - mod_perl, 70, 178
 - mod_require_host, 175
 - mod_rewrite
 - error log files, 37
 - hotlinking, preventing, 112
 - per-user pages, enabling, 160
 - URL mapping, 78
 - mod_security, 116
 - mod_setenvif, 73
 - mod_snmp, 50. *See also* SNMP
 - mod_speling, 79–80
 - DAV and, 158
 - disabling, 109
 - mod_ssl
 - alternatives to, 141
 - authentication, 115

compiling, 132-133
 complex access control, 143
 configuring Apache,
 133-134
 default IP-based virtual
 hosts, configuring, 89
 purpose of, 125
mod_status, 49, 172
mod_tee tool, 31
mod_throttle, 175
mod_tidy. See Tidy
mod_trace_output tool, 31
mod_tsunami, 175
mod_userdir, 159
mod_validator, 81
mod_vhost_alias, 93, 160
mod_vhost_dbi, 93
mod_vhost_ldap, 93
mod_virtualhost_alias, 92
 monitoring Apache
 with **mod_status**, 49
 in real times, 51-52
 with SNMP, 50
**MPMs (Multi Processing
 Modules)**, 195
 Event MPM, 200
 experimental MPMs, 200
 Metux MPM, 201
 Perchild MPM, 200
 Prefork MPM, configuring,
 197-198
 process-based MPMs, 196
 selecting, 196
 threaded MPMs, 198
 Worker MPM, configuring,
 199-200
**Multipurpose Internet Mail
 Extensions**. See MIME types
 multiviews, enabling, 76
 my Web Page icons, providing,
 15-16

N

name resolutions, 34
name-based virtual hosts. See
also virtual hosts
 configuring, 86-87
 default hosts, configuring,
 88-89
 mixing with IP-based virtual
 hosts, 90-91
 overview, 86
 SSL, 137-138
NameVirtualHost directives,
 87, 90
 negotiation (content). See
 content negotiation
netstat tool, 29
network connectivity, testing
 with traceroute utility, 39
networks, tuning Apache
 Accept mechanism, 171
 AcceptFilter directive, 172
 HostnameLookups, 171
 KeepAlives, 172-173
 mod_status, 172
noatime option, 168
NoCase directive, 80
nokeepalive variables, 74
None (per-directory configura-
 tion files), 95
notice argument (LogLevel
 directive), 26

O

open-source tools, analyzing
 logs, 51
OpenSSL. See *also* SSL
 certificate signing requests,
 129-130
 compiling, 125-126
openssl command, 127. See
 also SSL

openwebfolder extension

- openwebfolder extension (Firefox), accessing DAV, 155
- optimization. *See also* tuning Apache
 - CGI scripts, 69–70
 - file systems, 168
 - reverse proxies, 187–188
 - SSL, 136–137
- Options (per-directory configuration files), 95
- Options +ExecCGI directive, 68
- Options +Multiviews directive, 76
- Options -IncludesNoExec directive, 110
- Options directive
 - directory listings, disabling, 111
 - ExecCGI parameter, 69
 - FollowSymLinks parameter, 109, 169
 - SymLinksIfOwnerMatch parameter, 109, 169
- Options ExecCGI is off in this directory statements, 35
- Order Allow,Deny directive, 100
- Order directive, 100, 115
- out switch, OpenSSL and, 127

P

- pages (HTML). *See* HTML
- pairs of encryption keys, creating, 127
- PassEnv directive, 72
- password files. *See* user databases
- password-protected pairs of encryption keys, creating, 127–128
- passwords, allowing user control, 108
- Pathalyzer, 51
- PATH_INFO variable, 69
- PATH_TRANSLATED variable, 69
- patterns (URLs), mapping with AliasMatch directive, 62
- PCs. *See* Windows PCs
- PEM format, creating client certificates, 140
- per-directory configuration files, 94
 - disabling, 96, 169–170
 - scope of, controlling, 95
- per-user pages (DAV), enabling, 159–160
- Perchild MPM, 200
- performance, definition of, 164. *See also* optimization; tuning Apache
- performance enhancement. *See* optimization
- permission denied errors (startup errors), 34
- permissions
 - access denied errors, 35
 - checking, 121
- pglogd, logging to databases, 52
- PHP, DAV and, 158–159
- piping logs, 47
- POP3 servers, Apache as, 203
- Port directive, comparing to Listen directive, 14
- ports
 - Apache servers, changing ports, 13–14
 - binding to, 33. *See also* could not bind to port errors
- Pound proxy, 193
- prefix option, 7
- Prefork MPM, configuring, 197–198

preforking, 197
 premature end of script
 headers errors, 36–37
 preventing reverse proxies,
 186
 private keys. *See* encryption keys
 process-based MPMs, 196
 Prefork MPM, configuring,
 197–198
 Worker MPM, configuring,
 199–200
 Protocol modules, 196,
 202–203
 proxies, 181. *See also* reverse
 proxies
 caching proxies, 190
 connecting to Tomcat, 193
 enabling support, 183
 forward proxies, 182–184
 load balancing, 192
 Pound, 193
 Squid, 193
 transparent proxies, 194
 proxy functionality,
 limiting/disabling, 121
 ProxyErrorOverride directive,
 186
 ProxyIOBufferSize directive,
 187–188
 ProxyPass directive, 184–186
 ProxyPassReverse directive, 185
 ProxyPassReverseCookieDomain
 directive, 186
 ProxyPassReverseCookiePath
 directive, 186
 ProxyPreserveHost directive,
 188
 ps tool, 29
 public key cryptography, 126
 public keys. *See* certificates;
 encryption keys
 publishing content (Apache),
 19–20

Q–R

RAM, increasing, 164
 rand switch, OpenSSL and,
 127
 read only, document tree as, 110
 real time log monitoring,
 51–52
 Redirect directive, 63
 404 Document Not Found
 responses, redirecting,
 64–65
 default name-based virtual
 hosts, configuring, 89
 SSL, forcing universal
 service under, 137
 redirect-carefully environment
 (DAV), 158
 RedirectCarefully directive,
 153
 redirecting URLs
 failed/unauthorized
 requests, redirecting,
 64–65
 Redirect directive, 63
 RedirectMatch directive,
 63–64
 trailing slash problems,
 78–79
 redirections, troubleshooting, 38
 RedirectMatch directive,
 63–64
 Referer, logging headers, 48
 regular expressions, definition
 of, 62
 relative paths, configuration
 files and, 10
 RemoveHandler directive, 65
 RequestHeader directive, 190
 requests. *See also* logs
 abuse, preventing, 173
 Accept mechanism, 171
 Require directive, 101–104

restarting Apache

- restarting Apache, 11–12
 - automatically after failure, 55–56
 - graceful restarts, 13
- reverse proxies, 182
 - header manipulation, 189–190
 - hiding backend servers, 185
 - passing information in headers, 188
 - performance enhancement, 187–188
 - preventing, 186
 - SSL processing, 188
 - tuning Apache, 176–177
 - URL unification, 184–185
- RFC 2817 specification, 138
- RLimitCPU directive, 167
- RLimitMem directive, 167
- RLimitNProc directive, 167
- Robotcop module, 175–176
- robots, dealing with, 175–176
- robots.txt, 176
- robots.txt Not Found log entries, 58
- root, running servers as, 14
- rotatelog tool, 53
- rotating logs, 53

S

- S option (httpd), 91
- sample scripts, removing for security, 120
- Satisfy directive, 106
- scalability, definition of, 164
- ScanErrLog, 52
- Script directive, 69
- ScriptAlias directive, 67
- ScriptLog directive, 69
- ScriptLogBuffer directive, 69
- ScriptLogLength directive, 69
- scrop, per-directory c-
onfiguration files, 95
- sections, definition of, 10
- Secure HTTP. *See* SSL
- Secure Sockets Layer/Transport Layer Security. *See* SSL
- security. *See also* access control; authentication; authorization
 - CGI scripts, disabling
unneeded scripts, 120
 - DAV, 150–151
 - differences in Apache versions, 98
 - modules, disabling
unneeded modules, 118–119
 - permissions, checking, 121
 - proxy functionality, limiting/disabling, 121
 - restricting access by default, 121–122
 - sample scripts, removing, 120
 - updating Apache, 117
- segmentation faults, 36
- selecting MPMs, 196
- self-signed certificates, 131–132
- server names, specifying, 15
- server side includes. *See* SSI
- server-generated error messages, IE and, 107
- server-parsed content handler, configuring SSI, 71
- ServerAlias directive, 87
- ServerName directive
 - IP-based virtual hosts, configuring, 84
 - name-based virtual hosts, 87
 - server names, specifying, 15
- ServerRoot directive, 11, 19
- servers, 202–203

- ServerTokens directive, 112
- Server: headers, changing for access control, 111-112
- SetEnv directive, 72
- SetEnvIf directive, 73, 114
- SetFilter directive, 81
- SetHandler directive, 65, 68
- SIGHUP, kill command and, 30
- Simple Network Management Protocol. *See* SNMP
- sitecopy, accessing DAV, 157
- Skype, port conflicts with, 33
- slashes (/), trailing slash problems, 78-79
- SNMP, monitoring Apache with, 50
- source tarballs, downloading, 6
- special environment variables, 74. *See also* environment variables
- spelling, fixing URL spelling mistakes, 79-80
- splitting log files, 56-57
- Squid proxy, 193
- SSI
 - configuring, 71
 - overview, 70-71
- SSL
 - alternatives to mod_ssl, 141
 - authorization modules and, 138
 - buggy implementations, handling, 142
 - certificates
 - certificate signing requests, 129-131
 - client certificates, creating, 139-141
 - expired certificates, 139
 - mismatched domains, 139
 - overview, 128-129
 - self-signed certificates, 131-132
 - unknown CAs, 139
 - compiling, 132-133
 - complex access control, 143
 - configuring Apache, 133-134
 - encryption keys. *See also* SSL, certificates overview, 126
 - pairs, creating, 127
 - password-protected pairs, creating, 127-128
 - passwords, removing, 128
 - forcing universal service under, 137
 - name-based virtual hosts and, 137-138
 - OpenSSL, compiling, 125-126
 - overview, 123-124
 - performance, improving, 136-137
 - SSLPassPhraseDialog directive, 135-136
 - starting Apache, 134-135
 - testing
 - from the command line, 141-142
 - installations of, 135
 - virtual hosts and, 92
 - warning messages when accessing, 139
 - workings of, 125
- SSL processing with reverse proxies, 188
- SSL/TLS. *See* SSL
- SSLCACertificateFile directive, 141
- SSLCertificateFile directive, 134
- SSLCertificateKeyFile directives, 134

SSLEngine On directives

- SSLEngine On directives, 134
- SSLOptions directive, 138
- SSLPassPhraseDialog directive, 135–136
- SSLRequire directive, 143
- SSLVerifyClient directive, 141
- SSL_BASE=/usr/local/ssl/, removing, 132
- starting Apache, 11–12
 - automatic restarts on failure, 55–56
 - graceful restarts, 13
 - with SSL support, 134–135
 - troubleshooting, 38
- startssl option, 135
- startup errors
 - address already in use errors, 32–33
 - cannot determine hostname errors, 34
 - could not bind to port errors, 33
 - module not compatible errors, 33–34
 - permission denied errors, 34
 - syntax errors, 32
- status settings, tuning Apache
 - Accept mechanism, 171
 - AcceptFilter directive, 172
 - HostnameLookups, 171
 - KeepAlives, 172–173
 - mod_status, 172
- stopping Apache, 11–12, 30–31
- strings, regular expressions, 62. *See also* regular expressions
- stunnel, SSL and, 141
- Subject Distinguished Names (DNs), 138
- symbolic links, handling, 168, 170
- symlinks. *See* symbolic links

- SymLinksIfOwnerMatch parameter, 109, 169
- symmetric cryptography, 126
- syntax errors (startup errors), 32
- syslog facilities, 25
- system log daemon, as error log, 25. *See also* error logs

T

- tail utility, 52
- .tar.bz2 releases, 7
- telnet clients, 28
- testing. *See* troubleshooting
- threaded MPMs, 198–200
- thttpd, 178
- Tidy, validating pages, 81
- tilde (per-user pages), 159
- tilde characters in sections, 21
- TimeOut directive, 174
- timeouts, preventing abuse, 173
- Tomcat, connecting to, 193
- traceroute utility, 39
- trailing slash problems, 78–79
- Transferlog directive, 46–47
- transparent proxies, 194
- troubleshooting. *See also* debugging
 - access denied errors, 35
 - access forbidden problems, 40–41
 - alternate tips for, 41–42
 - CGI scripts, 69
 - from command line, testing Apache, 27–28
 - configuration problems, testing, 27
 - connecting to Apache, 39–40
 - DAV, 157–158
 - DavLockDB directive, 160–161

Document not found errors, 40
 error logs, 24-26
 internal server errors, 36-37, 41
 redirections, 38
 running Apache.exe process, testing for, 29-30
 starting Apache, 38
 startup errors, 32-34
 stopping Apache, 30-31
 system log daemon, 25
 virtual hosts, 88

tuning Apache. *See also optimization*

- abuse, preventing, 173-174
- caching, 177-178
- compression, 177-178
- connections/bandwidth, limiting, 174-175
- content negotiation, configuring, 170. *See also content negotiation*
- external processes, controlling, 167
- file system performance, improving, 168
- hardware tweaks, 164-165
- load balancers, 176-177
- module-specific optimizations, 178
- network/status settings, 171-173
- OS limits, increasing, 165
- process limits, increasing, 165-166
- reverse proxies, 176-177
- robots, dealing with, 175-176
- symbolic links, handling, 168, 170

type maps, enabling multiviews, 76

U

ulimit command, 165

unauthorized request, redirecting, 64-65

Unix

- file descriptors, increasing, 166
- installations (Apache), 5-7
- limits, increasing, 165
- process limits, increasing, 165-166

UnsetEnv directive, 72

updates, security and, 117

URL mapping

- to files, 61-62
- with mod_rewrite, 78
- redirecting, 63-65

URL unification with reverse proxies, 184-185

URLs

- case sensitivity, fixing problems, 80-81
- preventing reverse proxies, 186
- spelling mistakes, fixing, 79-80

user authentication. *See authentication*

user databases, creating, 101-102

User directive, 14

UserDir enabled/disabled directives, 159

users

- Apache server running as, changing, 14
- root, running servers as, 14

V

- /var/log/httpd, 24
- variables (environment). *See* environment variables
- versions (Apache). *See* Apache
- virtual hosts
 - alternate host options, 92-94
 - debugging setups, 91
 - IP-based virtual hosts
 - configuring, 84-85
 - default hosts, configuring, 89-90
 - definition of, 84
 - logging separately, 57
 - mixing IP and name-based hosting, 90-91
 - name-based virtual hosts
 - configuring, 86-87
 - default hosts, configuring, 88-89
 - overview, 86
 - SSL, 137-138
 - non-matching requests, troubleshooting, 88
 - overview, 83
 - SSL and, 92
- <VirtualHost> directive
 - containers, 20, 137. *See also* virtual hosts
- <VirtualHost> sections, 84
- VirtualDocumentRootIP, 93
- VirtualScriptAlias directive, 92
- VirtualScriptAliasIP, 93
- Visitors, log analysis, 51
- vlogger tool, 57
- vmstat, 164

W-Z

- warn argument (LogLevel directive), 26
- warning messages, accessing SSL websites, 139
- watchdog scripts, 55
- web crawlers, dealing with, 175-176
- web spiders, dealing with, 175-176
- Webalizer, 51
- WebDAV, 145, 147. *See also* DAV
- websites, Apache official site, 6
- wildcards (*), configuring IP-based virtual hosts, 85
- Windows
 - DAV, accessing, 153-154
 - file descriptors, increasing, 166
 - limits, increasing, 165
 - process limits, increasing, 165-166
- Windows PCs, installations (Apache)
 - checking for, 5
 - installing Apache, 8
- Windows task manager, 30-31
- with-apache option, 132
- with-apxs switch, 18
- with-apxs2 switch, 18
- with-ssl=/usr/local/ssl/openssl, 133
- Worker MPM, configuring, 199-200