

Index

Page numbers preceded by PDF:
indicate pages on the website
(www.samspublishing.com/title/0672329328).

Symbols

- \ (backslash), input masks, 90
- _ (underscore), line continuation character (VBA), 364
- ; (semicolon), input masks, 90
- < (less than sign), query criteria operator, 146
- ! (bang), 409
- #Const directive, VBA, 367
- & (ampersand), Null values (avoiding in strings), 624
- ' (apostrophe), VBA comments, 363
- * (asterisk), queries (adding fields), 140
- > (greater than sign), query criteria operator, 146
- <> (not equal to), query criteria operator, 147
- >= (greater than or equal to), query criteria operator, 146
- . (period), 409
- = (equal sign), query criteria operator, 146
- <= (less than or equal to), query criteria operator, 146

A

- About dialog box, 997
- AbsolutePosition property (ADO recordsets), 699-700
- ACCDB files, front ends as links to communicate to back ends, 919
- Access
 - as a front end, 842-845
 - options, 844
 - controlling from other applications, 976-979
 - Excel, controlling, 956-960

- Outlook, controlling, 974-976
- PowerPoint, controlling, 970-973
- taking SharePoint lists offline, 884, 903
 - discarding changes, 904-905
 - synchronizing changes, 903-904
 - working online, 904
- Word, controlling, 966-968
- Access 2007 (accdb), SharePoint Server 2007 and, 885**
- Access data projects, front ends communicating directly to back ends, 921**
- Access Database Engine, 806**
- Access Object Model**
 - AllForms collection, 420
 - AllMacros collection, 421
 - AllModules collection, 421
 - AllQueries collection, 423
 - AllReports collection, 421
 - AllTables collection, 422
 - Application object, 416
 - methods, 417-418
 - properties, 417
 - CodeData object, 423
 - CodeProject object, 423
 - CurrentData object, 422-423
 - CurrentProject object, 420-421
 - DoCmd object, 423-424
 - Forms collection, 418-419
 - Modules collection, 420
 - Reports collection, 419
 - Screen object, 423
 - special properties that refer to objects, 415-416
- Access tables, linking external data, 856-857**
- AcDataErrAdded constant (NotInList event), 473**
- AcDataErrContinue constant (NotInList event), 473**
- AcDataErrDisplay constant (NotInList event), 473**
- action queries, 16, 539**
- Action queries**
 - Append, creating, 543-545
 - compared to VBA code, 547-548
 - Delete, creating, 542
 - Make Table, creating, 545-547
 - naming prefixes, 541
 - recordsets, making bulk changes, 708-712
 - results, previewing, 543
 - Update, creating, 539-541
 - warnings, 541, 543
- Activate event, forms, 438**
- ActiveControl property, 415**
- ActiveForm property, 415**
- ActiveReport property, 415**
- ActiveX automation, 949**
- ActiveX controls, 1125-1126**
- ActiveX Data Objects. See ADO**
- Add method**
 - After argument, 649
 - Before argument, 649
 - Collection object, 626-627
 - custom collections, 649
 - Key argument, 649
- Add New button, 1039**
- Add Procedure dialog box, 352, 487**
- Add Watch dialog box, 747**
- Add-In Manager, configuring registry entries, 1036-1039**
- Add-In Manager command (Add-Ins menu), 1038**
- Add-In Manager dialog box, 1038**
- add-ins, 1027, 1126-1127**
 - builders, 1027
 - creating, 1028
 - designing, 1028, 1047, 1049-1050, 1052
 - forms design, 1031-1032
 - functions, 1028-1031
 - registering, 1032-1039
 - testing, 1035
 - menus, 1045-1046
 - wizards
 - creating, 1040-1044
 - defined, 1039
 - designing, 1039
 - registering, 1044-1045

Add-Ins command (Tools menu), 1038

Add-Ins menu commands, Add-In Manager, 1038

AddFromFile method, 1021

adding

columns to form layouts, 212-213
command buttons to forms, 244-245

commands to ribbons, 944-945

comments to macros, 336-337

fields

to forms, 198-199

to reports, 278

groups to ribbons, 944-945

hyperlinks to forms, 251-253

smart tags

to forms, 253-255

to queries, 175-178

Trusted Publishers, 1127-1128

AddInPath key, 1014

AddNew method, data access class, 664

ADO (ActiveX Data Objects), 671, PDF:1133

ADO object model, 671

Command object, 678-679

Connection object, 672-675

Recordset object, 676-678

queries, creating, 718

recordsets

AbsolutePosition property, 699-700

adding records, 714-715

BOF property, 690-691

Bookmark property, 700-701

CursorType parameter, 680-682

deleting records, 712-713

EOF property, 690-691

Filter property, 695

Find method, 696-699

LockType parameter, 682-683

modifying records, 701-702

Options parameter, 684-685

parameter queries, 701-702

persisting, 702-704

record-movement methods, 688-689

RecordCount property, 691-693

Sort property, 693-694

tables

adding, 715-716

deleting, 717

relationships, establishing, 717-718

ADO tags, 1133

ADP (Access Data Project), splitting tables from other objects, 835

ADP (Access Data Project) files, 56

After argument, Add method, 649

AfterDelConfirm event, forms, 435

AfterInsert event, forms, 432

AfterUpdate event

controls, 443

forms, 434

Alias property, query tables, 171

aliasing functions, 989-991

Align tools, 202

aligning

objects, forms, 200-202

report objects, 281

text, object text, 202

Alison Balter's Mastering Access 11 Client/Server Development, 10

ALL clause, SQL, 572

ALL keyword, SQL, 576

AllForms collection, 420

AllMacros collection, 421

AllModules collection, 421

Allow AutoCorrect property, controls, 241

Allow Datasheet View property, forms, 231

Allow Filters property, 288

forms, 234

Allow PivotChart View property, forms, 231

Allow PivotTable View property, forms, 231

Allow Zero Length property (fields), 95-96

AllQueries collection, 423

AllReports collection, 421

- AllTables collection, 422
- ALTER TABLE statement, SQL, 585
- alternate keys, 117
- ampersand (&), Null values (avoiding in strings), 624
- And (query criteria operator), 147
- ANSI functions, renaming, 990
- ANSI-92 extensions, 590
 - stored procedures, 593-594
 - tables, 590-593
 - transactions, 594
 - views, 593-594
- API calls, 782-784
 - operating environment information, 997-1005
- API functions
 - aliasing, 989-991
 - constants, 991
 - hard drives, 1005-1008
- APIs, functions, 993
 - Windows registry, 994-997
- apostrophe ('), VBA comments, 363
- app prefix, PDF:1132
- Append queries, creating, 543-545
- Application Database, 836
 - tables, storing in, 837
- Application Object
 - Access Object Model, 416
 - CompactRepair method, 1098-1099
 - methods, 417-418
 - properties, 417
- application switchboards, 839
- applications
 - client/server, suitability of Access, 10
 - computer consulting firm example, developing, 72-73
 - controlling Access from, 976-979
 - corporate, developing, 8-9
 - designing
 - multiuser issues, 909
 - options, 919
 - development process
 - data analysis, 24-27
 - design phase, 24-27
 - implementation, 28
 - maintenance activities, 28
 - normalization rules, 24-27
 - prototypes, 27
 - task analysis, 24
 - testing stage, 27
 - development strategies, 835-837
 - Access as a front end, 842-845
 - distribution, 839-841
 - forms, basing on queries/embedded SQL statements, 837
 - reports, basing on queries/embedded SQL statements, 837
 - runtime version, 839-841
 - splitting database objects, 835-836
 - distributing, runtime version, 839-841
 - financial considerations, developing, 8
 - front-ends, 847
 - index usage, performance benefits, 103
 - installing, Windows 2000 Terminal Services, 912
 - Internet, developing, 11
 - intranets, developing, 11
 - library databases, Time and Billing application example, 1023-1025
 - multiuser, 910-911
 - navigating forms, 190
 - optimization, 802, 811
 - ACCDE files, 829
 - bookmarks, 826-827
 - Boolean expressions, 815
 - built-in collections, 816-817
 - compiling modules, 828
 - constants, 826
 - data structures, 808-809
 - Declare statements, 821
 - defined, 801
 - Dim statements, 821

- dynamic arrays, 826
- form-optimization techniques, 829-831
- hardware configuration, 802-805
- inline code, 814
- Len function, 818
- Me keyword, 825
- object references, 821
- object variables, 827
- organizing modules, 829
- Performance Analyzer, 807
- queries, 810
- report-optimization techniques, 831
- specific object variables, 812-813
- stored queries, 827-828
- true/false evaluations, 819-820
- unused code, 821
- variant variables, eliminating, 811
- Windows 95/98, 806
- Windows registry settings, 806
- With...End With construct, 823-824
- performance considerations, compacting databases, 1091-1093
- personal, developing, 8
- referencing, object variables, 950-952
- scalability, 11
- small businesses, developing, 8
- source code, removing, 839
- system performance, limiting factors, 9
- troubleshooting, 361
- ApplyFilter event, forms, 440**
- applying custom ribbons**
 - to entire databases, 940-941
 - to forms or reports, 941-943
- archiving records, Append queries, 543**
- arguments. See also parameters**
 - Add method, 649
 - macro action arguments, 318-320
 - Open method, ConnectionString argument, 864
 - TransferDatabase method, 852
 - TransferSpreadsheet method, 854
 - TransferText method, 853
- arrays, 605-606, 608-610**
 - declaring, 605-607
 - dynamic arrays, 826
 - declaring, 607-609
 - fixed arrays, 605
 - parameter arrays, 617-618
 - passing as parameters, 609-610
 - scope, 605
- As String keyword, 374**
- ascending sorts (query results), 145**
- assertions, debugging applications, 752**
- asterisk (*), queries (adding fields), 140**
- attached labels, 91**
- Attachment field type, 86**
- Auto Center property, reports, 286**
- Auto Data Tips (debugging), 745**
- Auto Indent feature, 395**
- Auto List Members option, 395**
- Auto Quick Info feature, 395**
- Auto Repeat property, controls, 242**
- Auto Resize property**
 - forms, 231
 - reports, 286
- Auto Syntax Check feature, 395**
- AutoCorrect, 480-481**
- AutoExec macro**
 - creating, 341-342
 - example of adding, 343
- AutoFill method, 959**
- AutoFilter method, 982**
- automatic error checking, 477-479**
 - reports, 505-507
- automation, 950**
 - ActiveX automation, 949
 - controlling Access from other applications, 976-979

- Excel
 - controlling from Access, 956-960
 - graphs, creating from Access, 961-962, 964-965
 - object models, 950
 - object types, 950
 - object variables, referencing applications, 950-952
 - objects, 950
 - Outlook, controlling from Access, 974-976
 - PowerPoint, controlling from Access, 970-973
 - Time and Billing application example, 979-983
 - type libraries, 950
 - Word, controlling from Access, 966-968
 - automation client, 950**
 - automation objects, 953-954**
 - binding, 954
 - creating, object variables, 953
 - Excel automation objects, closing, 960-961
 - methods, 954
 - properties, 953
 - automation servers, object models, 950**
 - AutoNumber field type, 83**
 - AutoNumber fields**
 - Cascade Update Related Fields option, 131
 - upsizing to client/servers, 923
 - autonumber seed, changing (ANSI-92 extensions), 592**
 - axes**
 - exchanging in forms, 262
 - pivot tables, exchanging, 185
- B**
- Back Color, 290**
 - back ends**
 - compared to back ends, 919
 - executing stored procedures, 921
 - tables, linking to front end application database, 919
 - Back Style, 290**
 - backgrounds, alternating background colors for forms, 216-218**
 - backing up**
 - compacting databases, 1093
 - databases, 1099-1100
 - backslash (\), input masks, 90**
 - bang (!), 409**
 - bas prefix, PDF:1132, PDF:1135**
 - basUtils module, General Declarations section, 998-1003**
 - batch updates, recordsets, 707-708**
 - Before argument, Add method, 649**
 - BeforeDelConfirm event, forms, 435**
 - BeforeInsert event, forms, 432**
 - BeforeUpdate event**
 - controls, 443
 - forms, 433
 - BeginTrans method, transaction processing, 929-930**
 - Between (query criteria operator), 147**
 - Between Date And Date function, 149**
 - binding**
 - automation objects, 954
 - late, required functions, 955-956
 - black-box processing, 611**
 - BOF property (ADO recordsets), 690-691**
 - Bookmark property (ADO recordsets), 700-701**
 - bookmarks, 826-827**
 - adding, 394
 - Boolean expressions, toggling with Not function, 815**
 - Border Color, 290**
 - Border Style, 290**
 - Border Style property**
 - forms, 231
 - reports, 286
 - Border Width, 290**

borders

- forms, 231
- reports, 286

Bound Column property, combo boxes, 223**bound controls, 242****Bound Object Frame tool, 283****bound object frames, reports, 283****bound OLE objects, 466-467**

- In-Place activation, 466

breakpoints (debugging), 735

- removing, 736
- setting, 736-741

breaks, page breaks (inserting in reports), 293**brk prefix, PDF:1132****broken references, locating, 1102****bugs, avoiding, 728****builders, 1027**

- builder functions, preset arguments, 1030
- creating, 1028
- designing, 1028, 1047, 1050
 - Load events, 1050-1052
 - ValidTextPolite function, 1049-1050
 - ValidTextRude function, 1050-1052

forms

- designing, 1031-1032
- Modal property, 1031

functions

- preset arguments, 1029-1031
- writing, 1028-1031
- registering, 1032
 - Add-In Manager, 1036-1039
 - manual entries, 1032-1035
- testing, 1035
- types, 1027

built-in collections, 816-817**businesses, corporate environments (applications development), 8-9****byt data-type prefix, 1133****ByVal keyword, 987****C****calculated controls, 242, 293**

- expressions, 293

calculated fields

- nested queries, 554
- queries
 - calculating, 159
 - creating, 157-158

calculations, tables and, 119**Call Stack feature (debugging), 743-744****Call Stack window, 743-744****call stacks**

- creating, 786, 789-790
- error handling, 765

calling

- functions
 - DLL functions, 993
 - invalid characters, 989
 - ordinal number references, 991
 - procedures, 354

Can Edit Subkey value (registry), 1033**Can Grow, 290**

- controls, 290
- reports, 304
- subreports, 300

Can Shrink, 290

- controls, 290
- reports, 304
- subreports, 300

Cancel property, controls, 241**candidate keys, 117****Caption, 290****Caption property**

- query fields, 170
- reports, 285-286

Caption property

- fields, 91
- forms, 229

captions

- command buttons, 290
- labels, 290
 - default, 219
- option groups, 226

Cascade Delete Related Fields, Delete queries (warnings), 543**Cascade Delete Related Records option, 131-133****Cascade Update Related Fields, Update queries (warnings), 541****Cascade Update Related Fields option, 130****cascading error effect, 765-766****case sensitivity**

- function names, 986
- library names, 986
- upsizing to client/servers, 925

Catalog object, Delete method, 871**CBF (Code Behind Forms), 347****cbo prefix, 1132****centralizing error handling, 760****certificates, creating self-signed certificates, 1111-1112****Change event, controls, 444****Change To command (Format menu), 830****ChangeCaption procedure, 450****ChangeCaption routine, 413****characters**

- fields, naming, 81
- literals, input masks, 90

charts, reports with charts, 272**Check Box tool, 224****check boxes**

- forms, adding, 224
- properties, Triple state, 224

CHECK keyword (ANSI-92 extensions), 591**checkboxes, forms (adding), 224****chk prefix, 1132****Choose Builder dialog box, 1047****Class modules, 347, 484, 637, 652-654, 656, 658-659, 661-662, 664-667, 669, 791, 794. See also modules**

- creating, 638-641
 - instantiating objects, 640
 - methods, adding, 639
 - properties, adding, 639
 - Property Get routine, 640-642
 - Property Let routine, 640-642
- custom collections, 648-651
 - adding items to, 649
 - creating, 649
 - deleting items, 650
 - looping through, 650
 - referencing items, 650
- custom error handler class, 790-791, 794
 - ErrorProcess method, 791-793
 - LogError routine, 793-794
 - Property Get routine, 793
 - Property Let routine, 793
 - Standard Access routine, 790
- data access class, 656, 658-661, 663-665
 - AddNew method, 664
 - Delete method, 665
 - Edit method, 664-665
 - Initialize event, 658
 - Load event, 659
 - MoveNext method, 659-661
 - MovePrevious method, 661-662
 - Property Get routine, 656-658
 - Property Let routine, 656-658
 - Save method, 663-664
 - Scatter method, 658-659
- file information class, 653-656
 - FullName property, 652-654
 - GetDrive routine, 653-655
 - GetName routine, 653-655
 - GetPath routine, 653-655
 - manipulating instances (collections), 655-656
 - property declarations, 652

- Initialize event, 643
- multiple class instances, creating, 642-643
- object orientation, 637-638
- Property Set, 642
- system information class, 666-669
 - Initialize event, 668-669
 - Private variables, 666-667
 - Property Get routine, 667-668
 - Property Let routine, 667-668
 - type structures, 666-667
- Terminate event, 644
- classes, 638**
 - custom events, adding, 651-652
 - hierarchies, building, 646
 - interfaces, sharing, 648
 - properties, adding Parent property, 647-648
- clauses, SQL**
 - ALL, 572
 - FROM, 568
 - GROUP BY, 573
 - HAVING, 573
 - JOIN, 570-571
 - ORDER BY, 569
 - SELECT, 567
 - WHERE, 568-569
- clearing Immediate window, 732**
- clearing errors, 764**
- Click event**
 - controls, 446
 - forms, 439
- client/server technology**
 - benefits of, 843
 - considerations for migrating to, 845
 - converting to, 842-843
 - costs of, 843
- client/servers, 914**
 - Access, integrating, 921
 - applications, suitability of Access, 10
 - compared to Access, 914-915
 - evaluating needs, 918
 - field names, compatibility, 81
 - versus file servers, 9
 - system performance
 - application types, 917
 - backup/recovery capability, 917
 - network demands, 917
 - security, 918
 - user base, 916
 - terminology, 922
 - upsizing, 923-925
 - AutoNumber fields, 923
 - case-sensitivity, 925
 - default values, 91, 924
 - indexes, 97, 923
 - preparation, 925
 - properties, 925
 - relationships, 924
 - reserved words, 925
 - security, 924
 - table names, 81, 924
 - tables, 923
 - validation rules, 924
 - VBA, 925
- clients, automation clients, 950**
- Close Button property, reports, 287**
- Close event**
 - forms, 438
 - reports, 494
- Close keyword, 628**
- CloseExcel routine, 960**
- closing**
 - Excel automation objects, 960-961
 - forms, Form event sequence, 442
 - windows, designing forms, 197
- cmd prefix, PDF:1132**
- cmdFinish1 command button, 1042**
- cmdFinish2 command button, 1042**
- cmdSave command button (frmClients form), 396**

cmdUndo command button (frmClients form), 396

cnt object-naming prefix, PDF:1133-1134

cnts object-naming prefix, PDF:1133-1134

Codd, E. F., Dr., 117

code

compacting databases, 1096-1099

compiling, Compile On Demand feature, 629-630

debugging, 728

Auto Data Tips, 745

breakpoints, 735-741

Call Stack window, 743-744

Immediate window, 729-730, 734

Locals window, 744

naming standards, 728

Option Explicit statement, 728

potential problems, 751-752

quick watches, 745

runtime errors, 750-751

Set Next Statement command, 742-743

Step Into option, 738-739

Step Out feature, 742

Step Over option, 741-742

Stop statement, 735

strong-typing variables, 728

variable scoping, 728

Watch expressions, 745

watches, 735

importing external data, 852-854

TransferDatabase method, 852-853

TransferSpreadsheet method, 853-854

TransferText method, 853

library database references, VBA, 1021

linking external data, 859-863

connection information, providing, 860-861

creating links, 861-863

optimizing, 811

ACCDE files, 829

bookmarks, 826-827

Boolean expressions, 815

built-in collections, 816-817

compiling modules, 828

constants, 826

Declare statements, 821

Dim statements, 821

dynamic arrays, 826

inline code, 814

Len function, 818

Me keyword, 825

object references, 821

organizing modules, 829

specific object variables, 812-813

stored queries, 827-828

true/false evaluations, 819-820

unused code, 821

variables, 827

variant variables, eliminating, 811

With...End With construct, 823-824

writing to create documentation, 1088-1089

Code Behind Forms (CBF), 347

code modules

exporting, 630-631

structuring (library databases), 1012-1013

Code window (VBA), 388

splitting, 393

CodeData object, 423

CodeDB function, 1013

CodeProject object, 423

coding library databases, 1013

Collection object, custom collections, 626-627

collections, 407, 413

AllForms collection, 420

AllMacros collection, 421

AllModules collection, 421

AllQueries collection, 423

AllReports collection, 421

AllTables collection, 422

compared to objects, 412

- custom collections, 648-651
 - adding items to, 649
 - creating, 649
 - deleting items, 650
 - looping through, 650
 - referencing items, 650
- For...Each construct, 413
- Forms collection, 418-419
- manipulating multiple instances of file information class, 655-656
- Modules collection, 420
- Printer, 504
- referencing objects, 407
- Reports collection, 419
- Column Count property, combo boxes, 223**
- Column Width property, combo boxes, 223**
- columns**
 - adding to forms, 212-213
 - client/servers, 922
 - queries, selecting, 567
 - removing from forms, 213-214
- COM (Component Object Model), 950**
- Combo Box tool, 220**
- Combo Box Wizard, 220**
- combo boxes**
 - adding/removing items at runtime, 474-475
 - converting text boxes to, 227-228
 - converting to list boxes, 228
 - forms, adding, 219-223
 - labels, 222
 - NotInList event, 472-473
 - pop-up forms, 473-474
 - properties, 222
- Command Button Wizard, 244-245**
 - inefficient code generation, fixing, 396-398
- command buttons**
 - adding to forms, 244-245
 - captions, 290
 - enabling and disabling, 425-428
 - enabling/disabling, 426-427
 - hyperlinks, adding, 251
 - record source, saving changes to, 396
 - records, undoing changes to, 396
- Command object**
 - ADO object model, 678-679
 - declaring, 678
- command tabs, ribbons (new features), 30-33**
- commands**
 - Add-Ins menu, Add-In Manager, 1038
 - adding to ribbons, 944-945
 - Debug menu
 - Compile, 828
 - Set Next Statement, 742-743
 - Edit menu, New, 1034
 - File menu, Export, 104-109
 - Format menu, Change To, 830
 - New menu, 1034
 - Start menu, Run, 1033
 - Tools menu
 - Add-Ins, 1038
 - Relationships, 124
 - VBA, viewing code, 387
 - View menu, Object Browser, 405
- Comment Block tool (VBE), 364**
- comments**
 - adding to macros, 336-337
 - VBA, 363-364
- CommitTrans method, transaction processing, 929-930**
- Compact command-line option, 1095**
- Compact Database Into dialog box, 1094**
- Compact on Close environmental setting, 1095-1096**
- Compact utility, 803**
- CompactDatabase method, JetEngine object, 1096-1098**
- compacting databases, 803, 1091-1099**
 - with code, 1096-1099
 - Compact on Close environmental setting, 1095-1096
 - shortcut icons, creating, 1095
 - user interface, 1093-1095

CompactRepair method, 417

Application object, 1098-1099

compatibility, database conversion, 1100-1101

compilation objects, 629

Compile command (Debug menu), 828

Compile On Demand feature (VBA), 629-630

compiler constants, 367

compiling, 629

library databases, 1013

modules, 828

queries, 553

compiling code, Compile On Demand feature (VBA), 629-630

Complete Word feature, modules, 386

Component Object Model (COM), 950

composite keys, 117

compressing drives, 804

computer consulting firm example, application design, 72-73

conditional formatting, 229

forms, 228-229

Conditional Formatting dialog box, 228

Conditional If control structure, 367-368

Connection Object, creating, 675

connection information (linking external data), 860-861

Connection object

ADO object model, 672-675

BeginTrans method, 929-930

CommitTrans method, 929-930

declaring, 672

RollbackTrans method, 929-930

connection problems (external data), 873

Connection string properties, 673

ConnectionString argument (Open method), 864

Const keyword, 381, 602

constants, 602-604, 826

compiler, declaring, 367

declaring, 991

defining, 602-604

scope, 603-604

DLLs, 991, 993

errors, 382

functions, 991

Intrinsic, 381-383

intrinsic constants, 602-604

examples, 632-633

naming, 382

naming conventions, 603-604

NotInList event, 473

Object Browser, 379-380

Public, 603

scope, 381-382, 603

symbolic, 381-382

Symbolic constants, 602

system-defined constants, 602

values, errors, 603

VBA, 380

viewing, 382, 604

Object Browser, 604

constructs

For...Each, 413

For...Next, 371

With...End With, 412

With...End With construct, 823-824

Contents tab (Database Properties dialog box), 1080

context-sensitive help, VBA, 391

contextual command tabs, ribbons (new features), 34

Continuous forms

creating, 451-453

subforms, 453

Control Box property, reports, 286

control builders, 1027

Control events, 443

AfterUpdate, 443

BeforeUpdate, 443

Change, 444

Click, 446

- DbtClick, 447-448
- Enter, 445
- Exit, 445
- GotFocus, 445
- KeyDown, 448
- KeyPress, 449
- KeyUp, 449
- LostFocus, 446
- MouseDown, 448
- MouseMove, 448
- MouseUp, 448
- NotInList, 444-445
- sequence, 449
- Updated, 444
- Control properties, forms, 237, 241-242**
- Control Source property, 292**
 - combo boxes, 223
- control sources, adding expressions, 243**
- control structures (VBA), 364**
 - conditional If, 367-368
 - For Each...Next statement, 372-373
 - For...Next construct, 371
 - If...Then...Else, 365
 - Immediate If (IIf), 366
 - loops, 369-370
 - breaking, 371
 - Select Case statement, 368-369
 - VBA, 366-368, 370-371
 - With...End With statement, 372
- Control Wizard, combo boxes (adding to forms), 220**
- controlling printers, 503**
- controls**
 - Allow AutoCorrect property, 241
 - Auto Repeat property, 242
 - bound, 242
 - calculated, 242, 293
 - calculated controls, expressions, 293
 - Cancel property, 241
 - check boxes, 224
 - checkboxes, 224
 - combo boxes, 219-223
 - converting text boxes to, 227-228
 - converting to list boxes, 228
 - conditional formatting, 229
 - ControlTip Text property, 241
 - ControlType property, 414-415
 - data-bound controls, 91
 - default properties, optimization and, 831
 - determining type, 414-415
 - Enter Key Behavior property, 241
 - Format property, 238
 - forms, 218
 - Data Properties, 239-240
 - Format Properties, 236-239
 - labels, 219
 - morphing controls, 227-228
 - Other Properties, 240-242
 - Help Context ID property, 241
 - hyperlinks, adding, 251
 - IME (Input Method Editor) property, 242
 - labels, associating/disassociating, 219
 - list boxes, 223
 - converting combo boxes to, 228
 - moving independently of label, 200
 - Name property, 240
 - naming, conflicts, 292
 - option buttons, 224
 - option groups, 224-226
 - properties, 240, 242, 290-293
 - availability, 236
 - Back Color, 290
 - Back Style, 290
 - Can Grow, 290
 - Can Shrink, 290
 - Data, 292
 - Font Color, 291
 - Font Italic, 291
 - Font Name, 291
 - Font Size, 291

- Font Underline, 291
- Font Weight, 291
- Format, 290-291
- Name, 292
- Other, 292
- reports, 289-291
- Running Sum, 292
- Tag, 292
- reports, 282-284
 - bound object frames, 283
 - image controls, 284
 - labels, 282
 - lines, 282
 - rectangles, 283
 - text boxes, 282
 - unbound object frames, 283-284
- Scroll Bars property, 237
- Special Effect property, 237
- Status Bar Text property, 241
- subform controls, referring to, 476-477
- Tab controls
 - adding to forms, 456
 - properties, changing, 456-457
- Tab Index property, 241
- Tab Stop property, 241
- Tag property, 242
- text boxes, 219
 - converting to combo boxes, 227-228
- transparent, 237
- unbound, 242
- Vertical property, 241
- ControlTip Text property, controls, 241**
- ControlType property, 414-415**
- ConvertAccessProject method, 418**
 - Application object, 1100-1101
- converting**
 - to client/server technology, 842
 - linked tables to local tables, 871-872
 - macros to VBA code, 339-341
- CopyFromRecordset method, 982-983**
- copying**
 - macro actions, 331
 - records, controlling user access, 231
- corporations, developing applications, 8-9**
- counter fields, resetting, 1092**
- CREATE INDEX statement, SQL, 584-585**
- CREATE TABLE statement, SQL, 584**
- CreateControl function, 1044**
- CreateCustomForm function, 1041-1042**
- CreateExcelObj subroutine, 956**
- CreateForm function, 1044**
- CreateObject function, late binding, 955-956**
- CreateObject function for Creating Late-bound Excel Instance, 955**
- CreateRecordset function, 964-965**
- CreatExcelObj function, 957**
- creating**
 - builders, 1028
 - databases, new (from scratch), 78-79
 - forms, 193
 - Design view, 196
 - library databases, 1012-1013
 - new databases from scratch, 78-79
 - new forms, Form Wizard, 193
 - pivot tables
 - from forms, 256-259
 - from queries, 179-181, 183
 - Primary Key indexes, 98
 - tables, 79-81
- criteria**
 - date criteria, refining query results, 149-150
 - function results as criteria for queries, 586-587
 - queries, Like, 554
 - selection criteria, refining query results, 146-149
 - specifying at runtime (Parameter queries), 172-175
- Cross-tabulation reports, 270**

- Crosstab queries, 556-557**
 - columns, fixed headings, 562
 - creating
 - with Crosstab Query Wizard, 557, 559
 - Design view, 559-560
 - fixed column headings, creating, 561
 - parameters, 562
 - reports, creating, 523, 525-530
 - Crosstab Query Wizard, 557, 559**
 - crossstab reports, multifact crossstab reports (creating), 533-536**
 - ctl prefix, PDF:1132**
 - ctls prefix, PDF:1132**
 - cur data-type prefix, PDF:1133**
 - Current event, forms, 431**
 - CurrentData object, 422-423**
 - CurrentDB function, 1013**
 - CurrentProject object, 420-421**
 - cursors**
 - batch updates, 707-708
 - Recordset objects, selecting location, 686-687
 - CursorType parameter, ADO recordset types, 680-682**
 - custom collections, 625-628, 648-651**
 - accessing items, 627
 - adding items, 626-627
 - adding items to, 649
 - creating, 626, 649
 - deleting items, 650
 - iterating through items, 628
 - looping through, 650
 - referencing items, 650
 - removing items, 627
 - custom error handler class (class modules), 790-791, 794**
 - ErrorProcess method, 791, 793
 - LogError routine, 793-794
 - Property Get routine, 793
 - Property Let routine, 793
 - Standard Access routine, 790
 - custom events, adding to classes, 651-652**
 - custom methods, creating, 489**
 - custom properties, creating, 484-488**
 - PropertyGet routine, 486-488
 - PropertyLet routine, 486-488
 - Public variables, 484-486
 - custom ribbons, building, 841-842**
 - Custom tab (Database Properties dialog box), 1081**
 - customizing**
 - Quick Access toolbar, 38, 40-41
 - ribbons, 935-936
 - enabling display of system errors, 937
 - showing system tables, 936-937
 - USysRibbons table, 938
 - USysRibbons table, adding data to, 939-940
 - Visual Basic Editor (VBE), 394-395, 399
 - coding options, 394-395
 - docking options, 396, 399
 - general options, 395
 - Currency field type, 85**
 - Cycle, 289**
 - Cycle property, forms, 235**
- ## D
- DAO (Data Access Objects), 671, 922**
 - Errors collection, 769-770
 - naming conventions, PDF:1133-1134
 - records, deleting, 722-723
 - recordsets, RecordCount property, 692
 - dat data-type prefix, 1133**
 - data**
 - exporting
 - to SharePoint Server 2007, 883-884
 - to SharePoint sites, 885-890
 - external data. See external data

- field types
 - Attachment, 86
 - AutoNumber, 85
 - Currency, 85
 - Date/Time, 84
 - Hyperlink, 87
 - Memo, 84
 - Number, 84
 - OLE Object, 86
 - selecting, 82-84
 - Text, 84
 - Yes/No, 86
- pivot tables, filtering, 183
- publishing to SharePoint sites, 891-896
- tables
 - saving in HTML format, 104-107
 - saving in XML format, 107-109
- data access class (Class modules), 656, 658-661, 663-665**
 - AddNew method, 664
 - Delete method, 665
 - Edit method, 664-665
 - Initialize event, 658
 - Load event, 659
 - MoveNext method, 659-661
 - MovePrevious method, 661-662
 - Property Get routine, 656-658
 - Property Let routine, 656-658
 - Save method, 663-664
 - Scatter method, 658-659
- Data Access Objects. See DAO**
- data analysis, application development, 24-27**
- data entry forms, recordset methods, 719-724**
- Data Entry property, forms, 234**
- data locking, 913**
- data normalization, 115**
- Data properties**
 - controls, Running Sum property, 292
 - form controls, 239-240
 - forms, 233-234
 - reports, 287
- data structures, optimization, 808-809**
- data types**
 - dBASE, mapping, 873
 - optimization, 809
 - variables, 359
- data-bound control, 91**
- Database Documenter, 1074, 1082**
 - documentation output, 1085-1086
 - launching, 1081-1082
 - Object Definition window, 1082
 - options, 1083, 1085
- database files, linking external data, 858**
- Database locking, 913**
- Database Locking Mode property (Connection strings), 673**
- database objects**
 - Database window, viewing icons, 12
 - saving as XML, 1066-1068
 - splitting, 835-836
- Database Password property (Connection strings), 673**
- database projects, properties, 631-632**
- Database Properties dialog box, 1079-1081**
 - Contents tab, 1080
 - Custom tab, 1081
 - General tab, 1079
 - Statistics tab, 1080
 - Summary tab, 1079
- Database Splitter, 877**
 - linking external data, 854-856
- Database Splitter Wizard, 912**
- Database to Compact From dialog box, 1093**
- Database window, 12**
- Database window objects, naming conventions, PDF:1135**
- databases**
 - backing up, 1099-1100
 - behavior when trusted and untrusted, 1123
 - compacting, 554, 803, 1091-1099
 - Compact on Close environmental setting, 1095-1096
 - shortcut icons, creating, 1095

- user interface, 1093-1095
 - with code, 1096-1099
- converting to other version formats, 1100-1101
- creating, 75-76
 - from scratch, 78-79
 - from SharePoint lists, 884
 - with templates, 76-78
- default location, 1095
- defined, 11
- denormalization, 120
- design issues, 115
 - benefits, 117
 - goals, 117
 - history, 117
 - integrity rules, 121-122
 - normalization rules, 118-120
 - rules, 116-118, 122-124
- documentation, 1081
 - Database Documenter, 1081-1085
 - Database Properties dialog box, 1079-1081
 - writing code for documentation, 1088-1089
- encrypting, 1096-1099
- forms, documenting (Database Documenter), 1075-1077
- front-ends, 847
- Jet engine, converting from old versions, 1096-1098
- library databases, see library databases, 1011
- macros, documenting (Database Documenter), 1078
- modules, documenting (Database Documenter), 1078
- naming conventions, 79
- normalization, 115-116
 - first normal form, 118
 - second normal form, 119
 - third normal form, 119-120
- Object Dependency feature, invoking, 1086-1088
- passwords, 867-869
- performance considerations
 - application types, 917
 - backup/recovery capability, 917
 - network demands, 917
 - security, 918
 - user base, 916
- properties, documentation, 1081
- queries, documenting (Database Documenter), 1075-1076
- re-creating, 53-56
- relationships, types of, 122
- renaming, compiling and, 829
- reports, documenting (Database Documenter), 1078
- specifications/limitations, 110
- tables
 - adding with ADO code, 715-716
 - deleting with ADO code, 717
 - documenting (Database Documenter), 1074-1075
 - relationships, establishing, 717-718
 - specifications/limitations, 110-111
 - trusting, 1106-1107
- date criteria, refining query results, 149-150**
- Date Grouping, 288**
- Date() function, 92**
- Date() function, 149**
- Date/Time field type, 83-84**
- DateAdd function, 378**
- DateCreated property, 424**
- DateDiff function, 378**
- DateModified property, 424**
- DatePart function, 149, 377**
- Day() function, 149**
- db object-naming prefix, 1133-1134**
- dBASE files, 872-873**
 - mapping dBASE data types, 873

dbe object-naming prefix, PDF:1133-1134

dbi data-type prefix, PDF:1133

DbiClick event

controls, 447-448

forms, 439

dbx object-naming prefix, PDF:1133-1134

dcm prefix, PDF:1132

DDL (client/servers), 922

Deactivate event, forms, 438

Debug menu commands

Compile, 828

Set Next Statement, 742-743

Debug toolbar, displaying, 730

Debug.Print statements, 361, 734, 739

debugging. See also troubleshooting

library databases, 1022-1023

tips, 752-753

debugging applications

assertions, 752

Auto Data Tips, 745

avoiding bugs, 728

breakpoints, 735

removing, 736

setting, 736-741

Call Stack window, 743-744

Immediate window, 729-730, 734

clearing, 732

printing values to, 734

setting values of variables/properties,
730, 732

testing functions, 733

testing subroutines, 733

testing values of variables/
properties, 730

Locals window, 744

potential problems, 751-752

runtime errors, 750-751

Set Next Statement command, 742-743

Step Into option, 738-739

Step Out feature, 742

Step Over option, 741-742

Stop statement, 735

Watch expressions, 745

adding, 746-748

breaking when expressions are true,
748-749

breaking when expressions change, 749
editing, 748

watches, 735

quick watches, 745

Decimal Places, 290

declarations

automation objects, 953

Command objects, 678

Connection objects, 672

disambiguation, 672

Recordset objects, 676

variables, memory usage considerations,
674

Declare statements, 821, 986

declaring

arrays, 605-607

dynamic arrays, 607-609

compiler constants, 367

constants, 991

DLL functions, 985-986

procedures

Class modules, 355

private, 356

types, 992-993

user-defined types, 600

variables, 358

modules, 348

Option Explicit statement, 349

performance considerations, 359

decomposition, 119

DEFAULT keyword (ANSI-92 extensions), 590

default properties, 410

Default Value property (fields), 91-92

Default View property (forms), 230

defining constants, 602-604

scope, 603-604

Definition feature, modules, 387

defragmenting

compacting databases, 1092

hard disks, 803

Delete event, forms, 435

Delete method

Catalog object, 871

data access class, 665

Delete queries, creating, 542

DELETE statement, QL, 582-583

DeleteSetting function, 994

deleting

breakpoints, 736

custom collection items, 650

external data links, 869, 871

fields, tables, 80

fields from query grid, 142-143

files from disk, 760

macro actions, 329-330

records

Action queries, 542

controlling user access, 231

DAO, 722-723

records from recordsets (ADO), 712-713

relationships, 128

tables with ADO code, 717

delimiters, strings, 697-699

denormalization, 120

denormalizing tables, 808

dependencies

object dependencies, viewing, 109-110

objects, viewing, 110

derived keys, 116

Description property

forms, 1075

queries, 171, 1075

query fields, 170

reports, 1078

tables, 101

Description Subkey value (registry), 1033

design issues, 115

benefits, 117

goals, 117

history, 117

integrity rules, 121-122

normalization rules, 118-120

rules, 116-118, 122-124

design phase, application development, 24-27

Design view

Crosstab queries, 559-560

forms

creating, 196

designing, 18

reports, creating, 278

tables, viewing, 14

designing

applications

computer consulting firm example, 72-73

options, 919

builder forms, 1031-1032

builders, 1028, 1047, 1050

Load events, 1050-1052

ValidTextPolite function, 1049-1050

ValidTextRude function, 1050-1052

forms

Design view, 18

shortcut keys, 198

Time and Billing application, 263-268

toolbars, 196

windows, 197

menu add-ins, 1045

properties, setting, 402

queries, Query Design window, 17

tables

from scratch, 79-81

Time and Billing application, 111-113

wizards, 1039

designing tables, examples, 107

detail (reports), displaying, 516-517

Detail reports, 270

Detail section

- forms, 192
- reports, 274

Detail Section Format event, reports, 527-529

Detail Section Print event, reports, 529

detecting objects, broken references, 1102

developing applications, 835-837

- Access as a front end, 842-845
- data analysis, 24-27
- design phase, 24-27
- forms, basing on queries/embedded SQL statements, 837
- implementation stage, 28
- maintenance activities, 28
- prototype stage, 27
- reports, basing on queries/embedded SQL statements, 837
- runtime version, distribution, 839-841
- splitting database objects, 835-836
- task analysis, 24
- testing stage, 27

development environment, RAM recommendation, 803

dialog boxes, 460

- About, 997
- Add Procedure, 352, 487
- Add Watch, 747
- Add-In Manager, 1038
- Choose Builder, 1047
- Compact Database Into, 1094
- Conditional Formatting, 228
- creating, 190, 231
- Database Properties, 1079, 1081
- Database to Compact From, 1093
- Documenter, 1081
- Edit DWORD Value, 1034
- Edit Relationships, 16, 125
- Edit String, 1034
- Edit Watch, 748
- FileDialog object, 463-464

Find, 390

- Import, 1037
- Import Objects, 1037
- input boxes, 462-463
 - InputBox function, 462-463
- Insert Hyperlink, 103
- Insert Object, 283, 466
- Link, 856
- message boxes, 460-462
 - MsgBox function, 460-462
- Modal property, 235
- New Object, 1045
- New Query, 138
- Object Browser, 405
- Object Properties, 1075
- Open, 1039
- Parameters, 588
- Performance Analyzer, 808
- Pop Up property, 235
- Print Form Definition (Database Documenter), 1084
- Print Query Definition (Database Documenter), 1084
- Print Table Definition (Database Documenter), 1083
- Project Properties, 631
- Query Parameters, 173-175
- References, 951, 1017
- Replace, 391
- Runtime Error, 750
- Save Backup As, 1099-1100
- Show Table, 139
- Show Tables, 126, 576
 - self join queries, 564
- Tab Order, 204
- Zoom, 243

Dialog forms, creating, 459-460

Dim keyword, custom collections, 649

Dim statement, 953

- variables, 359

Dim statements, 821

- memory usage considerations, 674

directives, VBA (#Const), 367**Dirty event, forms, 434****disabling**

- command buttons, 425-428
- Sandbox mode
 - in Windows Vista, 1123-1124
 - in Windows XP or Windows Server 2003, 1124-1125
- Snap to Grid feature, 281

disambiguation (object declarations), 672**disk space, external data, 874****Display as Hyperlink, 291****display of system errors, customizing ribbons, 937****Display on SharePoint Site, 288****displaying**

- Debug toolbar, 730
- detail (reports), 516-517
- error descriptions, 759
- error numbers, 759
- errors, errors collection, 769-770
- forms, in PivotTable view, 257-258
- overlapping windows, tabbed documents, 46-47
- pivot tables, from forms (Pivot Table view), 256-257
- summary (reports), 516-518

distributing

- Access databases, 1110-1111
- applications, runtime version, 839-841

Dividing Lines property, forms, 232**DLLs (dynamic link libraries), 985**

- constants, 991-993
- functions
 - aliasing, 989-991
 - calling, 993
 - declaring, 985-986
 - passing parameters, 987-989
- types, 992-993

Do loops, 369-370**doc object-naming prefix, 1133-1134****dockable windows, 396****DoCmd object, 342, 423-424**

- adding report sections at runtime, 501
- examples, 632-633
- importing external data, 852-854
 - TransferDatabase method, 852-853
 - TransferSpreadsheet method, 853-854
 - TransferText method, 853
- macros, executing, 374
- OpenForm method, 375

docs object-naming prefix, 1133-1134**documentation**

- benefits, 1073
- databases, 1081

Documenter dialog box, 1081**documenting**

- macros, adding comments, 336-337
- tables, 81

documenting databases

- Database Documenter, 1081-1083, 1085
 - documentation output, 1085-1086
 - forms, 1075-1077
 - macros, 1078
 - modules, 1078
 - Object Definition window, 1082
 - options, 1083-1085
 - queries, 1075-1076
 - reports, 1078
 - tables, 1074-1075
- Database Properties dialog box, 1079-1081
- writing code for documentation, 1088-1089

documents

- HTML documents
 - importing, 874-876
 - linking, 877
- mail merge (Word), 966-968
- tabbed documents, 44-46
 - displaying overlapping windows, 46-47

domains, **116**
 drill-down, pivot table data, **184**
 drivers, ISAM drivers (Windows registry keys), **866**
 drives, **804**
 DROP INDEX statement, SQL, **585**
 DROP TABLE statement, SQL, **586**
 DSN keyword, **867**
 DWORD Value command (New menu), **1034**
 dynamic arrays, **826**
 declaring, **607-609**
 dynamic link libraries. *See* DLLs
 dynasets, tables, **16**

E

Edit DWORD Value dialog box, **1034**
 Edit menu commands, New, **1034**
 Edit method, data access class, **664-665**
 Edit Relationships dialog box, **16, 125**
 Edit String dialog box, **1034**
 Edit Watch dialog box, **748**
 editing
 project properties, **631**
 Watch expressions, **748**
 Editor Format Tab, **395**
 editors, Registry Editor (invoking), **1033**
 emailing, errors, **780-781**
 embedded macros, **315**
 creating, **332-333**
 embedded objects, In-Place activation, **466**
 embedded SQL statements, basing forms/queries on, **837**
 embedding SQL statements, **250-251**
 Empty value, Variant variables, **618-619**
 enabling command buttons, **425-428**
 encryption, CompactDatabase method,
 Application object, **1098-1099**
 JetEngine object, **1096-1098**
 enforced referential integrity, **155**
 Enter event, controls, **445**
 Enter Key Behavior property, controls, **241**
 entity integrity, **122**
 entity integrity rules, **121-122**
 enumerated types, Intellisense and, **644-646**
 environment, **802**
 development, RAM recommendation, **803**
 environmental settings, Compact on Close, **1095-1096**
 EOF property (ADO recordsets), **690-691**
 equal sign (=), query criteria operator, **146**
 Err object, **766-767**
 properties, **766**
 Raise method, **767-769**
 generating errors, **767-768**
 user-defined errors, creating, **768-769**
 err object-naming prefix, PDF:**1133-1134**
 Error Checker, **479**
 error descriptions, displaying, **759**
 Error event
 forms, **440**
 reports, **495**
 error events, **796**
 error forms, **784**
 creating, **782-784**
 printing, **785**
 error handling, **755-757**
 call stacks, **765**
 creating, **786, 789-790**
 cascading error effect, **765-766**
 centralizing, **760**
 clearing errors, **764**
 default error message, **756**
 default handler, returning to, **759**
 distributing applications, **841**
 Err object, **766-767**
 properties, **766**
 Raise method, **767-769**
 error descriptions, displaying, **759**

- error numbers, displaying, 759
- examples, 798-799
- Exit Sub statement, 759
- generic error handlers
 - creating error forms, 782-784
 - ErrorHandler function, 772-774, 778-780
 - LogError routine, 774-776
 - On Error routine, 770-771
 - printing error forms, 785
 - type structure declaration, 772
- implementing, 755-757
- On Error Goto 0 statement, 759-760
- On Error Goto statement, 758-759
- On Error Resume Next statement, 760
- On Error statements, 758
- personal error handling, preventing, 786
- response options, 760-764
- Resume Next statement, 762-763
- Resume statement, 761-762
- Resume [LineLabel] statement, 763-764
- Time and Billing application, 798-799
- error messages**
 - referential integrity, 129
 - relationships, 132
- error numbers, displaying, 759**
- ErrorHandler function, 778-780**
 - generic error handlers, 772-774
- ErrorProcess method, custom error handler class, 791-793**
- errors**
 - automatic error checking, 477-479
 - reports, 505-507
 - clearing, 764
 - constants, 382
 - values, 603
 - determining appropriate response to, 776-778
 - emailing errors, 780-781
 - functions, 986
 - generating, 767-768
 - Immediate If (IIf) statements, 366
 - Invalid add-in entry message, 1036
 - listing, 797
 - logging, 774-776
 - logic errors, 728
 - responding to, 778-780
 - runtime errors, 750-751
 - user-defined, creating, 768-769
- Errors collection, 769-770**
- errs object-naming prefix, 1133-1134**
- event procedures, 347**
 - creating, 352
 - modules, 350
- events, 404**
 - Control events, 443
 - AfterUpdate, 443
 - BeforeUpdate, 443
 - Change, 444
 - Click, 446
 - DbClick, 447-448
 - Enter, 445
 - Exit, 445
 - GotFocus, 445
 - KeyDown, 448
 - KeyPress, 449
 - KeyUp, 449
 - LostFocus, 446
 - MouseDown, 448
 - MouseMove, 448
 - MouseUp, 448
 - NotInList, 444-445
 - sequence, 449
 - Updated, 444
 - custom, adding to classes, 651-652
 - Detail Section Format, reports, 527-529
 - Detail Section Print, reports, 529
 - error events, 796
 - Filter event, forms, 464-465
 - Form events, 431
 - Activate, 438
 - AfterDelConfirm, 435

- AfterInsert, 432
- AfterUpdate, 434
- ApplyFilter, 440
- BeforeDelConfirm, 435
- BeforeInsert, 432
- BeforeUpdate, 433
- Click, 439
- Close, 438
- Current, 431
- DbIClick, 439
- Deactivate, 438
- Delete, 435
- Dirty, 434
- Error, 440
- Filter, 440
- GotFocus, 438
- KeyDown, 439-440
- KeyPress, 440
- KeyUp, 440
- Load, 436
- LostFocus, 439
- MouseDown, 439
- MouseMove, 439
- MouseUp, 439
- Open, 435
- order of occurrence, 433
- Resize, 436
- sequence, 441-442
- Timer, 441
- Undo, 434
- Unload, 437
- Group Header Format event, 534-535
- Initialize, 643
- Initialize event
 - data access class, 658
 - system information class, 668-669
- Load event, data access class, 659
- No Data event, 831
- NotInList event, combo boxes, 472-473
- Page Footer Format, reports, 532
- Page Header Format, reports, 527
- Page Header Format event, 533
- report events, 493-496
 - Close, 494
 - Error, 495
 - manipulating sections, 501
 - NoData, 494-495
 - Open, 493-494, 525-526
 - order of, 496
 - Page, 495
- Report Footer Format, reports, 530-532
- Report Header Format, 526-527, 531
- report section events, 496-497, 500
 - Format, 496-498
 - order of events, 500
 - Print, 498-499, 522-523
 - Retreat, 500
- Section events, 443
- Terminate, 644
- Excel**
 - automation objects, closing, 960-961
 - controlling from Access, 956-960
 - graphs, creating from Access, 961-962, 964-965
- exchanging**
 - axes in forms, 262
 - pivot table axes, 185
- excluding fields, from queries, 166-167**
- ExclusiveAsyncDelay setting (Windows registry), 928**
- executing**
 - macros, 21
 - from ribbons, 946-947
 - queries, 16
 - stored procedures on back ends, 921
- Exit event, controls, 445**
- Exit Sub statement, error handling, 759**
- explicit references**
 - creating in library databases, 1017-1020
 - limitations, 1018
 - RefLibPaths key, 1020

explicit transaction processing, 927

- implementing, 929-930

Export command (File menu), 104-109**exporting**

- code modules, 630-631

- data

- to SharePoint Server 2007, 883-884

- to SharePoint sites, 885-890

- form modules, 630-631

Expression Builder, 243. See also builders

- building expressions in queries, 160-161

expression builders, 1027**expressions**

- adding to control sources, 243

- Boolean expressions, toggling with Not function, 815

- building in queries (Expression Builder), 160-161

- calculated controls, 293

- forms, 243

- Null values, converting to zero, 167

- queries, 554

- Rushmore, 555

- Watch expressions, 745

- adding, 746-748

- breaking when expressions are true, 748-749

- breaking when expressions change, 749

- editing, 748

Extensible Markup Language. See XML**external data, 848**

- compatibility, 847

- dBASE files, 872-873

- mapping dBASE data types, 873

- defined, 847

- examples, 877-879, 881

- Database Splitter, 877

- refreshing links, 878-881

- importing, 848-850

- DoCmd object, 852-854

- user interface, 850-851

- linking, 848-849, 854, 862-863, 912

- Database Splitter, 854-856

- Database Splitter Wizard, 912

- performance considerations, 874

- refreshing links, 869-871, 878-879, 881

- removing links, 869-871

- to Access tables, 856-857

- to database files, 858

- user interface, 856-858

- user interfaces, 854

- with code, 859-863

- links, refreshing, 877-880

- passwords, 867-869

- storage, 847

- text data, 873

- troubleshooting, 873-874

- connection problems, 873

- disk space, 874

external tables

- opening, 848-849, 864-865

- connection information, providing, 864

- OpenDatabase method, 864-865

extracting signed packages, 1113-1114**F****f data-type prefix, 1133****Fast Laser Printing, 289**

- forms, 236

fdlg object-naming prefix, 1136**Field List properties, queries, 171****Field List window, availability, 233****field properties**

- propagating, 481-483

- for reports, 507-509

- queries, 170

Field Size property (fields), 88

field types, Hyperlink, 103-104

fields (tables), 82-84

adding

to queries, 139-141

to reports, 278

AutoNumber, Cascade Update Related

Fields option, 131

behaviors, modifying, 170

calculated fields (queries)

creating, 157-159

nested queries, 554

changing location on query grid, 143-144

combo boxes, setting width, 221

counter, resetting, 1092

data types, selecting, 82-84

Date() function, 92

foreign keys, 95

forms

adding, 198-199

adding multiple, 198

selecting, 194

indexing

queries, 554

selecting field types, 82

inserting in queries, 143

maximum number allowed, 123

multifield indexes, creating, 96

multivalued fields

creating, 65-69

effect on queries, 69, 71

naming, 81

normalization, 25

properties, 87

Allow Zero Length, 95-96

Caption, 91

Default Value, 91-92

Field Size, 88

Format, 88-89

Indexed, 96-98

Input Mask, 89-90

Required, 94-96

Unicode Compression, 97

Validation Rule, 92-94

Validation Text, 94

queries

excluding fields from output, 166-167

performance considerations, 554

removing from query grid, 142-143

searching, indexes, 96-97

selecting, reports, 275

size considerations, referential integrity,
129

sorting

query results, 1445-146

selecting field types, 82

space requirements, 82

subforms, order of fields, 249

tables

defining, 79

deleting, 80

descriptions, 80

inserting, 80

selecting types, 81

types, 79

types

:Attachment, 86

AutoNumber, 85

Currency, 85

data, 82

Date/Time, 84

Hyperlink, 87

Memo, 84

Number, 84

OLE Object, 86

Text, 84

Yes/No, 86

updating queries, 539

validation rules, adding, 93-94

values, lookups (Lookup Wizard), 98-100

file information class (Class modules), 653-656

- FullFileName property, 652-654
- GetDrive routine, 653-655
- GetName routine, 653-655
- GetPath routine, 653-655
- manipulating instances (collections), 655-656
- property declarations, 652

File menu commands, Export, 104-109**file servers**

- applications, installing, 910
- versus client/servers, 9

FileDialog object, 463-464**files**

- ACCDE files, 829
- ADP files, 56
- dBASE files, 872-873
 - mapping dBASE data types, 873
- deleting, from disk, 760
- importing, supported file formats, 850
- INF files, 872
- linking, supported file formats, 850
- low-level file handling, 628-629
- opening, supported file formats, 850
- text files, importing, 630
- WZMAIN80.MDE, importing, 1037
- XML files, importing, 1068-1069

FillCells subroutine, 958**Filter event, forms, 440, 464-465****Filter On Load property, 288****Filter property, 287, 513-514**

- forms, 234
- queries, 172
- tables, 102

Filter property (ADO recordsets), 695**filtering**

- data, pivot table data, 183
- forms, 464-465
- pivot table data, forms, 261
- recordsets, 695

FilterOn property, 513-514**filters, forms, 234****find and replace feature, VBA, 390-391****Find dialog box, 390****Find method (ADO recordsets), 696-699****finding records in recordsets, 696-699****first normal form, 118****fixed arrays, 605****fld object-naming prefix, 1133-1134****flds object-naming prefix, 1134****FlipEnabled routine, 414-415****fmnu object-naming prefix, 1136****fmsg object-naming prefix, 1136****folders, My Documents, 1095****Font Color property, controls, 291****Font Italic property, controls, 291****Font Name property, controls, 291****Font Size property, controls, 291****Font Underline property, controls, 291****Font Weight property, controls, 291****Footer section, forms, 192****footers, 274. See also Page Footers**

- adding at runtime (reports), 501

For Each...Next loops, 816-818**For Each...Next, 817****For Each...Next statement, 372-373****For...Each construct, 413****For...Each loops, iterating through collection items, 628****For...Next construct, 371****Force New Page property, reports, 293, 303****Fore Color, 290****foreign key fields, 95****foreign keys, 115-116**

- referential integrity and, 121

foreign keys (client/servers), 922**Form and Report Class modules, 347****Form Design toolbar, 196****Form Design window, 196, 198-200, 202-204**

Form events, 431

- Activate, 438
- AfterDelConfirm, 435
- AfterInsert, 432
- AfterUpdate, 434
- ApplyFilter, 440
- BeforeDelConfirm, 435
- BeforeInsert, 432
- BeforeUpdate, 433
- Click, 439
- Close, 438
- Current, 431
- DbClick, 439
- Deactivate, 438
- Delete, 435
- Dirty event, 434
- Error, 440
- Filter, 440
- GotFocus, 438
- KeyDown, 439-440
- KeyPress, 440
- KeyUp, 440
- Load, 436
- LostFocus, 439
- MouseDown, 439
- MouseMove, 439
- MouseUp, 439
- Open, 435
- order of occurrence, 433
- Resize, 436
- sequence, 441-442
 - closing forms, 442
 - key presses, 442
 - mouse actions, 442
 - moving between forms, 442
 - opening forms, 441
 - sizing forms, 442
- Timer, 441
- Undo event, 434
- Unload, 437

form layouts

- columns
 - adding, 212-213
 - removing, 213-214
- formatting, 210
- moving, controls in, 210-211
- removing, 214-215

form modules, exporting, 630-631**Form property, 416****Form view, viewing forms, 18****Form Wizard**

- customizing, 1040-1044
- forms, creating, 193-195
- one-to-many forms, creating, 246-247
- starting, 195

Format, Format properties, 290**Format event, report sections, 496-497****Format function, 376****Format menu, spacing forms, 203****Format menu commands, Change To, 830****Format properties**

- controls, 238, 290-291
 - Back Color property, 290
 - Back Style property, 290
 - Can Grow property, 290
 - Can Shrink property, 290
 - Font properties, 291
 - Scroll Bars, 237
 - Special Effect, 237

fields, 88-89**form controls, 236-239****forms, 231**

- Allow Datasheet View, 231
- Allow Form View, 233
- Allow PivotChart View, 231
- Allow PivotTable View, 231
- Auto Resize, 231
- Border Style, 231
- Dividing Lines, 232
- Moveable, 232

- Navigation Buttons, 232
- Orientation, 233
- Picture properties, 231
- Record Selectors, 231
- Scroll Bars, 232
- Width, 231
- query fields, 170
- reports, 285
 - Auto Center property, 286
 - Auto Resize property, 286
 - Border Style, 286
 - Caption property, 285-286
 - Close Button, 287
 - Control Box, 286
 - Grid X property, 287
 - Grid Y property, 287
 - Grp Keep Together, 286
 - Grp Keep Together property, 286
 - Layout for Print property, 287
 - Min Max Buttons, 286
 - Page Footer, 286
 - Page Footer property, 286
 - Page Header, 286
 - Page Header property, 286
 - Picture properties, 287
 - Width property, 287
- FormatCount property, reports, 503**
- formatting form layouts, 210**
- Formatting toolbar, 196**
 - Align tools, 202
 - Report Design window, 278
- forms**
 - Access, opening from (SharePoint sites), 896-899
 - Allow Datasheet View property, 231
 - Allow Filters property, 234
 - Allow PivotChart View property, 231
 - Allow PivotTable View property, 231
 - alternating background colors, 216, 218
 - applications, navigating, 190
 - Auto Resize property, 231
 - axes, exchanging, 262
 - basing applications on runtime application distribution, 839
 - basing on queries, 249-250
 - basing on queries/embedded SQL statements, 837
 - Border Style property, 231
 - borders, 231
 - builders
 - designing, 1031-1032
 - Modal property, 1031
 - closing, Form event sequence, 442
 - combo boxes, record sources, 220
 - command buttons, adding, 244-245
 - components, 192
 - conditional formatting. *See* conditional formatting
 - Continuous forms, 451-453
 - Control properties, 237, 241-242
 - controls, 218
 - checkboxes, 224
 - combo boxes, 219-223
 - Data properties, 239-240
 - Format properties, 236-239
 - labels, 219
 - list boxes, 223
 - morphing, 227-228
 - option buttons, 224
 - option groups, 224-226
 - Other properties, 240-242
 - text boxes, 219
 - creating, 193
 - Design View, 196
 - Form Wizard, 193, 195
 - from queries, 194
 - layouts, selecting, 194
 - queries, 193
 - styles, selecting, 195
 - Time and Billing application example, 263-268
 - titles, 195

- custom methods, creating, 489
- custom properties
 - creating, 484-488
 - PropertyGet routine, 486-488
 - PropertyLet routine, 486-488
 - Public variables, creating, 484-486
- Cycle property, 235
- data, storing in Type variables, 601
- Data Entry property, 234
- designing, toolbars, 196
- designing (Design view), 18
- Detail section, 192
- Dialog forms, creating, 459-460
- displaying in PivotTable view, 257-258
- Dividing Lines property, 232
- documenting (Database Documenter), 1075-1077
- error, creating, 784
- error events, 796
- error forms
 - creating, 782-784
 - printing, 785
- event procedures, 350
- examples
 - frmClients, 263-265
 - frmProjects form, 266-267
- expressions, 243
- Fast Laser Printing property, 236
- fields
 - adding, 198-199
 - adding multiple, 198
 - selecting, 194
- Filter property, 234
- filtering features, 464-465
- filters, 234
- Footer section, 192
- Format properties, 231
- frmClients, 659-662
 - command button programming code, 396
- frmGetFormInfo, 1040
- frmSpecialEffect, 1030-1032
- Has Module property, 235
- Header section, 192
- HTML format, saving in, 253
- hyperlinks, adding, 251-253
- Internet, compatibility, 251-252
- key presses, Form event sequence, 442
- labels, 219
 - captions, 91, 219
 - sizing, 203
- large recordsets, display options, 838
- Layout for Print property, 233
- Layout view, 205-206
 - stacked and tabular layouts, 206-211
- macros, triggering from, 326-327
- Me keyword, 450
- Menu Bar property, 235
- modal displays, 191
- Modal property, 235
- Moveable property, 232
- moving between, Form event sequence, 442
- multipage forms, creating, 453-455
- navigating, setting properties, 232
- Navigation Buttons property, 232
- new features, 51
- objects
 - aligning, 200-202
 - moving, 200
 - selecting, 199-200
 - sizing, 202-203
 - spacing, 203-204
 - tab order, changing, 204-205
- one-to-many, 246
 - creating, 246-248
- OpenArgs property, 468
- opening
 - Form event sequence, 441
 - mouse actions, 442
- opening with command button code, efficiency considerations, 396-398

- optimizing, 829-831
- Order By property, 234
- Orientation property, 233
- passing parameter query values, 588-589
- Picture properties, 231
- pivot tables
 - controlling information detail (Pivot Table view), 261-262
 - creating, 256-257, 259
 - creating from, 256
 - displaying (Pivot Table view), 256-257
 - filtering data (Pivot Table view), 261
 - summarized data (Pivot Table view), 259
- Pop Up property, 235
- pop-up forms, 473-474
- printed, 190
- printing, 233
- properties, 229-235
 - Data properties, 233
 - Description property, 1075
 - Format properties, 229, 232
 - property sheet, 229-230
- Record Selectors property, 231
- record sources, 198
 - changing at runtime, 233
- records, ordering, 234
- recordset methods, 719-724
- Recordset Type property, 234
- RecordSource property, 720
 - changing at runtime, 468-471
- reports with forms, 272
- Scroll Bars property, 232
- Short Menu Bar property, 235
- Short Menu property, 235
- shortcut keys, 198
- single forms, creating, 451-452
- sizing, Form event sequence, 442
- smart tags
 - action buttons, 255
 - adding, 253-255
- Snap to Grid
 - adjusting grid, 233
 - temporarily disabling, 202
- specifications/limitations, 262
- Splash Screen forms, creating, 459
- splash screens, creating, 491
- split forms, 215-217
- splitting into two form layouts, 214
- startup forms, 490
- styles, 191
- subforms, 249, 453, 476-477, 830
 - referring to subform controls, 476-477
- switchboard forms, 190
 - creating, 457
- switching to PivotChart view, 262
- synchronizing with underlying recordsets, 483-484
- Tab controls
 - adding, 456
 - properties, changing, 456-457
- tabbed forms
 - creating, 455-457
 - Tab controls, adding, 456
- Tag property, 236
- titles
 - Caption property, 229
 - Default View property, 230
- UserForm, 976-977
 - uses, 189
 - viewing (Form view), 18
- Width property, 231
- Windows, Form Design, 198-200, 202-204
- XML format, saving in, 253
- Forms collection, 418-419**
 - referencing forms, 407
- fra prefix, 1132**
- frames**
 - bound object frames, reports, 283
 - unbound object frames, reports, 283-284
- frm prefix, PDF:1132, PDF:1135**

frmClients form, 659, 661-662

- command button additions, 268
- command buttons, programming code for, 396
- Time and Billing Application, creating, 263-265, 268

frmGetFormInfo form, 1040**frmProjects form**

- creating, 266-267
- Time and Billing Application, creating, 266-267

frms prefix, 1132**frmSpecialEffect form, 1030-1032****FROM clause, SQL, 568****front ends**

- as Access data project communicating directly to back ends, 921
- communicating to backends, with SQL Pass-Through, 920-921
- compared to back ends, 919
- executing stored procedures on back ends, 921
- file format compatibility, 918
- tables, linking from back end servers, 919
- using Access as, 842-845
 - options, 844

front-ends, 847**fsfr object-naming prefix, 1136****fsub prefix, 1132****FullFileName property (file information class), 652-654****Function Subkey value (registry), 1033****functions, 348-349, 610. See also procedures**

- aliasing, 989-991
- ANSI, renaming, 990
- API functions, 993
 - Windows registry, 994-997
- Between Date And Date, 149
- builders
 - preset arguments, 1029-1031
 - writing, 1028-1031

calling

- invalid characters, 989
- ordinal number references, 991
- calling from libraries at runtime, 1015
- code, viewing, 387
- CodeDB, 1013
- constants, 991
- CreateControl, 1044
- CreateCustomForm, 1041-1042
- CreateForm, 1044
- CreateRecordset, 964-965
- CreateExcelObj, 957
- creating, 352-354
 - shortcut for, 354
- CurrentDB, 1013
- Date(), 92
- Date(), 149
- DateAdd, 378
- DateDiff, 378
- DatePart, 149, 377
- Day(), 149
- Declare statement, 986
- DeleteSetting, 994
- DLL functions
 - aliasing, 989-991
 - calling, 993
 - declaring, 985-986
 - passing parameters, 987-989
- error messages, 986
- ErrorHandler, 778-780
 - generic error handlers, 772-774
- Format, 376
- GetAllSettings, 994
- GetSetting, 994
- hard drives, 1005-1008
- IIf, 366
- Initials function, 586
- InputBox, 462-463
- Instr, 376

InstrRev, 376
 IsLoaded, 398, 1015, 1031
 IsMissing, 614
 IsNull, 619-620
 IsNull(), 169
 Left, 377
 Len, 818
 libraries
 DLLs (dynamic link libraries), 985
 Win32 API, 985
 Mid, 377
 modules, 22, 347
 Month(), 149
 MonthName, 379
 MsgBox, 460-462
 MyCustomForm, 1045
 names, resolving conflicts, 990
 Not, toggling Boolean expressions, 815
 NumberOfBytesFree, 1008
 Nz, 620, 625
 Object Browser, 379-380
 parameters, 373-374
 named parameters, 616
 optional parameters, 613-615
 parameter arrays, 617-618
 passing, 610-613
 recursive procedures, 616-617
 passing objects to, 413-414
 ReLink, 881
 Replace, 378
 Required, late binding, 955-956
 results as criteria for queries, 586-587
 Right, 377
 SaveSetting, 994
 SpecialEffect, 1030
 strings, 376-377
 StrRev, 379
 SysCmd, 1031
 TypeOfDrive, 1007
 UCase, 377

values, returning, 373-374
 VBA, 377-380
 Weekday(), 149
 Year(), 149

G

g scope prefix, 1135
gallery, ribbons, 34
General Declarations sections
 basUtils module, 998-1003
 compiler constants, 367
 modules, 348
General tab (Database Properties dialog box), 1079
generating errors, 767-768
generic error handlers, 770-775, 778-780, 783-784
 error forms
 creating, 782-784
 printing, 785
 ErrorHandler function, 772-774, 778-780
 LogError routine, 774-776
 On Error routine, 770-771
 type structure declaration, 772
generic object variables compared to specific object variables, 411
GetAllSettings function, 994
GetDrive routine, file information class, 653, 655
GetDriveInfo, 1006
GetDriveInfo procedure, 1006
GetName routine, file information class, 653-655
GetObject function, late binding, 955-956
GetOutlook function, 781
GetPath routine, file information class, 653-655
GetSetting function, 994
GetSysInfo, 1003

GetSysInfo subroutine, 782, 1003
GotFocus event
 controls, 445
 forms, 438
graphics, reports with graphics, 272
graphs, Excel, creating from Access, 961-965
greater than or equal to (*=), query criteria operator, 146
greater than sign (*), query criteria operator, 146
Grid X property, reports, 287
Grid Y property, reports, 287
Gridline Styles, 291
GROUP BY clause, SQL, 573
Group Footers, reports, 275
Group Header Format event, 534-535
Group Headers, reports, 275
 group levels, adding to reports, 276
 grouping data, reports, 301-303
 groups, adding to ribbons, 944-945
Grp Keep Together property, reports, 286
grp object-naming prefix, PDF:1134
grps object-naming prefix, PDF:1134

H

hard disks
 compression, 804
 defragmenting, 803
 compacting databases, 1091-1092
hard drives, 1005-1008
hardware
 optimization, 802
 defragmenting hard disk, 803
 drive compression, 804
 RAM, 802
 system requirements, 23
Has Module, 289
 forms, 235

HasContinued property, reports, 503
HAVING clause, SQL, 573
Header section, forms, 192
headers, 274. See also Page Headers
 reports, adding at runtime, 501
headings, Crosstab queries
 fixed, 562
 fixed column headings, 561
help
 custom, adding to distribution version, 841
 properties, 402
 VBA, context-sensitive, 391
Help Context Id, 289
 controls, 241
Help File, 289
hidden objects, restoring, 64-65
Hide Duplicates, 290
hiding
 document tabs, 44, 46
 objects in parent groups, 63-64
 status bar, 49
 system objects, 943
 Unassigned Objects group, 61
hierarchies, building classes, 646
horizontal spacing, adjusting forms automatically, 204
HTML
 forms, saving as, 253
 saving reports as, 306
 table data, saving in, 104-107
 tables, converting data, 107
HTML documents
 importing, 874-876
 linking to, 877
Hyperlink Address, 290
hyperlink base, 1079
Hyperlink field type, 87, 103
Hyperlink SubAddress, 290

hyperlinks

- adding to reports, 306
- forms, adding, 251-253
- labels, reports, 306

I**I/O operations, text files, 629****icons, shortcut icons (compacting databases), 1095****idx object-naming prefix, 1134****idxs object-naming prefix, 1134****If statements, 365**

- compared to Select Case statements, 366

If...Then...Else control structure, 365**IIf function, 366****image controls**

- compared to unbound object frames, 283
- reports, 284

images, splash screens, 459**IME (Input Method Editor) property, controls, 242****img prefix, 1132****Immediate If (IIf) control structure, 366****Immediate window, 734**

- clearing, 732
- debugging features, 729-730
- functions, testing, 733
- printing values to, 734
- setting values of variables/properties, 730-732
- subroutines, testing, 733
- testing values of variables/properties, 730
- troubleshooting applications, 361

implementation stage, applications development, 28**Implements keyword, sharing interfaces, 648****implicit transaction processing, 927****registry settings, 927-929****ImplicitCommitSync setting (Windows registry), 928****Import dialog box, 1037****Import HTML Wizard, 874, 876-877****Import Objects dialog box, 1037****Import Spreadsheet Wizard, 851****importing**

- external data, 848, 850
 - DoCmd object, 852-854
 - user interface, 850-851
- files, supported file formats, 850
- HTML documents, 874, 876
- from SharePoint lists, 900, 902
- text files, 630
- USysRegInfo tables, 1037
- XML files, 1068-1069

In-Place activation (embedded objects), 466**Indexed property**

- Fields, 96-97
- tables, 98

indexed sequential access method data, performance considerations, 849**indexes**

- application performance, improving, 102
- limitations, 809
- multifield, creating, 97
- optimization, 809
- performance considerations, 97
- Primary Key, creating, 98
- relationships, 134
- searching table fields, 97
- table relationships and, 103
- tables, 98
 - performance benefits, 103
 - upsizing to client/servers, 97, 923

indexing fields

- queries, 554
- selecting field types, 82

INF files, 872

- infinite loops, 371**
 - inheritance, 638**
 - Initialize event, 643**
 - data access class, 658
 - system information class, 668-669
 - Initials function, 586**
 - InitVars routine, reports, 527**
 - inline code, 814**
 - inline code benchmark, 814**
 - Input # keyword, 628**
 - input boxes, 462-463**
 - InputBox function, 462-463
 - input devices, minimum system requirements, 23**
 - Input Mask property, 292**
 - query fields, 170
 - Input Mask property (fields), 89-90**
 - Input Mask Wizard, 89-90**
 - InputBox function, 462-463**
 - Insert Hyperlink dialog box, 103-104**
 - INSERT INTO statement, SQL, 583**
 - Insert Object dialog box, 283, 466**
 - inserting**
 - fields, tables, 80
 - OLE objects, reports, 283
 - page breaks, reports, 293
 - installing**
 - Access
 - multiuser applications, 910
 - Windows 2000 Terminal Services, 912
 - menu add-ins, 1046
 - multiuser applications, 910-911
 - instances, manipulating multiple instances of file information class, 655-656**
 - instantiating objects (Class modules), 640**
 - instantiation, 638**
 - Recordset objects, 676
 - Instr function, 376**
 - InstrRev function, 376**
 - int data-type prefix, 1133**
 - integrity rules, referential and entity rules, 121-122**
 - Intellisense, enumerated types and, 644-646**
 - interfaces, sharing (Implements keyword), 648**
 - International Standards Organization (ISO), 990**
 - Internet**
 - applications, developing, 11
 - forms, compatibility, 251-252
 - reports, Internet compatibility, 305-306
 - intranets, developing applications, 11**
 - Intrinsic constants, 381-383, 602, 604**
 - intrinsic constants**
 - examples, 632-633
 - viewing (Object Browser), 604
 - intTemp variable, 739**
 - Invalid add-in entry error messages, 1036**
 - invoking Registry Editor, 1033**
 - Is Hyperlink, 291**
 - Is Not (query criteria operator), 147**
 - Is Null (query criteria operator), 147**
 - ISAM (indexed sequential access method) data, performance considerations, 849**
 - ISAM drivers, Windows registry keys, 866**
 - IsLoaded function, 398, 1031**
 - IsLoaded functions, 1015**
 - IsMissing function, 614**
 - IsNull function, 619-620**
 - IsNull() function, 169**
 - ISO (International Standards Organization), 990**
 - Item method, Collection object, 627**
 - iterating through collection items, 628**
- ## J
- Jet, 806**
 - JET, ANSI-92 extensions, 590**
 - stored procedures, 593-594
 - tables, 590-593
 - transactions, 594
 - views, 593-594

Jet

- client/servers, 922
- Errors collection, 769-770

Jet Engine

- converting databases from old versions, 1096-1098
- objects, naming conventions, PDF:1133-1134
- queries, optimizing, 553-555

Jet OLEDB Link Datasource, 861

- refreshing external links, 869-871

Jet OLEDB Link Provider, 860**Jet OLEDB Link Provider String, 866-867****JOIN clause, SQL, 570-571****join lines (relationships), 124****joining tables, queries, 570-571****joins**

- outer joins
 - left outer joins, 563
 - queries, 562-564
 - right outer joins, 563
- self joins, queries, 564-565

junction tables, 123-124**K****Key argument, Add method, 649****Key command (New menu), 1034****KeyDown event**

- controls, 448
- forms, 439-440

KeyPress event

- controls, 449
- forms, 440

KeyUp event

- controls, 449
- forms, 440

keywords

- ALL, SQL, 576
- ANSI-92 extensions
 - CHECK, 591
 - DEFAULT, 590
 - NO INDEX, 591
- As String, 374
- ByVal, 987
- Close, 628
- Const, 381, 602
- Dim, custom collections, 649
- DSN, 867
- Implements, 648
- Input #, 628
- Me, 450, 825
- Open, 628
- Preserve, 608-609
- Public, 356
- PWD, 867
- Static, 355
- TOP SQL, 572
- UID, 867
- Write #, 628

Kill statement, 760**L****Label tool, 219, 282****Label Wizard, 273****labels**

- associating/disassociating with controls, 219
- attached labels, 91
- captions, 91, 290
 - default, 219
- combo boxes, 222
- forms
 - adding, 219
 - controls, 219
 - sizing, 203

- hyperlinks
 - adding, 251
 - adding to reports, 306
- mailing labels, reports with labels, 273
- printing
 - multiple labels, 520-521
 - in specific locations, 522-523
- reports, 282
 - hyperlinks, 306
 - sizing, automatically, 281
- lassoing objects, 200**
- late binding, required functions, 955-956**
- Layout for Print property**
 - forms, 233
 - reports, 287
- Layout view, forms, 205-206**
 - stacked and tabular layouts, 206-211
- layouts**
 - forms, 194
 - reports, 277
- lbl prefix, 1132**
- Left function, 377**
- left outer joins, 563**
- Len function, 818**
- less than or equal to (=), query criteria operator, 146**
- less than sign (<), query criteria operator, 146**
- libraries**
 - function libraries, 985
 - procedures, unique names, 990
- library databases, 1011**
 - calling functions at runtime, 1015
 - compiling, 1013
 - creating, 1012-1013
 - code modules structure, 1012-1013
 - CodeDB function, 1013
 - CurrentDB function, 1013
 - explicit references, 1017-1020
 - Time and Billing application example, 1023-1025
 - writing code, 1013
 - debugging, 1022-1023
 - references, 1013
 - creating, 1014
 - creating with VBA code, 1021
 - runtime, creating, 1014-1016
- Library Subkey value (registry), 1033**
- lifetime, variables, 355**
- Like (query criteria operator), 147**
- Like criteria, queries, 554**
- limitations of reports, 307**
- lin prefix, PDF:1132**
- line continuation character, VBA, 364**
- Line Spacing, 291**
- Line tool, 282**
- lines, reports, 282**
- Link Child Fields property**
 - subforms, 249
 - subreports, 300
- Link dialog box, 856**
- Link Master Fields property**
 - subforms, 249
 - subreports, 300
- linked tables, converting to local tables, 871-872**
- linking**
 - external data, 848-849, 854, 862-863, 912
 - to Access tables, 856-857
 - with code, 859-863
 - to database files, 858
 - Database Splitter, 854-856
 - Database Splitter Wizard, 912
 - performance considerations, 874
 - refreshing links, 869-871, 878-879, 881
 - removing links, 869, 871
 - user interface, 856-858
 - user interfaces, 854
 - files, supported file formats, 850
 - HTML documents, 877
 - to SharePoint lists, 900, 902
 - tables, accessing in networks, 913

links

- reestablishing when SharePoint sites have been moved, 906
- refreshing, 877-880

LinkTables routine, 877-880**LinkToDBase subroutine, 862****List Box Wizard, 224****list boxes**

- adding/removing items at runtime, 474-475
- converting to combo boxes to, 228
- forms, adding, 223
- Multiselect property, 475-476

List Constants feature, modules, 385**List Properties and Methods feature, modules, 384****listing errors, 797****lng data-type prefix, 1133****Load event**

- data access class, 659
- forms, 436

LoadOnStartup key, 1016**local tables, converting from linked tables, 871-872****local variables, 361****Locals window, 744****Lock Delay property (Connection strings), 674****Lock Retry property (Connection strings), 674****locking**

- data, 913
- tables, creating reports, 288

LockType parameter, ADO recordset types, 682-683**LogError routine**

- custom error handler class, 793-794
- generic error handlers, 774-776

logging errors, 774-776**logic errors, 728****Long Date format (fields), 89****Lookup Wizard**

- Display Control property, 99-100
- launching, 98-100

Lookup Wizard field type, 83**lookups**

- disadvantages, 100
- Display Control property, 99-100
- field values, executing (Lookup Wizard), 98, 100

looping

- through custom collections, 650
- through recordsets, 827

loops, 369-370

- breaking, 371
- control references, avoiding repeating, 370
- Do, 369-370
- For Each...Next, 816-818
- For...Each loops, iterating through collection items, 628
- infinite, 371
- records, modifying all in a recordset, 704-706
- With statement, 823-824

LostFocus event

- controls, 446
- forms, 439

low-level file handling, 628-629**lst prefix, 1132**

M

m scope prefix, 1135**macro action arguments, 318-320****macro actions, 316-317**

- copying actions, 331
- deleting actions, 330
- deleting new actions, 329
- inserting new actions, 329
- moving actions, 330-331
- OnError, 334

macro arguments, 316**macro conditions, 316, 323-324**

Macro Design window, 316

- running macros, 325

macro names, 316, 321-322**macros**

- AutoExec macro, creating, 341-342
- capabilities of compared to VBA programming, 345-347
- converting to VBA code, 339-341
- creating, 315-316, 327-328
- DoCmd object, 342
- documenting
 - adding comments, 336-337
 - Database Documenter, 1078
- embedded macros, 315
 - creating, 332-333
- executing
 - DoCmd object, 374
 - from ribbons, 946-947
- mcrPersonallInfo, 328
- modifying existing macros, 329
 - copying macro actions, 331
 - deleting macro actions, 330
 - deleting new macro actions, 329
 - inserting new macro actions, 329
 - moving macro actions, 330-331
- versus modules, 20
- new features, 334-335
- running, 21, 324
 - from Macro Design window, 325
 - from Macros group of the Navigation Pane, 326
- stepping through, 338
- testing, 337-338
- triggering, from forms or report events, 326-327
- Trust Center, 1116-1117
- when to use, 339

mail merge documents (Word), 966, 968**MailError, 780-781****mailing labels, reports with labels, 273**

- maintenance, splitting tables from other objects, 836

maintenance activities, applications development, 28**Make Table queries**

- creating, 545-547
- performance considerations, 554

MakeltBold Subroutine, 812**manipulating report sections, 501****many-to-many relationships, 123-124****mapping dBASE data types, 873****MaxBufferSize settings (Windows registry), 806****mcr prefix, 1135****mcrPersonallInfo, 328****MDE files, 829****Me keyword, 450, 825****Me property, 416****Memo field type, 84****memory**

- Declare statements, 987
- freeing, 412
- optimization, 802-803
- usage considerations, declaring variables, 674
- virtual, optimizing, 803-805

menu add-ins, 1045-1046**Menu Add-ins section (registry), library references, 1014****Menu Bar, 288**

- forms, 235

message boxes, 460-462

- MsgBox function, 460-462
- preventing rebooting during long processes, 801

methods, 404, 408

- Add
 - Collection object, 626-627
 - custom collections, 649
- AddFromFile, 1021
- adding to Class modules, 639
- AddNew method, data access class, 664

- Application object, 417-418
- AutoFill, 959
- AutoFilter, 982
- automation objects, 954
- BeginTrans, transaction processing, 929-930
- BrokenReferences (Application object), 1102
- CommitTrans, transaction processing, 929-930
- CompactDatabase method (JetEngine object), 1096-1098
- CompactRepair, 417
- CompactRepair method (Application object), 1098-1099
- compared to properties, 408-409
- ConvertAccessProject, 418
- ConvertAccessProject (Application object), 1100-1101
- CopyFromRecordset, 982-983
- Custom, adding to classes, 651-652
- custom methods, creating, 489
- Delete
 - Catalog object, 871
 - data access class, 665
- Edit method, data access class, 664-665
- ErrorProcess method, custom error handler class, 791-793
- executing, 408-409
- Find method (ADO recordsets), 696-699
- Item method, Collection object, 627
- MoveFirst, 688
- MoveLast, 688
- MoveNext, 688, 721
 - data access class, 659-661
- MovePrevious, 688, 721
 - data access class, 661-662
- objects, object library, 951
- OpenDatabase, 864-865
- OpenForm, DoCmd object, 375
- Raise (Err object), 767-769
 - generating errors, 767-768
 - user-defined errors, 768-769
- record-movement methods (ADO recordsets), 688-689
- Remove method, 650
 - Collection object, 627
- Requery, refreshing recordset data, 702
- Resync, refreshing recordset data, 702
- Rollback, transaction processing, 929-930
- Save method, data access class, 663-664
- Scatter method, data access class, 658-659
- Supports, Recordset objects, 687
- TransferDatabase
 - arguments, 852
 - importing external data, 852-853
- TransferSpreadsheet
 - arguments, 854
 - importing external data, 853-854
- TransferText, importing external data, 853
- Microsoft Office Access button, new features, 36**
- Microsoft Word. See Word**
- Mid function, 377**
- migration**
 - importing tables, 848
 - to client/server environment, 845
 - Upsizing Wizard, 843
- Min Max Buttons property, reports, 286**
- mini toolbar, 49-50**
- Modal, 288**
- modal forms, 191**
- Modal property**
 - builder forms, 1031
 - forms, 235
- modifying**
 - existing macros, 329
 - copying macro actions, 331
 - deleting macro actions, 330
 - deleting new macro actions, 329
 - inserting new macro actions, 329
 - moving macro actions, 330-331
 - Trusted Locations, 1120

Module Design window, modules (viewing design), 22

Module property, 416

Module window, executing procedures, 374-375

module-level variables, see private variables, 348

modules

- basUtils, General Declarations section, 998-1003
- bookmarks, adding, 394
- CBF, 347
- class, 347
- Class, declaring procedures, 355
- Class compared to Standard, 357-358
- Class modules. See Class modules
- code modules, exporting, 630-631
- compiling, 828
- Complete Word feature, 386
- constants, intrinsic, 382-383
- Definition feature, 387
- documenting (Database Documenter), 1078
- event procedures, 347, 350-352
- features, 22
- Form and Report Class, 347
- form modules, exporting, 630-631
- function libraries, 22
- functions, 348-349
 - creating, 352-354
- General Declarations sections, 348
- List Constants feature, 385
- List Properties and Methods feature, 384
- versus macros, 20
- organizing, 829
- Parameter Info feature, 386
- procedures
 - calling, 354-356, 358
 - private procedures, 356
 - public procedures, 355
 - scope precedence, 357
 - static procedures, 358
- Quick Info feature, 385

- standard, 347
- statements
 - Option Explicit, 349
 - Option Explicit, 351
- subroutines, 347-349
 - creating, 352-354
- tools, 384-386
- variables, declaring, 348
- VBA, 347-350, 354-358
- viewing (Module Design window), 22

Modules collection, 420

Month() function, 149

MonthName function, 379

morphing

- combo boxes to list boxes, 228
- text boxes to combo boxes, 227-228

morphing controls, 227-228

mouse

- moving form objects, 200
- reports, selecting objects, 279
- selecting form objects, 199-200
- sizing objects, 202

mouse actions, forms (Form event sequence), 442

MouseDown event

- controls, 448
- forms, 439

MouseMove event

- controls, 448
- forms, 439

MouseUp event

- controls, 448
- forms, 439

Moveable property, 287

- forms, 232

MoveFirst method, recordsets, 688

MoveLast method, recordsets, 688

MoveLayout property, reports, 502

MoveNext method, 721

- data access class, 659-661
- recordsets, 688

MovePrevious method, 721

- data access class, 661-662
- recordsets, 688

moving

- controls within form layouts, 210-211
- form layouts, 210-211
- form objects, 200
- macro actions, 330-331
- report objects, 280

moving between forms, Form event sequence, 442

MS Office 97, VBA, 345

MsgBox function, 460-462

multifact crosstab reports, creating, 533-536

multipage forms, creating, 453-455

multiple class instances (Class modules), creating, 642-643

Multiselect property, list boxes, 475-476

multitable queries

- creating, 151-153
- pitfalls, 153-155
- row fix-up feature, 155-157

multiuser applications, 910-911

multivalued fields

- creating, 65-69
- effect on queries, 69-71

My Documents folder, 1095

MyCustomForm function, 1045

N

Name property, 292

- controls, 240, 292

named parameters, 375, 616

naming

- constants, 382
- controls, conflicts, 292
- databases, rules, 79
- fields, 81

objects, PDF:1131-1135

DAOs, PDF:1133-1134

Database window objects, PDF:1135

Jet object/collection prefixes, PDF:1133-1134

object tag prefixes, PDF:1132-1133

Reddick naming convention, 23

scope/lifetime prefixes, PDF:1134

variable data type tags, PDF:1133

queries, 144

tables, conventions, 81

variables, PDF:1131, PDF:1134

changing, 390-391

Jet object/collection prefixes, PDF:1134

Private, 362

Public, 363

scope/lifetime prefixes, PDF:1134

variable data type tags, PDF:1133

naming conventions, constants, 603-604

naming prefixes, action queries, 541

naming standards, avoiding bugs, 728

natural keys, 116

navigating

applications, forms, 190

forms, setting properties, 232

Navigation Buttons property, forms, 232

Navigation Pane

new features, 42-43

running macros from, 326

tips and tricks, 56-58

adding custom groups to categories, 59-60

adding objects to custom groups, 60

creating custom groups containing objects found in existing groups, 62

hiding objects in parent groups, 63-64

hiding Unassigned Objects group, 61

restoring hidden objects, 64-65

nested queries, calculated fields, 554

networking

- client/server applications, suitability of Access, 10
- file servers versus client/servers, performance considerations, 9

networks

- applications, designing, 909
- data locking, 913
- linked tables, accessing, 913
- servers, installing applications, 910
- workstations, installing applications, 911

New command (Edit menu), 1034

new databases, creating, 75-76

- from scratch, 78-79
- with templates, 76-78

new features

- forms, 51
- macros, 334-335
- mini toolbar, 49-50
- Navigation Pane, 42-43
- Quick Access toolbar, customizing, 38-41
- reports, 51
- ribbons, 30
 - command tabs, 30-33
 - contextual command tabs, 34
 - gallery, 34
 - Microsoft Office Access button, 36
 - Quick Access toolbar, 34-36
 - tips and tricks, 36, 38
- security, 52, 1103-1105
- status bar, 47-49
- subforms/subreports, 249, 301
- tabbed documents, 44-46
 - displaying overlapping windows, 46-47
- undoing/redoing, 89
- user interfaces, 28-30

new features (Access 2003), 51

New menu commands

- DWORD Value, 1034
- Key, 1034
- String Value, 1034

New Object dialog box, 1045

New Query dialog box, 138

NextRecord property, reports, 502

No Data events, 831

NO INDEX keyword (ANSI-92 extensions), 591

NoData event, reports, 494-495

non-equi joins (SQL), 572

normal forms, 116

- first, 118
- second, 119
- third, 119-120

normalization, 115-116

- application development, rules, 24-27
- denormalization, 120
- first normal form, 118
- second normal form, 119
- third normal form, 119-120

Not (query criteria operator), 147

not equal to (*), query criteria operator, 147

Not function, toggling Boolean expressions, 815

Nothing value, object variables, 412

NotInList event

- combo boxes, 472-473
- controls, 444-445

Null (query criteria operator), 147

null entries, compared to zero-length, 95

Null values

- avoiding in strings, 624
- converting to zero, 167
- examples, 632-633
- primary keys, 122
- queries, 579-581
- query results, 166-167, 169
- variables, 359
- Variant variables, 619-625

Number field type, 84

NumberOfBytesFree, 1008

NumberOfBytesFree function, 1008

Numeral Shapes, 291

numeric data, summarizing (Totals queries), 161-165

Nz function, 620, 625

O

- obj data-type prefix, 1133**
- object, Connection object, 929-930**
- Object Browser, 379-380, 405**
 - information available in, 406
 - intrinsic constants, 382
 - pasting code templates into procedures, 406
 - Project/Library drop-down list, 406
 - running, 405
 - viewing constants, 604
- Object Browser command (View menu), 405**
- Object Browser dialog box, 405**
- Object Definition window (Database Documenter), 1082**
- object dependencies, viewing, 479-480**
- Object Dependencies feature, 110**
 - invoking, 1086-1088
- object libraries, 951**
- object models, 950**
- object orientation, 637-638**
- Object Properties dialog box, 1075**
- object types, 950**
- object variables, 410**
 - compared to regular variables, 410-411
 - generic compared to specific, 411
 - Nothing value, 412
 - referencing applications, 950-952
- objects, 402, 638**
 - Access Object Model
 - AllForms collection, 420
 - AllMacros collection, 421
 - AllModules collection, 421
 - AllQueries collection, 423
 - AllReports collection, 421
 - AllTables collection, 422
 - Application object methods, 417-418
 - Application object properties, 417
 - CodeData object, 423
 - CodeProject object, 423
 - CurrentData object, 422-423
 - CurrentProject object, 420-421
 - DoCmd object, 423-424
 - Forms collection, 418-419
 - Modules collection, 420
 - Reports collection, 419
 - Screen object, 423
 - special properties that refer to objects, 415-416
 - Application, CompactRepair method, 1098-1099
 - automation, 950
 - automation objects, 953-954
 - bound OLE objects, 466-467
 - Catalog object, Delete method, 871
 - CodeData object, 423
 - CodeProject object, 423
 - Collection object, 626
 - Add method, 626-627
 - Item method, 627
 - Remove method, 627
 - command buttons, enabling/disabling, 426-427
 - Command object, ADO object model, 678-679
 - compared to collections, 412
 - compilation, 629
 - Connection object, ADO object model, 672-675
 - CurrentData object, 422-423
 - CurrentProject object, 420-421
 - custom collections, 648-651
 - DAOs, naming conventions, 1133-1134
 - database objects, splitting, 835-836
 - Database window objects, naming conventions, 1135
 - declaring disambiguation, 672
 - dependencies, displaying (Object Dependency feature), 1086-1088
 - DoCmd, 423-424
 - adding report sections at runtime, 501
 - examples, 632-633

- executing macros, 374
 - importing external data, 852-854
 - OpenForm method, 375
 - Err, 766-767
 - Err object
 - properties, 766
 - Raise method, 767-769
 - event procedures, 350
 - creating, 352
 - events, 404
 - Excel automation objects, closing, 960-961
 - FileDialog, 463-464
 - form objects
 - aligning, 200-202
 - moving, 200
 - selecting, 199-200
 - sizing, 202-203
 - spacing, 203-204
 - tab order, changing, 204-205
 - hidden objects, restoring, 64-65
 - hiding in parent groups, 63-64
 - instantiating (Class modules), 640
 - methods, 404, 408
 - executing, 408-409
 - object library, 951
 - naming (Reddick naming convention), 23
 - naming conventions, PDF:1131-1135
 - Jet object/collection prefixes, PDF:1133-1134
 - object tag prefixes, PDF:1132-1133
 - scope/lifetime prefixes, PDF:1134
 - variable data type tags, PDF:1133
 - Object Browser, 379-380, 405
 - OLE objects
 - converting to images, 830
 - inserting in reports, 283
 - passing to subroutines and functions, 413-414
 - Printer, 503-504
 - procedures, calling, 354
 - properties, 402, 408
 - default, 410
 - modifying, 408-409
 - object library, 951
 - setting for single objects, 412
 - viewing, 402
 - Recordset object
 - ADO object model, 676-678
 - consistent compared to inconsistent updates, 685-686
 - CursorType parameter, 680-682
 - LockType parameter, 682-683
 - Options parameter, 684-685
 - selecting location, 686-687
 - Supports method, 687
 - referencing, 407
 - shortcuts, 410
 - registering, 951
 - report objects
 - aligning, 281
 - moving, 280
 - selecting, 279-280
 - sizing, 281
 - Snap to Grid feature, 281
 - spacing, 282
 - reports, moving, 281
 - Screen object, 423
 - Table object, Properties collection, 860
 - unbound OLE objects, 467
 - viewing object dependencies, 109-110
 - With...End With construct, 412
- ocx prefix, 1132**
- ODBC, client/servers, 922**
- OLE DB, 922**
- OLE Object field type, 86**
- OLE objects**
- bound OLE objects, 466-467
 - In-Place activation, 466
 - converting to images, 830
 - inserting in reports, 283
 - unbound OLE objects, 467

- ole prefix, 1132**
- On Error Goto 0 statement, 759-760**
- On Error Goto statement, 758-759**
- On Error Resume Next statement, 760**
- On Error routine, generic error handlers, 770-771**
- On Error statements, 758**
 - On Error Goto, 758-759
 - On Error Goto 0, 759-760
 - On Error Resume Next, 760
- one-to-many forms, creating, 246-248**
- one-to-many queries, creating one-to-many reports, 296**
- one-to-many relationships, 16, 122**
 - join lines, 124
 - lookups, 98, 100
- one-to-many reports, creating, 294-296, 299**
 - one-to-many queries, 296
 - Report Wizard, 294-296
 - Subreport Wizard, 298-300
- one-to-one relationships, 123**
 - join lines, 124
- OnError macro action, 334**
- Open dialog box, 1039**
- Open event**
 - forms, 435
 - reports, 493-494, 525-526
- Open keyword, 628**
- Open method, ConnectionString argument, 864**
- OpenArgs property, forms, 468**
- OpenDatabase method, 864-865**
- OpenForm method, DoCmd object, 375**
- opening**
 - Access forms and reports from SharePoint sites, 884, 896-899
 - external tables, 848-849, 864-865
 - connection information, providing, 864
 - OpenDatabase method, 864-865
 - files, supported file formats, 850
 - forms, Form event sequence, 441
 - windows, designing forms, 197
- operators, query criteria, 146-147**
- opt prefix, PDF:1132**
- optimization, 802**
 - code
 - ACCDE files, 829
 - bookmarks, 826-827
 - Boolean expressions, 815
 - built-in collections, 816-817
 - compiling modules, 828
 - constants, 826
 - Declare statements, 821
 - Dim statements, 821
 - dynamic arrays, 826
 - inline code, 814
 - Len function, 818
 - Me keyword, 825
 - object references, 821
 - object variables, 827
 - organizing modules, 829
 - specific object variables, 812-813
 - stored queries, 827-828
 - true/false evaluations, 819-820
 - unused code, 821
 - variant variables, eliminating, 811
 - With...End With construct, 823-824
 - coding changes, 811
 - data structures, 808-809
 - defined, 801
 - form-optimization techniques, 829-831
 - hardware, 802
 - Compact utility, 803
 - defragmenting hard disks, 803
 - disk compression, 804
 - RAM, 802-803
 - virtual memory, 803-805
 - local execution and, 804
 - Performance Analyzer, 807
 - queries, 810
 - report-optimization techniques, 831
 - software, Windows 95/98, 806

- splitting tables from other objects, 836
- Windows 2000 Terminal Services, 804
- Windows registry settings, 806
- optimizing queries, 553, 555**
- option buttons, adding to forms, 224**
- Option Explicit statement**
 - avoiding bugs, 728
 - modules, 349-351
- Option Group Wizard, 225-226**
- option groups**
 - captions, 226
 - forms, adding, 224-226
- optional parameters, 613-615**
- Options parameter, ADO recordset types, 684-685**
- Or (query criteria operator), 147**
- Order, of report events, 496**
- ORDER BY clause, SQL, 569**
- Order By On Load property, 288**
- Order By property, 288**
 - forms, 234
 - queries, 172
- order of events, report section events, 500**
- OrderBy property, 515-516**
- OrderByOn property, 515-516**
- ordering query results, 144-145**
- Orientation property, 287**
 - forms, 233
- orphan records, 131**
- Other properties**
 - controls, 292
 - form controls, 240-242
- outer joins**
 - left outer joins, 563
 - queries, 562-564
 - right outer joins, 563
- Outlook, controlling from Access, 974-976**
- Output All Fields property, queries, 171**
- overlapping windows, displaying, 46-47**

P

- packages, signed packages**
 - creating, 1112-1113
 - extracting, 1113-1114
- packaging Access databases, 1110-1111**
 - signed packages, 1112-1114
- Page Break tool, 293**
- Page event, reports, 495**
- Page Footer Format event, reports, 532**
- Page Footer property, reports, 286**
- Page Footers, reports, 274**
- Page Header Format event, 533**
 - reports, 527
- Page Header property, reports, 286**
- Page Headers, reports, 274**
 - printing first and last page entries, 530, 532-533
- Page locking, 913**
- pal prefix, 1132**
- Palette Source property, 287**
- parameter arrays, 617-618**
- Parameter Info feature, modules, 386**
- Parameter queries, building, 172-175**
- parameter queries (ADO), 701-702**
- parameter query values, passing from forms, 588-589**
- parameters, 991. See also arguments**
 - Crosstab queries, 562
 - CursorType, ADO recordset types, 680-682
 - functions, 373-374
 - LinkToDBase subroutine, 862
 - LockType, ADO recordset types, 682-683
 - named, 375
 - named parameters, 616
 - optional parameters, 613-615
 - Options, ADO recordset types, 684-685
 - passing, 373-374
 - by reference, 987
 - passing arrays as, 609-610

passing by reference vs. passing by value, 610-613
 string parameters, passing, 987, 989
 subroutines, 373-374
Parameters dialog box, 588
Parent property, 416
 classes, adding to, 647-648
pass-through queries, 578
 creating, 578-579
passing objects to subroutines and functions, 413-414
passing parameters, 373-374
 by reference vs. by value, 610-613
passing string parameters, 987-989
passwords
 using database passwords to encrypt
 Access 2007 databases, 1109-1110
 databases, 867-869
 external data, 867-869
 removing, 1110
pdbe object-naming prefix, 1134
Performance Analyzer, 807
 queries, 553
Performance Analyzer dialog box, 808
period (.), 409
persisting recordsets, 702-704
personal applications, developing, 8
personal error handling, preventing, 786
Picture properties
 forms, 231
 reports, 287
pivot charts, creating from queries, 179
Pivot Table view
 forms
 controlling information detail, 261-262
 data filtering, 261
 displaying, 256-257
 summarized data, 259
 query displays, 179-183
 axes exchange, 185
 drill-down, 184

 exchanging axes, 185
 filtering data, 183
 summarized data, 181-183
pivot tables
 forms
 controlling information detail (Pivot Table view), 261-262
 creating from, 256-259
 displaying (Pivot Table view), 256-257
 filtering data (Pivot Table view), 261
 summarized data (Pivot Table view), 259
 queries
 creating from, 179-183
 filtering data, 183
 replacing Crosstab queries with, 562
PivotChart view, switching to, 185, 262
PivotCharts, new features, 51
PivotTable view, displaying forms, 257-258
PivotTables, new features, 51
polymorphism, 638
Pop Up, 288
Pop Up property, forms, 235
pop-up forms, 473-474
PowerPoint
 controlling from Access, 970-973
 slides, 972-973
precedence, procedures, 357-358
prefixes (naming conventions), 1131
Preserve keyword, 608-609
preventing personal error handling, 786
previewing reports, 20
PreviousControl property, 416
Primary Key indexes, creating, 98
primary keys, 117
 Append queries, 545
 normalization, 25
 normalization and, 115
 Null values and, 122
 Update queries, warnings, 541
primary keys (client/servers), 922

Print event, report sections, 522-523

Print Form Definition dialog box (Database Documenter), 1084

Print Query Definition dialog box (Database Documenter), 1084

Print Table Definition dialog box (Database Documenter), 1083

PrintCount property, reports, 503

printed forms, 190

Printer object, 503-504

printers, controlling, 503

Printers collection, 504

printing

error forms, 785

forms, 233

labels

in specific locations, 522-523

multiple labels, 520-521

page headers, reports, 530-533

reports

page breaks, inserting, 293

properties, 287, 502

values to the Immediate window, 734

PrintSection property, reports, 502

private procedures, 356

private variables, 348, 362

Private variables, system information class, 666-667

prm object-naming prefix, 1134

prms object-naming prefix, 1134

procedures. See also subroutines

calling, 354

ChangeCaption, 450

declaring Class modules, 355

error handling, creating call stacks, 786, 789-790

event

creating, 352

modules, 350

executing, Module window, 374-375

GetDriveInfo, 1006

libraries, unique names, 990

private, 356

public, 355-356

recursive procedures, 616-617

scope, 358

precedence, 357-358

Static, 358

updating records, 828

variables, lifetime, 355

programming. See also coding

importing external data, 854

VBA

constants, 380

find and replace feature, 391

viewing code, 387

project properties, 631-632

Project Properties dialog box, 631

Project window, VBA, 388

Project/Library drop-down list (Object Browser), 406

propagating field properties, 481-483

reports, 507-509

properties, 402, 408

AbsolutePosition property (ADO recordsets), 699-700

ActiveControl, 415

ActiveForm, 415

ActiveReport, 415

adding to Class modules, 639

Alias property, query tables, 171

Allow Filter, 288

Application object, 417

assigning multiple properties, With...End With construct, 412

automation objects, 953

BOF property (ADO recordsets), 690-691

Bookmark property (ADO recordsets), 700-701

Bound Column, combo boxes, 223

Caption property, query fields, 170

check boxes, Triple state property, 224

- Column Count, combo boxes, 223
- Column Width, combo boxes, 223
- combo boxes, 222
- compared to methods, 408-409
- Connection strings, 673
- Control, forms, 237, 241-242
- control defaults, optimization and, 831
- Control Source, combo boxes, 223
- controls, 240-242, 290-293
 - Allow AutoCorrect, 241
 - Auto Repeat, 242
 - availability, 236
 - Back Color, 290
 - Back Style, 290
 - Can Grow, 290
 - Can Shrink, 290
 - Cancel, 241
 - ControlTip Text, 241
 - Data, 292
 - Enter Key Behavior, 241
 - Font Color, 291
 - Font Italic, 291
 - Font Name, 291
 - Font Size, 291
 - Font Underline, 291
 - Font Weight, 291
 - Format, 238, 290-291
 - Help Context ID, 241
 - IME (Input Method Editor), 242
 - Name, 240, 292
 - Other, 292
 - Running Sum, 292
 - Scroll Bars, 237
 - Special Effect, 237
 - Status Bar Text, 241
 - Tab Index, 241
 - Tab Stop, 241
 - Tag, 242, 292
 - Vertical, 241
- ControlType property, 414-415
- custom properties
 - adding to classes, 651-652
 - creating, 484-488
 - PropertyGet routine, 486-488
 - PropertyLet routine, 486-488
 - Public variables, creating, 484-486
- Data properties, form controls, 239-240
- databases, documentation, 1081
- DateCreated, 424
- DateModified, 424
- default, 410
- Description property
 - queries, 171
 - query fields, 170
- EOF property (ADO recordsets), 690-691
- Err object, 766
- Field List properties, queries, 171
- field properties
 - propagating, 481-483, 507-509
 - queries, 170
- fields
 - Default Value, 91
 - Input Mask, 90
 - Validation Rule, 94
- file information class, FullFileName property, 652-654
- Filter, 287
 - tables, 102
- Filter On Load, 288
- Filter property
 - ADO recordsets, 695
 - queries, 172
- FilterOn, 513-514
- Force New Page, reports, 293
- Form, 416
- Format properties
 - form controls, 236-239
 - query fields, 170

- forms, 229-231, 233, 235
 - Allow Datasheet View, 231
 - Allow Filters, 234
 - Allow PivotChart View, 231
 - Allow PivotTable View, 231
 - Auto Resize, 231
 - Border Style, 231
 - Cycle, 235
 - Data Entry, 234
 - Data properties, 233
 - Description property, 1075
 - Dividing Lines, 232
 - Fast Laser Printing, 236
 - Filter, 234
 - Format, 231
 - Format properties, 229, 232
 - Has Module, 235
 - Layout for Print, 233
 - Menu Bar, 235
 - Modal, 235
 - Moveable, 232
 - Navigation Buttons, 232
 - OpenArgs property, 468
 - Order By, 234
 - Orientation, 233
 - Picture, 231
 - Pop Up, 235
 - property sheet, 229-230
 - Record Selectors, 231
 - Recordset Type, 234
 - RecordSource property, 468, 470-471
 - Scroll Bars, 232
 - Shortcut Menu, 235
 - Shortcut Menu Bar, 235
 - Tag, 236
 - Width, 231
- Help, 402
- Input Mask property, query fields, 170
- Lookup Wizard, Display Control property, 99-100
- Me, 416
- modifying, 408-409
- Module, 416
- Multiselect property (list boxes), 475-476
- Object Browser, 379-380
- objects, object library, 951
- Order By, 288
- Order By On Load, 288
- Order By property, queries, 172
- OrderByOn, 515-516
- Orientation, tables, 102
- Other properties, form controls, 240-242
- Output All Fields property, queries, 171
- Parent, 416
 - adding to classes, 647-648
- PreviousControl, 416
- project properties, 631-632
- queries
 - Description property, 1075
 - modifying behavior and appearance, 170
 - viewing, 548
- Query properties, 171-172
- Record Locks property, queries, 172
- Record Source, 287
- RecordCount property (ADO recordsets), 691-693
- Recordset Type property, queries, 172
- RecordsetClone, 416
- RecordSource, 720
- Report, 416
- reports, 284, 286-289, 501-503
 - Auto Center, 286
 - Auto Resize, 286
 - Border Style, 286
 - Can Grow property, 304
 - Can Shrink property, 304
 - Caption, 285-286
 - Close Button, 287
 - Control Box, 286
 - controls, 289-291

- Data, 287
- Description property, 1078
- Force New Page property, 303
- Format, 285
- FormatCount, 503
- Grid X, 287
- Grid Y, 287
- Grp Keep Together, 286
- HasContinued, 503
- Layout for Print, 287
- Min Max Buttons, 286
- Moveable, 287
- MoveLayout, 502
- NextRecord, 502
- Orientation, 287
- Page Footer, 286
- Page Header, 286
- Palette Source, 287
- Picture, 287
- PrintCount, 503
- PrintSection, 502
- Repeat Section property, 304
- Tag, 289
- Width, 287
- WillContinue, 503
- Row Source Type, combo boxes, 223
- Run Permissions property, queries, 172
- Section, 416
- Sort property (ADO recordsets), 693-694
- Source property, query tables, 171
- special properties that refer to objects, 415-416
- Subdatasheet Name, tables, 102
- subforms, 249
- subreports, 300
- Tab controls, 456-457
- table fields, 87
 - Allow Zero Length, 95-96
 - Caption, 91
 - Default Value, 91-92
 - Field Size, 88
 - Format, 88-89
 - Indexed, 96-97
 - Input Mask, 89-90
 - Required, 94-96
 - Unicode Compression, 97
 - Validation Rule, 92-94
 - Validation Text, 94
- tables, 102
 - Description, 101
 - viewing, 101-102
- Top Values, queries, 171, 551-552
- Unique Records, queries, 171, 549
- Unique Values, queries, 171, 548-549
- upsizing to client/servers, 925
- Validation Rule, tables, 101
- Validation Text, tables, 102
- viewing, 402
- Properties collection, Table object, 860**
- Properties window**
 - reports, 285
 - VBA, 390
- properties Filter, 513-514**
- properties OrderBy, 515-516**
- property builders, 1027**
- Property Get routine**
 - Class modules, 640-642
 - custom error handler class, 793
 - data access class, 656-658
 - system information class, 667-668
- Property Let routine**
 - Class modules, 640-642
 - custom error handler class, 793
 - data access class, 656-658
 - system information class, 667-668
- Property Set, setting values, 642**
- property sheet, forms, 229-230**
- PropertyGet routine, custom properties, 486-488**
- PropertyLet routine, custom properties, 486-488**

- prototypes, applications development, 27
- prp object-naming prefix, 1134
- prps object-naming prefix, 1134
- prps prefix, 1132
- Public constants, 603
- Public keyword, 356
- public procedures, 355-356
- public variables, 348, 362-363
 - custom properties, creating, 484-486
- publishing data to SharePoint sites, 891-896
- PWD keyword, 867

Q

- qapp object-naming prefix, PDF:1135
- qddl object-naming prefix, PDF:1135
- qdel object-naming prefix, PDF:1135
- qfit object-naming prefix, PDF:1135
- qlkp object-naming prefix, PDF:1135
- qmak object-naming prefix, PDF:1135
- qry object-naming prefix, PDF:1134
- qry prefix, PDF:1135
- qrys object-naming prefix, PDF:1134
- qsel object-naming prefix, PDF:1135
- qspt object-naming prefix, PDF:1135
- qtot object-naming prefix, PDF:1136
- queries
 - Action. See Action queries
 - analyzing, 553
 - improving performance, 554-555
 - basing forms on, 249-250
 - basing forms/reports on, 837
 - columns, selecting, 567
 - compiling, 553
 - creating, 138-143
 - multiple tables, 152
 - with ADO code, 718

- criteria
 - Like, 554
 - specifying at runtime, 172-175
- Crosstab, 556-557
 - creating with Crosstab Query Wizard, 557-559
 - creating in Design view, 559-560
 - fixed column headings, 561-562
 - parameters, 562
- crosstab queries, reports, creating, 523, 525-530
- design examples, Time and Billing applications, 186-187
- designing (Query Design window), 17
- documenting (Database Documenter), 1075-1076
- effect of multivalued fields, 69, 71
- efficiency of compared to SQL statements, 838
- expressions, 554
 - creating (Expression Builder), 160-161
- Field List properties, 171
- Field properties, 170
- fields
 - adding, 139-141
 - calculated fields, creating, 157-159
 - changing location on query grid, 143-144
 - excluding from output, 166-167
 - indexing, 554
 - inserting after query is built, 143
 - performance considerations, 554
 - removing from query grid, 142-143
- forms
 - combo boxes, 220
 - creating, 193
 - record sources, 198
- function results as criteria, 586-587
- modifying behavior and appearance, properties, 170

- multitable queries
 - creating, 151-153
 - pitfalls, 153-155
 - row fix-up feature, 155-157
- naming, 144
- nested, calculated fields, 554
- null values, 579-581
- one-to-many queries, creating one-to-many reports, 296
- optimization, 810
- optimizing, 553-555, 810
- outer joins, 562-564
- Parameter queries
 - ADO, 701-702
 - building, 172-175
- parameter query values, passing from forms, 588-589
- pass-through, 578
 - creating, 578-579
- Performance Analyzer, 553
- performance considerations, 553
- pivot tables
 - creating from, 179-183
 - filtering data, 183
- properties
 - Description property, 1075
 - Top Values, 551-552
 - Unique Records, 549
 - Unique Values, 548-549
 - Validation Rules, 94
 - viewing, 548
- Query Plan, 553
- Query properties, 171
- Records, counting, 555
- reports
 - creating, 527
 - efficiency considerations, 275
- results
 - date criteria, 149-150
 - excluding fields, 166-167
 - Null values, 166-169
 - ordering, 144-145
 - selection criteria, 146-149
 - sorting, 145-146
 - updating, 150
- running, 16, 141
- Rushmore technology, 555-556
- saving, 144
- select, 16
- select queries, defined, 137
- self joins, 564-565
- smart tags
 - action buttons, 176
 - adding, 175-178
- specifications/limitations, 185-186
- SQL, 566-569, 572, 575
 - creating, 574
- stored queries, 250-251, 827-828
 - basing reports on, 305
- subqueries, 581
- table statistics, recreating, 1092
- tables
 - adding, 139
 - joining, 570-571
 - removing, 153
 - selecting, 568
- Time and Billing application example, 595-597
- Totals queries, 161-165
- Union, 577
 - creating, 575
 - creating with graphical QBE, 576-577
 - sorting results, 576
- viewing shortcut keys, 142
- windows, SQL View, 574
- Query Design window, 139**
 - queries, designing, 17
- query grid, fields**
 - moving, 143-144
 - removing, 142-143
- Query Parameters dialog box, 173, 175**

- Query Plan, 553**
- Query properties, 171-172**
- Query Properties window, 1075**
- Quick Access toolbar**
 - customizing, 38, 40-41
 - new features, 34-36
- Quick Info feature, modules, 385**
- quick watches (debugging), 745**
- quni object-naming prefix, 1136**
- qupd object-naming prefix, 1136**
- qxtb object-naming prefix, 1135**

R

- Raise method (Err object), 767-769**
 - generating errors, 767-768
 - user-defined errors, creating, 768-769
- RAM**
 - development environment recommendation, 803
 - optimization, 802-803
- ReadAheadPages settings (Windows registry), 806**
- reading, text files, 629**
- Reading Order, 291**
- rebooting, preventing during long processes, 801**
- recompiling modules, 828**
- Record Locks, 288**
 - queries, 172
- Record Selectors property, forms, 231**
- Record Source property, 287**
- record sources, forms, 198**
 - changing at runtime, 233
 - combo boxes, 220
- record-movement methods, ADO (ActiveX Data Objects), 688-689**
- RecordCount property (ADO recordsets), 691-693**
- records, 599-602**
 - adding queries, 543-545
 - archiving, Append queries, 543
 - copying/deleting, controlling user access, 231
 - counting, queries, 555
 - deleting
 - DAO, 722-723
 - queries, 542
 - dynasets, 16
 - forms, ordering, 234
 - normalization rules, 25
 - orphan records, 131
 - updating, 828
 - queries, 539-541
- RecordserClone property, 416**
- Recordset object**
 - ADO object model, 676-678
 - declaring, 676
 - Open method
 - CursorType parameter, 680-682
 - LockType parameter, 682-683
 - Options parameter, 684-685
- Recordset objects**
 - cursors, selecting location, 686-687
 - Supports method, 687
 - updating, consistent compared to inconsistent, 685-686
- Recordset property**
 - AddNew method, 722
 - MoveNext method, 721
- Recordset Type property**
 - forms, 234
 - queries, 172
- recordsets**
 - action queries, making bulk changes, 708-712
 - ADO methods
 - Find method, 696-699
 - record-movement methods, 688-689

- ADO properties
 - AbsolutePosition property, 699-700
 - BOF property, 690-691
 - Bookmark property, 700-701
 - EOF property, 690-691
 - Filter property, 695
 - RecordCount property, 691-693
 - Sort property, 693-694
- ADO recordset types
 - CursorType parameter, 680-682
 - LockType parameter, 682-683
 - Options parameter, 684-685
- batch updates, 707-708
- data entry forms, 719-724
- filtering, 695
- finding records, 696-699
- forms, 719-724
- looping through, 827
- modifying all records, 704-706
- MoveFirst method, 688
- MoveLast method, 688
- MoveNext method, 688
- MovePrevious method, 688
- parameter queries, 701-702
- persisting, 702-704
- records
 - adding (ADO), 714-715
 - deleting (ADO), 712-713
 - modifying (ADO), 701-702
- refreshing data, 702
- sorting, 693-694
- stored procedures and, 713
- underlying recordsets, synchronizing forms with, 483-484
- RecordSource, 720**
 - forms, changing at runtime, 468-471
- RecordSource property (forms), changing at runtime, 468, 470-471**
- Rectangle tool, 283**
- rectangles, 283**
- recursive procedures, 616-617**
- Reddick naming convention, naming objects, 23**
- Reddick VBA Naming Conventions (RVBA), 1131**
- Redim Preserve statement, 826**
- redoing actions, 89**
- references**
 - explicit references, creating in library databases, 1017-1020
 - passing parameters, 987
 - runtime references, LoadOnStartup key, 1016
- References dialog box, 951, 1017**
- referencing**
 - applications, 950-951
 - controls, avoiding repeated in loops, 370
 - default properties, 410
 - disambiguation, 672
 - library databases, 1013
 - creating references, 1014
 - explicit references, limitations, 1018
 - RefLibPaths key, 1020
 - runtime references, 1014-1016
 - VBA code, 1021
 - objects, 407
 - shortcuts, 410
- referencing applications, object variables, 950-952**
- referencing items (custom collections), 650**
- referential integrity, 128-130**
 - ANSI-92 extensions, 591
 - Cascade Delete Related Records option, 131-133
 - Cascade Update Related Fields option, 130
 - Delete queries, warnings, 543
 - Update queries, warnings, 541
- referential integrity rules, 121-122**
- RefLibPaths key, 1020**
- refreshing links, 877-880**
 - external data, 869-871, 878-881
- RegEdit utility, 928**

Regional Options, date formats, 89

registering

builders, 1032

Add-In Manager, 1036-1039

manually, 1032-1035

wizards, 1044-1045

registering objects, 951

Registry, AddInPath key, 1014

registry

API functions, 994-997

builder configuration

Add-In Manager, 1036-1039

manual, 1032-1035

Menu Add-ins section, library references, 1014

Registry

RefLibPaths key, 1020

subkeys, creating, 1034

wizard configuration, 1044

Registry Editor, invoking, 1033

registry keys (ISAM drivers), 866

registry settings

implicit transactions, 927-929

Windows, 806

RegQueryValueEx, 995

RegSetValueEx, 996

rel object-naming prefix, 1134

relationships, 115

benefits, 133

Cascade Delete Related Records option, 131-133

Cascade Update Related Fields option, 130

creating, 125-127

default behaviors, overriding, 130

defining, 14

deleting, 128

indexes, 103, 134

many-to-many, 123-124

modifying, 128

one-to-many, 16, 122

join lines, 124

one-to-one, 123

join lines, 124

outer joins, 562-564

referential integrity, 128-130

tables, establishing relationships with ADO code, 717-718

Time and Billing database example, 134-136

unhiding, 14

update queries, warnings, 541

upsizing to client/servers, 924

Relationships command (Tools menu), 124

Relationships window, 124

tables, 14

ReLink function, 881

ReLink routine, 879-881

rels object-naming prefix, 1134

Remove method, 650

Collection object, 627

removing

columns, from form layouts, 213-214

form layouts, 214-215

links, external data, 869-871

passwords, 1110

Trusted Locations, 1119

user-level security, 1125

repairing databases, 1092

Repeat Section property, reports, 304

Replace dialog box, 391

Replace function, 378

replication, 52

re-creating databases, 53-56

Report Builder, 272

Report Design window, creating reports, 278-281

report events, 493-496

Close, 494

Error, 495

NoData, 494-495

- Open, 493-494, 525-526
- order of, 496
- Page, 495
- sections, 496-497, 500
 - Format event, 496-498
 - manipulating, 501
 - order of events, 500
 - Print event, 498-499, 522-523
 - Retreat event, 500
 - triggering macros from, 326-327
- Report Footer Format event, reports, 530, 532**
- Report Footers, 275**
- Report Header Format event, 526-527, 531**
- Report Headers, 275**
- Report property, 416**
- report sections, manipulating, 501**
- Report Wizard, 275-277**
 - one-to-many reports, creating, 294-296
- reports**
 - Access, opening from SharePoint sites, 896-899
 - adding, fields, 278
 - automatic error checking, 505-507
 - basing on queries/embedded SQL statements, 837
 - Border Style property, 286
 - borders, 286
 - charts, 272
 - controls, 282-284
 - creating, 275, 521, 528
 - Design view, 278
 - from crosstab queries, 523, 525-530
 - locking tables, 288
 - queries, 527
 - Report Design window, 278-281
 - Report Wizard, 275-277
 - Word, 969-970
 - Cross-tabulation reports, 270
 - custom methods, creating, 489
 - custom properties
 - creating, 484-488
 - PropertyGet routine, 486-488
 - PropertyLet routine, 486-488
 - Public variables, creating, 484-486
 - data, grouping, 286, 301-303
 - Data properties, controls, 292
 - detail, displaying, 516-517
 - Detail reports, 270
 - Detail section, 274
 - documenting (Database Documenter), 1078
 - error events, 796
 - examples, 307-309, 311-313
 - rptClientListing report, 307-309
 - rptTimeSheet report, 311-313
 - field properties, propagating, 507-509
 - fields, selecting, 275
 - filter properties, 513-514
 - forms, 272
 - graphics, 272
 - Group Footers, 275
 - Group Headers, 275
 - group levels, adding, 276
 - hyperlinks, adding, 306
 - Internet compatibility, 305-306
 - labels
 - captions, 91
 - hyperlinks, 306
 - printing, 520-523
 - layouts, 277
 - mailing labels, 273
 - Me keyword, 450
 - multifaceted crosstab reports, creating, 533-536
 - new features, 51
 - numbering items, 518
 - objects
 - aligning, 281
 - moving, 280-281
 - selecting, 279-280

- sizing, 281
- Snap to Grid feature, 281
- spacing, 282
- one-to-many reports, creating, 294-296, 299
- optimizing, 831
- Other properties, controls, 292
- page breaks, inserting, 293
- Page Footers, 274
- Page Headers, 274
 - printing first and last page entries, 530-533
- previewing, 20
- Printer object, 503-504
- Printers collection, 504
- printing, 287
 - properties, 502
- properties, 284, 286-289, 501-503
 - Auto Center, 286
 - Auto Resize, 286
 - Can Grow, 304
 - Can Shrink, 304
 - Caption, 285-286
 - Close Button, 287
 - Control Box, 286
 - controls, 289-291
 - Data, 287
 - Description property, 1078
 - Force New Page, 293, 303
 - Format, 285
 - FormatCount, 503
 - Grid X, 287
 - Grid Y, 287
 - Grp Keep Together, 286
 - HasContinued, 503
 - Layout for Print, 287
 - Min Max Buttons, 286
 - MoveLayout, 502
 - NextRecord, 502
 - Page Footer, 286
 - Page Header, 286
 - Picture, 287
 - PrintCount, 503
 - PrintSection, 502
 - Repeat Section, 304
 - Tag, 289
 - Width, 287
 - WillContinue, 503
- Properties window, 285
- queries, efficiency considerations, 275
- RecordSource, changing at runtime, 509-513
- Report Footers, 275
- Report Headers, 275
- saving as HTML, 306
- sections, 274-275
 - adding at runtime, 501
 - hiding/displaying, 516-518
- sort order properties, 515-516
- sorting, 301-303
- sorting levels, selecting, 276
- specifications and limitations, 307
- stored queries, 305
- styles, selecting, 277
- subreports, 300
- summary, displaying, 516-518
- Summary reports, 270
- Time and Billing application examples, 537
- titles, 277
 - Caption property, 285
 - types, 269
- Reports collection, 419**
- Requery method, refreshing recordset data, 702**
- Require Variable Declaration option, 395**
- Required property (fields), 94-96**
- reserved words, upsizing to client/servers, 925**
- Resize event, forms, 436**

resizing

- form objects, 202-203
- forms, Form event sequence, 442
- labels, automatically, 281
- report objects, 281

responding to errors, 776-780**restoring**

- default settings to ribbons, 943-944
- hidden objects, 64-65

Resume Next statement, 762-763**Resume statement, 761-762****Resume [LineLabel] statement, 763-764****Resync method, refreshing recordset data, 702****Retreat event, report sections, 500****retrieving data from Type variables, 601****Ribbon Name, 289****ribbons, 935**

- adding groups and commands to, 944-945
- applying custom ribbons
 - to entire databases, 940-941
 - to forms or reports, 941-943
- custom ribbons, building, 841-842
- customizing, 935-936
 - enabling the display of system errors, 937
 - showing system tables, 936-937
 - USysRibbons table, 938
 - USysRibbons table,
 - adding data to, 939-940
- executing macros from, 946-947
- new features, 30
 - command tabs, 30-33
 - contextual command tabs, 34
 - gallery, 34
 - Microsoft Office Access button, 36
 - Quick Access toolbar, 34-36
 - tips and tricks, 36-38
- restoring default settings, 943-944

Right function, 377**right outer joins, 563****Rollback method, transaction processing, 929-930****routines**

- ChangeCaption, 413
- CloseExcel, 960
- FlipEnabled, 414-415
- GetDrive routine, file information class, 653-655
- GetName routine, file information class, 653-655
- GetPath routine, file information class, 653-655
- LogError, custom error handler class, 793-794
- PropertyGet
 - Class modules, 640-642
 - custom error handler class, 793
 - custom properties, creating, 486-488
 - data access class, 656-658
 - system information class, 667-668
- PropertyLet
 - Class modules, 640-642
 - custom error handler class, 793
 - custom properties, creating, 486-488
 - data access class, 656-658
 - system information class, 667-668

row fix-up feature, multitable queries, 155-157**Row Source Type property, combo boxes, 223****rows (client/servers), 922****rpt prefix, PDF:1132, PDF:1135****rptClientListing report, creating, 307-309****rpts prefix, 1132****rptTimeSheet report, creating, 311-313****rsrp object-naming prefix, PDF:1136****rst object-naming prefix, PDF:1134****rsts object-naming prefix, PDF:1134****rsub prefix, PDF:1132****rulers, forms (selecting objects), 200****Run command (Start menu), 1033****Run Permissions property, queries, 172**

running

- macros, 324
 - from Macro Design window, 325
 - from Macros group of the Navigation Pane, 326
- queries, 141

Running Sum property, controls, 292**Runtime Error dialog box, 750****runtime errors, 750-751****runtime references**

- calling functions, 1015
- library databases, 1014-1016
- LoadOnStartup key, 1016

runtime version, distributing applications, 839-840

- basing applications on forms, 839
- custom help, 841
- database startup options, 839-840
- error handling, 841
- security, 839

Rushmore technology, 555-556**RVBA (Reddick VBA Naming Conventions), PDF:1131****S****s scope prefix, 1135****Sandbox mode, 1123**

- disabling in Windows Vista, 1123-1124
- disabling in Windows XP or Windows Server 2003, 1124-1125

Save Backup As dialog box, 1099-1100**Save method, data access class, 663-664****Save Splitter Bar Position, 216****SaveSetting function, 994****saving**

- database objects as XML, 1066-1068
- forms, 253
- queries, 144

reports as HTML, 306

- table data
 - in HTML format, 104-107
 - in XML format, 107-109

scalability

- applications, 11
- splitting tables from other objects, 836

Scatter method, data access class, 658-659**schema (client/servers), 922****scope**

- arrays, 605
- constants, 381-382, 603
- procedures, 358
- precedence, 357-358
- variables, 360-363

scr prefix, 1132**Screen object, 423****Scroll Bar Align, 291****Scroll Bars property**

- controls, 237
- forms, 232

searching

- records in recordsets, 696-699
- tables, indexes, 96-97

sec prefix, 1132**second normal form, 119****Section events, 443**

- reports, 496-497, 500
 - Format, 496-498
 - order of events, 500
 - Print, 498-499, 522-523
 - Retreat, 500

Section property, 416**sections, reports, 274-275**

- hiding/displaying, 516-518

security

- Access compared to client/servers, 918
- database passwords to encrypt Access 2007 databases, 1109-1110
- distributing applications, 839

- locking data, 913
- new features, 52, 1103-1105
- transactions, ANSI-92 extensions, 594
- Trust Center, 1115
 - Access macros and VBA code, 1116-1117
 - message bars, 1115
 - Trusted Locations, 1117-1120
 - Trusted Publishers, 1120-1122
- trusting databases, 1106
 - for current sessions, 1106
 - permanently, 1106-1107
- upsizing to client/servers, 924
- user-level security, 1105
 - removing, 1125
- Select Case statements, 368-369**
 - compared to If statements, 366
- SELECT clause, SQL, 567**
- SELECT INTO statement, SQL, 583**
- select queries, 16**
 - defined, 137
- SELECT statement (SQL), 567-571**
- selecting**
 - form objects, 199-200
 - report objects, 279-280
- selection criteria, refining query results, 146-149**
- selection handles, 199**
 - objects, sizing, 202
- self joins, queries, 564-565**
- self joins (SQL), 571-572**
- self-signed certificates, creating, 1111-1112**
- semicolon (;), input masks, 90**
- sequence of events, 449**
- sequence of Form events, 441-442**
- servers**
 - applications, installing, 910
 - automation servers, 950
- Set Next Statement command (Debug menu), 742-743**
- Set statements, 640, 953**
 - memory usage considerations, 674
- SharedAsyncDelay setting (Windows registry), 928**
- SharePoint Server 2007, 883**
 - Access 2007 (accdb) file format and, 885
 - benefits of, 884-885
 - creating databases from SharePoint lists, 884
 - exporting data to, 885-890
 - exporting entire databases to, 884
 - exporting selected data to, 883
 - linking to and importing from SharePoint lists, 900-902
 - opening Access forms and reports from, 884, 896-899
 - publishing data to, 891-896
 - reestablishing links when SharePoint sites have been moved, 906
 - taking lists offline with Access, 884, 903-905
- Shift+F2 command, VBA (viewing code), 387**
- Short Date format (fields), 89**
- shortcut icons, compacting databases, 1095**
- shortcut keys**
 - forms, 198
 - queries, viewing, 142
- Shortcut Menu, 289**
 - forms, 235
- shortcuts, object references, 410**
- Show Tables dialog box, 126, 139, 576**
 - self join queries, 564
- showing**
 - document tabs, 44-46
 - status bar, 49
- showing system tables, customizing ribbons, 936-937**
- shp prefix, 1132**
- signed packages**
 - creating, 1112-1113
 - extracting, 1113-1114

signing Access databases, 1110-1111

self-signed certificates, 1111-1112

simple keys, 117

Simple Query Wizard, 138

single forms, creating, 451-452

sizing

form layouts, 210-211

form objects, 202-203

forms, Form event sequence, 442

labels, automatically, 281

report objects, 281

slides (PowerPoint), 972-973

small businesses, developing applications, 8

smart tags

adding to forms, 253-255

forms

action buttons, 255

adding, 254-255

queries

action buttons, 176

adding, 175-178

Snap to Grid

disabling, 281

forms, 202

adjusting grid, 233

temporarily disabling, 202

report objects, 281

sng data-type prefix, 1133

software, optimization

compacting database, 803

defragmenting hard disk, 803

drive compression, 804

local execution, 804

swap file, 803-805

Windows 95/98, 806

Windows registry settings, 806

sort order properties, reports, 515-516

Sort property (ADO recordsets), 693-694

sorting

query results, 145-146

ascending order, 145

by more than one field, 145-146

recordsets, 693-694

reports, 301-303

Union query results, 576

Sorting and Grouping window, 301

sorting levels, selecting reports, 276

source code, removing from applications, 839

source database types, 860

Source Object property

subforms, 249

subreports, 300

Source property, query tables, 171

spacing

form objects, 203-204

report objects, 282

Special Effect, 290

controls, 237

SpecialEffect function, 1030

specific object variables, 812-813

compared to generic object variables, 411

specifications, reports, 307

SpecificBold, 813

Splash Screen forms, creating, 459

splash screens (forms), creating, 491

Split Form Orientation, 216

Split Form Printing, 216

Split Form Size, 216

Split Form Splitter Bar, 216

split forms, 215-217

splitting

database objects, 835-836

one control layout into two form layouts, 214

tables from other objects, 835-836

SQL

ALL clause, 572

All keyword, 576

client/servers, 922

FROM clause, 568

GROUP BY clause, 573

HAVING clause, 573

history, 566

- JOIN clause, 570-571
- non-equi joins, 572
- ORDER BY clause, 569
- queries, 566-569, 572, 575
 - creating, 574
- SELECT clause, 567
- SELECT statement, 567-571
- self joins, 571-572
- statements
 - ALTER TABLE, 585
 - Append queries, 545
 - CREATE INDEX, 584-585
 - CREATE TABLE, 584
 - DELETE, 582-583
 - DROP INDEX, 585
 - DROP TABLE, 586
 - executing from VBA, 574-575
 - INSERT INTO, 583
 - left outer joins, 563
 - reports, 304-305
 - saving as queries, 305
 - SELECT INTO, 583
 - storing queries, 541
 - UPDATE, 582
- syntax, 567
- TOP keyword, 572
- updating data, 582-583
- WHERE clause, 568-569
- SQL Pass-Through, front ends communicating to back ends, 920-921**
- SQL Server 2000, Cascade Update and Delete features, 133**
- SQL statements**
 - efficiency of compared to stored queries, 838
 - embedded SQL statements, basing forms/queries on, 837
 - embedding, 250-251
- SQL View window, queries, 574**
- stacked layouts**
 - Layout view, forms, 206-209
 - moving and resizing, 210-211
 - switching to tabular layouts, 213

- standard modules, 347**
- Start menu commands, Run, 1033**
- starting Form Wizard, 195**
- startup forms, 490**
- statements**
 - Debug.Print, 361, 734, 739
 - Declare, 821, 986
 - Dim, 821, 953
 - variables, 359
 - Exit Sub, error handling, 759
 - For Each...Next statement, 372-373
 - If, 365
 - compared to Select Case statements, 366
 - Kill, 760
 - On Error, 758
 - On Error Goto, 758-759
 - On Error Goto 0, 759-760
 - On Error Resume Next, 760
 - Option Explicit, modules, 349, 351
 - Redim Preserve, 826
 - Resume, 761-762
 - Resume Next, 762-763
 - Resume [LineLabel], 763-764
 - Select Case, 368-369
 - compared to If statements, 366
 - Set, 953
 - memory usage considerations, 674
 - Set statement, 640
 - SQL. See SQL, statements
 - Stop statement, 735
 - Type, 600
 - With, loops, 823-824
 - With...End With, 372
- Static keyword, variable lifetime, 355**
- Static procedures, 358**
- Static variables, 361-362**
- Statistics tab (Database Priorities dialog box), 1080**
- status bar, new features, 47-49**
- Status Bar Text property, controls, 241**

- Step Into option (debugging), 738-739**
- Step Out feature (debugging), 742**
- Step Over option (debugging), 741-742**
- stepping through macros, 338**
- stepping through code**
 - breakpoints, setting, 739-741
 - Step Into option, 738-739
 - Step Out feature, 742
 - Step Over option, 741-742
- stf data-type prefix, 1133**
- Stop statements, 735**
- stored procedures, 713**
 - ANSI-92 extensions, 593-594
 - executing on back ends, 921
- stored procedures (client/servers), 922**
- stored queries, 250-251, 827-828**
 - basing reports on, 305
- storing form data in Type variables, 601**
- str data-type prefix, 1133**
- strControl argument (builder function), 1030**
- strCurrentValue argument (builder function), 1030**
- string parameters, passing, 987, 989**
- String Value command (New menu), 1034**
- strings**
 - compiler constants, 367
 - compression, ANSI-92 extensions, 592
 - delimiters, 697-699
 - functions, 376-377
 - Null value, avoiding, 624
- strObject argument (builder function), 1030**
- strong-typing variables, avoiding bugs, 728**
- StrRev function, 379**
- structs, 599-602**
- structures, 991**
- structuring code modules (library databases), 1012-1013**
- styles, forms (selecting), 195**
- subclassing, 638**
- subform controls, referring to, 476-477**
- Subform/Subreport Wizard, 300**
 - one-to-many forms, creating, 247-248
- subforms, 453, 476-477, 830**
 - modifying, 249
 - order of fields, 249
 - properties, 249
 - referring to subform controls, 476-477
 - viewing, 249
- SubKey field (USysRegInfo table), 1038**
- subkeys, creating, 1034**
- subprocedures, 347**
- subqueries, 581**
- Subreport Wizard, creating one-to-many reports, 298-300**
- subreports, 300**
 - viewing, 249
- subroutines, 347-349. See also procedures**
 - code, viewing, 387
 - CreateExcelObj, 956
 - creating, 352-354
 - shortcut for, 354
 - Declare statement, 986
 - FillCells, 958
 - GetSysInfo, 782, 1003
 - LinkToDBase, 862
 - modules, 22, 347
 - parameters, 373-374
 - passing objects to, 413-414
 - testing (Immediate window), 733
- Suffixes (naming conventions), 1131**
- summarizing data (Totals queries), 161-165**
- Summary reports, 270**
 - displaying, 516-518
- Summary tab (Database Properties dialog box), 1079**
- Supports method, Recordset objects, 687**
- swap files, optimization, 803-805**
- Switchboard forms, creating, 457**
- Switchboard Manager, forms (creating), 190**
- switchboards**
 - application switchboards, 839
 - forms, 190

switching

- between stacked and tabular form layouts, 213
- to PivotChart view, forms, 262

Symantic Ghost, 842**symbolic constants, 381-382, 602****synchronizing changes with SharePoint, 903-904****syntax, SQL, 567****SysCmd function, 1031****System Database property (Connection strings), 673****system information class (Class modules), 666-669**

- Initialize event, 668-669
- Private variables, 666-667
- Property Get routine, 667-668
- Property Let routine, 667-668
- type structures, 666-667

system objects, hiding, 943**system performance. See also optimization**

- application types, 917
- backup/recovery capability, 917
- compacting database, 1091-1093
- Declare statements, 987
- limiting factors, 9
- network demands, 917
- queries, 553
 - improving performance, 554-555
- security, 918
- user base, 916
- variables, declaring, 359

system requirements, hardware, 23**system-defined constants, 602****T****Tab controls**

- adding to forms, 456
- properties, changing, 456-457

Tab Index property, controls, 241**tab order**

- form objects, changing, 204-205
- forms, Cycle property, 235

Tab Order dialog box, 204**Tab Stop property, controls, 241****Tab Width feature, 395****tabbed documents, new features, 44-46**

- displaying overlapping windows, 46-47

tabbed forms, creating, 455-457

- Tab controls, adding, 456

Table and Recordset locking, 913**Table database, 836****Table object, Properties collection, 860****tables, 12-14**

- Access tables, linking external data, 856-857
- adding to databases, with ADO code, 715-716
- adding to queries, 139
- ANSI-92 extensions, 590, 592-593
- back end tables, linking to front end application database, 919
- calculations and, 119
- creating, 79-81
 - designing, 81
 - Make Table queries, 545-547
- data, saving as HTML, 104
- data fields
 - Attachment, 86
 - AutoNumber type, 85
 - Currency type, 85
 - Date/Time type, 84
 - Hyperlink type, 87
 - Memo type, 84
 - Number type, 84
 - OLE Object type, 86
 - Text type, 84
 - Yes/No type, 86

Database window, viewing, 12**decomposition, 119****deleting, with ADO code, 717****denormalization, 120**

- Description property, 101
- design rules, 116-117
- Design view, viewing, 14
- designing
 - from scratch, 79-81
 - for optimization, 808-809
 - Time and Billing application, 111-113
- documenting, 81
 - Database Documenter, 1074-1075
- dynasets, 16
- external tables. *See* external tables
- field types, Hyperlink, 103-104
- fields
 - Allow Zero Length property, 95-96
 - Caption property, 91
 - Default Value property, 91-92
 - defining, 79
 - descriptions, 80
 - Field Size property, 88
 - Format property, 88-89
 - Indexed property, 96-97
 - Input Mask property, 89-90
 - inserting, 80
 - maximum number allowed, 123
 - normalization, 25
 - properties overview, 87
 - Required property, 94-96
 - selecting data types, 82-84
 - types, 79
 - Unicode Compression property, 97
 - Validation Rule property, 92-94
 - Validation Text property, 94
- Filter property, 102
- foreign keys, 115
 - referential integrity and, 121
- forms
 - combo boxes, 220
 - one-to-many, 246
 - one-to-many, creating, 246-248
 - record sources, 198
- indexes
 - limitations of, 809
 - performance benefits of, 103
 - Primary Key, 98
- joining queries, 570-571
- joins, outer joins, 563-564
- junction, 123-124
- linking, accessing in networks, 913
- locking, creating reports, 288
- multiple, creating queries, 152
- multitable queries
 - creating, 151-153
 - pitfalls, 153-155
 - row fix-up feature, 155-157
- names, upsizing to client/servers, 81, 924
- naming, conventions, 80
- non-equi joins, 572
- normalization, 115-116
 - first normal form, 118
 - second normal form, 119
 - third normal form, 119-120
- normalization rules, 24-25, 27
- Orientation property, 102
- primary keys, 117
- properties, 102
 - viewing, 101-102
- queries
 - selecting, 568
 - specifications/limitations, 185-186
- relationships, 115
 - benefits, 133
 - Cascade Delete Related Records option, 131-133
 - Cascade Update Related Fields option, 130
 - creating, 125-127
 - defining, 14
 - deleting, 128
 - establishing with ADO code, 717-718
 - guidelines, 126-127
 - indexes, 103, 134
 - many-to-many, 123-124

- modifying, 128
- one-to-many, 16, 122, 124
- one-to-one, 123-124
- referential integrity, 128-130
- types of, 122
- unhiding (Relationships window), 14
- viewing (Relationships window), 14
- removing from queries, 153
- searching, indexes, 96
- self joins, 564-565, 571-572
- specifications/limitations, 110-111
- splitting from other objects, 835-836
- statistics (queries), recreating, 1092
- Subdatasheet Name property, 102
- temporary tables, 837
- unique identifiers, 117
- upsizing to client/servers, 923
- USysRegInfo
 - importing, 1037
 - structure, 1038
- Validation Rule property, 101
- Validation Text property, 102
- workstations, installing locally, 911
- tables from hypothetical time and billing application**
 - tblAddressTypes table, PDF:1148-1149
 - tblClientAddresses table, PDF:1143-1147
 - tblClientPhones table, PDF:1149-1151
 - tblClients table, PDF:1138-1143
 - tblCompanyInfo table, PDF:1159-1163
 - tblContactType table, PDF:1158-1159
 - tblCorrespondence table, PDF:1152-1155
 - tblCorrespondenceTypes table, PDF:1156-1157
 - tblEmployees table, PDF:1164-1167
 - tblErrorLog table, PDF:1168-1171
 - tblErrors table, PDF:1171-1172
 - tblExpenseCodes table, PDF:1172-1173
 - tblPaymentMethods table, PDF:1173-1174
 - tblPayments table, PDF:1174-1178
 - tblPhoneTypes table, PDF:1151-1152
 - tblProjects table, PDF:1178-1182
 - tblTerms table, PDF:1157-1158
 - tblTimeCardExpenses table, PDF:1182-1185
 - tblTimeCardHours table, PDF:1186-1189
 - tblTimeCards table, PDF:1190-1191
 - tblWorkCodes table, PDF:1191-1192
- tabular layouts**
 - Layout view, forms, 206-209
 - moving and resizing, 210-211
 - switching to stacked layouts, 213
- Tag, 289, 292**
- Tag property**
 - controls, 242, 292
 - forms, 236
 - reports, 289
- task analysis, application development, 24**
- tbl object-naming prefix, 1134**
- tbl prefix, 1135**
- templates, creating new databases, 76-78**
- temporary tables, 837**
- Terminate event, 644**
- testing**
 - builders, 1035
 - macros, 337-338
- testing stage, applications development, 27**
- text, aligning (object text), 202**
- Text Align, 291**
- Text Box tool, 219, 282**
- text boxes**
 - converting to combo boxes, 227-228
 - default property, 410
 - forms, adding, 219
 - reports, 282
- text data, external data, 873**
- Text field type, 84-85**
- text files**
 - I/O operations, 629
 - importing, 630
- Text Format property, 292**
- tgl prefix, 1132**
- third normal form, 119-120**
- Time and Billing application**
 - automation, examples, 979-980, 982-983
 - command buttons, enabling/disabling, 426-427

- error handling, 798-799
- form design, 263-268
- frmClients form
 - command button additions, 268
 - designing, 263-265
- frmProjects form, designing, 266-267
- library databases, creating, 1023-1025
- preparing for enterprise environment, 931
- queries, 595, 597
- query design examples, 186-187
- reports, examples, 307-309, 311-313, 537
- table design overview, 111-113
- tables. *See* tables from hypothetical time and billing application
- VBA techniques, examples, 633-635
- Time and Billing database, relationships example, 134-136**
- Timer event, forms, 441**
- titles**
 - forms, 195
 - Caption property, 229
 - reports, 277
 - Caption property, 285
- tlkp object-naming prefix, 1135**
- Toggling Boolean Benchmark, 816**
- Toolbar, 289**
- toolbars**
 - Debug toolbar, displaying, 730
 - Format, Align tools, 202
 - Formatting, 196
 - Report Design window, 278
 - forms, designing, 196
 - mini toolbar, 49-50
 - Quick Access toolbar, 34-36
 - customizing, 38-41
- tools**
 - Bound Object Frame, 283
 - Check Box, 224
 - Combo Box, 220
 - Formatting toolbar, Align, 202
 - Label, 219, 282
 - Line, 282
 - modules, 384-386
 - Page Break, 293
 - Rectangle, 283
 - Text Box, 219, 282
 - Unbound Object Frame, 283
- Tools menu commands**
 - Add-Ins, 1038
 - Relationships, 124
- TOP keyword, SQL, 572**
- Top Values property, queries, 171, 551-552**
- Totals queries, 161, 163, 165**
- transaction (client/servers), 922**
- transaction processing, 926**
 - benefits, 927
 - explicit transaction processing, 927
 - implementing, 929-930
 - implicit transaction processing, 927
 - methods, 929-930
 - modifying default behavior, 927-929
 - registry settings, 927-929
- transactions, ANSI-92 extensions, 594**
- TransferDatabase method**
 - arguments, 852
 - importing external data, 852-853
- TransferSpreadsheet method**
 - arguments, 854
 - importing external data, 853-854
- TransferText method, importing external data, 853**
- transparent controls, 237**
- triggering macros from forms or report events, 326-327**
- triggers (client/servers), 922**
- Triple state property, check boxes, 224**
- troubleshooting. *See also* debugging; error handling**
 - applications, 361
 - assertions, 752
 - Auto Data Tips, 745
 - avoiding bugs, 728
 - breakpoints, 735-741
 - Call Stack window, 743-744
 - Immediate window, 729-734
 - Locals window, 744
 - potential problems, 751-752

- runtime errors, 750-751
- Set Next Statement command, 742-743
- Step Into option, 738-739
- Step Out feature, 742
- Step Over option, 741-742
- Stop statement, 735
- Watch expressions, 745-749
- watches, 735
- external data, 873-874
 - connection problems, 873
 - disk space, 874
- library databases, 1022-1023
- lookup feature, disadvantages of, 100
- true/false evaluations, 819-820**
- Trust Center, 1115**
 - Access macros and VBA code, 1116-1117
 - message bars, 1115
 - Trusted Locations, 1117-1119
 - modifying, 1120
 - removing, 1119
 - Trusted Publishers, 1120-1122
- trusted databases, 1123**
- Trusted Locations, 1117-1119**
 - modifying, 1120
 - removing, 1119
- Trusted Publishers, 1120-1122**
 - adding, 1127-1128
- trusting**
 - databases
 - for current sessions, 1106
 - permanently, 1106-1107
 - databases, 1106
- txt prefix, 1132**
- Type field (USysRegInfo table), 1038**
- type libraries, 950**
 - binding, 954
- Type statement, 600**
- type structure declaration, generic error handlers, 772**
- type structures**
 - examples, 633-635
 - system information class, 666-667
- Type variables, 600-601**

- TypeOfDrive, 1007**
- types, DLLs, 992-993**
- typing variables, declaring, 359**

U

- UCase function, 377**
- UFI (Unsafe for Initialization), 1126**
- UID keyword, 867**
- Unassigned Objects group, hiding, 61**
- unbound controls, 242**
- Unbound Object Frame tool, 283**
- unbound object frames, reports, 283-284**
- unbound OLE objects, 467**
- UNC (universal naming conventions), 861**
 - hyperlink field type, 87
- UNC addresses, tables (Hyperlink field type), 103-104**
- underlying recordsets, synchronizing forms with, 483-484**
- underscore (_), line continuation character (VBA), 364**
- Undo event, forms, 434**
- undoing actions, 89**
- unhiding tables, Relationships window, 14**
- Unicode, 990**
- Unicode Compression property (fields), 97**
- uniform resource locators. See URLs**
- union queries, 577**
 - creating, 575
 - graphical QBE, 576-577
 - sorting results, 576
- unique identifiers (tables), 117**
- Unique Records property, queries, 171, 549**
- Unique Values property, queries, 171, 548-549**
- Universal Naming Convention. See UNC**
- Unload event, forms, 437**
- Unsafe for Initialization (UFI), 1126**
- untrusted databases, 1123**
- Update queries, creating, 539-541**
- UPDATE statement, SQL, 582**
- Updated event, controls, 444**

updates, recordsets (batch updates), 707-708

updating

query results, 150

records, 828

queries, 16

Recordset objects, consistent compared to inconsistent, 685-686

updating links (external data), 869-871, 878-881

upsizing

issues, 923-925

AutoNumber fields, 923

case-sensitivity, 925

default values, 91, 924

indexes, 97, 923

properties, 925

relationships, 924

reserved words, 925

security, 924

table/field names, 81, 924

tables, 923

validation rules, 924

VBA, 925

preparation, 925

wizards, drawbacks, 926

Upsizing Wizard, 843

URLs (Universal Naming Convention), 87

hyperlink field type, 87

tables, 103-104

Use Default Paper Size, 289

user interface

compacting databases, 1093-1095

importing external data, 850-851

linking external data, 854-858

new features, 28-30

user-defined errors, creating, 768-769

user-defined routines

creating in class modules, 354

creating in code modules, 353

user-defined types, 599-602

declaring, 600

Type variables, 600-601

user-level security, 1105

removing, 1125

UserCommitSync setting (Windows registry), 928

UserForm, 976-977

usr object-naming prefix, 1134

USysRegInfo table, 1037-1038

USysRibbons table, 938

adding data to, 939-940

utilities, Compact, 803

V

Validation Rule property, tables, 101

Validation Rule property (fields), 92-94

validation rules

fields, adding to, 93-94

upsizing to client/servers, 924

Validation Text property

fields, 94

tables, 101

ValName field (USysRegInfo table), 1038

Value field (USysRegInfo table), 1038

values

constants, errors, 603

default, upsizing to client/servers, 91, 924

Empty, Variant variables, 618-619

Nothing value, object variables, 412

Null values

converting to zero, 167

examples, 632-633

queries, 579-581

query results, 166-167, 169

Variant variables, 619-625

printing to the Immediate window, 734

returning, functions, 373-374

variables, changing values, 743

var data-type prefix, 1133

variable scoping, avoiding bugs, 728

variables

- data types, 359
- declaring, 358
 - memory usage considerations, 674
 - modules, 348
 - Option Explicit statement, 349
 - performance considerations, 359
- Dim statement, 359
- intTemp, 739
- lifetime, 355
- local, 361
- naming, 362
 - changing, 390-391
 - Public, 363
- naming conventions, 1131-1134
- null values, 359
- object, referencing applications, 950-952
- object variables, 410
 - automation objects, 953
 - compared to regular variables, 410-411
 - generic compared to specific, 411
 - Nothing value, 412
- private, 348, 362
- Private variables, system information class, 666-667
- public, 348, 362-363
- scope, 360-363
- specific object variables, 812-813
- Static, 361-362
- Type, 600-601
- values
 - changing, 743
 - setting (Immediate window), 730-732
 - testing (Immediate window), 730
- Variant
 - Empty value, 618-619
 - Null value, 619-625
- variant variables, eliminating, 811
- variants, 359
- VBA, 358-359, 361-362
- variant variables, 359**
 - eliminating, 811
 - Empty value, 618-619
 - Null value, 619-625

VBA (Visual Basic for Applications), 20, 345-347, 599

- #Const directive, 367
- advanced techniques, Time and Billing application examples, 633-635
- arrays, 605-606, 608-610
 - declaring, 605-607
 - dynamic arrays, 607-609
 - fixed arrays, 605
 - passing as parameters, 609-610
- bookmarks, adding, 394
- code
 - compared to Action queries, 547-548
 - viewing, 387
- Code window, splitting, 393
- comments, 363-364
- compared to macro capabilities, 345-347
- Compile On Command feature, 629-630
- constants, 380, 602-604
 - defining, 602-604
 - intrinsic constants, 382-383, 602-604, 632-633
 - symbolic constants, 381-382, 602
 - system-defined constants, 602
- control structures, 364-371
 - Conditional If, 367-368
 - For Each...Next statement, 372-373
 - For...Next construct, 371
 - If...Then...Else, 365
 - Immediate If (IIf), 366
 - loops, 369-370
 - Select Case statement, 368-369
 - With...End With statement, 372
- converting macros to VBA code, 339-341
- custom collections, 625-628
- DLL functions, declaring, 986
- DoCmd object, examples, 632-633
- executing macros, DoCmd object, 374
- find and replace feature, 390-391
- functions, 377-380, 610
 - DateAdd, 378
 - DateDiff, 378
 - DatePart, 377
 - Format, 376

- Instr, 376
- InstrRev, 376
- Left, 377
- Mid, 377
- MonthName, 379
- named parameters, 616
- Object Browser, 379-380
- optional parameters, 613-615
- parameter arrays, 617-618
- passing parameters, 610-613
- recursive procedures, 616-617
- Replace, 378
- Right, 377
- StrRev, 379
- UCase, 377
- help, context-sensitive, 391
- line continuation character, 364
- macros versus modules, 20
- Module window, executing procedures, 374-375
- modules, 347, 349-350, 354-358
 - event procedures, 352
 - functions, creating, 352-354
 - Option Explicit statement, 349-351
 - procedures, calling, 354-358
 - subroutines, creating, 352-354
- named parameters, 375
- Null values, examples, 632-633
- passing parameters, 373-374
- programming tools
 - bookmarks, 394
 - Code window, 388
 - Code Window, splitting, 393
 - Complete Word feature, 386
 - context-sensitive help, 391
 - Definition feature, 387
 - find and replace feature, 390-391
 - List Constants feature, 385
 - List Properties and Methods feature, 384
 - Parameter Info feature, 386
 - Project window, 388
 - Properties window, 390

- Quick Info feature, 385
- View Microsoft Access Tool, 390
- project properties, 631-632
- SQL statements, executing, 574-575
- type structures, examples, 633-635
- upsizing to client/servers, 925
- user-defined types, 599-602
 - declaring, 600
 - Type variables, 600-602
- variables, 358-359, 361-362
 - data types, 359
 - declaring, 358-359
 - local variables, 361
 - Private variables, 362
 - Public variables, 362
 - scope, 360
 - Static variables, 361-362
- Variant variables
 - Empty value, 618-619
 - Null value, 619-625
- Visual Basic Editor (VBE)
 - coding options, 394-395
 - customizing, 394-396, 399
 - docking options, 396
 - general options, 395

VBA code

- references, creating, 1021
- Trust Center, 1116-1117

VBA functions

- testing (Immediate window), 733
- Windows registry, 994-997

VBE (Visual Basic Editor), 348

- Comment Block tool, 364
- customizing
 - coding options, 394-395
 - docking options, 396, 399
 - Editor Format tab, 395
 - general options, 395
- Immediate window, 361
- Option Explicit statement, inserting in all modules, 350

VerifyLink routine, 878-879

Versions, databases (conversion formats), 1100-1101

Vertical property, 292

controls, 241

View menu, forms (changing tab order), 204

View menu commands, Object Browser, 405

View Microsoft Access Tool, 390

viewing

code, VBA, 387

constants, 382, 604

Object Browser, 604

database objects, icons (Database window), 12

events, 404

forms

Default View property, 230

Form view, 18

properties, 229

modules, Module Design window, 22

object dependencies, 109-110, 479-480

project properties, 631

properties, 402

queries, 548

queries, shortcut keys, 142

reports, preview mode, 20

subforms, 249

subreports, 249

tables, 12-14

views

ANSI-92 extensions, 593-594

Design, creating forms, 196

Layout view. See Layout view

virtual memory, optimizing, 803-805

Visible, 290

Visual Basic Editor. See VBE

Visual Basic for Applications. See VBA

W

Watch expressions, 745

adding, 746-748

breaking when expressions are true, 748-749

breaking when expressions change, 749

editing, 748

watches (debugging), 735

Weekday() function, 149

WHERE clause, SQL, 568-569

Width property

forms, 231

reports, 287

WillContinue property, reports, 503

Win32 API (Application Programming Interface), 985

data loss, preventing, 989

windows

Code window

splitting, 393

VBA, 388

dockable, 396

Field List, availability, 233

Form Design, 196-204

forms, designing, 197

Module, executing procedures, 374-375

Project window, VBA, 388

Properties

reports, 285

VBA, 390

windows

Relationships, 124

Report Design, creating reports, 278-281

SQL View, queries, 574

Windows, registry settings, 806

Windows 2000 Terminal Services

installing Access applications, 912

optimization and, 804

Windows 95/98, optimizing, 806

Windows API calls, 782-784

operating environment information, 997-1005

Windows Registry

- AddInPath key, 1014
- keys, ISAM drivers, 866
- RefLibPaths key, 1020
- settings, transaction processing, 927-929

Windows Server 2003, disabling Sandbox mode, 1124-1125

Windows Vista, disabling Sandbox mode, 1123-1124

Windows XP, disabling Sandbox mode, 1124-1125

With statement, loops, 823-824

With...End With construct, 412

With...End With, 823

With...End With statement, 372

wizards

- Combo Box, 220
- Command Button, 244-245
 - fixing inefficient code, 396-398
- Control, adding combo boxes to forms, 220
- creating, 1040-1044
- Crosstab Query Wizard, 557-559
- Database Splitter Wizard, 912
- defined, 1039
- designing, 1039
- Form
 - creating forms, 193-195
 - one-to-many forms, creating, 246-248
 - starting, 195
- Import HTML Wizard, 874-877
- Import Spreadsheet Wizard, 851
- Input Mask, 89-90
- Input Mask Wizard, 89-90
- Label, 273
- List Box, 224
- Lookup, launching, 98, 100
- Option Group, 225-226
- registering, 1044-1045
- Report, 275-277
 - one-to-many reports, creating, 294-296
- Simple Query, 138
- Subform/Subreport, 300
- Subreport, one-to-many reports, creating, 298-300

Word (Microsoft)

- controlling from Access, 966-968
- mail merge documents, 966, 968
- reports, creating, 969-970

workstations, installing applications, 911

Write # keyword, 628

writing

- builder functions, 1028-1031
- text files, 629

wrk object-naming prefix, 1134

WZMAIN80.MDE file, importing, 1037

X

XML (Extensible Markup Language), 107-109

- forms, saving as, 253
- importing XML files, 1068-1069
- saving database objects as, 1066-1068
- table data, saving in, 107-109

Y

Year() function, 149

Yes/No field type, 86

Z

Zoom dialog box, 243

Zoom option, 158