

Index

Note: Page references preceded by *CD:* are located on the accompanying CD-ROM. For example, *conversion reaction, CD:8* can be found on page 8 of the chapters on the CD-ROM.

Numbers

- 2-point crutch-walking gait, 187
- 3-point crutch-walking gait, 187
- 4-point crutch-walking gait, 187
- 7 rights of administering medications, 17-18
- 90-90 traction, 175-176

A

- ABCD (asymmetrical, border, colors, diameter) in assessing skin lesions, 132
- ABCD assessment (emergency nursing), 352
 - airway, 353
 - breathing, 354
 - circulation, 354-355
 - deficits, 355-356
- abdominal injuries, 358-359
- abducens nerve assessment, 239
- Abilify, 34
- abortions, 284-285
- absence seizures, 234
- abstinence, 303

- acetaminophen overdose, 344
- acid/base balance, electrolyte balance, and fluid disorders, 80
 - changes associated with aging, 88
 - exam prep questions, 89-91
- metabolic acidosis
 - care and treatment, 82-83
 - causes, 81-82
 - definition of, 81
 - symptoms, 82
- metabolic alkalosis
 - care and treatment, 86
 - causes, 85
 - definition of, 85
 - symptoms, 86
- normal electrolyte values, 88
- pH regulation, 81
- respiratory acidosis
 - care and treatment, 85
 - causes, 84
 - definition of, 83
 - symptoms, 84
- respiratory alkalosis
 - care and treatment, 87
 - definition of, 86
 - symptoms, 87
- acidosis
 - metabolic acidosis
 - care and treatment, 82-83
 - causes, 81-82

- definition of, 81
symptoms, 82
- respiratory acidosis
care and treatment, 85
causes, 84
definition of, 83
symptoms, 84
- uncompensated acidosis, 81
- acids, 80
- acoustic nerve assessment, 240
- acquired heart disorders
Kawasaki disease (KD), 339-340
rheumatic fever, 338-339
- acquired immunodeficiency syndrome (AIDS), 291
- acrocyanosis, 301
- acromegaly, 196
- active transport, 80
- acute coronary syndromes, CD:6-7
- acute diarrheal disease, 336
- acute epiglottitis, 333-334
- acute glaucoma, 114
- acute glomerulonephritis, 58-59
- acute mania, 265
- acute otitis media (AOM), 331
- acute post-traumatic stress disorder (PTSD), 255
- acute respiratory distress syndrome (ARDS), 44
- acute respiratory failure
ARDS (acute respiratory distress syndrome), 44
pulmonary embolus, 45-46
RDS (respiratory distress syndrome), 44
- acute respiratory infections
pleurisy, 49-50
pneumonia, 48-49
TB (tuberculosis), 50
- acute subdural hematomas, 236
- acyanotic, 327
- Adams position, 341
- Adaptive Drill mode (CramMaster CD-ROM), 572
- Addiction Research Foundation Chemical Institute Withdrawal Assessment-Alcohol (CIWA-Ar), 268
- Addisonian Crises, 202
- ADHD (attention deficit hyperactive disorder), 271-272
- administering medications, 17-18
- adolescents
- attention deficit hyperactive disorder (ADHD), 271-272
conduct disorder, 271
eating disorders, 272
growth and development, 318-319
oppositional defiant disorder, 271
- adrenal gland disorders, 201
- adrenocortical hypersecretion (Cushing's disease), 203
- adrenocortical insufficiency (Addison's disease), 202
- adrenocorticotropic hormone, 196
- adult basic life support, CD:5
- adverse effects of medications, 15
angiotensin-converting agents, 19
angiotensin receptor blockers, 30
anticoagulants, 34
anti-infectives, 21
antivirals, 27
benzodiazepines, 23-24
beta adrenergic blockers, 20
cholesterol-lowering agents, 29
cox 2 enzyme blockers, 31
glucocorticoids, 26
histamine 2 antagonists, 32
phenothiazines, 24
proton pump inhibitors, 33
- affect, 263
- AIDS (acquired immunodeficiency syndrome), 291
- air emboli, 45
- airborne precautions, CD:3
- airway management, 355
- Alabama Board of Nursing, CD:12
- Alaska Board of Nursing, CD:12
- alcoholism, 267-268
- alertness, 355
- alkalosis
metabolic alkalosis
care and treatment, 86
causes, 85
definition of, 85
symptoms, 86
- respiratory alkalosis
care and treatment, 87
definition of, 86
symptoms, 87
- uncompensated alkalosis, 81

- allergic (extrinsic) asthma, 47
 allogenic transplants, 137
 allografts, 103
 Allopurinol (Zyloprim), 181
 alopecia, 136
 alpha-fetoprotein screening, 282
 alpha interferon injections, 157
 Alzheimer's disease, 246-247
 ambivalence, 263
 ambulating clients, 402
 canes, 187-188
 crutches, 186-187
 walkers, 188
 American Association of Poison Control Centers, 360
 American Cancer Society's seven warning signs of cancer, 130
 American Heart Association life support guidelines
 adults, CD:5
 infants and children, CD:6
 American Indian clients. *See* Native American clients
 American Samoa Health Services, CD:12
 aminodarone, CD:7
 aminoglycosides, 21-22
 aminophylline, 48
 amniocentesis, 282
 amniotic membrane dressings (burns), 104
 amputations, 185-186
 analgesics, 16
 anaphylaxis, 361
 anemia
 aplastic anemia, 71
 Cooley's anemia, 73
 iron deficiency anemia, 72
 pernicious anemia, 70-71
 sickle cell anemia, 71-72
 aneurysm, 224-225
 angina pectoris, 220
 angiotensin-converting agents, 19-20, 215
 angiotensin receptor blockers, 29-30, 215
 anions, 80
 anorexia nervosa, 272
 answers to practice exams
 practice exam I
 answer explanations, 458-490
 answer key, 455-458
 practice exam II
 answer explanations, 538-569
 answer key, 535-538
 antacids, 15
 anthrax, 364
 antianemics, 16
 antianxiety drugs, 22-24
 antiarrhythmics, CD:7
 anticholinergics, 16
 anticoagulants, 16, 34-35, 223, CD:2
 anticonvulsants, 16, 22-24
 antidiarrheals, 15
 antiemetics, 24
 antihistamines, 15
 antihypertensives, 15, 19-20, 215
 anti-infectives, 15, 21-22
 antipsychotics, 24, 264
 antipyretics, 15
 antisocial personality disorder, 260
 antivirals, 27-28
 anxiety-related disorders, 254
 dissociative identity disorder (DID), 256
 generalized anxiety disorder (GAD), 255
 obsessive-compulsive disorder (OCD), 257-258
 panic disorder, 257
 phobic disorders, 257
 post-traumatic stress disorder (PTSD), 255
 somatoform disorder, 256
 AOM (acute otitis media), 331
 aorta, coarctation of, 328
 APGAR scoring, 301
 aplastic anemia, 71
 Arab-American clients, 384-385
 childbirth and pain response, 385
 dietary practices, 387
 nonverbal/verbal communication, 385
 time considerations, 385
 ARDS (acute respiratory distress syndrome), 44
 arginine vasopressin, CD:7

- aripiprazole, 34
 Arizona State Board of Nursing, CD:12
 Arkansas State Board of Nursing, CD:12
 arthritis, rheumatoid, 182-183
 artificial skin, 104
 Asian-American clients, 382-383
 childbirth and pain response, 384
 dietary practices, 386
 nonverbal/verbal communication, 383
 time considerations, 383
 assault, 401
 assault and battery, 401
 assistive devices for ambulation, 186
 canes, 187-188
 crutches, 186-187
 walkers, 188
 association, 263
 asthma, 47
 astigmatism, 118
 atrioventricular (AV) node, 216
 atropic (dry) macular degeneration, 116
 attention deficit hyperactive disorder (ADHD), 271-272
 atypical antipsychotics, 264
 aura, 233
 autism, 263
 autologous transplants, 137
 automaticisms, 234
 autonomic hyperreflexia, 244-245
 AV (atrioventricular) node, 216
 avoidant personality disorder, 261
 AVPU (alertness, verbal stimuli, pain, unresponsiveness), 355

B

- B vitamins, 71
 background diabetic retinopathy, 116
 bacterial pneumonia, 48
 balance suspension, 176
 Ballance's sign, 358
 barbiturate abuse, 268
 barrier methods of contraception, 303
 bases, 80
 basic life support
 adults, CD:5
 infants and children, CD:6
 beliefs of clients, 376
 benign prostatic hyperplasia (BPH), 63

- benzodiazepine abuse, 268
 benzodiazepines, 22-24
 beta adrenergic blockers, 20-21, 215
 biliary atresia, 323
 bilis, 379
 biologic dressings, 103-104
 biological agents, 362-366
 biosynthetic dressings, 103-104
 bioterrorism
 chemical and biological agents, 362-366
 nuclear warfare, 367-368
 triage, 368
 bipolar disorders
 acute mania, 265
 major depression, 266
 birth control pills, 304
 birth defects (congenital anomalies), 319
 biliary atresia, 323
 cleft lip and cleft palate, 320
 congenital clubfoot, 325
 congenital heart defects (CHD), 326-328
 acyanotic, 327
 coarctation of the aorta (COA), 328
 cyanotic, 327
 symptoms, 327
 tetralogy of Fallot (TOF), 328-329
 developmental hip dysplasia (DHD), 324
 esophageal atresia (EA), 320-321
 galactosemia, 330
 Hirschsprung disease (congenital aganglionic megacolon), 322-323
 imperforate anus, 321-322
 phenylketonuria (PKU), 329-330
 spina bifida, 325-326
 tracheoesophageal fistula (TEF), 320-321
 bites, poisonous, 361-362
 bladder cancer, 64
 blood pressure
 diastolic pressure, 214
 hypertension
 medications, 215
 primary, 214
 secondary, 214
 systolic pressure, 214

- blood urea nitrogen (BUN), 58
blue bloaters, 47
blue spells, 328
body language
 Asian-American clients, 383
 Hispanic/Latino clients, 380
 Native American clients, 381
bone marrow transplantation
 allogenic transplants, 137
 autologous transplants, 137
 nursing care following, 138-139
 syngeneic transplants, 138
boards (nursing)
 Alabama Board of Nursing, CD:12
 Alaska Board of Nursing, CD:12
 American Samoa Health Services,
 CD:12
 Arizona State Board of Nursing,
 CD:12
 Arkansas State Board of Nursing,
 CD:12
 California Board of Registered
 Nursing, CD:13
 California Board of Vocational Nurses
 and Psychiatric Technicians, CD:13
 Colorado Board of Nursing, CD:13
 Commonwealth of Puerto Rico Board
 of Nurse Examiners, CD:22
 Connecticut Board of Examiners for
 Nursing, CD:13
 Delaware Board of Nursing, CD:14
 District of Columbia Board of
 Nursing, CD:14
 Florida Board of Nursing, CD:14
 Georgia Board of Nursing, CD:15
 Georgia State Board of Licensed
 Practical Nurses, CD:14
 Guam Board of Nurse Examiners,
 CD:15
 Hawaii Board of Nursing, CD:15
 Idaho Board of Nursing, CD:15
 Illinois Department of Professional
 Regulation, CD:16
 Indiana State Board of Nursing,
 CD:16
 Iowa Board of Nursing, CD:16
 Kansas State Board of Nursing,
 CD:16
 Kentucky Board of Nursing, CD:16
Louisiana State Board of Nursing,
 CD:17
Louisiana State Board of Practical
 Nurse Examiners, CD:17
Maine State Board of Nursing, CD:17
Maryland Board of Nursing, CD:17
Massachusetts Board of Registration
 in Nursing, CD:18
Michigan/DCH/Bureau of Health
 Professions, CD:18
Minnesota Board of Nursing, CD:18
Mississippi Board of Nursing, CD:18
Missouri State Board of Nursing,
 CD:18
Montana State Board of Nursing,
 CD:19
Nebraska Department of Health and
 Human Services Regulation and
 Licensure, CD:19
Nevada State Board of Nursing,
 CD:19
New Hampshire Board of Nursing,
 CD:20
New Jersey Board of Nursing, CD:20
New Mexico Board of Nursing,
 CD:20
New York State Board of Nursing,
 CD:20
North Carolina Board of Nursing,
 CD:20
North Dakota Board of Nursing,
 CD:21
Northern Mariana Islands, CD:21
Ohio Board of Nursing, CD:21
Oklahoma Board of Nursing, CD:21
Oregon State Board of Nursing,
 CD:22
Pennsylvania State Board of Nursing,
 CD:22
Rhode Island Board of Nurse
 Registration and Nursing
 Education, CD:22
South Carolina State Board of
 Nursing, CD:22
South Dakota State Board of Nursing,
 CD:23
Tennessee State Board of Nursing,
 CD:23

- Texas Board of Nurse Examiners, CD:23
- Utah State Board of Nursing, CD:23
- Vermont State Board of Nursing, CD:24
- Virgin Islands Board of Nurse Licensure, CD:24
- Virginia Board of Nursing, CD:24
- Washington State Nursing Care Quality Assurance Commission, CD:24
- West Virginia Board of Examiners for Registered Professional Nurses, CD:25
- West Virginia State Board of Examiners for Licensed Practical Nurses, CD:24
- Wisconsin Department of Regulation and Licensing, CD:25
- Wyoming State Board of Nursing, CD:25
- books.** *See* resources
- borderline personality disorder, 261
- botulism, 166, 365
- BP (blood pressure)
- diastolic pressure, 214
 - hypertension
 - medications, 215
 - primary, 214
 - secondary, 214
 - systolic pressure, 214
- BPH (benign prostatic hyperplasia), 63
- bradycardia, 297
- brain injuries
- epidural hematomas, 235
 - subdural hematomas, 236
 - treatment, 236
- breathing, emergency assessment of, 354
- Brethine (terbutaline sulfate), 292
- bretyleum, CD:8
- bronchiolitis, 334-335
- bronchitis, chronic, 46
- bronchodilators, 16, 48
- Buck's traction, 175
- Buddhist clients, 383, 388
- Buerger's disease, 223
- bulimia nervosa, 272
- BUN (blood urea nitrogen), 58
- burns, 93-94
- carbon monoxide poisoning, 99
 - debridement, 102
 - deep partial thickness (second-degree), 95
 - diagnostic tests, 104-105
 - dressings
 - biologic or biosynthetic dressings, 103-104
 - standard wound dressings, 103
 - electrical burns, 96
 - emergent phase, 98
 - additional interventions, 101-102
 - assessment, 99
 - fluid replacement formulas, 100-101
 - exam prep questions, 106-109
 - fluid replacement formulas
 - Consensus formula, 100-101
 - Parkland formula, 99-100
 - full thickness (third degree), 95-96
 - infections, 102
 - intermediate phase, 102-103
 - Lund and Browder classification method, 97
 - major burns, 97
 - minor burns, 97
 - moderate burns, 97
 - palm classification method, 97
 - pharmacology categories, 105
 - psychological care, 98
 - rehabilitative phase, 104
 - resources, CD:30
 - Rule of Nines, 96
 - superficial partial thickness (first degree), 95
 - total body surface area (TBSA), 94-97

C

- calcium channel blockers, 215
- calcium, normal electrolyte values, 88
- calculating fluid requirements (burns)
- Consensus formula, 100-101
 - Parkland formula, 99-100
- California Board of Registered Nursing, CD:13
- California Board of Vocational Nurses and Psychiatric Technicians, CD:13

- cancer, 342
 bone marrow transplantation
 allogenic transplants, 137
 autologous transplants, 137
 nursing care following, 138-139
 syngeneic transplants, 138
 carcinoma, 130
 chemotherapy, 134-136
 diagnostic tests, 140-141
 exam prep questions, 143-146
 leukemia, 131, 343
 lymphoma
 definition of, 131
 Hodgkin's lymphoma, 139-140
 metastasis, 130
 osteogenic sarcoma, 343
 patient teaching, 133
 pharmacology categories, 141-142
 prevention, 133
 radiation therapy, 134-135
 resources, CD:31-32
 risk factors, 131-132
 sarcoma, 130
 surgery, 134
 TPN (total parenteral nutrition),
 136-137
 warning signs, 130
 Wilms tumor, 343
 canes, 187-188
 cannabis abuse, 270
 caput succedaneum, 301
 carbon monoxide poisoning, 99
 carcinoma, 130
 cardiac catheterization, 222
 cardiac tamponade, 223
 cardiovascular disorders, 213-214
 acquired heart disorders
 Kawasaki disease (KD), 339-340
 rheumatic fever, 338-339
 aneurysm, 224-225
 Buerger's disease, 223
 congenital anomalies, 326
 congenital heart defects (CHD),
 326-328
 acyanotic, 327
 coarctation of the aorta (COA),
 328
 cyanotic, 327
 symptoms, 327
 tetralogy of Fallot (TOF), 328-329
 congestive heart failure, 226
 diagnostic tests, 226
 exam prep questions, 228-230
 heart block, 215-219
 first-degree, 216
 pacemakers/internal defibrillators,
 218-219
 second-degree, 216
 third-degree, 216
 toxicity to medications, 217
 hypertension
 medications, 215
 primary, 214
 secondary, 214
 myocardial infarction, 219-223
 angina pectoris, 220
 diagnosis, 220
 managing, 220-221
 ventricular fibrillation (V-fib),
 221-223
 ventricular tachycardia, 221
 pharmacology categories, 227
 Raynaud's Syndrome, 224
 resources, CD:34
 thrombophlebitis, 224
 carditis, 338
 casts, 177
 CAT (Computer Adaptive Test), 2-3
 cataracts, 112-113
 catatonic schizophrenia, 263
 Category A (pregnancy drug category),
 37
 Category B (pregnancy drug category),
 37
 Category C (pregnancy drug category),
 37
 Category D (pregnancy drug category),
 37
 Category X (pregnancy drug category),
 37
 Catholic clients, 388
 CD-ROM (CramMaster)
 Adaptive Drill mode, 572
 CramMaster engine, 571
 customer support, 574
 installing, 572-573

- Introduction slideshow, 573
Pretest mode, 572
Simulated Exam mode, 572
celiac, 337
central nervous system disorders, 325
central venous pressure (CVP), 102
cephalocaudal – proximodistal development, 312
cephaloematoma, 301
cerebral perfusion pressure (CPP), 241
cervical mucus method of contraception, 303
CHD (congenital heart defects), 326-328
 acyanotic, 327
 coarctation of the aorta (COA), 328
 cyanotic, 327
 symptoms, 327
 tetralogy of Fallot (TOF), 328-329
chemical agents, 362-366
Chemical Institute Withdrawal
 Assessment-Alcohol (CIWA-Ar), 268
chemical names, 18
chemoprophylaxis after HIV exposure, CD:4
chemotherapy, 134-136
chest injuries, 357
childbirth. *See also* pregnancy
 Arab-American clients, 385
 Asian-American clients, 384
 Hispanic/Latino clients, 380
 labor
 definition of, 293
 dilation, 295
 dystocia, 295
 effacement, 295
 factors influencing, 293-294
 fetal lie, 295
 fetal monitoring, 296-298
 pharmacologic management, 299-300
 phases, 294
 position, 294
 precipitate delivery, 295
 prelabor testing, 296
 presentation, 294
 preterm labor, 292-293
 stages, 294
 station, 295
 intrapartal normal values, CD:2
Native Americans, 381-382
postpartum care, 300
terms associated with newborns, 300-301
children, 312
 acquired heart disorders
 Kawasaki disease (KD), 339-340
 rheumatic fever, 338-339
 basic life support, CD:6
 childhood cancer, 342-343
 childhood psychiatric disorders
 attention deficit hyperactive disorder (ADHD), 271-272
 conduct disorder, 271
 eating disorders, 272
 oppositional defiant disorder, 271
congenital anomalies, 319
 biliary atresia, 323
 cleft lip and cleft palate, 320
 congenital clubfoot, 325
 congenital heart defects (CHD), 326-329
 developmental hip dysplasia (DHD), 324
 esophageal atresia (EA), 320-321
 galactosemia, 330
 Hirschsprung disease (congenital aganglionic megacolon), 322-323
 imperforate anus, 321-322
 phenylketonuria (PKU), 329-330
 spina bifida, 325-326
 tracheoesophageal fistula (TEF), 320-321
diagnostic tests, 345
exam prep questions, 347-349
gastrointestinal disorders
 celiac, 337
 gastroenteritis, 336
 intussusception, 337
 pyloric stenosis, 336
growth and development
 adolescents, 318-319
 infants, 312-314
 preschoolers, 315-317
 school-age children, 317-318
 toddlers, 314-315
ingestion of hazardous substances, 343
 acetaminophen overdose, 344
 iron poisoning, 345

- lead, 344-345
- salicylate overdose, 344
- musculoskeletal disorders
 - Legg-Calve-Perthes disease, 341-342
 - muscular dystrophies, 342
 - scoliosis, 341
- pharmacology, 346
- resources, CD:36
- respiratory disorders
 - acute epiglottitis, 333-334
 - acute otitis media (AOM), 331
 - bronchiolitis, 334-335
 - cystic fibrosis, 335
 - laryngotracheobronchitis (LTB), 333
 - tonsillitis, 331-333
- Chinese-American clients. *See* Asian-Americans clients
- chlamydia, 289
- chloride, normal electrolyte values, 88
- cholecystitis
 - causes and risk factors, 163
 - diagnosis, 164-165
 - symptoms, 163
 - treatment, 164
- cholelithiasis
 - diagnosis, 164-165
 - symptoms, 163-164
 - treatment, 165-166
- cholera, 364
- cholesterol-lowering agents, 28-29
- chronic bronchitis, 46
- chronic glomerulonephritis, 59-60
- chronic obstructive pulmonary disease (COPD)
 - asthma, 47
 - chronic bronchitis, 46
 - emphysema, 47
- chronic subdural hematomas, 236
- Chvostek's sign, 86, 201
- circulation, assessment of, 354-355
- cirrhosis
 - biliary cirrhosis, 159
 - diagnosis, 160
 - Laennec's portal cirrhosis, 159
 - post-necrotic cirrhosis, 159
 - symptoms, 160
 - treatment, 160-161
- civil laws, 397
- CIWA-Ar (Chemical Institute Withdrawal Assessment-Alcohol), 268
- classifications of burns, 94
 - deep partial thickness (second-degree), 95
 - full thickness (third degree), 95
 - Lund and Browder method, 97
 - palm method, 97
 - Rule of Nines, 96
 - superficial partial thickness (first degree), 95
- cleft lip, 320
- cleft palate, 320
- client beliefs, 376
- client care, managing, 402-405
- client information, obtaining, 356
- client needs, 2
- client rights, 398-399
- closed fractures, 174
- clubfoot, congenital, 325
- Cluster A personality disorders, 259
- Cluster B personality disorders
 - antisocial personality disorder, 260
 - borderline personality disorder, 261
 - histrionic personality disorder, 260
 - narcissistic personality disorder, 260
- Cluster C personality disorders
 - avoidant personality disorder, 261
 - dependent personality disorder, 261
 - obsessive-compulsive personality disorder, 262
- CNS (central nervous system) disorders, 325
- coarctation of the aorta (COA), 328
- Code of Ethics for Nursing, 399-400
- codeine abuse, 269
- coining, 382
- coitus interruptus, 302
- color codings (triage), 368
- Colorado Board of Nursing, CD:13
- comminuted fractures, 174
- common laws, 398-399
- Commonwealth of Puerto Rico Board of Nurse Examiners, CD:22
- communication, cross-cultural
 - Arab-American clients, 385
 - Asian-American clients, 383
 - Hispanic/Latino clients, 380

- language differences, 377
Native American clients, 381
compartment syndrome
 definition of, 177
 symptoms, 177-178
 treatment, 178
compensation, CD:8
complete abortions, 284
complete spinal cord injuries, 243
complex partial seizures, 234
complications of pregnancy, 283-284
compound fractures, 174
Computer Adaptive Test (CAT), 2-3
condoms, 303
conduct disorder, 271
condylomata, 290
congenital aganglionic megacolon
 (Hirschsprung disease), 322-323
congenital anomalies, 319
 biliary atresia, 323
 cleft lip and cleft palate, 320
 congenital clubfoot, 325
 congenital heart defects (CHD),
 326-328
 acyanotic, 327
 coarctation of the aorta (COA),
 328
 cyanotic, 327
 symptoms, 327
 tetralogy of Fallot (TOF), 328-329
 developmental hip dysplasia (DHD),
 324
 esophageal atresia (EA), 320-321
 galactosemia, 330
 Hirschsprung disease (congenital
 aganglionic megacolon), 322-323
 imperforate anus, 321-322
 phenylketonuria (PKU), 329-330
 spina bifida, 325-326
 tracheoesophageal fistula (TEF),
 320-321
congenital clubfoot, 325
congenital heart defects (CHD), 326-328
 acyanotic, 327
 coarctation of the aorta (COA), 328
 cyanotic, 327
 symptoms, 327
 tetralogy of Fallot (TOF), 328-329
congestive heart failure, 226
Connecticut Board of Examiners for
 Nursing, CD:13
Consensus formula, 100-101
consent for care, witnessing, 401
contact precautions, CD:4
continuous passive motion (CPM)
 machine, 184-185
contraception, 302-304
contraction stress test, 296
contrecoup injuries, 357
contusions of eyes, 119
Cooley's anemia, 73
conversion reaction, CD:8
COPD (chronic obstructive pulmonary
 disease)
 asthma, 47
 chronic bronchitis, 46
 emphysema, 47
cord prolapse, 287
coronary artery bypass grafts, 222
cortisol, 201
Cotrel-Dubousset approach, 341
Coumadin, 223
coup injuries, 357
cox 2 enzyme blockers, 31
coxa plana, 341-342
CPM (continuous passive motion)
 machine, 184-185
CPP (cerebral perfusion pressure), 241
CramMaster CD-ROM
 Multiple Test Modes 571
 Study Mode 571
 Certification Mode 571
 Custom Mode 572
 Adaptive Mode 572
 Missed Question Mde 572
 Non-Duplicate Mode 572
 Random Questions and Order of
 Answers 572
 Detailed Explanations of Correct and
 Incorrect Answers 572
 Attention to Exam Objectives 572
 Installing the CD 573
 Creating a Shortcut to the
 MeasureUp Practice Tests 574
 Technical Support 574
cranial nerve assessment, 239-240
craniotomy (intracranial surgery), 242

- cretinism, 197-198
 criminal laws, 397
 Crohn's disease
 diagnosis, 151
 symptoms, 151
 treatment, 151-152
 crutches, 186-187
 Crutchfield tong traction, 176
 Cullen's sign, 358
 cultural assessment
 client beliefs, 376
 language differences, 377
 cultural practices, 376
 Arab-American clients, 384-385
 Asian-American clients, 382-383
 childbirth and pain response, 384
 nonverbal/verbal communication, 383
 time considerations, 383
 cultural assessment
 client beliefs, 376
 language differences, 377
 dietary considerations, 386-387
 exam prep questions, 390-393
 Hispanic/Latino clients
 bilis, 379
 childbirth and pain response, 380
 empacho, 379
 evil eye (mal de ojo), 379
 nonverbal/verbal communication, 380
 susto (fright sickness), 379
 time considerations, 379
 traditional healers, 378-379
 Native American clients, 380-381
 childbirth and pain response, 381-382
 nonverbal/verbal communication, 381
 shamans, 381
 time considerations, 381
 religious beliefs, 388-389
 resources, CD:36
 cultured skin dressings, 104
 cupping, 382
 Cushing's disease, 26, 203
 Cushing's triad, 237
 customer support (CramMaster CD-ROM), 574
 CVP (central venous pressure), 102
 cyanides, 363
 cyanotic, 327
 Cyclogyl, 113
 cystectomy, 64
 cystic fibrosis, 335

D

- debridement, 102
 Decadron, 44
 deceleration of fetal heart tones
 early decelerations, 297
 late decelerations, 298
 variable decelerations, 297
 deep partial thickness (second-degree) burns, 95
 defense mechanisms during stressful situations, CD:8
 defibrillators, internal, 218-219
 deficits, assessment of, 355-356
 degenerative neurological disorder, 246-247
 Delaware Board of Nursing, CD:14
 delayed post-traumatic stress disorder (PTSD), 255
 demand pacemakers, 218
 Demerol, 14
 denial, CD:8
 dependent personality disorder, 261
 depression, major, 266
 determiners, 5
 development and growth
 adolescents, 318-319
 infants, 312-314
 preschoolers, 315-317
 school-age children, 317-318
 toddlers, 314-315
 developmental hip dysplasia (DHD), 324
 dexamethasone, 44
 dextrostix, 206
 DHD (developmental hip dysplasia), 324
 diabetes
 diabetes during pregnancy, 285
 diabetes mellitus, 203-206
 diabetic retinopathy, 116

- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR)*, 254
- diagnostic tests
- burns, 104-105
 - cancer, 140-141
 - cardiovascular disorders, 226
 - ear disorders, 123
 - emergency nursing, 368-369
 - endocrine system disorders, 206
 - gastrointestinal disorders, 167-168
 - hematopoietic disorders, 74
 - musculoskeletal disorders, 188-189
 - neurological disorders, 247-248
 - obstetric clients, 304-305
 - pediatric clients, 345
 - prenatal care, 282-283
 - psychiatric disorders, 273
 - renal/genitourinary disorders, 65
 - respiratory disorders, 52
 - ulcers, 149
 - visual tests, 119
- dialysis, 60
- Diamox, 113
- diaphragms, 303
- diastolic pressure, 214
- DIC (disseminated intravascular coagulation), 287
- DID (dissociative identity disorder), 256
- diet and nutrition
- dietary practices of cultural groups, 386-387
 - quick reference, CD:9-10
 - prenatal diet and weight maintenance, 281
 - TPN (total parenteral nutrition), 136-137
- dilation, 295
- displacement, CD:8
- dissecting aneurysm, 225
- disseminated intravascular coagulation (DIC), 287
- dissociative identity disorder (DID), 256
- distracters, 5
- District of Columbia Board of Nursing, CD:14
- diuretics, 15, 215
- diversity, 376
- Arab-American clients, 384-385
 - Asian-American clients, 382-383
 - childbirth and pain response, 384
 - nonverbal/verbal communication, 383
 - time considerations, 383
- cultural assessment
- client beliefs, 376
 - language differences, 377
- dietary considerations, 386-387
- exam prep questions, 390-393
- Hispanic/Latino clients
- bilis, 379
 - childbirth and pain response, 380
 - empacho, 379
 - evil eye (mal de ojo), 379
 - nonverbal/verbal communication, 380
 - susto (fright sickness), 379
 - time considerations, 379
 - traditional healers, 378-379
- Native American clients, 380-381
- childbirth and pain response, 381-382
 - nonverbal/verbal communication, 381
 - shamans, 381
 - time considerations, 381
 - religious beliefs, 388-389
 - resources, CD:36
- diverticulitis
- diagnosis, 153
 - symptoms, 153
 - treatment, 153-154
- documenting forensic evidence, 359-360
- dressings
- burn dressings
 - biologic or biosynthetic dressings, 103-104
 - standard wound dressings, 103
 - TPN (total parenteral nutrition), 136
- droplet precautions, CD:3
- drugs. *See* pharmacology
- dry (atropic) macular degeneration, 116
- DSM-IV-TR (*Diagnostic and Statistical Manual of Mental Disorders*), 254
- dumping syndrome, 150
- duodenal ulcers, 148-149
- dysreflexia, 244-245

dysrhythmias
 ventricular fibrillation (V-fib),
 221-223
 ventricular tachycardia, 221
 dystocia, 295

E

e. coli, 166
 EA (esophageal atresia), 320-321
 ear disorders
 diagnostic tests, 123
 ear trauma, 123
 exam prep questions, 125-128
 hearing loss, 123
 Meniere's disease, 121-122
 otitis externa, 120-121
 otitis media, 121
 otosclerosis, 122
 pharmacology categories, 124
 presbycusis, 122
 early deceleration of fetal heart tones,
 297
 eating disorders, 272
 ECCE (extracellular cataract extraction),
 113
 echinacea, 36
 effacement, 295
 elective abortions, 284
 electrical burns, 96
 electrocardiograms, 216-217
 electrolyte balance, acid/base balance,
 and fluid disorders, 80
 changes associated with aging, 88
 exam prep questions, 89-91
 metabolic acidosis
 care and treatment, 82-83
 causes, 81-82
 definition of, 81
 symptoms, 82
 metabolic alkalosis
 care and treatment, 88
 causes, 85
 definition of, 85
 symptoms, 86
 normal electrolyte values, 88
 pH regulation, 81
 respiratory acidosis
 care and treatment, 85
 causes, 84
 definition of, 83
 symptoms, 84
 respiratory alkalosis
 care and treatment, 87
 definition of, 86
 symptoms, 87
 resources, CD:30
 emergency nursing, 351-352
 ABCD assessment, 352
 airway, 353
 breathing, 354
 circulation, 354-355
 deficits, 355-356
 bioterrorism
 chemical and biological agents,
 362-366
 nuclear warfare, 367-368
 triage, 368
 client information, obtaining, 356
 diagnostic tests, 368-369
 exam prep questions, 370-373
 forensic evidence, documenting and
 protecting, 359-360
 pharmacology, 369
 poisoning, 360
 poisonous stings and bites, 361-362
 resources, CD:36
 trauma
 abdominal injuries, 358-359
 chest injuries, 357
 definition of, 356
 head injuries, 357
 triage, 352
 emergent phase (burns), 98
 additional interventions, 101-102
 assessment, 99
 fluid replacement formulas, 100-101
 Consensus formula, 100-101
 Parkland formula, 99-100
 emerging infections, 50
 Legionnaire's Disease, 52
 SARS (Severe Acute Respiratory
 Syndrome), 51
 empacho, 379
 emphysema, 47
 end stage renal disease (ESRD)

- hemodialysis, 60
- peritoneal dialysis, 60
- renal transplants, 61
- endocrine system disorders, 195
 - adrenal gland disorders, 201
 - adrenocortical hypersecretion (Cushing's disease), 203
 - adrenocortical insufficiency (Addison's disease), 202
 - diabetes mellitus, 203-206
 - diagnostic tests, 206
 - exam prep questions, 208-211
 - parathyroid disorders, 199
 - hyperparathyroidism, 200-201
 - hypoparathyroidism, 200
 - pharmacology categories, 207
 - pituitary disorders, 196-197
 - resources, CD:33-34
 - thyroid disorders
 - hyperthyroidism, 198-199
 - hypothyroidism, 197-198
- engrafts, 138
- enoxaparin, 223
- enteric-coated tablets, 16
- envenomation, 361
- epidural block, 299
- epidural hematomas, 235
- epiglottitis, acute, 333-334
- epinephrine, CD:7
- erythema marginatum, 338
- erythroblastosis fetalis, 302
- esophageal atresia (EA), 320-321
- ESRD (end stage renal disease)
 - hemodialysis, 60
 - peritoneal dialysis, 60
 - renal transplants, 61
- ethics, code of, 399-400
- evil eye (mal de ojo), 379
- exams (NCLEX-RN®)
 - exam prep questions
 - burns, 106-109
 - cancer, 143-146
 - cardiovascular disorders, 228-230
 - cultural practices, 390-393
 - emergency nursing, 370-373
 - endocrine system disorders, 208-211
 - fluid, electrolyte balance, and acid/base balance, 89-91
- gastrointestinal disorders, 169-171
- hematopoietic disorders, 76-78
- legal issues, 406-409
- musculoskeletal disorders, 191-194
- neurological disorders, 249-251
- obstetric clients, 306-309
- pediatric clients, 347-349
- pharmacology, 38-41
- psychiatric disorders, 274-277
- renal/genitourinary disorders, 66-68
- respiratory disorders, 54-56
- sensorineural disorders, 125-128
- practice exam I, 411-454
 - answer explanations, 458-490
 - answer key, 455-458
- practice exam II, 491-534
 - answer explanations, 538-569
 - answer key, 535-538
- preparing for, 2-3
- test-taking strategies
 - eliminating distractors, 5
 - looking for keywords, 5
 - looking for opposite answers, 6-7
 - looking for similar options, 5-6
 - practice questions, 8-11
 - reading questions carefully, 4
 - watching for specific details, 5
- external bleeding, controlling, 354
- extracellular cataract extraction (ECCE), 113
- extracellular fluid, 80
- intrinsic (allergenic) asthma, 47
- exudative (wet) macular degeneration, 116
- eye disorders
 - exam prep questions, 125-128
 - intraocular disorders
 - cataracts, 112-113
 - glaucoma, 114-115
 - pharmacology categories, 120
 - refractory errors, 117-118
 - retinal disorders, 115
 - diabetic retinopathy, 116
 - hypertensive retinopathy, 116
 - macular degeneration, 116
 - retinal detachment, 117
 - traumatic injuries, 119
 - visual tests, 119

F

- facial nerve assessment, 239
- farsightedness, 118
- fasciotomy, 178
- fasting blood glucose, 206
- fat emboli, 45
- felonies, 397
- fetal heart tones, measuring, 283
- fetal lie, 295
- fetal monitoring, 296-298
 - early decelerations, 297
 - late decelerations, 298
 - variable decelerations, 297
- feverfew, 36
- filtration, 80
- first-degree heart block, 216
- first-degree (superficial partial thickness) burns, 95
- flail chest, 357
- Florida Board of Nursing, CD:14
- fluid replacement formulas (burns)
 - Consensus formula, 100-101
 - Parkland formula, 99-100
- fluid, electrolyte balance, and acid/base balance disorders, 80
 - changes associated with aging, 88
 - exam prep questions, 89-91
 - metabolic acidosis
 - care and treatment, 82-83
 - causes, 81-82
 - definition of, 81
 - symptoms, 82
 - metabolic alkalosis
 - care and treatment, 86
 - causes, 85
 - definition of, 85
 - symptoms, 86
 - normal electrolyte values, 88
 - pH regulation, 81
 - resources, CD:30
 - respiratory acidosis
 - care and treatment, 85
 - causes, 84
 - definition of, 83
 - symptoms, 84
 - respiratory alkalosis
 - care and treatment, 87
 - definition of, 86
 - symptoms, 87

- food-borne illnesses, 166-167
- foreign bodies in eye, 119
- forensic evidence, documenting and protecting, 359-360
- four-point crutch-walking gait, 187
- fractured hip, 183-184
- fractures
 - casts, 177
 - comminuted fractures, 174
 - compartment syndrome
 - definition of, 177
 - symptoms, 177-178
 - treatment, 178
 - compound fractures, 174
 - definition of, 174
 - green stick fractures, 174
 - osteomyelitis, 178-179
 - pathological fractures, 174
 - simple fractures, 174
 - symptoms, 174
 - traction, 175-177
 - treatment, 174-175
- fraud, 401
- full-thickness (third-degree) burns, 95-96
- fusiform aneurysm, 224

G

- GAD (generalized anxiety disorder), 255
- gait belts, 188
- galactosemia, 330
- gallbladder disease, 163
- gallbladder inflammation
 - causes and risk factors, 163
 - diagnosis, 164-165
 - symptoms, 163
 - treatment, 164
- garamycin, 49
- gastric ulcers, 149
- gastroenteritis, 336
- gastrointestinal disorders
 - celiac, 337
 - cholecystitis
 - causes and risk factors, 163
 - diagnosis, 164-165
 - symptoms, 163
 - treatment, 164
 - cholelithiasis
 - diagnosis, 164-165
 - symptoms, 163-164
 - treatment, 165-166

- cirrhosis
 - biliary cirrhosis, 159
 - diagnosis, 160
 - Laennec's portal cirrhosis, 159
 - post-necrotic cirrhosis, 159
 - symptoms, 160
 - treatment, 160-161
- congenital anomalies, 319
 - biliary atresia, 323
 - cleft lip and cleft palate, 320
 - esophageal atresia (EA), 320-321
 - Hirschsprung disease (congenital aganglionic megacolon), 322-323
 - imperforate anus, 321-322
 - tracheoesophageal fistula (TEF), 320-321
- Crohn's disease
 - diagnosis, 151
 - symptoms, 151
 - treatment, 151-152
- diagnostic tests, 167-168
- diverticulitis
 - diagnosis, 153
 - symptoms, 153
 - treatment, 153-154
- exam prep questions, 169-171
- food-borne illnesses, 166-167
- gastroenteritis, 336
- hepatitis
 - general management techniques, 154
 - hepatitis A, 155
 - hepatitis B, 156-157
 - hepatitis C, 157
 - hepatitis D, 158
 - hepatitis E, 158
 - icteric stage, 158-159
 - prodromal stage, 158-159
- intussusception, 337
- pancreatitis
 - causes, 161
 - diagnosis, 162
 - symptoms, 161-162
 - treatment, 162-163
- pharmacology categories, 168
- pyloric stenosis, 336
- resources, CD:32
- ulcerative colitis, 152
- ulcers
 - diagnostic tools, 149
 - dumping syndrome, 150
 - duodenal ulcers, 148-149
 - gastric ulcers, 149
 - treatment, 149-150
- general anesthesia during childbirth, 300
- generalized anxiety disorder (GAD), 255
- generalized seizures
 - absence, 234
 - tonic-clonic, 232-233
- generic names, 18
- genital herpes, 289
- genitourinary disorders, 57-58
 - acute glomerulonephritis, 58-59
 - bladder cancer, 64
 - BPH (benign prostatic hyperplasia), 63
 - chronic glomerulonephritis, 59-60
 - diagnostic tests, 65
 - ESRD (end stage renal disease)
 - hemodialysis, 60
 - peritoneal dialysis, 60
 - renal transplants, 61
 - exam prep questions, 66-68
 - nephrotic syndrome, 61
 - pharmacology categories, 65
 - resources, CD:28-29
 - urinary calculi, 62
 - UTIs (urinary tract infections), 62-63
- Georgia Board of Nursing, CD:15
- Georgia State Board of Licensed Practical Nurses, CD:14
- gigantism, 196
- ginko, 36
- ginseng, 36
- Glasgow coma scale, 240-241
- glaucoma
 - acute glaucoma, 114
 - management of, 115
 - POAG (primary open-angle glaucoma), 114
 - secondary glaucoma, 114
- glomerulonephritis
 - acute, 58-59
 - chronic, 59-60
- glossopharyngeal nerve assessment, 240
- glucagon, 206

- glucocorticoids, 25-26
 glucose tolerance tests, 206
 gluten-induced enteropathy, 337
 glycosylated hemoglobin (Hgb A-1C), 206
 goiters, 198
 gonadotrophic hormones, 196
 gonorrhea, 289
 gout, 180-181
 Gower's maneuver, 342
 grand mal seizures, 232-233
 green stick fractures, 174
 growth and development
 adolescents, 318-319
 infants, 312-314
 preschoolers, 315, 317
 school-age children, 317-318
 toddlers, 314-315
 growth hormone, 196
 Guam Board of Nurse Examiners, CD:15
 Guillain-Barré, 245
 Guthrie test, 329
- H**
- H* pylori bacteria, 148
H.influenza B conjugate vaccine, 333
 hallucinogens abuse, 270
 halo vests, 244
 Harrington rods, 341
 Havrix, 155
 Hawaii Board of Nursing, CD:15
 hazardous substances, ingestion of, 343
 acetaminophen overdose, 344
 iron poisoning, 345
 lead, 344-345
 salicylate overdose, 344
 HBIG (hepatitis B immune globulin), 157
 head injuries, 357
 hearing loss, assisting clients with, 123.
 See also ear disorders
 heart block, 215-219
 first-degree, 216
 pacemakers/internal defibrillators, 218-219
 second-degree, 216
 third-degree, 216
 toxicity to medications, 217
- HELLP syndrome, 286
 hematomas
 epidural hematomas, 235
 subdural hematomas, 236
 treatment, 236
 hematopoietic disorders, 69
 anemia
 aplastic anemia, 71
 Cooley's anemia, 73
 iron deficiency anemia, 72
 pernicious anemia, 70-71
 sickle cell anemia, 71-72
 diagnostic tests, 74
 exam prep questions, 76-78
 hemophilia, 73
 pharmacology categories, 74-75
 polycythemia vera, 73-74
 resources, CD:29
 hemodialysis, 60
 hemolysis, 286
 hemophilia, 73
 hemorrhage, 358
 heparin, 223
 hepatitis, 154
 general management techniques, 154
 hepatitis A, 155
 hepatitis B, 156-157
 hepatitis C, 157
 hepatitis D, 158
 hepatitis E, 158
 icteric stage, 158-159
 prodromal stage, 158-159
 hepatitis B immune globulin (HBIG), 157
 Heptovax, 156
 herbals, 36
 herpes, 289
 heterografts, 103
 HEV (hepatitis E), 158
 Hgb A-1C (glycosylated hemoglobin), 206
 high-purine foods, 181
 Hindu clients, 383, 388
 hip fractures, 183-184
 hip replacement, 183-184
 Hirschsprung disease (congenital aganglionic megacolon), 322-323
 Hispanic/Latino clients
 bilis, 379

- childbirth and pain response, 380
 - dietary practices, 386
 - empacho, 379
 - evil eye (*mal de ojo*), 379
 - nonverbal/verbal communication, 380
 - susto (fright sickness), 379
 - time considerations, 379
 - traditional healers, 378-379
 - histamine 2 antagonists, 32-33
 - histrionic personality disorder, 260
 - HIV (human immunodeficiency virus), 291
 - chemoprophylaxia after HIV exposure, CD:4
 - Hodgkin's lymphoma
 - diagnosis, 139
 - prognosis, 140
 - treatment, 140
 - hormonal contraception, 304
 - hormones
 - adrenocorticotrophic hormone, 196
 - cortisol, 201
 - gonadotrophic hormone, 196
 - growth hormone, 196
 - parathormone, 200
 - thyroid hormone, 197
 - thyrotrophic hormone, 196
 - human immunodeficiency virus (HIV), 291
 - chemoprophylaxia after HIV exposure, CD:4
 - hyaline membrane disease, 44
 - hydatidiform moles, 284
 - hyperbilirubinemia, 301
 - hyperemesis gravidarum, 283
 - hyperglycemia, 205
 - hyperkalemia, 59, 83
 - hyperopia, 118
 - hyperparathyroidism, 200-201
 - hyperplasia of the thyroid, 198
 - hypertension
 - medications, 215
 - primary, 214
 - secondary, 214
 - hypertensive retinopathy, 116
 - hyperthyroidism, 198-199
 - hyphema, 119
 - hypoglossal nerve assessment, 240
 - hypoglycemia, 206
 - hypoparathyroidism, 200
 - hypothyroidism
 - adults, 197
 - infants, 197-198
 - managing, 198
 - hypovolemic shock, 355
- |
- ICP (increased intracranial pressure)
 - causes, 236
 - intracranial pressure monitors, 241
 - symptoms, 237-238
 - treatment, 238
 - icteric stage (hepatitis), 158-159
 - Idaho Board of Nursing, CD:15
 - identifying drug types, 18-19, 35
 - Illinois Department of Professional Regulation, CD:16
 - Imferon, 72
 - immunization schedule, CD:10
 - imperforate anus, 321-322
 - incompetent cervix, 283
 - incomplete abortions, 284
 - incomplete spinal cord injuries, 243
 - increased intracranial pressure (ICP)
 - causes, 236
 - intracranial pressure monitors, 241
 - symptoms, 237-238
 - treatment, 238
 - Indiana State Board of Nursing, CD:16
 - inevitable abortions, 284
 - infants. *See also* congenital anomalies; pediatric clients; pregnancy
 - acrocyanosis, 301
 - APGAR scoring, 301
 - basic life support, CD:6
 - caput succedaneum, 301
 - cephalocephalhematoma, 301
 - growth and development, 312-314
 - hyperbilirubinemia, 301
 - ICP (increased intracranial pressure), 238
 - milia, 301
 - Mongolian spots, 301
 - physiologic jaundice, 302
 - prematurity, 293
 - infection control, 7

- infections during pregnancy, 288-292
- inflammatory bowel disorders
 - Crohn's disease
 - diagnosis, 151
 - symptoms, 151
 - treatment, 151-152
 - diverticulitis
 - diagnosis, 153
 - symptoms, 153
 - treatment, 153-154
 - ulcerative colitis, 152
- ingestion of hazardous substances, 343
 - acetaminophen overdose, 344
 - iron poisoning, 345
 - lead, 344-345
 - salicylate overdose, 344
- installing CramMaster CD-ROM, 572-573
- insulin, 205
- intact corneal rings, 118
- Integra, 104
- intermediate phase (burns), 102-103
- internal defibrillators, 218-219
- intra-abdominal bleeding, 358
- intracellular fluid, 80
- intracranial pressure monitors, 241
- intracranial surgery (craniotomy), 242
- intramuscular iron, 72
- intraocular disorders
 - cataracts, 112-113
 - glaucoma
 - acute glaucoma, 114
 - management of, 115
 - POAG (primary open-angle glaucoma), 114
 - secondary glaucoma, 114
- intraocular pressure, 114
- intrapartal care
 - dilation, 295
 - dystocia, 295
 - effacement, 295
 - fetal lie, 295
 - fetal monitoring, 296-298
 - early decelerations, 297
 - late decelerations, 298
 - variable decelerations, 297
 - intrapartal normal values, CD:2
 - labor
 - definition of, 293
- factors influencing, 293-294
- pharmacologic management, 299-300
- phases, 294
- stages, 294
- position, 294
- precipitate delivery, 295
- prelabor testing, 296
- presentation, 294
- station, 295
- intrauterine devices (IUDs), 304
- intrinsic (nonallergenic) asthma, 47
- intussusception, 337
- Iowa Board of Nursing, CD:16
- iron deficiency anemia, 72
- iron poisoning, 345
- Islamic clients, 384
- IUDs (intrauterine devices), 304
- IV therapy, 403

J

- jabon de la mano milagrosa, 379
- Japanese-American clients. *See* Asian-American clients
- jaundice, 302, 323
- Jehovah's Witness clients, 388
- Jewish clients, 388

K

- Kansas State Board of Nursing, CD:16
- kava-kava, 36
- Kawasaki disease (KD), 339-340
- Kehr's sign, 358
- Kentucky Board of Nursing, CD:16
- kernicterus, 302
- ketonuria, 203
- keywords, looking for, 5
- kidney disorders. *See* renal/genitourinary disorders
- kidney stones, 62
- knee replacement
 - CPM (continuous passive motion) machines, 184-185
 - physical therapy, 185
 - post-operative care, 184

L

lacerations of eye, 119
 language differences, 377
 Lantus insulin, 205
 laryngotracheobronchitis (LTB), 333
 LASIK (laser in-situ keratomileusis), 118
 Latino/Hispanic clients
 bilis, 379
 childbirth and pain response, 380
 empacho, 379
 evil eye (*mal de ojo*), 379
 nonverbal/verbal communication, 380
 susto (fright sickness), 379
 time considerations, 379
 traditional healers, 378-379
 laws. *See* legal issues
 laxatives, 16
 lead poisoning, 344-345
 left occiput anterior (LOA), 294
 legal issues
 assault, 401
 assault and battery, 401
 civil laws, 397
 Code of Ethics for Nursing, 399-400
 common laws, 398-399
 criminal laws, 397
 exam prep questions, 406-409
 fraud, 401
 malpractice, 400
 managing client care, 402-405
 negligence, 400
 Nurse Practice Acts, 396-397, 404
 resources, CD:36
 statutory laws/regulatory laws, 397
 torts, 401
 witnessing consent for care, 401
 Legg-Calve-Perthes disease, 341-342
 Legionnaire's Disease, 52
 Leopold's maneuver, 295
 leukemia, 131, 343
 lidocaine, CD:7
 life support
 adults, CD:5
 infants and children, CD:6
 Lipitor, 28
 lithium, 266

liver disorders
 cirrhosis
 biliary cirrhosis, 159
 diagnosis, 160
 Laennec's portal cirrhosis, 159
 post-necrotic cirrhosis, 159
 symptoms, 160
 treatment, 160-161
 hepatitis
 general management techniques, 154
 hepatitis A, 155
 hepatitis B, 156-157
 hepatitis C, 157
 hepatitis D, 158
 hepatitis E, 158
 icteric stage, 158-159
 prodromal stage, 158-159
 LOA (left occiput anterior), 294
 local infiltration, 299
 local seizures, 234
 Louisiana State Board of Nursing, CD:17
 Louisiana State Board of Practical Nurse
 Examiners, CD:17
 Lovenox, 223
 low-purine foods, 181
 LTB (laryngotracheobronchitis), 333
 Lugol's solution, 199
 Lund and Browder classification method
 (burns), 97
 lung disorders. *See* respiratory disorders
 Luque wires, 341
 lymphoma
 definition of, 131
 Hodgkin's lymphoma
 diagnosis, 139
 prognosis, 140
 treatment, 140
M
 ma huang, 36
 macular degeneration, 116
 magnesium, 88, CD:7
 magnesium gluconate, 286
 magnesium sulfate, 286, 293
 Maine State Board of Nursing, CD:17

- major burns, 96-97
 - emergent phase
 - additional interventions, 101-102
 - assessment, 99
 - fluid replacement formulas, 100-101
 - fluid replacement formulas
 - Consensus formula, 100-101
 - Parkland formula, 99-100
- major depression, 266
- maladaptive beliefs, 376
- malignant cells. *See* cancer
- malpractice, 400
- managing client care, 402-405
- mania, acute, 265
- Mantoux skin tests, 50
- manual traction, 175
- MAOIs (monoamine oxidase inhibitors), 266
- MAP (mean arterial pressure), 241
- marijuana abuse, 270
- Maryland Board of Nursing, CD:17
- Massachusetts Board of Registration in Nursing, CD:18
- maternal/infant clients, 279-280
 - abortions, 284-285
 - complications of pregnancy, 283-284
 - contraception, 302-304
 - cord prolapse, 287
 - diagnostic tests, 304-305
 - disseminated intravascular coagulation (DIC), 287
 - exam prep questions, 306-309
 - labor
 - definition of, 293
 - dilation, 295
 - dystocia, 295
 - effacement, 295
 - factors influencing, 293-294
 - fetal lie, 295
 - fetal monitoring, 296-298
 - pharmacologic management, 299-300
 - phases, 294
 - position, 294
 - precipitate delivery, 295
 - prelabor testing, 296
 - presentation, 294
 - preterm labor, 292-293
 - stages, 294
 - station, 295
- maternal diabetes, 285
- maternal infections, 288-292
- pharmacological categories, 305
- physiologic jaundice, 302
- postpartum care, 300
- preeclampsia, 286-287
- prematurity, 293
- prenatal care
 - alpha-fetoprotein screening, 282
 - amniocentesis, 282
 - diagnostic tests, 282-283
 - diet and weight maintenance, 281
 - fetal heart tones, measuring, 283
- resources, CD:35
- Rh incompatibility, 301-302
- signs of pregnancy
 - positive signs, 281
 - presumptive signs, 280
 - probable signs, 280-281
- terms associated with newborns, 300-301
- mean arterial pressure (MAP), 241
- medications
 - administering, 17-18
 - adverse effects, 15
 - aminodarone, CD:7
 - angiotensin-converting agents, 19-20
 - angiotensin receptor blockers, 29-30
 - antacids, 15
 - antianemics, 16
 - antiarrhythmics, CD:7
 - anticholinergics, 16
 - anticoagulants, 16, 34-35, 223, CD:2
 - anticonvulsants, 16
 - antidiarrheals, 15
 - antihistamines, 15
 - antihypertensives, 15, 19-20, 215
 - anti-infectives, 15, 21-22
 - antipyretics, 15
 - antivirals, 27-28
 - atypical antipsychotics, 264
 - benzodiazepines, 22-24
 - beta adrenergic blockers, 20-21, 215
 - Brethine (terbutaline sulfate), 292
 - bretiylium, CD:8

- bronchodilators, 16
calcium channel blockers, 215
chemical names, 18
cholesterol-lowering agents, 28-29
cox 2 enzyme blockers, 31
diuretics, 15, 215
drug identification, 18-19, 35
drug schedules, 37
emergency nursing, 369
enteric-coated tablets, 16
epinephrine, CD:7
exam prep questions, 38-41
generic names, 18
glucocorticoids, 25-26
hematopoietic disorders, 74-75
herbals, 36
histamine 2 antagonists, 32-33
laxatives, 16
lidocaine, CD:7
magnesium, CD:7
miotics, 16
mydriatics, 16
narcotics/analgesics, 16
nitroglycerine, 220
pharmacodynamics, 14
pharmacokinetics, 14
pharmacologic management of labor, 299-300
pharmacotherapeutics, 14
phenothiazines, 24
procainamide, CD:7
proton pump inhibitors, 33-34
resources, CD:27
sotalol, CD:7
spansules, 17
therapeutic drug levels, CD:1
time-released drugs, 16-17
trade names, 18
trough drug levels, 22
vasopressin, CD:7
Yutopar (ritodrine), 292
Meniere's disease, 121-122
meningitis, 326
meningocele spina bifida, 325
mental disorders. *See* psychiatric disorders
metabolic acidosis
 care and treatment, 82-83
 causes, 81-82
definition of, 81
symptoms, 82
metabolic alkalosis
 care and treatment, 86
 causes, 85
 definition of, 85
 symptoms, 86
metabolic disorders
 galactosemia, 330
 phenylketonuria (PKU), 329-330
metastasis, 130
methicillin-resistant staphylococcus aureus (MRSA), 22
Michigan/DCH/Bureau of Health Professions, CD:18
milia, 301
Minnesota Board of Nursing, CD:18
minor burns, 97
miotics, 16
misdemeanors, 397
missed abortions, 284
Mississippi Board of Nursing, CD:18
Missouri State Board of Nursing, CD:18
moderate burns, 97
Mongolian spots, 301
monoamine oxidase inhibitors (MAOIs), 266
Montana State Board of Nursing, CD:19
morphine abuse, 269
motor vehicle accidents (MVAs), 356
 abdominal injuries, 358-359
 chest injuries, 357
 head injuries, 357
MRSA (methicillin-resistant staphylococcus aureus), 22
mucocutaneous lymph node syndrome, 339-340
mucoviscidosis (cystic fibrosis), 335
multiple personality disorder, 256
multiple sclerosis, 246-247
muscular dystrophies, 342
musculoskeletal disorders, 173
 amputations, 185-186
 assistive devices for ambulation
 canes, 187-188
 crutches, 186-187
 walkers, 188

- congenital anomalies
 - congenital clubfoot, 325
 - developmental hip dysplasia (DHD), 324
 - diagnostic tests, 188-189
 - exam prep questions, 191-194
 - fractures
 - casts, 177
 - comminuted fractures, 174
 - compartment syndrome, 177-178
 - compound fractures, 174
 - definition of, 174
 - green stick fractures, 174
 - osteomyelitis, 178-179
 - pathological fractures, 174
 - simple fractures, 174
 - symptoms, 174
 - traction, 175-177
 - treatment, 174-175
 - gout, 180-181
 - Legg-Calve-Perthes disease, 341-342
 - muscular dystrophies, 342
 - osteoporosis
 - definition of, 179
 - risk factors, 179-180
 - treatment, 180
 - pharmacology, 189-190
 - resources, CD:32-33
 - rheumatoid arthritis, 182-183
 - scoliosis, 341
 - surgical procedures
 - amputations, 185-186
 - fractured hip and hip replacement, 183-184
 - total knee replacement, 184-185
 - Muslim clients, 384
 - MVAs (motor vehicle accidents), 356
 - abdominal injuries, 358-359
 - chest injuries, 357
 - head injuries, 357
 - myasthenia gravis, 246-247
 - mydriatics, 16
 - myelomeningocele spina bifida, 325
 - myocardial infarction, 219-223
 - angina pectoris, 220
 - diagnosis, 220
 - managing, 220-221
 - ventricular fibrillation (V-fib), 221-223
 - ventricular tachycardia, 221
 - myopia, 118
 - myxedema, 197
- N**
- names of medications, 18
 - narcissistic personality disorder, 260
 - narcotics, 16
 - narrow-angle glaucoma, 114
 - National Council Licensure Examination.
 - See NCLEX-RN® exam*
 - Native American clients, 380-381
 - childbirth and pain response, 381-382
 - nonverbal/verbal communication, 381
 - shamans, 381
 - time considerations, 381
 - NATO (North Atlantic Treaty Organization) triage color codings, 368
 - NCLEX-RN® exam
 - exam prep questions
 - burns, 106-109
 - cancer, 143-146
 - cardiovascular disorders, 228-230
 - cultural practices, 390-393
 - emergency nursing, 370-373
 - endocrine system disorders, 208-211
 - fluid, electrolyte balance, and acid/base balance, 89-91
 - gastrointestinal disorders, 169-171
 - hematopoietic disorders, 76-78
 - legal issues, 406-409
 - musculoskeletal disorders, 191-194
 - neurological disorders, 249-251
 - obstetric clients, 306-309
 - pediatric clients, 347-349
 - pharmacology, 38-41
 - psychiatric disorders, 274-277
 - renal/genitourinary disorders, 66-68
 - respiratory disorders, 54-56
 - sensorineural disorders, 125-128
 - practice exam I, 411-454
 - answer explanations, 458-490
 - answer key, 455-458

- practice exam II, 491-534
 - answer explanations, 538-569
 - answer key, 535-538
- preparing for, 2-3
- test-taking strategies
 - eliminating distractors, 5
 - looking for keywords, 5
 - looking for opposite answers, 6-7
 - looking for similar options, 5-6
 - practice questions, 8-11
 - reading questions carefully, 4
 - watching for specific details, 5
- nearsightedness, 118
- Nebraska Department of Health and Human Services Regulation and Licensure, CD:19
- negative schizophrenia, 263
- negligence, 400
- Neo-Synephrine, 113
- nephroblastoma, 343
- nephrotic syndrome, 61
- nerve agents, 362
- nerve blocks, 299
- neuroleptic malignant syndrome, 264
- neurological assessment
 - cranial nerve assessment, 239-240
 - Glasgow coma scale, 240-241
 - intracranial pressure monitors, 241
- neurological disorders, 231
 - brain injuries
 - epidural hematomas, 235
 - subdural hematomas, 236
 - treatment, 236
 - degenerative neurological disorders, 246-247
 - diagnostic tests, 247-248
 - exam prep questions, 249-251
 - Guillain-Barré, 245
 - ICP (increased intracranial pressure)
 - causes, 236
 - intracranial pressure monitors, 241
 - symptoms, 237-238
 - treatment, 238
 - intracranial surgery (craniotomy), 242
 - neurological assessment
 - cranial nerve assessment, 239-240
 - Glasgow coma scale, 240-241
 - intracranial pressure monitors, 241
- pharmacology, 248
- resources, CD:34-35
- seizures
 - absence, 234
 - causes of, 232
 - complex partial, 234
 - generalized seizures, 232
 - partial seizures, 234
 - simple partial, 234
 - tonic-clonic, 232-233
 - treatment, 234
- spinal cord injuries
 - autonomic hyperreflexia, 244-245
 - complete, 243
 - incomplete, 243
 - spinal shock, 244
 - treatment, 243-244
 - status epilepticus, 235
- neurotic disorders. *See anxiety-related disorders*
- neurotransmitters, 254
- neutral beliefs, 376
- Nevada State Board of Nursing, CD:19
- New Hampshire Board of Nursing, CD:20
- New Jersey Board of Nursing, CD:20
- New Mexico Board of Nursing, CD:20
- New York State Board of Nursing, CD:20
- newborns. *See also congenital anomalies; pediatric clients; pregnancy*
 - acrocyanosis, 301
 - APGAR scoring, 301
 - basic life support, CD:6
 - caput succedaneum, 301
 - cephalocephalhematoma, 301
 - growth and development, 312-314
 - hyperbilirubinemia, 301
 - ICP (increased intracranial pressure), 238
 - milia, 301
 - Mongolian spots, 301
 - physiologic jaundice, 302
 - prematurity, 293
- nitroglycerine, 220
- non-cardiogenic pulmonary edema, 44
- non-stress test, 296
- nonallergenic (intrinsic) asthma, 47

- nonsteroidal anti-inflammatory drugs (NSAIDs), 31
- nonverbal/verbal communication
- Arab-American clients, 385
 - Asian-American clients, 383
 - Hispanic/Latino clients, 380
 - Native American clients, 381
- normal electrolyte values, 88
- Norplant, 304
- North Atlantic Treaty Organization (NATO) triage color codings, 368
- North Carolina Board of Nursing, CD:20
- North Dakota Board of Nursing, CD:21
- Northern Mariana Islands, CD:21
- novel antipsychotics, 264
- NSAIDs (nonsteroidal anti-inflammatory drugs), 31
- nuclear warfare, 367-368
- nursing boards, CD:11
- Alabama Board of Nursing, CD:12
 - Alaska Board of Nursing, CD:12
 - American Samoa Health Services, CD:12
 - Arizona State Board of Nursing, CD:12
 - Arkansas State Board of Nursing, CD:12
 - California Board of Registered Nursing, CD:13
 - California Board of Vocational Nurses and Psychiatric Technicians, CD:13
 - Colorado Board of Nursing, CD:13
 - Commonwealth of Puerto Rico Board of Nurse Examiners, CD:22
 - Connecticut Board of Examiners for Nursing, CD:13
 - Delaware Board of Nursing, CD:14
 - District of Columbia Board of Nursing, CD:14
 - Florida Board of Nursing, CD:14
 - Georgia Board of Nursing, CD:15
 - Georgia State Board of Licensed Practical Nurses, CD:14
 - Guam Board of Nurse Examiners, CD:15
 - Hawaii Board of Nursing, CD:15
 - Idaho Board of Nursing, CD:15
- Illinois Department of Professional Regulation, CD:16
- Indiana State Board of Nursing, CD:16
- Iowa Board of Nursing, CD:16
- Kansas State Board of Nursing, CD:16
- Kentucky Board of Nursing, CD:16
- Louisiana State Board of Nursing, CD:17
- Louisiana State Board of Practical Nurse Examiners, CD:17
- Maine State Board of Nursing, CD:17
- Maryland Board of Nursing, CD:17
- Massachusetts Board of Registration in Nursing, CD:18
- Michigan/DCH/Bureau of Health Professions, CD:18
- Minnesota Board of Nursing, CD:18
- Mississippi Board of Nursing, CD:18
- Missouri State Board of Nursing, CD:18
- Montana State Board of Nursing, CD:19
- Nebraska Department of Health and Human Services Regulation and Licensure, CD:19
- Nevada State Board of Nursing, CD:19
- New Hampshire Board of Nursing, CD:20
- New Jersey Board of Nursing, CD:20
- New Mexico Board of Nursing, CD:20
- New York State Board of Nursing, CD:20
- North Carolina Board of Nursing, CD:20
- North Dakota Board of Nursing, CD:21
- Northern Mariana Islands, CD:21
- Ohio Board of Nursing, CD:21
- Oklahoma Board of Nursing, CD:21
- Oregon State Board of Nursing, CD:22
- Pennsylvania State Board of Nursing, CD:22

- Rhode Island Board of Nurse Registration and Nursing Education, CD:22
- South Carolina State Board of Nursing, CD:22
- South Dakota State Board of Nursing, CD:23
- Tennessee State Board of Nursing, CD:23
- Texas Board of Nurse Examiners, CD:23
- Utah State Board of Nursing, CD:23
- Vermont State Board of Nursing, CD:24
- Virgin Islands Board of Nurse Licensure, CD:24
- Virginia Board of Nursing, CD:24
- Washington State Nursing Care Quality Assurance Commission, CD:24
- West Virginia Board of Examiners for Registered Professional Nurses, CD:25
- West Virginia State Board of Examiners for Licensed Practical Nurses, CD:24
- Wisconsin Department of Regulation and Licensing, CD:25
- Wyoming State Board of Nursing, CD:25
- Nursing Practice Acts, 396-397, 404
- nursing process, 2
- nutrition
- dietary practices of cultural groups, 386-387
 - quick reference, CD:9-10
 - prenatal diet and weight maintenance, 281
 - TPN (total parenteral nutrition), 136-137
- O**
- OA (occiput anterior), 294
- obsessive-compulsive disorder (OCD), 257-258
- obsessive-compulsive personality disorder, 262
- obstetric clients, 279-280
- abortions, 284-285
 - complications of pregnancy, 283-284
 - contraception, 302-304
 - cord prolapse, 287
 - diagnostic tests, 304-305
 - disseminated intravascular coagulation (DIC), 287
 - exam prep questions, 306-309
 - labor
 - definition of, 293
 - dilation, 295
 - dystocia, 295
 - effacement, 295
 - factors influencing, 293-294
 - fetal lie, 295
 - fetal monitoring, 296-298
 - pharmacologic management, 299-300
 - phases, 294
 - position, 294
 - precipitate delivery, 295
 - prelabor testing, 296
 - presentation, 294
 - preterm labor, 292-293
 - stages, 294
 - station, 295 - maternal diabetes, 285
 - maternal infections, 288-292
 - pharmacological categories, 305
 - physiologic jaundice, 302
 - postpartum care, 300
 - preeclampsia, 286-287
 - prematurity, 293
 - prenatal care
 - alpha-fetoprotein screening, 282
 - amniocentesis, 282
 - diagnostic tests, 282-283
 - diet and weight maintenance, 281
 - fetal heart tones, measuring, 283 - Rh incompatibility, 301-302
 - signs of pregnancy
 - positive signs, 281
 - presumptive signs, 280
 - probable signs, 280-281 - terms associated with newborns, 300-301
 - occiput anterior (OA), 294

OCD (obsessive-compulsive disorder), 257-258
 oculomotor nerve assessment, 239
 "odd answer out" test-taking strategy, 6
 Ohio Board of Nursing, CD:21
 Oklahoma Board of Nursing, CD:21
 olfactory nerve assessment, 239
 online resources
 burns, CD:30
 cancer, CD:31-32
 cardiovascular disorders, CD:34
 cultural practices, CD:36
 emergency nursing, CD:36
 endocrine system disorders, CD:33-34
 fluid and electrolyte balance disorders, CD:30
 gastrointestinal disorders, CD:32
 hematopoietic system disorders, CD:29
 maternal/infant clients, CD:35
 musculoskeletal disorders, CD:32-33
 neurological disorders, CD:34-35
 pediatric clients, CD:36
 pharmacology, CD:27
 psychiatric disorders, CD:35
 renal and genitourinary disorders, CD:28-29
 respiratory disorders, CD:28
 sensorineural disorders, CD:30-31
 test preparation, CD:27
 opiates, 269
 oppositional defiant disorder, 271
 optic nerve assessment, 239
 Oregon State Board of Nursing, CD:22
 orientation, assessing, 356
 osmosis, 80
 osteogenic sarcoma, 343
 osteomyelitis, 178-179
 osteoporosis
 definition of, 179
 risk factors, 179-180
 treatment, 180
 osteosarcoma, 343
 otitis externa, 120-121
 otitis media, 121
 otosclerosis, 122
 overdoses of acetaminophen or salicylate, 344

P

pacemakers, 218-219
 pain, response to, 355
 Arab-American clients, 385
 Asian-American clients, 384
 Hispanic/Latino clients, 380
 Native American clients, 381-382
 palm classification method (burns), 97
 pancreatitis
 causes, 161
 diagnosis, 162
 symptoms, 161-162
 treatment, 162-163
 panic disorder, 257
 paranoid personality disorder, 259
 parathormone, 200
 parathyroid disorders, 199
 hyperparathyroidism, 200-201
 hypoparathyroidism, 200
 Parkinson's disease, 246-247
 Parkland formula, 99-100
 partial seizures, 234
 partial thromoplastin time (PTT), 223
 pathological fractures, 174
 Patient's Bill of Rights, 398-399
 Pearson attachments, 176
 pediatric clients, 312
 acquired heart disorders
 Kawasaki disease (KD), 339-340
 rheumatic fever, 338-339
 basic life support, CD:6
 childhood cancer, 342-343
 childhood psychiatric disorders
 attention deficit hyperactive disorder (ADHD), 271-272
 conduct disorder, 271
 eating disorders, 272
 oppositional defiant disorder, 271
 congenital anomalies, 319
 biliary atresia, 323
 cleft lip and cleft palate, 320
 congenital clubfoot, 325
 congenital heart defects (CHD), 326-329
 developmental hip dysplasia (DHD), 324
 esophageal atresia (EA), 320-321

- galactosemia, 330
- Hirschsprung disease (congenital aganglionic megacolon), 322-323
- imperforate anus, 321-322
- phenylketonuria (PKU), 329-330
- spina bifida, 325-326
- tracheoesophageal fistula (TEF), 320-321
- diagnostic tests, 345
- exam prep questions, 347-349
- gastrointestinal disorders
 - celiac, 337
 - gastroenteritis, 336
 - intussusception, 337
 - pyloric stenosis, 336
- growth and development
 - adolescents, 318-319
 - infants, 312-314
 - preschoolers, 315-317
 - school-age children, 317-318
 - toddlers, 314-315
- ingestion of hazardous substances, 343
 - acetaminophen overdose, 344
 - iron poisoning, 345
 - lead, 344-345
 - salicylate overdose, 344
- musculoskeletal disorders
 - Legg-Calve-Perthes disease, 341-342
 - muscular dystrophies, 342
 - scoliosis, 341
- pharmacology categories, 346
- resources, CD:36
- respiratory disorders
 - acute epiglottitis, 333-334
 - acute otitis media (AOM), 331
 - bronchiolitis, 334-335
 - cystic fibrosis, 335
 - laryngotracheobronchitis (LTB), 333
 - tonsillitis, 331-333
- penetrating injuries of eye, 119
- Pennsylvania State Board of Nursing, CD:22
- peritoneal dialysis, 60
- peritonitis, 60
- pernicious anemia, 70-71
- personality disorders, 258-259
 - antisocial personality disorder, 260
 - avoidant personality disorder, 261
 - borderline personality disorder, 261
 - client management, 262
 - dependent personality disorder, 261
 - histrionic personality disorder, 260
 - narcissistic personality disorder, 260
 - obsessive-compulsive personality disorder, 262
 - paranoid personality disorder, 259
 - schizoid personality disorder, 259
 - schizotypal personality disorder, 259
- PEs (polyethelene tubes), 121
- petit mal seizures, 234
- pH regulation, 81
- pharmacodynamics, 14
- pharmacokinetics, 14
- pharmacology, 14
 - administering medications, 17-18
 - adverse effects, 15
 - aminodarone, CD:7
 - angiotensin-converting agents, 19-20
 - angiotensin receptor blockers, 29-30
 - antacids, 15
 - antianemics, 16
 - antiarrhythmics, CD:7
 - anticholinergics, 16
 - anticoagulants, 16, 34-35, 223, CD:2
 - anticonvulsants, 16
 - antidiarrheals, 15
 - antihistamines, 15
 - antihypertensives, 15, 19-20, 215
 - anti-infectives, 15, 21-22
 - antipyretics, 15
 - antivirals, 27-28
 - atypical antipsychotics, 264
 - benzodiazepines, 22-24
 - beta adrenergic blockers, 20-21, 215
 - Brethine (terbutaline sulfate), 292
 - bretiylium, CD:8
 - bronchodilators, 16
 - calcium channel blockers, 215
 - chemical names, 18
 - cholesterol-lowering agents, 28-29
 - cox 2 enzyme blockers, 31
 - diuretics, 15, 215
 - drug identification, 18-19, 35

- drug schedules, 37
emergency nursing, 369
enteric-coated tablets, 16
epinephrine, CD:7
exam prep questions, 38-41
generic names, 18
glucocorticoids, 25-26
hematopoietic disorders, 74-75
herbals, 36
histamine 2 antagonists, 32-33
laxatives, 16
lidocaine, CD:7
magnesium, CD:7
miotics, 16
mydriatics, 16
narcotics/analgesics, 16
nitroglycerine, 220
pharmacodynamics, 14
pharmacokinetics, 14
pharmacologic management of labor, 299-300
pharmacotherapeutics, 14
phenothiazines, 24
procainamide, CD:7
proton pump inhibitors, 33-34
resources, CD:27
sotalol, CD:7
spansules, 17
therapeutic drug levels, CD:1
time-released drugs, 16-17
trade names, 18
trough drug levels, 22
vasopressin, CD:7
Yutopar (ritodrine), 292
pharmacotherapeutics, 14
phases of labor, 294
Phenergan, 14
phenothiazines, 24
phenylketonuria (PKU), 329-330
phlebostatic axis, 102
phobic disorders, 257
phosphorus, normal electrolyte values, 88
photorefractive keratotomy (PRK), 118
physical therapy for total knee replacement, 185
physiologic jaundice, 302
pinching, 382
pink puffers, 47
Pitocin, 296
pituitary disorders, 196-197
PKU (phenylketonuria), 329-330
plague, 365
pleurisy, 49-50
plumbism, 344-345
pneumonia, 48-49
POAG (primary open-angle glaucoma), 114
poisoning, 343
acetaminophen overdose, 344
emergency nursing, 360
iron, 345
lead, 344-345
salicylate overdose, 344
poisonous stings and bites, 361-362
polycythemia vera, 73-74
polydipsia, 204
polyethylene tubes (PEs), 121
polyphagia, 204
polyuria, 204
position (labor), 294
positional congenital clubfoot, 325
positive schizophrenia, 263
positive signs of pregnancy, 281
post-traumatic stress disorder (PTSD), 255
postpartum care, 300
potassium, normal electrolyte values, 88
practice exam I, 411-454
answer explanations, 458-490
answer key, 455-458
practice exam II, 491-534
answer explanations, 538-569
answer key, 535-538
precipitate delivery, 295
preeclampsia, 286-287
pregnancy
abortions, 284-285
complications, 283-284
contraception, 302-304
cord prolapse, 287
disseminated intravascular coagulation (DIC), 287
labor
definition of, 293
dilation, 295
dystocia, 295

- effacement, 295
- factors influencing, 293-294
- fetal lie, 295
- fetal monitoring, 296-298
- pharmacologic management, 299-300
- phases, 294
- position, 294
- precipitate delivery, 295
- prelabor testing, 296
- presentation, 294
- preterm labor, 292-293
- stages, 294
- station, 295
- maternal diabetes, 285
- maternal infections, 288-292
- physiologic jaundice, 302
- postpartum care, 300
- preeclampsia, 286-287
- pregnancy categories for drugs, 37
- prenatal care
 - alpha-fetoprotein screening, 282
 - amniocentesis, 282
 - diagnostic tests, 282-283
 - diet and weight maintenance, 281
 - fecal heart tones, measuring, 283
- Rh incompatibility, 301-302
- signs of
 - positive signs, 281
 - presumptive signs, 280
 - probable signs, 280-281
- prelabor testing, 296
- prematurity, 293
- prenatal care
 - alpha-fetoprotein screening, 282
 - amniocentesis, 282
 - diagnostic tests, 282-283
 - diet and weight maintenance, 281
 - fecal heart tones, measuring, 283
- preparing for NCLEX-RN® exam
 - CAT (Computer Adaptive Test), 2-3
 - test-taking strategies
 - eliminating distractors, 5
 - looking for keywords, 5
 - looking for opposite answers, 6-7
 - looking for similar options, 5-6
 - practice questions, 8-11
 - reading questions carefully, 4
 - watching for specific details, 5
- presbycusis, 122
- presbyopia, 118
- preschoolers, growth and development, 315, 317
- presentation (labor), 294
- presumptive signs of pregnancy, 280
- preterm labor, 292-293
- Pretest mode (CramMaster CD-ROM), 572
- prevention of cancer, 133
- primary brain injuries, 357
- primary hypertension, 214
- primary open-angle glaucoma (POAG), 114
- PRK (photorefractive keratotomy), 118
- probable signs of pregnancy, 280-281
- procainamide, CD:7
- prodromal stage (hepatitis), 158-159
- projection, CD:8
- proliferative diabetic retinopathy, 116
- protecting forensic evidence, 359-360
- Protestant clients, 388
- proton pump inhibitors, 33-34
- psychiatric disorders. *See also* neurological disorders
 - anxiety-related disorders, 254
 - dissociative identity disorder (DID), 256
 - generalized anxiety disorder (GAD), 255
 - obsessive-compulsive disorder (OCD), 257-258
 - panic disorder, 257
 - phobic disorders, 257
 - post-traumatic stress disorder (PTSD), 255
 - somatoform disorder, 256
- defense mechanisms, CD:8
- Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV-TR), 254
- diagnostic tests, 273
- disorders of childhood and adolescence
 - attention deficit hyperactive disorder (ADHD), 271-272
 - conduct disorder, 271
 - eating disorders, 272
 - oppositional defiant disorder, 271
- exam prep questions, 274-277

- personality disorders, 258-259
 antisocial personality disorder, 260
 avoidant personality disorder, 261
 borderline personality disorder,
 261
 client management, 262
 dependent personality disorder,
 261
 histrionic personality disorder, 260
 narcissistic personality disorder,
 260
 obsessive-compulsive personality
 disorder, 262
 paranoid personality disorder, 259
 schizoid personality disorder, 259
 schizotypal personality disorder,
 259
- pharmacology categories, 273
- psychotic disorders
 bipolar disorders, 265
 major depression, 266
 schizophrenia, 262-265
- resources, CD:35
- substance abuse, 266-267
 alcoholism, 267-268
 cannabis, 270
 hallucinogens, 270
 opiates, 269
 sedative-hypnotics, 268
 stimulants, 269-270
- psychotic disorders
 bipolar disorders
 acute mania, 265
 major depression, 266
 schizophrenia, 262-265
- PTSD (post-traumatic stress disorder),
 255
- PTT (partial thromoplastin time), 223
- pudendal blocks, 299
- pulmonary disorders. *See* respiratory dis-
 orders
- pulmonary embolus, 45-46
- pulmonary intoxicants, 364
- purine, 181
- pyloric stenosis, 336
- Q-R**
- RA (rheumatoid arthritis)
 symptoms, 182
 treatment, 182-183
- radial keratotomy (RK), 118
- radiation injuries, 367-368
- radiation therapy, 134-135
- rape trauma kits, 360
- rationalization, CD:8
- Raynaud's Syndrome, 224
- RDS (respiratory distress syndrome), 44
- reaction formation, CD:8
- reading questions carefully, 4
- Recombivax, 156
- red urine, 64
- refractory errors, 117-118
- regional enteritis (Crohn's disease)
 diagnosis, 151
 symptoms, 151
 treatment, 151-152
- regression, CD:8
- regulation of pH, 81
- regulatory laws, 397
- rehabilitative phase (burns), 104
- religious beliefs, 388-389. *See also* cultural
 practices
- renal transplants, 61
- renal/genitourinary disorders, 57-58
 acute glomerulonephritis, 58-59
 bladder cancer, 64
 BPH (benign prostatic hyperplasia),
 63
 chronic glomerulonephritis, 59-60
 diagnostic tests, 65
 ESRD (end stage renal disease)
 hemodialysis, 60
 peritoneal dialysis, 60
 renal transplants, 61
 exam prep questions, 66-68
 nephrotic syndrome, 61
 pharmacology categories, 65
 resources, CD:28-29
- urinary calculi, 62
- UTIs (urinary tract infections), 62-63
- repression, CD:8
- resources (websites/books)
 burns, CD:30
 cancer, CD:31-32

- cardiovascular disorders, CD:34
- cultural practices, CD:36
- emergency nursing, CD:36
- endocrine system disorders, CD:33-34
- fluid and electrolyte balance disorders, CD:30
- gastrointestinal disorders, CD:32
- hematopoietic system disorders, CD:29
- legal issues, CD:36
- maternal/infant clients, CD:35
- musculoskeletal disorders, CD:32-33
- neurological disorders, CD:34-35
- pediatric clients, CD:36
- pharmacology, CD:27
- psychiatric disorders, CD:35
- renal and genitourinary disorders, CD:28-29
- respiratory disorders, CD:28
- sensorineural disorders, CD:30-31
- test preparation, CD:27
- Respigam, 335
- respiratory acidosis
 - care and treatment, 85
 - causes, 84
 - definition of, 83
 - symptoms, 84
- respiratory alkalosis
 - care and treatment, 87
 - definition of, 86
 - symptoms, 87
- respiratory disorders, 43, 330
 - acute epiglottitis, 333-334
 - acute otitis media (AOM), 331
 - acute respiratory failure
 - ARDS (acute respiratory distress syndrome), 44
 - pulmonary embolus, 45-46
 - RDS (respiratory distress syndrome), 44
 - acute respiratory infections
 - pleurisy, 49-50
 - pneumonia, 48-49
 - TB (tuberculosis), 50
 - bronchiolitis, 334-335
 - COPD (chronic obstructive pulmonary disease)
 - asthma, 47
 - chronic bronchitis, 46
 - emphysema, 47
- cystic fibrosis, 335
- diagnostic tests, 52
- emerging infections, 50
 - Legionnaire's Disease, 52
 - SARS (Severe Acute Respiratory Syndrome), 51
- exam prep questions, 54-56
- laryngotracheobronchitis (LTB), 333
- pharmacology, 53
- resources, CD:28
- tonsillitis, 331-333
- respiratory distress syndrome (RDS), 44
- restraints, 403
- retinal detachment, 117
- retinal disorders, 115
 - diabetic retinopathy, 116
 - hypertensive retinopathy, 116
 - macular degeneration, 116
 - retinal detachment, 117
- retinopathy, 116
- Rh incompatibility, 301-302
- rhabdomyolysis, 29
- rheumatic fever, 338-339
- rheumatoid arthritis
 - symptoms, 182
 - treatment, 182-183
- Rhode Island Board of Nurse Registration and Nursing Education, CD:22
- ribavirin, 335
- ricin, 366
- right occiput anterior (ROA), 294
- rights of clients, 17-18, 398-399
- riot control agents, 364
- risk factors for cancer, 131-132
- risperidone, 264
- ritodrine, 292
- RK (radial keratotomy), 118
- ROA (right occiput anterior), 294
- RSV-IGIV (Respigam), 335
- Rule of Nines, 96
- Russian Orthodox clients, 389

S

- SA (sinoatrial) node, 215
- saccular aneurysm, 225
- Safe Effective Care, 402-405

- safety precautions, CD:2-3
 airborne precautions, CD:3
 chemoprophylaxis after HIV exposure, CD:4
 contact precautions, CD:4
 droplet precautions, CD:3
 salicylate overdose, 344
 salmonella, 167
 santero/santera, 378
 sarcoma, 130
 osteogenic sarcoma, 343
 SARS (Severe Acute Respiratory Syndrome), 51
 Schedule I (drugs), 37
 Schedule II (drugs), 37
 Schedule III (drugs), 37
 Schedule IV (drugs), 37
 Schedule V (drugs), 37
 Schilling test, 74
 schizoid personality disorder, 259
 schizophrenia, 262-265
 schizotypal personality disorder, 259
 school-age children, growth and development, 317-318
 SCIs (spinal cord injuries)
 autonomic hyperreflexia, 244-245
 complete, 243
 incomplete, 243
 spinal shock, 244
 treatment, 243-244
 scoliosis, 341
 second-degree burns, 95-96
 second-degree heart block, 216
 secondary brain injuries, 357
 secondary glaucoma, 114
 secondary hypertension, 214
 sedatives, 299
 benzodiazepines, 22-24
 sedative-hypnotic abuse, 268
 seizures
 causes of, 232
 generalized seizures
 absence, 234
 tonic-clonic, 232-233
 partial seizures, 234
 treatment, 234
 selective serotonin reuptake inhibitors (SSRIs), 266
 self-exams (cancer), 133
 sensorineural disorders, 111-112
 diagnostic tests, 123
 ear trauma, 123
 exam prep questions, 125-128
 hearing loss, 122-123
 intraocular disorders
 cataracts, 112-113
 glaucoma, 114-115
 Meniere's disease, 121-122
 otitis externa, 120-121
 otitis media, 121
 otosclerosis, 122
 pharmacology categories, 120, 124
 presbycusis, 122
 refractory errors, 117-118
 resources, CD:30-31
 retinal disorders, 115
 diabetic retinopathy, 116
 hypertensive retinopathy, 116
 macular degeneration, 116
 retinal detachment, 117
 traumatic injuries, 119
 visual tests, 119
 septic abortions, 284
 septic emboli, 46
 set pacemakers, 218
 seven rights of administering medications, 17-18
 Severe Acute Respiratory Syndrome (SARS), 51
 sexual assault, 360
 shamans, 381
 shock, hypovolemic, 355
 sickle cell anemia, 71-72
 side effects of medications
 angiotensin receptor blockers, 30
 angiotensin-converting agents, 19
 anticoagulants, 34
 anti-infectives, 21
 antivirals, 27
 benzodiazepines, 23-24
 beta adrenergic blockers, 20
 cholesterol-lowering agents, 29
 cox 2 enzyme blockers, 31
 glucocorticoids, 26
 histamine 2 antagonists, 32
 phenothiazines, 24
 proton pump inhibitors, 33

- Sikh clients, 383, 389
 simple fractures, 174
 simple partial seizures, 234
 Simulated Exam mode (CramMaster CD-ROM), 572
 sinoatrial (SA) node, 215
 skeletal traction, 175
 skin traction, 175
 smallpox, 365
 sodium, normal electrolyte values, 88
 solymigratory arthritis, 338
 somatoform disorder, 256
 Somogyi effect, 206
 sotalol, CD:7
 South Carolina State Board of Nursing, CD:22
 South Dakota State Board of Nursing, CD:23
 southern belle syndrome, 260
 spansules, 17
 specific determiners, 5
 spina bifida, 325
 spinal (subarachnoid) anesthesia, 299
 spinal accessory nerve assessment, 240
 spinal cord injuries
 autonomic hyperreflexia, 244-245
 complete, 243
 incomplete, 243
 spinal shock, 244
 treatment, 243-244
 spinal shock, 244
 spinal/epidural narcotics, 300
 spleen, trauma to, 358
 splitting, 261
 SSRIs (selective serotonin reuptake inhibitors), 266
 St. John's wort, 36
 Stage 1 withdrawal, 267
 Stage 2 withdrawal, 267
 Stage 3 withdrawal, 267
 Stage 4 withdrawal, 267
 stages of labor, 294
 stairs crutch-walking gait, 187
 standard precautions, CD:2-3
 airborne precautions, CD:3
 chemoprophylaxis after HIV exposure, CD:4
 contact precautions, CD:4
 droplet precautions, CD:3
 standard wound dressings, 103
 stapes, 122
 staphylococcal, 167
 staphylococcus, 365
 "statin" drugs, 28
 station, 295
 status epilepticus, 235
 statutory laws, 397
 sterilization (contraception), 304
 stimulant abuse, 269-270
 stings, poisonous, 361-362
 strategies for successful test-taking, 4
 eliminating distractors, 5
 looking for keywords, 5
 looking for opposite answers, 6-7
 looking for similar options, 5-6
 practice questions, 8-11
 reading questions carefully, 4
 watching for specific details, 5
 streptokinase, 46
 stressful situations, client defense mechanisms, CD:8
 string signs, 151
 subacute subdural hematomas, 236
 subarachnoid (spinal) anesthesia, 299
 subcutaneous nodules, 338
 subdural hematomas, 236
 sublimation, CD:8
 substance abuse, 266-267
 alcoholism, 267-268
 cannabis, 270
 hallucinogens, 270
 opiates, 269
 sedative-hypnotics, 268
 stimulants, 269-270
 suicide prevention, 266
 superficial partial thickness (first-degree) burns, 95
 suppression, CD:8
 surgical procedures, musculoskeletal
 amputations, 185-186
 fractured hip and hip replacement, 183-184
 total knee replacement
 CPM (continuous passive motion) machines, 184-185
 physical therapy, 185
 post-operative care, 184
 susto (fright sickness), 379

Swan-Ganz catheters, 223
 swimmer's ear, 120-121
 swing-through crutch-walking gait, 187
 Syndeham's chorea, 338
 syngeneic transplants, 138
 Synthroid, 198
 syphilis, 288
 systolic pressure, 214

T

T-2 mycotoxins, 366
 talipes equinovarus (congenital clubfoot), 325
 TB (tuberculosis), 50
 TBSA (total body surface area), 94-97
 TEF (tracheoesophageal fistula), 320-321
 Tennessee State Board of Nursing, CD:23
 teratologic congenital clubfoot, 325
 terbutaline sulfate, 292
 terrorism. *See* bioterrorism
 tests. *See* NCLEX-RN® exam
 tet attacks, 328
 tetracycline, 35, 49
 tetralogy of Fallot (TOF), 328-329
 Texas Board of Nurse Examiners, CD:23
 thalassemia major, 73
 therapeutic drug levels, CD:1
 thickness of the burn injuries, 95-96
 third-degree heart block, 216
 Thomas ring splints, 176
 threatened abortions, 284
 three-point crutch-walking gait, 187
 thromboangiitis obliterans, 223
 thrombophlebitis, 224
 thunderbirds (Native American amulets), 381
 thyroid disorders
 hyperthyroidism, 198-199
 hypothyroidism
 adults, 197
 infants, 197-198
 managing, 198
 thyroid storms, 198
 thyrotrophic hormone, 196
 time considerations (cultural)
 Arab-American clients, 385
 Asian-American clients, 383

Hispanic/Latino clients, 379
 Native American clients, 381
 time-released drugs, 16-17
 toddlers, growth and development, 314-315
 TOF (tetralogy of Fallot), 328-329
 tong traction, 176, 243
 tonic-clonic seizures, 232-233
 tonsillitis, 331-333
 tonsils, 331
 torts, 401
 total body surface area (TBSA), 94-97
 total knee replacement
 CPM (continuous passive motion)
 machines, 184-185
 physical therapy, 185
 post-operative care, 184
 total parenteral nutrition (TPN), 136-137
 tourniquets, 354
 TPN (total parenteral nutrition), 136-137
 tracheoesophageal fistula (TEF), 320-321
 traction, 175-177
 trade names, 18
 traditional healers
 Hispanic/Latino, 378-379
 Native American, 381
 transplants
 bone marrow transplantation
 allogenic transplants, 137
 autologous transplants, 137
 nursing care following, 138-139
 syngeneic transplants, 138
 renal transplants, 61
 transsphenoidal surgery, 197
 transurethral prostatectomy (TURP), 63
 trauma
 abdominal injuries, 358-359
 chest injuries, 357
 definition of, 356
 ear trauma, 123
 eye injuries, 119
 head injuries, 357
 triage, 352, 368
 trigeminal nerve assessment, 239
 trochlear nerve assessment, 239
 trough drug levels, 22, 49
 Trousseau's sign, 86, 201
 true congenital clubfoot, 325
 tubal ligation, 304

tuberculosis (TB), 50
 tularemia, 365
 TURP (transurethral prostatectomy), 63
 two-point crutch-walking gait, 187
 tyrosine, 329

U

ulcerative colitis, 152
 ulcers
 diagnostic tools, 149
 dumping syndrome, 150
 duodenal ulcers, 148-149
 gastric ulcers, 149
 treatment, 149-150
 umbilical cord prolapse, 287
 uncompensated acidosis, 81
 uncompensated alkalosis, 81
 unresponsiveness, 355
 urinary calculi, 62
 urinary disorders, 57-58
 acute glomerulonephritis, 58-59
 bladder cancer, 64
 BPH (benign prostatic hyperplasia), 63
 chronic glomerulonephritis, 59-60
 diagnostic tests, 65
 ESRD (end stage renal disease)
 hemodialysis, 60
 peritoneal dialysis, 60
 renal transplants, 61
 exam prep questions, 66-68
 nephrotic syndrome, 61
 pharmacology categories, 65
 urinary calculi, 62
 UTIs (urinary tract infections), 62-63
 urinary diversions, 64
 urinary tract infections (UTIs), 62-63
 Utah State Board of Nursing, CD:23
 UTIs (urinary tract infections), 62-63

V

V-fib (ventricular fibrillation), 221-223
 vaccines, H.influenza B conjugate, 333
 vaginal bleeding, 283
 vagus nerve assessment, 240

variable deceleration of fetal heart tones
 early decelerations, 297
 late decelerations, 298
 vasectomy, 304
 vasopressin, CD:7
 venomous snake bites, 361-362
 ventricular fibrillation (V-fib), 221-223
 ventricular tachycardia, 221
 verbal stimuli, response to, 355
 verbal/nonverbal communication
 Arab-American clients, 385
 Asian-American clients, 383
 Hispanic/Latino clients, 380
 Native American clients, 381
 Vermont State Board of Nursing, CD:24
 vesicants, 363
 vestibulocochlear nerve assessment, 240
 viral encephalitides, 365
 viral hemorrhagic fevers, 365
 viral pneumonia, 48
 Virgin Islands Board of Nurse Licensure,
 CD:24
 Virginia Board of Nursing, CD:24
 vital signs, CD:1
 vitamin B, 71

W

walkers, 188
 warning signs of cancer, 130
 Washington State Nursing Care Quality
 Assurance Commission, CD:24
 Waterhouse-Friderichsen Syndrome, 202
 website resources
 burns, CD:30
 cancer, CD:31-32
 cardiovascular disorders, CD:34
 cultural practices, CD:36
 emergency nursing, CD:36
 endocrine system disorders, CD:33-34
 fluid and electrolyte balance disorders,
 CD:30
 gastrointestinal disorders, CD:32
 hematopoietic system disorders,
 CD:29
 maternal/infant clients, CD:35
 musculoskeletal disorders, CD:32-33
 neurological disorders, CD:34-35

pediatric clients, CD:36
pharmacology, CD:27
psychiatric disorders, CD:35
renal and genitourinary disorders,
 CD:28-29
respiratory disorders, CD:28
sensorineural disorders, CD:30-31
 test preparation, CD:27
West Virginia Board of Examiners for
 Registered Professional Nurses, CD:25
West Virginia State Board of Examiners
 for Licensed Practical Nurses, CD:24
wet (exudative) macular degeneration,
 116
Wilms tumor, 343
Wisconsin Department of Regulation and
 Licensing, CD:25
withdrawal (substance abuse), 267-268
witnessing consent for care, 401
Wyoming State Board of Nursing,
 CD:25

X-Y-Z

xenografts, 103
yin/yang, 382
Yutopar (ritodrine), 292

Zyloprim, 181