

Index

NUMBERS

24-hour urine sampling procedure, 148
90-90 traction (fractures), 423

A

ABCD (Airway Breathing Circulation Deficits) assessment
airways, 598
breathing, 598-599
circulation, 598-600
deficits, 598-600

abdominal injuries, 602-603

abduction, total hip replacements, 437

abortion, 466-467

abruptio placenta (pregnancy), 467

absence seizures, 311

abused/neglected children, caring for, 550

ACE (angiotensin-converting enzyme) inhibitors, hypertension treatment, 48

acetaminophen (Tylenol) overdoses, pediatrics, 516

acetylcholine, 317, 320, 336, 339

acid/base balance, web resources, 884

acids
alkalosis, 18, 33-35
diagnosing disorders, case studies, 35-37
metabolic acidosis, 30-31, 35
respiratory acidosis, 32-35

acoustic neuroma, 217

acquired heart disease, pediatrics
bacterial endocarditis, 526-527
KD (Kawasaki's Disease), 527-528
rheumatic fever, 525-526

acrocyanosis, 476

acronyms (study tips), ROME, 35

active transport, 18

acute epiglottitis, pediatrics, 502

acute glaucoma, 207

acute glomerulonephritis (AGN), 148-149

- acute graft rejection (renal transplants), 158
- acute mania, 570-571
- acute otitis media (AOM), pediatrics, 501-502
- acute pancreatitis, 251-253
- acute radiation syndrome (ARS), 610
- acute renal failure (ARF), 154
- acute respiratory distress syndrome (ARDS), 126-128
- acute respiratory failure, chronic bronchitis, 113
- acute spasmodic laryngitis, pediatrics, 503
- Adams position, scoliosis, 546
- Addison's disease, 97-98
- ADDM (noninsulin-dependent, adult-onset diabetes mellitus)**, 92
- adenohypophysis, 84
- adenoidectomies, 500
- ADH (antidiuretic hormone), diabetes insipidus**, 326-327
- ADHD (attention deficit hyperactive disorder)**, 578
- adolescence (12-18 years), childhood development, 498
- adolescent/childhood psychiatric disorders
 - ADHD (attention deficit hyperactive disorder), 578
 - conduct disorder, 577
 - oppositional defiant disorder, 578
- adrenal gland**, 95
 - adrenocortical hypersecretion (Cushing's disease), 98
 - adrenocortical insufficiency (Addison's disease), 97-98
 - primary aldosteronism (Conn's Syndrome), 97
- AGN (acute glomerulonephritis)**, 148-149
- airways**
 - ABCD assessment, 598
 - burn treatments, 191
- Alaskan native/Native American patient care/management**, 637-638
- alcoholism**
 - Antabuse, 575
 - CIWA-Ar (Chemical Institute Withdrawal Assessment-Alcohol) scale, 573
- alertness, AVPU assessment**, 600
- alkalosis**, 18, 33-35
- allogenic transplants**, 398
- allografts, burns**, 195
- alopecia, gastrointestinal system disorders**, 263
- alpha-fetoprotein, pregnancy**, 457
- alpha-receptor blockers**, 75
- ALS (Amyotrophic Lateral Sclerosis)**, 320
- Alzheimer's disease**, 320, 336-337
- amenorrhea**, 465
- American Cancer Society, Seven Warning Signs of Cancer**, 365
- aminophylline, asthma**, 116
- amniocentesis**, 457
- amniotic fluid, testing**, 457
- amniotic membrane, burns**, 195
- amputations**, 439-440
- Amyotrophic Lateral Sclerosis (ALS)**, 320
- anemia**
 - aplastic anemia, 270-271
 - B vitamins, 270
 - causes of, 269
 - iron deficiency anemia, 275
 - pernicious anemia, 270
 - sickle cell anemia, 271-275
 - symptoms of, 269
- anesthesia**
 - narcotic overdose, 32
 - subarachnoid (spinal) anesthesia, labor (pregnancy), 473
- aneurysms**, 65
- angina, polycythemia vera**, 277
- angina pectoris**, 57
- angiography, myocardial infarction treatment**, 62
- angioplasty, PTCA**, 62
- Angiotensin II receptor antagonists, hypertension treatment**, 49
- angiotensin receptor blockers**, 75
- anions**, 18
- ankylosing spondylitis**, 431
- anorectal manometry, Hirschsprung's Disease (Congenital Aganglionic Megacolon)**, 508
- anorexia**, 578
 - AGN (acute glomerulonephritis), 148
 - hepatitis, 247
 - PKD (polycystic kidney disease), 152
- anovulation, neoplastic disorders**, 367
- answers**
 - eliminating (exam prep tips), 11-12
 - practice exams
 - exam I, 795-818
 - exam II, 819-838
 - exam III, 839-858
 - exam IV, 861-872
- Antabuse, alcoholism**, 575
- anticoagulants**, 60, 77
- anticonvulsants (antiepileptics)**, 334-335
- anti-diuretic hormone (ADH), diabetes insipidus**, 326-327

- antidyshytmics**, 76
antiepileptics (anticonvulsants), 334-335
antihypertensive medication, hypertension treatment, 48
antisocial personality disorder, 565
anuria, renal transplants, 158
anxiety-related disorders, 559
 DID (dissociative identity disorder), 561
 GAD (generalized anxiety disorder), 560
 OCD (obsessive-compulsive disorder), 562
 panic disorder, 561-562
 phobic disorder, 562
 PTSD (post-traumatic stress disorder), 560
 somatoform disorder, 561
AOM (acute otitis media), pediatrics, 501-502
APGAR (Activity, Pulse, Grimace, Appearance, Respiration) scoring, 474-476
aplastic anemia, 270-271
apsisic crises (sickle cell anemia), 273
apnea, tonic-conic seizures, 310
Apothecary System of Measurement, 889
appendicitis, 236-237
apraxia, ischemic strokes, 306
aqueous humor (eyes), glaucoma, 207-208
Arab-American patient care/management, 640-643
ARDS (acute respiratory distress syndrome), 126-128
ARF (acute renal failure), 154
arm circle exercises (breast cancer), 381
ARS (acute radiation syndrome), 610
arteries, 45
 aneurysms, 65
 Beurger's disease (thromoangiitis obliterans), 68
 CABG, 62-63
 CAD (coronary artery disease), 49
 IABP, 63
 PWD, 67
 TGA (transposition of the great arteries), pediatrics, 524
arteriosclerosis, 49
arthritis
 JRA (juvenile rheumatoid arthritis), pediatrics, 546-547
 polymigratory arthritis, rheumatic fever, 526
 rheumatoid arthritis (RA), 433-434
artificial skin (Integra), burns, 196
asbestosis, 120
ascites, cirrhosis, 248
ASD (atrial septal defects), pediatrics, 521-523
aseptic meningitis, 314
Asian-American patient care/management, 638-644
asphyxiation, Sengstaken-Blakemore tubes, 249
assault (legal issues), 623
assist controlled mode (ventilators), 127
assisted births, 471
asthma, 115
 childhood asthma, 505-506
 client treatment, 116
 play therapy, 33
astigmatism, 211
atherosclerosis, 49
atopic dermatitis (eczema), pediatrics, 536-537
atrial septal defects (ASD), pediatrics, 521-523
atrophic (dry) macular degeneration, 210
attention deficit hyperactive disorder (ADHD), 578
auras
 simple partial seizures, 312
 tonic-conic seizures, 310
auscultation, pneumonia treatments, 123
autografts, 196
autoimmune neurological disorders
 Guillain-Barre, 319
 MS (multiple sclerosis), 316, 337-338
 Myasthenia Gravis, 317-318, 339
autologous transplants, 398
automaticism, complex partial seizures, 312
autonomic hyperreflexia, 324
autosomal recessive disorders, galactosemia, 515
AV heart blocks, 50
avoidant personality disorder, 566
AVPU (Alertness Verbal Stimuli Pain Unresponsiveness) assessment, 600

B

-
- B vitamins, anemia**, 270
bacterial endocarditis, 66, 526-527
bacterial infections, 182, 351
bacterial meningitis, 314, 534-535
bacterial tracheitis, pediatrics, 503
BAL/Dimercaprol, lead poisoning (plumbism), 517
balance suspension (traction), 424
Ballance's sign, abdominal injuries, 603
ballottement, 456
Barrett's esophagus, 242
basilar skull fractures, 295
battery, assault and (legal issues), 623

Battle's sign, basilar skull fractures, 295

Bell's Palsy, 320

beneficial beliefs (client care/management), 633

benign prostatic hypertrophy (BPH), 163

berylliosis, 121

beta adrenergic blockers, 73

Beurger's disease (thromoangiitis obliterans), 68

biliary atresia, pediatrics, 512

bilis (Hispanic/Latino patient care/management), 636

biological/chemical agents (bioterrorism), 606-609

biosynthetic grafts, 195

bioterrorism, 606-610

chemical/biological agents, 607-609

nuclear warfare, 609-610

bipolar disorders, 570-572

bites/stings (poisonous), 605

bivalve treatment (casts), 426

black lung (pneumoconiosis), 120

bladder

cancer, 366, 384

exstrophy of, pediatrics, 530

blocks (heart), 50-51

blood disorders

aplastic anemia, 270-271

B vitamins, 270

case studies, 282-284

causes of, 269

client management, 285-286

hemophilia, 278-279

iron deficiency anemia, 275

pernicious anemia, 270

polycythemia vera, 277-278

pulmonary blood flow defects

ASD (atrial septal defects), 521-523

TOF (tetralogy of fallot), 523

VSD (ventricular septal defects), 521

sickle cell anemia, 271-275

symptoms of, 269

thalassemia, 276-277

transfusion therapy, 280-282

blood pressure, hypertension, 46-49

blue bloaters, emphysema, 114

Boards of Nursing, 619

body water, total calculations, 17

bones

ankylosing spondylitis, 431

congenital clubfoot (talipes equinovarus), 543

demineralization, 428

density, osteoporosis, 428

DHD (developmental hip dysplasia), 544

fractures, 419

casts, 425-426

compartment syndrome, 425-426

complications of, 425-428

delayed union/healing, 427-428

hips, 436-437

osteomyelitis, 426-427

sites of, 421

symptoms of, 420

traction, 422, 425

treatment of, 421-422, 425

types of, 419

gout, 431-432

hips, total hip replacements, 436-437

knees, total knee replacements, 437-438

legg-calve-Perthes disease (coxa plana), 545

marrow transplants, 397-398, 403-411

osteoarthritis, 429-430

osteogenesis imperfecta, 545

osteoporosis, 428

scoliosis, 546

borderline personality disorder, 565

botulism, 257

bowel disorders

Chron's disease (regional enteritis), 233

client management, 234

obstructions, 238-239

ulcerative colitis, 233

BPH (benign prostatic hypertrophy), 163

brachytherapy (cancer), 393

Braden scale, pressure ulcers, 184-185

Bradycardia, 471-472

bradydysrhythmias, 54

brain

basilar skull fractures, 295

contrecoup injuries, 602

contusions, 296

coup injuries, 602

DAI (diffuse axonal injuries), 296

hemorrhages, 296-297

Parkinson's disease, 313-314

seizures, 309

absence, 311

complex partial, 312

grand mal, 312-313

- simple partial, 312
 - tonic-clonic, 310-311
 - treatment of, 312
 - sella turcica**, 84
 - status epilepticus**, 312-313
 - stimulators**, Parkinson's disease, 314
 - strokes**
 - hemorrhagic strokes, 307-309
 - ischemic strokes, 305-307
 - Syndenham's chorea**, rheumatic fever, 526
 - tumors**
 - symptoms of, 300
 - treatment of, 301
 - types of, 300
 - breast cancer**, **377-378**
 - diagnosing, 369
 - exercises
 - arm circle exercises, 381
 - hand wall-climbing exercises, 380
 - pulley exercises, 379
 - risk factors, 366
 - surgery, complications from, 381
 - breast feeding**, **474**
 - breathing**
 - ABCD assessment, 598-599
 - burn treatments, 191
 - bronchiolitis, pediatrics**, **504**
 - bronchitis**, **113, 504**
 - Brudzinski's sign, meningitis**, **314-315**
 - Bryant's traction (fractures)**, **423**
 - Buck's traction (fractures)**, **422**
 - Buddhism (patient care/management)**, **639, 643**
 - bulimia nervosa**, **579**
 - burns**
 - carbon monoxide, 192
 - chemical, 187
 - client management
 - airways/breathing, 191
 - circulation, 191
 - debridement, 194
 - dressings, 195
 - emergent phase, 190-194
 - intermediate phase, 194
 - psychological care, 190
 - rehabilitative phase, 196
 - skin grafts, 195-196
 - electrical, 187-189
 - eschar, 194
 - first-degree (superficial partial thickness), 188
 - hot water heaters, burn prevention, 187
 - infections, 194
 - Lund and Browder measurement method, 189
 - major burn injuries, 190-192
 - minor burn injuries, 190
 - moderate burn injuries, 190
 - palm measurement method, The, 189
 - radiation, 187
 - Rule of Nines measurement method, The, 189
 - second-degree (deep partial thickness), 188
 - shock, 188
 - skin grafts, 195-196
 - thermal, 187
 - third-degree (full thickness), 188
 - web resources, 187, 885-888
- Burr holes, hematoma treatments**, **297**
-
- ## C
- CABG (coronary artery bypass grafts)**, **62-63**
 - CAD (coronary artery disease)**, **49**
 - calcium**
 - channel blockers, 48, 74
 - hypercalcemia, 25
 - hypocalcemia, 25
 - canal of Schlemm (eyes)**
 - glaucoma, 208
 - ocular melanoma, 213
 - cancer**
 - American Cancer Society's Seven Warning Signs of Cancer, 365
 - bladder cancer, 366, 384
 - breast cancer, 377-378
 - arm circle exercises, 381
 - complications from surgery, 381
 - diagnosing, 369
 - hand wall-climbing exercises, 380
 - pulley exercises, 379
 - risk factors, 366-367
 - carcinoma, 366
 - case studies, 399-400
 - cervical cancer, 366, 388
 - chemotherapy, 392
 - side effects of, 394-395
 - TPN (total parental nutrition), 395-396
 - client management, 394, 403-411
 - colon cancer, risk factors, 366
 - colorectal cancel, 369-372

diagnosing, 368, 402-403
 esophageal cancer, 367, 383
 Ewing's sarcoma, pediatrics, 532
 Gardasil, 543
 Hodgkin's lymphoma, 367, 391
 larynx cancel, risk factors, 367
 leukemia, 366-367, 388-389, 531
 liver cancer, risk factors, 367
 lung cancer, 367, 373-374
 lymphoma, 366
 metastasis, 365
 neuroblastoma, pediatrics, 532
 non-Hodgkin's lymphoma, 367, 391
 osteosarcoma, pediatrics, 532
 ovarian cancer, 367, 387
 pancreatic cancer, 367, 386
 prostate cancer, 367, 375-376
 radiation therapy, 392-394
 renal cancer, 367, 385
 retinoblastoma, pediatrics, 532
 rhabdomyosarcoma, pediatrics, 533
 sarcoma, 366
 skin cancer, 367-368
 stomach cancer, 368, 385
 surgery, 392
 surviving, pediatrics, 533
 testicular cancer, risk factors, 368
 web resources, 885
 Wilm's tumor (nephroblastoma), pediatrics, 531

canes, 441-442

cannabis (chemical dependence), 577

caput succedaneum, 476

carbon monoxide, burns, 192

carcinoma (cancer), 366

cardiac catheterization, myocardial infarction treatment, 61

cardiac defibrillators, client management, 55-56

cardiac disease, pregnancy, 461-462

cardiac dysrhythmias

bradydysrhythmias, 54
 internal cardiac defibrillators, 55-56
 tachydysrhythmias, 54
 V-fib (ventricular fibrillation), 55
 ventricular tachycardia, 54

cardiac monitoring, ECG, 52-54, 66

cardiac tamponade, 63

cardiogenic shock, 64

cardiovascular system disorders

aneurysms, 65
 arteries, 45
 Beurger's disease (thromoangiitis obliterans), 68
 PVD, 67
 blood pressure, 46
 CAD (coronary artery disease), 49
 case studies, 68-70
 client management, 72-78
 CPR, 56-57
 heart
 anatomy of, 46
 blocks, 50-51
 cardiac dysrhythmias, 54-56
 cardiac monitoring, 52-54
 cardiac tamponade, 63
 cardiogenic shock, 64
 conduction system, 50-51
 infective endocarditis, 66
 myocardial infarction, 59-64
 pacemakers, 51
 pericarditis, 66
 heart angina pectoris, 57
 heart, 45
 hypertension, 46-49
 pediatrics
 acquired heart disease, 525-528
 CHD (congenital heart defects), 518-525
 obstructive defects, 520-525
 Raynaud's phenomenon, 68
 veins
 Beurger's disease (thromoangiitis obliterans), 68
 PWD, 67
 thrombophlebitis, 68
 varicose veins, 68
 web resources, 887
cardioverters, client management, 55-56
carditis (heart), rheumatic fever, 526
case studies
 cardiovascular system, 68-70
 emergency care, 611-613
 eye disorders, 219-221
 gastrointestinal system disorders, 258-260
 genitourinary system disorders, 166-168
 integumentary system, psoriasis, 196-197
 musculoskeletal/connective tissue disorders, 442-443
 neurological system disorders, 328-329
 pregnancy, 482-484
 respiratory disorders, 135-136

- casts (fractures),** 425-426
cataracts, 206-207
catheterization, myocardial infarction treatment, 61
Catholicism (patient care/management), 643
cations, 18. *See also* electrolytes
CD-ROM
 - installing, 912
 - test modes, 911**CD4/CD8 count tests,** 346
CDC (Centers for Disease Control), HIV classifications, 347
celiac (gluten-induced enteropathy, celiac sprue), pediatrics, 514
celiac sprue, pediatrics, 514
cellulitis, 182
Centers for Disease Control and Prevention, prevention transmission of infectious diseases guidelines, 181
central alpha agonists, hypertension treatment, 49
cephalocephalhematoma, 476
cerebral disorders, pediatrics
 - intracranial infections, 534-535
 - Reye's syndrome, 535-536**cerebral palsy (CP), pediatrics,** 547
cerebrovascular accidents/strokes
 - hemorrhagic strokes, 307-309
 - ischemic strokes, 305-307**certification mode (CD-ROM),** 911
cervical cancer, 366, 388
cervix, incompetent cervix (pregnancy), 466
Cesarean births, 470
CGN (chronic glomerulonephritis), 149-150
Chadwick's sign, 456
CHD (congenital heart defects), pediatrics, 518-520
chelation therapy, 517, 553
chemical burns, 187
chemical dependence
 - cannabis, 577
 - hallucinogens, 576
 - opiates, 576
 - sedative-hypnotics, 575
 - stimulants, 576**chemical/biological agents (bioterrorism),** 606-609
chemotherapy, 392-395
chest drainage systems, hemothorax treatments, 133
chest injuries, 602
chest percussion, pneumonia treatments, 123
chest physiotherapy, pneumonia treatments, 123
chest syndrome, sickle cell anemia, 273
Cheyne-Stokes respirations, 32, 298
CHF (congestive heart failure), 63-64
chicken pox
 - herpes zoster (shingles), 180
 - pediatrics, 541**childbirth, cultural beliefs/practices.** *See also* pregnancy
 - Arab-Americans, 641
 - Asian-Americans, 640
 - Hispanics/Latinos, 637
 - Native Americans/Alaskan natives, 638**childhood/adolescent psychiatric disorders**
 - ADHD (attention deficit hyperactive disorder), 578
 - conduct disorder, 577
 - oppositional defiant disorder, 578**children**
 - abused/neglected children, caring for, 550
 - cardiovascular disorders
 - acquired heart disease, 525-528
 - CHD (congenital heart defects), 518-525
 - case studies, 551-552
 - cerebral disorders
 - intracranial infections, 534-535
 - Reye's syndrome, 535-536
 - communicable diseases
 - chicken pox, 541
 - diphtheria, 541
 - Fifth's disease, 542
 - German measles (rubella), 540
 - immunizations, 543
 - measles (rubeola), 540
 - mumps, 540
 - roseola, 542
 - whooping cough (pertussis), 541
 - cretinism, 86-88
 - empacho (Hispanic/Latino patient care/management), 636
 - gastrointestinal disorders
 - gastroenteritis, 507
 - GER (Gastroesophageal Reflux), 508-509
 - Hirschsprung's Disease (Congenital Aganglionic Megacolon), 507-508
 - inflammatory/parasitic disorders, 513
 - ingestion of hazardous substances, 516-518
 - malabsorptive/metabolic syndromes, 514-515
 - motility disorders, 507-509
 - obstructive disorders, 511-512
 - structural defects, 509-510

- genitourinary disorders
 - epispadias, 530
 - extrophy of the bladder, 530
 - hypospadias, 530
 - obstructive uropathy, 529
 - growth and development
 - adolescence (12-18 years), 498
 - infants (28 days to 1 year), 493-494
 - preschoolers (3-5 years), 496-497
 - school age (6-12 years), 497-498
 - toddlers (1-3 years), 495
 - infants, web resources, 887
 - integumentary disorders
 - eczema (atopic dermatitis), 536-537
 - lyme disease, 538
 - pediculosis capitis (head lice), 537
 - Rocky Mountain spotted fever, 538-539
 - scabies, 537
 - juvenile-onset diabetes, 92
 - musculoskeletal disorders
 - congenital clubfoot (talipes equinovarus), 543
 - DHD (developmental hip dysplasia), 544
 - JRA (juvenile rheumatoid arthritis), 546-547
 - legg-calve-Perthes disease (coxa plana), 545
 - osteogenesis imperfecta, 545
 - scoliosis, 546
 - neoplastic disorders
 - Ewing's sarcoma, 532
 - leukemia, 531
 - neuroblastoma, 532
 - osteosarcoma, 532
 - retinoblastoma, 532
 - rhabdomyosarcoma, 533
 - surviving, 533
 - Wilm's tumor (nephroblastoma), 531
 - neuromuscular disorders
 - CP (cerebral palsy), 547
 - MD (muscular dystrophies), 548-549
 - neural tube defects, 547-548
 - spina bifida, 547-548
 - obstructive disorders
 - biliary atresia, 512
 - hypertrophic pyloric stenosis, 511
 - imperforate anus, 512
 - intussusception, 512
 - play therapy, 33
 - respiratory disorders
 - AOM (acute otitis media), 501-502
 - bronchiolitis, 504
 - bronchitis, 504
 - childhood asthma, 505-506
 - croup syndromes, 502-503
 - cystic fibrosis (mucoviscidosis), 506
 - infectious mononucleosis, 501
 - long-term respiratory disorders, 505
 - lower airway infections, 504-506
 - tonsillitis, 499-500
 - upper airway infections, 499-503
 - structural defects
 - cleft lip/palate, 509
 - EA (esophageal atresia), 510
 - TEF (tracheoesophageal fistula), 510
 - web resources, 888
- chlamydia, pregnancy, 478**
- chloride, 24**
- cholecystitis, 254-255**
- cholelithiasis, 254-256**
- cholelithiasis, 254**
- cholesterol**
 - CAD, 49
 - hypertension, 47
 - myocardial infarction, 60
- Christianity (patient care/management), 643-644**
- Chron's disease (regional enteritis), 233**
- chronic bronchitis, 113**
- chronic glomerulonephritis (CGN), 149-150**
- chronic graft rejection (renal transplants), 158**
- chronic nephritic syndrome.** *See* CGN (chronic glomerulonephritis)
- chronic renal failure (CRF), 155**
- Chvostek's sign**
 - hypercalcemia, 26
 - hyperparathyroidism, 90
 - hyperphosphatemia, 27
 - hyperthyroidism, 90
 - hypocalcemia, 26
 - hypomagnesemia, 28
 - primary aldosteronism, 97
- circulation**
 - ABCD assessment, 598-600
 - burn treatments, 191
- circumcision, hypospadias, 530**
- cirrhosis, 248-251, 515**
- civil laws, 620**
- CIWA-Ar (Chemical Institute Withdrawal Assessment-Alcohol scale, 573**
- cleft lip/palate, pediatrics, 509**

client care/management

- Arab-Americans, 640-641
- Asian-Americans, 638-640
- case studies, 627-628
- consent (legal issues), 620, 624
- cultural practices/beliefs
 - assessing, 633
 - beneficial beliefs, 633
 - case studies, 644-645
 - dietary practices/considerations, 641-642
 - maladaptive beliefs, 633
 - neutral beliefs, 633
 - religion, 643-644
 - web resources, 888
- delegating, 624
- Hispanics/Latinos, 635-637
- Native Americans/Alaskan natives, 637-638
- non-English speaking clients, communicating with, 634
- nurse's responsibilities, 624-626
- nursing assistants, unstable clients, 626

client information, obtaining (emergency care), 601**closed fractures, 419****closed head injuries**

- contusions, 296
- DAI (diffuse axonal injuries), 296
- hemorrhages, 296-297

clostridium, 422**clotting**

- anticoagulants, 60
- cirrhosis, 249
- thrombophlebitis, 68

clubfoot (talipes equinovarus), pediatrics, 543**Cluster A personality disorders (DSM-IV-TR), 564****Cluster B personality disorders (DSM-IV-TR), 564-565****Cluster C personality disorders (DSM-IV-TR), 566****CNS (central nervous system), neural tube defects, 547-548****COA (coarctation of the aorta), 520****coal miner's lung (pneumoconiosis), 120****Code of Ethics for Nursing, 621-622****coining (Asian-American patient care/management), 639****colloid solutions, 20****colon cancer**

- colorectal cancer, 369-372

- risk factors, 366

colposcopy, cervical cancer, 388**comas, Glasgow coma scale, 292-294****comminuted fractures, 419****common laws, 620-621****communicable diseases, pediatrics**

- chicken pox, 541
- diphtheria, 541
- Fifth's disease, 542
- German measles (rubella), 540
- immunizations, 543
- measles (rubeola), 540
- mumps, 540
- roseola, 542
- whooping cough (pertussis), 541

compartment syndrome (fractures), 425-426**complete heart blocks, 50****complex partial seizures, 312****compound fractures, 419****conduct disorder, 577****conduction system (heart), 50-51****conductive hearing loss, 218****condylomata acuminate, pregnancy, 479****Congenital Aganglionic Megacolon (Hirschsprung's Disease), pediatrics, 507-508****congenital clubfoot (talipes equinovarus), pediatrics, 543****congenital heart defects (CHD), pediatrics, 518-520****congestive heart failure (CHF), 63-64****Conn's syndrome, 97****connective tissue/musculoskeletal disorders**

- amputations, 439-440
- ankylosing spondylitis, 431
- case studies, 442-443
- client management, 440-441
- diagnosing, 444-445
- discoid lupus erythematosus (DLE), 434-436
- fibromyalgia, 430-431
- fractures, 419
 - casts, 425-426
 - compartment syndrome, 425-426
 - complications of, 425-428
 - delayed union/healing, 427-428
 - hips, 436-437
 - osteomyelitis, 426-427
 - sites of, 421
 - symptoms of, 420
 - traction, 422, 425
 - treatment of, 421-422, 425
 - types of, 419
- gout, 431-432
- osteoarthritis, 429-430
- osteoporosis, 428

- rheumatoid arthritis (RA), 433-434
 - systemic lupus erythematosus (SLE), 434-436
 - total hip replacements, 436-437
 - total knee replacements, 437-438
 - Consensus formula, 193**
 - consent (legal issues), 620, 624**
 - contraception, 480-482**
 - contraction stress tests, pregnancy, 458**
 - contractures**
 - amputations, 440
 - pressure ulcers, 185
 - contrecoup injuries, 602**
 - controlled mode (ventilators), 127**
 - contusions**
 - closed head injuries, 296
 - eyes, 212
 - cor pulmonale, asbestosis, 120**
 - cord prolapse (pregnancy), 469**
 - corneal rings (Intacs), 212**
 - corneas (eyes), foreign bodies/irritants, 213**
 - coronary artery bypass grafts (CABG), 62-63**
 - coronary artery disease.** *See* CAD (coronary artery disease)
 - corrosives, ingestion of, 517-518**
 - cotton wool spots, 209**
 - Coumadin (sodium warfarin), myocardial infarction, 60**
 - coup injuries, 602**
 - coxa plana (legg-calve-Perthes disease), pediatrics, 545**
 - CP (cerebral palsy), pediatrics, 547**
 - CPAP (continuous positive airway pressure), ventilators, ARDS treatments, 126**
 - CPR (cardiopulmonary resuscitation), 56-57**
 - cranial nerve assessments, 291-292**
 - craniotomies, 302-304**
 - crepitation, musculoskeletal/connective tissue disorders, 443**
 - cretinism, 86-88**
 - CRF (chronic renal failure), 155**
 - criminal laws, 620**
 - croup syndromes, 502-503**
 - crutches, 440-441**
 - Crutchfield tong traction, 424**
 - Cullen's sign, pancreatitis, 252**
 - cultural practices/beliefs**
 - Arab-Americans, 640-641
 - Asian-Americans, 638-640
 - assessing, 633
 - beneficial beliefs, 633
 - case studies, 644-645
 - dietary practices/considerations, 641-642
 - folk medicine, 633
 - Hispanics/Latinos, 635-637
 - maladaptive beliefs, 633
 - Native Americans/Alaskan natives, 637-638
 - neutral beliefs, 633
 - non-English speaking clients, communicating with, 634
 - religion, 643-644
 - web resources, 888
 - cultured skin, burns, 195**
 - cunjunctiva (eyes), foreign bodies/irritants, 213**
 - cupping (Asian-American patient care/management), 639**
 - Cushing's disease, 98**
 - Cushing's triad, ICP (Intracranial Pressure), 298**
 - custom mode (CD-ROM), 911**
 - cyanosis**
 - emphysema, 114
 - pneumothorax, 131
 - cystic fibrosis (mucoviscidosis)**
 - pediatrics, 506
 - play therapy, 33
 - cystitis, 159-160**
-
- D**
- DAI (diffuse axonal injuries), 296**
 - debridement, 194**
 - decerebrate posture, ICP (Intracranial Pressure), 298**
 - decibels, ear disorders, 218**
 - decorticate posture, ICP (Intracranial Pressure), 298**
 - deep partial thickness (second-degree) burns, 188**
 - defects (structural), pediatrics**
 - cleft lip/palate, 509
 - EA (esophageal atresia), 510
 - TEF (tracheoesophageal fistula), 510
 - defibrillators, 55-56**
 - deficits**
 - ABCD assessment, 598-600
 - AVPU assessment, 600
 - degenerative neurological disorders, 320, 336-337**
 - dehydration, 17**
 - delayed union/healing (fractures), 427-428**
 - demand pacemakers, 51**
 - demineralization (bones), 428**
 - dependent personality disorder, 566**
 - depression (major), 571-572**

- dermatophytes, fungal infections, 181-182**
- details, watching for (exam prep tips), 11**
- developmental hip dysplasia (DHD), pediatrics, 544**
- DHD (developmental hip dysplasia), pediatrics, 544**
- diabetes**
 - diabetes insipidus, 85-86, 326-327
 - diabetes mellitus
 - ADDM (noninsulin-dependent, adult-onset diabetes mellitus), 92
 - diabetic retinopathy, 209-210
 - diagnosing, 93
 - hyperglycemia, 94-95
 - hypoglycemia, 94-95
 - IDDM (insulin-dependent diabetes mellitus), 92
 - patient care/management, 93-95
 - Somogyi effect, 95
 - symptoms of, 92
 - pregnancy, 463
 - retinopathy, 209-210
- diagnosing**
 - cardiovascular system disorders, 71-78
 - cholecystitis, 255
 - cholethiasis, 255
 - cirrhosis, 250
 - HAV (hepatitis A virus), 244
 - HBV (hepatitis B virus), 245
 - HCV (hepatitis C virus), 246
 - HDV (hepatitis D virus), 246
 - HEV (hepatitis E virus), 247
 - hypertension, 47
 - integumentary system disorders, 199-200
 - myocardial infarction, 59
 - pancreatitis, 252
 - ulcers, 231
- diagnostic tests, fluids, 37**
- dialysis**
 - hemodialysis, 156-157
 - peritoneal dialysis, 156
- diastole, IABP, 64**
- diastolic pressure, 46**
- DIC (disseminated intravascular coagulation), 396**
- DID (dissociative identity disorder), 561**
- diet, pregnancy, 456**
- dietary practices/considerations (cultural practices/beliefs), 641-642**
- diffusion, 18**
- dilation, pregnancy, 460**
- diphtheria, pediatrics, 541**
- diplopia**
 - ICP (Intracranial Pressure), 298
 - MS (multiple sclerosis), 317
 - Myasthenia Gravis, 317
- disasters, triage categories, 610-611**
- dissecting aneurysms, 65**
- disseminated intravascular coagulation (DIC), 396**
- dissociative identity disorder (DID), 561**
- diuretics**
 - cardiovascular system, 72
 - hypertension treatment, 48
- diverticular disease, 234-235**
- DLE (discoid lupus erythematosus), 434-436**
- doll's eye phenomena, ICP (Intracranial Pressure), 298**
- donor sites, skin grafts, 196**
- dressings, burns, 195**
- drug dependence**
 - cannabis, 577
 - hallucinogens, 576
 - opiates, 576
 - sedative-hypnotics, 575
 - stimulants, 576
- dry (atrophic) macular degeneration, 210**
- DSM-IV-TR (Diagnostic and Statistical Manual of Mental Disorders), 559**
 - Cluster A personality disorders, 564
 - Cluster B personality disorders, 564-565
 - Cluster C personality disorders, 566
 - schizophrenia classifications, 568
- dumping syndrome, 232**
- duodenal ulcers, 230**
- dyskinesia, Parkinson's disease, 313, 332**
- dyspepsia, cholecystitis/cholethiasis, 254**
- dysphagia**
 - gastrointestinal system disorders, 240, 262
 - lung cancer, 374
 - Parkinson's disease, 313
- dysplasia**
 - DHD (developmental hip dysplasia), 544
 - GER (gastroesophageal reflux), 508
- dyspnea**
 - anemia, 269
 - neoplastic disorders, complications of, 397
 - PE (pulmonary embolus), 129
 - polycythemia vera, 277
- dysreflexia, 324**
- dysthymic disorder, 572**

dystocia, 460**dysuria**

- BPH (benign prostatic hypertrophy), 163
- cystitis, 159
- PKD (polycystic kidney disease), 152
- prostatitis, 162
- urolithiasis, 161

E***E. Coli*, 257****EA (esophageal atresia), pediatrics, 510****ear disorders**

- acoustic neuroma, 217
- client management, 219
- conductive hearing loss, 218
- mastoiditis, 216
- Meniere's disease, 217
- otitis externa (swimmer's ear), 215
- otitis media, 216
- otosclerosis, 217
- ototoxic drugs, 218
- presbycusis, 218
- sensorineural hearing loss, 217-218
- structure of the ear, 214
- trauma injuries, 219

eating disorders

- anorexia nervosa, 578
- bulimia nervosa, 579

ECCE (extracellular cataract extraction), 206**ECG (electrocardiograms), 52-54, 60-61, 66****ECT (electroconvulsive therapy), major depression, 571-572****ectopic pregnancy, 465****eczema (atopic dermatitis), pediatrics, 536-537****ED (erectile dysfunction), 164, 173****effacement, 460****electrical burns, 187-189****electrolytes, 18**

- alterations, treating, 38-39
- base balancing diagnostic tests, 37
- calcium, 25
- chloride, 24
- diagnosing disorders, case studies, 35-37
- homeostasis, 17
- magnesium, 28
- phosphorus, 27
- potassium, 22-23, 31

primary types of, 19

regulating, 20

sodium, 24

values table, 21

web resources, 884

ELISA (Enzyme-Linked Immunosorbent Assay) tests, 346**emergency care**

- ABCD assessment, 598-600
- AVPU assessment, 600
- bioterrorism, 606-610
- case studies, 611-613
- client information, obtaining, 601
- disasters, triage categories, 610-611
- pharmacological agents used in, 614
- poisoning, 604-605
- trauma
 - abdominal injuries, 602-603
 - chest injuries, 602
 - documenting/protecting forensic evidence, 603-604
 - head injuries, 601-602
- triage, 597
 - case studies, 611-613
 - disaster victims, 610-611

emergent phase (burn treatment), 190, 194

Consensus formula, 193

major burns, 191-192

Parkland formula, 192

empacho (Hispanic/Latino patient care/management), 636**emphysema, 114****encephalitis, pediatrics, 534-535****end stage renal failure (CRF), 155****endocrine system, 83**

adrenal gland, 95-98

alterations, treating, 103-107

case studies, 98

diabetes mellitus

- ADDM (noninsulin-dependent, adult-onset diabetes mellitus), 92

- diagnosing, 93

- hyperglycemia, 94-95

- hypoglycemia, 94-95

- IDDM (insulin-dependent diabetes mellitus), 92

- patient care/management, 93-95

- Somogyi effect, 95

- symptoms of, 92

diagnosing disorders, 99-102

electrolytes, regulating, 20

parathyroid
 hyperparathyroidism, 91-92
 hypoparathyroidism, 90-91
 pituitary gland, 84-86
 thyroid, 86-89
 web resources, 86

enemas, Hirschsprung's Disease (Congenital Aganglionic Megacolon), 508

engrafts (transplants), 398

enterobiasis (pinworms), pediatrics, 513

envenomation, 605

epididymitis, 165

epidural blocks, labor (pregnancy), 473

epidural hematomas, 297

epiglottitis, pediatrics, 502

epispadias, pediatrics, 530

epistaxis, thalassemia, 277

EPSE (extrapyramidal side effects), schizophrenia, 569

erectile dysfunction (ED), 164, 173

eructation, cholecystitis/cholethiasis, 254

erythema marginatum (skin), rheumatic fever, 526

erythroblastosis fetalis, 476

eschar
 burns, 194
 pressure ulcers, 186

esophageal disorders
 cancer, 367, 383
 esophageal atresia (EA), pediatrics, 510
 GERD, 240-242
 ulcers, 230

essential hypertension, 46

Estriol levels, pregnancy, 457

Ethics for Nursing, Code of, 621-622

evidence (forensic), documenting/protecting, 603-604

evil eye (Hispanic/Latino patient care/management), 636

Ewing's sarcoma, pediatrics, 532

exacerbations, MS (multiple sclerosis), 316

exams
 diagnostic exams, 37
 practice tests
 MeasureUp, 912-913
 test 1, 661-695, 795-818
 test 2, 697-732, 819-838
 test 3, 733-769, 839-858
 test 4, 771-794, 861-872
 prep tips, 10-13
 study tips, 9

exercise

breast cancer
 arm circle exercises, 381
 hand wall-climbing exercises, 380
 pulley exercises, 379
 exercise electrocardiography, myocardial infarction treatment, 60
 isometric exercises, RA (rheumatoid arthritis), 434

exfoliative psoriasis, 182

extrophy of the bladder, pediatrics, 530

extracellular cataract extraction (ECCE), 206

extracellular fluids, 17

extrapyramidal side effects (EPSE), schizophrenia, 569

extravasation, KD (Kawasaki's Disease), 528

extrinsic (allergenic/atopic) asthma, 115

exudative (wet) macular degeneration, 210

eye disorders

case studies, 219-221
 client management, 223-224
 glaucoma
 aqueous humor, 207-208
 canal of Schlemm, 208
 intraocular disorders, 205
 cataracts, 206-207
 glaucoma, 207-208
 mydriatic eye drops, 206
 ocular melanoma, 213-214
 refractive errors, 206, 211-212
 retinal disorders, 205, 209-211
 structure of the eye, 205
 trauma injuries, 206, 212-213
 uveitis, 209

F

farsightedness (hyperopia), 211

fasciotomy, fractures, 426

fatigue

anemia, 269-270
 polycythemia vera, 277
 sickle cell anemia, 273

felonies, 620

femoral popliteal bypass grafts, PVD treatment, 67

fetal heart tones, 458, 471-472

fetal lie, 460

fetal monitoring, 471-472

FFN (Fetal Fibronectin) tests, pregnancy, 458

fibromyalgia, 430-431

- fibrotic lung disease (interstitial pulmonary disease), 118**
- Fifth's disease, pediatrics, 542**
- filtration, 18**
- first-degree (superficial partial thickness) burns, 188**
- first-degree AV heart blocks, 50**
- flail chest, 602**
- flatulence**
 - cholecystitis/cholelithiasis, 254
 - GERD, 240
- fluids**
 - active transport, 18
 - alterations, treating, 38-39
 - base balancing diagnostic tests, 37
 - dehydration, 17
 - diagnosing disorders, case studies, 35-37
 - diffusion, 18
 - extracellular, 17
 - filtration, 18
 - fluid:solvent ratio, 19
 - homeostasis, 17
 - interstitial, 17
 - intracellular, 17
 - intravasular, 17
 - intravenous, 19-20
 - osmosis, 17
 - overhydration, 17
 - values table, 21
 - water, total body water calculations, 17
 - web resources, 884
- focal seizures, 312**
- folk medicine, 633, 636**
- food**
 - eating disorders
 - anorexia nervosa, 578
 - bulimia nervosa, 579
 - food-borne illnesses, 256-257
- forceps, assisted births, 471**
- foreign bodies/irritants, eyes, 213**
- foreign languages, client communications, 634**
 - Arab-Americans, 641
 - Asian-Americans, 639-640
 - Hispanics/Latinos, 636
 - Native Americans/Alaskan natives, 638
- forensic evidence, documenting/protecting, 603-604**
- fractures**
 - casts, 425-426
 - compartment syndrome, 425-426
 - complications of, 425-428
 - delayed union/healing, 427-428
 - hips, 436-437
 - osteomyelitis, 426-427
 - sites of, 421
 - skull, basilar fractures, 295
 - symptoms of, 420
 - traction, 422, 425
 - treatment of, 421-422, 425
 - types of, 419
- fraud (legal issues), 623**
- Freder-Ramstedt procedure, hypertrophic pyloric stenosis, 511**
- fright sickness (susto), Hispanic/Latino patient care/management, 636**
- full thickness (third-degree) burns, 188**
- functional ED (erectile dysfunction), 164**
- functional incontinence, 160**
- fundoscopic exams, pituitary tumors, 304**
- fundus, pregnancy, 474**
- fungal infections**
 - dermatophytes, 181-182
 - immunological disorders, 351
 - pharmacological treatments, 200
- fusiform aneurysms, 65**
-
- G**
-
- GAD (generalized anxiety disorder), 560**
- gag reflexes, myocardial infarction treatment, 61**
- gait belts, 442**
- galactosemia, pediatrics, 515**
- gallbladder**
 - cholecystitis, 254-255
 - cholelithiasis, 254-256
 - four Fs of, 254
 - gallstones, pancreatitis, 253
- garamycin, pneumonia treatments, 122**
- Gardasil, neoplastic disorders, 543**
- gastric ulcers, 230**
- gastroenteritis, pediatrics, 507**
- Gastroesophageal Reflux (GER), pediatrics, 508-509**
- gastrointestinal system disorders**
 - appendicitis, 236-237
 - case studies, 258-260
 - client management, 261-263
 - diverticular disease, 234-235

- electrolytes, regulating, 20
 - esophageal disorders, GERD, 240-242
 - food-borne illnesses, 256-257
 - gallbladder
 - cholecystitis, 254-255
 - cholelithiasis, 254-256
 - hemorrhoids, 235-236
 - hiatal hernias, 242
 - inflammatory bowel disorders, 233-234
 - intestinal obstructions, 238-239
 - liver disorders
 - cirrhosis, 248-250
 - client treatment, 251
 - hepatitis, 243-248
 - pancreatitis, 251-253
 - pediatrics
 - inflammatory/parasitic disorders, 513
 - ingestion of hazardous substances, 516-518
 - malabsorptive/metabolic syndromes, 514-515
 - motility disorders, 507
 - obstructive disorders, 511-512
 - structural defects, 509-510
 - peptic ulcer disease, 229-232
 - peritonitis, 237-238
 - web resources, 885-886
 - generalized anxiety disorder (GAD), 560**
 - generalized seizures, 310-311**
 - genetic counseling, sickle cell anemia, 275**
 - genital herpes, pregnancy, 479**
 - genitourinary system disorders, 147**
 - AGN (acute glomerulonephritis), 148-149
 - BPH (benign prostatic hypertrophy), 163
 - case studies, 166-168
 - CGN (chronic glomerulonephritis), 149-150
 - client management, 170-172
 - ED (erectile dysfunction), 164, 173
 - epididymitis, 165
 - hydronephrosis, 152-153
 - hydroureteronephrosis, 152-153
 - nephrotic syndrome, 150
 - pediatrics, 529-530
 - PKD (polycystic kidney disease), 151-152
 - priapism, 165
 - prostatitis, 162-163
 - pyelonephritis, 153
 - renal disorders
 - ARF (acute renal failure), 154
 - CRF (chronic renal failure), 155
 - hemodialysis, 156-157
 - peritoneal dialysis, 156
 - renal transplants, 158
 - urinary disorders
 - cystitis, 159-160
 - urinary incontinence, 160-161, 172
 - urolithiasis, 161-162
 - web resources, 884
 - GER (Gastroesophageal Reflux), pediatrics, 508-509**
 - GERD (Gastroesophageal reflux disease), 240-242**
 - German measles (rubella), 540**
 - GI tract. *See* gastrointestinal system disorders**
 - Glasgow coma scale, 292-294**
 - glaucoma**
 - acute, 207
 - aqueous humor, 207-208
 - canal of Schlemm, 208
 - client management, 208
 - POAG, 207
 - rebound vasodilation, 208
 - secondary, 208
 - vasoconstriction, 208
 - gluconeogenesis, 92**
 - gluten-induced enteropathy (celiac), pediatrics, 514**
 - gonorrhea, pregnancy, 478**
 - Goodell's sign, 456**
 - gout, 277, 431-432**
 - grafts**
 - burns, 195-196
 - graft versus host disease (transplants), 398
 - grand mal seizures, status epilepticus, 312-313**
 - Graves' disease. *See* hyperthyroidism**
 - green stick fractures, 419**
 - Guillain-Barre, 319**
 - Guthrie tests, PKU (phenylketonuria), 515**
-
- ## H
- HAART (Highly Active Antiretroviral Therapy), 351**
 - Haemophilus influenzae, bacterial infections, 182**
 - hallucinations, 581**
 - hallucinogens (chemical dependence), 576**
 - halo vests, 323, 424**
 - hand pump exercises, breast cancer, 382**
 - hand wall-climbing exercises (breast cancer), 380**
 - HAV (hepatitis A virus), 243-244**

hazardous substances, ingestion of

- acetaminophen (Tylenol) overdoses, 516
- corrosives, 517-518
- hydrocarbons, 517-518
- iron poisoning, 517
- lead poisoning (plumbism), 516-517
- salicylate overdoses, 516

HBV (hepatitis B virus), 244-245**HCM (Hypertrophic Cardiomyopathy), pregnancy, 462****HCV (hepatitis C virus), 245-246****HDV (hepatitis D virus), 246****head**

- brain tumors, 300-301
- Burr holes, hematoma treatments, 297
- closed head injuries
 - contusions, 296
 - DAI (diffuse axonal injuries), 296
 - epidural hematomas, 297
 - hemorrhages, 296-297
 - intracerebral hematomas, 297
 - subdural hematomas, 297
- craniotomies, 302-304
- lice (pediculosis capitis), 537
- Parkinson's disease, 313-314
- seizures, 309
 - absence, 311
 - complex partial, 312
 - grand mal, 312-313
 - simple partial, 312
 - tonic-clonic, 310-311
 - treatment of, 312
- skull fractures, basilar, 295
- status epilepticus, 312-313
- strokes
 - hemorrhagic strokes, 307-309
 - ischemic strokes, 305-307
- trauma, 601-602

hearing loss

- client management, 219
- conductive, 218
- ototoxic drugs, 218
- sensorineural, 217-218

heart, 45

- acquired heart disease
 - bacterial endocarditis, 526-527
 - KD (Kawasaki's Disease), 527-528
 - rheumatic fever, 525-526
- anatomy of, 46

angina pectoris, 57

- ASD (atrial septal defects), pediatrics, 521-523
- bacterial endocarditis, pediatrics, 526-527
- blocks, 50-51, 91
- cardiac disease, pregnancy, 461-462
- cardiac dysrhythmias
 - bradydysrhythmias, 54
 - internal cardiac defibrillators, 55-56
 - tachydysrhythmias, 54
 - V-fib (ventricular fibrillation), 55
 - ventricular tachycardia, 54
- cardiac monitoring, ECG, 52-54
- cardiac tamponade, 63
- cardiogenic shock, 64
- carditis, rheumatic fever, 526
- CHD (congenital heart defects), pediatrics, 518-520
- COA (coarctation of the aorta), 520
- conduction system, 50-51
- CPR, 56-57
- fetal heart tones, 458, 471
- inflammatory diseases
 - infective endocarditis, 66
 - pericarditis, 66
 - PVD, 67
- mixed defects, pediatrics, 524-525
- myocardial infarction, client management, 59-64
- obstructive defects, pediatrics, 520-525
- pacemakers, 51
- rheumatic fever, pediatrics, 525-526
- TOF (tetralogy of fallot), pediatrics, 523
- VSD (ventricular septal defects), pediatrics, 521

heaters (hot water), burn prevention, 187**Hegar's sign, 456****HELLP (hemolysis, elevated liver enzymes, and low platelets) syndrome, 464****help**

- exam prep tips, 10-13
- study tips, 9
- technical support, 913

hemarthrosis, 279-280**hematological disorders**

- aplastic anemia, 270-271
- B vitamins, 270
- case studies, 282-284
- causes of, 269
- client management, 285-286
- hemophilia
 - client treatment, 279
 - symptoms of, 278-279

- transfusion therapy
reactions, 282
transfusion therapy, 280-281
- iron deficiency anemia, 275
- pernicious anemia, 270
- polycythemia vera, 277-278
- sickle cell anemia, 271-275
- symptoms of, 269
- thalassemia, 276-277
- hematomas**, 297
- hematopoietic system web resources**, 884
- hematuria**
chronic glomerulonephritis, 149
cystitis, 159
PKD (polycystic kidney disease), 152
pyelonephritis, 153
urolithiasis, 161
- hememesis, gastronintestinal system disorders**, 262
- hemiparesis**
brain tumors, 300
ischemic strokes, 305
- hemiplegia, ischemic strokes**, 305
- hemochromatosis, thalassemia**, 277
- hemodialysis**, 156-157
- hemophilia**, 278-279
- hemoptysis**
PE (pulmonary embolus), 130
sarcoidosis, 118
- hemorrhages (closed head injuries)**, 296-297
- hemorrhagic strokes**, 307-309
- hemorrhoids**, 235-236
- hemosiderosis, thalassemia**, 277
- hemothorax**, 131-133
- hematuria, acute glomerulonephritis**, 148
- hepatic comas**, 249
- hepatitis**
client treatment, 248
HAV, 243-244
HBV, 244-245
HCV, 245-246
HDV, 246
HEV, 246-247
icteric stage, 247
prodromal stage, 247
- hepatomegaly**
cirrhosis, 250
hepatitis, 247
- hepatosplenomegaly, thalassemia**, 276
- hernias, hiatal**, 242
- herniated disks**, 325-326
- herpes simplex virus (HSV)**, 180
- herpes zoster (shingles)**, 180-181
- heterografts, burns**, 195
- heterozygous thalassemia**, 276
- HEV (hepatitis E virus)**, 246-247
- hiatal hernias**, 242
- Hinduism (patient care/management)**, 639, 643
- hips, total hip replacement**, 436-437
- Hirschsprung's Disease (Congenital Aganglionic Megacolon), pediatrics**, 507-508
- Hispanic/Latino patient care/management**, 635-637, 641-644
- histrionic personality disorder**, 564
- HIV**, 345
CDC classifications, 347
client management
case studies, 352-354
HAART (Highly Active Antiretroviral Therapy), 351
pharmacological agents list, 356-359
diagnosing, 346, 355
infections, 351-352
pregnancy, 480
standard precautions, 348-350
- Hodgkin's lymphoma**, 367, 391
- Homan's sign, thrombophlebitis diagnosis**, 68
- homestasis**, 17
- homocysteine, hypertension treatment**, 47
- homografts, burns**, 195
- homzygous thalassemia**, 276
- hot water heaters, burn prevention**, 187
- Household System of Measurement**, 889
- HPV (Human Papillomavirus), pregnancy**, 479
- HSV (herpes simplex virus)**, 180
- HSV2 (genital herpes), pregnancy**, 479
- Huntington's disease**, 320
- hydatidiform mole**, 465
- hydrocarbons, ingestion of, pediatrics**, 517-518
- hydrocephalus**
hemorrhagic strokes, 309
pituitary tumors, 303
- hydronephrosis**, 152-153
- hydroureteronephrosis**, 152-153
- hyperacute graft rejection (renal transplants)**, 158

- hyperbilirubinemia, 476**
- hypercalcemia, 25**
- hyperchloremia, 24**
- hyperglycemia, 94-95**
- hyperhemolytic crises (sickle cell anemia), 273**
- hyperkalemia, 22-23**
- hypermagnesemia, 28**
- hypernatremia, 24**
- hyperopia (farsightedness), 211**
- hyperparathyroidism, 91-92**
- hyperphosphatemia, 27**
- hyperpituitarism, 84-85**
- hypertension**
 - chronic glomerulonephritis, 149
 - cirrhosis, 248
 - client management
 - ACE inhibitors, 48
 - Angiotensin II receptor antagonists, 49
 - antihypertensive medication, 48
 - calcium channel blockers, 48
 - central alpha agonists, 49
 - diuretics, 48
 - homocysteine, 47
 - vasodilators, 49
 - diagnosing, 46-47
 - hypertensive retinopathy, 209
 - malignant, 46
 - obstructive heart defects, 521
 - PKD (polycystic kidney disease), 152
 - portal hypertension, galactosemia, 515
 - PPH (pulmonary hypertension), 117-118
 - primary, 46
 - secondary, 46
- hypertensive crises, hallucinogen dependence, 576**
- hypertensive retinopathy, 209**
- hyperthyroidism, 88-89**
- hypertonic solutions, 20**
- hypertrophic pyloric stenosis, pediatrics, 511**
- hyphema, 212**
- hypocalcemia, 25**
- hypocapnia, ICP (Intracranial Pressure), 299**
- hypochloremia, 24**
- hypoglycemia, 94-95**
- hypokalemia, 22-23**
- hypomagnesemia, 28**
- hyponatremia, 24**
- hypoparathyroidism, 90-91**
- hypophosphatemia, 27**
- hypopituitarism, 84**
- hypospadias, pediatrics, 530**
- hypothyroidism, 86-88**
- hypotonic solutions, 20**
- hypoxemia**
 - ARDS (acute respiratory distress syndrome), 126-128
 - PE (pulmonary embolus), 129
 - pulmonary fibrosis, 119
 - pulmonary hypertension, 118
 - silicosis, 120
- hypoxia**
 - ARDS (acute respiratory distress syndrome), 126
 - emphysema, 114
 - pneumonia, 121
-
- IABP (intra-aortic balloon pumps), myocardial infarction treatment, 63**
- ICP (Intracranial Pressure)**
 - increases in, 297-298
 - monitoring, 294
 - treatment of, 299
- icteric stage (hepatitis), 247**
- IDDM (insulin-dependent diabetes mellitus), 92**
- immunizations, pediatrics, 543**
- immunological disorders, 345**
 - case studies, 352-354
 - CDC classifications, 347
 - client management, 352
 - HAART (Highly Active Antiretroviral Therapy), 351
 - pharmacological agents list, 356-359
 - diagnosing, 346, 355
 - infections
 - bacterial, 351
 - fungal, 351
 - protozoal, 351
 - viral, 352
 - standard precautions, 348
 - airborne transmission, 349
 - contact transmission, 349-350
 - droplet transmission, 349
 - post occupational exposure treatments, 350
- imperforate anus, pediatrics, 512**
- implanted cardioverters, client management, 55-56**
- incompetent cervix, 466**
- incontinence (urinary), 160-161, 172**

inducing labor (pregnancy), Pitocin, 458-459

infants (28 days to 1 year), 493-494, 887

Infections

bacterial, 182

burns, 194

fungal

 dermatophytes, 181-182

 pharmacological treatments, 200

HIV, 351-352

intracranial, pediatrics, 534-535

lower airway infections, pediatrics, 504-506

sickle cell anemia, 273

upper airway infections, pediatrics, 499-503

upper respiratory infections, anemia, 270

urinary tracts, client management, 170-171

viral, 179

 herpes web resources, 181

 herpes zoster (shingles), 180-181

 HSV, 180

infectious cystitis, 159

infectious mononucleosis, pediatrics, 501

infective endocarditis, 66

inflammatory heart diseases

 infective endocarditis, 66

 pericarditis, 66

 PVD, 67

inflammatory/parasitic disorders

 enterobiasis (pinworms), 513

 Meckel's diverticulum, 513

inflammatory bowel disorders

 Chron's disease (regional enteritis), 233

 client management, 234

 ulcerative colitis, 233

influenza, 125

informed consent (legal issues), 624

infratentorial surgery, craniotomies, 302

ingestion of hazardous substances

 acetaminophen (Tylenol) overdoses, 516-517

 corrosives, 517-518

 hydrocarbons, 517-518

 iron poisoning, 517

 lead poisoning (plumbism), 516-517

 salicylate overdoses, 516

installing CD-ROM, system requirements, 912

insulin, diabetes mellitus, 92-94

Intacs corneal rings, 212

Integra (artificial skin), burns, 196

integumentary disorders, pediatrics

 eczema (atopic dermatitis), 536-537

 lyme disease, 538

 pediculosis capitis (head lice), 537

 Rocky Mountain spotted fever, 538-539

 scabies, 537

integumentary system

 bacterial infections, 182

 burns

 carbon monoxide, 192

 chemical, 187

 client management, 190-196

 electrical, 187-189

 eschar, 194

 first-degree (superficial partial thickness), 188

 hot water heaters, 187

 infections, 194

 Lund and Browder measurement method, 189

 major burn injuries, 190-192

 minor burn injuries, 190

 moderate burn injuries, 190

 palm measurement method, 189

 radiation, 187

 Rule of Nines measurement method, 189

 second-degree (deep partial thickness), 188

 shock, 188

 thermal, 187

 third-degree (full thickness), 188

 web resources, 187

 case studies, 196-197

 client management, 199-200

 fungal infections

 dermatophytes, 181-182

 pharmacological treatments, 200

 pressure ulcers

 Braden scale, 184-185

 contractures, 185

 eschar, 186

 treatment for, 186-187

 psoriasis, 183

 exfoliative psoriasis, 182

 pharmacological treatments, 199-200

 psoriasis vulgaris, 182

 viral infections, 179

 herpes zoster (shingles), 180-181

 HSV, 180

 web resources, 181

intentional torts, 623

intermediate phase (burn treatment), 194
intermittent tenesmus, ulcerative colitis, 233
internal cardiac defibrillators, client management, 55-56
interstitial cystitis, 159
interstitial fluids, 17
interstitial pulmonary disease (fibrotic lung disease), 118
intervertebral disk disease, 325-326
intestinal obstructions, 238-239
intra-abdominal bleeding, 603
intra-aortic balloon pumps (IABP), myocardial infarction treatment, 63
intracellular fluids, 17
intracerebral hematomas, 297
intracranial infections, pediatrics, 534-535
intracranial pressure (ICP)
 increases in, 297-298
 monitoring, 294
 treatment of, 299
intracranial surgery. *See* craniotomies
intraocular disorders, 205
 cataracts, 206-207
 glaucoma
 acute, 207
 client management, 208
 POAG, 207
 rebound vasodilation, 208
 secondary, 208
 vasoconstriction, 208
 mydriatic eye drops, 206
intrapartal care (pregnancy), 459-460
intrarenal ARF (acute renal failure), 154
intravascular fluids, 17
intravenous fluids, 19-20
intrinsic (nonallergenic) asthma, 115
intussusception, pediatrics, 512
IPC (Idiopathic Peripartum Cardiomyopathy), pregnancy, 463
iron deficiency anemia, 275
iron poisoning, pediatrics, 517
irritants/foreign bodies, eyes, 213
ischemia, CAD (coronary artery disease), 49
ischemic strokes, 305-307
isometric exercises, RA (rheumatoid arthritis), 434
isotonic solutions, 20
issimmunization, pregnancy, 476

J - K

jabón de la mano milagrosa (Hispanic/Latino patient care/management), 636

jaundice

- biliary artesia, 512
- cirrhosis, 249
- galactosemia, 515
- hepatitis, 243-244, 247
- pernicious anemia, 270
- physiologic jaundice, 477

Jehovah's Witness (patient care/management), 643

Jobst garments, burns, 196

joints

- arthritis, JRA (juvenile rheumatoid arthritis), 546-547
- polymigratory arthritis, rheumatic fever, 526

JRA (juvenile rheumatoid arthritis), pediatrics, 546-547

Judaism (patient care/management), 643

juvenile rheumatoid arthritis (JRA), pediatrics, 546-547

juvenile-onset diabetes, 92

KD (Kawasaki's Disease), pediatrics, 527-528

Kehr's sign, abdominal injuries, 603

kernicterus, 476

Kernig's sign, meningitis, 315

keywords, looking for (exam prep tips), 11

kidney disorders. *See* genitourinary system disorders

kidney stones (urinary calculi), 161-162

kidneys

- electrolytes, regulating, 20
- pH, regulating, 29

knees, total knee replacements, 437-438

L

labor (pregnancy)

- assisted births, 471
- Cesarean births, 470
- cord prolapse, 469
- dilation, 460
- dystocia, 460
- effacement, 460
- fetal lie, 460
- fetal monitoring, 471-472
- inducing, Pitocin, 458-459
- pharmacological management
- nerve blocks, 473
- sedatives, 472

- position, 460
- post-term births, 469
- precipitate delivery, 460, 469
- premature labor, 467-468
- presentation, 460
- stages of, 459
- station, 460
- terms associated with, 460
- lacerations, eyes, 213**
- LADA (latent autoimmune diabetes in adults), 92**
- laryngotracheobronchitis, pediatrics, 503**
- larynx cancer, risk factors, 367**
- LASIK (laser in-situ keratomileusis), 212**
- Latino/Hispanic patient care/management, 635-637**
- laws**
 - civil, 620
 - common laws, 620-621
 - criminal, 620
 - regulatory, 620
 - statutory, 620
- lead poisoning (plumbism), pediatrics, 516-517**
- legal issues**
 - assault, 623
 - Boards of Nursing, 619
 - client care/management
 - case study, 627-628
 - delegating, 624
 - nurse's responsibilities, 624-626
 - nursing assistants, 626
 - unstable patients, 626
 - Code of Ethics for Nursing, 621-622
 - consent, 620, 624
 - felonies, 620
 - fraud, 623
 - laws
 - civil laws, 620
 - common laws, 620-621
 - criminal laws, 620
 - regulatory laws, 620
 - statutory laws, 620
 - malpractice, 623
 - misdemeanors, 620
 - negligence, 623
 - Nursing Practice Acts, 619, 626
 - Patient's Bill of Rights, 620-621
 - right of refusal, 619
 - torts, 623
- web resources, 888
- witnessing consent for care, 624
- Legg-Calve-Perthes disease (coxa plana), pediatrics, 545**
- Legionnaires' disease, 121, 135**
- Leopold's maneuver, pregnancy, 460**
- leukemia (cancer), 366, 388-389**
 - pediatrics, 531
 - risk factors, 367
- leukopenia, aplastic anemia, 270**
- liver disorders**
 - cancer, risk factors, 367
 - cirrhosis, 248-251
 - hepatitis
 - client treatment, 248
 - HAV, 243-244
 - HBV, 244-245
 - HCV, 245-246
 - HDV, 246
 - HEV, 246-247
 - icteric stage, 247
 - prodromal stage, 247
 - log rolls (traction), 323**
 - long-term respiratory disorders, 505**
 - lordosis**
 - DHD (developmental hip dysplasia), 544
 - MD (muscular dystrophies), 548
 - Lou Gehrig's Disease, 320**
 - lower airway infections**
 - bronchiolitis, 504
 - bronchitis, 504
 - childhood asthma, 505-506
 - cystic fibrosis (mucoviscidosis), 506
 - long-term respiratory disorders, 505
 - pediatrics, 504-506
 - lower respiratory tract disorders**
 - asthma, client treatment, 116
 - infectious
 - hemothorax, 133
 - influenza, 125
 - pneumonia, 121-122, 139-140
 - TB (tuberculosis), 124, 141-142
 - noninfectious
 - asthma, 115
 - chronic bronchitis, 113
 - emphysema, 114
 - interstitial pulmonary disease (fibrotic lung disease), 118

- occupational pulmonary disease, 119-121
 - pleurisy, 116
 - PPH (pulmonary hypertension), 117-118
 - pulmonary fibrosis, 119
 - sarcoidosis, 118
 - LSD (chemical dependence), 576**
 - Lugol's solution (SSKI), 89**
 - Lund and Browder burn measurement method, 189**
 - lungs**
 - burn treatments, 191
 - cancer, 367, 373-374
 - disorders. *See* respiratory disorders
 - pH, regulating, 30
 - lupus erythematosus**
 - DLE (discoid lupus erythematosus), 434-436
 - SLE (systemic lupus erythematosus), 434-436
 - lyme disease, pediatrics, 538**
 - lymphedema, breast cancer, 378-379**
 - lymphocyte count tests, 346**
 - lymphoma (cancer), 366-367, 391**
-
- M**
- magnesium, hypermagnesemia, 28**
 - mailaise, pneumonia, 121**
 - major burn injuries, 190-192**
 - major depression, 571-572**
 - mal de ojo (evil eye), Hispanic/Latino patient care/management, 636**
 - malabsorptive/metabolic syndromes**
 - celiac (gluten-induced enteropathy, celiac sprue), 514
 - galactosemia, 515
 - PKU (phenylketonuria), 514-515
 - maladaptive beliefs (client care/management), 633**
 - malaise**
 - cirrhosis, 250
 - hepatitis, 243-244, 247
 - malignant hypertension, 46**
 - malpractice (legal issues), 623**
 - mania (acute), 570-571**
 - manual traction (fractures), 422**
 - MAOI (monoamine oxidase inhibitors), major depression, 571-572**
 - Marie-Strumpell disease, 431**
 - marijuana (chemical dependence), 577**
 - mastoiditis, 216**
 - math skills, testing, 890-891**
 - Mcburney's point, appendicitis, 236**
 - McDonald cerclage, 466**
 - MD (muscular dystrophies), pediatrics, 548-549**
 - measles (rubeola), pediatrics, 540**
 - measurement, systems of**
 - Apothecary System of Measurement, 889
 - Household System of Measurement, 889
 - metric measurements, 890
 - MeasureUp practice tests, 912-913**
 - Meckel's diverticulum, pediatrics, 513**
 - meconium**
 - Hirschsprung's Disease (Congenital Aganglionic Megacolon), 508
 - imperforate anus, 512
 - meconium ileus, cystic fibrosis, 506**
 - medication**
 - most-prescribed medication table, 893-895
 - toxicity, heart blocks, 51
 - web resources, 893
 - Meniere's disease, 217**
 - meningitis, 314-316**
 - menopause, 477**
 - metabolic acidosis**
 - causes of, 30
 - determining, 35
 - patient care/management, 31
 - symptoms of, 30
 - metabolic alkalosis, 33-35**
 - metabolic/malabsorptive syndromes**
 - celiac (gluten-induced enteropathy, celiac sprue), 514
 - galactosemia, 515
 - PKU (phenylketonuria), 514-515
 - metastasis, 365**
 - metric measurements, 890**
 - micrographia, Parkinson's disease, 313**
 - milia, 476**
 - minor burn injuries, 190**
 - misdemeanors, 620**
 - mixed defects (heart), pediatrics, 524-525**
 - mixed incontinence, 160**
 - moderate burn injuries, 190**
 - mongolian spots, 476**
 - monoamine oxidase inhibitors (MAOI), major depression, 571-572**
 - mononucleosis, pediatrics, 501**
 - Mormonism (patient care/management), 643**

motility disorders, pediatrics

- gastroenteritis, 507
- GER (Gastroesophageal Reflux), 508-509
- Hirschsprung's Disease (Congenital Aganglionic Megacolon), 507-508

MRI, diagnosing neoplastic disorders, 403**MS (multiple sclerosis), 316, 337-338**

mucocutaneous lymph node syndrome. *See* KD (Kawasaki's Disease)

mucoviscidosis (cystic fibrosis), pediatrics, 506**multiple myeloma, risk factors, 367****multiple sclerosis (MS), 316, 337-338****mumps, pediatrics, 540****muscles**

- congenital clubfoot (talipes equinovarus), 543
- CP (cerebral palsy), 547
- DHD (developmental hip dysplasia), 544
- fibromyalgia, 430-431
- legg-calve-Perthes disease (coxa plana), 545
- MD (muscular dystrophies), 548-549
- myoglobinuria, 189
- osteogenesis imperfecta, 545
- scoliosis, 546
- third-degree (full thickness) burns, 189

muscular dystrophies (MD), pediatrics, 548-549**musculoskeletal/connective tissue disorders**

- amputations
 - client management, 439-440
 - contractures, 440
 - phantom limb pain, 439
 - TENS (Transcutaneous Electrical Nerve Stimulators), 439
- ankylosing spondylitis, 431
- case studies, 442-443
- client management
 - canes, 441
 - crutches, 440-441
 - pharmacological agents list, 445-450
 - walkers, 441
- diagnosing, 444-445
- discoid lupus erythematosus (DLE), 434-436
- fibromyalgia, 430-431
- fractures
 - casts, 425-426
 - compartment syndrome, 425-426
 - complications of, 425-428
 - delayed union/healing, 427-428

hips, 436-437

- osteomyelitis, 426-427
- sites of, 421
- symptoms of, 420
- traction, 422, 425
- treatment of, 421-422, 425
- types of, 419
- fractures, 419
- gout, 431-432
- osteoarthritis, 429-430
- osteoporosis, 428
- pediatrics
 - congenital clubfoot (talipes equinovarus), 543
 - DHD (developmental hip dysplasia), 544
 - JRA (juvenile rheumatoid arthritis), 546-547
 - legg-calve-Perthes disease (coxa plana), 545
 - osteogenesis imperfecta, 545
 - scoliosis, 546
 - rheumatoid arthritis (RA), 433-434
 - systemic lupus erythematosus (SLE), 434-436
 - total hip replacements, 436-437
 - total knee replacements, 437-438
 - web resources, 886

Myasthenia Gravis, 317-318, 339**mydriatic eye drops, 206****myocardial infarction**

- cardiogenic shock, 64
- client management
 - angiography, 62
 - anticoagulants, 60
 - CABG, 62-63
 - cardiac catheterization, 61
 - CHF, 63-64
 - Coumadin (sodium warfarin), 60
 - echocardiography, 61
 - exercise electrocardiography, 60
 - IABP, 63
 - PAWP, 64
 - PTCA, 62
 - stents, 62
- client management, 59
- diagnosing, 59
- signs/symptoms of, 59

myoglobinuria, 189**myopia (nearsightedness), 211****myxedema, 86**

N**Naegele's rule, 467****narcissistic personality disorder, 565****narcotic overdose, 32****National Council of State Boards of Nursing, 619****Native American/Alaskan native patient care/management, 637-638****nearsightedness (myopia), 211****negative-pressure ventilators, ARDS treatments, 127****neglected/abused children, caring for, 550****negligence (legal issues), 623****neoplastic disorders**

bone marrow transplants, 397-398

cancer

American Cancer Society's Seven Warning Signs of Cancer, 365

bladder cancer, 384

breast cancer, 369, 377-381

carcinoma, 366

cervical cancer, 388

chemotherapy, 392-395

client management, 394

colorectal, 369-372

diagnosing, 368

esophageal cancer, 383

Hodgkin's lymphoma, 391

leukemia, 366, 388-389

lungs, 373-374

lymphoma, 366

metastasis, 365

non-Hodgkin's lymphoma, 391

ovarian cancer, 387

pancreatic cancer, 386

prostate, 375-376

radiation therapy, 392-394

renal cancer, 385

risk factors, 366-368

sarcoma, 366

stomach cancer, 385

surgery, 392

TPN (total parental nutrition), 395-396

case studies, 399-400

client management, 403-411

complications of, 396-397

diagnosing, 402-403

DIC (disseminated intravascular coagulation), 396

Gardasil, 543

pediatrics

Ewing's sarcoma, 532

leukemia, 531

neuroblastoma, 532

osteosarcoma, 532

retinoblastoma, 532

rhabdomyosarcoma, 533

surviving, 533

Wilm's tumor (nephroblastoma), 531

stem cell transplants, 397-398

nephrectomy, pyelonephritis, 153**nephroblastoma (Wilm's tumor), pediatrics, 531****nephrotic syndrome, 150****nerve blocks, labor (pregnancy), 473****nervous system**

CP (cerebral palsy), 547

MD (muscular dystrophies), 548-549

neural tube defects, 547-548

spina bifida, 547-548

neural tube defects, pediatrics, 547-548**neuroblastoma, pediatrics, 532****neurological system disorders**

assessments

cranial nerve assessments, 291-292

Glasgow coma scale, 292-294

ICP (intracranial pressure), 294, 297-299

autoimmune

Guillain-Barre, 319

MS (multiple sclerosis), 316, 337-338

Myasthenia Gravis, 317-318, 339

brain

basilar skull fractures, 295

contusions, 296

DAI (diffuse axonal injuries), 296

epidural hematomas, 297

hemorrhages, 296-297

intracerebral hematomas, 297

subdural hematomas, 297

tumors, 300-301

case studies, 328-329

client management, 331-339

craniotomies, 302-304

degenerative, 320, 336-337

diabetes insipidus, 326-327

herniated disks, 325-326

intervertebral disk disease, 325-326

meningitis, 314-316

Parkinson's disease, 313-314

seizures, 309
 absence, 311
 complex partial, 312
 grand mal, 312-313
 simple partial, 312
 tonic-clonic, 310-311
 treatment of, 312
 spinal cord injuries, 322-324
 status epilepticus, 312-313
 strokes
 hemorrhagic strokes, 307-309
 ischemic strokes, 305-307
 web resources, 887

neuromalignant syndrome (NMS), 581

neuromuscular disorders, pediatrics
 CP (cerebral palsy), 547
 MD (muscular dystrophies), 548-549
 neural tube defects, 547-548
 spina bifida, 547-548

neurotransmitters, psychiatric disorders, 559

neutral beliefs (client care/management), 633

newborn care, 474-476

NMS (neuromalignant syndrome), 581

non-English speaking clients, communicating with, 634
 Arab-Americans, 641
 Asian-Americans, 639-640
 Hispanics/Latinos, 636
 Native Americans/Alaskan natives, 638

non-Hodgkin's lymphoma, 367, 391

non-nucleoside analog reverse transcriptase inhibitors, HIV client management, 357

noncardiogenic pulmonary edema. *See* ARDS (acute respiratory distress syndrome)

noninfectious cystitis, 159

nonstress tests, pregnancy, 458

nuchal
 bacterial meningitis, 314
 hemorrhagic strokes, 308

nuclear warfare (bioterrorism), 609-610

nucleoside analog reverse transcriptase inhibitors, HIV client management, 351, 356

nulliparity, neoplastic disorders, 367

nursing assistants, unstable patients, 626

Nursing Practice Acts, 619, 626

nutrition, TPN (total parenteral nutrition), 395-396

O

obsessive-compulsive disorder (OCD), 562, 566

obstructive defects, pediatrics, 520

ASD (atrial septal defects), 521-523
 mixed defects, 524-525
 TOF (tetralogy of fallot), 523
 VSD (ventricular septal defects), 521

obstructive disorders

biliary atresia, 512
 hypertrophic pyloric stenosis, 511
 imperforate anus, 512
 intussusception, 512

obstructive uropathy, pediatrics, 529

ocular melanoma, canal of Schlemm, 213

occupational pulmonary disease

asbestosis, 120
 berylliosis, 121
 pneumoconiosis (black lung, coal miner's lung), 120
 silicosis, 119
 talcosis, 120

OCD (obsessive-compulsive disorder), 562, 566

ocular melanoma, 213-214

oliguria

AGN (acute glomerulonephritis), 148-149
 CGN (chronic glomerulonephritis), 149
 renal transplants, 158

OMT (oral mucosal transudate) tests, 346

one-chamber chest drainage systems, hemothorax treatments, 133

opiates (chemical dependence), 576

opisthotono, bacterial meningitis, 315

oppositional defiant disorder, 578

opynophagia, gastrointestinal system disorders, 240

orange juice, administering potassium, 23

organic ED (erectile dysfunction), 164

Ortolani click, DHD (developmental hip dysplasia), 544

osmosis, 17

osteoarthritis, 429-430

osteogenesis imperfecta, pediatrics, 545

osteomyelitis, 426-427

osteoporosis, 276, 428

osteosarcoma, pediatrics, 532

otitis externa (swimmer's ear), 215

otitis media, 216

anemia, 270

AOM (acute otitis media), pediatrics, 501-502

otosclerosis, 217
ototoxic drugs, hearing loss, 218
ovarian cancer, 367, 387
overdoses, pediatrics, 516
overflow incontinence, 160
overhydration, 17
oxygen therapy, pneumonia treatments, 122
oxytocin, pregnancy, 470, 474

P

P waves (ECG), 53-54
P-R intervals (ECG), 53
P-R segments (ECG), 53
p24 level tests, 346
pacemakers, 51, 55-56
pain, AVPU assessment, 600
Palivisumab (Synagis), bronchiolitis, 504
palliative shunts, TOF (tetralogy of fallot), 523
pallor
 anemia, 269
 pernicious anemia, 270
 thalassemia, 276
palm burn measurement method, 189
pancreatic cancer, 367, 386
pancreatic enzyme replacement, cystic fibrosis (mucoviscidosis), 506
pancreatitis, 251-253
panic disorder, 561-562
paraesophageal hernias, 242
parallel play (toddlers), 495
paranoid personality disorder, 564
parasitic/inflammatory disorders, 513
paresthesia
 ischemic strokes, 305
 pernicious anemia, 270
 polycythemia vera, 277
parathyroid, 90
 hyperparathyroidism, 91-92
 hypoparathyroidism, 90-91
Parkinson's disease, 313-314
Parkland formula, 192
partial seizures, 312
pathological fractures, 420
patient care/management
 Arab-Americans, 640-641
 Asian-Americans, 638-640
 case study, 627-628
 consent (legal issues), 620, 624
 cultural practices/beliefs
 assessing, 633
 beneficial beliefs, 633
 case study, 644-645
 dietary practices/considerations, 641-642
 maladaptive beliefs, 633
 neutral beliefs, 633
 religion, 643-644
 web resources, 888
 delegating, 624
 Hispanics/Latinos, 635-637
 Native Americans/Alaskan natives, 637-638
 non-English speaking clients, communicating with, 634
 nurse's responsibilities, 624-626
 nursing assistants, unstable patients, 626
Patient's Bill of Rights, 620-621
PAWP (pulmonary artery wedge pressure), 64
PCP (Pneumocystis Carinii Pneumonia), client management, 358
PE (pulmonary embolus), 128-130
Pearson attachments, traction, 424
pediatrics
 abused/neglected children, caring for, 550
 cardiovascular disorders
 acquired heart disease, 525-528
 CHD (congenital heart defects), 518-525
 case studies, 551-552
 cerebral disorders
 intracranial infections, 534-535
 Reye's syndrome, 535-536
 communicable diseases
 chicken pox, 541
 diphtheria, 541
 Fifth's disease, 542
 German measles (rubella), 540
 immunizations, 543
 measles (rubeola), 540
 mumps, 540
 roseola, 542
 whooping cough (pertussis), 541
 gastrointestinal disorders
 gastroenteritis, 507
 GER (Gastroesophageal Reflux), 508-509
 Hirschsprung's Disease (Congenital Aganglionic Megacolon), 507-508
 inflammatory/parasitic disorders, 513

- ingestion of hazardous substances, 516-518
- malabsorptive/metabolic syndromes, 514-515
- motility disorders, 507-509
- obstructive disorders, 511-512
- structural defects, 509-510
- genitourinary disorders
 - epispadias, 530
 - extrophy of the bladder, 530
 - hypospadias, 530
 - obstructive uropathy, 529
- growth and development
 - adolescence (12-18 years), 498
 - infants (28 days to 1 year), 493-494
 - preschoolers (3-5 years), 496-497
 - school age (6-12 years), 497-498
 - toddlers (1-3 years), 495
- integumentary disorders
 - eczema (atopic dermatitis), 536-537
 - lyme disease, 538
 - pediculosis capitis (head lice), 537
 - Rocky Mountain spotted fever, 538-539
 - scabies, 537
- musculoskeletal disorders
 - congenital clubfoot (talipes equinovarus), 543
 - DHD (developmental hip dysplasia), 544
 - JRA (juvenile rheumatoid arthritis), 546-547
 - legg-calve-Perthes disease (coxa plana), 545
 - osteogenesis imperfecta, 545
 - scoliosis, 546
- neoplastic disorders
 - Ewing's sarcoma, 532
 - leukemia, 531
 - neuroblastoma, 532
 - osteosarcoma, 532
 - retinoblastoma, 532
 - rhabdomyosarcoma, 533
 - surviving, 533
 - Wilms' tumor (nephroblastoma), 531
- neuromuscular disorders
 - CP (cerebral palsy), 547
 - MD (muscular dystrophies), 548-549
 - neural tube defects, 547-548
 - spina bifida, 547-548
- obstructive disorders
 - biliary atresia, 512
 - hypertrophic pyloric stenosis, 511
 - imperforate anus, 512
 - intussusception, 512
- pharmacological agents list, 554
- respiratory disorders
 - AOM (acute otitis media), 501-502
 - bronchiolitis, 504
 - bronchitis, 504
 - childhood asthma, 505-506
 - croup syndromes, 502-503
 - cystic fibrosis (mucoviscidosis), 506
 - infectious mononucleosis, 501
 - long-term respiratory disorders, 505
 - lower airway infections, 504-506
 - tonsillitis, 499-500
 - upper airway infections, 499-503
- structural defects
 - cleft lip/palate, 509
 - EA (esophageal atresia), 510
 - TEF (tracheoesophageal fistula), 510
- web resources, 888
- pediculosis capitis (head lice), pediatrics, 537**
- PEEP (positive and expiratory pressure), ventilators**
 - ARDS treatments, 126
 - pneumothorax, 131
- penetrating injuries, eyes, 213**
- peptic ulcer disease, 229**
 - client treatment, 231-232
 - diagnosing, 231
 - dumping syndrome, 232
 - duodenal ulcers, 230
 - esophageal ulcers, 230
 - gastric ulcers, 230
- percutaneous transluminal coronary angioplasty (PTCA), 62**
- pericarditis, 66**
- peripheral vascular disease (PVD), 67**
- peritoneal dialysis, 156**
- peritonitis, 237-238, 249**
- permanent skin grafts, burns, 196**
- pernicious anemia, 270**
- personality disorders, 563**
 - antisocial personality disorder, 565
 - avoidant personality disorder, 566
 - borderline personality disorder, 565
 - client management, 566-567
 - dependent personality disorder, 566
 - histrionic personality disorder, 564
 - narcissistic personality disorder, 565
 - obsessive-compulsive personality disorder, 566
 - paranoid personality disorder, 564
 - schizoid personality disorder, 564
 - schizotypal personality disorder, 564

Perthes disease (coxa plana), pediatrics, 545

pertussis (whooping cough), pediatrics, 541

pH

anions, 18

cations, 18

diagnosing disorders, 35-37

metabolic acidosis

causes of, 30

determining, 35

patient care/management, 31

symptoms of, 30

metabolic alkalosis, 33-35

regulating, 29-30

respiratory acidosis, 32-35

respiratory alkalosis, 34-35

phacoemulsion, 206

phantom limb pain (amputations), 439

pharmacological agents lists

cardiovascular system disorders

alpha-receptor blockers, 75

angiotensin receptor blockers, 75

anticoagulants, 77

antidyshhythmics, 76

beta adrenergic blockers, 73

calcium channel blockers, 74

diuretics, 72

thrombolytics, 78

vasodilators, 75

emergency care, 614

gastrointestinal system disorders, 261-263, 285-286

genitourinary system disorders, 170-172

immunological disorders, 356-359

integumentary system disorders

fungal infections, 200

psoriasis, 199-200

musculoskeletal/connective tissue disorders, 445-450

neoplastic disorders, 403-411

neurological system disorders, 331-339

pediatrics, 554

pregnancy, 487-488

psychiatric disorders, 583-591

respiratory disorders, 138-142

sensory disorders, 223-224

pharmacology, web resources, 883

phenylketonuria (PKU), pediatrics, 514-515

Pheochromocytoma, 97

phobic disorder, 562

phosphorus, 27

photorefractive keratotomy (PRK), 212

physiologic jaundice, 477

PID (Pelvic Inflammatory Disease), 477

piloerection, spinal cord injuries, 324

pinching (Asian-American patient care/management), 639

pink puffers, emphysema, 114

pinworms (enterobiasis), pediatrics, 513

Pitocin, pregnancy, 458-459

pituitary gland

diabetes insipidus, 85-86

diagnosing disorders, 84

hyperpituitarism, 84-85

hypopituitarism, 84

SIADH (Syndrome of Inappropriate Antidiuretic Hormone), 86

pituitary tumors, 304

PKD (polycystic kidney disease), 151-152

PKU (phenylketonuria), pediatrics, 514-515

placenta previa (pregnancy), 467

plasmapheresis, autoimmune neurological disorders, 319

play therapy, 33

pleural effusion

asbestosis, 120

pleurisy, 116

pleurisy, 116

plumbism (lead poisoning), pediatrics, 516-517

pneumoconiosis (black lung, coal miner's lung), 120

pneumonia, 121

client management, 122, 139-140

PCP (Pneumocystis Carninii Pneumonia), 358

pneumothorax, 130-131

POAG (primary open-angle glaucoma), 207

poisoning, 604

acetaminophen (Tylenol) overdoses, 516

iron, 517

lead (plumbing), 516-517

salicylate overdoses, 516

stings/bites, 605

polyarthralgia, gastrointestinal system disorders, 263

polycystic kidney disease (PKD), 151-152

polycythemia

CHD (congenital heart defects), 519

mixed defects, 524

polycythemia vera, 277-278

polydipsia, neoplastic disorders, 397

polyhydramnios, 468-469

polymigratory arthritis (joints), rheumatic fever, 526

portal hypertension, galactosemia, 515

positive-pressure ventilators, ARDS treatments, 127

post-herpetic neuralgia, 181

post-term births (pregnancy), 469

post-traumatic stress disorder (PTSD), 560

postpartum care (pregnancy), 474

postrenal ARF (acute renal failure), 154

potassium

administering, 23, 31

hyperkalemia, 22-23

hypokalemia, 22-23

renal function assessments, 23, 31

PPH (pulmonary hypertension), 117-118

practice exams

exam I

answers, 795-818

questions, 661-695

exam II

answers, 819-838

questions, 697-732

exam III

answers, 839-858

questions, 733-769

exam IV

answers, 861-872

questions, 771-794

MeasureUp, 912-913

precipitate delivery (pregnancy), 460, 469

preeclampsia, 464-465

pregnancy

abortion, 466-467

abruptio placenta, 467

cardiac disease, 461-462

case studies, 482-484

diabetes, 463

diagnosing, 486

ectopic pregnancy, 465

Estriol levels, 457

hydatidiform mole, 465

incompetent cervix, 466

intrapartal care, 459-460

labor

assisted births, 471

Cesarean births, 470

cord prolapse, 469

dilation, 460

dystocia, 460

effacement, 460

fetal lie, 460

fetal monitoring, 471-472

inducing, 458-459

nerve blocks, 473

pharmacological management, 472-473

position, 460

post-term births, 469

precipitate delivery, 460, 469

premature labor, 467-468

presentation, 460

sedatives, 472

stages of, 459

station, 460

terms associated with, 460

newborn care, 474-476

pharmacological agents list, 487-488

placenta previa, 467

postpartum care, 474

preeclampsia, 464-465

prenatal care

diet, 456

fetal heart tones, 458, 471-472

prelabor testing, 458

signs of pregnancy, 455-456

weight maintenance, 456

web resources, 887

women's health

contraception, 480-482

maternal infections, 478-480

menopause, 477

PID (Pelvic Inflammatory Disease), 477

Prehn's sign, epididymitis, 165

premature labor (pregnancy), 467-468

prenatal care (pregnancy)

diet, 456

fetal heart tones, 458, 471-472

prelabor testing, 458

signs of pregnancy, 455-456

weight maintenance, 456

preparation tips (exams), 10-13

prerenal ARF (acute renal failure), 154

presbycusis, 218

presbyopia, 211

preschoolers (3-5 years), 496-497

pressure ulcers

Braden scale, 184-185

contractures, 185

- eschar, 186
- treatment for, 186-187
- priapism, 165**
- primary hypertension, 46**
- primary open-angle glaucoma (POAG), 207**
- PRK (photorefractive keratotomy), 212**
- prodromal stage (hepatitis), 247**
- prostate cancer, 367, 375-376**
- prostatitis, 162-163**
- protease inhibitors, HIV client management, 351, 357-358**
- Protestantism (patient care/management), 643**
- protozoal infections, immunological disorders, 351**
- pruritus, polycythemia vera, 278**
- PSE (portal-systemic encephalopathy), cirrhosis, 251**
- psoriasis, 183**
 - case studies, 196-197
 - exfoliative psoriasis, 182
 - pharmacological treatments, 199-200
 - psoriasis vulgaris, 182
- psychiatric disorders**
 - anxiety-related disorders, 559
 - DID (dissociative identity disorder), 561
 - GAD (generalized anxiety disorder), 560
 - OCD (obsessive-compulsive disorder), 562
 - panic disorder, 561-562
 - phobic disorder, 562
 - PTSD (post-traumatic stress disorder), 560
 - somatoform disorder, 561
 - case studies, 579-581
 - chemical dependence
 - cannabis, 577
 - hallucinogens, 576
 - opiates, 576
 - sedative-hypnotics, 575
 - stimulants, 576
 - childhood/adolescent psychiatric disorders
 - ADHD (attention deficit hyperactive disorder), 578
 - conduct disorder, 577
 - oppositional defiant disorder, 578
 - diagnosing, 583
 - DSM-IV-TR (Diagnostic and Statistical Manual of Mental Disorders), 559
 - Cluster A personality disorders, 564
 - Cluster B personality disorders, 564-565
 - Cluster C personality disorders, 566
 - schizophrenia classifications, 568
- eating disorders**
 - anorexia nervosa, 578
 - bulimia nervosa, 579
- personality disorders, 563**
 - antisocial personality disorder, 565
 - avoidant personality disorder, 566
 - borderline personality disorder, 565
 - client management, 566-567
 - dependent personality disorder, 566
 - histrionic personality disorder, 564
 - narcissistic personality disorder, 565
 - obsessive-compulsive personality disorder, 566
 - paranoid personality disorder, 564
 - schizoid personality disorder, 564
 - schizotypal personality disorder, 564
- pharmacological agents list, 583-591**
- psychotic disorders**
 - bipolar disorders, 570-572
 - acute mania, 570-571
 - major depression, 571-572
 - schizophrenia, 567-570
 - substance abuse, alcoholism, 573-575
- psychotic disorders**
 - bipolar disorders
 - acute mania, 570-571
 - major depression, 571-572
 - schizophrenia, 567-570
- PTCA (percutaneous transluminal coronary angioplasty), 62**
- ptosis, Myasthenia Gravis, 317**
- PTSD (post-traumatic stress disorder), 560**
- pudendal blocks, labor (pregnancy), 473**
- pulley exercises (breast cancer), 379**
- pulmonary artery wedge pressure (PAWP), 64**
- pulmonary blood flow defects**
 - ASD (atrial septal defects), 521-523
 - TOF (tetralogy of fallot), 523
 - VSD (ventricular septal defects), 521
- pulmonary disease (occupational)**
 - asbestosis, 120
 - berylliosis, 121
 - pneumoconiosis (black lung, coal miner's lung), 120
 - silicosis, 119
 - talcosis, 120
- pulmonary disorders**
 - ARDS (acute respiratory distress syndrome), 126-128
 - hemothorax, 131-133
 - PE (pulmonary embolus), 128-130
 - pneumothorax, 130-131
- pulmonary embolus (PE), 128-130**

pulmonary fibrosis, 119
pulse pressure, ICP (Intracranial Pressure), 298
purine, gout, 431-432
PVD (peripheral vascular disease), 67
pyelonephritis, 153
pyloromyotomy, hypertrophic pyloric stenosis, 511
psychiatric disorders, web resources, 887

Q - R

Q waves (ECG), 53
QRS complex (ECG), 53
questions
 practice exams
 exam I, 661-695
 exam II, 697-732
 exam III, 733-769
 exam IV, 771-794
 reading carefully (exam prep tips), 11

R waves (ECG), 53
R-R intervals (ECG), 53
RA (rheumatoid arthritis), 433-434
radial keratotomy (RK), 212
radiation
 bioterrorism, 609-610
 burns, 187
 cancer therapy, 392-394
 ocular melanomas, 214
 therapy, cancer, 392-394
radiotherapy, hyperpituitarism, 85
Raynaud's phenomenon, 68
reading, ECG, 53-54
rebound vasodilation, glaucoma, 208
rectal cancer, 369-372
reduced renal reserve (CRF), 155
reflux, GERD, 240
refractive errors (eyes), 206
 astigmatism, 211
 client management, 212
 hyperopia (farsightedness), 211
 myopia (nearsightedness), 211
 presbyopia, 211
refusal, right of (legal issues), 619
regional enteritis (Chron's disease), 233
regulatory laws, 620
rehabilitative phase (burn treatment), 196

rejection (transplants), renal transplants, 158
religion (patient care/management), 643-644
renal disorders, 147
 AGN (acute glomerulonephritis), 148-149
 ARF (acute renal failure), 154
 cancer, 367, 385
 CGN (chronic glomerulonephritis), 149-150
 CRF (chronic renal failure), 155
 hemodialysis, 156-157
 hydronephrosis, 152-153
 hydroureteronephrosis, 152-153
 nephrotic syndrome, 150
 peritoneal dialysis, 156
 PKD (polycystic kidney disease), 151-152
 pyelonephritis, 153
 transplants, 158
 web resources, 884
renal failure (CRF), 155
renal insufficiency (CRF), 155
respiratory disorders
 asthma, client treatment, 116
 infectious lower tract disorders
 hemothorax, 133
 influenza, 125
 pneumonia, 121-122, 139-140
 TB (tuberculosis), 124, 141-142
 Legionnaires' disease, 135
 noninfectious lower tract disorders
 asthma, 115
 chronic bronchitis, 113
 emphysema, 114
 interstitial pulmonary disease (fibrotic lung disease), 118
 occupational pulmonary disease, 119-121
 pleurisy, 116
 PPH (pulmonary hypertension), 117-118
 pulmonary fibrosis, 119
 sarcoidosis, 118
 pulmonary disorders
 ARDS (acute respiratory distress syndrome), 126-128
 hemothorax, 131-133
 PE (pulmonary embolus), 128-130
 pneumothorax, 130-131
 SARS (severe acute respiratory syndrome), 134
respiratory acidosis
 causes of, 32
 determining, 35

- patient care/management, 33
- symptoms of, 32
- respiratory alkalosis, 34-35**
- respiratory disorders**
 - case studies, 135-136
 - client management, 138-142
 - infections, anemia, 270
 - pediatrics
 - AOM (acute otitis media), 501-502
 - croup syndromes, 502-503
 - infectious mononucleosis, 501
 - lower airway infections, 504-506
 - tonsillitis, 499-500
 - upper airway infections, 499-503
 - RSV (respiratory syncytial virus), respiratory disorders, 504
- respiratory system**
 - burn treatments, 191
 - web resources, 883
- retinal detachment, 210-211**
- retinal disorders, 205**
 - diabetic retinopathy, 209-210
 - hypertensive retinopathy, 209
 - macular degeneration, 210
 - retinal detachment, 210-211
 - retinitis pigmentosa, 210
- retinoblastoma, pediatrics, 532**
- Reye's syndrome (RS), pediatrics, 535-536**
- Rh incompatibilities, pregnancy/newborn care, 476**
- rhabdomyosarcoma, pediatrics, 533**
- rheumatic fever, pediatrics, 525-526**
- rheumatoid arthritis (RA), 433-434**
- rheumatoid spondylitis, 431**
- ribavirin, bronchiolitis, 504**
- ribonucleotide reductase inhibitors, HIV client management, 351, 358**
- right of refusal (legal issues), 619**
- Rinne tests, cranial nerve assessments, 292**
- RK (radial keratotomy), 212**
- Rocky Mountain spotted fever, pediatrics, 538-539**
- rolling hernias, 242**
- roseola, pediatrics, 542**
- Rovsing's sign, appendicitis, 237**
- RS (Reye's syndrome), pediatrics, 535-536**
- RSV (respiratory syncytial virus), respiratory disorders, 504**
- RSV-IGIV (RespiGam), bronchiolitis, 504**
- rubella (German measles), pediatrics, 540**
- rubeola (measles), pediatrics, 540**
- ruda (Hispanic/Latino patient care/management), 636**
- Rule of Nines burn measurement method, 189**
- Russian Orthodox Church (patient care/management), 644**

S

- S thalassemia disease, 271**
- S waves (ECG), 53**
- saccular aneurysms, 65**
- salicylate overdoses, pediatrics, 516**
- salmonella, 257**
- santero/santera (Hispanic/Latino patient care/management), 635**
- sarcoidosis, 118**
- sarcoma (cancer), 366**
- SARS (severe acute respiratory syndrome), 134**
- scabies, pediatrics, 537**
- scheduled toileting, urinary incontinence, 161**
- schizoid personality disorder, 564**
- schizophrenia, 567-570**
- schizotypal personality disorder, 564**
- school age (6-12 years), childhood development, 497-498**
- sciatica, intervertebral disk disease, 325**
- scleroderma, AGN (acute glomerulonephritis), 148**
- scoliosis, pediatrics, 546**
- scotoma, MS (multiple sclerosis), 316**
- second-degree (deep partial thickness) burns, 188**
- second-degree heart blocks, 50**
- secondary glaucoma, 208**
- secondary hypertension, 46**
- sedative-hypnotics (chemical dependence), 575**
- sedatives, labor (pregnancy), 472**
- Segstaken-Blakemore tubes, cirrhosis, 249**
- seizures, 309**
 - focal, 312
 - generalized
 - absence, 311
 - complex partial, 312
 - simple partial, 312
 - tonic-clonic, 310-311
 - grand mal, status epilepticus, 312-313
 - treatment of, 312
- selective serotonin reuptake inhibitors (SSRI), major depression, 571-572**
- sella turcica, 84**

sensory disorders

ears

- acoustic neuroma, 217
- client management, 219
- mastoiditis, 216
- Meniere's disease, 217
- otitis externa (swimmer's ear), 215
- otitis media, 216
- otosclerosis, 217
- presbycusis, 218
- sensorineural hearing loss, 217-218, 885
- structure of the ear, 214
- trauma injuries, 219

eyes

- case studies, 219-221
- client management, 223-224
- intraocular disorders, 205-208
- ocular melanoma, 213-214
- refractive errors, 206, 211-212
- retinal disorders, 205, 209-211
- structure of the eye, 205
- trauma injuries, 206, 212-213
- uveitis, 209

sepsis, neoplastic disorders, 395-396**sequestration crises (sickle cell anemia), 273****serous surfaces (subcutaneous nodules), rheumatic fever, 526****Seven Warning Signs of Cancer (American Cancer Society), 365****severe acute respiratory syndrome (SARS), 134****sex-linked disorders, MD (muscular dystrophies), 548****shamans (Native American/Alaskan native patient care/management), 637****shingles (herpes zoster), 180-181****Shintoism (Asian-American patient care/management), 639****shock**

- burns, 188
- cardiogenic, 64
- spinal shock, 324

shortcuts (MeasureUp practice tests), creating, 913**SIADH (Syndrome of Inappropriate Antidiuretic Hormone), 86****sickle cell anemia, 271-272**

- client treatment, 274-275
- crises, types of, 273

Sikhism (patient care/management), 639, 644**silicosis, 119****simple fractures, 419****simple partial seizures, 312****skeletal traction (fractures), 422, 425****skin**

burns

- artificial skin (Integra), 196
- carbon monoxide, 192
- chemical, 187
- client management, 190-196
- cultured skin, 195
- electrical, 187-189
- eschar, 194
- first-degree (superficial partial thickness), 188
- grafts, 196
- infections, 194
- Lund and Browder measurement method, 189
- major burn injuries, 190-192
- minor burn injuries, 190
- moderate burn injuries, 190
- palm measurement method, 189
- radiation, 187
- Rule of Nines measurement method, 189
- second-degree (deep partial thickness), 188
- thermal, 187
- third-degree (full thickness), 188

web resources, 187

cancer, risk factors, 367-368

cellulitis, 182

erythema marginatum, rheumatic fever, 526

fungal infections, 181-182, 200

pressure ulcers

Braden scale, 184-185

contractures, 185

eschar, 186

treatment for, 186-187

psoriasis, 183

case studies, 196-197

exfoliative psoriasis, 182

pharmacological treatments, 199-200

psoriasis vulgaris, 182

traction (fractures), 422

viral infections

herpes zoster (shingles), 180-181

HSV, 180

skull

Burr holes, hematoma treatments, 297

fractures, basilar, 295

SLE (systemic lupus erythematosus), 434-436**sliding hernias, 242**

- sodium, hypernatremia, 24**
- somatiform disorder, 561**
- Somogyi effect, 95**
- southern belle syndrome, 564**
- spasmodic croup, pediatrics, 503**
- spasticity**
 - ALS (Amyotrophic Lateral Sclerosis), 321
 - MS (multiple sclerosis), 316-317
 - spinal cord injuries, 324
- spina bifida, pediatrics, 547-548**
- spinal (subarachnoid) anesthesia, labor (pregnancy), 473**
- spinal cord injuries, 322**
 - autonomic hyperreflexia, 324
 - dysreflexia, 324
 - shock, 324
 - treatment of, 323-324
- splenectomies, Hodgkin's lymphoma, 391**
- splenomegaly, cirrhosis, 250**
- splitting (borderline personality disorder), 565**
- spontaneous pneumothorax, 131**
- SSRI (selective serotonin reuptake inhibitors), major depression, 571-572**
- staphylococcal, 257**
- staphylococcus, bacterial infections, 182**
- station (pregnancy), 460**
- status epilepticus, 312-313**
- statutory laws, 620**
- steatorrhea**
 - celiac (gluten-induced enteropathy, celiac sprue), 514
 - cholecystitis/cholelithiasis, 254
 - cystic fibrosis (mucoviscidosis), 506
- stem cell transplants, 397-398, 403-411**
- stenosis**
 - rheumatic fever, 526
 - TOF (tetralogy of fallot), 523
 - VSD (ventricular septal defects), 521
- stents, myocardial infarction treatment, 62**
- stereotactic, Parkinson's disease, 313**
- stimulants (chemical dependence), 576**
- stings/bites (poisonous)**
 - envenomation, 605
 - PVD treatment, 67
- stints, aneurysms, 65**
- stomach cancer, 368, 385**
- strategies, test-taking, 10-13**
- streptococcus, bacterial infections, 182**
- streptokinase, PE (pulmonary embolus), 130**
- stress incontinence, 160**
- stress tests, pregnancy, 458**
- stridor**
 - acute epiglottitis, 502
 - bacterial tracheitis, 503
 - laryngotracheobronchitis, 503
- strokes**
 - hemorrhagic strokes, 307-309
 - ischemic strokes, 305-307
 - sickle cell anemia, 273
- structural defects, pediatrics**
 - cleft lip/palate, 509
 - EA (esophageal atresia), 510
 - TEF (tracheoesophageal fistula), 510
- study mode (CD-ROM), 911**
- study tips, 9, 35**
- subarachnoid (spinal) anesthesia, labor (pregnancy), 473**
- subcutaneous nodules (serous surfaces), rheumatic fever, 526**
- subdural hematomas, 297**
- substance abuse, alcoholism, 573-575**
- superficial partial thickness (first-degree) burns, 188**
- supratentorial surgery, craniotomies, 302**
- susto (fright sickness), Hispanic/Latino patient care/management, 636**
- sweat tests, cystic fibrosis (mucoviscidosis), 506**
- swimmer's ear (otitis externa), 215**
- synchronized intermittent mandatory mode (ventilators), 127**
- Syndenham's chorea (brain), rheumatic fever, 526**
- Syndrome of Inappropriate Antidiuretic Hormone (SIADH), 86**
- syngeneic transplants, 398**
- syphilis, pregnancy, 478**
- system requirements, CD-ROM installations, 912**
- systemic lupus erythematosus (SLE), 434**
 - AGN (acute glomerulonephritis), 148
 - client treatment, 436
 - symptoms of, 435
- systems of measurement**
 - Apothecary System of Measurement, 889
 - Household System of Measurement, 889
 - metric measurements, 890
- systole**
 - blood pressure, 45
 - IABP, 64
- systolic pressure, 46**

T**T waves (ECG),** 53, 66**tachydysrhythmias,** 54**tachypnea**

anemia, 269

PE (pulmonary embolus), 129

pneumonia, 121

pneumothorax, 131

sickle cell anemia, 273

transfusion therapy, 282

talcosis, 120**talipes equinovarus (congenital clubfoot),** pediatrics, 543**tardive dyskinesia, gastrointestinal system disorders,** 263**TB (tuberculosis),** 124, 141-142**TBSA (total body surface area),** burns

Lund and Browder measurement method, 189

major burn injuries, 190-192

minor burn injuries, 190

moderate burn injuries, 190

palm measurement method, The, 189

Rule of Nines measurement method, The, 189

TCA (tricyclic antidepressants), major depression, 571-572**technical support,** 913**TEF (tracheoesophageal fistula),** 510**teletherapy (cancer),** 392**tenesmus, ulcerative colitis,** 233**TENS (Transcutaneous Electrical Nerve Stimulators), amputations,** 439**tension pneumothorax,** 131**test modes (CD-ROM)**

certification mode, 911

custom mode, 911

study mode, 911

testicular cancer, risk factors, 368**tests**

diagnostic tests, 37

practice tests

MeasureUp, 912-913

test 1, 661-695, 795-818

test 2, 697-732, 819-838

test 3, 733-769, 839-858

test 4, 771-794, 861-872

prep tips, 10-13

study tips, 9

tetany, neoplastic disorders, 397**tetracycline, pneumonia treatments,** 122**tetralogy of fallot (TOF),** pediatrics, 523**TGA (transposition of the great arteries), pediatrics,** 524**thalassemia,** 276-277**thermal burns,** 187**third-degree (full thickness) burns,** 188**third-degree heart blocks,** 50**Thomas ring splints, traction,** 424**three-chamber chest drainage systems, hemothorax treatments,** 133**thrombocytopenia**

aplastic anemia, 270

gastrointestinal system disorders, 262

thrombolytics, 78**thrombophlebitis,** 68, 277**thunderbirds (Native American/Alaskan native patient care/management),** 637**thyroid**

hyperthyroidism, 88-89

hypothyroidism, 86-88

thyroid storms, 89

Tic Douloreux (Trigeminal Neuralgia), 320**tick-borne fever.** *See* Rocky Mountain spotted fever**tinnitus**

hemorrhagic strokes, 308

polycythemia verap, 277

TIPS (transjugular intrahepatic portosystemic shunting), cirrhosis, 249**toddlers (1-3 years),** 495**TOF (tetralogy of fallot),** pediatrics, 523**tomato juice, administering potassium,** 23**tonic-clonic seizures,** 310-311**tonsillectomies,** 500**tonsillitis, pediatrics,** 499-500**TORCHS,** 457**torts (legal issues),** 623**Tousseau's sign, hyperphosphatemia,** 27**toxic diffuse goiter,** 88**toxicity, heart block medications,** 51**TPN (total parenteral nutrition),** 395-396**tracheoesophageal fistula (TEF),** 510**traction**

fractures, 422, 425

log rolls, 323

Transcutaneous Electrical Nerve Stimulators (TENS), amputations, 439**transfusion therapy,** 280-282**transjugular intrahepatic portosystemic shunting (TIPS), cirrhosis,** 249

transplants

transplants

- bone marrow transplants, 397-398
- client management, 403-411
- engrafts, 398
- graft versus host disease, 398
- renal transplants, 158
- stem cell transplants, 397-398
- veno-occlusive disease, 398

transposition of the great arteries (TGA), pediatrics, 524

trauma

- abdominal injuries, 602-603
- chest injuries, 602
- ear injuries, 219
- eye injuries, 206, 212-213
- forensic evidence, documenting/protecting, 603-604
- head injuries, 601-602

traumatic pneumothorax, 131

triage, 597

- case studies, 611-613
- disasters, categorizing victims, 610-611

tricyclic antidepressants (TCA), major depression, 571-572

Trigeminal Neuralgia (Tic Douloreaux), 320

Trousseau's sign

- hypercalcemia, 26
- hyperparathyroidism, 90
- hypocalcemia, 26
- hypomagnesemia, 28
- primary aldosteronism, 97

tuberculosis (TB), 124, 141-142

tumors

- brain, 300-301
- ocular melanoma, 213-214
- pituitary, 304

Turner's sign, pancreatitis, 252

twilight croup, pediatrics, 503

Tylenol (acetaminophen) overdoses, pediatrics, 516

type 1 diabetes, 92

type 2 diabetes, 92

U

ulcerative colitis, 233

ulcers

- client treatment, 231-232
- diagnosing, 231
- dumping syndrome, 232
- duodenal, 230
- esophageal, 230

gastric, 230

pressure ulcers

- Braden scale, 184-185
- contractures, 185
- eschar, 186
- treatment for, 186-187

unintentional torts, 623

unresponsiveness, AVPU assessment, 600

upper airway infections

- AOM (acute otitis media), 501-502
- croup syndromes
 - acute epiglottitis, 502
 - acute spasmodic laryngitis, 503
 - bacterial tracheitis, 503
 - laryngotracheobronchitis, 503
 - infectious mononucleosis, 501
- pediatrics, 499-503
- tonsillitis, 499-500

upper respiratory infections, anemia, 270

ureters. *See* genitourinary system disorders

urge incontinence, 160

urinary calculi (kidney stones), 161-162

urinary disorders

- cystitis, 159-160
- urinary incontinence, 160-161, 172
- urolithiasis, 161-162
- urinary tract infections, client management, 170-171**
- urine sampling procedure (24-hour), 148**
- urolithiasis, 161-162**
- uveitis, 209**

V

V-fib (ventricular fibrillation), 55

vacuum extraction, assisted births, 471

varicella (chicken pox), pediatrics, 541

varicella-zoster virus (VZV), 180

varicose veins, 68

vascular system, regulating electrolytes, 20

vaso-occlusive crises (sickle cell anemia), 273

vasoconstriction, glaucoma, 208

vasodilators, 75

- hypertension treatment, 49

- PVD treatment, 67

veins

- Beurger's disease (thromoangiitis obliterans), 68
- PVD, 67

- thrombophlebitis, 68
- varicose veins, 68
- veno-occlusive disease (transplants), 398**
- venom, 605**
- ventilators**
 - ARDS treatments, 127-128
 - assist controlled mode, 127
 - controlled mode, 127
 - CPAP, 126
 - negative-pressure ventilators, 127
 - PEEP, 126, 131
 - positive-pressure ventilators, 127
 - synchronized intermittent mandatory mode, 127
- ventricular fibrillation (V-fib), 55**
- ventricular septal defects (VSD), pediatrics, 521**
- ventricular tachycardia, 54**
- verbal stimuli, AVPU assessment, 600**
- Vermox, enterobiasis (pinworms), 513**
- viral culture tests, 347**
- viral infections, 179**
 - herpes zoster (shingles), 180-181
 - HSV, 180
 - immunological disorders, 352
 - web resources, 181
- viral load tests, 346**
- VSD (ventricular septal defects), pediatrics, 521**
- VSV (varicella-zoster virus), 180**

W

- walkers, 441-442**
- wall-climbing exercises (breast cancer), 380**
- water, total body water calculations, 17**
- weight maintenance, pregnancy, 456**
- wet (exudative) macular degeneration, 210**
- whooping cough (pertussis), pediatrics, 541**
- Wilms tumor (nephroblastoma), pediatrics, 531**
- witnessing consent for care (legal issues), 624**
- women's health**
 - contraception, 480-482
 - maternal infections, 478-480
 - menopause, 477
 - PID (Pelvic Inflammatory Disease), 477

X - Y - Z

- xenografts, burns, 195**