

Index

NUMBERS

3D audio, 274-275
 3D graphics, 265
 3D video game simulations, 297
 alpha blending, 300
 creating, 298-300
 depth cueing, 300
 fogging, 300
 MIP mapping, 300
 people rendering, 301
 perspective correction, 300
 pixelation, 300
 texture maps, 300
 16x PCI-Express buses, video cards, 289

A

AC (Alternating Current), 156
 adapters, notebook PCs, 14
 PC power supplies, 222-224
 AC3. **See** Dolby Digital 5.1
 accelerated graphics ports, 200
 accelerometers
 iPhones, 359
 Wiimotes, 295
 access time (hard drives), 151
 accumulation registers, 67
 acoustic recognizers (speech recognition), 211
 action buttons (game pads), 294
 active autofocus (digital camcorders), 281
 active matrix displays (LCD screens), 246

actuators (hard drives), 151
 adapters
 AC adapters, notebook PCs, 14
 expansion card adapters, 200
 ADC (Analog-to-Digital Converters), 200, 215-217, 230
 dial-up modems, 327
 resolution, 231
 sound cards, 268
 adders (transistors), 50
 addition, performing, 68-69
 additive color (color printing), 416
 address buses, 24
 address lines
 pixels, 249
 RAM, 50, 56
 address registers, 67
 ADSL (Asymmetric Digital Subscriber Lines), 311, 329
 adware, 382
 Aero desktop, 114
 AGP (Accelerated Graphics Ports), 25
 AI (Artificial Intelligence), 93
 Airbrush tool (graphics software), 141
 alerts, firewalls, 385
 algorithms
 graphics software, 123
 programming, 93
 aliasing (monitors), 115
 alpha blending, 3D video game simulations, 300
 Altair 8800, computer development, 7
 ALU (Arithmetic Logic Units), 50, 66, 71
 AM (Amplitude Modulation), electromagnetism, 157
 analog broadcasts, TiVo, 284
 analog cell phones, 355
 analog data communication, 316
 analog local loops, dial-up modems, 326-327
 analog signals, 311
 ADC, 200
 DAC, 201
 analog sticks (game pads), 294
 analog waves
 ADC, 230
 gamepads, 294
 AND gates (transistors), 69
 Angstrom units, 157
 ANSI (American National Standards Institute) standard, 119
 anti-aliasing (monitors), 115
 antispam software, 394-395
 antivirus software, 390
 AP (Access Points)
 NAP, data transfers, 337
 Wi-Fi networks, 352-353
 API (Application Programming Interface), 107-108
 Apple
 computer development, 8
 iPhones, 358-359
 iPods, 276-277
 printers, 401
 application layer (networks), data transfers, 334
 application software, 93
 ANSI standard, 119
 database managers
 adding records, 124

- defining data types, 120
- finding records, 124
- fixed-length field records, 124
- logic tests, 121
- modifying records, 124
- parsing text data, 121
- queries, 121
- records, 120
- storing records, 126-127
- variable-length field records, 125
- definition of, 119
- graphics software, 123
 - Airbrush tool, 141
 - Burn tool, 140
 - Cloning tool, 141
 - Cross Dissolving tool, 142
 - Dodge tool, 140
 - Gradient tool, 141
 - Healing Brush tool, 140
 - layers, 141
 - levels (histograms), 140
 - Morphing tool, 142
 - photo correction via numbers, 138-139
 - saving artwork as bitmaps, 132-133
 - Selection tool, 140
 - Sharpen tool, 141
 - true color, 133
 - variations, 141
 - vector-based graphics, 136-137
 - warping methods, 142-143
- spreadsheet software
 - Auto Recalc feature, 131
 - calculation engines, 131
 - deleting formulas, 130
 - GUI, 122
 - minicomputers, 130
 - reverse Polish notation, 130
 - updating cells, 131
 - VisiCalc, 121
 - word processors, 122, 144-145
- arcing (electromagnetism), 197
- arrays (drive), 152
- artifacting (image files), 135
- artwork, saving as bitmaps, 132-133
- ASCII (American Standard Code for Information Interchange), 50, 200
- assembly language, 95
- asymmetrical data rates, 311
- ATA (Advanced Technology Attachment), 151-153, 240
- ATAPI (Advanced Technology Attachment Packet Interface), 151
- atip (Absolute Timing In Pregroove), CD-R drives, 188
- attachments (email), viruses, 388-389
- attacks (security). **See also** spam
 - backdoor attacks, 381
 - brute force attacks, 381
 - dictionary attacks, 393
 - spyware, 382-383
 - step-by-step procedure of, 380-381
 - trojan viruses, 381
- viruses
 - antivirus software, 390
 - HTML viruses, 388
 - memory-resident viruses, 387
 - MIME viruses, 388
 - stealth viruses, 387, 390
 - transmitting, 386, 388-389
 - VBS.Hard.A@mm viruses, 389
- auctions (online). **See** eBay
- audio
 - 3D audio, 274-275
 - audio controllers, notebook PCs, 14
 - AVI, 265
 - digital audio compression, 273
 - Dolby Digital 5.1, 272
 - Dolby noise reduction (NR), 272
 - headphone jacks, notebook PCs, 14
 - JND, 273
 - MIDI files, 265, 270
 - MP3 files, 265, 273
 - multichannel sound, 272
 - multimedia sound, 267
 - sound cards
 - ADC, 268
 - connections, 13
 - DAC, 268
 - DSP, 269
 - FM synthesis, 271
 - wave-table synthesis, 270
 - speakers, notebook PCs, 14
 - streaming audio, 265, 361
- audio controllers, notebook PCs, 14
- auto exposure (digital cameras), 258-259
- Auto Recalc feature (spreadsheet software), 131
- autofocus (active), digital camcorders, 281
- autofocus lenses (digital cameras), 256-257
- auxiliary power connectors, video cards, 289
- avatars (MMORPG), 304
- average latency (hard drives), 151
- AVI (audio/video interleave), 265

B

- Babbage, Charles, computer development, 6
- backbones (Internet), 311
- backdoor attacks, 381

- bad blocks/sectors (hard drives), 151
 - bandwidth, 200, 311, 361
 - boosting
 - cache data, 233
 - data compression, 232
 - increasing frequency, 232-233
 - multiplexes, 233
 - prefetch data, 233
 - reducing latency, 233
 - capacity, 232
 - carriers, 232
 - channel bonding, 29
 - USB assignments, 239
 - base stations (cell phones), 354
 - batteries
 - inverters, 224
 - motherboards, 25
 - notebook PCs, 14
 - Bayesian filters (antispam software), 395
 - bayonet connectors, coaxial cable, 320
 - Ben Day dots
 - monitor displays, 243
 - printers, 403
 - beta versions (software), 93
 - bias/reset buses, DLP projectors, 250
 - bilinear filtering, 302
 - binary math, 50
 - binary notation, 53
 - BIOS (Basic Input/Output System), 8, 13, 37
 - keyboard scan codes, 204-205
 - motherboards, 25
 - starting PCs, 33
 - bit addresses (Flash memory), 60
 - bit sensors (Flash memory), 60
 - bitmapped font (printers), 403
 - bitmaps, 110, 200, 265
 - bitmap tables, 410
 - compression
 - JPEG files, 135
 - RLE, 134
 - cookie-cutter text, 406-407
 - printing, 405
 - saving artwork as, 132-133
 - texture maps, 3D video game simulations, 300
 - BitTorrents, 342-343
 - BIU (Bus Interface Units), 71
 - black-and-white printing
 - outline fonts, 405, 408-409
 - printing, 405
 - vector fonts, 405
 - write-black method, 412
 - write-white method, 412
 - blacklists (spam), 394
 - blocks (tracks), 160
 - Blu-Ray discs, 185, 192-193
 - Bluetooth
 - development of, 357
 - Wiimotes, 295
 - BNC (Bayonet Neill-Concelman) coaxial cable, 320
 - Boolean logic, 97
 - Boolean operations, 50
 - boot process, 8, 33
 - boot sectors, PC wakeup process, 35
 - brackets (session layer), 334
 - branching, 71, 97
 - Bricklen, Dan, software development, 86
 - bridges, 311, 337
 - broadband, 311
 - browsers (web), 311
 - domain names, 368
 - ftp, 368
 - http, 368
 - hyperlinks, 368
 - mirror sites, 369
 - page files, 368
 - URL, 368
 - web pages
 - displaying, 370-371
 - opening, 368-369
 - brute force attacks, 381
 - BTB (Branch Target Buffers), 71
 - buffers
 - DWM, 113
 - hard drives, 151
 - printers, 410
 - TiVo, 285
 - bugs (programming), 93
 - bunny suits, 50
 - Burn tool (graphics software), 140
 - burn-in (microchips), 50
 - bus topologies, LAN, 319
 - buses, 200
 - 16x PCI-Express buses, 289
 - address buses, 24
 - data buses, 24
 - expansion buses, 24
 - external buses, 15, 24
 - FSB, 24-26, 75
 - input/output, 40
 - internal buses, 24
 - motherboards, 24
 - PCI-E, 28-29
 - busy signals, 235
 - bytecode (WAP), 356
- C**
- cable, 200
 - coaxial cable, 284, 320
 - fiber-optic cable, 320
 - HFC, 330
 - ribbon cable, pin connectors, 23
 - twisted-pair cable, 311, 320

- cable modems, 325, 330-331
- cached, 67, 196
 - data, boosting bandwidth, 233
 - memory, 50
- calculation engines (spreadsheet software), 131
- calls (programming), 93, 96
- camcorders (digital)
 - active autofocus, 281
 - digital zoom, 281
 - electronic stabilization, 280
 - exposure, 280-281
 - image file compression, 282-283
 - image processors, 280
 - motion estimation, 283
 - optical zoom, 281
 - viewfinders, 280
- cameras (digital)
 - auto exposure, 258-259
 - autofocus lenses, 256-257
 - CCD, 201
 - full-frame pictures, 258
 - image sensors, 253-255
 - light, capturing, 254-255
 - POS cameras, 258
 - pressure plates, 253
 - shutter locks, 259
 - spot metering, 259
 - white balance, 253
- camps (MMORPG), 305
- capacitance, 200, 208
- capacitive keys (keyboards), 205
- capacitive systems (touchscreens), tablet PCs, 16
- capacitors, 21, 23, 50
 - PC power supplies, 223
 - RAM, writing data to, 57
 - video cards, 289
- carrier waves, analog data communication, 316
- carriers, 232
- CCD (Charge-Coupled Devices), 201, 215, 255. **See also**
 - image sensors; digital cameras
- CD-R (CD-Recordable) drives, 188-189
- CD-ROM drives, 12, 187
- CD-RW drives, 185
- CDMA (Code Division Multiple Access) method, digital cell phones, 355
- CDs, 192
 - dye layer, 189
 - reading/writing data on, 158-159
 - stripes, 189
 - UDF, 153
- cell phones, 354-355
- cells
 - Flash memory, 60
 - spreadsheets
 - calculating, 131
 - recalculating, 130-131
 - updating, 131
- ceramic-coated porous paper, photo-printing, 420
- channel bonding, 29
- channels, 311
- character experts (handwriting recognition), 18
- chat rooms, 346-347
- chip sets, 24-25
- chips, creating, 54
- circuit boards, 8, 201
 - DIMM, 22
 - dip switches, 23
 - floppy drives, 169
 - hard drives, 170
 - jumper pins, 23
- circuits
 - contacts, 201
 - logic, 50
 - multiplier circuits, 75
 - traces, 21
- CISC (Complex Instruction Set Computing), 50
- cladding, fiber-optic cable, 320
- "classic" iPods, 276
- clean rooms, 50
- ClearType, 115
- client/server networks, 318
- clients, 311
- Clipboard, sharing data on, 110-111
- clocks
 - computers, 9
 - overclocking, 74-75
 - speeds, 68
 - real-time clocks, 13, 33
- Cloning tool (graphics software), 141
- clusters
 - data storage, 151
 - tracks, 160
- CMOS (Complementary Metal Oxide Semiconductors), 9
 - batteries, 13
 - chips, 33
 - image sensors, digital cameras, 255
 - photodiode arrays, 215
- coaxial cable, 284, 320
- code generators (compilers), 103
- code tokens (lexers), 102
- codecs
 - (compression/decompression algorithms), 364
- coherent lasers, 153
- cold boots, 33
- color
 - printing
 - additive color, 416
 - CYMK color system, 416
 - dithering, 417

- dye-sublimation method, 415, 421
- ink-jet printers, 418
- laser printers, 415, 422
- solid-ink printers, 424
- subtractive color, 416
- thermal printers, 415
- true color, 133
- Colossus computer, computer development, 6
- commands
 - kernel mode (processors), 106
 - metafiles, 110
 - protocols, 151
- compilers, 93-95, 102-103
- compression
 - bitmap files
 - JPEG, 135
 - RLE, 134
 - data, 151, 232
 - digital audio compression, 273
 - files
 - lossless compression, 180-181
 - lossy compression, 181
 - image files
 - digital camcorders, 282-283
 - key frame compression, 283
- computers
 - addition, performing, 68-69
 - BIOS, 8, 13
 - boot-up process, 8
 - CD-ROM drives, 12
 - circuit boards, 8
 - clients, 311
 - clocks, 9
 - overclocking, 74-75
 - speeds, 68
 - CMOS, 9, 13, 33, 215, 255
 - cooling systems
 - forced convection, 76-77
 - heat pipes, 77
 - heat sinks, 76
 - latent heat, 77
 - Peltier cooling, 79
 - water-cooled PCs, 78
 - CPU, 9
 - development of, 2-5
 - Altair 8800, 7
 - Apple computers, 8
 - Babbage, Charles, 6
 - Colossus, 6
 - ENIAC, 6-7
 - Enigma machine, 6
 - Hollerith, Herman, 6
 - IBM, 8
 - Internet, 311
 - Jobs, Stephen, 7
 - multimedia, 264
 - printers, 402
 - Shockley, William, 7
 - software, 83-85, 88-92
 - Texas Instruments, 7
 - timeline, I/O (Input/Output) devices, 198-200
 - Wozniak, Steve, 7
 - disk controllers, 13
 - domains, 312
 - DVD-ROM drives, 12
 - expansion slots, 9, 13
 - fans, 13
 - floppy drives, 13
 - hard drives, 12
 - heat sinks, 13
 - keyboard ports, 13
 - microprocessors, 13
 - modems, 13
 - motherboards, 9
 - mouse ports, 13
 - network connectors, 13
 - OS, 9
 - overclocking, 74-75
 - parallel ports, 13
 - power supplies, 12, 221-223
 - AC power, 222-224
 - DC power, 222-224
 - dirty power, 222
 - EMI, 222
 - inverters, 224
 - surge protectors, 226-227
 - UPS, 224-225
 - RAM, 9, 13
 - read/write process, 9
 - real-time clocks, 13
 - ROM, 9
 - serial ports, 13
 - sound card connections, 13
 - sound cards, 13
 - startup process, 31-33
 - system files, 9
 - USB ports, 13
 - video cards, 13
 - writable CD/DVD drives, 12
 - constant angular velocity, magnetic disks, 187
 - constant linear velocity, CD-ROM disks, 187
 - contacts (circuits), 201
 - content filtering (antispam software), 395
 - control channels (cell phones), 354
 - control gates (Flash memory), 60
 - control signals, 24
 - control units (processors), 66
 - controllers (games)
 - action buttons, 294
 - analog sticks, 294
 - D-pads, 294
 - force feedback, 294
 - joysticks, 290-292
 - trigger buttons, 294
 - Wiimotes, 295

- convection (forced), cooling systems, 76-77
 - cookie-cutter text, printing, 406-407
 - cookies, 151, 373
 - floppy disk data storage, 169
 - spyware, 383
 - cooling systems
 - forced convection, 76-77
 - heat pipes, 77
 - heat sinks, 76
 - latent heat, 77
 - Peltier cooling, 79
 - water-cooled PCs, 78
 - copiers, multifunction office machines, 403
 - core memory, 148
 - corona wires (laser printers), 412
 - CPU (Central Processing Units), 9, 40-41
 - CPU sockets (motherboards), 24
 - crackers, 379
 - crashes (hard drives), 106-107, 150
 - CRC (Cyclic Redundancy Checks), 28, 151, 317
 - Cross Dissolving tool (graphics software), 142
 - crossbar switches, 29
 - crosstalk, 240
 - CRT (Cathode Ray Tube) screens, 201
 - dot pitch, 245
 - SED, 244
 - crystal oscillators, 74
 - crystals, video cards, 289
 - cylinders (hard drives), 151
 - CYMK (Cyan Yellow Magenta Black) color system, printing, 403, 416
- D**
- D-pads (game pads), 294
 - D2T2 (Dye Diffusion Thermal Transfer) method, color laser printers, 415
 - DAC (Digital-to-Analog Converters), 201, 230, 244
 - dial-up connections, 327
 - resolution, 231
 - sound cards, 268
 - data bits (DVDs), 193
 - data buses, 24
 - data compression, 151, 232
 - data entry
 - keyboards, 197
 - capacitive keys, 205
 - development of, 199
 - hard-contact keys, 205
 - notebook PCs, 15
 - ports, 13
 - scan codes, 204-205
 - split-board design, 203
 - mice, 198-199, 203
 - development of, 200
 - mechanical mice, 206
 - optical mice, 207
 - ports, 13
 - pointing devices
 - "eraserhead" pointing devices, 203
 - pointing sticks, 14, 209
 - touch pads, 203
 - functionality of, 208
 - notebook PCs, 14
 - data lines (RAM), 50, 56
 - data storage
 - Blu-Ray disc, 185
 - CD-RW drives, 185
 - CDs, 158-159
 - clusters, 151
 - development of, 146-152
 - disk drives, 167
 - DVD drives, 185
 - DVDs, 158-159
 - EIDE standard, 152
 - floppy drives, 167-169
 - hard drives, 170-171
 - HD-DVD, 185
 - magnetic disks, 155
 - optical drives, 185
 - optical storage, 153
 - reading data, 153
 - rewritable storage devices, 153
 - VFAT, 153
 - Zip drives, 178
 - data transfers
 - bandwidth, boosting, 232-233
 - carriers, 232
 - data transfer rates, 201
 - DMA, 152
 - Internet, 333
 - bridges, 337
 - gateways, 337
 - hubs, 337
 - LAN, 336
 - NAP, 337
 - repeaters, 337
 - routers, 336
 - WAN, 336
 - networks
 - application layer, 334
 - data-link layer, 335
 - network layer, 335
 - physical layer, 335
 - presentation layer, 334
 - session layer, 334
 - transport layer, 334
 - packets, 316-317
 - rate of, 152
 - USB, 238-239

- data transmission
 - DSL, 329
 - modems, 325, 330-331
 - POTS, 329
- data-link layer (networks), data transfers, 335
- database managers
 - data types, defining, 120
 - logic tests, 121
 - parsing text data, 121
 - queries, 121
 - records, 120
 - adding, 124
 - finding, 124
 - fixed-length field records, 124
 - modifying, 124
 - retrieving, 129
 - storing, 126-127
 - variable-length field records, 125
- databases
 - connections, making, 128-129
 - indexes, 126-127
 - records
 - adding, 124
 - finding, 124
 - fixed-length field records, 124
 - memo files, 125
 - modifying, 124
 - retrieving, 128-129
 - storing, 126-127
 - variable-length field records, 125
 - relational databases, 128
- DC (Direct Current), PC power supplies, 222-224
- DDR2 RAM (Double Data Rate Random Access Memory), 59
- DeForest, Lee, microchip development, 48
- defragmentation (hard disks), 152, 182-183
- deleting
 - files, 162
 - spreadsheet formulas, 130
- depth cueing, 3D video game simulations, 300
- desktop management (Windows Vista), DWM, 113
- detectors (CD-ROM drives), 187
- device drivers
 - boot process, 33
 - enumerators, 42
 - plug-and-play operation, 42-43
- dial-up Internet connections, 326-327
- dialog boxes (programming), 93
- dictionary attacks, 393
- digital audio compression, 273
- digital camcorders
 - active autofocus, 281
 - digital zoom, 281
 - electronic stabilization, 280
 - exposure, 281
 - image file compression, 282-283
 - image processors, 280
 - image sensors, 280
 - motion estimation, 283
 - optical zoom, 281
 - viewfinders, 280
- digital cameras
 - auto exposure, 258-259
 - autofocus lenses, 256-257
 - CCD, 201
 - full-frame pictures, 258
 - image sensors, 253-255
 - light, capturing, 254-255
 - POS cameras, 258
 - pressure plates, 253
 - shutter locks, 259
 - spot metering, 259
 - white balance, 253
- digital cell phones, 355
- digital data packets, 317
- digital signals
 - ADC, 200
 - DAC, 201
- digital signatures (Public Key Encryption), 397
- digital sound, 273
- digital waves
 - DAC, 230
 - gamepads, 294
- digital zoom (digital camcorders), 281
- DIMM (Dual In-line Memory Modules), 22
- dip switches (circuit boards), 23
- directories (files), 152, 160
- dirty power, PC power supplies, 222
- discharging static electricity, 11
- disk controllers, 13, 170-171
- disk drives, data storage, 167
- disk optimization. **See** defragmentation
- dispersive signal sensing (touchscreens), tablet PCs, 17
- displacement (vertex shaders), 303
- display drivers, 145
- display lines (pixels), 249
- displaying
 - fill, 137
 - streaming video, 364-365
 - vector images, 137
- displays (monitors)
 - Aero desktop, 114
 - aliasing, 115
 - Ben Day dots, 243
 - ClearType, 115
 - CRT
 - dot pitch, 245
 - SED, 244

- DLP projectors, 250
 - fields, 245
 - jaggies, 115
 - LCD, 247, 250
 - active matrix displays, 201, 246
 - notebook PCs, 15
 - passive matrix displays, 246
 - plasma screens versus, 248
 - polarizing filters, 246
 - matrixes, 115
 - phosphors, 245
 - pixels, 243
 - plasma
 - LCD screens versus, 248
 - photons, 249
 - ribs, 248
 - polarization, 201
 - raster scanning, 245
 - refresh rates, 244
 - refreshing, 245
 - resolution, 244
 - shadow masks, 245
 - super VGA, 201
 - touchscreens, tablet PCs, 16-17
 - VGA, 201
 - distributed Internet structures, 341
 - distributed networks, 312
 - dithering (printers), 403, 417
 - DLL (Dynamic Link Libraries), 93, 108-109
 - DLP (Digital Light Processing) projectors, 250
 - DMA (Direct Memory Access), 152
 - DNS (Domain Name Servers), 344, 369
 - doc servers (Google), 375
 - docking stations, notebook PCs, 15
 - Dodge tool (graphics software), 140
 - Dolby Digital 5.1, 272
 - Dolby noise reduction (NR), 272-273
 - domain names, 368
 - domains, 312
 - DOS (Disk Operating Systems), 37, 91
 - dot matrix printers, 403, 410
 - dot pitch (pixels), 201, 245
 - double anti-aliased graphics, 289
 - double layer DVDs, 190-191
 - downstream (Internet), 312
 - downstream data, DSL, 329
 - DPI (Dots Per Inch), printing, 403
 - drains (transistors), 50, 54
 - drawing objects, 137
 - drive arrays, 152, 172-173
 - drive bays, notebook PCs, 15
 - drivers
 - FSD, 164
 - port drivers, 165
 - TSD, 165
 - VTD, 165
 - drives
 - CD-ROM drives, 12
 - directories, 160
 - DVD drives, 185
 - DVD-ROM drives, 12
 - floppy drives, 13-15
 - folders, 160
 - formatting disks, tracks, 160
 - hard drives, 12
 - hot plugs, 152
 - optical drives, 15, 185
 - optical storage, 153
 - performance, improving, 177
 - S.M.A.R.T., 153
 - writable CD/DVD drives, 12
 - drums (laser printers), 413
 - DSL (Digital Subscriber Lines), 312, 325, 328
 - DSP (Digital Signal Processors)
 - 3D audio, 275
 - MIDI files, 270
 - optical mice (mouse), 207
 - sound cards, 269
 - dual-layer DVDs, 190-191
 - dumb terminals, client/server networks, 318
 - DVD drives, 185
 - DVD-ROM drives, 12
 - DVDs, 192
 - Blu-Ray discs, 185, 192-193
 - data bits, 193
 - dual-layer DVDs, 190-191
 - HD-DVD, 185, 192-193
 - optical bits, 193
 - reading/writing data on, 158-159
 - UDF, 153
 - DVI (Digital Visual Interfaces), 265
 - Dvorak, John, keyboard development, 199
 - DVR (Digital Video Recorders), 284-285
 - DWM (Desktop Windows Manager), 113
 - dye layer (CDs), 189
 - dye-sublimation method, color laser printers, 415, 421
 - dynamic IP addresses, 312
- ## E
- eBay, 376
 - Edison, Thomas, microchip development, 48
 - EIDE (Enhanced Integrated Device Electronics) standard, 152
 - electricity (static), discharging, 11
 - electromagnetism, 156-157, 197
 - electronic stabilization, digital camcorders, 280
 - email, 312

- dictionary attacks, 393
 - directories, harvesting (spam), 393
 - list servers, 339
 - mail reflectors, 339
 - MIME, 339
 - POP, 339, 345
 - SMTP, 339, 344
 - viruses, 388-389
 - EMI (Electromagnetic Interference), PC power supplies, 222
 - emitters (phosphors), 244
 - encryption, 396-397
 - end-of-file markers, 163
 - ENIAC (Electronic Numerical Integrator Analyzer and Computer), computer development, 6-7
 - Enigma machine, computer development, 6
 - enumerators, plug-and-play operation, 42
 - Epson printers, 402
 - "eraserhead" pointing devices, 203
 - error message interpreters, 100-101
 - Ethernet networks, 321
 - event watching (viruses), 386
 - expansion boards, motherboards, 24
 - expansion buses, 24
 - expansion card adapters, 200
 - expansion slots, 9, 13, 25, 201
 - exposure (digital camcorders), 281
 - extension points (Wi-Fi), 353
 - external buses, 15, 24
- F**
- fans, 13
 - notebook PCs, 14
 - video cards, 289
 - FAT (File Allocation Tables), 152, 160, 171
 - fat clients, client/server networks, 318
 - FAT32, 171
 - fax machines, multifunction office machines, 403
 - FDMA (Frequency Division Multiple Access) method, analog cell phones, 355
 - feedback (game pads), 294
 - fiber-optic cable, 320
 - fields (screens), 245
 - file and registry virtualization (UAC), 116
 - file servers, 313-315
 - files
 - compression
 - image files, 282-283
 - lossless compression, 180-181
 - lossy compression, 181
 - deleting, 162
 - directories, 152
 - end-of-file markers, 163
 - protection, RAID 1 (mirrored drive arrays), 172-173
 - restoring, 162
 - retrieving from disks, 164-165
 - saving to disks, 162
 - sharing, 340
 - fills, displaying, 137
 - filters
 - Bayesian filters (antispam software), 395
 - bilinear filtering, 302
 - content filtering (antispam software), 395
 - packet filtering, 384
 - polarizing filters (LCD screens), 246
 - trilinear filtering, 302
 - finding records, 124
 - firewalls, 312
 - alerts, 385
 - configuring, 384
 - packet filtering, 384
 - proxy servers, 385
 - security logs, 385
 - stateful inspection, 385
 - first-person shooters (games), 265
 - fixed-length field records, 124-125
 - Flash drives, 60-61
 - flat heat pipes, 77
 - flat-file database managers, 121
 - flatbed scanners, 216
 - Fleming, John, microchip development, 48
 - Flight Simulator* (Microsoft), 297
 - floating gates (Flash memory), 60
 - floppy disks
 - connections (motherboards), 25
 - perpendicular recording, 179
 - floppy drives, 13
 - cookies, 151
 - data storage, 167-169
 - longitudinal recording, 179
 - notebook PCs, 15
 - sectors of, 178
 - flow (programming), 93, 98
 - flow charts (programming), 93, 97
 - flying height (read/write heads), 152
 - FM (Frequency Modulation), electromagnetism, 157
 - FM synthesis, sound cards, 271
 - focusing coils (CD-ROM drives), 186
 - fogging, 3D video game simulations, 300
 - folder trees, 160
 - folders, 160
 - fonts
 - bitmap tables, 410

bitmapped font (printers), 403
 outline fonts, printing,
 405, 408-409
 printers, 403
 vector fonts, printing, 405
 footers (packets), 317
 footprint analysis (security attacks),
 380
 force-feedback joysticks, 292-294
 form factors
 hard drives, 152
 motherboards, 24
 formatting
 hard disks, 160
 hard drives, 152-155
 magnetic disks, 155
 text files, word processors,
 144-145
 tracks, 153, 160
 Fowler-Nordheim tunneling, Flash
 memory, 61
 fragmentation, 152, 183
 frame (photography), 280-281
 frame buffers (video cards), 289
 frame rates (graphics), 265
 frames (animation), motion
 estimation, 283
 freeware, software development, 88
 fresh crawls (Google), 374
 front panel connectors,
 motherboards, 25
 FSB (Front Side Buses), 24-26, 75
 FSD (File System Drivers), 164
 FTP (File Transfer Protocol), 368
 full duplex messages (session layer),
 334
 full-adders, 50, 53, 69
 full-frame pictures (digital cameras),
 258
 fundamental resonance, 75
 fusing system (laser printers), 413

G
 G-Lite (DSL), 329
 games, 287
 3D graphics, 265
 3D simulations, 297-301
 bitmaps, 265
 controllers
 action buttons, 294
 analog sticks, 294
 D-pads, 294
 force feedback, 294
 joysticks, 290-292
 trigger buttons, 294
 Wiimotes, 295
 development of, 260-265
 Flight Simulator (Microsoft), 297
 frame rates, 265
 game engines (software), 93
 MMORPG, 265, 304-305
 rasterizers, 265
 real time strategies, 265
 RPG, 265
 shooters, 265
 Spacewar, game development,
 263
 vector graphics, 265
 video cards, 288-289
 virtual reality, 265
 Wolfenstein 3D, game
 development, 263
 gates (transistors), 50
 AND gates, 69
 NOT gates, 68
 OR gates, 68
 XOR gates, 69
 gateways, 312
 data transfers, 337
 SMTP messages, 344
 gB (gigabytes), 152

GDI (graphic device interfaces),
 metafiles, 110
 geometry, 3D video game
 simulations, 298-299
 GIF (Graphics Interchange Format),
 312
 GIGO (Garbage In, Garbage Out),
 196
 Google, 367
 doc servers, 375
 fresh crawls, 374
 PageRank, 375
 Gouraud shaders, 302
 GPU (Graphics Processing Units),
 3D video game simulations,
 299
 Gradient tool (graphics software),
 141
 graphics
 3D graphics, 265
 AGP, 25
 bitmaps, 110, 200, 265
 bitmap tables, 410
 compression, 134-135
 cookie-cutter text, 406-407
 printing, 405
 saving artwork as, 132-133
 texture maps, 3D video game
 simulations, 300
 ClearType, 115
 double anti-aliased graphics, 289
 frame rates, 265
 GIF, 312
 jaggies, 115
 JPEG files, 135
 links, 312
 shaders, 265
 software, 123
 Airbrush tool, 141
 Burn tool, 140
 Cloning tool, 141
 color (true), 133

- Cross Dissolving tool, 142
 - Dodge tool, 140
 - Gradient tool, 141
 - Healing Brush tool, 140
 - layers, 141
 - levels (histograms), 140
 - Morphing tool, 142
 - photo correction via numbers, 138-139
 - Selection tool, 140
 - Sharpen tool, 141
 - variations, 141
 - warping methods, 142-143
 - vector graphics files, 136-137, 265
 - GUI (Graphical User Interfaces), 93, 112, 122
- H**
- hackers
 - attacks, step-by-step procedure of, 380-381
 - crackers versus, 379
 - footprint analysis, 380
 - half duplex messages (session layer), 334
 - half-adders, 50, 53, 69
 - handles (IM), 346
 - handoffs (cell phone frequencies), 354
 - handwriting recognition, tablet PCs, 18-19
 - hard drives, 12
 - access time, 151
 - actuators, 151
 - average latency, 151
 - bad blocks/sectors, 151
 - buffers, 151
 - CDs, reading/writing data on, 158-159
 - crashes, 150
 - CRC, 151
 - cylinders, 151
 - data storage, 170-171
 - defragmentation, 152, 182-183
 - development of, 149
 - disk controllers, 171
 - DMA, 152
 - DVDs, reading/writing data on, 158-159
 - FAT, 152, 171
 - file directories, 152
 - form factors, 152
 - formatting, 152, 155, 160
 - fragmentation, 152, 183
 - hard errors, 152
 - head actuators, 171
 - low-level formatting, 153
 - memory (long term), 155
 - MFT, 171
 - optical storage, 153
 - platters, 150, 153
 - RAID, 153
 - read-only devices, 153
 - read/write heads, 150
 - flying height, 152
 - head crashes, 152
 - head landing zones, 152
 - interleave factors, 153
 - seek time, 153
 - settle time, 153
 - voice coil motors, 153
 - reading data, 153
 - S.M.A.R.T., 153
 - tracks, 153
 - hard-contact keys (keyboards), 205
 - hardware
 - CPU, commanding, 40-41
 - software compatibility, 38-39
 - trees, resource arbitration, 43
 - harvesting email directories (spam), 393
 - HD-DVD, 185, 192-193
 - HDMI (High-Definition Multimedia Interface), TiVo, 285
 - head actuators (hard drives), 171
 - head crashes (read/write heads), 152
 - head landing zones (read/write heads), 152
 - headers (packets), 317
 - headphone jacks, notebook PCs, 14
 - Healing Brush tool (graphics software), 140
 - heat pipes, 77
 - heat sinks, 13, 76, 289
 - heuristic detectors, 390
 - HFC (Hybrid Fiber Coaxial) cable, 330
 - hidden views, 3D video game simulations, 299
 - high-level languages (programming), 93
 - history of computers
 - I/O (input/output) devices, 198-200
 - Internet, 311
 - multimedia, 264
 - printers, 402
 - software, 83-85, 88-92
 - HKCC (HKEY_CURRENT_CONFIG) root key, Windows Registry, 44
 - HKCR (HKEY_CLASSES_ROOT) root key, Windows Registry, 44
 - HKCU (HKEY_CURRENT_USER) root key, Windows Registry, 44
 - HKLM (HKEY_LOCAL_MACHINE) root key, Windows Registry, 44
 - HKU (HKEY_USERS) root key, Windows Registry, 44
 - hold mode (Bluetooth), 357

- Hollerith, Herman, computer development, 6
 - homonyms, speech recognition, 211
 - hot plugs, 152
 - hot spots (Wi-Fi), 351-353
 - HTML (Hypertext Markup Language), 312
 - viruses, 388
 - wireless networks, 356
 - http (Hypertext Transfer Protocol), 312, 368
 - hubs, 312
 - data transfers, 337
 - Ethernet networks, 321
 - network connections, 321
 - twisted-pair cable, 320
 - human-computer interaction, 200
 - hyperlinks, 368
 - Hz (hertz), 157
- I**
- I/O (Input/Output)
 - GIGO, 196
 - human-computer interaction, 200
 - development of, 198
 - IBM, computer development, 8
 - IDE (Integrated Drive Electronics) standard, 152
 - IDE connectors, motherboards, 24
 - identifier tables (lexers), 102
 - IDT (Interrupt Descriptor Tables), 41
 - if...then statements (programming), 97
 - IM (Instant Messaging)
 - chat rooms, 346
 - handles, 346
 - messaging servers, 348
 - screen names, 346
 - image files
 - artifacting, 135
 - compression, RLE, 134
 - cross dissolving, 142
 - JPEG files, 135
 - morphing, 142
 - photo correction via numbers, 138-139
 - photo restoration, 140
 - posterized files, 135
 - vector-based graphics, 136-137
 - warping methods, 142-143
 - image processors, digital camcorders, 280
 - image sensors
 - digital cameras, 253-255
 - digital camcorders, 280
 - images
 - file compression
 - digital camcorders, 282-283
 - key frame compression, 283
 - vector graphics files, 136-137, 265
 - impact printers, 403, 410
 - in-circuit wiring, Flash memory, 61
 - indexes (databases), 126-127
 - indexing, 374. **See also** Google
 - information waves, analog data communication, 316
 - infrared ports, notebook PCs, 15
 - ink
 - pigment inks, photo printing, 420
 - printers
 - solid-ink printers, color printing, 424
 - ink-jet printers, 403, 418
 - inline formatting, text files, 144
 - input capacitors, PC power supplies, 223
 - input/output devices
 - analog signals, 200
 - buses, 40
 - defining, 201
 - development of, 194-199
 - digital signals, 200
 - inquiry mode (Bluetooth), 357
 - installing software, Privacy Policies, 382
 - insulators, 156
 - integer tokens (lexers), 102
 - interfaces (programming), 93
 - interframe compression (streaming video), 364
 - interleave factors (read/write heads), 153
 - internal buses, 24
 - Internet
 - asymmetrical data rates, 311
 - backbones, 311
 - bandwidth, 311, 361
 - broadband, 311
 - browsers, 311
 - channels, 311
 - connections
 - bandwidth, 232-233
 - carriers, 232
 - dial-up, 326-327
 - DSL, 312, 328
 - modems, 325
 - parallel ports, 229, 234
 - serial ports, 229, 236-237
 - USB, 238-239
 - wireless networks, 351, 356-357
 - data transfers, 333
 - bridges, 337
 - gateways, 337
 - hubs, 337
 - LAN, 336
 - NAP, 337
 - repeaters, 337
 - routers, 336
 - WAN, 336

development of, 306-313
 distributed structures, 341
 downstream, 312
 dynamic IP addresses, 312
 evolution of, 367
 file sharing, 340
 development of, 311
 IP addresses, 312
 ISP, 369
 LAN, 312
 P2P structures, 341
 spam, 313
 spiders, 313
 static IP addresses, 313
 streaming audio/video, 361
 T1 lines, 313
 traditional structure of, 341
 URL, 313
 usenets, 313
 WAN, 313
 websites, 313
 worms, 313
 WWW, 313
 XML, 313
 interpreters, 95
 software, 100-101
 source code, 93
 interrupt controllers, 40
 interrupt handlers, boot process, 33
 inverters, PC power supplies, 224
 IOS (IO Subsystem), 165
 IP (Internet Protocol) addresses,
 313, 353, 369
 dynamic IP addresses, 312
 packet headers, 317
 IP (Internet Protocol) packets, 330
 IP (Internet Providers), 312, 365
 iPhones, 358-359
 iPods
 "classic" iPods, 276
 Nano, 277

Shuffle, 277
 Touch, 277
 IRQ (Interrupt Request) lines, 40
 ISA (Industry Standard
 Architectures), 201
 ISP (Internet Service Providers), 327,
 369
 ISR (Interrupt Service Routines), 41

J - K

Jacquard Loom, software
 development, 83
 jaggies (text/graphics), 115, 417
 JEU (Jump Execution Units), 70
 JND (Just Noticeable Difference),
 sound, 273
 Jobs, Stephen, computer
 development, 7-8
 joysticks, 290
 force-feedback joysticks, 292
 position sensors, 291
 JPEG files, 135
 jump drives, 60-61
 jumper pins, circuit boards, 23

 kernel mode (processors), 106
 kernels, 96
 key bytes (RLE), 134
 key frame file compression, 283
 keyboard controllers, 40
 keyboards, 197
 capacitive keys, 205
 data entry, 203
 development of, 199
 hard-contact keys, 205
 notebook PCs, 15
 ports, 13
 scan codes, 204-205
 split-board design, 203

L
 LAN (Local Area Networks), 312
 bus topologies, 319
 data transfers, 336
 file servers, 315
 nodes, 315
 phone lines, 322
 power lines, 322-323
 print servers, 315
 star topologies, 319
 token rings, 319
 WLAN, 353
 landing zones (read/write heads),
 152
 lands (CD-ROM drives), 186
 language experts (handwriting
 recognition), 19
 languages (programming), 96
 assembly language, 95
 compilers, 95
 interpreters, 95, 100-101
 machine language, 95
 laser printers, 403
 color printing, 415, 422
 corona wires, 412
 drums, 413
 fusing system, 413
 OPC, 413
 paper trains, 413
 toner, 413
 lasers, 153, 265
 latency, reducing (bandwidth), 233
 latent heat (cooling systems), 77
 layers (graphics software), 141
 LCD (Liquid Crystal Display)
 projectors, 250
 LCD (Liquid Crystal Display) screens,
 201, 247
 active matrix displays, 246
 notebook PCs, 15

- passive matrix displays, 246
- plasma screens versus, 248
- polarizing filters, 246
- LED (light emitting diodes), optical mice (mouse), 207
- leeches (torrenting), 343
- legal issues, torrenting, 343
- levels (histograms), graphics software, 140
- lexers (compilers), 102
- lexical analysis (compilers), 102
- LFE (Low Frequency Effect) channel, multichannel sound, 272
- light sources, 3D video game simulations, 298
- line conditioning, surge protectors, 226
- line noise (phone), dial-up modems, 327
- links, 312
- list servers, email, 339
- LM (link managers), Bluetooth, 357
- logic (circuits), 50
- logic design, 51
- logic gates, 53
- logic tests, database managers, 121
- logical pixels, 114, 201
- long term memory, 155
- longitudinal recording, 179
- loops (programming), 93
- lossless compression, 180-181
- lossy compression, 181
- Lotus 1-2-3, software development, 87
- low-level formatting (hard drives), 153
- low-level languages (programming), 93
- Luddites, defining, 83
- LZ adaptive dictionary-based algorithm, lossless compression, 180
- M**
- machine language, 95
- macros, software development, 89
- magnetic deflection yokes, 244
- magnetic disks
 - constant angular velocity, 187
 - data storage, 155
 - formatting, 155
 - sectors, 187
 - tracks, 187
- mail reflectors, 339
- mail servers, 313
- mathematical algorithms, graphics software, 123
- matrixes (monitors), 115
- mechanical mice, functionality of, 206
- memo files, 125
- memory
 - caches, 50, 196
 - core memory, 148
 - Flash drives, 60-61
 - long term memory, 155
 - RAM, 9, 13
 - address lines, 50, 56
 - buffers (DWM), 113
 - CMOS chips, 33
 - data lines, 50, 56
 - DDR2 RAM, 59
 - DMA, 152
 - notebook PCs, 14
 - reading data from, 58
 - video cards, 289
 - writing data to, 56
 - ROM, 9
 - segmented addresses (processors), 107
- memory cards, 60-61
- memory data registers, 67
- memory slots (motherboards), 24
- memory-resident viruses, 387, 391
- messaging servers (IM), 348
- metafiles, 110
- MFT (Master File Tables), 164, 171
- MHz (megahertz), 51
- mice (mouse). **See** mouse
- micro-operations, 71
- microchips, 21
 - burn-in, 50
 - development of, 46-47, 49-51
 - DeForest, Lee, 48
 - Edison, Thomas, 48
 - Fleming, John, 48
 - on/off switches, 49
 - transistors, 49
- PGA, 51
- semiconductors, 51
- slices, 51
- transistors, 53
- wafers, 51
- micrometers, 51
- microprocessors, 13, 51
 - ALU, 50
 - heat sinks, 13
 - moving data, 70-71
 - operation of, 63-65
 - registers, 66, 95
 - accumulation registers, 67
 - address registers, 67
 - memory data registers, 67
 - program counter registers, 67
- MIDI (Musical Instrument Digital Interface) files, 265, 270
- MIME (Multi-Purpose Internet Mail Extensions), 339, 388
- minicomputers (spreadsheet software), 130
- MIP mapping, 3D video game simulations, 300
- mirror sites, 369

- mirrored drive arrays (RAID 1), file protection, 172-173
 - MMORPG (Massively Multiplayer Online Role-Playing Games), 265, 304-305
 - modems, 13
 - ADSL, 311
 - cable modems, 325, 330-331
 - dial-up Internet connections, 326-327
 - DSL modems, 325
 - Internet connections, 325
 - notebook PCs, 14
 - modules (programming), 93
 - monitors
 - Aero desktop, 114
 - aliasing, 115
 - Ben Day dots, 243
 - ClearType, 115
 - CRT
 - dot pitch, 245
 - SED, 244
 - DLP projectors, 250
 - fields, 245
 - jaggies, 115
 - LCD, 247, 250
 - active matrix displays, 201, 246
 - notebook PCs, 15
 - passive matrix displays, 246
 - plasma screens versus, 248
 - polarizing filters, 246
 - matrixes, 115
 - phosphors, 245
 - pixels, 243
 - plasma
 - LCD screens versus, 248
 - photons, 249
 - ribs, 248
 - polarization, 201
 - raster scanning, 245
 - refreshing, 244-245
 - resolution, 244
 - shadow masks, 245
 - super VGA, 201
 - touchscreens, tablet PCs, 16-17
 - VGA, 201
 - Morphing tool (graphics software), 142
 - motherboards, 9
 - AGP, 25
 - batteries, 25
 - BIOS, 25
 - buses, 24
 - chip sets, 24-25
 - CPU sockets, 24
 - expansion boards, 24
 - expansion slots, 25
 - floppy disk connections, 25
 - form factors, 24
 - front panel connectors, 25
 - IDE connectors, 24
 - memory slots, 24
 - North Bridge, 24-28
 - Port 80 displays, 25
 - ports, 25
 - power supply connections, 24
 - SATA connectors, 25
 - South Bridge, 24-29
 - motion estimation, 283
 - mouse, 198
 - data entry, 203
 - development of, 200
 - mechanical mice, 206
 - optical mice, 207
 - ports, 13
 - MOV (Metal-Oxide Varistors), surge protectors, 227
 - MP3 files, 265, 273
 - MPEG-2 encoders, TiVo, 284
 - MTSO (Mobile Telephone Switch Offices), cell phones, 354
 - multi-core processors, 72-73
 - multi-threaded software, 72
 - multichannel sound, 272
 - multifunction office machines, 403
 - multimedia
 - AVI, 265
 - development of, 260-265
 - DVI, 265
 - development of, 264
 - MIDI files, 265, 270
 - MP3 files, 265, 273
 - overview, 264
 - sound cards, 13
 - streaming audio/video, 265
 - video, 279
 - video cards, 13
 - video controllers, notebook PCs, 14
 - multimedia sound, 267
 - multiplexes, boosting bandwidth, 233
 - multiplier circuits, 75
 - multitasking, iPhones, 358
 - multithreaded programs, 93
 - mutual capacitance screens
 - iPhones, 359
 - touchpads, 208
- ## N
- Nano (iPod), 277
 - nanometers, 157
 - nanoseconds, 196
 - NAP (Network Access Points), data transfers, 337
 - NCQ (Native Command Queing), 241
 - network connectors, 13
 - networks
 - client/server networks, 318
 - coaxial cable connections, 320

connectors, 13
 data transfers
 application layer, 334
 data-link layer, 335
 LAN, 336
 network layer, 335
 physical layer, 335
 presentation layer, 334
 session layer, 334
 transport layer, 334
 WAN, 336
 distributed networks, 312
 Ethernet networks, 321
 fiber-optic cable connections, 320
 hubs, 321
 Internet
 development of, 311
 wireless connections, 351
 LAN, 312
 bus topologies, 319
 file servers, 315
 nodes, 315
 phone lines, 322
 power lines, 322-323
 print servers, 315
 star topologies, 319
 token rings, 319
 NIC, 312
 node connections, 320-321
 P2P networks, 312, 315, 318
 packets, 316-317
 routers, 321
 switches, 321
 twisted-pair cable connections, 320
 WAN, 313, 319
 Wi-Fi, 352-353
 wireless connections, 351
 wireless networks, 320
 Bluetooth, 357

hot spots, 351
 HTML, 356
 WAP, 356
 WML, 356
 WLAN, 353
 NIC (Network Interface Cards), 312
 nodes, LAN, 315
 noise (static), 156
 North Bridge (motherboards), 24-28
 NOT gates (transistors), 68
 notebook PCs, 14-15
 NPC (non-player characters), MMORPG, 305
 NTDETECT.COM, PC wakeup process, 34
 NTLDR (NT LoaDeR), PC wakeup process, 34
 numbers, photo correction via (graphics software), 138-139



OCR (Optical Character Recognition), scanners, 218-219
 OEM (Original Equipment Manufacturer) text, 110
 offline data storage, 148
 on demand audio/video. **See** streaming audio/video
 on/off switches, microchip development, 49
 online auctions. **See** eBay
 online data storage, 148
 OPC (Organic Photoconducting Cartridges), laser printers, 413
 operating systems. **See** OS (Operating Systems)
 optical bits (DVDs), 193
 optical drives, 15, 185

optical grayscale position sensors (joysticks), 291
 optical imaging (touchscreens), tablet PCs, 17
 optical mice (mouse), functionality of, 207
 optical storage, 153
 optical zoom (digital camcorders), 281
 optimization (disk). **See** defragmentation
 optimizers, code generators, 103
 OR gates (transistors), 68
 OS (Operating Systems), 9, 37, 93
 development of, 90-92
 software development, 90
 outline fonts, printing, 405, 408-409
 output capacitors, PC power supplies, 223
 overclocking, 74-75
 overtone frequencies, 75



P2P (Peer-to-Peer)
 Internet structures, 341
 networks, 312, 315, 318
 torrenting, 342-343
 packets, 316
 CRC, 317
 digital data communication, 317
 Ethernet networks, 321
 filtering, 384
 headers, 317
 payloads, 317
 TCP/IP, 317
 trailers, 317
 page files, 368
 page mode (Bluetooth), 357
 PageRank (Google), 375

- paper, photo printing, 420
- paper movers, scanners, 217
- paper trains (laser printers), 413
- parallel ports, 13, 201, 229, 234
- PARC (Palo Alto Research Center), input/output device development, 199
- park mode (Bluetooth), 357
- parsing, 96, 103, 121
- particle shaders, 303
- passive matrix displays (LCD screens), 246
- pattern recognition, iPhones, 358
- payloads (packets), 317
- PC (player characters), MMORPG, 304
- PC card slots, notebook PCs, 15
- PC-Talk, software development, 88
- PCI (Peripheral Component Interconnect), 201
- PCI-E (Peripheral Components Interconnect-Express) buses, 28-29
- PCM (Pulse Code Modulation), dial-up modems, 327
- PCs
 - BIOS, 13
 - CD-ROM drives, 12
 - CMOS, 13
 - cooling systems
 - forced convection, 76-77
 - heat pipes, 77
 - heat sinks, 76
 - latent heat, 77
 - Peltier cooling, 79
 - water-cooled PCs, 78
 - disk controllers, 13
 - DVD-ROM drives, 12
 - expansion slots, 13
 - fans, 13
 - floppy drives, 13
 - hard drives, 12
 - heat sinks, 13
 - keyboard ports, 13
 - microprocessors, 13
 - modems, 13
 - mouse ports, 13
 - network connectors, 13
 - notebook PCs, 14-15
 - parallel ports, 13
 - power supplies, 12, 221
 - AC power, 222-224
 - DC power, 222-224
 - dirty power, 222
 - EMI, 222
 - inverters, 224
 - surge protectors, 226-227
 - UPS, 224-225
 - RAM, 13
 - real-time clocks, 13
 - serial ports, 13
 - shutting down, 11
 - sound card connections, 13
 - sound cards, 13
 - startup process, 31
 - tablet PCs
 - handwriting recognition, 18-19
 - touchscreens, 16-17
 - USB ports, 13
 - video cards, 13
 - wakeup process, 35
 - writable CD/DVD drives, 12
- PDL (Page Description Language), printers, 403
- peer-to-peer networks. **See** P2P (Peer-to-Peer)
- Peltier cooling, PC cooling systems, 79
- people, rendering in 3D video game simulations, 301
- performance
 - drives, improving in, 177
- RAID 4 (striped drive arrays with parity), 174
- peripherals
 - joysticks, 290
 - force-feedback joysticks, 292
 - position sensors, 291
 - keyboards, 197
 - capacitive keys, 205
 - data entry, 203
 - development of, 199
 - hard-contact keys, 205
 - notebook PCs, 15
 - ports, 13
 - scan codes, 204-205
 - split-board design, 203
 - monitors
 - Aero desktop, 114
 - aliasing, 115
 - Ben Day dots, 243
 - ClearType, 115
 - CRT, 244-245
 - DLP projectors, 250
 - fields, 245
 - jaggies, 115
 - LCD, 15, 201, 246-250
 - matrixes, 115
 - phosphors, 245
 - pixels, 243
 - plasma, 248-249
 - polarization, 201
 - raster scanning, 245
 - refresh rates, 244
 - refreshing, 245
 - resolution, 244
 - shadow masks, 245
 - super VGA, 201
 - touchscreens, tablet PCs, 16-17
 - VGA, 201
- mice, 198
 - data entry, 203

- development of, 200
- mechanical mice, 206
- optical mice, 207
- ports, 13
- paper movers, scanners, 217
- pointing devices
 - “eraserhead” pointing devices, 203
 - pointing sticks, 14, 209
- scanners, 213
 - ADC, 215-217
 - CMOS photodiode arrays, 215
 - flatbed scanners, 216
 - OCR, 218-219
 - paper movers, 217
 - photocells, 214-215
- touch pads, 203
 - functionality of, 208
 - notebook PCs, 14
- perpendicular recording, 179
- persistence (phosphors), 245
- perspective correction, 3D video
 - game simulations, 300
- PGA (Pin Grid Arrays), 51
- phone lines
 - LAN, 322
 - noise, dial-up modems, 327
- phonemes (speech recognition), 210
- phones (cell)
 - analog systems, 355
 - base stations, 354
 - control channels, 354
 - digital systems, 355
 - handoffs, 354
 - MTSO, 354
 - registration requests, 354
 - SID, 354
- phosphors (monitors), 244-245
- photo printing, 420
 - photocells (scanners), 214-215
- photography
 - correcting photos via numbers (graphics software), 138-139
 - digital cameras
 - auto exposure, 258-259
 - autofocus lenses, 256-257
 - capturing light, 254-255
 - image sensors, 253-255
 - full-frame pictures, 258
 - POS cameras, 258
 - pressure plates, 253
 - shutter locks, 259
 - spot metering, 259
 - white balance, 253
 - frame, 280-281
 - restoring photos, 140
- photons (plasma screens), 249
- physical layer (networks), data transfers, 335
- physical pixels, 201
- piezo controllers (solid-ink printers), 424
- piezo-electric nozzles (photo printers), 420
- piezo-electric sensors (joysticks), 291
- pigment inks, photo printing, 420
- pin connectors, ribbon cable, 23
- pins (wafers), 51
- pipelining, 51
- pits (CD-ROM drives), 186
- pixels
 - 3D video game simulations, 300
 - address lines, 249
 - as tokens, 135
 - display lines, 249
 - dot pitch, 201
 - fills, displaying, 137
 - logical pixels, 114, 201
 - monitor displays, 243
 - physical pixels, 201
 - reference pixels, 135
 - texels, 300
 - virtual pixels, 133
- PK (player killers), MMORPG, 305
- plasma screens
 - LCD screens versus, 248
- photons, 249
- ribs, 248
- plastic-coated swellable paper, photo printing, 420
- platters (hard drives), 150-153, 170
- plug-and-play, operation of, 42-43
- point-to-point connections (PCI-E buses), 29
- pointer fields (memo files), 125
- pointing devices
 - “eraserhead” pointing devices, 203
 - pointing sticks, 14, 209
- points (typefaces), 403
- polarization (light), 201
- polarizing filters (LCD screens), 246
- polygons, 3D video game simulations, 298
- POP (Post Office Protocol), 339, 345
- Port 80 displays, motherboards, 25
- port drivers, 165
- port multipliers, SATA, 240
- ports
 - accelerated graphics ports, 200
 - infrared ports, notebook PCs, 15
 - keyboard ports, 13
 - motherboards, 25
 - mouse ports, 13
 - parallel, 234
 - parallel ports, 13, 201, 229
 - serial ports, 13, 201, 229, 236-237
 - USB ports, 13

- POS (Point-and-Shoot) digital cameras, 258
- POST (Power-On Self-Tests), 33
- posterized image files, 135
- potentiometers
 - game pads, 294
 - joysticks, 290
- POTS (Plain Old Telephone System), 312, 329
- power connectors, video cards, 289
- power lines, LAN, 322-323
- power supplies, 12, 221
 - AC power, 14, 222-224
 - batteries
 - motherboards, 25
 - notebook PCs, 14
 - DC power, 222-224
 - dirty power, 222
 - EMI, 222
 - inverters, 224
 - motherboard connections, 24
 - surge protectors, 226-227
 - UPS, 224-225
- PPM (Pages Per Minute), printers, 403
- preemptive multitasking, 106
- prefetch data, boosting bandwidth, 233
- Presentation Foundation (Windows), 112
- presentation layer (networks), data transfers, 334
- pressure plates (digital cameras), 253
- prime numbers (encryption), 396
- print heads (printers), 403
- print servers, 313-315
- printed circuit boards, hard drives, 170
- printers
 - Apple printers, 401
 - Ben Day dots, 403
 - bitmap tables, 410
 - bitmapped font, 403
 - black and white printing
 - bitmaps, 405
 - outline fonts, 405, 408-409
 - vector fonts, 405
 - write-black method, 412
 - write-white method, 412
 - buffers, 410
 - color printing, 418, 422-424
 - additive color, 416
 - CYMK color system, 416
 - dithering, 417
 - dye-sublimation method, 415, 421
 - subtractive color, 416
 - cookie-cutter text, 406-407
 - CYMK, 403
 - development of, 398-403
 - dithering, 403
 - dot matrix, 403
 - dot-matrix printers, 410
 - DPI, 403
 - Epson printers, 402
 - fonts, 403
 - impact printers, 403, 410
 - ink-jet printers, 403, 418
 - jaggies, 417
 - laser printers, 403
 - color printing, 415, 422
 - corona wires, 412
 - drums, 413
 - fusing system, 413
 - OPC, 413
 - paper trains, 413
 - toner, 413
 - multifunction office machines, 403
 - PDL, 403
 - photo printing, 420
 - PPM, 403
 - print heads, 403
 - printing pins, 411
 - resolution, 403
 - solid-ink printers, 424
 - thermal printers, 415
 - toner, 403
 - typefaces, 403
- Privacy Policies, software installations, 382
- private key encryption, 396
- probe requests (Wi-Fi), 352
- processors
 - ALU, 66
 - caches, 67
 - control units, 66
 - image processors (digital camcorders), 280
 - kernel mode, 106
 - microprocessors, 13
 - moving data, 70-71
 - operation of, 63-65
 - multi-core processors, 72-73
 - quad-core processors, 72
 - registers, 66-67, 95
 - RISC, 51
 - segmented addresses, 107
 - SIMD, 51
 - user mode, VM, 106
- program counter registers, 67
- program counters, 32
- programming
 - algorithms, 93
 - Boolean logic, 97
 - bugs, 93
 - calls, 93, 96
 - dialog boxes, 93
 - DLL, 93
 - flow, 93, 98
 - flow charts, 93, 97
 - game engines, 93
 - GUI, 93

high-level languages, 93
 if...then statements, 97
 interfaces, 93
 languages, 95
 assembly language, 95
 compilers, 95
 interpreters, 95, 100-101
 low-level languages, 93
 machine language, 95
 modules, 93
 routines, 96
 runtimes, 93
 sharing code. **See** DLL
 software creation, 96-97
 variables, 96
 proxy servers, 385
 PS2 ports, optical mice, 207
 PSTN (Public Switched Telephone Networks), dial-up modems, 327
 public key encryption, 396

Q - R

quad-core processors, 72
 queries, database managers, 121

radiation spectrum
 (electromagnetism), 157
 radio modules (Bluetooth), 357
 RADSL (Rate Adaptive Digital Subscriber Lines), 329
 RAID (Redundant Array of Independent Drives), 153
 controllers, 172
 RAID 0 (striped drive arrays) as RAID 4, 174
 RAID 1 (mirrored drive arrays) file protection, 172-173

RAID 4 (striped drive arrays with parity) effects on performance, 174
 RAM (Random Access Memory), 9, 13
 address lines, 50, 56
 buffers (DWM), 113
 CMOS chips, 33
 data lines, 50, 56
 DDR2 RAM, 59
 DMA, 152
 notebook PCs, 14
 reading data from, 58
 video cards, 289
 writing data to, 56
 raster scanning (monitors), 245
 rasterizers, 265
 ray tracing, 302
 read-only devices (data storage), 153
 read/write arms (hard drives), 171
 read/write heads
 floppy drives, 169
 hard drives, 150, 170
 flying height, 152
 head crashes, 152
 head landing zones, 152
 interleave factors, 153
 seek time, 153
 settle time, 153
 voice coil motors, 153
 Zip drives, 178
 read/write process (computers), 9
 reading/writing data
 data storage, 153
 CD data, 158-159
 DVD data, 158-159
 hard errors, 152
 sequential access, 153
 soft errors, 153
 real time strategy (games), 265

real-time clocks, 13, 33
 reboots, 33
 recording video, DVR, 284-285
 records
 database managers, 120
 databases
 adding to, 124
 storing in, 126-127
 finding, 124
 fixed-length field records, 124-125
 modifying, 124
 retrieving from databases, 128-129
 variable-length field records, 125
 reference pixels, 135
 refresh rates (monitors), 244
 refreshing screens (monitors), 245
 registers, 51, 66, 95
 accumulation registers, 67
 address registers, 67
 memory data registers, 67
 program counter registers, 67
 program counters, 32
 registration requests (cell phones), 354
 Registry (Windows)
 HKCC root key, 44
 HKCR root key, 44
 HKCU root key, 44
 HKLM root key, 44
 HKU root key, 44
 PC wakeup process, 35
 Registry Editor (Regedit), 44
 REG_BINARY (binary values) data type, 45
 REG_DWORD (DWORD values) data type, 45
 REG_EXPAND_SZ (expanded string value) data type, 45

- REG_MULTI_SZ (string array value) data type, 45
 - REG_SZ (string value) data type, 45
 - Registry Editor (Regedit), 44
 - relational database managers, 121
 - relational databases, 128
 - rendering (gaming)
 - 3D video game simulations, 299
 - scissors rendering, 288
 - reorder buffers, 71
 - repeaters, data transfers, 337
 - replication (viruses), 386
 - resistive systems (touchscreens), tablet PCs, 16
 - resistors, 21-23, 230
 - resolution
 - ADC, 231
 - DAC, 231
 - monitors, 244
 - printers, 403
 - resonance, 74-75
 - resource arbitration, 43
 - restoring
 - files, 162
 - photos, 140
 - RET (Return from Interrupt), 41
 - retrieving files from disks, 164-165
 - reverse Polish notation (spreadsheet formulas), 130
 - rewritable storage devices, 153
 - RF (Radio Frequency) transmitters, optical mice, 207
 - ribbon cable, pin connectors, 23
 - ribs (plasma screens), 248
 - RISC (reduced instruction set computing), 51
 - RJ-45 connectors, twisted-pair cable, 320
 - RL (Real Life) economies, MMORPG, 305
 - RLE (Run-Length Encoding), 134
 - rollers (mice), 206
 - ROM (Read Only Memory), 9
 - routers, 312
 - data transfers, 336
 - Ethernet networks, 321
 - network connections, 321
 - twisted-pair cable, 320
 - routines (programming), 96
 - RPG (Role Playing Games), 265
 - RTF (Rich Text Format), 110
 - runtimes (programming), 93
- S**
- S.M.A.R.T. (Self-Monitoring Analysis and Reporting Technology), 153
 - SATA (Serial ATA), 25, 240
 - saving
 - artwork as bitmaps, 132-133
 - data
 - disk drives, 167
 - floppy drives, 167
 - files to disk, 162
 - scalability, PCI-E buses, 29
 - scan codes, keyboards, 204-205
 - scanners, 213
 - ADC, 215-217
 - CCD, 201
 - CMOS photodiode arrays, 215
 - flatbed scanners, 216
 - multifunction office machines, 403
 - OCR, 218-219
 - paper movers, 217
 - photocells, 214-215
 - signature scanners, 390
 - scissors rendering (gaming), 288
 - screen names (IM), 346
 - screens
 - Aero desktop, 114
 - aliasing, 115
 - Ben Day dots, 243
 - ClearType, 115
 - CRT
 - dot pitch, 245
 - SED, 244
 - DLP projectors, 250
 - fields, 245
 - jaggies, 115
 - LCD, 247, 250
 - active matrix displays, 201, 246
 - notebook PCs, 15
 - passive matrix displays, 246
 - plasma screens versus, 248
 - polarizing filters, 246
 - matrixes, 115
 - phosphors, 245
 - pixels, 243
 - plasma
 - LCD screens versus, 248
 - photons, 249
 - ribs, 248
 - polarization, 201
 - raster scanning, 245
 - refreshing, 244-245
 - resolution, 244
 - shadow masks, 245
 - super VGA, 201
 - touchscreens, tablet PCs, 16-17
 - VGA, 201
 - script kiddies, 379
 - scroll wheels (mice), 206-207
 - SCSI (Small Computer System Interfaces), 240-241
 - search engines, 313
 - sectors
 - CD-ROM disks, 187
 - magnetic disks, 187
 - platters, 153
 - security

- attacks
 - backdoor attacks, 381
 - brute force attacks, 381
 - footprint analysis, 380
 - step-by-step procedure of, 380-381
 - trojan viruses, 381
- crackers, 379
- encryption, 396-397
- firewalls, 312
 - alerts, 385
 - configuring, 384
 - packet filtering, 384
 - proxy servers, 385
 - security logs, 385
 - stateful inspection, 385
- logs, 385
- script kiddies, 379
- spyware, 382-383
- UAC, 116-117
- viruses
 - antivirus software, 390
 - HTML viruses, 388
 - memory-resident viruses, 387
 - MIME viruses, 388
 - stealth viruses, 387, 390
 - transmitting, 386-389
 - VBS.Hard.A@mm viruses, 389
- SED (Surface-Conduction Electron-Emitter Displays), 244
- seeds (torrenting), 342
- seek time (read/write heads), 153
- segmentation experts (handwriting recognition), 19
- segmented addresses, processors, 107
- Selection tool (graphics software), 140
- self-capacitance screens, iPhones, 359
- semiconductors, 51, 156
 - sensor bars, Wiimotes, 295
 - sequential access, 153, 279
 - serial ATA (Advanced Technology Attachment), 153
 - serial ports, 13, 201, 229, 236-237
 - servers, 313, 385
 - session layer (networks), 334
 - settle time (read/write heads), 153
 - shaders (graphics), 265
 - bilinear filtering, 302
 - Gouraud shaders, 302
 - logical pixels, 114
 - particle shaders, 303
 - ray tracing, 302
 - trilinear filtering, 302
 - vertex shaders, 303
 - video cards, 289
 - shadow masks (monitors), 245
 - shareware, software development, 88
 - sharing
 - Clipboard data, 110-111
 - files, 340
 - programming code. **See** DLL
 - Sharpen tool (graphics software), 141
 - Shockley, William, computer development, 7
 - shooters (games), 265
 - Shuffle (iPod), 277
 - shut mode (surge protectors), 227
 - shutter locks (digital cameras), 259
 - SID (System Identification Codes), cell phones, 354
 - signature scanners, 390
 - signatures (digital), public key encryption, 397
 - silicon
 - semiconductors, 51
 - transistors, 54
 - SIMD (Single Instruction Multiple Data), 51
 - slices, 51
 - SMTP (Simple Mail Transfer Protocol), 339, 344
 - sniff mode (Bluetooth), 357
 - soft errors, 153
 - software
 - AI, 93
 - antispam software, 394-395
 - antivirus software, 390
 - application software
 - ANSI standard, 119
 - database managers, 120-121
 - definition of, 119
 - graphics software, 123, 132-133, 140-141
 - spreadsheet software, 121-122, 130-131
 - word processors, 122, 144
 - applications, 93
 - beta version, 93
 - clients, 311
 - compilers, 93
 - code generators, 103
 - lexers, 102
 - lexical analysis, 102
 - parsers, 103
 - creating, 96-97
 - development of, 80-85, 90-92
 - Bricklen, Dan, 86
 - DOS, 91
 - freeware, 88
 - Jacquard Loom, 83
 - killer apps (applications), 86
 - Lotus 1-2-3, 87
 - macros, 89
 - OS, 90
 - PC-Talk, 88
 - shareware, 88
 - VisiCalc, 86-87
 - von Neumann, John, 84

- encryption software, 396-397
- game engines, 93
- GUI, 93
- hardware compatibility, 38-39
- installing, Privacy Policies, 382
- interpreters, 93, 100-101
- multithreaded software, 72, 93
- OS, development of, 90-93
- popularity of, 89
- programming, 93
- threaded software, 72
- solid-ink printers, color printing, 424
- sound
 - 3D audio, 274-275
 - audio controllers, notebook PCs, 14
 - AVI, 265
 - digital audio compression, 273
 - digital sound, 273
 - Dolby Digital 5.1, 272
 - Dolby noise reduction (NR), 272-273
 - headphone jacks, notebook PCs, 14
 - JND, 273
 - MIDI files, 265, 270
 - MP3 files, 265, 273
 - multichannel sound, 272
 - multimedia sound, 267
 - sound cards
 - ADC, 268
 - connections, 13
 - DAC, 268
 - DSP, 269
 - FM synthesis, 271
 - wave-table synthesis, 270
 - speakers, notebook PCs, 14
 - streaming audio, 265
- source code interpreters, 93
- sources (transistors), 51
- South Bridge (motherboards), 24-29
- Spacewar*, game development, 263
- spam, 313. **See also** attacks (security)
 - antispam software, 394-395
 - blacklists, 394
 - dictionary attacks, 393
 - efficiency of, 393
 - harvesting email directories, 393
 - spammerwocky, 395
 - spiders, 392
 - whitelists, 395
- spawning points (MMORPG), 305
- speakers, notebook PCs, 14
- speculative execution, 71
- speech recognition, 210-211
- spiders (spam), 313, 392
- spindles, hard drives, 170
- split-board keyboards, 203
- spot metering (digital photography), 259
- spread spectrum method, digital cell phones, 355
- spreadsheet software
 - Auto Recalc feature, 131
 - calculation engines, 131
 - cells, updating, 131
 - formulas, deleting, 130
 - GUI, 122
 - minicompilers, 130
 - reverse Polish notation, 130
 - VisiCalc, 121
- spyware, 382-383
- stabilization (electronic), digital camcorders, 280
- standby mode (Bluetooth), 357
- star topologies, LAN, 319
- startup process (PC), 31-33
- stateful inspection (firewalls), 385
- static (noise), 156
- static electricity, discharging, 11
- static IP addresses, 313
- stations (Wi-Fi), 352-353
- stealth viruses, 387, 390
- stepper motors (floppy drives), 168
- stippling, 3D video game simulations, 300
- storing data
 - Blue-Ray discs, 185
 - CD-RW drives, 185
 - CDs, 158-159
 - clusters, 151
 - database records, 126-127
 - development of, 146-152
 - disk drives, 167
 - DVD drives, 185
 - DVDs, 158-159
 - EIDE standard, 152
 - floppy drives, 167-169
 - hard drives, 170-171
 - HD-DVD, 185
 - magnetic disks, 155
 - offline storage, 148
 - online storage, 148
 - optical storage, 153, 185
 - read-only devices, 153
 - reading data, 153
 - rewritable storage devices, 153
 - VFAT, 153
 - Zip drives, 178
- streaming audio/video, 265, 361
 - codecs, 364
 - displaying, 364-365
 - interframe compression, 364
 - IP multicast packets, 365
 - UDP, 365
- strings (text), 96
- striped drive arrays (RAID 0)
 - as RAID 4, 174
- striped drive arrays with parity (RAID 4), effects on performance, 174
- stripes (CDs), 189

- strobe signals, 234
 - subtractive color (color printing), 416
 - super VGA monitors, 201
 - superparamagnetic effect, 179
 - supertiling (video cards), 288
 - surface acoustic wave systems (touchscreens), tablet PCs, 17
 - surge protectors, 226-227
 - SVGA (Super Video Graphics Array) adapters, 244
 - switches, 313
 - crossbar switches, South Bridge, 29
 - Ethernet networks, 321
 - network connections, 321
 - on/off switches, microchip development, 49
 - transistor switches, 68
 - twisted-pair cable, 320
 - syntactic analysis (parsers), 103
 - syntax errors, interpreters, 101
 - syntax trees (parsers), 103
 - system files, 9
 - system timers, boot process, 33
- T**
- T1 lines, 313
 - tablet PCs, 16
 - handwriting recognition, 18-19
 - touchscreens
 - capacitive systems, 16
 - dispersal signal sensing, 17
 - optical imaging, 17
 - resistive systems, 16
 - surface acoustic wave systems, 17
 - tandem color laser printers, 423
 - TCP (Transmission Control Protocol), 361
 - TCP/IP (Transmission Control Protocol/Internet Protocol), 313, 317
 - TDMA (Time Division Multiple Access) method, digital cell phones, 355
 - telephones. **See** cell phones
 - terminal adapters, 325
 - tesselation, 3D video game simulations, 298
 - Texas Instruments, computer development, 7
 - texels, 3D video game simulations, 300
 - text
 - ClearType, 115
 - cookie-cutter text, printing, 406-407
 - fonts, bitmap tables, 410
 - jaggies, 115
 - links, 312
 - outline fonts, printing, 405, 408-409
 - parsing, 96, 121
 - strings, 96
 - vector fonts, printing, 405
 - text files, formatting for word processors, 144-145
 - texture maps, 3D video game simulations, 300
 - thermal paste, 76
 - thermal fuses (surge protectors), 227
 - thermal printers, color printing, 415
 - thin clients, client/server networks, 318
 - threaded software, 72
 - throughput, 201
 - time markers, TiVo, 285
 - time-staggered queues, 73
 - timeline of computer history, I/O (input/output) devices, 198-200
 - timers (system), boot process, 33
 - TiVo, 284-285
 - token rings, LAN, 319
 - tokens, pixels as, 135
 - toner (printers), 403, 413
 - toroidal choke coils (surge protectors), 227
 - torrenting, 342-343
 - Touch (iPod), 277
 - touch pads, 203
 - functionality of, 208
 - notebook PCs, 14
 - touchscreens
 - iPhones, 359
 - tablet PCs, 16-17
 - trackers (torrenting), 342
 - tracks
 - CD-ROM disks, 187
 - formatting disks, 160
 - hard drives, 153
 - magnetic disks, 187
 - trailers (packets), 317
 - transferring data
 - bandwidth, 232-233
 - carriers, 232
 - data transfer rates, 201
 - DMA, 152
 - Internet, 333
 - bridges, 337
 - gateways, 337
 - hubs, 337
 - LAN, 336
 - NAP, 337
 - repeaters, 337
 - routers, 336
 - WAN, 336
 - networks
 - application layer, 334
 - data-link layer, 335
 - network layer, 335
 - physical layer, 335

- presentation layer, 334
 - session layer, 334
 - transport layer, 334
 - packets, 316-317
 - rate of, 152
 - USB, 238-239
 - transformers, PC power supplies, 223
 - transistors
 - adders, 50
 - binary notation, 53
 - chip creation, 54
 - data lines, 56
 - data manipulation, 53
 - drains, 50, 54
 - full-adders, 50, 53
 - gates, 50
 - AND gates, 69
 - NOT gates, 68
 - OR gates, 68
 - XOR gates, 69
 - half-adders, 50, 53
 - logic gates, 53
 - microchip development, 49
 - PC power supplies, 223
 - positive charges, 54
 - registers, 51
 - silicon, 54
 - sources, 51
 - switches, 68
 - transmitting
 - data
 - DSL, 329
 - modems, 325, 330-331
 - POTS, 329
 - viruses, 387
 - email, 388-389
 - event watching, 386
 - replication, 386
 - stealth viruses, 387
 - transport layer (networks), data transfers, 334
 - trees, resource arbitration, 43
 - triangulation, 3D video game simulations, 298
 - tricklers (spyware), 383
 - trigger buttons (game pads), 294
 - trilinear filtering, 302
 - trojan viruses, 381
 - true color, 133
 - TSD (Type-Specific Drivers), 165
 - TV tuners, video cards, 289
 - twisted-pair cable
 - ADSL, 311
 - network connections, 320
 - RJ-45 connectors, 320
 - typefaces (points), 403
- U**
- UAC (User Access Control), 116-117
 - UDF (Universal Disk Format), 153
 - UDP (User Database Protocol), 361, 365
 - Ultra-640 SCSI (Small Computer System Interfaces), 241
 - Ultra2 SCSI (Small Computer System Interfaces), 241
 - undeleting files, 162
 - Universal DSL (digital subscriber lines), 329
 - updating spreadsheets, 131
 - UPS (Uninterruptible Power Supplies), 224-225
 - upstream data
 - cable modems, 330
 - DSL, 329
 - URL (Uniform Resource Locators), 313, 368, 373
 - USB (Universal Serial Bus) ports, 13, 207
 - USB (Universal Serial Buses), 238-239
 - usenets, 313
 - user mode (processors), VM, 106
- V**
- variable tokens (lexers), 102
 - variable-length field records, 125
 - variables (programming), 96
 - variations (graphics software), 141
 - VBS.Hard.A@mm virus, 389
 - VDSL (Very high-speed Digital Subscriber Lines), 329
 - vector fonts, printing, 405
 - vector graphics files, 136-137, 265
 - vertex shaders, 303
 - vertices, 3D video game simulations, 298
 - VFAT (Virtual File Allocation Tables), 153, 160, 171
 - VGA monitors, 201
 - video
 - AVI, 265
 - digital camcorders
 - active autofocus, 281
 - digital zoom, 281
 - electronic stabilization, 280
 - exposure, 281
 - image file compression, 282-283
 - image processors, 280
 - image sensors, 280
 - motion estimation, 283
 - optical zoom, 281
 - viewfinders, 280
 - DVI, 265
 - DVR, 284-285
 - multimedia, 279
 - streaming, 265, 361
 - codecs, 364

- displaying, 364-365
 - interframe compression, 364
 - IP multicast packets, 365
 - UDP, 365
 - TiVo, 284-285
 - video cards, 13
 - 16x PCI-Express buses, 289
 - auxiliary power connectors, 289
 - capacitors, 289
 - crystals, 289
 - double anti-aliased graphics, 289
 - fans, 289
 - gaming
 - frame buffers, 289
 - scissors rendering, 288
 - shades, 289
 - supertiling, 288
 - heat sinks, 289
 - RAM, 289
 - TV tuners, 289
 - video controllers, notebook PCs, 14
 - video games
 - 3D simulations, 297
 - alpha blending, 300
 - creating, 298-300
 - depth cueing, 300
 - fogging, 300
 - MIP mapping, 300
 - people rendering, 301
 - perspective correction, 300
 - pixelation, 300
 - texture maps, 300
 - controllers (games)
 - action buttons, 294
 - analog sticks, 294
 - D-pads, 294
 - force feedback, 294
 - joysticks, 290-292
 - trigger buttons, 294
 - Wiimotes, 295
 - Flight Simulator* (Microsoft), 297
 - MMORPG, 304-305
 - Spacewar*, game development, 263
 - Wolfenstein 3D*, game development, 263
 - viewfinders (digital camcorders), 280
 - viewing transform, 137
 - virtual pixels, 133
 - virtual reality (games), 265
 - viruses
 - antivirus software, 390
 - HTML viruses, 388
 - memory-resident viruses, 387
 - MIME viruses, 388
 - transmitting
 - email, 388-389
 - event watching, 386
 - replication, 386
 - stealth viruses, 387
 - trojan viruses, 381
 - VBS.Hard.A@mm viruses, 389
 - worms, 313
 - VisiCalc, 86-87, 121
 - Vista (Windows)
 - DWM, 113
 - Presentation Foundation, 112
 - UAC, 116-117
 - VM (Virtual Machine), 106-107
 - voice coil motors, 153
 - von Neumann, John, software development, 84
 - VTD (Volume Tracking Drivers), 165
- ## W
- wafers, 51
 - wakeup process (PC), 35
 - WAN (Wide-Area Networks), 313, 319, 336
 - WAP (Wireless Application Protocol), 356
 - warm boots, 33
 - warping methods (graphics software), 142-143
 - water-cooled PCs, 78
 - wave-table synthesis, sound cards, 270
 - web browsers, 311
 - domain names, 368
 - ftp, 368
 - http, 368
 - hyperlinks, 368
 - mirror sites, 369
 - page files, 368
 - URL, 368
 - web pages, 368-369
 - displaying, 370-371
 - links, 312
 - Web. **See** Internet
 - webmasters, 313
 - websites, 313
 - cookies, 373
 - domain names, 368
 - eBay, 376
 - Google, 367, 374-375
 - mirror sites, 369
 - page files, 368
 - URL, 368
 - white balance (digital cameras), 253
 - whitelists (spam), 395
 - Wi-Fi, 320
 - AP, 352-353
 - Bluetooth, 357
 - extension points, 353
 - hot spots, 351-353
 - HTML, 356
 - IP addresses, 353
 - probe requests, 352
 - stations, 352-353

- WAP, 356
- WLAN, 353
- WML, 356
- Wide SCSI (Small Computer System Interfaces), 241
- Wiimotes, 295
- Windows 9x, DLL, 108-109
- Windows Presentation Foundation, 112
- Windows Registry
 - HKCC root key, 44
 - HKCR root key, 44
 - HKCU root key, 44
 - HKLM root key, 44
 - HKU root key, 44
 - PC wakeup process, 35
 - Registry Editor (Regedit), 44
 - REG_BINARY (binary values) data type, 45
 - REG_DWORD (DWORD values) data type, 45
 - REG_EXPAND_SZ (expanded string value) data type, 45
 - REG_MULTI_SZ (string array value) data type, 45
 - REG_SZ (string value) data type, 45
- Windows Vista
 - DWM, 113
 - Presentation Foundation, 112
 - UAC, 116-117
- Windows XP
 - crashes, preventing, 106-107
 - DLL, 108-109
- wireless networks. **See** Wi-Fi
- WLAN (Wireless Local Area Networks), 353
- WML (Wireless Markup Language), 356
- Wolfenstein 3D*, game development, 263
- word addresses (Flash memory), 60
- word lines (Flash memory), 60
- word processors, 122, 144-145
- worms, 313
- Wozniak, Steve, computer development, 7
- writable CD/DVD drives, 12
- write-black printing method, 412
- write-white printing method, 412
- write/read process (computers), 9
- writing/reading data
 - hard errors, 152
 - RAM, 56
 - sequential access, 153
 - soft errors, 153
- WWW (World Wide Web). **See** Internet

X - Y - Z

- X-Y coordinates (joysticks), 290
- xDSL (digital subscriber lines), 328-329
- Xerox, input/output device development, 199
- XML (Extensible Markup Language), 313
- XOR gates (transistors), 69
- z-buffering, 3D video game simulations, 299
- z-sorting, 3D video game simulations, 299
- Zip drives, data storage, 178
- zipping files
 - lossless compression, 180-181
 - lossy compression, 181
- zone recording (Zip drives), 178
- zoom (digital camcorders), 281