

# INDEX

## Symbols

& operator, 54

() operator, 54

## A

Abs() calculation  
function, 69

access

API for PHP, 453

classes, 453-454

FileMaker class,  
454-461

FileMaker Command  
Add class, 463

FileMaker Command  
class, 461-463

FileMaker Command  
CompoundFind class,  
464-465

FileMaker Command  
Delete class, 465

FileMaker Command  
Duplicate class, 466

FileMaker Command  
Edit class, 466

FileMaker Command  
Error class, 471

FileMaker Command  
Find class, 467-469

FileMaker Command  
FindAll class, 469

FileMaker Command  
FindAny class, 469

FileMaker Command  
FindRequest class,  
469-470

FileMaker Command  
PerformScript  
class, 470

FileMaker Error  
class, 470

FileMaker Error  
Validation class,  
471-473

FileMaker Field class,  
473-477

FileMaker Layout class,  
478-480

FileMaker Record class,  
481-484

FileMaker RelatedSet  
class, 485-486

FileMakerResult class,  
486-488

containers, 440-441

ODBC, 489-491

JDBC, 489-491

Web, 439

XSLT, 441

Acos() calculation  
function, 69

Add Account script step,  
337-338

add method, 464

addError method, 472

addFindCriterion  
method, 467

addSortRule method,  
464, 467

Adjust Window script  
step, 338

administration

commands, 543-550

FileMaker Server, 541-542

aggregate functions, 59

Allow Toolbars script  
step, 339

Allow User Abort script step,  
339-340

anchoring objects, 14-15

APIs (application

programming interfaces)

custom functions,  
292-293

fnXMLclean, 297

fnXMLclean\_sub,  
298-299

fnXMLdelete, 299-301

fnXMLformat, 301

fnXMLformat\_sub, 301

fnXMLinsert, 302-304

fnXMLselect, 304-309

fnXMLupdate, 309-310

PHP, 453

classes, 453-454

FileMaker class,  
454-461

FileMaker Command  
Add class, 463

FileMaker Command  
class, 461-463

FileMaker Command  
CompoundFind class,  
464-465

FileMaker Command  
Delete class, 465

FileMaker Command  
Duplicate class, 466

FileMaker Command  
Edit class, 466

FileMaker Command  
Error class, 471

FileMaker Command  
Find class, 467-469

FileMaker Command  
FindAll class, 469

FileMaker Command  
FindAny class, 469

FileMaker Command  
FindRequest class,  
469-470

FileMaker Command  
PerformScript  
class, 470

FileMaker Error  
class, 470

FileMaker Error  
Validation class,  
471-473

FileMaker Field class,  
473-477

FileMaker Layout class,  
478-480

FileMaker Record class,  
481-484

- FileMaker RelatedSet class, 485-486
  - FileMakerResult class, 486-488
  - AppleScript
    - dictionary, 505-507
    - examples, 507
    - interfaces, 501-503
    - object models, 503-504
    - overview of, 499-501
    - resources, 508
  - applications
    - dictionary window, 505
    - RAD, 521
  - Arrange All Windows script step, 340
  - Arrange menu commands, keyboard shortcuts, 536
  - Asin() calculation function, 70
  - Atan() calculation function, 70
  - auto resizing layout objects, 14-15
  - Average() calculation function, 71
- B**
- backup command, 542-543
  - Beep script step, 341
  - BLOB (Binary Large Object) types, 42
  - buttons
    - conditional formatting, 13-14
    - Tab Order, 26
- C**
- calculations
    - code, 502
    - dates
      - fnAgeInYears function, 255-256
      - fnDateMonthEnd function, 256
      - fnDateQuarter function, 256
      - fnDateRepetitions function, 257-258
      - fnNextDayOfWeek function, 258-259
    - fields, 42
    - functions, 17, 30-31
      - Abs(), 69
      - Acos(), 69
      - Asin(), 70
      - Atan(), 70
      - Average(), 71
      - Case(), 72-73
      - Ceiling(), 73
      - Choose(), 74-75
      - Combination(), 75-76
      - Cos(), 76-77
      - Count(), 77-78
      - DatabaseNames(), 78
      - Date(), 79
      - Day(), 80
      - DayName(), 81
      - DayNameJ(), 81
      - DayOfWeek(), 82
      - DayOfYear(), 82
      - Degrees(), 83
      - Div(), 84
      - Evaluate(), 84-85
      - EvaluationError(), 86
      - Exact(), 86
      - Exp(), 87
      - Extend(), 88
      - External(), 89
      - Factorial(), 89-90
      - FieldBounds(), 90-91
      - FieldComment(), 91
      - FieldIDs(), 92
      - FieldNames(), 92-93
      - FieldRepetitions(), 93
      - FieldStyle(), 94
      - FieldType(), 95
      - Filter(), 95
      - FilterValues(), 96
      - Floor(), 97
      - FV(), 98
      - Get (AccountName), 98
      - Get (ActiveField-Contents), 99
      - Get (ActiveFieldName), 100
      - Get (ActiveFieldTable-Name), 100
      - Get (ActiveLayout-ObjectName), 101
      - Get (ActiveModifier-Keys), 101-102
      - Get (ActiveRepetition-Number), 102
      - Get (ActiveSelection-Size), 102-103
      - Get (ActiveSelection-Start), 103
      - Get (AllowAbortState), 104
      - Get (AllowToolbar-State), 104
      - Get (Application-Language), 105
      - Get (Application-Version), 105
      - Get (Calculation-RepetitionNumber), 106
      - Get (CurrentDate), 107
      - Get (CurrentHost-Timestamp), 108
      - Get (CurrentTime), 108
      - Get (CurrentTime-Stamp), 109
      - Get (CustomMenuSet-Name), 109
      - Get (DesktopPath), 110
      - Get (DocumentsPath), 110-111
      - Get (ErrorCapture-State), 111
      - Get (Extended-Privileges), 112
      - Get (FileMakerPath), 112-113
      - Get (FileName), 113
      - Get (FilePath), 114
      - Get (FileSize), 114-115
      - Get (FoundCount), 115
      - Get (HighContrast-Color), 116
      - Get (HighContrast-State), 117
      - Get (HostApplication-Version), 117-118
      - Get (HostIPAddress), 118
      - Get (HostName), 118
      - Get (LastError), 119
      - Get (LastMessage-Choice), 120
      - Get (LastODBCError), 121

- Get (LayoutAccess), 121
- Get (LayoutCount), 122
- Get (LayoutName), 122
- Get (LayoutNumber), 123
- Get (LayoutTableName), 123-124
- Get (LayoutViewState), 124
- Get (MultiStateUser), 125
- Get (NetworkProtocol), 125
- Get (PageNumber), 126
- Get (PortalRowNumber), 126-127
- Get (PreferencePath), 127
- Get (PrinterName), 127
- Get (PrivilegeSetName), 128
- Get (RecordAccess), 129
- Get (RecordID), 129
- Get (RecordModificationCount), 130
- Get (RecordNumber), 130
- Get (RecordOpenCount), 131
- Get (RecordOpenState), 132
- Get (RequestCount), 132
- Get (RequestOmitState), 133
- Get (ScreenDepth), 133-134
- Get (ScreenHeight), 134
- Get (ScreenWidth), 134
- Get (ScriptName), 135
- Get (ScriptParameter), 136
- Get (ScriptResult), 136
- Get (SortState), 137
- Get (StatusAreaState), 138
- Get (SystemDrive), 138
- Get (SystemIPAddress), 139
- Get (SystemLanguage), 139
- Get (SystemNICAddress), 139
- Get (SystemPlatform), 140
- Get (SystemVersion), 141
- Get (TemporaryPath), 141
- Get (TextRulerVisible), 142
- Get (TotalRecordCount), 142
- Get (UserCount), 143
- Get (UserName), 143-144
- Get (UserSystemFormatsState), 144
- Get (WindowContentHeight), 144
- Get (WindowContentWidth), 145
- Get (WindowDesktopHeight), 145
- Get (WindowDesktopWidth), 146
- Get (WindowHeight), 147
- Get (WindowLeft), 147
- Get (WindowMode), 148
- Get (WindowName), 148
- Get (WindowTop), 149
- Get (WindowVisible), 149
- Get (WindowWidth), 150
- Get (WindowZoomLevel), 150
- GetAsBoolean(), 151
- GetAsCSS(), 151
- GetAsDate(), 152
- GetAsNumber(), 153
- GetAsSVG(), 153
- GetAsText(), 154
- GetAsTime(), 155
- GetAsTimeStamp(), 155-156
- GetAsURLEncoded(), 160
- GetField(), 156
- GetLayoutObjectAttribute(), 157-159
- GetNextSerialValue(), 159
- GetNthRecord(), 161
- GetRepetition(), 162
- GetSummary(), 162-163
- Hiragana(), 164
- Hour(), 164
- If(), 165
- Int(), 166
- IsEmpty(), 167
- IsValid(), 167-168
- IsValidExpression(), 168
- KanaHankaku(), 169
- KanaZenkaku(), 169
- KanjiNumeral(), 170
- Katakana(), 170
- Last(), 171
- LayoutIDs(), 171
- LayoutNames(), 172
- LayoutObjectNames(), 173
- Left(), 174
- LeftValues(), 174-175
- LeftWords(), 175-176
- Length(), 176-177
- Let(), 177-179
- Lg(), 179
- List(), 180
- Ln(), 180
- Log(), 181
- Lookup(), 181-182
- LookupNext(), 182-183
- Lower(), 184
- Max(), 184-185
- Middle(), 185
- MiddleValues(), 186
- MiddleWords(), 187
- Min(), 188
- Minute(), 189
- Mod(), 189
- Month(), 190-191
- MonthName(), 191
- MonthNameJ(), 191
- NPV(), 192
- NumToJText(), 193
- PatternCount(), 194
- Pi(), 194
- PMT(), 195
- Position(), 196

- Proper(), 197
- PV(), 197-198
- Quote(), 198
- Radians(), 199
- Random(), 199
- RelationInfo(), 200
- Replace(), 201-202
- RGB(), 202-203
- Right(), 203-204
- RightValues(), 204
- RightWords(), 205
- RomanHankaku(), 206
- RomanZenkaku(), 206
- Round(), 207
- ScriptIDs(), 207-208
- ScriptNames(), 208
- Seconds(), 209
- Self(), 209
- SerialIncrement(), 210
- SetPrecision(), 211
- Sign(), 211
- Sin(), 212
- Sqrt(), 212
- StDev(), 213
- StDevP(), 214
- Substitute(), 215
- Sum(), 216
- TableIDs(), 216
- TableNames(), 217
- Tan(), 218
- TextColor(), 218
- TextColorRemove(), 219
- TextFont(), 220-221
- TextFontRemove(), 221
- TextFormatRemove(), 222
- TextSize(), 222-223
- TextSizeRemove(), 223
- TextStyleAdd(), 223-224
- TextStyleRemove(), 225
- Time(), 225-226
- TimeStamp(), 226-227
- Trim(), 227
- TrimAll(), 228
- Truncate(), 229
- Upper(), 230
- ValueCount(), 230
- ValueListIDs(), 231
- ValueListItems(), 232
- ValueListNames(), 232
- Variance(), 233-234
- VarianceP(), 234
- WeekOfYear(), 235
- WeekOfYearFiscal(), 235-236
- WindowNames(), 236
- WordCount(), 237
- Year(), 238
- YearName(), 238-239
- numbers
  - fnHypotenuse function, 249
  - fnNthRoot function, 250
  - fnPolyAreaFromRadius function, 250-251
  - fnPolyAreaFromSide function, 251
  - fnPolygonArea function, 251-252
  - fnPolygonAreaHelper function, 253
  - fnRandomInRange function, 254-255
  - repeating functions, 65
  - Specify Calculation dialog box, 53-57
- calendars, 26
- carriage return, 54
- Cascading Style Sheet. *See* CSS
- Case() function, 55, 72-73
- Ceiling() calculation function, 73
- Change Password script step, 341-342
- Check Found Set script step, 343
- Check Record script step, 343-344
- Check Selection script step, 344
- Choose() calculation function, 74-75
- classes
  - API for PHP, 453-454
  - FileMaker, 454-461
  - FileMaker Command, 461-463
  - FileMaker Command Add, 463
  - FileMaker Command CompoundFind, 464-465
  - FileMaker Command Delete, 465
  - FileMaker Command Duplicate, 466
  - FileMaker Command Edit, 466
  - FileMaker Command Error, 471
  - FileMaker Command Find, 467-469
  - FileMaker Command FindAll, 469
  - FileMaker Command FindAny, 469
  - FileMaker Command FindRequest, 469-470
  - FileMaker Command PerformScript, 470
  - FileMaker Error, 470
  - FileMaker Error Validation, 471-473
  - FileMaker Field, 473-477
  - FileMaker Layout, 478-480
  - FileMaker Record, 481-484
  - FileMaker RelatedSet, 485-486
  - FileMakerResult, 486-488
  - factory, 454
- Clear script step, 344-345
- clearFindCriteria method, 467
- clearSortRules method, 464, 467
- clients, configuring, 489-491
- Clipboard, 503
- close command, 543
- Close File script step, 345
- Close Window script step, 346
- code
  - calculations, 502
  - errors, 511-519
  - PHP Site Assistant, 19
  - reuse, 243

- Combination() calculation function, 75-76
- command line, FileMaker Server administration, 541-542
- commands
  - Arrange menu keyboard shortcuts, 536
  - backup, 542-543
  - close, 543
  - db, 448
  - disable, 543-544
  - dsortorder.precedence, 451
  - Edit menu keyboard shortcuts, 530
  - enable, 544-545
  - encoding, 448
  - field, 448
  - \*fieldname\*, 449
  - \*fieldname\*.op, 449
  - File menu keyboard shortcuts, 528-529
  - FileMaker Pro/Advanced menu keyboard shortcuts, 529
  - FileMaker Server, 543-550
  - Format menu keyboard shortcuts, 533-534
  - grammar, 449
  - help, 545
  - Help menu keyboard shortcuts, 538
  - Insert menu keyboard shortcuts, 531-532
  - lay, 449
  - Layouts menu keyboard shortcuts, 534
  - lay.response, 449
  - list, 545-546
  - lop, 449
  - max, 449
  - open, 546
  - Open Dictionary, 505
  - pause, 546-547
  - query, 447
  - record, 450
  - Records menu keyboard shortcuts, 535
  - Requests menu keyboard shortcuts, 535
  - resume, 547
  - run, 548
  - save, 549
  - script, 450
  - script.param, 450
  - script.presort, 450
  - script.prefind.param, 450
  - script.presort.param, 451
  - Scripts menu keyboard shortcuts, 536
  - send, 548
  - skip, 451
  - sortfield.precedence, 451
  - status, 549
  - stop, 549-550
  - styleref, 451
  - styletype, 451
  - token.\*token-name\*, 451
  - Tools menu keyboard shortcuts, 537
  - View menu keyboard shortcuts, 530-531
  - Window menu keyboard shortcuts, 537
- Comment script step, 346-348
- comments, inserting, 54
- commit method, 481
- Commit Records/Requests script step, 348-349
- compatibility, 18
- conditional formatting, 13-14
- conditional texts, logical functions, 64
- configuration
  - inbound ODBC, 489, 491
  - JDBC connectivity, 489, 491
  - Tab Control, 25
- connectivity
  - external SQL, 491-498
  - JDBC, 489-491
  - network ports, 539-540
- constants (system)
  - fnSolutionVersion function, 290
  - fnTab function, 291
  - fnTextColor function, 291-292
- Constrain Found Set script step, 349
- containers
  - access, 440-441
  - fields, 42
- Containment View, 505
- conversion (text)
  - fnConvertLengthUnits function, 259-260
  - fnConvertTemperature function, 261
  - fnConverttoUSABrvState function, 261-262
  - fnDecimalToHex function, 274
  - fnExplodeText function, 262-263
  - fnFormatDollars function, 263-264
  - fnFormatPhone function, 264-265
  - fnFormatSSN function, 275
  - fnInitials function, 276
  - fnInsertRepeating-Characters function, 266-267
  - fnIsWhitespace function, 267
  - fnMaskReplace function, 268-269
  - fnPadCharacters function, 269-270
  - fnRecordMetaDisplay function, 270-271
  - fnRepeatText function, 271
  - fnTrimCharacters function, 272-273
  - fnTrimReturns function, 273
- Convert File script step, 350
- Copy All Records/Requests script step, 351
- Copy Record/Request script step, 352
- Copy script step, 350
- copying
  - Clipboard, 503
  - objects, 32
- Correct Word script step, 353
- Cos() calculation function, 76-77

- Count() calculation function, 77-78
- createRecord method, 455
- CSS (Cascading Style Sheet), 311-312
  - fnCssToText function, 313
  - fnCssToText\_\_applyColor function, 323
  - fnCssToText\_\_applyFontFamily function, 322-323
  - fnCssToText\_\_applyFontSize function, 321-322
  - fnCssToText\_\_applyOneStyle function, 324
  - fnCssToText\_\_applyStyles function, 324-326
  - fnCssToText\_\_isValidSpan function, 315
  - fnCssToText\_\_processRawSpanText function, 316-320
  - fnCssToText\_\_processSpan function, 314-315
  - fnCssToText\_\_processStyledSpan function, 320-321
  - fnHexToRGB function, 326-327
- custom functions, 243, 249
  - APIs, 292-293
    - fnXMLclean, 297
    - fnXMLclean\_sub, 298-299
    - fnXMLdelete, 299-301
    - fnXMLformat, 301
    - fnXMLformat\_sub, 301
    - fnXMLinsert, 302-304
    - fnXMLselect, 304-309
    - fnXMLupdate, 309-310
  - CSS, 311-312
    - fnCssToText, 313
    - fnCssToText\_\_applyColor, 323
    - fnCssToText\_\_applyFontFamily, 322-323
    - fnCssToText\_\_applyFontSize, 321-322
    - fnCssToText\_\_applyOneStyle, 324
    - fnCssToText\_\_applyStyles, 324-326
    - fnCssToText\_\_isValidSpan, 315
    - fnCssToText\_\_processRawSpanText, 316-320
    - fnCssToText\_\_processSpan, 314-315
    - fnCssToText\_\_processStyledSpan, 320-321
    - fnHexToRGB, 326-327
- data conversions
  - fnConvertLengthUnits, 259-260
  - fnConvertTemperature, 261
  - fnConverttoUSABrvState, 261-262
  - fnDecimalToHex, 274
  - fnExplodeText, 262-263
  - fnFormatDollars, 263-264
  - fnFormatPhone, 264-265
  - fnFormatSSN, 275
  - fnInitials, 276
  - fnInsertRepeatingCharacters, 266-267
  - fnIsWhitespace, 267
  - fnMaskReplace, 268-269
  - fnPadCharacters, 269-270
  - fnRecordMetaDisplay, 270-271
  - fnRepeatText, 271
  - fnTrimCharacters, 272-273
  - fnTrimReturns, 273
- data trees, 293
- date calculations
  - fnAgeInYears, 255-256
  - fnDateMonthEnd, 256
  - fnDateQuarter, 256
  - fnDateRepetitions, 257-258
  - fnNextDayOfWeek, 258-259
- developer tools
  - fnErrorHandler, 287-288
  - fnErrorHandler-Example, 288-289
  - fnModifierKeys, 289-290
- email
  - fnEmailIsValid, 276-277
  - fnEmailTLDs, 277
- interfaces, 244-247
- list handlers
  - fnBubbleSort, 278
  - fnBubbleSort\_iterations, 279
  - fnBubbleSort\_shift, 279
  - fnMatchPrefix, 285-286
  - fnMatchPrefixAll, 286
  - fnMergeSort, 280
  - fnMergeSortedValues, 281
  - fnValuesBackwards, 282
  - fnValuesCrossProduct, 282
  - fnValuesCrossProduct\_sub, 283-284
  - fnValuesRemove, 284-285
- number calculations
  - fnHypotenuse, 249
  - fnNthRoot, 250
  - fnPolyAreaFromRadius, 250-251
  - fnPolyAreaFromSide, 251
  - fnPolygonArea, 251-252
  - fnPolygonAreaHelper, 253
  - fnRandomInRange, 254-255
- path-based selections, 294-297
- system constants
  - fnSolutionVersion, 290
  - fnTab, 291
  - fnTextColor, 291-292
- XML as data structures, 293-294
- custom menu keyboard shortcuts, 537
- Custom Web Publishing (CWP), 335, 439

customization  
 additional resources, 555  
 menus, 31

Cut script step, 353

CWP (Custom Web  
 Publishing), 335, 439

## D

data conversion functions  
 fnConvertLengthUnits,  
 259-260  
 fnConvertTemperature,  
 261  
 fnConverttoUSAbrrvState,  
 261-262  
 fnDecimalToHex, 274  
 fnExplodeText, 262-263  
 fnFormatDollars, 263-264  
 fnFormatPhone, 264-265  
 fnFormatSSN, 275  
 fnInitials, 276  
 fnInsertRepeating-  
 Characters, 266-267  
 fnIsWhitespace, 267  
 fnMaskReplace, 268-269  
 fnPadCharacters, 269-270  
 fnRecordMetaDisplay,  
 270-271  
 fnRepeatText, 271  
 fnTrimCharacters,  
 272-273  
 fnTrimReturns, 273

data modeling, 553

Data Source Name. *See* DSN

data sources  
 ODBC, 46-47  
 XML, 47

data structures, XML as,  
 293-294

data trees, 293

data type fields, 37-38  
 calculation, 42  
 containers, 42  
 dates, 39-40  
 numbers, 39  
 summary, 43  
 support, 43  
 text, 38  
 time, 40-41  
 timestamps, 41-42

Data Viewer, 16, 32

DatabaseNames()  
 calculation function, 78

databases, 553

date functions, 59

Date() calculation  
 function, 79

dates

calculation functions  
 fnAgeInYears, 255-256  
 fnDateMonthEnd, 256  
 fnDateQuarter, 256  
 fnDateRepetitions,  
 257-258  
 fnNextDayOfWeek,  
 258-259  
 fields, 39-40  
 searching, 28-29

Day() calculation  
 function, 80

DayName() calculation  
 function, 81

DayNameJ() calculation  
 function, 81

DayofWeek() calculation  
 function, 82

DayofYear() calculation  
 function, 82

-db command, 448

debugging  
 keyboard shortcuts, 537  
 Script Debugger,  
 16-17, 512  
 scripts, 334-335

defining  
 calculation fields, 56  
 code, 502

Degrees() calculation  
 function, 83

Delete Account script  
 step, 354

Delete All Records script  
 step, 354

delete method, 481

Delete Portal Row script  
 step, 355

Delete Record/Request script  
 step, 356

describeLocalValidationRules  
 method, 473

describeValidationRule  
 method, 474

design  
 databases, 553  
 Tab Control, 25

design functions, 56, 60

developer tools, 558  
 fnErrorHandler, 287-288  
 fnErrorHandlerExample,  
 288-289  
 fnModifierKeys, 289-290

Dial Phone script step, 357

dialog boxes  
 Edit Custom Function,  
 244-247  
 Field Control/options, 26  
 Perform AppleScript  
 Options, 501  
 Specify Calculation, 53-57  
 Target in the Import Field  
 Mapping, 30

dictionary, AppleScript,  
 505-507

digital photos (Mac OS),  
 importing, 46

disable command, 543-544

Disable Script Step  
 feature, 335

disconnect command, 544

Div() calculation  
 function, 84

Do Not Evaluate If All  
 Referenced Fields Are  
 Empty option, 56

documents  
 Excel, 28  
 PDF, 27

drivers, ODBC, 46

DSN (Data Source Name), 46,  
 489-498

Duplicate Record/Request  
 script step, 357

dynamic links, 21

## E

Edit Custom Function dialog  
 box, 244-247

Edit menu commands,  
 keyboard shortcuts, 530

Edit User Dictionary script step, 358

editing  
 scripts, 16  
 ScriptMaker, 331-335

elements, \*protocol\*, 440-441

Else If script step, 359

Else script step, 358

email  
 files, 49  
 functions  
   fnEmailsValid, 276-277  
   fnEmailTLDs, 277  
 notification, 19  
 Send Mail script, 28

Enable Account script step, 360

enable command, 544-545

enabling ODBC/JDBC access, 490-491

-encoding command, 448

End If script step, 360

End Loop script step, 361

Enter Browse Mode script step, 361-362

Enter Find Mode script step, 362

Enter Preview Mode script step, 363

errors  
 codes, 511-519  
 reporting, 502

ESS (external SQL sources)  
 calculation fields, 43  
 container fields, 42  
 date fields, 40  
 number fields, 39  
 ODBC data sources, 47  
 overview of, 35  
 summary fields, 43  
 text fields, 38  
 time fields, 41  
 timestamp fields, 42

Evaluate() calculation function, 84-85

Evaluate() function, 245

EvaluationError()  
 calculation function, 86

Exact() calculation function, 86

Excel  
 files  
   exporting to, 48  
   importing, 44  
   saving as, 28

execute method, 461

Execute SQL script step, 364, 497

Exit Application script step, 364

Exit Loop If script step, 365

Exit Script script step, 365

Exp() calculation function, 87

Export Field Contents script step, 366

Export Records script step, 367

exporting files, 47  
 to Excel, 48  
 to HTML, 48  
 to XML, 48

expressions  
 calculations, 54  
 Edit Custom Function dialog box, 244-247  
 logical functions, 64  
 number functions, 64-65

Extend Found Set script step, 368

Extend() calculation function, 88

Extensible Markup Language. *See* XML

Extensible Stylesheet Language. *See* XSL

extensions, 440

external data sources, applying from within, 497-498

external functions, 56, 61

external SQL sources. *See* ESS

External() calculation function, 89

## F

Factorial() calculation function, 89-90

factory class, 454

Fast Match feature, 29

features (FileMaker Pro 8.5)  
 Learning Center, 23  
 List function, 23  
 object names, 22  
 support for Intel-based Macs, 23  
 Web Viewer, 21

FedEx, 21

-field command, 448

Field Control/Options dialog box, 26

FieldBounds() calculation function, 90-91

FieldComment() calculation function, 91

FieldIDs() calculation function, 92

\*fieldname\* command, 449

\*fieldname\*.op command, 449

FieldNames() calculation function, 92-93

FieldRepetitions() calculation function, 93

fields  
 aggregate functions, 59  
 AppleScript, 503  
 conditional formatting, 13-14  
 containers, 42  
 Data Viewer, 16  
 repeating functions, 65  
 summary fields, 65  
 types, 38  
   calculation, 42  
   containers, 42  
   dates, 39-40  
   numbers, 39  
   summary, 43  
   support, 43  
   text, 38  
   time, 40-41  
   timestamps, 41-42

- FieldStyle() calculation function, 94
- FieldType() calculation function, 95
- File menu
  - Send Mail, 28
  - keyboard shortcuts, 528-529
- File Upload feature, 18
- FileMaker
  - commands
    - Add class, 463
    - class, 461-463
    - CompoundFind class, 464-465
    - Delete class, 465
    - Duplicate class, 466
    - Edit class, 466
    - Error class, 471
    - Find class, 467-469
    - FindAll class, 469
    - FindAny class, 469
    - FindRequest class, 469-470
    - PerformScript class, 470
  - consulting practices, 554
  - developer tools, 558
  - news sources, 556
  - plug-in directories, 556-557
  - Web hosting
    - resources, 556
  - Web programming
    - resources, 558-559
- FileMaker class, 454-461
- FileMaker Error class, 470
- FileMaker Error Validation class, 471-473
- FileMaker Field class, 473-477
- FileMaker Layout class, 478-480
- FileMaker Pro, 9
- FileMaker Pro 8.5 features
  - Learning Center, 23
  - List function, 23
  - object names, 22
  - support for Intel-based Macs, 23
  - Web Viewer, 21
- FileMaker Pro Advanced, 9, 529
- FileMaker Record class, 481-484
- FileMaker RelatedSet class, 485-486
- FileMaker Server, 10, 18-19
  - administration, 541-542
  - commands, 543-550
- FileMaker Server Advanced, 10, 440
- FileMaker Server Command Line error messages, 518
- FileMakerResult class, 486-488
- FileMaker\_Error method, 470
- FileMaker\_Field method, 473
- FileMaker\_Layout method, 478
- FileMaker\_Record method, 481
- FileMaker\_RelatedSet method, 485
- FileMaker\_Result method, 486
- files
  - custom functions, 243-247
  - email, 49
  - Excel
    - exporting to, 48
    - importing, 44
  - exporting, 47-49
  - file-based data sources, 43-44
  - HTML, 48
  - importing, 43
  - multiple, 45-46
  - ODBC data sources, 46-47
  - scripts, 331-335
  - XML
    - exporting to, 48
    - importing, 47
- Filter() calculation function, 95
- filtering scripts, 333
- FilterValues() calculation function, 96
- financial functions, 61
- firewalls, 539
- Floor() calculation function, 97
- Flush Cache to Disk script step, 368-369
- FMPDSORESLT grammar, 442-443, 452
- FMPXMLLAYOUT grammar, 442, 445-446, 452
- FMPXMLRESULT grammar, 441-443, 452
- fmresultset grammar, 442-445, 452
- fmsadmin tool, 541-542
- fnAgeInYears function, 255-256
- fnBubbleSort function, 278
- fnBubbleSort\_iteration function, 279
- fnBubbleSort\_shift function, 279
- fnConvertLengthUnits function, 259-260
- fnConvertTemperature function, 261
- fnConverttoUSABrvState function, 261-262
- fnCssToText function, 313
- fnCssToText\_\_applyColor function, 323
- fnCssToText\_\_applyFontFamily function, 322-323
- fnCssToText\_\_applyFontSize function, 321-322
- fnCssToText\_\_applyOneStyle function, 324
- fnCssToText\_\_applyStyles function, 324-326
- fnCssToText\_\_isValidSpan function, 315
- fnCssToText\_\_processRawSpanText function, 316-320
- fnCssToText\_\_processSpan function, 314-315
- fnCssToText\_\_processStyledSpan function, 320-321
- fnDateMonthEnd function, 256
- fnDateQuarter function, 256

- fnDateRepetitions function, 257-258
- fnDecimalToHex function, 274
- fnEmailsValid function, 276-277
- fnEmailTLDs function, 277
- fnErrorHandler function, 287-288
- fnErrorHandlerExample function, 288-289
- fnExplodeText function, 262-263
- fnFormatDollars function, 263-264
- fnFormatPhone function, 264-265
- fnFormatSSN function, 275
- fnHextoRGB function, 326-327
- fnHypotenuse function, 249
- fnInitials function, 276
- fnInsertRepeatingCharacters function, 266-267
- fnIsWhitespace function, 267
- fnMaskReplace function, 268-269
- fnMatchPrefix function, 285-286
- fnMatchPrefixAll function, 286
- fnMergeSort function, 280
- fnMergeSortedValues function, 281
- fnModifierKeys function, 289-290
- fnNextDayOfWeek function, 258-259
- fnNthRoot function, 250
- fnPadCharacters function, 269-270
- fnPolyAreaFromRadius function, 250-251
- fnPolyAreaFromSide function, 251
- fnPolygonArea function, 251-252
- fnPolygonAreaHelper function, 253
- fnRandomInRange function, 254-255
- fnRecordMetaDisplay function, 270-271
- fnRepeatText function, 271
- fnSolutionVersion function, 290
- fnTab function, 291
- fnTextColor function, 291-292
- fnTrimCharacters function, 272-273
- fnTrimReturns function, 273
- fnValuesBackwards function, 282
- fnValuesCrossProduct function, 282
- fnValuesCrossProduct\_sub function, 283-284
- fnValuesRemove function, 284-285
- fnXMLclean function, 297
- fnXMLclean\_sub function, 298-299
- fnXMLdelete function, 299-301
- fnXMLformat function, 301
- fnXMLformat\_sub function, 301
- fnXMLinsert function, 302-304
- fnXMLselect function, 304-309
- fnXMLupdate function, 309-310
- Format menu keyboard shortcuts, 533-534
- formatting
  - conditional, 13-14
  - Field Control/Options dialog box, 26
  - files, 43-44
  - keyboard shortcuts, 533-534
  - Tab Control, 25
  - tables, 47
  - text, 67
- Freeze Window script step, 369
- functions
  - aggregate, 59
  - calculations, 17, 30-31, 53-57
    - Abs(), 69
    - Acos(), 69
    - Asin(), 70
    - Atan(), 70
    - Average(), 71
    - Case(), 72-73
    - Ceiling(), 73
    - Choose(), 74-75
    - Combination(), 75-76
    - Cos(), 76-77
    - Count(), 77-78
    - DatabaseNames(), 78
    - Date(), 79
    - Day(), 80
    - DayName(), 81
    - DayNameJ(), 81
    - DayOfWeek(), 82
    - DayOfYear(), 82
    - Degrees(), 83
    - Div(), 84
    - Evaluate(), 84-85
    - EvaluationError(), 86
    - Exact(), 86
    - Exp(), 87
    - Extend(), 88
    - External(), 89
    - Factorial(), 89-90
    - FieldBounds(), 90-91
    - FieldComment(), 91
    - FieldIDs(), 92
    - FieldNames(), 92-93
    - FieldRepetitions(), 93
    - FieldStyle(), 94
    - FieldType(), 95
    - Filter(), 95
    - FilterValues(), 96
    - Floor(), 97
    - FV(), 98
    - Get (AccountName), 98
    - Get (ActiveField-Contents), 99
    - Get (ActiveFieldName), 100
    - Get (ActiveFieldTable-Name), 100
    - Get (ActiveLayout-ObjectName), 101

- Get (ActiveModifier-Keys), 101-102
- Get (ActiveRepetition-Number), 102
- Get (ActiveSelection-Size), 102-103
- Get (ActiveSelection-Start), 103
- Get (AllowAbortState), 104
- Get (AllowToolbar-State), 104
- Get (Application-Language), 105
- Get (Application-Version), 105
- Get (Calculation-RepetitionNumber), 106
- Get (CurrentDate), 107
- Get (CurrentHost-Timestamp), 108
- Get (CurrentTime), 108
- Get (CurrentTime-Stamp), 109
- Get (CustomMenuSet-Name), 109
- Get (DesktopPath), 110
- Get (DocumentsPath), 110-111
- Get (ErrorCapture-State), 111
- Get (Extended-Privileges), 112
- Get (FileMakerPath), 112-113
- Get (FileName), 113
- Get (FilePath), 114
- Get (FileSize), 114-115
- Get (FoundCount), 115
- Get (HighContrast-Color), 116
- Get (HighContrast-State), 117
- Get (HostApplication-Version), 117-118
- Get (HostIPAddress), 118
- Get (HostName), 118
- Get (LastError), 119
- Get (LastMessage-Choice), 120
- Get (LastODBCError), 121
- Get (LayoutAccess), 121
- Get (LayoutCount), 122
- Get (LayoutName), 122
- Get (LayoutNumber), 123
- Get (LayoutTable-Name), 123-124
- Get (LayoutViewState), 124
- Get (MultiStateUser), 125
- Get (NetworkProtocol), 125
- Get (PageNumber), 126
- Get (PortalRow-Number), 126-127
- Get (PreferencePath), 127
- Get (PrinterName), 127
- Get (PrivilegeSet-Name), 128
- Get (RecordAccess), 129
- Get (RecordID), 129
- Get (RecordModifica-tionCount), 130
- Get (RecordNumber), 130
- Get (RecordOpen-Count), 131
- Get (RecordOpen-State), 132
- Get (RequestCount), 132
- Get (RequestOmit-State), 133
- Get (ScreenDepth), 133-134
- Get (ScreenHeight), 134
- Get (ScreenWidth), 134
- Get (ScriptName), 135
- Get (ScriptParameter), 136
- Get (ScriptResult), 136
- Get (SortState), 137
- Get (StatusAreaState), 138
- Get (SystemDrive), 138
- Get (SystemIPAddress), 139
- Get (SystemLanguage), 139
- Get (SystemNIC-Address), 139
- Get (SystemPlatform), 140
- Get (SystemVersion), 141
- Get (TemporaryPath), 141
- Get (TextRulerVisible), 142
- Get (TotalRecord-Count), 142
- Get (UserCount), 143
- Get (UserName), 143-144
- Get (UserSystem-FormatsState), 144
- Get (WindowContent-Height), 144
- Get (WindowContent-Width), 145
- Get (WindowDesktop-Height), 145
- Get (WindowDesktop-Width), 146
- Get (WindowHeight), 147
- Get (WindowLeft), 147
- Get (WindowMode), 148
- Get (WindowName), 148
- Get (WindowTop), 149
- Get (WindowVisible), 149
- Get (WindowWidth), 150
- Get (WindowZoom-Level), 150
- GetAsBoolean(), 151
- GetAsCSS(), 151
- GetAsDate(), 152
- GetAsNumber(), 153
- GetAsSVG(), 153
- GetAsText(), 154

- GetAsTime(), 155
- GetAsTimeStamp(), 155-156
- GetAsURLEncoded(), 160
- GetField(), 156
- GetLayoutObjectAttribute(), 157-159
- GetNextSerialValue(), 159
- GetNthRecord(), 161
- GetRepetition(), 162
- GetSummary(), 162-163
- Hiragana(), 164
- Hour(), 164
- If(), 165
- Int(), 166
- IsEmpty(), 167
- IsValid(), 167-168
- IsValidExpression(), 168
- KanaHankaku(), 169
- KanaZenkaku(), 169
- KanjiNumeral(), 170
- Katakana(), 170
- Last(), 171
- LayoutIDs(), 171
- LayoutNames(), 172
- LayoutObjectNames(), 173
- Left(), 174
- LeftValues(), 174-175
- LeftWords(), 175-176
- Length(), 176-177
- Let(), 177-179
- Lg(), 179
- List(), 180
- Ln(), 180
- Log(), 181
- Lookup(), 181-182
- LookupNext(), 182-183
- Lower(), 184
- Max(), 184-185
- Middle(), 185
- MiddleValues(), 186
- MiddleWords(), 187
- Min(), 188
- Minute(), 189
- Mod(), 189
- Month(), 190-191
- MonthName(), 191
- MonthNameJ(), 191
- NPV(), 192
- NumToJText(), 193
- PatternCount(), 194
- Pi(), 194
- PMT(), 195
- Position(), 196
- Proper(), 197
- PV(), 197-198
- Quote(), 198
- Radians(), 199
- Random(), 199
- RelationInfo(), 200
- Replace(), 201-202
- RGB(), 202-203
- Right(), 203-204
- RightValues(), 204
- RightWords(), 205
- RomanHankaku(), 206
- RomanZenkaku(), 206
- Round(), 207
- ScriptIDs(), 207-208
- ScriptNames(), 208
- Seconds(), 209
- Self(), 209
- SerialIncrement(), 210
- SetPrecision(), 211
- Sign(), 211
- Sin(), 212
- Sqrt(), 212
- StDev(), 213
- StDevP(), 214
- Substitute(), 215
- Sum(), 216
- TableIDs(), 216
- TableNames(), 217
- Tan(), 218
- TextColor(), 218
- TextColorRemove(), 219
- TextFont(), 220-221
- TextFontRemove(), 221
- TextFormatRemove(), 222
- TextSize(), 222-223
- TextSizeRemove(), 223
- TextStyleAdd(), 223-224
- TextStyleRemove(), 225
- Time(), 225-226
- TimeStamp(), 226-227
- Trim(), 227
- TrimAll(), 228
- Truncate(), 229
- Upper(), 230
- ValueCount(), 230
- ValueListIDs(), 231
- ValueListItems(), 232
- ValueListNames(), 232
- Variance(), 233-234
- VarianceP(), 234
- WeekOfYear(), 235
- WeekOfYearFiscal(), 235-236
- WindowNames(), 236
- WordCount(), 237
- Year(), 238
- YearName(), 238-239
- Case(), 55
- custom, 243, 249
  - APIs, 292-293
  - CSS, 311-312
  - data trees, 293
  - fnAgeInYears, 255-256
  - fnBubbleSort, 278
  - fnBubbleSort\_iterations, 279
  - fnBubbleSort\_shift, 279
  - fnConvertLengthUnits, 259-260
  - fnConvertTemperature, 261
  - fnConverttoUSAbbrvState, 261-262
  - fnCssToText, 313
  - fnCssToText\_\_applyColor, 323
  - fnCssToText\_\_applyFontFamily, 322-323
  - fnCssToText\_\_applyFontSize, 321-322
  - fnCssToText\_\_applyOneStyle, 324
  - fnCssToText\_\_applyStyles, 324-326
  - fnCssToText\_\_isValidSpan, 315
  - fnCssToText\_\_processRawSpanText, 316-320
  - fnCssToText\_\_processSpan, 314-315
  - fnCssToText\_\_processStyledSpan, 320-321

fnDateMonthEnd, 256  
 fnDateQuarter, 256  
 fnDateRepetitions,  
   257-258  
 fnDecimalToHex, 274  
 fnEmailsValid,  
   276-277  
 fnEmailTLDs, 277  
 fnErrorHandler,  
   287-288  
 fnErrorHandler-  
   Example, 288-289  
 fnExplodeText,  
   262-263  
 fnFormatDollars,  
   263-264  
 fnFormatPhone,  
   264-265  
 fnFormatSSN, 275  
 fnHexToRGB, 326-327  
 fnHypotenuse, 249  
 fnInitials, 276  
 fnInsertRepeating-  
   Characters, 266-267  
 fnIsWhitespace, 267  
 fnMaskReplace,  
   268-269  
 fnMatchPrefix,  
   285-286  
 fnMatchPrefixAll, 286  
 fnMergeSort, 280  
 fnMergeSortedValues,  
   281  
 fnModifierKeys,  
   289-290  
 fnNextDayOfWeek,  
   258-259  
 fnNthRoot, 250  
 fnPadCharacters,  
   269-270  
 fnPolyAreaFrom-  
   Radius, 250-251  
 fnPolyAreaFromSide,  
   251  
 fnPolygonArea,  
   251-252  
 fnPolygonAreaHelper,  
   253  
 fnRandomInRange,  
   254-255  
 fnRecordMetaDisplay,  
   270-271  
 fnRepeatText, 271

fnSolutionVersion, 290  
 fnTab, 291  
 fnTextColor, 291-292  
 fnTrimCharacters,  
   272-273  
 fnTrimReturns, 273  
 fnValuesBackwards,  
   282  
 fnValuesCrossProduct,  
   282  
 fnValuesCrossProduct\_  
   sub, 283-284  
 fnValuesRemove,  
   284-285  
 fnXMLclean, 297  
 fnXMLclean\_sub,  
   298-299  
 fnXMLdelete, 299-301  
 fnXMLformat, 301  
 fnXMLformat\_sub, 301  
 fnXMLinsert, 302, 304  
 fnXMLselect, 304, 306,  
   308-309  
 fnXMLupdate, 309-310  
 interfaces, 244-247  
   path-based selections,  
     294-297  
   XML as data  
     structures, 293-294  
 date, 59  
 Design, 56, 60  
 Evaluate(), 245  
 External, 56, 61  
 financial, 61  
 Get, 56, 61-63  
 GetRepetition(), 56  
 inserting, 56  
 Let(), 1  
 List, 23  
 logical, 64  
 number, 64-65  
 recursive, 245  
 RelationInfo(), 1  
 repeating, 65  
 summary, 65  
 text, 65-67  
 time, 67  
 trigonometric, 68  
 FV() calculation  
   function, 98

## G

Get (AccountName)  
   calculation function, 98  
 Get (ActiveFieldContents)  
   calculation function, 99  
 Get (ActiveFieldName) calcu-  
   lation function, 100  
 Get (ActiveFieldTableName)  
   calculation function, 100  
 Get (ActiveLayoutObject-  
   Name) calculation  
   function, 101  
 Get (ActiveModifierKeys)  
   calculation function,  
   101-102  
 Get (ActiveRepetition-  
   Number) calculation  
   function, 102  
 Get (ActiveSelectionSize)  
   calculation function,  
   102-103  
 Get (ActiveSelectionStart)  
   calculation function, 103  
 Get (AllowAbortState)  
   calculation function, 104  
 Get (AllowToolbarState)  
   calculation function, 104  
 Get (ApplicationLanguage)  
   calculation function, 105  
 Get (ApplicationVersion)  
   calculation function, 105  
 Get (CalculationRepetition-  
   Number) calculation  
   function, 106  
 Get (CurrentDate)  
   calculation function, 107  
 Get (CurrentHostTimestamp)  
   calculation function, 108  
 Get (CurrentTime)  
   calculation function, 108  
 Get (CurrentTimeStamp)  
   calculation function, 109  
 Get (CustomMenuSetName)  
   calculation function, 109  
 Get (DesktopPath)  
   calculation function, 110  
 Get (DocumentsPath)  
   calculation function,  
   110-111

- Get (ErrorCaptureState) calculation function, 111
- Get (ExtendedPrivileges) calculation function, 112
- Get (FileMakerPath) calculation function, 112-113
- Get (FileName) calculation function, 113
- Get (FilePath) calculation function, 114
- Get (FileSize) calculation function, 114-115
- Get (FoundCount) calculation function, 115
- Get (HighContrastColor) calculation function, 116
- Get (HighContrastState) calculation function, 117
- Get (HostApplication-Version) calculation function, 117-118
- Get (HostIPAddress) calculation function, 118
- Get (HostName) calculation function, 118
- Get (LastError) calculation function, 119
- Get (LastMessageChoice) calculation function, 120
- Get (LastODBCError) calculation function, 121
- Get (LayoutAccess) calculation function, 121
- Get (LayoutCount) calculation function, 122
- Get (LayoutName) calculation function, 122
- Get (LayoutNumber) calculation function, 123
- Get (LayoutTableName) calculation function, 123-124
- Get (LayoutViewState) calculation function, 124
- Get (MultiStateUser) calculation function, 125
- Get (NetworkProtocol) calculation function, 125
- Get (PageNumber) calculation function, 126
- Get (PortalRowNumber) calculation function, 126-127
- Get (PreferencePath) calculation function, 127
- Get (PrinterName) calculation function, 127
- Get (PrivilegeSetName) calculation function, 128
- Get (RecordAccess) calculation function, 129
- Get (RecordID) calculation function, 129
- Get (RecordModification-Count) calculation function, 130
- Get (RecordNumber) calculation function, 130
- Get (RecordOpenCount) calculation function, 131
- Get (RecordOpenState) calculation function, 132
- Get (RequestCount) calculation function, 132
- Get (RequestOmitState) calculation function, 133
- Get (ScreenDepth) calculation function, 133-134
- Get (ScreenHeight) calculation function, 134
- Get (ScreenWidth) calculation function, 134
- Get (ScriptName) calculation function, 135
- Get (ScriptParameter) calculation function, 136
- Get (ScriptResult) calculation function, 136
- Get (SortState) calculation function, 137
- Get (StatusAreaState) calculation function, 138
- Get (SystemDrive) calculation function, 138
- Get (SystemIPAddress) calculation function, 139
- Get (SystemLanguage) calculation function, 139
- Get (SystemNICAddress) calculation function, 139
- Get (SystemPlatform) calculation function, 140
- Get (SystemVersion) calculation function, 141
- Get (TemporaryPath) calculation function, 141
- Get (TextRulerVisible) calculation function, 142
- Get (TotalRecordCount) calculation function, 142
- Get (UserCount) calculation function, 143
- Get (UserName) calculation function, 143-144
- Get (UserSystemFormats-State) calculation function, 144
- Get (WindowContentHeight) calculation function, 144
- Get (WindowContentWidth) calculation function, 145
- Get (WindowDesktopHeight) calculation function, 145
- Get (WindowDesktopWidth) calculation function, 146
- Get (WindowHeight) calculation function, 147
- Get (WindowLeft) calculation function, 147
- Get (WindowMode) calculation function, 148
- Get (WindowName) calculation function, 148
- Get (WindowTop) calculation function, 149
- Get (WindowVisible) calculation function, 149
- Get (WindowWidth) calculation function, 150
- Get (WindowZoomLevel) calculation function, 150
- Get functions, 56, 61-63
- getAPIVersion method, 454
- GetAsBoolean() calculation function, 151

- GetAsCSS() calculation function, 151
  - GetAsDate() calculation function, 152
  - GetAsNumber() calculation function, 153
  - GetAsSVG() calculation function, 153
  - GetAsText() calculation function, 154
  - GetAsTime() calculation function, 155
  - GetAsTimeStamp() calculation function, 155-156
  - GetAsURLEncoded() calculation function, 160
  - getContainerData method, 456
  - getDatabase method, 478
  - getErrors method, 472
  - getErrorString method, 471
  - getFetchCount method, 486
  - getField method, 478, 482, 485
  - GetField() calculation function, 156
  - getFieldAsTimestamp method, 482
  - getFields method, 478, 482, 485-487
  - getFirstRecord method, 487
  - getFoundSetCount method, 487
  - getLastRecord method, 487
  - getLayout method, 456, 474, 482, 488
  - GetLayoutObjectAttribute() calculation function, 157-159
  - getLocalValidationRules method, 474
  - getMessage method, 471
  - getMinServerVersion method, 455
  - getModificationID method, 483
  - getName method, 475, 479, 485
  - GetNextSerialValue() calculation function, 159
  - GetNthRecord() calculation function, 161
  - getParent method, 483
  - getProperties method, 456
  - getProperty method, 456
  - getRange method, 464, 468
  - getRecordById method, 457
  - getRecordID method, 483
  - getRecords method, 488
  - getRelatedSet method, 479, 483
  - getRelatedSets method, 479, 488
  - getRelatedSetsFilters method, 465, 468
  - GetRepetition() function, 56, 162
  - getRepetitionCount method, 475
  - getResult method, 475
  - getStyleType method, 475
  - GetSummary() calculation function, 162-163
  - getTableRecordCount method, 488
  - getType method, 476
  - getValidationMask method, 476
  - getValidationRules method, 476
  - getValueList method, 476, 479
  - getValueLists method, 480
  - Go to Field script step, 370
  - Go to Layout script step, 370-371
  - Go to Next Field script step, 371
  - Go to Portal Row script step, 372
  - Go to Previous Field script step, 373
  - Go to Record/Request/Page script step, 373-374
  - Go to Related Record script step, 27, 374-377
  - Google, 21
  - grammar command, 449
  - grammars
    - elements, 440
    - XML, 441-446
  - graphs
    - Relationships Graph, 30
    - relationships graph, 525
- ## H
- Halt Script script step, 377
  - handlers (list)
    - fnBubbleSort function, 278
    - fnBubbleSort\_iterations function, 279
    - fnBubbleSort\_shift function, 279
    - fnMatchPrefix function, 285-286
    - fnMatchPrefixAll function, 286
    - fnMergeSort function, 280
    - fnMergeSortedValues function, 281
    - fnValuesBackwards function, 282
    - fnValuesCrossProduct function, 282
    - fnValuesCrossProduct\_sub function, 283-284
    - fnValuesRemove function, 284-285
  - hasValidationRule method, 477
  - help command, 1, 545
  - Help menu keyboard shortcuts, 538
  - Hiragana() calculation function, 164
  - host element, 440-441
  - Hour() calculation function, 164
  - HTML (Hypertext Markup Language), 48

**I**

If script step, 378  
 If() calculation  
   function, 165  
 images, importing, 45-46  
 Import Records script  
   step, 379  
 Import script, 503  
 importing  
   files, 43-44  
   multiple files, 45-46  
   from ODBC data sources,  
     46-47  
   tables, 29-30, 47  
   from XML data  
     sources, 47  
 inbound ODBC, configuring,  
 489, 491  
 Insert Calculated Result  
   script step, 380  
 Insert Current Date script  
   step, 380-381  
 Insert Current Time script  
   step, 381  
 Insert Current User Name  
   script step, 382  
 Insert File script step, 383  
 Insert From Index script  
   step, 383-384  
 Insert From Last Visited  
   script step, 384  
 Insert menu keyboard  
   shortcuts, 531-532  
 Insert Object script step, 385  
 Insert Picture script step, 386  
 Insert QuickTime script  
   step, 386  
 Insert Text script step, 387  
 inserting  
   comments into  
     calculations, 54  
     functions, 56  
 Install Menu Set script  
   step, 388  
 Instant Web Publishing  
   (IWP), 335  
 Int() calculation  
   function, 166

integration  
   SQL sources, 38  
   tables, 35  
 interfaces. *See also* APIs  
   API custom functions,  
     292-293  
   AppleScript, 501-503  
   calculations, 53-57  
   custom functions,  
     244-247  
   Script Debugger, 16-17  
   Scriptmaker, 331-335  
   tab Control, 25  
 isAutoEntered method, 477  
 isEmpty() calculation  
   function, 167  
 isError method, 455  
 isGlobal method, 477  
 IsValid() calculation  
   function, 167-168  
 isValidError method,  
 471, 473  
 IsValidExpression()  
   calculation function, 168  
 IWP (Instant Web  
 Publishing), 335

**J-K**

JDBC (Java Database  
 Connectivity)  
   configuring, 489-491  
   resources, 560  
 KanaHankaku() calculation  
   function, 169  
 KanaZenkaku() calculation  
   function, 169  
 KanjiNumeral() calculation  
   function, 170  
 Katakana() calculation  
   function, 170  
 keyboard shortcuts, 521  
   Arrange menu, 536  
   Edit menu, 530  
   File menu, 528-529  
   FileMaker Pro/Advanced  
     menu, 529  
   Format menu, 533-534  
   Help menu, 538

Insert menu, 531-532  
 Layouts menu, 534  
 Records menu, 535  
 relationships graph, 525  
 Requests menu, 535  
 Scripts menu, 536  
 Tools menu, 537  
 View menu, 530-531  
 Window menu, 537

**L**

languages (AppleScript),  
 505-507  
   dictionary, 505-507  
   examples, 507  
   interfaces, 501-503  
   object models, 503-504  
   overview of, 499-501  
   resources, 508  
 Last() calculation  
   function, 171  
 -lay command, 449  
 -lay.response command, 449  
 LayoutIDs() calculation  
   function, 171  
 LayoutNames() calculation  
   function, 172  
 LayoutObjectNames()  
   calculation function, 173  
 layouts  
   conditional formatting,  
     13-14  
   objects  
     auto resizing, 14-15  
     naming, 22  
     Tab Control, 25  
     Tab Order buttons, 26  
 Layouts menu keyboard  
   shortcuts, 534  
 Learning Center, 23  
 Left() calculation  
   function, 174  
 LeftValues() calculation  
   function, 174-175  
 LeftWords() calculation  
   function, 175-176  
 Length() calculation  
   function, 176-177  
 Let() function, 1, 177-179

Lg() calculation  
 function, 179  
 limitations, storage, 33-35  
 links, dynamic, 21  
 list command, 545-546  
 List function, 23  
 list handler functions  
   fnBubbleSort, 278  
   fnBubbleSort\_ iterations,  
   279  
   fnBubbleSort\_ shift, 279  
   fnMatchPrefix, 285-286  
   fnMatchPrefixAll, 286  
   fnMergeSort, 280  
   fnMergeSortedValues, 281  
   fnValuesBackwards, 282  
   fnValuesCrossProduct,  
   282  
   fnValuesCrossProduct\_  
   sub, 283-284  
   fnValuesRemove, 284-285  
 List() calculation  
   function, 180  
 listDatabases method, 457  
 listFields method, 480, 486  
 listLayouts method, 457  
 listScripts method, 457  
 listValueLists method, 480  
 Ln() calculation  
   function, 180  
 loadExtendedInfo  
   method, 486  
 Log() calculation  
   function, 181  
 logical functions, 64  
 Lookup() calculation  
   function, 181-182  
 LookupNext() calculation  
   function, 182-183  
 Loop script step, 388  
 -lop command, 449  
 Lower() calculation  
   function, 184

## M

Mac OS  
 digital photos, 46  
 DSNs, 492-494  
 fsmadmin tool, 541-542

management  
   FileMaker Server, 541-550  
   projects, 554  
   scripts, 16, 333  
 MapQuest, 21  
 matching, Fast Match  
   feature, 29  
 mathematical expressions,  
   64-65  
 Max() calculation function,  
   184-185  
 -max command, 449  
 menus  
   customizing, 31  
   File, 28  
 methods  
   add, 464  
   addError, 472  
   addFindCriterion, 467  
   addSortRule, 464, 467  
   clearFindCriteria, 467  
   clearSortRules, 464, 467  
   commit, 481  
   createRecord, 455  
   delete, 481  
   describeLocalValidation-  
   Rules, 473  
   describeValidationRule,  
   474  
   execute, 461  
   FileMaker\_ Error, 470  
   FileMaker\_ Field, 473  
   FileMaker\_ Layout, 478  
   FileMaker\_ Record, 481  
   FileMaker\_ RelatedSet, 485  
   FileMaker\_ Result, 486  
   getAPIVersion, 454  
   getContainerData, 456  
   getDatabase, 478  
   getErrors, 472  
   getErrorString, 471  
   getFetchCount, 486  
   getField, 478-485  
   getFieldAsTimestamp, 482  
   getFields, 478-487  
   getFirstRecord, 487  
   getFoundSetCount, 487  
   getLastRecord, 487  
   getLayout, 456, 474,  
   482, 488  
   getLocalValidationRules,  
   474

getMessage, 471  
 getMinServerVersion, 455  
 getModificationID, 483  
 getName, 475, 479, 485  
 getParent, 483  
 getProperties, 456  
 getProperty, 456  
 getRange, 464, 468  
 getRecordById, 457  
 getRecordID, 483  
 getRecords, 488  
 getRelatedSet, 479, 483  
 getRelatedSets, 479, 488  
 getRelatedSetsFilter, 468  
 getRelatedSetsFilters, 465  
 getRepetitionCount, 475  
 getResult, 475  
 getStyleType, 475  
 getTableRecordCount, 488  
 getType, 476  
 getValidationMask, 476  
 getValidationRules, 476  
 getValueList, 476, 479  
 getValueLists, 480  
 hasValidationRule, 477  
 isAutoEntered, 477  
 isError, 455  
 isGlobal, 477  
 isValidError,  
   471, 473  
 listDatabases, 457  
 listFields, 480, 486  
 listLayouts, 457  
 listScripts, 457  
 listValueLists, 480  
 loadExtendedInfo, 486  
 newAddCommand, 458  
 newCompoundFind-  
   Command, 458  
 newDeleteCommand, 458  
 newDuplicateCommand,  
   459  
 newEditCommand, 459  
 newFindAllCommand,  
   459  
 newFindAnyCommand,  
   459  
 newFindCommand, 460  
 newFindRequest, 460  
 newPerformScript-  
   Command, 460  
 newRelatedRecord, 484  
 numErrors, 473  
 setField, 463, 466, 484

setFieldFromTimestamp,  
   463, 466, 484  
 setLogger, 460  
 setLogicalOperator, 468  
 setModificationID, 466  
 setPreCommandScript,  
   461  
 setPreSortScript, 461  
 setProperty, 461  
 setRange, 468  
 setRecordClass, 462  
 setRecordId, 462  
 setRelatedSetsFilter, 469  
 setResultLayout, 462  
 setScript, 462  
 validate, 463, 477, 484  
 Middle() calculation  
   function, 185  
 MiddleValues() calculation  
   function, 186  
 MiddleWords() calculation  
   function, 187  
 Min() calculation  
   function, 188  
 Minute() calculation  
   function, 189  
 Mod() calculation  
   function, 189  
 models, objects, 503-504  
 -modid command, 450  
 Modify Last Find script  
   step, 389  
 Month() calculation  
   function, 190-191  
 MonthName() calculation  
   function, 191  
 MonthNameJ() calculation  
   function, 191  
 Move/Resize Window script  
   step, 389-390  
 moving scripts, 331  
 multiple files, importing,  
   45-46

## N

name-value pairs, 446  
 named ranges, 44  
 namespaces, XML/XSLT, 451

naming  
   DSN, 46  
   objects, 22  
 navigating, Field  
   Control/Options dialog  
   box, 26  
 network ports, 539-540  
 new features, 17  
   anchoring objects, 14-15  
   conditional formatting,  
     13-14  
   ESS, 15  
   FileMaker Server 9,  
     18-19  
   ScriptMaker, 16  
 New File script step, 390  
 New Record/Request script  
   step, 391  
 New Window script  
   step, 391  
 newAddCommand  
   method, 458  
 newCompoundFind-  
   Command method, 458  
 newDeleteCommand  
   method, 458  
 newDuplicateCommand  
   method, 459  
 newEditCommand  
   method, 459  
 newFindAllCommand  
   method, 459  
 newFindAnyCommand  
   method, 459  
 newFindCommand  
   method, 460  
 newFindRequest  
   method, 460  
 newPerformScriptCommand  
   method, 460  
 newRelatedRecord  
   method, 484  
 news sources, FileMaker, 556  
 notification, email, 19  
 NPV() calculation  
   function, 192  
 numbers, 64-65  
   calculation functions  
     fnHypotenuse, 249  
     fnNthRoot, 250

    fnPolyAreaFrom-  
       Radius, 250-251  
     fnPolyAreaFromSide,  
       251  
     fnPolygonArea,  
       251-252  
     fnPolygonAreaHelper,  
       253  
     fnRandomInRange,  
       254-255  
   fields, 39  
 numErrors method, 473  
 NumToJText() calculation  
   function, 193

## O

Object Linking and  
   Embedding (OLE)  
   objects, 42  
 objects  
   anchoring, 14-15  
   BLOB types, 42  
   conditional formatting,  
     13-14  
   copying, 32  
   models, 503-504  
   naming, 22  
   OLE, 42  
   pasting, 32  
   resizing, 14-15  
 ODBC (Open Database  
   Connectivity)  
   Administrator tool, 492  
   configuring, 491-498  
   importing from, 46-47  
   inbound, 489-491  
   resources, 560  
 OLE (Object Linking and  
   Embedding) objects, 42  
 Omit Multiple Records script  
   step, 392  
 Omit Record script step, 393  
 open command, 546  
 Open Database Connectivity.  
   *See* ODBC  
 Open Dictionary  
   command, 505  
 Open File Lists script  
   step, 395

Open File Options script step, 396  
 Open Find/Replace script step, 396  
 Open Help script step, 397  
 Open Manage Data Sources script step, 394  
 Open Manage Database script step, 394  
 Open Manage Value Lists script step, 395  
 Open Preferences script step, 397  
 Open Record/Request script step, 398  
 Open Remote script step, 398  
 Open ScriptMaker script step, 399  
 Open Sharing script step, 399  
 Open URL script step, 400  
 opening files, 49  
 operators  
   & operator, 54  
   ( ) operator, 54  
 optimizing, additional resources, 555

## P

parameters  
   Edit Custom Function dialog box, 244-247  
   query, 446-451  
 Paste script step, 400-401  
 pasting  
   Clipboard, 503  
   objects, 32  
 path element, 441  
 path-based selections, 294-297  
 PatternCount( ) calculation function, 194  
 pause command, 546-547  
 Pause/Resume Script script step, 401-402  
 PDF documents, saving as, 27

Perform AppleScript Options dialog box, 501  
 Perform AppleScript script step, 402-403  
 Perform Find script step, 403  
 Perform Find/Replace script step, 405  
 Perform Script script step, 405  
 photographs, importing, 46  
 PHP  
   API for, 453  
   classes, 453-454  
   FileMaker class, 454-461  
   FileMaker Command Add class, 463  
   FileMaker Command class, 461-463  
   FileMaker Command CompoundFind class, 464-465  
   FileMaker Command Delete class, 465  
   FileMaker Command Duplicate class, 466  
   FileMaker Command Edit class, 466  
   FileMaker Command Error class, 471  
   FileMaker Command Find class, 467-469  
   FileMaker Command FindAll class, 469  
   FileMaker Command FindAny class, 469  
   FileMaker Command FindRequest class, 469-470  
   FileMaker Command PerformScript class, 470  
   FileMaker Error class, 470  
   FileMaker Error Validation class, 471-473  
   FileMaker Field class, 473-477  
   FileMaker Layout class, 478-480  
   FileMaker Record class, 481-484

FileMaker RelatedSet class, 485-486  
 FileMakerResult class, 486-488  
   resources, 559  
 PHP Site Assistant, 19  
 Pi( ) calculation function, 194  
 plug-in directories, 556-557  
 PMT( ) calculation function, 195  
 ports  
   elements, 440-441  
   networks, 539-540  
 Position( ) calculation function, 196  
 Print script step, 406  
 Print Setup script step, 406-407  
 products  
   FileMaker Pro, 9  
   FileMaker Pro Advanced, 9  
   FileMaker Server, 10  
   FileMaker Server Advanced, 10  
 programming, Web resources, 558-559  
 project management, additional resources, 554  
 Proper( ) calculation function, 197  
 \*protocol\* element, 440-441  
 PV( ) calculation function, 197-198

## Q-R

queries (XML), 446  
   commands, 447  
   parameters, 448-451  
   string element, 440-441  
 Quote( ) calculation function, 198  
 RAD (rapid application development), 521  
 Radians( ) calculation function, 199

Random() calculation function, 199

ranges  
 named, 44  
 searching, 28-29

rapid application development (RAD), 521

-recid command, 450

records  
 aggregate functions, 59  
 Excel, 28  
 Fast Match feature, 29  
 Go to Related Record script, 27  
 searching, 28-29  
 summary functions, 65

Records menu keyboard shortcuts, 535

Recover File script step, 408

recursion  
 functions, 245  
 Tail Recursion, 246-247

redo, 17

references, FileMaker Server commands, 543-550

Refresh Window script step, 409

relational databases,  
 additional resources, 553

RelationInfo() function, 1, 200

relationships, 30, 525

Re-Login script step, 407-408

Relookup Field Contents script step, 410

repeating functions, 65

Replace Field Contents script step, 411

Replace() calculation function, 201-202

reports  
 errors, 502  
 summary functions, 65

Request query grammar, 452

requests, query XML parameters, 446-451

Requests menu keyboard shortcuts, 535

Reset Account Password script step, 412

resizing objects, 14-15

resources, AppleScript, 508

resume command, 547

reuse, code, 243

Revert Record/Request script step, 413

RGB() calculation function, 202-203

Right() calculation function, 203-204

RightValues() calculation function, 204

RightWords() calculation function, 205

RomanHankaku() calculation function, 206

RomanZenkaku() calculation function, 206

Round() calculation function, 207

run command, 548

running scripts, 18-19

## S

Save a Copy As script step, 413-414

Save As PDF script, 17

Save Records as Excel script step, 414-415

Save Records as PDF script step, 415-416

saving  
 as Excel, 28  
 as PDF documents, 27

-script command, 450

Script Debugger, 16-17, 512

-script.param command, 450

-script.prefind command, 450

-script.prefind.param command, 450

-script.presort command, 450

-script.presort.param command, 451

script steps, 337

Add Account, 337-338

Adjust Window, 338

Allow Toolbars, 339

Allow User Abort, 339-340

Arrange All  
 Windows, 340

Beep, 341

Change Password, 341-342

Check Found Set, 343

Check Record, 343-344

Check Selection, 344

Clear, 344-345

Close File, 345

Close Window, 346

Comment, 346-348

Commit Records/  
 Requests, 348-349

Constrain Found Set, 349

Convert File, 350

Copy, 350

Copy All Records/  
 Requests, 351

Copy Record/Request, 352

Correct Word, 353

Cut, 353

Delete Account, 354

Delete All Records, 354

Delete Portal Row, 355

Delete Record/Request, 356

Dial Phone, 357

Duplicate Record/Request, 357

Edit User Dictionary, 358

Else, 358

Else If, 359

Enable Account, 360

End If, 360

End Loop, 361

Enter Browse Mode, 361-362

Enter Find Mode, 362

Enter Preview Mode, 363

Execute SQL, 364

Exit Application, 364

Exit Loop If, 365

Exit Script, 365

Export Field  
 Contents, 366

Export Records, 367

Extend Found Set, 368

- Flush Cache to Disk, 368-369
- Freeze Window, 369
- Go to Field, 370
- Go to Layout, 370-371
- Go to Next Field, 371
- Go to Portal Row, 372
- Go to Previous Field, 373
- Go to Record/Request/  
Page, 373-374
- Go to Related Record,  
374-377
- Halt Script, 377
- If, 378
- Import Records, 379
- Insert Calculated  
Result, 380
- Insert Current Date,  
380-381
- Insert Current Time, 381
- Insert Current User  
Name, 382
- Insert File, 383
- Insert From Index,  
383-384
- Insert From Last  
Visited, 384
- Insert Object, 385
- Insert Picture, 386
- Insert QuickTime, 386
- Insert Text, 387
- Install Menu Set, 388
- Loop, 388
- Modify Last Find, 389
- Move/Resize Window,  
389-390
- New File, 390
- New Record/Request, 391
- New Window, 391
- Omit Multiple  
Records, 392
- Omit Record, 393
- Open File, 395
- Open File Options, 396
- Open Find/Replace, 396
- Open Help, 397
- Open Manage Data  
Sources, 394
- Open Manage  
Database, 394
- Open Manage Value  
Lists, 395
- Open Preferences, 397
- Open Record/Request,  
398
- Open Remote, 398
- Open ScriptMaker, 399
- Open Sharing, 399
- Open URL, 400
- Paste, 400-401
- Pause/Resume Script,  
401-402
- Perform AppleScript,  
402-403
- Perform Find, 403
- Perform Find/Replace,  
405
- Perform Script, 405
- Print, 406
- Print Setup, 406-407
- Re-Login, 407-408
- Recover File, 408
- Refresh Window, 409
- Relookup Field  
Contents, 410
- Replace Field  
Contents, 411
- Reset Account  
Password, 412
- Revert Record/Request,  
413
- Save a Copy As, 413-414
- Save Records as Excel,  
414-415
- Save Records as PDF,  
415-416
- Scroll Window, 416
- Select All, 416
- Select Dictionaries, 417
- Select Window, 417-418
- Send DDE Execute, 418
- Send Event, 419-420
- Send Mail, 421
- Set Error Capture, 422
- Set Field, 422-423
- Set Multi-User, 423-424
- Set Next Serial Value,  
424-425
- Set Selection, 425-426
- Set Use System  
Formats, 426
- Set Variable, 426
- Set Window Title, 428
- Set Zoom Level, 428
- Show All Records, 429
- Show Custom Dialog, 430
- Show Omitted Only, 431
- Show/Hide Status  
Area, 431
- Show/Hide Text  
Ruler, 432
- Sort Records, 433
- Speak, 434
- Spelling Options, 434
- Undo, 435
- Unsort Records, 435
- Update Link, 435
- View As, 436
- ScriptIDs( ) calculation  
function, 207-208
- ScriptMaker  
interfaces, 331-335  
new features, 16
- ScriptNames( ) calculation  
function, 208
- scripts, 331
  - AppleScript  
dictionary, 505-507  
examples, 507  
interfaces, 501-503  
object models, 503-504  
overview of, 499-501  
resources, 508  
debugging, 334-335  
editing, 16  
Execute SQL, 497  
filtering, 333  
Go to Related Record, 27  
Import, 503  
managing, 16, 333  
moving, 331  
running, 18-19  
Save As PDF, 17  
ScriptMaker interfaces,  
331-335  
Send Mail, 28  
variables, 25
  - Scripts menu keyboard  
shortcuts, 536
  - Scroll Window script  
step, 416
  - searching, 28-29
  - Seconds( ) calculation  
function, 209
  - Select All script step, 416
  - Select Dictionaries script  
step, 417

- Select Window script step, 417-418
- selections, path-based, 294-297
- Self() calculation function, 209
- send command, 548
- Send DDE Execute script step, 418
- Send Event script step, 419-420
- Send Mail script, 28, 421
- sending files, 49
- SerialIncrement() calculation function, 210
- servers
  - FileMaker Server, 10
    - administration, 541-542
    - commands, 543-550
  - FileMaker Server 9, 18-19
  - FileMaker Server Advanced, 10
- Set Error Capture script step, 422
- Set Field script step, 422-423
- Set Multi-User script step, 423-424
- Set Selection script step, 425-426
- Set Use System Formats script step, 426
- Set Variable script step, 426
- Set Window Title script step, 428
- Set Zoom Level script step, 428
- setField method, 463, 466, 484
- setFieldFromTimestamp method, 463, 466, 484
- setLogger method, 460
- setLogicalOperator method, 468
- setModificationID method, 466
- SetPrecision() calculation function, 211
- setPreCommandScript method, 461
- setPreSortScript method, 461
- setProperty method, 461
- setRange method, 468
- setRecordClass method, 462
- setRecordId method, 462
- setRelatedSetsFilters method, 469
- setResultLayout method, 462
- setScript method, 462
- short circuiting functionality, 55
- Show All Records script step, 429
- Show Custom Dialog script step, 430
- Show Omitted Only script step, 431
- Show/Hide Status Area script step, 431
- Show/Hide Text Ruler script step, 432
- Sign() calculation function, 211
- Sin() calculation function, 212
- skip command, 451
- sortfield.precedence command, 451
- sortorder.precedence command, 451
- software development, additional resources, 554
- Sort Records script step, 433
- Speak script step, 434
- specifications, 33-35
- Specify Calculation dialog box, 53-57
- spell-checking, 17
- Spelling Options script step, 434
- SQL (Structured Query Language)
  - data exchange, 489
  - DSN, 491-498
  - ESS, 35
- Sqrt() calculation function, 212
- start command, 549
- status command, 549
- StDev() calculation function, 213
- StDevP() calculation function, 214
- stop command, 549-550
- storage
  - limits, 33-35
  - script variables, 25
  - text
    - as CSS, 311-312
    - fnCssToText function, 313
    - fnCssToText\_\_apply-Color function, 323
    - fnCssToText\_\_apply-FontFamily function, 322-323
    - fnCssToText\_\_apply-FontSize function, 321-322
    - fnCssToText\_\_apply-OneStyle function, 324
    - fnCssToText\_\_apply-Styles function, 324-326
    - fnCssToText\_\_isValid-Span function, 315
    - fnCssToText\_\_process-RawSpanText function, 316-320
    - fnCssToText\_\_process-Span function, 314-315
    - fnCssToText\_\_process-StyledSpan function, 320-321
    - fnHexToRGB function, 326-327
- strings, text functions, 65-67
- stylehref command, 451
- styles, Tab Control, 25
- stylesheet element, 441
- styletype command, 451
- Substitute() calculation function, 215

Suite View, 505  
 Sum() calculation function, 216  
 summary fields, 43  
 summary functions, 65  
 support, data sources, 43  
 syntax  
   searching, 28-29  
   XML  
     container objects for access, 440-441  
     URL for Web access, 439  
     XSLT access, 441  
 system constant functions  
   fnSolutionVersion, 290  
   fnTab, 291  
   fnTextColor, 291-292  
 system variables, 243

## T

Tab Control, 25  
 Tab Order buttons, 26  
 TableIDs() calculation function, 216  
 TableNames() calculation function, 217  
 tables  
   creating, 47  
   ESS integration, 35  
   importing, 29-30  
   Relationships Graph, 30  
 Tail Recursion, 246-247  
 Tan() calculation function, 218  
 Target in the Import Field Mapping dialog box, 30  
 tests, logical functions, 64  
 text  
   conditional formatting, 13-14  
   conversion functions  
     fnConvertLengthUnits, 259-260  
     fnConvertTemperature, 261  
     fnConverttoUSAbrev-State, 261-262  
     fnDecimalToHex, 274  
     fnExplodeText, 262-263  
     fnFormatDollars, 263-264  
     fnFormatPhone, 264-265  
     fnFormatSSN, 275  
     fnInitials, 276  
     fnInsertRepeating-Characters, 266-267  
     fnIsWhitespace, 267  
     fnMaskReplace, 268-269  
     fnPadCharacters, 269-270  
     fnRecordMetaDisplay, 270-271  
     fnRepeatText, 271  
     fnTrimCharacters, 272-273  
     fnTrimReturns, 273  
 CSS  
   fnCssToText function, 313  
   fnCssToText\_\_apply-Color function, 323  
   fnCssToText\_\_apply-FontFamily function, 322-323  
   fnCssToText\_\_apply-FontSize function, 321-322  
   fnCssToText\_\_apply-OneStyle function, 324  
   fnCssToText\_\_apply-Styles function, 324-326  
   fnCssToText\_\_isValid-Span function, 315  
   fnCssToText\_\_process-RawSpanText function, 316-320  
   fnCssToText\_\_process-Span function, 314-315  
   fnCssToText\_\_process-StyledSpan function, 320-321  
   fnHexToRGB function, 326-327  
   storing, 311-312  
 fields, 38  
 formatting, 67  
 functions, 65-66  
   multiple files, 45  
 TextColor() calculation function, 218  
 TextColorRemove() calculation function, 219  
 TextFont() calculation function, 220-221  
 TextFontRemove() calculation function, 221  
 TextFormatRemove() calculation function, 222  
 TextSize() calculation function, 222-223  
 TextSizeRemove() calculation function, 223  
 TextStyleAdd() calculation function, 223-224  
 TextStyleRemove() calculation function, 225  
 time  
   fields, 40-41  
   functions, 67  
   searching, 28-29  
 Time() calculation function, 225-226  
 TimeStamp() calculation function, 226-227  
 timestamp fields, 41-42  
 tips, additional resources, 555  
 -token.\*token-name\* command, 451  
 tools  
   conditional formatting, 13-14  
   Data Viewer, 32  
   developer, 558  
   fnErrorHandler function, 287-288  
   fnErrorHandler-Example function, 288-289  
   fnModifierKeys function, 289-290  
   email  
     fnEmailsValid function, 276-277  
     fnEmailTLDs function, 277

- fmsadmin, 541-542
- ODBC Administrator, 492
- RAD, 521
- Script Debugger, 334-335
- Tab Control, 25
- Windows ODBC administration, 495
- Tools menu keyboard shortcuts, 537
- ToolTips, 31
- trees, data, 293
- tricks, additional resources, 555
- trigonometric functions, 68
- Trim() calculation function, 227
- TrimAll() calculation function, 228
- Truncate() calculation function, 229
- type-ahead entries, 27
- types
  - BLOB, 42
  - data, 37
  - fields, 38
    - calculation, 42
    - containers, 42
    - dates, 39-40
    - numbers, 39
    - summary, 43
    - support, 43
    - text, 38
    - time, 40-41
    - timestamps, 41-42

## U

- undo, 17
- Undo script step, 435
- Unsort Records script step, 435
- unstoring text as CSS, 311-312
  - fnCssToText function, 313
  - fnCssToText\_\_applyColor function, 323
  - fnCssToText\_\_applyFontFamily function, 322-323

- fnCssToText\_\_applyFontSize function, 321-322
- fnCssToText\_\_applyOneStyle function, 324
- fnCssToText\_\_applyStyles function, 324-326
- fnCssToText\_\_isValidSpan function, 315
- fnCssToText\_\_processRawSpanText function, 316, 318-320
- fnCssToText\_\_processSpan function, 314-315
- fnCssToText\_\_processStyledSpan function, 320-321
- fnHextoRGB function, 326-327

- Update Link script step, 435
- uploading, File Upload feature, 18
- Upper() calculation function, 230
- URLs (Uniform Resource Locators)
  - query parameters, 446-448, 450-451
  - XML syntax for container objects, 440-441
  - XML syntax for Web access, 439
  - XML syntax for XSLT access, 441

## V

- validate method, 463, 477, 484
- ValueCount() calculation function, 230
- ValueListIDs() calculation function, 231
- ValueListItems() calculation function, 232
- ValueListNames() calculation function, 232
- values, script variables, 25
- variables
  - Data Viewer, 16
  - scripts, 25
  - system, 243

- Variance() calculation function, 233-234
- VarianceP() calculation function, 234
- View As script step, 436
- View menu keyboard shortcuts, 530-531
- viewing
  - Data Viewer, 16
  - Web Viewer, 21
- views, dictionary, 505
- visual spell-checking, 17

## W

- Web
  - access, 439
  - CWP, 439
  - hosting resources, 556
  - programming resources, 558-559
  - scripting, 335
- Web Publishing Engine error codes, 519
- Web sites, FileMaker plug-in directories, 556-557
- Web Viewer, 21
- WeekOfYear() calculation function, 235
- WeekOfYearFiscal() calculation function, 235-236
- Wikipedia, 21
- Window menu keyboard shortcuts, 537
- WindowNames() calculation function, 236
- windows
  - dictionary, 505
  - DSNs, 494-497
  - fmsadmin tool, 541-542
  - objects, 14
  - scripts, 16
- Windows ODBC administration tool, 495
- WordCount() calculation function, 237

## **X-Z**

- XML (Extensible Markup Language), 439
  - as data structures, 293-294
  - files, 48
  - grammars, 441-446
  - importing from, 47
  - namespaces, 451
  - queries, 446
    - commands, 447
    - parameters, 448, 450-451
  - resources, 559
  - URLs
    - syntax for container objects, 440-441
    - syntax for Web access, 439
    - syntax for XSLT access, 441
- XSL (Extensible Stylesheet Language), 559
- XSLT (XSL Transformations)
  - access, 441
  - namespaces, 451
  - query parameters, 446-451
- Year( ) calculation function, 238-239



# THIS BOOK IS SAFARI ENABLED

## INCLUDES FREE 45-DAY ACCESS TO THE ONLINE EDITION

The Safari® Enabled icon on the cover of your favorite technology book means the book is available through Safari Bookshelf. When you buy this book, you get free access to the online edition for 45 days.

Safari Bookshelf is an electronic reference library that lets you easily search thousands of technical books, find code samples, download chapters, and access technical information whenever and wherever you need it.

### **TO GAIN 45-DAY SAFARI ENABLED ACCESS TO THIS BOOK:**

- Go to <http://www.quepublishing.com/safariabled>
- Complete the brief registration form
- Enter the coupon code found in the front of this book on the "Copyright" page

If you have difficulty registering on Safari Bookshelf or accessing the online edition, please e-mail [customer-service@safaribooksonline.com](mailto:customer-service@safaribooksonline.com).