

FULL COLOR



# Excel® 2013

## onDemand

### Includes

- Online Workshops that focus on real-world techniques
- MOS Exam Prep
- More than 500 of the most essential Excel 2013 tasks

que

Steve Johnson, Perspection, Inc.

FREE SAMPLE CHAPTER



SHARE WITH OTHERS

# Excel<sup>®</sup> 2013

onDemand

Steve Johnson  
Perspection, Inc.



**que**<sup>®</sup> Que Publishing, 800 East 96th Street, Indianapolis, IN 46240 USA

## Excel® 2013 on Demand

### Copyright © 2013 by Perspection, Inc.

All rights reserved. No part of this book shall be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission from the publisher. No patent liability is assumed with respect to the use of the information contained herein. Although every precaution has been taken in the preparation of this book, the publisher and author assume no responsibility for errors or omissions. Nor is any liability assumed for damages resulting from the use of the information contained herein.

Library of Congress Cataloging-in-Publication Data is on file

ISBN-13: 978-0-7897-5048-8

ISBN-10: 0-7897-5048-1

Printed and bound in the United States of America

First Printing: February 2013

16 15 14 13            4 3 2 1

Que Publishing offers excellent discounts on this book when ordered in quantity for bulk purchases or special sales.

For information, please contact: U.S. Corporate and Government Sales

1-800-382-3419 or [corpsales@pearsontechgroup.com](mailto:corpsales@pearsontechgroup.com)

For sales outside the U.S., please contact: International Sales

1-317-428-3341 or [International@pearsontechgroup.com](mailto:International@pearsontechgroup.com)

### Trademarks

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. Que cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark.

Microsoft and the Microsoft Office logo are registered trademarks of Microsoft Corporation in the United States and/or other countries.

### Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The authors and the publishers shall have neither liability nor responsibility to any person or entity with respect to any loss or damage arising from the information contained in this book.

### Publisher

Paul Boger

### Associate Publisher

Greg Wiegand

### Executive Editor

Loretta Yates

### Managing Editor

Steve Johnson

### Author

Steve Johnson

### Page Layout

James Teyler

### Interior Designers

Steve Johnson

Marian Hartsough

### Photographs

Tracy Teyler

### Indexer

Katherine Stimson

### Proofreader

Beth Teyler

### Team Coordinator

Cindy Teeters

# Acknowledgments

---

## Perspection, Inc.

*Excel 2013 on Demand* has been created by the professional trainers and writers at Perspection, Inc. to the standards you've come to expect from Que publishing. Together, we are pleased to present this training book.

Perspection, Inc. is a software training company committed to providing information and training to help people use software more effectively in order to communicate, make decisions, and solve problems. Perspection writes and produces software training books, and develops multimedia and web-based training. Since 1991, we have written more than 130 computer books, with several bestsellers to our credit, and sold over 5 million books.

This book incorporates Perspection's training expertise to ensure that you'll receive the maximum return on your time. You'll focus on the tasks and skills that increase productivity while working at your own pace and convenience.

We invite you to visit the Perspection web site at:

*[www.perspection.com](http://www.perspection.com)*

## Acknowledgments

The task of creating any book requires the talents of many hard-working people pulling together to meet impossible deadlines and untold stresses. We'd like to thank the outstanding team responsible for making this book possible: the writer, Steve Johnson; the production editor, James Teyler; the editor and proofreader, Beth Teyler; and the indexer, Katherine Stimson.

At Que publishing, we'd like to thank Greg Wiegand and Loretta Yates for the opportunity to undertake this project, Cindy Teeters for administrative support, and Lori Lyons for your production expertise and support.

*Perspection*

## About the Author

**Steve Johnson** has written more than 80 books on a variety of computer software, including Adobe Edge Animate, Adobe Photoshop CS6, Adobe Dreamweaver CS6, Adobe InDesign CS6, Adobe Illustrator CS6, Adobe Flash Professional CS5, Microsoft Windows 8, Microsoft Office 2013 and 2010, Microsoft Office 2008 for the Macintosh, and Apple OS X Mountain Lion. In 1991, after working for Apple Computer and Microsoft, Steve founded Perspection, Inc., which writes and produces software training. When he is not staying up late writing, he enjoys coaching baseball, playing golf, gardening, and spending time with his wife, Holly, and three children, JP, Brett, and Hannah. Steve and his family live in Northern California, but can also be found visiting family all over the western United States.

A large, light blue, lowercase letter 'a' is positioned in the bottom left corner of the page, serving as a watermark or design element.

## We Want to Hear from You!

As the reader of this book, *you* are our most important critic and commentator. We value your opinion and want to know what we're doing right, what we could do better, what areas you'd like to see us publish in, and any other words of wisdom you're willing to pass our way.

As an associate publisher for Que, I welcome your comments. You can email or write me directly to let me know what you did or didn't like about this book—as well as what we can do to make our books better.

Please note that I cannot help you with technical problems related to the topic of this book. We do have a User Services group, however, where I will forward specific technical questions related to the book.

When you write, please be sure to include this book's title and author as well as your name, email address, and phone number. I will carefully review your comments and share them with the author and editors who worked on the book.

Email: [feedback@quepublishing.com](mailto:feedback@quepublishing.com)

Mail: Greg Wiegand  
Que Publishing  
800 East 96th Street  
Indianapolis, IN 46240 USA

For more information about this book or another Que title, visit our web site at [www.quepublishing.com](http://www.quepublishing.com). Type the ISBN (excluding hyphens) or the title of a book in the Search field to find the page you're looking for.



*This page intentionally left blank*

# Contents

---

<i>Introduction</i>	<i>xvii</i>
<b>1 Getting Started with Excel</b>	<b>1</b>
Starting Excel	2 <b>New!</b>
Viewing the Excel Window	3 <b>New!</b>
Using the Ribbon	4 <b>New!</b>
Choosing Commands	5 <b>New!</b>
Working with the Ribbon and Toolbars	6
Choosing Dialog Box Options	8
Using the Status Bar	9
Creating a Blank Workbook	10 <b>New!</b>
Creating a Workbook Using a Template	11 <b>New!</b>
Opening an Existing Workbook	12 <b>New!</b>
Converting an Existing Workbook	14
Using Task and Window Panes	15
Moving Around the Workbook	16 <b>New!</b>
Arranging Windows	18 <b>New!</b>
Getting Help While You Work	20 <b>New!</b>
Saving a Workbook	22 <b>New!</b>
Saving a Workbook with Different Formats	24 <b>New!</b>
Saving a Workbook to Online Services	26 <b>New!</b>
Working with Accounts	27 <b>New!</b>
Checking Compatibility	28
Checking Accessibility	29
Documenting Workbook Properties	30
Switching Views	31
Recovering a Workbook	32
Closing a Workbook and Exiting Excel	34 <b>New!</b>
<b>2 Basic Workbook Skills</b>	<b>35</b>
Making Label Entries	36
Selecting Cells	37
Selecting Rows, Columns, and Special Ranges	38

C

C

Entering Labels on a Worksheet	40
Entering Values on a Worksheet	42
Entering Values Quickly with AutoFill	44
Inserting Content with Flash Fill	46 <b>New!</b>
Editing Cell Contents	48
Clearing Cell Contents	49
Understanding How Excel Pastes Data	50
Storing Cell Contents	51
Copying Cell Contents	52
Moving Cell Contents	54
Inserting and Deleting Cell Contents	56
Finding and Replacing Cell Contents	58
Correcting Cell Contents with AutoCorrect	60
Inserting Information the Smart Way	62
Checking Spelling	64
Changing Proofing Options	65
Using Custom Dictionaries	66
Inserting Symbols	68
Finding the Right Words	69
Inserting Research Material	70
Translating Text to Another Language	71
Using Multiple Languages	72
Work with Touch Screens	73 <b>New!</b>
Undoing and Redoing an Action	74
<b>3 Working with Formulas and Functions</b>	<b>75</b>
Understanding Formulas	76
Creating a Simple Formula	78
Creating a Formula Using Formula AutoComplete	80
Editing a Formula	82
Understanding Cell Referencing	84
Using Absolute Cell References	85
Using Mixed Cell References	86
Using 3-D Cell References	87
Naming Cells and Ranges	88
Entering Named Cells and Ranges	90
Managing Names	92
Simplifying a Formula with Ranges	94
Displaying Calculations with the Status Bar	95
Calculating Totals with AutoSum	96
Calculating Totals with Quick Analysis	98 <b>New!</b>

Performing One Time Calculations	100
Converting Formulas and Values	102
Correcting Calculation Errors	103
Correcting Formulas	104
Auditing a Worksheet	106
Locating Circular References	107
Performing Calculations Using Functions	108
Creating Functions	109
Creating Functions Using the Library	110 <b>New!</b>
Calculating Multiple Results	111
Using Nested Functions	112
Using Constants and Functions in Names	114
<b>4 Modifying Worksheets and Workbooks</b>	<b>115</b>
Selecting and Naming a Worksheet	116
Inserting and Deleting a Worksheet	117
Moving and Copying a Worksheet	118
Hiding and Unhiding Worksheets and Workbooks	120
Selecting a Column or Row	122
Hiding and Unhiding a Column or Row	123
Inserting a Column or Row	124
Deleting a Column or Row	125
Adjusting Column Width and Row Height	126
Freezing and Unfreezing a Column or Row	128
Splitting a Worksheet into Panes	129
Showing and Hiding Workbook Elements	130
Zooming the View In and Out	131
Creating Custom Views	132
Setting Up for Personal Templates	133 <b>New!</b>
Creating a Personal Template	134 <b>New!</b>
Opening a Template	135 <b>New!</b>
Changing a Template	136 <b>New!</b>
<b>5 Formatting a Worksheet</b>	<b>137</b>
Formatting Numbers	138
Formatting Text	140
Applying Conditional Formatting	142 <b>New!</b>
Applying Specialized Conditional Formatting	144 <b>New!</b>
Creating Conditional Formatting	146
Clearing Conditional Formatting	147
Managing Conditional Formatting	148



Finding Conditional Formatting	149	
Creating Sparkline Formatting	150	<b>New!</b>
Changing Data Alignment	152	
Controlling Text Flow	154	
Changing Data Color	155	
Adding Color and Patterns to Cells	156	
Adding Custom Colors	157	
Adding Borders to Cells	158	
Formatting Tabs and Background	160	<b>New!</b>
Copying Cell Formats	161	
Understanding Color Themes	162	
Viewing and Applying a Theme	163	
Creating Theme Colors	164	
Choosing Theme Fonts	166	
Choosing Theme Effects	168	
Creating a Custom Theme	169	
Choosing a Custom Theme	170	
Applying and Creating Cell Styles	172	
Modifying a Cell Style	174	
Finding and Replacing Cell Formatting	176	

## **6** Viewing and Printing Worksheets and Workbooks 177

Setting Up the Page	178	
Adjusting Page Margins	180	
Adding Headers and Footers	182	
Inserting Page Breaks	184	
Customizing Worksheet Printing	186	
Setting the Print Area	188	
Previewing a Worksheet	189	
Printing a Worksheet and Workbook	190	
Creating a PDF Document	191	
Creating an XPS Document	192	

## **7** Inserting and Modifying Graphics 193

Locating and Inserting Online Pictures	194	<b>New!</b>
Inserting Pictures from an Online Service	196	<b>New!</b>
Inserting Pictures from a SkyDrive or SharePoint	198	<b>New!</b>
Inserting a Picture from a File	199	
Inserting a Picture Screen Shot	200	
Adding an Artistic Style to a Picture	201	
Adding a Quick Style to a Picture	202	

Applying a Shape to a Picture	203
Applying a Border to a Picture	204
Applying Picture Effects	205 <b>New!</b>
Modifying Picture Size	206 <b>New!</b>
Compressing a Picture	208
Correcting a Picture	209 <b>New!</b>
Recoloring a Picture	210
Cropping and Rotating a Picture	212
Removing a Picture Background	214
Creating WordArt Text	215
Formatting WordArt Text	216
Applying WordArt Text Effects	218
Modifying WordArt Text Position	219 <b>New!</b>
Creating SmartArt Graphics	220
Using the Text Pane with SmartArt Graphics	222
Modifying a SmartArt Graphic	224
Resizing a SmartArt Graphic	225
Formatting a SmartArt Graphic	226
Formatting a Shape in a SmartArt Graphic	228
Adding Pictures to a SmartArt Graphic	230
Creating an Organization Chart	231
Modifying an Organization Chart	232

## **8** Drawing and Modifying Shapes

**233**

Drawing and Resizing Shapes	234
Inserting Multiple Shapes	236
Adding Text to a Shape	237
Drawing Lines and Arrows	238 <b>New!</b>
Creating and Editing Freeforms	240
Copying and Moving Objects	241
Adding a Quick Style to a Shape	242 <b>New!</b>
Adding a Quick Style to Shape Text	243
Applying Color Fills	244 <b>New!</b>
Applying Picture Fills	246 <b>New!</b>
Applying Texture Fills	247 <b>New!</b>
Applying Gradient Fills	248 <b>New!</b>
Applying Shape Effects	250 <b>New!</b>
Adding 3-D Effects to a Shape	252 <b>New!</b>
Adding 3-D Rotation Effects to a Shape	254
Creating Shadows	255 <b>New!</b>
Aligning and Distributing Objects	256

Connecting Shapes	258
Selecting Objects Using the Selection Pane	259
Changing Stacking Order	260
Rotating and Flipping a Shape	261
Grouping and Ungrouping Shapes	262

## 9 Creating and Modifying Charts 265

Understanding Chart Terminology	266	<b>New!</b>
Choosing the Right Type of Chart	267	
Creating a Chart	268	<b>New!</b>
Editing a Chart	270	<b>New!</b>
Moving and Resizing a Chart	272	
Selecting Chart Elements	274	
Changing Chart Elements	275	<b>New!</b>
Changing a Chart Type	276	<b>New!</b>
Changing a Chart Layout and Style	278	<b>New!</b>
Formatting Chart Elements	280	<b>New!</b>
Changing Chart Gridlines and Axes	282	<b>New!</b>
Changing Chart Titles	284	<b>New!</b>
Changing Chart Labels	286	<b>New!</b>
Pulling Out a Pie Slice	288	
Formatting Chart Data Series	289	<b>New!</b>
Formatting Chart Text	290	
Formatting Line and Bar Charts	291	<b>New!</b>
Changing the Chart Background	292	
Enhancing a Chart	293	
Editing Chart Data	294	<b>New!</b>
Adding and Deleting a Data Series	296	<b>New!</b>
Saving a Chart Template	298	<b>New!</b>
Managing Chart Templates	300	

## 10 Analyzing Worksheet Data 301

Understanding Tables	302	
Creating a Table	303	<b>New!</b>
Formatting a Table	304	<b>New!</b>
Creating or Modifying a Table Style	305	
Formatting Table Elements	306	<b>New!</b>
Creating Calculations in a Table	307	
Working with Tables	308	
Removing Table Rows and Columns	310	
Entering Data in a Table Using a Drop-Down List	311	

Sorting Data in a Table	312
Displaying Parts of a Table with AutoFilter	314
Creating Custom Searches	315
Using Slicers to Filter a Table	316 <b>New!</b>
Exporting a Table to a SharePoint List	317 <b>New!</b>
Analyzing Data Using a PivotTable	318 <b>New!</b>
Analyzing Data Using a PivotChart	320 <b>New!</b>
Updating a PivotTable or PivotChart	321 <b>New!</b>
Modifying a PivotTable	322 <b>New!</b>
Formatting a PivotTable	323
Working with PivotTable Data	324 <b>New!</b>
Using Slicers to Filter a PivotTable	326
Displaying a Timeline to Filter a PivotTable	328 <b>New!</b>
Drilling into PivotTable Data	329 <b>New!</b>
Charting a PivotTable	330 <b>New!</b>
Presenting Data with Power View	332 <b>New!</b>
Working with PowerPivot	334 <b>New!</b>
Creating Groups and Outlines	335
Converting Text to Columns	336
Adding Data Validation to a Worksheet	337
Creating a Drop-Down List	338

## **11 Building More Powerful Worksheets** **339**

Using Data Analysis Tools	340
Using the Euro Conversion	341
Looking at Alternatives with Data Tables	342
Asking “What If” with Goal Seek	343
Creating Scenarios	344
Using Solver	346
Using Inquire Tools	348 <b>New!</b>
Using Lookup and Reference Functions	350 <b>New!</b>
Using Text Functions	352 <b>New!</b>
Summarizing Data Using Subtotals	353
Summarizing Data Using Functions	354
Using Date & Time Functions	356 <b>New!</b>
Using Logical Functions	358 <b>New!</b>
Using Financial Functions	359 <b>New!</b>
Using Math Functions	360 <b>New!</b>
Using Statistical Functions	361 <b>New!</b>
Using Information Functions	362 <b>New!</b>

Using Compatibility Functions	363
Using Web Functions	364 <b>New!</b>

## 12 Protecting and Securing a Workbook 365

Inspecting Workbooks	366
Protecting a Worksheet	368
Locking and Unlocking Worksheet Cells	370
Adding Security Encryption to a Workbook	371
Adding Password Protection to a Workbook	372
Adding a Digital Signature	374
Adding a Signature Line	376
Avoiding Harmful Attacks	378
Using the Trust Center	380
Selecting Trusted Publishers and Locations	381
Setting Document Related Security Options	382
Setting App Catalog Security Options	384 <b>New!</b>
Setting Add-in Security Options	385
Setting ActiveX Security Options	386
Setting Macro Security Options	387
Changing Message Bar Security Options	388
Setting Privacy Options	389
Setting External Content Security Options	390
Working with Office Safe Modes	392
Marking a Workbook as Read-Only	394

## 13 Reviewing and Sharing Workbook Data 395

Sharing Workbooks	396
Creating and Reading a Cell Comment	398
Editing and Deleting a Cell Comment	399
Tracking Workbook Changes	400
Sending a Workbook Using E-Mail	402
Sending a Workbook by Internet Fax	403 <b>New!</b>
Sending a Workbook by Instant Message	404 <b>New!</b>
Presenting a Workbook Online	405 <b>New!</b>
Sharing Information Between Programs	406
Linking Data	407
Linking and Embedding Files	408
Exporting and Importing Data	410
Consolidating Data	412
Getting External Data	414 <b>New!</b>
Getting Text Data	415

Connecting to External Data	416
Getting Query Data from a Database	418
Getting Data from Microsoft Access	420
Working with XML	422
Creating an XML Data Map	424
Exporting and Saving Data in XML	426
<b>14 Publishing Workbook Data as Web Pages</b>	<b>427</b>
Opening a Workbook as a Web Page	428
Previewing a Web Page	429
Creating a Hyperlink	430
Formatting a Hyperlink	432
Changing Web Page Options	433
Saving a Worksheet as a Web Page	434
Publishing a Web Page	436
Copying a Web Table to a Worksheet	437
Creating Refreshable Web Queries	438
Getting Data from Web Queries	439
Getting Documents from the Web	440
<b>15 Tools for Working More Efficiently</b>	<b>441</b>
Getting General Excel Options	442 <b>New!</b>
Setting New Workbook and Start Up Options	443 <b>New!</b>
Setting Editing Options	444 <b>New!</b>
Setting Image Options	446
Setting Chart Options	447 <b>New!</b>
Setting Workbook and Worksheet Display Options	448
Setting Display View Options	450 <b>New!</b>
Setting Advanced Options	451
Setting Formula Options	452
Changing Advanced Document Properties	453
Customizing the Way You Create Objects	454
Accessing Commands Not in the Ribbon	455
Working with Office Tools	456 <b>New!</b>
Maintaining and Repairing Office	458
<b>16 Expanding Excel Functionality</b>	<b>459</b>
Adding and Inserting Apps for Office	460 <b>New!</b>
Viewing and Managing Add-ins	462
Loading and Unloading Add-ins	464 <b>New!</b>
Enhancing a Workbook with VBA	466



Viewing the Visual Basic Editor	468
Setting Developer Options	469
Understanding How Macros Automate Your Work	470
Recording a Macro	471
Creating a Macro	472
Running a Macro	473
Controlling a Macro	474
Adding a Digital Signature to a Macro Project	476
Assigning a Macro to a Toolbar or Ribbon	477
Saving a Workbook with Macros	478
Opening a Workbook with Macros	479
Inserting ActiveX Controls	480
Using ActiveX Controls	482
Setting ActiveX Control Properties	483
Adding VBA Code to an ActiveX Control	484

## 17 Working Online with Office Documents 485

Working Online with SharePoint and SkyDrive	486	<b>New!</b>
Signing in to SharePoint or SkyDrive	488	<b>New!</b>
Saving and Opening on SharePoint or SkyDrive	490	<b>New!</b>
Accessing Documents on SharePoint	492	<b>New!</b>
Syncing Documents on SharePoint	494	<b>New!</b>
Sharing Documents on SkyDrive	496	<b>New!</b>
Accessing Documents on SkyDrive	498	<b>New!</b>
Managing Documents on SkyDrive	500	<b>New!</b>
Downloading or Uploading Documents on SkyDrive	502	
Creating Office Documents on SkyDrive	503	
Sending Links to Documents on SkyDrive	504	<b>New!</b>
Comparing the Office Desktop App to the Web App	506	
Working with Office Web Apps	508	<b>New!</b>
Saving or Printing in Office Web Apps	510	
Co-authoring Documents with Office Web Apps	512	<b>New!</b>

<i>New Features</i>	515	<b>New!</b>
<i>Microsoft Office Specialist</i>	521	
<i>Index</i>	529	

# Introduction

---

Welcome to *Excel 2013 on Demand*, a visual quick reference book that shows you how to work efficiently with Microsoft Excel. This book provides complete coverage of basic to advanced Excel skills.

## How This Book Works

You don't have to read this book in any particular order. We've designed the book so that you can jump in, get the information you need, and jump out. However, the book does follow a logical progression from simple tasks to more complex ones. Each task is presented on no more than two facing pages, which lets you focus on a single task without having to turn the page. To find the information that you need, just look up the task in the table of contents or index, and turn to the page listed. Read the task introduction, follow the step-by-step instructions in the left column along with screen illustrations in the right column, and you're done.

## What's New

If you're searching for what's new in Excel 2013, just look for the icon: **New!**. The new icon appears in the table of contents and throughout this book so you can quickly and easily identify a new or improved feature in Excel 2013. A complete description of each new feature appears in the New Features guide in the back of this book.

## Keyboard Shortcuts

Most menu commands have a keyboard equivalent, such as Ctrl+P, as a quicker alternative to using the mouse. A complete list of keyboard shortcuts is available on the web at [www.queondemand.com](http://www.queondemand.com) or [www.perspective.com](http://www.perspective.com).



## How You'll Learn

**How This Book Works**

**What's New**

**Keyboard Shortcuts**

**Step-by-Step Instructions**

**Real World Examples**

**Workshops**

**Microsoft Office Specialist**

**Get More on the Web**



# Step-by-Step Instructions

This book provides concise step-by-step instructions that show you “how” to accomplish a task. Each set of instructions includes illustrations that directly correspond to the easy-to-read steps. Also included in the text are time-savers, tables, and sidebars to help you work more efficiently or to teach you more in-depth information. A “Did You Know?” provides tips and techniques to help you work smarter, while a “See Also” leads you to other parts of the book containing related information about the task.

**Creating Sparkline Formatting**

A sparkline is a tiny chart in the background of a cell that provides a view of a data range. Sparklines are useful for showing trends in a series of data, which you can print in a worksheet. You can display line, column, and weather charts. After you create a sparkline chart, you can format it using the Design tab under Sparkline Tools. You can quickly select a data style layout or an individual option, such as chart type, sparkline color, marker color, axis display, and control points (high, low, first, last, or any or none visible). If you have overlapping visible cells, you can group them together. If you no longer want to use a sparkline, you can clear it. Since a sparkline is embedded, you can't edit content in the cell. You can create a sparkline format using the Quick Analysis tool (Review) for a data range or the Insert tab for a destination cell.

**Create Sparkline Formatting**

- 1 Select a range of data (Quick Analysis tool) or the destination cell (Insert tab) for the sparkline formatting chart.
- 2 Use either of the following:
  - **Quick Analysis:** Click the Quick Analysis button (Home), click Sparkline, and then click the Line, Column, or Weather button.
  - **Insert tab:** Click the Insert tab, click the Insert (Line, Column, or Weather) button, click the Collapse Dialog button, select the data range, click the Expand Dialog button, and then click OK.

**Did You Know?**  
You can apply conditional formatting. Select a range of data, click the Quick Analysis button, click Formatting, and then click a conditional formatting rule.

**See Also**  
See “Creating a Chart” on page 288 for more information on using the Quick Analysis button for creating data.

190 Chapter 5

Easy-to-follow introductions focus on a single concept.

Illustrations match the numbered steps.


Numbered steps guide you through each task.

See Also points you to related information in the book.

Did You Know? alerts you to tips, techniques and related information.

# Real World Examples


This book uses real world examples files to give you a context in which to use the task. By using the example files, you won't waste time looking for or creating sample files. You get a start file and a result file, so you can compare your work. Not every topic needs an example file, such as changing options, so we provide a complete list of the example files used throughout the book. The example files that you need for project tasks along with a complete file list are available on the web at [www.queondemand.com](http://www.queondemand.com) or [www.perspective.com](http://www.perspective.com).



Real world examples help you apply what you've learned to other tasks.

# Workshops


This book shows you how to put together the individual step-by-step tasks into in-depth projects with the Workshops. You start each project with a sample file, work through the steps, and then compare your results with a project results file at the end. The Workshop projects and associated files are available on the web at [www.queondemand.com](http://www.queondemand.com) or [www.perspection.com](http://www.perspection.com).



The **Workshops** walks you through in-depth projects to help you put Microsoft Excel to work.

# Microsoft Office Specialist

This book prepares you for the Microsoft Office Specialist (MOS) exam for Microsoft Excel 2013. Each MOS certification exam has a set of objectives, which are organized into broader skill sets. To prepare for the MOS certification exam, you should review and perform each task identified with a MOS objective to confirm that you can meet the requirements for the exam. Information about the MOS program is available in the back of this book. The MOS objectives and the specific pages that cover them are available on the web at [www.queondemand.com](http://www.queondemand.com) or [www.perspection.com](http://www.perspection.com).



## Get More on the Web

In addition to the information in this book, you can also get more information on the web to help you get up to speed faster with Excel 2013. Some of the information includes:

### Transition Helpers

- ◆ **Only New Features.** Download and print the new feature tasks as a quick and easy guide.


### Productivity Tools

- ◆ **Keyboard Shortcuts.** Download a list of keyboard shortcuts to learn faster ways to get the job done.

### More Content

- ◆ **Photographs.** Download photographs and other graphics to use in your Office documents.
- ◆ **More Content.** Download new content developed after publication. For example, you can download a chapter on SharePoint server and Office 365.

You can access these additional resources on the web at [www.perspective.com](http://www.perspective.com).



Additional content is available on the web. You can download keyboard shortcuts.

# Working with Formulas and Functions

---

## Introduction

Once you enter data in a worksheet, you'll want to add formulas to perform calculations. Microsoft Excel can help you get the results you need. Formulas can be very basic entries to more complex ones. The difficulty of the formula depends on the complexity of the result you want from your data. For instance, if you are simply looking to total this month's sales, then the formula would add your sales number and provide the result. However, if you were looking to show this month's sales, greater than \$100.00 with repeat customers, you would take a bit more time to design the formula.

Because Excel automatically recalculates formulas, your worksheets remain accurate and up-to-date no matter how often you change the data. Using absolute cell references anchors formulas to a specific cell. Excel provides numerous built-in functions to add to your worksheet calculations. Functions, such as AVERAGE or SUM, allow you to perform a quick formula calculation.

Another way to make your formulas easier to understand is by using name ranges in them. Name ranges—a group of selected cells named as a range—can help you understand your more complicated formulas. It is a lot easier to read a formula that uses name ranges, then to look at the formula and try to decipher it. Excel offers a tool to audit your worksheet. Looking at the “flow” of your formula greatly reduces errors in the calculation. You can see how your formula is built, one level at a time through a series of arrows that point out where the formula is pulling data from. As you develop your formula, you can make corrections to it.

## What You'll Do

**Understand Formulas**

**Create and Edit Formulas**

**Understand Cell Referencing**

**Use Absolute Cell References**

**Use Mixed and 3-D Cell References**

**Name Cells and Ranges**

**Enter and Manage Names**

**Simplify a Formula with Ranges**

**Display Calculations with the Status Bar**

**Calculate Totals with AutoSum**

**Perform One Time Calculations**

**Convert Formulas and Values**

**Correct Calculation Errors**

**Correct Formulas**

**Audit a Worksheet**

**Locate Circular References**

**Perform Calculations Using Functions**

**Create Functions and Nested Functions**

**Calculate Multiple Results**

**Use Constants and Functions in Names**

# Understanding Formulas

## Introduction

A formula calculates values to return a result. On an Excel worksheet, you can create a formula using constant values (such as 147 or \$10.00), operators (shown in the table), references, and functions. An Excel formula always begins with the equal sign (=).

A **constant** is a number or text value that is not calculated, such as the number 147, the text “Total Profits,” and the date 7/22/2013. On the other hand, an **expression** is a value that is not a constant. Constants remain the same until you or the system change them. An **operator** performs a calculation, such as + (plus sign) or - (minus sign). A cell **reference** is a cell address that returns the value in a cell. For example, A1 (column A and row 1) returns the value in cell A1 (see table below).

### Cell Reference Examples

Reference	Meaning
A1	Cell in column A and row 1
A1:A10	Range of cells in column A and rows 1 through 10
A1:F1	Range of cells in row 1 and columns A through F
1:1	All cells in row 1
1:5	All cells in rows 1 through 5
A:A	All cells in column A
A:F	All cells in columns A through F
Profits!A1:A10	Range of cells in column A and rows 1 through 10 in worksheet named Profits

A **function** performs predefined calculations using specific values, called arguments. For example, the function SUM(B1:B10) returns the sum of cells B1 through B10. An

argument can be numbers, text, logical values such as TRUE or FALSE, arrays, error values such as #NA, or cell references. Arguments can also be constants, formulas, or other functions, known as **nested functions**. A function starts with the equal sign (=), followed by the function name, an opening parenthesis, the arguments for the function separated by commas, and a closing parenthesis. For example, the function, AVERAGE(A1:A10, B1:B10), returns a number with the average for the contents of cells A1 through A10 and B1 through B10. As you type a function, a ToolTip appears with the structure and arguments needed to complete the function. You can also use the Insert Function dialog box to help you add a function to a formula.

## Perform Calculations

By default, every time you make a change to a value, formula, or name, Excel performs a calculation. To change the way Excel performs calculations, click the Formulas tab, click the Calculation Options button, and then click the option you want: Automatic, Automatic Except Data Tables, or Manual. To manually recalculate all open workbooks, click the Calculate Now button (or press F9). To recalculate the active worksheet, click the Calculate Sheet button (or press Shift+F9).

## Precedence Order

Formulas perform calculations from left to right, according to a specific order for each operator. Formulas containing more than one operator follow precedence order: exponentiation, multiplication and division, and then addition and subtraction. So, in the formula  $2 + 5 * 7$ , Excel performs multiplication first and addition next for a result of 37. Excel calculates operations within parentheses first. The result of the formula  $(2 + 5) * 7$  is 49.

## Types of Operators

Operator	Meaning	Example
<b>Arithmetic</b>		
= (plus sign)	Addition	2+7
- (minus sign)	Subtraction Negative	7-2 -2
* (asterisk)	Multiplication	2*7
/ (forward slash)	Division	7/2
% (percent)	Percent	70%
^ (caret)	Exponentiation	2^7
<b>Comparison</b>		
= (equal sign)	Equal to	A2=B7
> (greater than sign)	Greater than	A2>B7
< (less than sign)	Less than	A2<B7
>= (greater than or equal to sign)	Greater than or equal to	A2>=B7
<= (less than or equal to sign)	Less than or equal to	A2<=B7
<> (not equal to sign)	Not equal to	A2<>B7
<b>Text concatenation</b>		
& (ampersand)	Connects, or concatenates, two values to produce one continuous text value	"Total"&"Profit"
<b>Reference</b>		
: (colon)	Range operator, which produces one reference to all the cells between two references	A1:A10
, (comma)	Union operator, which combines multiple references into one reference	SUM(A1:A10,B1:B10)
(space)	Intersection operator, which produces one reference to cells common to the two references	A1:A10 B1:B10

# Creating a Simple Formula

## Enter a Formula

- 1 Click the cell where you want to enter a formula.
- 2 Type = (an equal sign). If you do not begin with an equal sign, Excel will display, not calculate, the information you type.
- 3 Enter the first argument. An argument can be a number or a cell reference.


**TIMESAVER** To avoid typing mistakes, click a cell to insert its cell reference in a formula rather than typing its address.

- 4 Enter an arithmetic operator.
- 5 Enter the next argument.
- 6 Repeat steps 4 and 5 as needed to complete the formula.
- 7 Click the **Enter** button on the formula bar, or press Enter.

Notice that the result of the formula appears in the cell (if you select the cell, the formula itself appears on the formula bar).

**TIMESAVER** To wrap text in a cell, press **Alt+Enter**, which manually inserts a line break.

A **formula** calculates values to return a result. On an Excel worksheet, you can create a formula using values (such as 147 or \$10.00), arithmetic operators (shown in the table), and cell references. An Excel formula always begins with the equal sign (=). The equal sign, when entered, automatically formats the cell as a formula entry. The best way to start a formula is to have an argument. An **argument** is the cell references or values in a formula that contribute to the result. Each function uses function-specific arguments, which may include numeric values, text values, cell references, ranges of cells, and so on. To accommodate long, complex formulas, you can resize the formula bar to prevent formulas from covering other data in your worksheet. By default, only formula results are displayed in a cell, but you can change the view of the worksheet to display formulas instead of results.



## For Your Information


### Understanding Order of Precedence

Formulas containing more than one operator follow the order of precedence: exponentiation, multiplication and division, and then addition and subtraction. So, in the formula  $5 + 2 * 3$ , Excel performs multiplication first and addition next for a result of 11. Excel calculates operations within parentheses first. The result of the formula  $(5 + 2) * 3$  is 21.

## Resize the Formula Bar

- ◆ To switch between expanding the formula box to three or more lines or collapsing it to one line, click the down/up arrow at the end of the formula bar. You can also press Ctrl+Shift+U.
- ◆ To precisely adjust the height of the formula box, point to the bottom of the formula box until the pointer changes to a vertical double arrow, and then drag up or down, and then click the vertical double arrow or press Enter.
- ◆ To automatically fit the formula box to the number of lines of text in the active cell, point to the formula box until the pointer changes to a vertical double arrow, and then double-click the vertical arrow.

Down/Up arrow




## Display Formulas in Cells

- 1 Click the **Formulas** tab.
  - 2 Click the **Show Formulas** button.
- TIMESAVER** Press Ctrl+='.
- 3 To turn off formula display, click the **Show Formulas** button again.

### Did You Know?

**Pointing to cells reduces errors.** When building formulas, pointing to a cell rather than typing its address ensures that the correct cell is referenced.

**You can print formulas.** Click the Formulas tab, click the Show Formulas button to show formulas, click the File tab, click Print, and then click Print.



# Creating a Formula Using Formula AutoComplete

## Enter Items in a Formula Using Formula AutoComplete

- 1 Click the cell where you want to enter a formula.
- 2 Type = (an equal sign), and beginning letters or a display trigger to start Formula AutoComplete.

For example, type *su* to display all value items, such as SUBTOTAL and SUM.

The text before the insertion point is used to display the values in the drop-down list.

- 3 As you type, a drop-down scrollable list of valid items is displayed.


Icons represent the type of entry, such as a function or table reference, and a ScreenTip appears next to a selected item.

- 4 To insert the selected item in the drop-down list into the formula, press Tab or double-click the item.

### Did You Know?

**You can turn on Formula AutoComplete.** Click the File tab, click Options, click Formulas in the left pane, select the Formula AutoComplete check box, and then click OK.

To minimize typing and syntax errors, you can create and edit formulas with Formula AutoComplete. After you type an = (equal sign) and begin typing to start a formula, Excel displays a dynamic drop-down list of valid functions, arguments, defined names, table names, special item specifiers—including [ (open bracket), , (comma), : (colon)—and text string that match the letters you type. An argument is the cell references or values in a formula that contribute to the result. Each function uses function-specific arguments, which may include numeric values, text values, cell references, ranges of cells, and so on.



## Use the Keyboard to Navigate

Using the keyboard, you can navigate the Formula AutoComplete drop-down list to quickly find the entry you want.

- ◆ Refer to the table for keyboard shortcuts for navigating the Formula AutoComplete drop-down list.

## Keys For Navigating AutoComplete List


Press This Key	To Move
Left arrow	Move the insertion point to the left
Right arrow	Move the insertion point to the right
Up arrow	Move the selection up one item
Down arrow	Move the selection down one item
End	Select the last item
Home	Select the first item
Page Down	Move down one page and select a new item
Page Up	Move up one page and select a new item
Esc	Close the drop-down list
Alt+Down arrow	Turn on or off Formula AutoComplete

## Turn on Formula AutoComplete

- 1 Click the **File** tab, and then click **Options**.
- 2 In the left pane, click **Formulas**.
- 3 Select the **Formula AutoComplete** check box.
- 4 Click **OK**.

## Did You Know?

*Some items don't appear on the Formula AutoComplete drop-down list.* Defined names that you create for enumerated constants, such as the ones used in the SUBTOTAL function, and Cube function connections do not appear in the Formula AutoComplete drop-down list, but you can still type them.




## Editing a Formula

### Edit a Formula Using the Formula Bar


- 1 Select the cell that contains the formula you want to edit.
- 2 Press F2 to change to Edit mode.
- 3 If necessary, use the Home, End, and arrow keys to position the insertion point within the cell contents.
- 4 Use any combination of Backspace and Delete to erase unwanted characters, and then type new characters as needed.
- 5 Click the **Enter** button on the formula bar, or press Enter.

You can edit formulas just as you do other cell contents, using the formula bar or working in the cell. You can select, cut, copy, paste, delete, and format cells containing formulas just as you do cells containing labels or values. Using **AutoFill**, you can quickly copy formulas to adjacent cells. If you need to copy formulas to different parts of a worksheet, use the Paste command or Paste Options button.



### Copy a Formula Using AutoFill

- 1 Select the cell that contains the formula you want to copy.
- 2 Position the pointer (fill handle) on the lower-right corner of the selected cell.
- 3 Drag the mouse down until the adjacent cells where you want the formula pasted are selected, and then release the mouse button.



## Copy and Paste a Formula



- 1 Select the cell that contains the formula you want to copy.
- 2 Click the **Home** tab.
- 3 Click the **Copy** button.
- 4 Select one or more cells where you want to paste the formula.
- 5 Click the **Paste** button or click the **Paste** button arrow, point to an option to display a live preview of the paste, and then click to paste the item.
- 6 Click the **Paste Options** button, point to an option for the live preview, and then select the option you want.

If you don't want to paste this selection anywhere else, press Esc to remove the marquee.

### Did You Know?

**You can use Paste Special to copy only formulas.** Select the cells containing the formulas you want to copy, click the Copy button on the Home tab, click where you want to paste the data, click the Paste button arrow, click Paste Special, click the Formulas button, and then click OK.

**You can use keyboard commands to recalculate formulas.** Press F9 to recalculate formulas that have changed since the last calculation in all open workbooks. Press Shift+F9 to recalculate formulas in the active workbook. Press Ctrl+Alt+F9 to recalculate all formulas in all open workbooks, regardless of whether formulas have changed. Press Ctrl+Shift+Alt+F9 to recheck dependent formulas in all open workbooks, regardless of whether formulas have changed.



# Understanding Cell Referencing

Each cell, the intersection of a column and row on a worksheet, has a unique address, or **cell reference**, based on its column letter and row number. For example, the cell reference for the intersection of column D and row 4 is D4.

## Cell References in Formulas

The simplest formula refers to a cell. If you want one cell to contain the same value as another cell, type an equal sign followed by the cell reference, such as =D4. The cell that contains the formula is known as a **dependent cell** because its value depends on the value in another cell. Whenever the cell that the formula refers to changes, the cell that contains the formula also changes.

Depending on your task, you can use **relative cell references**, which are references to cells relative to the position of the formula, **absolute cell references**, which are cell references that always refer to cells in a specific location, or **mixed cell references**, which use a combination of relative and absolute column and row references. If you use macros, the R1C1 cell references make it easy to compute row and column positions.

## Relative Cell References

When you copy and paste or move a formula that uses relative references, the references in the formula change to reflect cells that are in the same relative position to the formula. The formula is the same, but it uses the new cells in its calculation. Relative addressing eliminates the tedium of creating new formulas for each row or column in a worksheet filled with repetitive information.

## Absolute Cell References

If you don't want a cell reference to change when you copy a formula, make it an absolute reference by typing a dollar sign (\$) before each part of the reference that you don't want to change. For example, \$A\$1 always refers to cell A1. If you copy or fill the formula down columns or across rows, the absolute reference doesn't change. You can add a \$ before the column letter and the row number. To ensure accuracy and simplify updates, enter constant values (such as tax rates, hourly rates, and so on) in a cell, and then use absolute references to them in formulas.

## Mixed Cell References

A mixed reference is either an absolute row and relative column or absolute column and relative row. You add the \$ before the column letter to create an absolute column or before the row number to create an absolute row. For example, \$A1 is absolute for column A and relative for row 1, and A\$1 is absolute for row 1 and relative for column A. If you copy or fill the formula across rows or down columns, the relative references adjust, and the absolute ones don't adjust.

## 3-D References

3-D references allow you to analyze data in the same cell or range of cells on multiple worksheets within a workbook. A 3-D reference includes the cell or range reference, preceded by a range of worksheet names. For example, =AVERAGE(Sheet1:Sheet4!A1) returns the average for all the values contained in cell A1 on all the worksheets between and including Sheet 1 and Sheet 4.

# Using Absolute Cell References


## Create an Absolute Reference

- 1 Click a cell where you want to enter a formula.
  - 2 Type = (an equal sign) to begin the formula.
  - 3 Select a cell, and then type an arithmetic operator (+, -, \*, or /).
  - 4 Select another cell, and then press the F4 key to make that cell reference absolute.
- You can continue to press F4 to have Excel cycle through the different reference types.
- 5 If necessary, continue entering the formula.
  - 6 Click the **Enter** button on the formula bar, or press Enter.

## Did You Know?

**You can change an absolute reference back to a relative reference.** In the cell with the absolute formula, repeatedly press F4 until all the dollar signs are removed from the reference. You press F4 to cycle through all the reference types. For example, if you enter A1 to start a formula, press F4 to display \$A\$1. Press again to display A\$1. Press again to display \$A1. Press it again to display A1.

When you want a formula to consistently refer to a particular cell, even if you copy or move the formula elsewhere on the worksheet, you need to use an absolute cell reference. An absolute cell reference is a cell address that contains a dollar sign (\$) in the row or column coordinate, or both. When you enter a cell reference in a formula, Excel assumes it is a relative reference unless you change it to an absolute reference. If you want part of a formula to remain a relative reference, remove the dollar sign that appears before the column letter or row number.



Price	Quantity	Total Price	
\$ 19.96	5	\$ 97.44	
\$ 32.48	3	\$ 97.44	
\$ 19.97	7	\$ 139.79	
\$ 4.99	10	\$ 49.90	
\$ 29.97	9	\$ 269.73	


Absolute reference

# Using Mixed Cell References

## Create a Mixed Reference

- 1 Click a cell where you want to enter a formula.
- 2 Type = (an equal sign) to begin the formula.
- 3 Select the cells you want to use and then complete the formula.
- 4 Click the insertion point in the formula bar, and then type \$ before the column or row you want to make absolute.
- 5 Click the **Enter** button on the formula bar, or press Enter.

A mixed cell reference is either an absolute column and relative row or absolute row and relative column. When you add the \$ before the column letter you create an absolute column or before the row number you create an absolute row. For example, \$A1 is absolute for column A and relative for row 1, and A\$1 is absolute for row 1 and relative for column A. If you copy or fill the formula across rows or down columns, the relative references adjust, and the absolute ones don't adjust.



Price	Quantity	Total Price
\$ 19.96	5	\$ 99.80
\$ 32.48	3	$=D7*E$7$
\$ 19.97	7	\$ 139.79
\$ 4.99	10	\$ 49.90
\$ 29.97	9	\$ 269.73
\$ 21.00	25	\$ 525.00

Mixed reference

# Using 3-D Cell References


If you want to analyze data in the same cell or range of cells on multiple worksheets within a workbook, use a mixed 3-D reference. For example, `=SUM(Sheet3:Sheet6!A1:A10)` returns the sum for all the values contained in the range of cells A1 through A10 on all the worksheets between and including Sheet 3 and Sheet 6. 3-D references work with the following functions: AVERAGE, AVERAGEA, COUNT, COUNTA, MAX, MAXA, MIN, MINA, PRODUCT, STDEV, STDEVA, STDEVPA, VAR, VARA, VARP, and VARPA. However, 3-D references cannot be used with array formulas, the intersection operator (a single space), or the implicit intersection. If you move, insert, or copy sheets between the ones included in the range, Excel adds the values from the sheets in the calculations. If you move or remove sheets between the ones included in the range, Excel removes the values from the calculation.

## Create a 3-D Cell Reference

- 1 Click a cell where you want to enter a formula.
- 2 Type = (an equal sign) to begin the formula.
- 3 Type the function you want to use followed by a ( (left bracket).
- 4 Type the first worksheet name, followed by a : (colon), and then the last worksheet name in the range.
- 5 Type ! (exclamation).
- 6 Type or select the cell or cell range you want to use in the function.
- 7 Type ) (right bracket).
- 8 Click the **Enter** button on the formula bar, or press Enter.

### See Also

See "Performing Calculations Using Functions" on page 108 and "Creating Functions" on page 109 for information on creating and using functions.



# Naming Cells and Ranges

## Name a Cell or Range Using the Name Box


- 1 Select the cell or range, or nonadjacent selections you want to name.
- 2 Click the Name box on the formula bar.
- 3 Type a name for the range.

A range name can include up to 255 characters, uppercase or lowercase letters (not case sensitive), numbers, and punctuation, but no spaces or cell references.

By default, names use absolute cell references.

- 4 To adjust the width of the Name box, point between the Name box and the Formula box until the pointer changes to a horizontal double arrow, and then drag left or right.
- 5 Press Enter. The range name will appear in the Name box whenever you select the range in the workbook.

To make working with ranges easier, Excel allows you to name them. The name BookTitle, for example, is easier to remember than the range reference B6:B21. Named ranges can be used to navigate large worksheets. Named ranges can also be used in formulas instead of typing or pointing to specific cells. When you name a cell or range, Excel uses an absolute reference for the name by default, which is almost always what you want. You can see the absolute reference in the Refers to box in the New Name dialog box. There are two types of names you can create and use: defined name and table name. A **defined name** represents a cell, a range of cells, formula or constant, while a **table name** represents an Excel table, which is a collection of data stored in records (rows) and fields (columns). You can define a name for use in a worksheet or an entire workbook, also known as **scope**. To accommodate long names, you can resize the name box in the formula bar. The worksheet and formula bar work together to avoid overlapping content.




## Let Excel Name a Cell or Range

- 1 Select the cells, including the column or row header, you want to name.
- 2 Click the **Formulas** tab.
- 3 Click the **Create from Selection** button.
- 4 Select the check box with the position of the labels in relation to the cells.

Excel automatically tries to determine the position of the labels, so you might not have to change any options.

- 5 Click **OK**.




## Name a Cell or Range Using the New Name Dialog Box

- 1 Select the cell or range, or nonadjacent selections you want to name.
- 2 Click the **Formulas** tab.
- 3 Click the **Define Name** button.
- 4 Type a name for the reference.
- 5 Click the **Scope** list arrow, and then click **Workbook** or a specific worksheet.
- 6 If you want, type a description of the name.

The current selection appears in the Refer to box.

- 7 Click the **Collapse Dialog** button, select different cells and click the **Expand Dialog** button, or type = (equal sign) followed by a constant value or a formula.
- 8 Click **OK**.




# Entering Named Cells and Ranges

## Enter a Named Cell or Range Using the Name Box

- 1 Click the **Name box** list arrow on the formula bar.
- 2 Click the name of the cell or range you want to use.


The range name appears in the Name box, and all cells included in the range are highlighted on the worksheet.

After you define a named cell or range, you can enter a name by typing, using the Name box, using Formula AutoComplete, or selecting from the Use in Formula command. As you begin to type a name in a formula, Formula AutoComplete displays valid matches in a drop-down list, which you can select and insert into a formula. You can also select a name from a list of available from the Use in Formula command. If you have already entered a cell or range address in a formula or function, you can apply a name to the address instead of re-creating it.




## Enter a Named Cell or Range Using Formula AutoComplete

- 1 Type = (equal sign) to start a formula, and then type the first letter of the name.
- 2 To insert a name, type the first letter of the name to display it in the Formula AutoComplete drop-down list.
- 3 Scroll down the list, if necessary, to select the name you want, and then press Tab or double-click the name to insert it.




## Enter a Named Cell or Range from the Use in Formula Command

- 1 Type = (equal sign) to start a formula.
- 2 Click the **Formulas** tab.
- 3 When you want to insert a name, click the **Use in Formula** button.
- 4 Use one of the following menu options:
  - ◆ Click the name you want to use.
  - ◆ Click **Paste Names**, select a name, and then click **OK**.



## Apply a Name to a Cell or Range Address

- 1 Select the cells in which you want to apply a name.
- 2 Click the **Formulas** tab.
- 3 Click the **Define Name** button arrow, and then click **Apply Names**.
- 4 Click the name you want to apply.
- 5 Click **OK**.



### Did You Know?

**Should I select the Use row and column names option?** When you select this option, Excel uses the range row and column headings to refer to the range you've selected (if a cell does not have its own name, but is part of a named range).

# Managing Names

## Organize and View Names

- 1 Click the **Formulas** tab.
- 2 Click the **Name Manager** button.


**TROUBLE?** You cannot use the Name Manager dialog box while you're editing a cell. The Name Manager doesn't display names defined in VBA or hidden names.

- 3 Use one of the following menu options:
  - ◆ **Resize columns.** Double-click the right side of the column header to automatically size the column to fit the largest value in that column.
  - ◆ **Sort names.** Click the column header to sort the list of names in ascending or descending order.
  - ◆ **Filter names.** Click the Filter button, and then select the filter command you want. See table for filter option details.
- 4 Click **Close**.

### Did You Know?

**What happens when you zoom in on a name range?** When you zoom the view of the worksheet to 39 percent or less, Excel adds a blue border around the labels you have created. The blue border does not print.

The Name Manager makes it easy to work with all the defined names and table names in a workbook from one location. You can display the value and reference of a name, specify the scope—either worksheet or workbook level—of a name, find names with errors, and view or edit name descriptions. In addition, you can add, change, or delete names, and sort and filter the names list. You can also use table column header names in formulas instead of cell references.



## Name Manager Filter Options

Option	Result
Names Scoped to Worksheet	Displays names local to a worksheet
Names Scoped to Workbook	Displays names global to a workbook
Names with Errors	Displays names with values that contain errors (such as #NAME, #VALUE, etc.)
Names without Errors	Displays names without errors
Defined Names	Displays names defined by you or by Excel
Table Names	Displays table names

## Change a Name

- 1 Click the **Formulas** tab.
- 2 Click the **Name Manager** button.
- 3 Click the name you want to change.
- 4 Click **Edit**.
- 5 Type a new name for the reference in the Name box.
- 6 Change the reference. Enter a range or use the **Collapse** button to select one.
- 7 Click **OK**.
- 8 In the Refers to area, make any changes you want to the cell, formula, or constant represented by the name.
- 9 Click **Close**.



To cancel unwanted changes, click the **Cancel** button or press Esc, or to save changes, click the **Commit** button or press Enter.

### Did You Know?

**You can delete a name range.** Click the Formulas tab, click the Name Manager button, select the names you want to delete, click Delete or press Delete, click OK to confirm, and then click Close.

**What happens when you change a label reference?** If you change the name of a reference label, Excel automatically makes the change to every formula in which the name is used.

**You can label names that are relative.** When you use a label name in a formula or function, Excel sees it as a relative reference. You can copy the formula to other cells, or use AutoFill to copy it and the reference changes.




# Simplifying a Formula with Ranges

## Use a Range in a Formula


- 1 Put your cursor where you would like the formula. Type an equal sign (=) followed by the start of a formula, such as `=SUM`.
- 2 Click the first cell of the range, and then drag to select the last cell in the range. Excel enters the range address for you.
- 3 Complete the formula by entering a close parentheses, or another function, and then click the **Enter** button.

You can simplify formulas by using ranges and range names. For example, if 12 cells on your worksheet contain monthly budget amounts, and you want to multiply each amount by 10%, you can insert one range address in a formula instead of inserting 12 different cell addresses, or you can insert a range name. Using a range name in a formula helps to identify what the formula does; the formula `=TotalOrder*0.10`, for example, is more meaningful than `=SUM(F6:F19)*0.10`.



## Use a Range Name in a Formula

- 1 Put your cursor where you would like the formula. Type an equal sign (=) followed by the start of a formula, such as `=SUM`.
- 2 Press F3 to display a list of named ranges.
  - ◆ You can also click the **Use in Formula** button on the Formulas tab, and then click **Paste**.
- 3 Click the name of the range you want to insert.
- 4 Click **OK**.
- 5 Complete the formula by entering a close parentheses, or another function, and then click the **Enter** button.



# Displaying Calculations with the Status Bar

## Calculate a Range Automatically

- 1 Select the range of cells you want to calculate.

The sum, average, and count of the selected cells appears on the status bar by default.


- 2 If you want to change the type of calculations that appear on the Status bar, right-click anywhere on the Status bar to display a shortcut menu.

The shortcut menu displays all the available status information you can track. The right side of the menu displays the current values for the different calculations.

- 3 Click to toggle (on or off) the available types of calculations.

- ◆ Average
- ◆ Count
- ◆ Numerical Count
- ◆ Minimum
- ◆ Maximum
- ◆ Sum

You can simplify your work using the Status bar calculations when you don't want to insert a formula, but you want to quickly see the results of a simple calculation. The Status bar automatically displays the sum, average, maximum, minimum, or count of the selected values. The Status bar results do not appear on the worksheet when printed but are useful for giving you quick answers while you work. If a cell contains text, it's ignored, except when you select the Count option.



# Calculating Totals with AutoSum

## Calculate Totals with AutoSum

- 1 Click the cell where you want to display the calculation.
  - ◆ To sum with a range of numbers, select the range of cells you want.
  - ◆ To sum with only some of the numbers in a range, select the cells or range you want using the Ctrl key. Excel inserts the sum in the first empty cell below the selected range.
  - ◆ To sum both across and down a table of number, select the range of cells with an additional column to the right and a row at the bottom.

- 2 Click the **Formulas** tab.
- 3 Click the **AutoSum** button.


**TIMESAVER** Press **Alt+=** to access the *AutoSum* command.

- 4 Click the **Enter** button on the formula bar, or press Enter.

### Did You Know?


**You can select additional AutoFill commands.** Click the Home tab, and then click the Fill button to select additional commands such as Up, Down, Left, Right, Series, or Justify.

A range of cells can easily be added using the **AutoSum** button on the Formulas tab. AutoSum suggests the range to sum, although this range can be changed if it's incorrect. AutoSum looks at all of the data that is consecutively entered, and when it sees an empty cell, that is where the AutoSum stops. You can also use AutoSum to perform other calculations, such as AVERAGE, COUNT, MAX, and MIN. Subtotals can be calculated for data ranges using the Subtotals dialog box. This dialog box lets you select where the subtotals occur, as well as the function type.



## Calculate with Extended AutoSum


- 1 Click the cell where you want to display the calculation.
- 2 Click the **Formulas** tab.
- 3 Click the **AutoSum** button arrow.
- 4 Click the function you want to use, such as AVERAGE, COUNT, MAX, and MIN.
- 5 Press Enter to accept the range selected.



## Calculate Subtotals and Totals

- 1 Click anywhere within the data to be subtotaled.
- 2 Click the **Data** tab.
- 3 Click the **Subtotal** button.
 

If a message box appears, read the message, and then click the appropriate button.
- 4 Select the appropriate check boxes to specify how the data is subtotaled.
- 5 Click **OK**.



### Did You Know?


*You can use AutoSum to calculate a subtotal. If you're working with a table, you can use the AutoSum button to insert the Subtotal function rather than the SUM function. The function only sums the visible cells in a filtered list.*

# Calculating Totals with Quick Analysis

## Calculate Totals with Quick Analysis Below Selection

- 1 Select the range of cells you want to total.  
  
A Quick Analysis button appears in the lower right corner of the selection.
- 2 Click the **Quick Analysis** button.  
  
A menu appears, displaying heading tabs along the top, and buttons below it.
- 3 Click **Totals**.
- 4 To preview the totals result, point to the button (select an icon with blue row) with the type of total calculation you want.
  - ◆ **Scroll Arrows**. Click a left or right scroll arrow to display buttons.
- 5 To set the totals results result, click the button (select an icon with blue row) with the type of total calculation you want.

When you select a range of cells, you can use the Quick Analysis tool (**New!**) to calculate totals for the data. The tool allows you to calculate totals for Sum, Average, Count, % Total, and Running Total. The result of the totals can appear below the selected range or to the right of the selected range. You can point to a button option to display a live preview of the results before you commit to it. In addition to calculating totals, you can also use the Quick Analysis tool (**New!**) to format data and create charts and tables.



## Calculate Totals with Quick Analysis Next to Selection

- 1 Select the range of cells you want to total; make sure the column to the right is available to place the results.

A Quick Analysis button appears in the lower right corner of the selection.

- 2 Click the **Quick Analysis** button.

A menu appears, displaying heading tabs along the top, and buttons below it.


- 3 Click **Totals**.

- 4 To preview the totals result, point to the button (select an icon with gold column) with the type of total calculation you want.

◆ **Scroll Arrows.** Click a left or right scroll arrow to display buttons.

- 5 To set the totals results result, click the button (select an icon with gold column) with the type of total calculation you want.

Preview of the result to the right of the selection




# Performing One Time Calculations

## Perform One Time Simple Calculations without Using a Formula

- 1 Select an empty cell, and then enter the number you want to use in a calculation.
- 2 Click the **Home** tab.
- 3 Click the **Copy** button.
- 4 Select the range you want to use in the calculation.
- 5 Click the **Paste** button arrow, and then click **Paste Special**.
- 6 Click the operation option you want to use: **Add**, **Subtract**, **Multiply**, or **Divide**.
- 7 Click **OK**.
- 8 Press Esc to cancel Copy mode.

The operation is applied to the contents of each cell in the range. The formula in each cell is changed to include the new operation.

Sometimes you may want to perform simple calculations, such as dividing each value in a range by 4, without having to take the time to use a formula. You can use the Paste Special command to perform simple mathematical operations, such as Add, Subtract, Multiply, and Divide. If you want to perform a more complex function, you can create a temporary formula to accomplish a one-time task. For example, if you want to display a list of names in proper case with only the first letter of each name in uppercase, you can use the Proper function.





## Perform One Time Calculations Using a Formula

- 1 Create a temporary formula in an unused cell, typically a column out of the way. Select an empty cell at the top, type = (equal sign), and then type a function, such as Proper().
- 2 Click the **Home** tab.
- 3 If you want to change a range of data, use the fill down handle to copy the formula to unused cells.
- 4 Select the cell or range with the formula.
- 5 Click the **Copy** button.
- 6 Select the cell you want to change the contents with the formula.
- 7 Click the **Paste** button arrow, and then click **Paste Special**.
- 8 Click the **Values** option.
- 9 Click **OK**.

The original data is replaced with the changed data.

- 10 When you're done with the temporary formulas, select the cells, and delete them.




# Converting Formulas and Values

## Convert a Formula to a Value


- 1 Select the range of cells with formulas you want to convert to values.
- 2 Click the **Home** tab.
- 3 Click the **Copy** button.
- 4 Click the **Paste** button arrow, and then click **Paste Special**.
- 5 Click the **Values** option.
- 6 Click **OK**.
- 7 Press Esc to cancel Copy mode.

If you have a range of cells that contain formulas, you can convert the cells to values only. This is useful when you have a range of cells that you don't want to change anymore. You use the Paste Special command to paste the contents of the selected range back into place as a value instead of a formula. If you're working with an input form in Excel, you probably need to delete values, but keep the formulas. You can do it with the help of the Go To Special dialog box.



## Delete Values and Keep Formulas

- 1 Click the **Home** tab.
- 2 Click the **Find & Select** button, and then click **Go To Special**.
- 3 Click the **Constants** option.
- 4 Select the **Numbers** check box, and then clear the other check boxes under Formula.
- 5 Click **OK**.
- 6 Press Delete to remove the selected values.




# Correcting Calculation Errors

## Review and Correct Errors

- 1 Select a cell that contains a green triangle in the upper left corner.
- 2 Click the **Error Options** button.
- 3 Click one of the troubleshooting options (menu options vary depending on the error).
  - ◆ To have Excel fix the error, click one of the available options specific to the error.
  - ◆ To find out more about an error, click **Help on this Error**.
  - ◆ To evaluate the formula, click **Show Calculation Steps**.
  - ◆ To remove the error alert, click **Ignore Error**.
  - ◆ To fix the error manually, click **Edit in Formula Bar**.
  - ◆ To enable background error checking, specify an error color, or reset ignored errors, click **Error Checking Options**.

When Excel finds a possible error in a calculation, it displays a green triangle in the upper left corner of the cell. If Excel can't complete a calculation it displays an error message, such as "#DIV/0!" or "#NAME?". You can use the Error Options button to help you fix the problem. In a complex worksheet, it can be difficult to understand the relationships between cells and formulas. Auditing tools enable you to clearly determine these relationships. When the Auditing feature is turned on, it uses a series of arrows to show you which cells are part of which formulas. When you use the auditing tools, tracer arrows point out cells that provide data to formulas and the cells that contain formulas that refer to the cells. A box is drawn around the range of cells that provide data to formulas.



## For Your Information

### Avoiding Error Displays in Formulas


If you include empty cells in a formula, an error message, such as #DIV/0! might appear in the formula cell. You can avoid this message by adding a function to check for errors. If the formula generating an error message for empty cells is =Formula, then change it to =IF(ISERROR(Formula),"",Formula). If the ISERROR function is true, the IF function returns an empty string, instead of an error message.

# Correcting Formulas

## Watch Cells and Formulas


- 1 Select the cells you want to watch.
- 2 Click the **Formulas** tab.
- 3 Click the **Watch Window** button.
- 4 Click the **Add Watch** button on the Watch Window dialog box.
- 5 Click **Add**.
- 6 Click **Close**.

Excel has several tools to help you find and correct problems with formulas. One tool is the **Watch window** and another is the **Error checker**. The Watch window keeps track of cells and their formulas as you make changes to a worksheet. Excel uses an error checker in the same way Microsoft Word uses a grammar checker. The Error checker uses certain rules, such as using the wrong argument type, a number stored as text or an empty cell reference, to check for problems in formulas.




## Remove Cells from the Watch Window

- 1 Click the **Formulas** tab.
- 2 Click the **Watch Window** button.
- 3 Select the cells you want to delete. Use the Ctrl key to select multiple cells.
- 4 Click **Delete Watch**.
- 5 Click **Close**.



## Set Error Checking Options


- 1 Click the **File** tab, and then click **Options**.
- 2 In the left pane, click **Formulas**.
- 3 Select the **Enable background error checking** check box.
- 4 Point to the help icons at the end of the error checking rule options to display a ScreenTip describing the rule.
- 5 Select the error checking rules check boxes you want to use.
- 6 Click **OK**.



## Correct Errors

- 1 Open the worksheet where you want to check for errors.
- 2 Click the **Formulas** tab.
- 3 Click the **Error Checking** button.

The error checker scans the worksheet for errors, generating the Error Checking dialog box every time it encounters an error.
- 4 If necessary, click **Resume**.
- 5 Choose a button to correct or ignore the problem.
  - ◆ **Help on this error.**
  - ◆ **Show Calculation Steps.** Click Evaluate to see results.
  - ◆ **Ignore Error.**
  - ◆ **Edit in Formula Bar.**
  - ◆ **Previous** or **Next.**
- 6 If necessary, click **Close**.




# Auditing a Worksheet

## Trace Worksheet Relationships

- 1 Click the **Formulas** tab.
- 2 Use any of the following options:
  - ◆ Click the **Trace Precedents** button to find cells that provide data to a formula.
  - ◆ Click the **Trace Dependents** button to find out which formulas refer to a cell.
  - ◆ Click the **Error Checking** button arrow, and then click **Trace Error** to locate the problem if a formula displays an error value, such as #DIV/0!.
  - ◆ Click the **Remove Arrows** button arrow, and then click **Remove Precedent Arrows**, **Remove Dependent Arrows**, or **Remove All Arrows** to remove precedent and dependent arrows.
- 3 If necessary, click **OK** to locate the problem.

In a complex worksheet, it can be difficult to understand the relationships between cells and formulas. Auditing tools enable you to clearly determine these relationships. When the **Auditing** feature is turned on, it uses a series of arrows to show you which cells are part of which formulas. When you use the auditing tools, **tracer arrows** point out cells that provide data to formulas and the cells that contain formulas that refer to the cells. A box is drawn around the range of cells that provide data to formulas.



# Locating Circular References


## Locate a Circular Reference

- 1 Click the **Formulas** tab.
- 2 Click the **Error Checking** button arrow, point to **Circular References**, and then click the first cell listed in the submenu.
- 3 Review the formula cell.
- 4 If you cannot figure out if the cell is the cause of the circular reference, click the next cell in the Circular References submenu, if available.
- 5 Continue to review and correct the circular reference until the status bar no longer displays the word “Circular.”

### Did You Know?

**You can enable and increase formula iterations to make a circular reference work.** Click the File tab, click Options, click Formulas, select the Enable iterative calculation check box, enter the maximum number of iterations you want (higher the number, the more time Excel needs to calculate a worksheet), and set the maximum amount of change you want to accept between calculation results (smaller the number, the more accurate the results).

A **circular reference** occurs when a formula directly or indirectly refers to its own cell. This causes the formula to use its result in the calculation, which can create errors. When a workbook contains a circular reference, Excel cannot automatically perform calculations. You can use error checking in Excel to locate circular references in a formula, and then remove them. If you leave them in, Excel calculates each cell involved in the circular reference by using the results of the previous iteration. An iteration is a repeated recalculation until a specific numeric condition is met. By default, Excel stops calculating after 100 iterations or after all values in the circular reference change by less than 0.001 between iterations, unless you change the Excel option.



# Performing Calculations Using Functions

## Enter a Function

- 1 Click the cell where you want to enter the function.
- 2 Type = (an equal sign), type the name of the function, and then type ( (an opening parenthesis).

As you type, you can scroll down the Formula AutoComplete list, select the function you want, and then press Tab.


- 3 Type the argument or select the cell or range you want to insert in the function, and then type ) (a closed parenthesis) to complete the function.
- 4 Click the **Enter** button on the formula bar, or press Enter.

Excel will automatically add the closing parenthesis to complete the function.

### See Also

See “Creating a Formula Using Formula AutoComplete” on page 80 for information on using Formula AutoComplete.

**Functions** are predesigned formulas that save you the time and trouble of creating commonly used or complex equations. Excel includes hundreds of functions that you can use alone or in combination with other formulas or functions. Functions perform a variety of calculations, from adding, averaging, and counting to more complicated tasks, such as calculating the monthly payment amount of a loan. You can enter a function manually if you know its name and all the required arguments, or you can easily insert a function using AutoComplete, which helps you select a function and enter arguments with the correct format.



## Commonly Used Excel Functions



Function	Description	Sample
SUM	Displays the sum of the argument	=SUM(argument)
AVERAGE	Displays the average value in the argument	=AVERAGE(argument)
COUNT	Calculates the number of values in the argument	=COUNT(argument)
PMT	Determines the monthly payment of a loan	=PMT(argument)

# Creating Functions

## Enter a Function Using Insert Function

- 1 Click the cell where you want to enter the function.
- 2 Click the **Insert Function** button on the Formula bar or click the **Function Wizard** button on the Formulas tab.
- 3 Type a brief description that describes what you want to do in the Search for a function box, and then click **Go**.
- 4 If necessary, click a function category you want to use.
- 5 Click the function you want to use.
- 6 Click **OK**.
- 7 Enter the cell addresses in the text boxes. Type them or click the **Collapse Dialog** button to the right of the text box, select the cell or range using your mouse, and then click the **Expand Dialog** button.
- 8 Click **OK**.

**Functions** are predesigned formulas that save you the time and trouble of creating commonly used or complex equations. Trying to write a formula that calculates various pieces of data, such as calculating payments for an investment over a period of time at a certain rate, can be difficult and time-consuming. The **Insert Function** feature simplifies the process by organizing Excel's built-in formulas, called functions, into categories so they are easy to find and use. A function defines all the necessary components (also called arguments) you need to produce a specific result; all you have to do is supply the values, cell references, and other variables. You can even combine one or more functions.



## For Your Information

### Inserting Placeholder Arguments

If you don't know the cell references you want to use for a function, you can insert argument names as placeholders, and then fill in the actual argument later. Press **Ctrl+Shift+A** after you type the functions name. Excel uses the arguments names as arguments. For example, `=VLOOKUP(lookup_value, table_array, col_index_num, range_lookup)`.

# Creating Functions Using the Library

## Enter a Function Using the Function Library

- 1 Click the cell where you want to enter the function.
- 2 Click the **Formulas** tab.
- 3 Type = (an equal sign).
- 4 Click the button (**Financial, Logical, Text, Date & Time, Lookup & Reference, Math & Trig, More Functions, or Recently Used**) from the Function Library with the type of function you want to use, click a submenu if necessary, and then click the function you want to insert into a formula.



Excel inserts the function you selected into the formula bar with a set of parenthesis, and opens the Function Arguments dialog box.

- 5 Type the argument or select the cell or range you want to insert in the function.

You can click the Collapse Dialog button to the right of the text box, select the cell or range using your mouse, and then click the Expand Dialog button.

- 6 Click **OK**.

To make it easier to find the function you need for a specific use, Excel has organized functions into categories—such as Financial, Logical, Text, Date & Time, Lookup & Reference, Math & Trig, and other functions—on the Formulas tab. Functions—such as beta and chi-squared distributions—for the academic, engineering, and scientific community have been improved for more accuracy and includes new ones in all categories (**New!**) and web services (**New!**). Some statistical functions have been renamed for consistency with the real world. After you use a function, Excel places it on the recently used list. When you insert a function from the Function Library, Excel inserts the function in the formula bar and opens a Function Argument dialog box, where you can enter or select the cells you want to use in the function.





# Using Nested Functions

## Create a Conditional Formula Using a Nested Function

- 1 Click the cell where you want to enter the function.
- 2 Click the **Formulas** tab.
- 3 Type = (an equal sign).
- 4 Click a button from the Function Library with the type of function you want to use, click a submenu if necessary, and then click the function you want to insert into a formula.

For example, click the Logical & Reference button, and then click COUNTIF.


Excel inserts the function you selected into the formula bar with a set of parenthesis, and opens the Function Arguments dialog box.

- 5 Type a function as an argument to create a nested function, or a regular argument.

For example, =COUNTIF(E6:E19, ">"&AVERAGE(E6:E19)).

- 6 Click **OK**.

A nested function uses a function as one of the arguments. Excel allows you to nest up to 64 levels of functions. Users typically create nested functions as part of a conditional formula. For example, IF(AVERAGE(B2:B10)>100,SUM(C2:G10),0). The AVERAGE and SUM functions are nested within the IF function. The structure of the IF function is IF(condition\_test, if\_true, if\_false). You can use the AND, OR, NOT, and IF functions to create conditional formulas. When you create a nested formula, it can be difficult to understand how Excel performs the calculations. You can use the Evaluate Formula dialog box to help you evaluate parts of a nested formula one step at a time.



## Conditional Formula Examples

Formula	Result
=AND(A2>A3, A2<A4)	If A2 is greater than A3 and less than A4, then return TRUE, otherwise return FALSE
=OR(A2>A3, A2<A4)	If A2 is greater than A3 or A2 is less than A4, then return TRUE, otherwise return FALSE
=NOT(A2+A3=24)	If A2 plus A3 is not equal to 24, then return TRUE, otherwise return FALSE
IF(A2<>15, "OK", "Not OK")	If the value in cell A2 is not equal to 15, then return "OK", otherwise return "Not OK"

## Evaluate a Nested Formula One Step at a Time

- 1 Select the cell with the nested formula you want to evaluate. You can only evaluate one cell at a time.
- 2 Click the **Formulas** tab.
- 3 Click the **Evaluate Formula** button.
- 4 Click **Evaluate** to examine the value of the underlined reference.

The result of the evaluation appears in italics.




- 5 If the underlined part of the formula is a reference to another formula, click **Step In** to display the other formula in the Evaluation box.

The Step In button is not available for a reference the second time the reference appears in the formula, or if the formula refers to a cell in a separate workbook.

- 6 Continue until each part of the formula has been evaluated, and then click **Close**.
- 7 To see the evaluation again, click **Restart**.

Some parts of formulas that use IF and CHOOSE functions are not evaluated, and #NA is displayed. If a reference is blank, a zero value (0) is displayed.

**IMPORTANT** Some functions recalculate each time the worksheet changes, and can cause the Evaluate Formula to display different results. These functions include RAND, AREAS, INDEX, OFFSET, CELL, INDIRECT, ROWS, COLUMNS, NOW, TODAY, AND RANDBETWEEN.



6

# Using Constants and Functions in Names

## Use a Constant or Function in a Name

- 1 Click the **Formulas** tab.
- 2 Click the **Define Name** button.
- 3 Type a name for the reference.
- 4 Click the **Scope** list arrow, and then click **Workbook** or a specific worksheet.
- 5 If you want, type a description of the name.


The current selection appears in the Refers to box.

- 6 In the Refers to box, type = (equal sign) followed by the constant, text, or function you want to use.  
=.0875, or ="Environmental Protection Agency"
- 7 Click **OK**.


### Did You Know?

*You can edit the contents of the Refers to box in the New Names dialog box. Since the contents of the Refer to box is in point mode, you can not use the insertion point and arrow keys to edit it. Press F2 to switch to edit mode, where you can use the insertion point and arrow keys to edit it.*

Instead of using a cell to store a constant value or function for use in a formula, you can create a name to store it and then use the name in a formula. If you wanted to calculate sales tax, for example, you could create a name called Sales Tax and assign it a constant value. You can also store text in a name. Instead of typing a long name, such as Environmental Protection Agency, you could create a name called EPA and then use the easy-to-type three letter abbreviation in a formula. When you use EPA in a formula as a text string, Excel replaces it with Environmental Protection Agency. It also works for functions and nested functions.



Constant name used in formula      Define Name button



*This page intentionally left blank*

# Index

---

## A

- absolute cell references, 84
  - creating, 85
  - relative references, changing, 85
- Accessibility Checker, 29
- accounting format, 43
- Accounts
  - adding accounts, 27
    - Office 365 SharePoint, 488-489
    - SkyDrive, 488-489
  - work with, 27
- Acrobat Reader, 191
- acronyms, spell-checking, 64
- Actions, 35, 463
  - changing options, 62
  - deleting, 63
  - inserting information using, 63
- ActiveX controls
  - alerts, dealing with, 481
  - inserting, 480
  - movies, playing, 483
  - properties, setting, 484
  - security settings, 386
  - toolbox buttons for, 482
  - VBA code, adding, 468
  - viruses, avoiding, 378-379
- Ad-aware, Lavasoft, 378
- adding/removing. [See also deleting](#)
  - data connections, 417
  - digital signatures, 375
  - passwords, 373
  - Quick Access Toolbar, items from, 7
  - Status bar, items from, 9
  - tab colors, 160
- add-ins. [See also Analysis ToolPak; COM add-ins; Conditional Sum Wizard; Excel add-ins; Solver](#)
  - alerts, 465
  - loading/unloading, 339, 464-465
  - managing, 463
  - security options, 385
  - viewing, 462
- adjacent cell contents, filling with, 45
- Adobe Systems
  - Acrobat Reader, 191
  - Photoshop, 211
- advanced document properties, 453
- advanced options, setting, 451
- adware, 378
- alerts, 444, 465
- alignment
  - for cell styles, 173
  - in charts, 280
  - of chart text, 290
  - Format dialog box, changing with, 153
  - of objects, 256-257
  - Ribbon, changing with, 152
  - with SmartArt graphics, 224
- Alignment Dialog Box Launcher
  - changing alignment with, 153
  - multiple alignment options, setting, 154
- All Data Sources files, opening, 13
- All Web Pages, opening, 13
- Alt key, drag-and-drop with, 53
- ampersands in headers and footers, 183
- Analysis ToolPak, 339, 463
  - using, 340
- Analysis ToolPak VBA, 463
- Android
  - Office with mobile devices, 487
  - Office Web Apps, 508-509
- animation
  - feedback with, 451
  - for organization charts, 232
- anonymous FTP sites, 440
- antivirus software, 379



- App Catalog security settings, 384
- Apple iOS
  - Office with mobile devices, 487
  - Office Web Apps, 508-509
- Apply button, 8
- Apps for Office
  - adding, installing, 460
  - inserting, 461
  - inspecting documents, 366-367
- Arabic, support for, 72
- area charts, 267
- arguments, 76, 78
  - array arguments, 111
  - with Formula AutoComplete, 80
  - lookup function arguments, 351
  - placeholder arguments, inserting, 109
- arithmetic operators, 77
- array arguments, 111
- arrows
  - changing, 239
  - Chart Elements list arrow, 274
  - Counterbalance Arrows, 222
  - drawing, 238
  - Number Format list arrow, 43
  - Shape Outline button for, 238-239
  - tracer arrows, 106
  - up/down arrows, 8
- artistic style, 201
- ascending order sorts, 312-313
- asterisk (\*) character, 352
- as you type corrections, 61
- attachments
  - viruses, avoiding, 378-379
  - workbooks as, 402
  - XML Schema as, 422
- Auditing feature
  - calculation errors, correcting, 103
  - worksheets, auditing, 106
- AutoComplete, 40-41. [See also Formula AutoComplete](#)
  - enabling, 444
- AutoCorrect, 35
  - adding entries, 61
  - for cell contents, 60-61
  - editing entries, 61
  - with spell-checking, 64
  - as you type, 61
- AutoCorrect Exceptions dialog box, 60
- AutoFill, 44-45
  - adjacent cell contents, filling with, 45
  - complex series, creating, 44
  - custom fill, creating, 45
  - formulas, copying, 82
  - List AutoFill, 311
  - repeating data, entering, 44
  - suppressing, 45
  - tables, entering data into, 311
- AutoFill Options button, 44
- AutoFilter
  - grouping dates in, 448
  - slicer, 326-327
  - PivotChart, 331
  - PivotTable, 324-327
  - table parts, displaying, 314
- AutoFit for columns and rows, 126-127
- automated safe mode, 392-393
- automatic calculations, 95
- automatic page breaks, 184
- AutoPublish, 436
- AutoRecover, 33
- AutoShapes, 262
- AutoSum, 96-97
  - extended AutoSum, 97
  - subtotals, calculating, 96-97
- average, formatting cell contents based on, 142-143
- AVERAGE functions, 75, 76, 108
  - automatic calculations, 95
  - AutoSum calculations, 96-97
  - subtotals, calculation of, 353
  - 3-D cell references with, 87
- AVERAGEIF function, 354-355
- axes. [See chart axes](#)

## B

- backgrounds
  - adding/removing, 160
  - cell backgrounds, colors for, 156
  - chart backgrounds, changing, 292
  - for pictures, 211
  - removing background picture, 214
  - as shape fills, 244
  - themes, background colors in, 162
  - worksheet backgrounds, changing, 118
- backup files, opening, 13

- bar charts, 267
  - formatting, 291
- beveling
  - to charts, 281
  - for data series, 289
  - precedence of, 250
  - to shapes, 251, 252-253
  - to SmartArt graphics, 229
  - to WordArt text, 218
- BIFF12 file format, 24-25
- Bing
  - Image Search, 194-195, 246
  - Maps, 332-333
- bitmap images
  - modifying, 211
  - resizing, 207
- black and white pictures, converting, 210
- BlackBerry
  - Office with mobile devices, 487
  - Office Web Apps, 508-509
- blog, embedding a link to, 504-505
- boldfacing
  - comments, 399
  - text, 140-141
- borders
  - cells, adding to, 158-159
  - for cell styles, 173
  - in charts, 280
  - for data series, 289
  - drawing borders, 158-159
  - with Format Cells dialog box, 159
  - pictures, applying to, 204
  - Ribbon, adding or deleting with, 158
- bottom-alignment of objects, 257
- brightness, 209
- bright room effects to shapes, 252-253
- Bring to Forward
  - objects, 259-260
  - with SmartArt graphics, 224
- browser view options
  - setting options, 490-491
  - adding parameters, 490-491
  - using parameters, 508
- buttons, 8

## C

- Calculation Options button, 76

- calculations. [See also functions](#)
  - automatic calculations, 95
  - with AutoSum, 96-97
  - circular references, locating, 107
  - errors, correcting, 103
  - iterative calculation, enabling, 452
  - keyboard commands for, 83
  - links in, 407
  - multiple results, calculating, 111
  - one time calculations, performing, 100-101
  - options, setting, 452
  - performing, 76
  - Status bar, displaying with, 95
  - totals, 98-99
  - in tables, 307
- capital letters. [See case sensitivity](#)
- Caps Lock, 9
- case sensitivity
  - AutoCorrect Exceptions dialog box, 60
  - table data, sorting, 312
  - text functions, 352
- cell address, 35
- cell notes. [See comments](#)
- cell references, 84
  - circular references, locating, 107
  - examples, 76
- cells, 35. [See also alignment; cell references; charts; comments; labels; named ranges](#)
  - applying names to, 90-91
  - average, formatting cell contents based on, 142-143
  - borders, adding, 158-159
  - clearing cells, 49, 57
  - colors, adding, 156
  - conditional formatting, 142-143
  - copying
    - contents, 52-53
    - formats, 161
  - correcting contents of, 60-61
  - cutting contents of, 54
  - deleting, 56-57
    - cell styles, 174-175
    - name ranges, 93
    - from Watch window, 104
    - worksheet, cells in, 56-57

## cells (continued)

- drag-and-drop
  - copying contents with, 52-53
  - enabling, 444
- editing, 48, 444
  - cell styles, 174-175
  - names of cells, 93
- filling backgrounds with colors, 156
- finding and replacing, 58-59
- formulas in, 78-79, 449
- inserting blank cells, 56
- locking/unlocking, 370
- managing names, 92-93
- moving cell contents, 54-55
- names, 88-89
  - changing, 93
  - entering, 90-91
  - managing, 92-93
- organizing names, 92-93
- orientation of cell contents, 152-153
- page breaks in, 184
- pasting cell data, 50
- patterns, applying, 156
- pointing to, 79
- ranking, formatting cell contents based on, 142-143
- searching for values, 129
- selecting, 37
- storing contents of, 51
- viewing names, 92-93
- Watch window, using, 104
- wrapping text in, 78
- zero value cells, 449

cell styles, 137

- applying, 172
- custom styles, creating, 173
- deleting, 174-175
- editing, 174-175
- for hyperlinks, 432
- merging, 174-175

Cell Styles gallery, 173

- centering objects, 257
- certification authority (CA), 374
- chart area, 274
- chart axes, 266, 282-283
  - changing, 283
  - editing, 271

- titles, changing, 285

chart floor, 292

charts, 265. *See also* data series; legends; pie charts; PivotChart

- background, changing, 292
- creating and inserting, 268
- data labels, 286-287
- data source, editing, 293-294
- data tables, showing/hiding, 286-287
- default charts, creating, 269
- deleting objects, 276
- editing, 270-271
  - chart data, 294-295
  - text, 269
- elements
  - changing, 275
  - formatting, 280-281
  - names, showing, 450
  - selecting, 274
- embedded charts, 268
- empty cells, displaying, 295
- enhancing charts, 293
- enlarging chart objects, 274
- error bars, 291
- formatting
  - bar charts, 291
  - elements, 280-281
  - line charts, 291
  - text, 290
- gridlines, changing, 282
- hidden data, displaying, 295
- labels, 286-287
- layout, applying, 278
- moving, 272-273
- options, 447
- other worksheets, moving to, 273
- pictures, inserting, 293
- resizing, 272
- shapes, inserting, 281, 293
- styles, 278-279
  - shape styles, applying, 281
- templates
  - applying, 299
  - creating, 298
  - managing, 300
- terminology, use of, 266
- text
  - adding, 293

- editing, 269
- formatting, 290
- text boxes in, 293
- 3-D effects in, 280, 292
- titles, 266
  - axes titles, changing, 285
  - changing, 284-285
- types of, 267, 276-277
- Charts Dialog Box Launcher, 268
- ChartType dialog box, 299-300
- chart wall, 292
- check boxes, 8
  - for ActiveX controls, 482
- Check for Updates button, 458
- Check Office Documents that are from or link to suspicious Web sites option, 379, 389
- Chinese, support for, 72
- circles, drawing, 234
- circular references, locating, 107
- class modules in VBA (Visual Basic for Applications), 466-467
- clean up excess formatting, 348-349
- clearing
  - cells, 49, 57
  - conditional formatting, 147
  - data tables, 303
  - print area, 188
  - validation circles, 337
- Clear Rules commands, 147
- clear surfaces for shapes, 252-253
- clip art, online pictures, 193
  - adding/removing clips, 194-195
  - locating and inserting, 194-195
  - objects, 194-195
  - searching, 194-197
- Clipboard
  - cell contents, storing, 51
  - formulas, copying, 82-83
  - multiple items, cutting, 54
  - objects, copying and moving, 241
  - pasteing data with, 50
- Clipboard Dialog Box Launcher, 51, 241
- closing workbooks, 34
- code for VBA, 466-467
- Collapse Dialog button, 89
  - chart data, editing, 294-295
  - for data validation, 337

- colors. *See also* fonts; pictures; shapes; themes
  - for borders, 158-159
  - cells, adding to, 156
  - custom colors, adding, 157
  - formatting with color scales, 144-145
  - hyperlink colors, 162
  - for menus, 157
  - in organization charts, 232
  - Office themes, selecting, 442
  - properties of, 165
  - SmartArt graphics, changing for, 227
  - tabs, adding or removing colors to, 160
  - WordArt fill colors, changing, 216-217
  - of worksheet tab names, 121
- Column Differences option, 38
- columns and rows. *See also* tables
  - data series, plotting, 294
  - default column width, changing, 126
  - deleting, 125
  - display options, 449
  - freezing/unfreezing, 128
  - height of rows, adjusting, 126-127
  - hiding/unhiding, 123
  - inserting, 124
  - multiple columns and rows
    - deleting, 125
    - inserting, 124
    - selecting, 122
  - pasteing cells from, 55
  - printing, 188
    - options, 186-187
  - selecting, 122
  - showing/hiding, 123
  - text to columns, converting, 336
  - Use row and column names option, 91
  - width of columns, adjusting, 126-127
- COM add-ins, 462-463
  - loading/unloading, 464-465
- combo boxes for ActiveX controls, 482
- COM (Component Object Model). *See* ActiveX controls; COM add-ins
- comma delimiter, 336
- commands, 4-5
  - for ActiveX controls, 482
  - Quick Access Toolbar, adding to, 455
  - from Shortcut menu, 5
- Comma Style button, 138

- comments
  - adding comments, 398
  - clearing, 49
  - deleting, 399
  - display options, 450
  - editing, 399
  - reading comments, 398
- comparison
  - formatting cell contents for, 142
  - operators, 77
- comparing workbooks, 349, 456
- compatibility, 14, 24
  - of functions, 363
  - of workbooks, 28
- complex series, creating, 44
- compressing pictures, 208
- Compression Settings dialog box, 208
- conditional formatting, 142-143
  - clearing, 147
  - with color scales, 144-145
  - with data bars, 144
  - editing rule precedence, 148
  - finding cells with, 149
  - with icon sets, 144-145
  - rules, creating, 146
  - specialized conditional formatting, applying, 144-145
- Conditional Formatting Rules Manager, 148
- conditional formulas
  - examples of, 112
  - with nested functions, 112
- connecting objects, 258
- Connection Properties dialog, 416-417
- Connection Status, checking, 21
- consolidating data, 412-413
- constants
  - defined, 76
  - in names, 114
- contextual spelling, checking, 65
- contextual tabs, 4
- contiguous cells, 35, 37
- contours
  - for data series, 289
  - for shapes, 252-253
- contrast, 209
- Convert to Columns Wizard, 336
- Copy command for worksheets, 118
- copying. [See also Clipboard; pasting](#)
- dialog box, files in, 13
- hyperlinks, 432
- macro modules, 475
- objects, 241
- Web tables to worksheet, 437
- window contents, 202
- worksheets, 118-119
- correcting. [See also AutoCorrect; errors](#)
  - cell contents, 60-61
- Counterbalance Arrows, 222
- COUNT functions, 108
  - automatic calculations, 95
  - AutoSum calculations, 96-97
  - 3-D cell references with, 87
- COUNTIF function, 354-355
- Create a copy check box, 118
- cropping. [See pictures](#)
- CSS, Web pages allowing, 433
- CSV format, 25
- Ctrl key, 241
- currencies
  - Euro Conversion Wizard, 341
  - Euro CurrencyTools, 463
  - format for, 43
  - formatting numbers in, 139
- Currency Style button, 138
- curved connectors, 258
- customizing, 441. [See also fills; page layout; themes](#)
  - advanced properties, 453
  - cell styles, 173
  - colors, 157
  - dictionaries, 66-67
  - margin settings, 181
  - Quick Access Toolbar, 7
  - shadows, 255
  - shapes, creation of, 454
  - templates, 136
  - text objects, creation of, 454
  - themes, colors for, 165
  - workbook views, 132
- cut, copy, paste options, 445
- cutting cell contents, 54
- Cyrillic, keyboard configuration for, 72

**D**

- dark edges for shapes, 252-253

dark variations for pictures, 210

data. *See also alignment; external data*  
 labels, 286-287  
 for PivotTable, 331  
 simplifying entry, 43  
 validation, 337

Data Analysis dialog box, 340

Data Analysis Expressions (DAX) language, 334

Database Compare  
 Office tool, 456-457

data bars, 144

data connections, security settings for, 390

Data Connection Wizard, 414

data maps. *See XML (Extensible Markup Language)*

data markers  
 for charts, 266  
 editing, 270

Data Model  
 adding multiple tables to, 318-320  
 building with PowerPivot, 334  
 creating table relationships, 324  
 inspecting documents, 366-367  
 introduction, 318

data series, 266, 268  
 adding, 296  
 changing, 297  
 deleting, 296  
 editing, 294  
 formatting, 289  
 order, changing, 297  
 plotting, 294  
 type of chart, changing, 277

Data Validation dialog box, 338

dates and times  
 formats for, 43  
 functions, 110, 356-357  
 long date format, 43  
 short date format, 43  
 worksheets, entering on, 42

dBASE, 414  
 opening files, 13

DDE (Dynamic Data Exchange), 451

debugging macros, 474

Debug toolbar, 474

decimals, automatic insertion of, 444

Decrease Decimal button, 138

defined names, 88

Delete Cropped Areas Of Picture options, 208

deleting. *See also cells; pictures; ranges; shapes; tables; themes*  
 borders, 158-159  
 chart objects, 276  
 columns and rows, 125  
 comments, 399  
 data series, 296  
 dialog box, files in, 13  
 digital signatures, 375  
 file encryption, 371  
 font attributes, 139  
 macros, 473  
 name ranges, 93  
 numeric formats, 139  
 page breaks, 185  
 passwords, 373  
 PivotChart, 320, 330  
 PivotTable, 318-319  
 Quick Access Toolbar, items from, 7  
 SmartArt graphics, shapes from, 223  
 Status bar, items from, 9  
 text boxes, 237  
 Text pane, deleting line in, 223  
 themes, custom colors in, 165  
 values, keeping formulas, 102  
 vertex on freeform, 240  
 Watch window, cells from, 104  
 WordArt text, 215  
 workbooks, custom views in, 132  
 worksheets, 117

delimiters, 336

dependent cells, 84

depth  
 for data series, 289  
 shapes, adding to, 252-253

descending order sorts, 312-313

designation files, 406

detailed data, 353

Developer tab. *See Ribbon*

diagnosing problems. *See repairing problems*

dialog boxes. *See also specific types*  
 navigating, 8  
 options, choosing, 8

Dialog Box Launchers, 3, 8

dictionaries  
    custom dictionaries, 66-67  
    for foreign languages, 72  
    Research task pane for accessing, 70

DIF format, 25  
    opening files, 13

digital cameras, inserting pictures from, 199

digital signatures  
    adding/removing, 375  
    on macros, 476  
    for workbooks, 374-375  
    XPS support for, 192

direction  
    for gradient fills to shape, 249  
    moving, 444  
    of WordArt text, 219

Disabled Items dialog box, 463

display view options, setting, 450

distributing objects, 256

Document Information Panel, 30  
    Mark as Final command, 394  
    template, selecting, 453

Document Inspector, 366-367

documents  
    advanced properties, changing, 453  
    digital signatures, adding, 375  
    inspecting, 366-367  
    visible signature line, adding, 376-377

documents (Word)  
    Office Web App, creating, 503

DocumentThemes folder, 169-170  
    deleting custom themes from, 170

Download.com, 379

downloading  
    clip art, 194-197  
    Office updates, 458  
    privacy options, setting, 389  
    Publish as PDF or XPS add-in, 191  
    viruses, avoiding, 378-379  
    workbook templates, 11

drag-and-drop. [See also cells](#)  
    to different worksheets, 53  
    moving cell contents, 54  
    in Text pane, 221

drawing  
    borders, 158-159  
    freeforms, 240

    shapes, 234  
    ungrouping/regrouping drawings, 263

drill data, PivotTable/PivotChart, 329

drop-down lists  
    creating, 338  
    tables, entering data into, 311

Duplicate command, 241

duplicate words  
    checking for, 64  
    flagging, 65

## E

Edit Data Source dialog box, 294-295

editing. [See also cells; charts](#)  
    AutoCorrect entries, 61  
    clip art keywords, 194-195  
    comments, 399  
    conditional formatting rule precedence, 148  
    embedded objects, 408  
    of final workbook, 394  
    formulas, 82-83  
    freeforms, 240  
    hyperlinks, 430  
    macros, 475  
    options, setting, 444  
    range names, 93  
    read-only workbook, 394  
    Refers to box contents, 114  
    SmartArt graphics, shapes in, 225  
    templates, 136  
    WordArt text, 215

Edit Points command, 240

effects. [See also 3-D effects](#)  
    for organization charts, 232  
    picture effects, applying, 205  
    to shapes, 250-251  
    to SmartArt graphics, 229  
    theme effects, creating, 168  
    to WordArt text, 218

elbow connectors, 258

elements. [See also charts](#)  
    header or footer, inserting into, 183  
    security for, 368  
    table elements, formatting, 306  
    workbook elements, showing/hiding, 130  
    XML elements, 424

e-mail. [See also attachments](#)  
hyperlinks to address, 430  
spam, 378  
viruses, avoiding, 378-379

embedding, 406  
in charts, 268  
editing embedded objects, 408  
existing object, embedding, 408-409  
new object, embedding, 408-409

Enable background error checking check box, 105

encryption to workbooks, adding, 371

entering cell contents, 154

error bars, 291

Error checker  
circular references, locating, 107  
formula errors, correcting, 104-105

errors  
add-in user interface errors, showing, 451  
calculation errors, correcting, 103  
formulas, correcting errors in, 104-105

Esc key, 161

Euro Currency Tools, 463  
Euro Conversion Wizard, 341

European languages, support for, 72

Evaluate Formula dialog box, 112-113

event procedures in VBA (Visual Basic for Applications), 466-467

Excel add-ins, 339, 463  
loading/unloading, 464

Excel Options dialog box, 442-452

Excel Web App. [See Office Web App](#)

Excel window, viewing, 3

exclusion dictionaries, 66-67

Expand dialog button, 89

Expansion Pack button, 425

exploding pie slice, 288

exporting. [See importing and exporting](#)

expressions, defined, 76

extended AutoSum, 97

external content security options, 390-391

external data  
changing connection properties, 417  
connections, managing, 414-417  
existing connection, connecting with, 416  
from Microsoft Access, 420-421

new data source, defining, 418  
refreshing data from, 417  
security for, 414  
sources, 414

## F

Facebook  
adding account to Office, 27  
sharing with, 496-497, 504-505, 512-513

faxing workbooks, 403

feedback options, 451

file block settings, 380, 383

file encryption, adding, 371

file extensions, displaying, 14

file formats  
list of, 25  
workbook file formats, 24-25

file sharing. [See sharing](#)

File tab, 3, 5  
recently opened files in, 13

FileZ, 379

fill handles  
with AutoFill, 44  
enabling, 444

fills. [See also gradient fills; shape fills](#)  
for cell styles, 173  
in charts, 280-281  
customizing, 45  
gradient fills, 249  
for data series, 289  
picture fills, 246  
shapes, adding to, 244-245  
for SmartArt graphics, 228  
textures, 247  
WordArt text, applying to, 216-217

filtering, slicer, 326-327

filtering cell names, 92

FILTERXML function, 364

Financial functions, 110, 359

Find & Select button, 149

finding and replacing, 35. [See also searching](#)  
cell contents, 49, 58-59  
formatting, finding and replacing, 176

Flash Fill  
enable option, 444  
inserting data with, 46-47

- Flash movies with ActiveX controls, 483
- flat surfaces for shapes, 252-253
- Flickr
  - adding account to Office, 27
  - inserting picture from, 196-197, 246
  - sharing with, 496-497, 504-505, 512-513
- flipping
  - shapes, 261
- flow of text, controlling, 154
- folders
  - DocumentThemes folder, 169-170
- Font Color button, 155
- fonts. *See also cell styles; themes*
  - changing font size, 140-141
  - for chart text, 290
  - colors, 140-141, 155
  - for comments, 399
  - deleting attributes, 139
- footers. *See headers and footers*
- foreign languages
  - adding to Office programs, 72
  - thesauruses, 69
  - translating text to, 71
- Format Cells dialog box, 43
  - alignment options, 153
  - borders, applying, 159
  - numbers, formatting, 139
  - text, formatting, 140-141
- Format Painter
  - applying styles with, 161
  - with tables, 304
- Format Shape dialog box, 250
  - for picture effects, 205
  - shadow options, 255
  - undoing changes in, 244, 246
  - WordArt text with, 219
- formatting. *See also charts; conditional formatting; SmartArt graphics; tables*
  - average, formatting cell contents based on, 142-143
  - clean up excess formatting, 348-349
  - comparison, formatting cell contents for, 142
  - copying cell formats, 161
  - finding and replacing, 176
  - hyperlinks, 432
  - numeric formats, 138-139
  - PivotTable reports, 323
  - ranking, formatting cell contents based on, 142-143
  - sparkline, 150-151
  - text, 140-141
  - in Text pane, 223
  - values, 43
  - WordArt text, 216-217
- forms.
- Formula AutoComplete, 80-81
  - keyboard navigation, 81
  - named cell or range, entering, 90
  - setting, 452
  - turning on/off, 81
- formula bar, 450
  - cell contents, editing, 48
  - editing formulas with, 82
  - resizing, 78-79, 88
- formulas, 36, 37, 75. *See also calculations; cell references; nested functions*
  - array formulas, creating, 111
  - AutoFill, copying with, 82
  - in cells, 78-79, 449
  - Clipboard, copying with, 82-83
  - columns and rows, rechecking on deleting, 125
  - definitions, 76
  - deleting values, keeping formulas, 102
  - displaying in cells, 78-79
  - editing, 82-83
  - error displays, avoiding, 103
  - errors, correcting, 104-105
  - with Formula AutoComplete, 80-81
  - Goal Seek, 343
  - links in, 407
  - multiple results, calculating, 111
  - one time calculations with, 100-101
  - options, setting, 452
  - order of precedence, 76, 78
  - ranges, using, 94
  - showing/hiding, 370
  - simple formula, creating, 78-79
  - table names in, 452
  - value, converting formula to, 89
  - Watch window, using, 104
- fraction format, 43
- freeforms, 233
  - drawing, 240
  - editing, 240

- vertices of, 240
- freezing/unfreezing columns and rows, 128
- FTP (File Transfer Protocol)
  - accessing sites, 440
  - adding or modifying locations, 440
- Full Screen view, 31
- Function Library, 110
- function procedures in VBA (Visual Basic for Applications), 466-467
- functions, 75. *See also nested functions*
  - commonly used functions, 108
  - creating, 109
  - defined, 76, 108
  - entering, 108
  - with Function Library, 110
  - Insert Function button, entering with, 109
  - in names, 114
  - ScreenTips for, 450
  - summarize data functions, 354-355
  - text functions, 352
- Function Wizard button, 109

## G

- general options, setting, 442
- gestures, 16
  - Touch/Mouse Mode, 73
- GetPivotData functions, 452
- GIF format, 211
- glow, applying
  - to charts, 281
  - to organization charts, 232
  - to pictures, 205
  - to shapes, 251
  - to SmartArt graphics, 229
  - to WordArt text, 218
- Goal Seek, 343
- Go To Special dialog box
  - cells, locating, 38
  - formulas to values, converting, 102
- gradient fills
  - custom gradient fills, 249
  - shapes, applying to, 248-249
  - WordArt, applying to, 216-217
- grand totals, 353
- graphics, 193. *See also clip art; pictures; SmartArt graphics; WordArt*
  - formats, adding, 199

- for hyperlinks, 432
- grayscale mode for pictures, 210
- Greek, keyboard configuration for, 72
- gridlines
  - chart gridlines, changing, 282
  - in charts, 266
  - display options, 449
  - printing, 187
- grouping/ungrouping
  - creating groups, 335
  - outline data, 335
  - shapes, 262-263
  - with SmartArt graphics, 224
  - tables, 262
  - worksheets, 118

## H

- hackers. *See security*
- handles. *See also fill handles*
  - for charts, 266
  - on shapes, 234
- hardware graphics acceleration, 450
- harmful attacks, avoiding, 378-379
- headers and footers, 177
  - elements in header or footer, inserting, 183
  - inspecting information in, 367
  - options for, 183
  - predefined header or footer, adding, 182
  - in tables, 306
  - watermarks in, 183
- Hebrew, support for, 72
- height of rows, adjusting, 126-127
- help
  - exclusion dictionaries, finding, 67
  - with Help Viewer, 20, 21
  - searching for, 21
- Help Viewer, 20
  - Connection Status, checking, 21
- hiding. *See showing/hiding*
- high-low lines, 291
- HLOOKUP function, using, 350-351
- homographs, 378
- horizontal alignment, 152-153
  - of WordArt text, 219
- horizontal page breaks, 184

HSL color mode, 157  
in themes, 165  
HTML (Hypertext Markup Language), 25,  
428. *See also* [Web pages](#)  
hue of color, defined, 165  
hyperlinks, 428  
colors, 162  
creating, 430  
editing, 430  
formatting, 432  
jumping to, 431  
removing, 431

## I

icon sets, formatting with, 144-145  
Image button for ActiveX controls, 482  
image options, 446  
importing and exporting, 406  
Access database into workbook,  
exporting, 420  
copy and past for exporting, 410  
other formats, exporting files to, 411  
SharePoint lists, exporting tables to, 317  
text files, 411, 415  
Web queries, data from, 439  
XML data, 426  
Import Text Wizard, 415  
Increase Decimal button, 138  
indenting text in Text pane, 223  
Information functions, 362  
InfoPath Form Template files, 453  
Inquire, add-in  
loading/unloading, 464-465  
adding passwords, 348  
using options on tab, 348-349  
Insert Function dialog box, 76, 109  
Inside borders, 159  
inspecting documents, 366-367  
IntelliMouse, 16  
Internet. *See also* [queries](#); [Web pages](#)  
fax, sending workbooks by, 403  
instant message, sending workbooks by,  
404  
e-mail, sending workbooks by, 403  
FTP (File Transfer Protocol) documents,  
440  
Office updates, 458  
Internet Assistant VBA, 463

Internet Options dialog box, 428  
invisible content, inspecting, 367  
iPhone. *See* [Apple iOS](#)  
iPad. *See* [Apple iOS](#)  
italicizing  
comments, 399  
text, 140-141

## J

Japanese, support for, 72  
JPG/JPEG format  
pictures, modifying, 211

## K

keyboard  
for foreign languages, 72  
Formula AutoComplete, navigation of, 81  
formulas, commands for recalculating,  
83  
workbooks, navigating in, 17  
Key Performance Indicators (KPI), 334  
KeyTips, 4  
keywords for clip art, 194-195

## L

labels  
for ActiveX controls, 482  
with AutoComplete, 40-41  
chart labels, changing, 286-287  
consolidating data including, 412  
data labels, 286-287  
entering, 36, 40-41  
long labels, truncating, 41  
number as label, entering, 40  
relative cell names, 93  
text labels, entering, 40  
landscape orientation, 178  
languages  
changing, 72  
Office tool, 456  
preferences, 72  
Lavasoft's Ad-aware, 378  
layouts. *See also* [page layout](#)  
chart layouts, applying, 278  
for organization charts, 232  
PivotTable reports, 323

- for SmartArt graphics, 227
- left-alignment of objects, 257
- legends, 266
  - changing, 286
  - editing, 271
- LEN function, 352
- light and dark variations for pictures, 210
- lighting effects for shapes, 252-253
- line charts, formatting, 291
- lines, 233
  - changing, 238
  - drawing, 238
  - Quick Styles, adding, 238
- LinkedIn
  - adding account to Office, 27
  - sharing with, 496-497, 504-505, 512-513
- links and linking, 406. [See also hyperlinks](#)
  - charts to worksheets, 284
  - creating links, 408
  - existing object, linking to, 408-409
  - security settings for workbooks, 390-391
  - updating links, 409, 451
  - worksheets or workbooks, creating links between, 407
- List AutoFill, 311
- list boxes, 8
  - for ActiveX controls, 482
- lists. [See drop-down lists](#)
- Lists and Galleries, 3
- live preview, 4
  - enabling, 442
  - for picture effects, 205
  - for recolored pictures, 210
  - for SmartArt graphics, 220
  - WordArt text effects, 218
- Lock Drawing Mode, 236
- locking/unlocking cells, 370
- Logical functions, 110, 358
- logical operators/conditions
  - data validation and, 337
  - tables, searching, 315
- long date format, 43
- Lookup function, 110
  - HLOOKUP function, using, 350-351
  - VLOOKUP function, using, 350
- LOWER function, 352
- luminosity of color, defined, 165

- Lync
  - instant message, sending workbooks by, 404
  - presenting online, 405

## M

- macros. [See also workbooks](#)
  - controlling, 474-475
  - copying macro modules, 475
  - creating, 472
  - debugging, 474
  - deleting, 473
  - digital signatures, adding, 476
  - editing, 475
  - opening, 13
  - Personal Macro Workbook option, 470, 471
  - recording, 471
  - running, 473
  - security of, 368, 387
  - Status bar, checking with, 9
  - stopping macros, 473
  - toolbar, assigning to, 477
  - Trust Center
    - opening workbooks with, 479
    - security options, setting, 387
  - understanding, 470
  - viruses, avoiding, 378-379
  - writing, 387
- maintenance, performing, 458
- Manage Templates button, 300
- many to many pasting of data, 50
- many to one pasting of data, 50
- margins
  - customizing settings, 181
  - mouse, changing with, 180-181
  - settings, changing, 180-181
- Mark as Final command, 394
- marquees for copying cell contents, 52
- Math & Trig functions, 110, 360
- matte surfaces to shapes, 252-253
- MAX functions
  - automatic calculations, 95
  - AutoSum calculations, 96-97
  - 3-D cell references with, 87
- maximizing/minimizing, 18
- Ribbon, 4, 6

McAfee antivirus software, 379  
meeting, online with Lync  
    presenting online, 405  
menus. [See also specific types](#)  
    colors, adding, 157  
merging cells, 154  
    styles, 174-175  
Message Bar  
    macro problems, notification of, 476  
    security options, changing, 388  
metadata, 366-367  
metal surfaces to shapes, 252-253  
MHT/MHTML formats, 25  
Microsoft Access, 414  
    exporting table into workbook, 420  
    opening database files, 13  
    PivotTable from Access database, creat-  
    ing, 420-421  
Microsoft account. [See Accounts](#)  
Microsoft FoxPro, 414  
Microsoft Lync, 404-405  
Microsoft Office.  
    harmful attacks, avoiding, 378-379  
    maintenance, performing, 458  
    safe modes, 392-393  
Microsoft SQL Server OLAP services, 414  
Microsoft Templates. [See templates](#)  
middle-alignment of objects, 257  
MIN functions  
    automatic calculations, 95  
    AutoSum calculations, 96-97  
    3-D cell references with, 87  
minimizing. [See maximizing/minimizing](#)  
Mini-Toolbar, 5  
    options, setting, 442  
    text formatting buttons, 140  
mixed cell references, 84  
    creating, 86  
modules in VBA (Visual Basic for  
    Applications), 466-467  
Modules window, 466-468  
More controls for ActiveX, 482  
mouse  
    columns and rows, adjusting width and  
    height of, 126-127  
    resizing windows with, 18  
    workbooks, navigating in, 16  
Move command, 118

movies, ActiveX controls for, 483  
moving  
    cell contents, 54-55  
    charts, 272-273  
    clip art, 194-195  
    dialog box, files in, 13  
    direction, 444  
    hyperlinks, 432  
    objects, 241  
    page breaks, 185  
    Quick Access Toolbar, 6-7  
    Text pane, 222  
    worksheets, 118  
multiple columns and rows. [See columns  
and rows](#)  
My Templates, 298

## N

Name box, 90  
named ranges, 75, 88-89  
    changing, 93  
    deleting, 93  
    entering, 90-91  
    formulas, using in, 94  
    managing, 92-93  
    organizing names, 92-93  
Name Manager, 92-93  
    filter options, 92  
names. [See also cells; named ranges;  
renaming](#)  
    constants in names, using, 114  
    functions in names, using, 114  
    workbooks, default names for, 10  
    for worksheets, 116  
navigating.  
    dialog boxes, 8  
    Formula AutoComplete, 81  
    in workbooks, 16-17  
nested functions  
    conditional formulas with, 112  
    defined, 76  
    evaluating nested formulas, 113  
New Formatting Rule dialog box, 146  
New Name dialog box  
    cells, naming, 88-89  
    ranges, naming, 88-89  
    Refers to box contents, editing, 114

- New screen
  - opening templates, 135
  - opening new workbooks, 10-11
- New Workbook dialog box, 11
- new workbooks, creating, 10-11
- 1924 date system, 451
- noncontiguous cells, 35, 37
- Normal view, 31
- notebook (OneNote)
  - Office Web App, creating, 503
- Number Format list arrow, 43
- numeric formats, 43, 138-139. *See also cell styles*
  - charts, changing formats on, 280
  - deleting attributes, 139
  - separators, using, 444
- numeric keypad, 42
- Num Lock, 42
  - Status bar, checking with, 9

## O

- Object Browser, 466-468
- objects, 233. *See also shapes*
  - alignment of, 256-257
  - connecting, 258
  - copying, 241
  - distributing, 256
  - flipping, 261
  - hidden objects, viewing, 260
  - moving, 241
  - rotating, 261
  - Selection pane, selecting with, 259
  - stacking order, changing, 260
- ODBC (Open Database Connectivity), 414
- OData, 414
- ODS format, 25
- Office 365. *See SharePoint*
  - introduction, 486-487
- Office.com
  - Apps for Office, 460-461
  - clip art, inserting, 194-195, 246
  - options, 451
  - SmartArt graphics, 220
- Office Background, 442
- Office Clipboard. *See Clipboard*
- Office Data Connection (ODC) files, 416
- Office Mobile, 487
- Office Professional Plus, 332-334, 348-349
- Office Store. *See Office.com*
- Office Theme, 442
- Office Web Apps
  - accessing documents, 492-493, 498-499
  - browser view options
    - setting options, 490-491
    - adding parameters, 490-491
    - using parameters, 508
  - co-authoring, documents with, 512-513
  - compare to desktop app, 506-507
  - downloading files, 510-511
  - editing documents, 508-509
  - introduction, 486-487
  - Office Mobile, 487
  - opening documents, 508-509
  - preparing to use, sign in, 488-489
  - printing documents, 510-511
    - creating PDF, 510-511
  - roundtripping, 513
  - saving documents, 510-511
  - using, 508-509
  - viewing documents, 508-509
- OLE (object linking and embedding), 406.  
*See also ActiveX controls*
- one-input data table, creating, 342
- one time calculations, performing, 100-101
- one to many pasting of data, 50
- one to one pasting of data, 50
- Online Services
  - adding account to Office, 27
  - inserting picture from, 196-197
  - saving to, 26
  - sharing with, 496-497, 504-505, 512-513
- Open and Repair workbooks, 12
- Open as Copy workbooks, 12
- Open dialog box
  - default file location, changing, 13
  - file formats, opening, 13
- Open in Browser workbooks, 12
- opening. *See also workbooks*
  - file formats, 13
  - templates, 135
  - Web page, workbook as, 428
  - XML files, 13, 426
- Open or Save As dialog box, 30

- operators
  - defined, 76
  - order of precedence, 76, 78
  - types of, 77
- Option button, 8
  - for ActiveX controls, 482
- Oracle, 414
- order of precedence, 76, 78
- organization charts
  - colors in, 232
  - creating, 231
  - dotted lines in, 232
  - layouts, changing, 232
  - Quick Styles, applying, 232
  - shapes, adding, 231
- orientation
  - of cell contents, 152-153
  - page orientation, changing, 178
  - SmartArt graphics, changing for, 226
- outlines. [See also shape outlines](#)
  - on borders, 159
  - clearing, 335
  - creating, 335
  - SmartArt graphics, shape outlines for, 228
  - ungrouping data, 335
  - to WordArt text, 216-217
- Oval button, 234

## P

- Page Break Preview view, 31
- page breaks, 184-185
  - deleting, 185
  - moving, 185
  - previewing, 185
- page layout, 177. [See also themes](#)
  - [customizing](#)
    - margin settings, 181
    - size of page, 179
  - headers and footers, adding, 182-183
  - margins, adjusting, 180-181
  - orientation of page, changing, 178
  - page breaks, 184-185
  - print scaling, changing, 178-179
  - size of page, changing, 179
- Page Layout view, 31, 177
- Page Number Status bar, 9
- Page Setup dialog box. [See also page layout](#)
  - print scaling, setting up, 178
- painting cell formatting, 161
- panes. [See also window panes](#)
  - task panes, 15
- paper sizes, scaling for, 451
- Paradox, 414
- parameters. [See browser view options](#)
- parental controls, setting, 389, 70
- passwords, 365
  - changing, 373
  - deleting, 373
  - for FTP sites, 440
  - opening workbooks with, 373
  - range passwords, 369
  - strong passwords, using, 372
  - for workbooks, 372-373
  - for worksheets, 368-369
- Paste Options button, 438
- Paste Special
  - calculations, performing, 100-101
  - formulas, copying, 83
- pasting, 50. [See also copying](#)
  - columns to rows, cells from, 55
  - formula data, 83
  - rows to columns, cells from, 55
  - with special results, 52-53
  - Web table data, 437
- Past Special button, 52-53
- patterns for cells, 156
- PDF format, 1, 25, 510-511.
- percentage format, 43
  - enabling, 444
- Percent Style button, 138
- permissions
  - Status bar, checking with, 9
- Personal Macro Workbook option, 470, 471
- phishing, 378
- Picture Border button, 204
- Picture Corrections options, 209
- Picture Effects gallery, 205
- Picture Quick Style gallery, 202
- pictures. [See also brightness; contrast; Picture Manager; shapes](#)
  - artistic style, 201
  - backgrounds for, 211
  - removing, 214

- borders, applying, 204
- brightness, 209
- changing, 199
- in charts, 293
- inserting, 194-199
- color modes for, 210
- compressing, 208
- contrast, 209
- correcting, 209
- cropping, 212-213
  - with aspect ratio, 212
  - deleting cropped areas of pictures, 208
  - with fill or fit, 213
  - precisely cropping, 212-213
- deleting
  - borders, 204
  - cropped areas of pictures, 208
- effects, applying, 205
- files, inserting pictures from, 199
- fills to shapes, applying, 246
- original state, resetting to, 211
- precisely resizing, 206
- Quick Styles, adding, 202
- recoloring, 210-211
- redisplaying cropped pictures, 212
- removing background, 214
- resizing, 206-207
- rotating, 212-213
  - 3-D rotation, 205
- soften, 209
- scaling pictures, 206-207
- screen shot, inserting, 200
- sharpen, 209
- transparent background, setting, 211
- WordArt, applying to, 216-217

Picture Shape gallery, 203

Picture SmartArt, 230

pie charts, 267
 

- exploding pie slice, 288

Pin icon for workbooks, 12

PivotChart
 

- Access database, creating from, 420-421
- analyzing data with, 320
- modifying reports, 331
- refreshing data in, 331
- renaming, 330
- summarizing data in, 330
- updating, 321

PivotChart Filter Pane, 330

PivotTable
 

- Access database, creating from, 420-421
- analyzing data with, 318-319
- AutoFilter, 324-325
- calculation, 324-325
- conditional formatting rules, clearing, 147
- creating reports, 318-319
- data source for, 331
- drill data, 329
- field settings, changing, 322
- formatting reports, 323
- GetPivotData functions, 452
- modifying reports, 322
- Quick Styles, 323
- refreshing data in, 331
- renaming, 330
- repeating labels, 324-325
- scenarios, reports from, 345
- searching, 325
- security for reports, 368
- showing values, 324-325
- slicer, 326-327
- sorting, 325
- timeline, inserting, 328
- updating, 321

placeholders
 

- arguments, inserting, 109
- SmartArt graphic, text in, 221

plastic surfaces for shapes, 252-253

Playback Status bar, 9

plot area, 274
 

- background for, 292

PMT function, 108

PNG format
 

- pictures, modifying, 211
- shapes as pictures, saving, 202
- Web pages allowing, 433

points, 126, 141

polygons. [See freeforms; shapes](#)

Pop-up Blocker, 378

portrait orientation, 178

PowerPivot, add-in
 

- loading/unloading, 464-465
- using, 334

Power View, add-in  
  loading/unloading, 464-465  
  using, presenting data, 332-333  
precedence order, 76, 78  
Present Online, Lync, 405  
presentation  
  Office Web App, creating, 503  
presets. *See also 3-D effects*  
  to charts, 281  
  gradient fills as, 248  
  shapes, adding to, 248, 250  
  to SmartArt graphics, 229  
preview buttons, 8  
previewing. *See also live preview*  
  page breaks, 185  
  Web pages, 429  
  worksheets, 177, 189  
Print dialog box, 189  
printer fonts, 141  
printing, 177. *See also columns and rows*  
  all of worksheet, 190  
  comments, 178  
  formulas, 79  
  gridlines, 187  
  letters of columns, 187  
  numbers of rows, 187  
  part of worksheet, 186, 190  
  print area, setting, 188  
  scaling, changing, 178-179  
  specific number of pages, fitting worksheet on, 187  
  tables, 304  
  titles for columns and rows, 186  
Print Preview, 4, 189  
Privacy Options. *See Trust Center*  
procedures in VBA (Visual Basic for Applications), 466-467  
Product function, 87  
program tabs, 4  
Project Explorer, 466-468  
projects in VBA (Visual Basic for Applications), 466-467  
proofing options, changing, 65  
PROPER function, 352  
proportional shapes, drawing, 234  
proprietary company information, accessing, 70  
Protected view, 380, 382-383

protection. *See security*  
Protect Workbook button, 368  
Publish as PDF or XPS add-in, 191, 192  
publishing, 428. *See also Web pages*  
  Publish as PDF or XPS add-in, 191, 192  
  trusted publishers, 381

## Q

queries  
  creating database query, 419  
  data from Web queries, importing, 439  
  importing, 439  
  new data source, defining, 418  
  opening query files, 13  
  refreshable Web queries, creating, 438  
  saving Web queries, 439  
Query Wizard, 414, 418-419  
question mark ( ) character, 352  
Quick Analysis  
  calculating totals, 98-99  
  chart, inserting, 268-269  
  formatting, applying, 142-145  
  PivotTable, inserting, 318-319  
  showing the button, 442  
Quick Access Toolbar, 3, 5  
  commands, adding, 455  
  customizing, 7  
  macros, assigning, 477  
  Quick Print button, 190  
  resetting, 455  
Quick Print button, 190  
Quick Styles. *See also Shape Quick Style*  
  to lines, 238  
  for organization charts, 232  
  for pictures, 202  
  to shapes, 242  
  for SmartArt graphics, 226  
  to tables, 304  
quitting Excel, 34

## R

range references, 37  
ranges, 37. *See also calculations; named ranges*  
  applying names to, 90-91  
  extending formats, 444  
  formulas, using in, 94

- managing names, 92-93
- multisheet ranges, selecting, 39
- passwords for, 369
- special ranges, selecting, 39
- tables, converting, 308-309
- viewing names, 92-93
- zooming on name range, 92
- ranking, formatting cell contents based on, 142-143
- read-only workbooks, 12
  - marking as, 394
  - prompt to, 396
- recent documents, 450
  - file extensions, displaying, 14
  - opening workbooks from, 13
- recent folders, 450
  - opening documents from, 13
- recoloring pictures, 210-211
- Recolor Picture Quick Style gallery, 210
- recording macros, 471
- recovering workbooks, 32-33
- Rectangle button, 234
- redoing actions, 74
- Reference function, 110, 350-351
- reference operators, 77
- reflections
  - to charts, 281
  - to pictures, 205
  - to shapes, 251
  - to SmartArt graphics, 229
  - to WordArt text, 218
- refreshing
  - external data source, data from, 417
  - PivotChart/PivotTable data, 331
  - Web queries, 438
- relationship diagrams, 348-349
- relative cell references, 84
  - absolute references, changing, 85
  - labeling names, 93
- removing. [See adding/removing; deleting](#)
- renaming
  - dialog box, files in, 13
  - PivotChart or PivotChart, 330
  - worksheets, 116
- repairing problems
  - macros, debugging, 474
  - Office problems, 458
  - workbook problems, 458
- repeating data, entering, 44
- REPLACE function, 352
- replacing. [See finding and replacing](#)
- research
  - changing options, 70
  - parental controls, setting, 389, 70
  - topics, researching, 70
- Research task pane
  - researching topics with, 70
  - translating text with, 71
- Reset Picture button, 203
- resizing
  - cell names, accommodating, 92
  - charts, 272
  - formula bar, 78-79, 88
  - page size, 179
  - shapes, 234-235
  - SmartArt graphics, 225
  - tables, 308-309
  - task panes, 15
  - Text pane, 222
  - watermark picture, 183
  - window panes, 15
  - windows, 18
- RGB color mode, 157
  - defined, 165
  - in themes, 165
- Ribbon, 1, 3. [See also tabs](#)
  - add-in security options, 385
  - alignment, changing, 152
  - borders, applying or deleting, 158
  - Developer tab
    - setting options, 469
    - showing/hiding, 423
  - maximizing/minimizing, 4, 6
  - using, 4
- right-alignment of objects, 257
- R1C1 reference style, 452
- roundtripping, 513
- rotating. [See also pictures; 3-D rotation](#)
  - gradients, 249
  - objects, 261
  - shapes, 261
  - with SmartArt graphics, 224
  - WordArt text, 219
- Row Differences option, 38
- rows. [See columns and rows](#)

ruler units, setting, 450  
Run dialog box in safe mode, 393

## S

Safe for Initialization (SFI) controls, 386

safe modes

- automated safe mode, 392-393
- enabling, 392
- user-initiated safe mode, 392-393

saturation of color, defined, 165

Save as type

- list, 410
- macros, saving, 478

Save button, 22

Save dialog box, 22-23

saving. *See also* workbooks; XML (Extensible Markup Language)

- SharePoint, workbooks to, 490-491
- SkyDrive, workbooks to, 490-491
- in HTML (Hypertext Markup Language), 428
- older version workbooks, 23
- PDF documents, workbooks as, 191
- setting options, 23
- shapes as pictures, 202
- Web queries, 439

Scale to Fit Dialog Box Launcher, 187

scaling

- paper sizes, 451
- pictures, 206-207
- print scaling, changing, 178-179

scenarios

- creating, 344
- showing, 345
- summaries, creating, 345

scientific format, 43

scope, names for, 88

Screen shot, inserting, 200

ScreenTips

- for add-in security options, 385
- for dialog box options, 8
- for functions, 450
- for hyperlinks, 431
- for macros, 477
- style, selecting, 442
- for themes, 163
- turning on/off, 6

scroll bars

- for ActiveX controls, 482
- showing, 448
- synchronizing scrolling of documents, 19

searching. *See also* clip art; finding and replacing

- for cell values, 129
- conditional formatting, cells with, 149
- for help, 21
- tables, custom searches of, 315
- for themes, 162

security, 365. *See also* digital signatures; passwords; Trust Center

- ActiveX controls security settings, 386
- add-in security options, 385, 465
- App Catalog security settings, 384
- for cell styles, 173
- data connections, security settings for, 390
- external content security options, 390-391
- for external data, 414
- file encryption, adding, 371
- formulas, showing/hiding, 370
- harmful attacks, avoiding, 378-379
- locking/unlocking cells, 370
- of macros, 368, 387
- Message Bar security options, changing, 388
- safe modes, 392-393
- for shared workbooks, 401
- XML data maps, 424

Select All button, 159

selecting

- borders, 159
- cells, 37
- columns and rows, 38, 122
- contiguous cells, 37
- hyperlinks, 431
- multisheet ranges, 39
- noncontiguous cells, 37
- ranges, 39
- special ranges, 39
- tables, columns and rows in, 308
- worksheets, 116

Selection Mode Status bar, 9

Selection pane for objects, 259

Send to Back

- objects, 259-260
  - with SmartArt graphics, 224
- sepia mode for pictures, 210
- series lines, 291
- shadows
  - in charts, 280, 281
  - for data series, 289
  - to pictures, 205
  - to shapes, 251, 255
  - to SmartArt graphics, 229
  - for text, 140-141
  - to WordArt text, 218
- Shape Effects gallery, 228, 250
- Shape Fill button, 228, 244
- shape fills
  - to charts, 281
  - color fills, 245
  - gradient fills, applying, 248-249
  - picture fills, 246
- Shape Outline button, 228
  - for lines or arrows, 238-239
- shape outlines, 228, 238-239, 245
  - to charts, 281
- Shape Quick Style, 238, 242
  - for connecting shapes, 258
  - to text, 243
- shapes, 233, 250-251. *See also* [SmartArt graphics](#)
  - adjusting, 235
  - applying shapes to pictures, 203
  - in charts, 281, 293
  - colors
    - fills, adding, 244-245
    - outlines, applying, 245
  - connecting, 258
  - customizing creation of, 454
  - deleting, 234
    - color fills, 244
  - drawing, 234
  - flipping, 261
  - freeforms, converting to, 240
  - gradient fills, applying, 248-249
  - grouping/ungrouping, 262-263
  - individual effects, adding, 251
  - multiple shapes, inserting, 236
  - organization chart, adding to, 231
  - other shapes, changing to, 236
  - picture fills, applying, 246
  - presets, adding, 250
  - proportional shapes, drawing, 234
  - replacing, 235
  - resizing, 234-235
  - rotating, 261
  - saving as pictures, 202
  - shadows, adding, 251, 255
  - textures, 247
  - 3-D effects, adding, 252-253
  - 3-D rotation, adding, 254
  - transparency, applying color fill with, 245
- shape text, 237
  - Quick Styles, adding, 243
- shared workbooks, 395, 396-397. *See also* [comments](#)
  - e-mailing workbooks, 402
  - enabling sharing, 396
  - faxing workbooks, 403
  - instant messaging workbooks, 403
  - options for sharing, changing, 397
  - presenting online, 405
  - security for, 401
  - tracking changes in, 400-401
- sharing. *See also* [shared workbooks](#)
  - OLE (object linking and embedding), 406
  - SharePoint, files in 490-495
  - SkyDrive, files in 496-497, 504-505
- SharePoint. *See also* [Office Web Apps](#)
  - accessing from, 492-493
  - co-authoring documents, 487, 512-513
  - connecting to, 486
  - data, getting from, 414
  - introduction, 486
  - inserting picture from, 198, 246
  - Office Mobile, 487
  - opening from, 490-491
  - saving to, 26, 490-491
  - sign-in, 488-489
  - syncing with, 494-495
  - tables, exporting, 317
- Shockwave Flash Object ActiveX control, 483
- Shortcut menu
  - commands from, 5
  - group-related commands, 262
- shortcuts, 4
- short date format, 43

- showing/hiding. [See also tables; workbooks](#)
  - chart data tables, 286-287
  - columns and rows, 123
  - Document Inspector and, 366-367
  - formulas, 370
  - objects, viewing, 260
  - Text pane, 222
  - worksheets, 120
- shrinking text to fit, 154
- signatures. [See also digital signatures](#)
  - Status bar, checking with, 9
  - visible signature line, adding, 376-377
- Signatures task pane, 374
- Single File Web Pages, 433, 434-435
- size. [See resizing](#)
- Size and Position dialog box
  - for pictures, 206-207
- Size Dialog Box Launcher, 206-207
  - shapes, resizing, 234
- SkyDrive. [See also Office Web Apps](#)
  - accessing from, 498-499
  - adding files to, 498-499, 502
  - connecting to, 486
  - copying files or folders, 500-501
  - creating documents, 503
  - creating folders, 500-501
  - deleting files or folders, 500-501
  - downloading files, 498-499, 502
  - embedding links, 504-505
  - inserting picture from, 198, 246
  - introduction, 486
  - moving files or folders, 500-501
  - Office Mobile, 487
  - opening from, 490-491
  - renaming files or folders, 500-501
  - saving to, 26, 490-491
  - sending links, 504-505
  - sharing documents with, 496-497
  - sign-in, 488-489
  - storage space, manage, 499
  - uploading files, 498-499, 502
- SkyDrive Pro. [See SharePoint](#)
  - accessing documents, 492-493
  - introduction, 457-458, 486-487
  - using, 494-495
- Slicer
  - creating, 316, 326
  - deleting, 316, 326
  - local slicer, 326
  - PivotChart, 330
  - PivotTable, 326-327
  - shared slicer, 326-327
  - Stand-alone slicer, 327
  - sharing, 327
  - table, 316
  - using, 316, 326-327
- SLK format, 25
- SmartArt graphics. [See also organization charts](#)
  - adding shapes to, 224
  - arranging shapes in, 225
  - changing shapes in, 224
  - colors, changing, 227
  - creating, 220
  - deleting shapes from, 223
  - editing shapes in, 225
  - effects, applying, 229
  - fills, applying, 228
  - formatting, 226-227
    - shapes, 228-229
  - layouts, changing, 227
  - orientation, changing, 226
  - outlines for, 228
  - picture graphic layouts, 230
  - placeholder text in, 221
  - purposes, 221
  - Quick Styles, applying, 226
  - resizing, 225
  - text, converting, 221
  - Text pane with, 222-223
- Social Networks
  - adding account to Office, 27
  - sharing with, 496-497, 504-505, 512-513
- soft edges
  - to charts, 281
  - to organization charts, 232
  - to pictures, 205
  - precedence of, 250
  - to shapes, 251, 252-253
  - to SmartArt graphics, 229
- Solver, 339, 463
  - using, 346-347
- sorting
  - cell names, 92
  - data, 301

- fields, 312-313
  - tables, data in, 312
- sounds, feedback with, 451
- source files, 406
- spam, 378
- sparkline formatting, 150-151
- spell-checking, 64
  - dictionaries, customizing, 66-67
  - foreign languages, 72
  - proofing options, changing, 65
- Spelling dialog box, 64
- Spin button for ActiveX controls, 482
- splitters, 15
- splitting worksheets into panes, 129
- spoofed Web sites, 378-379
- Spotlight workbook templates, 11
- Spreadsheet Compare
  - Inquire, 348-349
  - Office tool, 456-457
- spyware, 378
- squares, drawing, 234
- stacking order, changing, 260
- standard modules in VBA (Visual Basic for Applications), 466-467
- starting
  - Excel, 2
  - Excel Web App, 492-493, 498-499
  - options, 443
- Start screen
  - getting to, 2
  - opening templates, 135
  - opening new workbooks, 10-11
- Statistical functions, 361
- Status bar
  - calculations, displaying, 95
  - controls, 3
  - using, 9
- STDEV or STDEV.S functions, 87
- step mode, debugging macros with, 474
- storing
  - cell contents, 51
  - data in Excel, 16
- straight connectors, 258
- straight lines, drawing, 238
- Strict Open XML format, 22-23, 25
- strikethrough text, 140-141
- styles. *See also cell styles; charts; Quick Styles*

- ScreenTip styles, selecting, 442
- sub procedures in VBA (Visual Basic for Applications), 466-467
- subscript text, 141
- SUBSTITUTE function, 352
- subtotals
  - calculating, 96-97
  - list, data in, 353
  - in PivotTable reports, 323
- SUM function, 75, 108. *See also Conditional Sum Wizard*
  - automatic calculations, 95
  - subtotals, calculation of, 353
- SUMIF function, 354-355
- summarize data functions, 354-355
- superscript text, 141
- surfaces
  - for data series, 289
  - shapes, adding to, 252-253
- switching
  - between views, 31
  - between windows, 19
- SYLK files, opening, 13
- symbols, inserting, 68
- synchronizing.
  - scrolling of documents, 19
- synonyms, 69
- syntax for VBA, 466-467
- system requirements, 2

## T

- Tab key for selecting objects, 262
- tables, 301. *See also PivotTable*
  - Access table into workbook, exporting, 420
  - AutoFilter, displaying parts with, 314
  - banded columns and rows in, 306
  - calculations in, 307
  - chart data tables, showing/hiding, 286-287
  - clearing, 303
  - copying cell formats, 304
  - creating, 303
  - definitions, 302
  - deleting, 303
    - columns and rows, 310
    - duplicate rows, 310
    - styles, 304, 305

## tables (continued)

- drop-down list, entering data from, 311
- duplicate rows, deleting, 310
- elements, formatting, 306
- first column, formatting, 306
- formatting, 304
  - elements of table, 306
- formulas, table names in, 452
- inserting columns and rows in, 308
- last column, formatting, 306
- multiple fields, sorting data using, 313
- names, 88
- one-input data table, creating, 342
- printing, 304
- Quick Styles, applying, 304
- range, converting to, 308-309
- relationships, 324
- resizing, 308-309
- searches, creating, 315
- selecting columns and rows in, 308
- SharePoint lists, exporting tables to, 317
- showing/hiding
  - chart data tables, 286-287
  - elements, 306
- slicers, filtering, 316
- sorting data in, 312-313
- styles
  - creating or modifying, 305
  - Quick Styles, applying, 304
- ungrouping, 262
- tabs, 3, 4
  - colors, adding or removing, 160
  - dialog box options, 8
  - displaying, 448
- task panes, 15. [See also specific types](#)
- Telemetry Dashboard, add-in
  - loading/unloading, 464-465
  - Office tool, 456-457
- Telemetry Log
  - Office tool, 456-457
- templates. [See also charts](#)
  - changing, 136
  - creating, personal, 134
  - chart templates, 298-300
  - customizing, 135-136
  - default templates, 135
  - Document Information Panel template, selecting, 453

- locating, 135
- macro-enabled templates, 478
- opening, 135
- options, default folder, 133
- personal templates
  - charts, 298-299
- setting up for, 133
- for workbooks, 11
- text. [See also charts; shape text; WordArt](#)
  - columns, converting to, 336
  - concatenation, 77
  - customizing creation of, 454
  - flow of text, controlling, 154
  - formatting, 140-141
  - for hyperlinks, 432
  - labels, entering, 40
  - SmartArt graphics, converting to, 221
  - themes, text colors in, 162
  - translating text, 71
  - wrapping text in cells, 78, 154
- text boxes, 8
  - for ActiveX controls, 482
  - in charts, 293
  - creating, 237
- Text Effects gallery, 218
- text files
  - importing, 411, 415
  - opening, 13
  - retrieving data from, 414
- Text functions, 110, 352
- Text pane
  - for organization charts, 231
  - showing/hiding, 222
  - with SmartArt graphics, 222-223
  - tasks with text in, 223
- texture fills, 247
- textures in WordArt, 216-217
- themes, 137, 162
  - accent colors, 162
  - applying, 163
  - background colors, 162
  - custom themes
    - choosing and applying, 170
    - creating, 169
    - files, selecting and applying from, 171
    - selecting, 165
  - deleting

- custom color themes, 165
- DocumentThemes folder, custom themes from, 170
- effects, 168
- fonts, 168
- DocumentThemes folder, 169-170
- effects, choosing, 168-169
- existing color theme, changing, 164
- files, applying themes from, 171
- fonts, 167-168
  - deleting, 168
- hyperlink colors, 162
- other programs, use in, 163
- text colors, 162
- viewing, 163
  - effects, 168
- thesauruses, 69
  - Research task pane for accessing, 70
- 3-D cell references, 84
  - creating, 87
- 3-D effects. [See also 3-D rotation](#)
  - in charts, 280, 292
  - for data series, 289
  - precedence of, 250
  - to shapes, 252-253
- 3-D rotation
  - to charts, 281
  - to organization charts, 232
  - to pictures, 205
  - precedence of, 250
  - to shapes, 251, 254
  - to SmartArt graphics, 229
  - to WordArt text, 218
- tick marks, charts, 271, 282
- tilde (~), 352
- timeline, inserting in PivotTable, 328
- times. [See dates and times](#)
- titles. [See charts](#)
- toggle buttons for ActiveX controls, 482
- toolbars. [See also Mini-Toolbar; Quick Access Toolbar](#)
  - working with, 6-7
- tooltips for functions, 76
- top-alignment of objects, 257
- totals, calculating, 98-99
- Touch/Mouse Mode, 73
- tracer arrows, 106
- tracing worksheet relationships, 106

- Track Changes feature, 400-401
  - accepting/rejected tracked changes, 400-401
- transform effect for WordArt text, 218
- translating text, 71
- translucent surfaces for shapes, 252-253
- transparency
  - for picture backgrounds, 211
  - shape color fill with, 245
- trendlines, 291
- Trojan Horse, 378
- TrueType fonts, 141
- truncating long labels, 41
- Trust Center, 365. [See also macros](#)
  - ActiveX controls security settings, 386
  - add-in security options, setting, 385
  - documents, 382-383
  - locations, selecting, 381
  - parental controls, setting, 389
  - Privacy Options, 379
    - parental controls, setting, 389
    - setting, 389
  - publishers, selecting, 381
  - safe modes, enabling, 392-393
  - viewing, 380
- Trusted Documents, 382-383
- turning on/off
  - AutoComplete option, 41
  - Formula AutoComplete, 81
  - ScreenTips, 6
  - Track Changes feature, 400
- Twitter
  - adding account to Office, 27
  - sharing with, 496-497, 504-505, 512-513
- two-input data table, creating, 342

## U

- underlining comments, 399
- Undo feature, 35, 74
  - pie chart explosion, 288
  - for shape fills, 244
- ungrouping. [See grouping/ungrouping](#)
- unhiding. [See showing/hiding](#)
- Uniform Resource Name (URN), 453
- Universal Data Connection (UDC) files, 416
- Universal Naming Convention (UNC), 453
- up/down arrows, 8

Upload Center  
Office tool, 456-457  
Work with, 457  
UPPER function, 352  
URLs (Uniform Resource Locators), 429, 453  
Use in Formula command, 90-91  
user-initiated safe mode, 392-393  
Use row and column names option, 91

## V

validation, adding, 337  
values, 36. *See also scenarios*  
AutoFill, entering with, 44-45  
deleting values, keeping formulas, 102  
entering, 42-43  
formatting, 43  
formulas, converting, 89  
searching for, 129  
VAR functions, 87  
VBA (Visual Basic for Applications), 459.  
*See also macros*  
ActiveX controls, adding code to, 468  
definition of terms, 466-467  
enhancing workbooks, 466-467  
modules, 466-467  
procedures, 466-467  
projects, building, 466-467  
structure of, 466-467  
viruses, avoiding, 378-379  
writing code, 466-467  
vertical alignment, 152-153  
of WordArt text, 219  
vertical page breaks, 184  
view buttons, 3  
viewing. *See also themes; workbooks; zooming*  
add-ins, 462-463  
digital signatures, 375  
display view options, setting, 450  
Excel window, 3  
hidden objects, 260  
safe mode, disabled items in, 393  
switching between views, 31  
Trust Center, 380  
Visual Basic Editor, 468  
workbook document properties, 30

XML documents, 422  
viruses, avoiding, 378-379  
Visual Basic Editor, 466-468  
viewing, 468  
Visual Basic for Applications. *See VBA (Visual Basic for Applications)*  
VLOOKUP function, using, 350  
VML, Web pages allowing, 433

## W

washout mode for pictures, 210  
Watch window  
deleting cells from, 104  
formula errors, correcting, 104  
watermarks, inserting, 183  
Web functions, 364  
Web pages  
appearance, changing, 428  
Check Office Documents that are from or link to suspicious Web sites option, 379, 389  
copying Web table to worksheets, 437  
embedding a link to, 504-505  
hyperlinks to, 430  
interactive Web page, publishing worksheet as, 436  
opening workbook as, 428  
options, changing, 433  
previewing, 429  
refreshable Web queries, creating, 438  
saving worksheets/workbooks as, 434-435  
as Single File Web Pages, 433, 434-435  
spoofed Web sites, 378-379  
Web servers. *See also SharePoint; SkyDrive*  
publishing to, 436  
WEBSERVICE function, 364  
What-If Analysis button, 342  
Goal Seek with, 343  
width of columns, adjusting, 126-127  
wildcard characters, 352  
window panes, 15  
worksheets, splitting, 129  
windows  
arranging, 18-19  
copying contents of, 202  
side by side comparisons, 19  
switching between, 19

Windows Azure DataMarket, 414

Windows Explorer
 

- exclusion dictionaries, finding, 67
- starting Excel from, 2

Windows Mobile, 487

Windows Rights Management XPS compatibility, 192

wire frame surfaces for shapes, 252-253

WordArt, 193
 

- deleting text, 215
- direction of text, changing, 219
- effects, applying, 218
- formatting text, 216-217
- inserting, 215
- rotating text, 219
- styles, 216-217

WordArt Quick Style gallery, 215
 

- for shape text, 243

Workbook Connections dialog box, 416-417

workbooks, 1. *See also links and linking; read-only workbooks; security; shared workbooks; VBA (Visual Basic for Applications); Web pages; worksheets*

AutoRecover for, 33

blank workbooks, 10

closing, 34

Compatibility Checker for, 28

consolidating data, 412-413

converting existing workbooks, 14

custom views, creating, 132

deleting custom views, 132

diagnosing problems, 458

display options, setting, 448

elements, showing/hiding, 130

e-mailing workbooks, 402

existing workbooks
 

- converting, 14
- opening, 12-13

faxing workbooks, 387

file encryption, adding, 371

final, marking as, 394

HTML (Hypertext Markup Language), saving in, 428

hyperlinks within, 430

inspecting documents, 366-367

instant messaging workbooks, 404

keyboard, navigating with, 17

macros
 

- opening workbook with, 479
- saving workbook with, 478

modifying, 115

names for, 10

navigating in, 16-17

new options, changing, 443

Office Web App, creating, 503

opening, 12-13
 

- with macros, 479
- from SharePoint or SkyDrive, 490-491

passwords for, 372-373

PDF format
 

- saving workbooks in, 191
- sending workbooks in, 402

properties, viewing and editing, 30

recently opened workbooks, opening, 13, 450

recently used folders, 13, 450

recovering, 32-33

repairing problems, 458

saving, 22-23
 

- different formats, workbooks with, 24-25
- with macros, 478
- older version workbooks, 23
- to SharePoint or SkyDrive, 490-491

showing/hiding, 120-121
 

- custom views, 132
- elements of workbook, 130

as Single File Web Page, 434-435

specific location, navigating to, 17

start up options, 443

templates for, 11

tracking changes, 400-401

viewing
 

- custom views, creating, 132
- in full screen, 130
- on the web, 508-509

window, 3

Windows Explorer, opening from, 2

XPS documents, saving as, 192

zooming on, 131

worksheets, 1. *See also formatting; page layout; printing; tables; themes; Web pages*

all worksheets, selecting, 116

auditing, 106

## worksheets (continued)

- backgrounds, changing, 118
- charts, linking, 284
- colors of tab names, changing, 121
- consolidating data, 412-413
- copying, 118-119
- data validation, adding, 337
- deleting, 117
- designing, 137
- display options, setting, 448-449
- entire worksheet, selecting, 122
- groups, forming, 118
- hiding/unhiding, 120
- inserting, 117
- inspecting information in, 367
- links, creating, 407
- modifying, 115
- moving, 118
- naming, 116
- numeric formats, 138-139
- panes, splitting into, 129
- passwords for, 368-369
- previewing, 177, 189
- renaming, 116
- selecting, 116
  - as Single File Web Page, 434-435
  - specific number of pages, fitting on, 187
  - splitting into panes, 129
  - tabs, controls on, 4
  - tracing relationships in, 106
  - Web tables, copying, 437
- worms, avoiding, 378-379
- wrapping text in cells, 78, 154

## X

- X-axis. [See chart axes](#)
- XLA format, 25
- XLAM format, 25
- XLSB format, 25
- XLS format, 24-25
- XLSM format, 25
- XLSX format, 25
- XLT format, 25
- XLTM format, 25
- XLTX format, 25, 134

- XML (Extensible Markup Language), 1, 25, 395
  - data maps, 423-424
  - expansion packs, adding, 425
  - exporting data in, 426
  - importing XML data, 425
  - inspecting documents, 366-367
  - opening files, 13, 426
  - saving, 22, 426
  - working with, 422-423
- XML Schema, 395
  - attaching, 422
- XML Source task pane, 422, 424
- XPS format, 1, 25
  - saving workbooks as, 192

## Y

- Y-axis. [See chart axes](#)

### YouTube

- adding account to Office, 27
- inserting picture from, 196-197, 246

## Z

- zero value cells, 449
- zip file, creating, 502
- zooming
  - on chart objects, 274
  - controls, 3
  - with IntelliMouse, 16
  - on name range, 92
  - in workbooks, 131