

Exam Ref 70-768 Developing SQL Data Models

List of URLs

Introduction

SQL Server 2016 installation documentation

<https://msdn.microsoft.com/en-us/library/ms143219.aspx>

SQL Server Management Studio

<https://docs.microsoft.com/en-us/sql/ssms/download-sql-server-management-studio-ssms>

SQL Server Data Tools for Visual Studio 2015

<https://docs.microsoft.com/en-us/sql/ssdt/download-sql-server-data-tools-ssdt>

Chapter 1 Design a multidimensional business intelligence (BI) semantic model

Dimensional Modeling Techniques

<http://www.kimballgroup.com/data-warehouse-business-intelligence-resources/kimball-techniques/dimensional-modeling-techniques/>

WideWorldImportersDW sample database

<https://github.com/Microsoft/sql-server-samples/releases/tag/wide-world-importers-v1.0>

Installation instructions

<https://msdn.microsoft.com/library/mt734217.aspx>

Snowflake dimension design

<http://sqljason.com/2011/05/when-and-how-to-snowflake-dimension.html>

Slowly changing dimension type 1

<http://www.kimballgroup.com/2008/08/slowly-changing-dimensions/>

Slowly changing dimension type 2

<http://www.kimballgroup.com/2008/09/slowly-changing-dimensions-part-2/>

Fact table surrogate key

<http://www.kimballgroup.com/2006/07/design-tip-81-fact-table-surrogate-key/>

SQL Server Data Tools for Visual Studio 2015

<https://msdn.microsoft.com/en-us/library/mt204009.aspx>

Search for current updates to SSDT if link changes

<http://www.microsoft.com>

Select Creation Method (Dimension Wizard)

<https://msdn.microsoft.com/en-us/library/ms178681.aspx>

Defining the Unknown Member and Null Processing Properties

<https://msdn.microsoft.com/en-us/library/ms170707.aspx>

SQL Server Analysis Services Discretization

<https://www.mssqltips.com/sqlservertip/3155/sql-server-analysis-services-discretization/>

Translations in Multidimensional Models (Analysis Services)

<https://msdn.microsoft.com/en-us/library/hh230908.aspx>

Defining and Browsing Translations

<https://msdn.microsoft.com/en-us/library/ms166708.aspx>

Adventure Works 2014 Sample Databases

<http://msftdbprodsamples.codeplex.com/releases/view/125550>

Define Linked Dimensions

<https://msdn.microsoft.com/en-us/library/ms175648.aspx>

Select Creation Method (Cube Wizard)

<https://msdn.microsoft.com/en-us/library/ms187975.aspx>

Warnings (Database Designer) (Analysis Services-Multidimensional Data)

<https://msdn.microsoft.com/en-us/library/bb677343.aspx>

Ragged Hierarchies

<https://msdn.microsoft.com/en-us/library/ms365406.aspx>

Ragged Hierarchies and HideMemberIf: an in-depth look

<https://xzwang.wordpress.com/2013/07/10/ragged-hierarchy-and-hidememberif/>

Ragged Hierarchies, HideMemberIf and MDX Compatibility

<https://blog.crossjoin.co.uk/2009/11/11/ragged-hierarchies-hidememberif-and-mdx-compatibility/>

Defining Parent Attribute Properties in a Parent-Child Hierarchy

<https://msdn.microsoft.com/en-us/library/ms167115.aspx>

Unary Operators in Parent-Child Dimensions

<https://msdn.microsoft.com/en-us/library/ms175417.aspx>

Using Unary Operators to control Analysis Services hierarchy aggregations

<https://sqljoe.wordpress.com/2011/09/23/using-unary-operators-to-control-analysis-services-hierarchy-aggregations/>

SSAS: Reference materialized dimension might produce incorrect results

http://sqlblog.com/blogs/alberto_ferrari/archive/2009/02/25/ssas-reference-materialized-dimension-might-produce-incorrect-results.aspx

Data Mining Wizard (Analysis Services – Data Mining)

<https://msdn.microsoft.com/en-us/library/ms175645.aspx>

Browse a Model Using the Microsoft Cluster Viewer

<https://msdn.microsoft.com/en-us/library/ms174801.aspx>

Many to Many Revolution 2.0

<http://www.sqlbi.com/articles/many2many/>

Create a Finance account of parent-child type Dimension

[https://technet.microsoft.com/en-us/library/ms174609\(v=sql.130\).aspx](https://technet.microsoft.com/en-us/library/ms174609(v=sql.130).aspx)

Create a Currency type Dimension

[https://technet.microsoft.com/en-us/library/ms175413\(v=sql.130\).aspx](https://technet.microsoft.com/en-us/library/ms175413(v=sql.130).aspx)

A Guide to Currency Conversions in SSAS

<http://www.bp-msbi.com/2010/10/a-guide-to-currency-conversions-in-ssas/>

SSAS: Multicurrency Problem (Part I)

<http://bifuture.blogspot.com/2014/09/ssas-multicurrency-problem-part-i.html>

Analysis Services MOLAP Performance Guide for SQL Server 2012 and 2014

<https://msdn.microsoft.com/en-us/library/dn749781.aspx>

Create a Finance account of parent-child type Dimension

<https://msdn.microsoft.com/en-us/library/ms174609.aspx>

Chapter 2 Design a tabular BI semantic model

Comparing Tabular and Multidimensional Solutions (SSAS)

<https://msdn.microsoft.com/en-us/library/hh212940.aspx>

Create a PivotTable to analyze worksheet data

<https://support.office.com/en-us/article/Create-a-PivotTable-to-analyze-worksheet-data-a9a84538-bfe9-40a9-a8e9-f99134456576>

Power View: Explore, visualize, and present your data

<https://support.office.com/en-us/article/Power-View-Explore-visualize-and-present-your-data-98268d31-97e2-42aa-a52b-a68cf460472e>

Turn on Power View in Excel 2016 for Windows

<https://support.office.com/en-us/article/Turn-on-Power-View-in-Excel-2016-for-Windows-f8fc21a6-08fc-407a-8a91-643fa848729a>

USERRELATIONSHIP in Calculated Columns

<https://www.sqlbi.com/articles/userrelationship-in-calculated-columns/>

Bidirectional cross-filtering in SQL Server Analysis Services 2016 and Power BI Desktop

<https://blogs.msdn.microsoft.com/analysisservices/2016/06/24/bidirectional-cross-filtering-whitepaper/>

Using the SSAS Tabular Model, Week 5 – Hierarchies 2

<https://sharepointmike.wordpress.com/2012/11/03/using-the-ssas-tabular-model-week-5-hierarchies-2/>

Parent-Child Hierarchies

<http://www.daxpatterns.com/parent-child-hierarchies/>

DateStream

<https://datestream.codeplex.com/>

Copy and Paste Data (SSAS Tabular)

<https://msdn.microsoft.com/en-us/library/hh230895.aspx>

Configure Analysis Services for Kerberos constrained delegation

<https://msdn.microsoft.com/en-us/library/dn194199.aspx>

Hardware Sizing a Tabular Solution (SQL Server Analysis Services)

<https://msdn.microsoft.com/en-us/library/jj874401.aspx>

5 Tips to Ensure Super Fast SSAS Tabular Models

<https://www.blue-granite.com/blog/5-tips-fast-ssas-tabular-models>

The VertiPaq Engine in DAX

<https://www.microsoftpressstore.com/articles/article.aspx?p=2449192&seqNum=3>

Refresh command (TMSL)

<https://msdn.microsoft.com/en-us/library/mt697588.aspx>

Introduction to the Tabular Object Model (TOM) in Analysis Services AMO

<https://msdn.microsoft.com/en-us/library/mt706505.aspx>

Memory Settings in Tabular Instances of Analysis Services

<http://www.sqlbi.com/articles/memory-settings-in-tabular-instances-of-analysis-services/>

Analysis Services PowerShell Reference

<https://msdn.microsoft.com/en-us/library/hh758425.aspx>

DAX Formula Compatibility in DirectQuery Mode (SSAS 2016)

[https://msdn.microsoft.com/library/mt723603\(SQL.130\).aspx](https://msdn.microsoft.com/library/mt723603(SQL.130).aspx)

DAX Properties

<https://msdn.microsoft.com/en-us/library/mt761855.aspx>

What's New in Analysis Services

<https://msdn.microsoft.com/en-us/library/bb522628.aspx#DirectQuery>

Hybrid Mode in Tabular BI Semantic Model – Part 1

<http://www.mssqlgirl.com/hybrid-mode-in-tabular-bi-semantic-model-part-1.html>

Chapter 3 Develop queries using Multidimensional Expressions (MDX) and Data Analysis Expressions (DAX)

MDX Function Reference (MDX)

<https://msdn.microsoft.com/en-us/library/ms145970.aspx>

Descendants (MDX)

<https://msdn.microsoft.com/en-us/library/ms146075.aspx>

FORMAT_STRING Contents (MDX)

<https://msdn.microsoft.com/en-us/library/ms146084.aspx>

VBA functions in MDX and DAX

<https://msdn.microsoft.com/en-us/library/hh510163.aspx>

Passing Parameters to MDX Shared Datasets in SSRS

<http://www.bimonkey.com/2014/04/passing-parameters-to-mdx-shared-datasets-in-ssrs/>

Stairway to MDX

<http://www.sqlservercentral.com/stairway/72404/>

CREATE MEMBER Statement (MDX)

<https://msdn.microsoft.com/en-us/library/ms144787.aspx>

Microsoft Locale ID Values

<https://msdn.microsoft.com/en-us/library/ms912047.aspx>

Grant custom access to dimension data (Analysis Services)

<https://msdn.microsoft.com/en-us/library/ms175366.aspx>

SSAS Dynamic Security

<http://richardlees.blogspot.com/2010/10/ssas-dynamic-security.html>

Grant custom access to cell data (Analysis Services)

<https://msdn.microsoft.com/en-us/library/ms174847.aspx>

The Additive Design of SSAS Role Security

<https://blogs.msdn.microsoft.com/psssql/2014/07/30/the-additive-design-of-ssas-role-security/>

User Access Security Architecture

[https://technet.microsoft.com/en-us/library/ms174927\(v=sql.105\).aspx](https://technet.microsoft.com/en-us/library/ms174927(v=sql.105).aspx)

Analysis Services Stored Procedure Project

<https://asstoredprocedures.codeplex.com/>

Predefined Numeric formats for the FORMAT Function

<https://technet.microsoft.com/en-us/library/ee634561>

Customer Numeric Formats for the FORMAT Function

<https://technet.microsoft.com/en-us/library/ee634206>

SUMMARIZECOLUMNS Function (DAX)

<https://msdn.microsoft.com/en-us/library/mt163696.aspx>

SUMMARIZE Function DAX

<https://msdn.microsoft.com/en-us/library/gg492171.aspx>

All the secrets of SUMMARIZE

<http://www.sqlbi.com/articles/all-the-secrets-of-summarize/>

Best Practices Using SUMMARIZE and ADDCOLUMNS

<http://www.sqlbi.com/articles/best-practices-using-summarize-and-addcolumns/>

Revising ALL()

<https://www.powerpivotpro.com/2010/02/all-revisited/>

ALL Function (DAX)

<https://msdn.microsoft.com/en-us/library/ee634802.aspx>

Using ALLEXCEPT versus ALL and VALUES

<https://www.sqlbi.com/articles/using-allexcept-versus-all-and-values/>

Order of Evaluation in CALCULATE Parameters

<https://www.sqlbi.com/articles/order-of-evaluation-in-calculate-parameters/>

ADDMISSINGITEMS Function (DAX)

<https://msdn.microsoft.com/en-us/library/dn802537.aspx>

CALCULATE Function (DAX)

<https://msdn.microsoft.com/en-us/library/ee634760.aspx>

New DAX Functions

<https://msdn.microsoft.com/en-us/library/mt704075.aspx>

Math and Trig Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634241.aspx>

DAX Operator Reference

<https://msdn.microsoft.com/en-us/library/ee634237.aspx>

Statistical Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634822.aspx>

Date and Time Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634786.aspx>

Time Intelligence Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634763.aspx>

Filter Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634807.aspx>

Logical Functions (DAX)

<https://msdn.microsoft.com/en-us/library/ee634365.aspx>

Variables in DAX

<https://www.sqlbi.com/articles/variables-in-dax/>

Clever Hierarchy Handling in DAX

<http://www.sqlbi.com/articles/clever-hierarchy-handling-in-dax/>

DAX Patterns

<http://daxpatterns.com>

Chapter 4 Configure and maintain SQL Server Analysis Services (SSAS)

Analysis Services Operations Guide

<https://msdn.microsoft.com/en-us/library/hh226085.aspx>

Configure Services Accounts (Analysis Services)

https://msdn.microsoft.com/en-us/library/ms175371.aspx#bkmk_winpriv

Hardware Sizing a Tabular Solution (SQL Server Analysis Services)

<https://msdn.microsoft.com/en-us/library/jj874401.aspx>

Thread Pool Properties

<https://msdn.microsoft.com/en-us/library/ms175657.aspx>

Coreinfo utility

<https://technet.microsoft.com/en-us/sysinternals/cc835722.aspx>

Synchronize Analysis Services Databases

<https://msdn.microsoft.com/en-us/library/ms174928.aspx>

SQLCAT's Guide to BI and Analytics

<http://download.microsoft.com/download/0/F/B/0FBFAA46-2BFD-478F-8E56-7BF3C672DF9D/SQLCAT's%20Guide%20to%20BI%20and%20Analytics.pdf>

Backup and Restore of Analysis Services Databases

<https://msdn.microsoft.com/en-us/library/ms174874.aspx>

Attach and Detach Analysis Services Databases

<https://msdn.microsoft.com/en-us/library/cc280583.aspx>

Create and Manage a Remote Partition (Analysis Services)

<https://msdn.microsoft.com/en-us/library/ms174751.aspx>

How to Cluster SQL Server Analysis Services

<https://msdn.microsoft.com/en-us/library/dn736073.aspx>

Analysis Services Operations Guide

<https://msdn.microsoft.com/en-us/library/hh226085.aspx>

Analysis Services MOLAP Performance Guide

<https://msdn.microsoft.com/en-us/library/dn749781.aspx>

RAMMap utility

<https://technet.microsoft.com/en-us/sysinternals/rammap.aspx>

Analysis Services Stored Procedure Project

<http://asstoredprocedures.codeplex.com/>

DAX Query Plan, Part 1, Introduction

<http://mdxdax.blogspot.com/2011/12/dax-query-plan-part-1-introduction.html>

DAX Query Plan, Part 2, Operator Properties

<http://mdxdax.blogspot.com/2012/01/dax-query-plan-part-2-operator.html>

DAX Query Plan, Part 3, Vertipaq Operators

<http://mdxdax.blogspot.com/2012/03/dax-query-plan-part-3-vertipaq.html>

Whitepaper; Understanding DAX Query Plans

<https://www.sqlbi.com/articles/understanding-dax-query-plans/>

Monitor Analysis Services with SQL Server Extended Events

<https://msdn.microsoft.com/en-us/library/gg492139.aspx>

Use Dynamic Management Views (DMVs) to Monitor Analysis Services

<https://msdn.microsoft.com/en-us/library/hh230820.aspx>

Tool for baselining MOLAP Processing

<http://blogs.prodata.ie/post/Tool-for-baselining-MOLAP-Processing.aspx>

Baselining Tabular Model Processing with a trace file

<http://blogs.prodata.ie/post/Baselining-Tabular-Model-Processing-with-a-trace-file.aspx>

Analysis Services MOLAP Performance Guide

<https://msdn.microsoft.com/en-us/library/dn749781.aspx>

How to warm up the Analysis Services data cache using Create Cache statement?

<https://blogs.msdn.microsoft.com/sqlcat/2007/04/26/how-to-warm-up-the-analysis-services-data-cache-using-create-cache-statement/>

Building a Better Cache-Warmer, Part 1: The Storage Engine Cache

<https://blog.crossjoin.co.uk/2009/09/30/building-a-better-cache-warmer-part-1-the-storage-engine-cache/>

Analysis Services Operations Guide

<https://msdn.microsoft.com/en-us/library/hh226085.aspx>

The VertiPaq Engine

<https://www.microsoftpressstore.com/articles/article.aspx?p=2449192&seqNum=6>

Performance Tuning of Tabular Models in SQL Server 2012 Analysis Services

<https://msdn.microsoft.com/en-us/library/dn393915.aspx>

MaxParallelism Property in Sequence Command (TMSL)

<https://msdn.microsoft.com/en-us/library/mt697587.aspx>

Performance Tuning of Tabular Models in SQL Server 2012 Analysis Services

<https://msdn.microsoft.com/en-us/library/dn393915.aspx>

Group Attribute Members (Discretization)

<https://msdn.microsoft.com/en-us/library/ms174810.aspx>

DRILLTHROUGH Statement (MDX)

<https://msdn.microsoft.com/en-us/library/ms145964.aspx>

Analysis Services MOLAP Performance Guide

<https://msdn.microsoft.com/en-us/library/dn749781.aspx>

Improve SQL Server Analysis Services MDX Query Performance with Custom Aggregations

<https://www.mssqltips.com/sqlservertip/4432/improve-sql-server-analysis-services-mdx-query-performance-with-custom-aggregations/>

Partition Wizard

<https://msdn.microsoft.com/en-us/library/ms179981.aspx>

Create and Manage a Remote Partition (Analysis Services)

<https://msdn.microsoft.com/en-us/library/ms174751.aspx>

Set Partition Storage (Analysis Services-Multidimensional)

<https://msdn.microsoft.com/en-us/library/ms175646.aspx>

Proactive Caching (Partitions)

<https://technet.microsoft.com/en-us/library/ms174769.aspx>

Error Configuration for Cube, Partition, and Dimension Processing (SSAS – Multidimensional)

<https://msdn.microsoft.com/en-us/library/ms180058.aspx>

Set the Partition Slice Property (Analysis Services)

<https://msdn.microsoft.com/en-us/library/ms174764.aspx>

Set Partition Writeback

<https://msdn.microsoft.com/en-us/library/ms174823.aspx>

Write-Enabled Partitions

<https://msdn.microsoft.com/en-us/library/ms174750.aspx>

Processing Objects (XMLA)

<https://msdn.microsoft.com/en-us/library/ms187199.aspx>

Performing Batch Operations (XMLA)

<https://msdn.microsoft.com/en-us/library/ms186680.aspx>

Defining and Browsing Translations

<https://msdn.microsoft.com/en-us/library/ms166708.aspx>

Translations in Tabular models (Analysis Services)

<https://msdn.microsoft.com/en-us/library/mt654273.aspx>