
I N D E X

A

About OpenView toolbar icon, 44-45
 license type and node limits, 45
 Action Agent (opcacta) processes, 312, 368, 545
 Action Manager (opcactm) processes, 543
 actions (OVO), 26, 254, 534-536
 templates, 345
 Actions and External Services Template
 Interface, 345
 adaptive management solutions, 265
 Address Resolution Protocol (ARP),
 caches, 41-42
 add_group utility, 429
 administrator (OVO)
 Actions and Window pull-down
 menus, 281-282
 audits, 425
 configuration files
 downloading, 418-422
 file distribution, 422
 uploading, 423-424
 history files, downloading, 424
 file systems, 411
 capacity checks, 411-412
 system disk checks, 411
 login, 255-257
 Message Group Bank, 288-289
 nodes
 adding, 283-285
 node groups, 285
 Node Hierarchy Bank, 287-288
 Node Layout Group, 286
 types, 282-283
 reports, 427
 samples, 428
 responsibilities, 408
 server backups, 412

opc_backup and opc_restore
 commands, 414-417
 ovbackup.ovpl and ovrestore.ovpl
 commands, 418
 procedures, 412-414
 startup/shutdown
 configuration variable files, 409
 execution scripts, 409
 link files, 410
 sequencer script, 410-411
 tasks, 257-258
 templates, 258
 Administrator UI (opcuiadm), 276
 Administrator's Operator UI (opcuiopadm), 276
 administrators (OVO), 524-525
 changes, 536
 template administrators, 536
 login session, 278-279
 mission critical applications, 527-528
 NNM access, 6
 template administrator, 524
 windows and menus, 279-281
 Administrators Task Guide, 407
 Agdbserver OVPA process, 378
 agents (OVO), 26, 254
 boot time automatic startup, 278
 community names, 87-89
 configuration files, 325-326
 DCE/NCS-based, 309
 hostname resolution, 607-608
 HTTPS-based, 309-310, 315
 installation, 274
 automatic, 317
 command line, 323-325
 manual, 319
 manual for Windows nodes, 320-321
 manual, HP nodes, 319-320
 overview, 316

semi-automatic for Windows
 nodes, 317-318
ssh (secure shell), 322-323
MSI (message stream interface), 326-327
OVOA (OpenView Operations Agent)
 communication between OVOA
 and Monitor Agent, 373
 installation, 368
 interfacing with other programs, 374
 monitor template installation, 371-373
 overview, 367-368
 performance metrics available, 369
 versus OVPA, 369-370
processes, RPC-based, 311-312
status checks, 276-277, 368
tasks, 310-311
templates
 enabling/disabling policies, 344
 installing/removing policies, 344
 logfile, 328-331
 message, 333-334
 message forwarding, 336
 message regrouping, 336-337
 monitor, 331-333
 on managed nodes, 342-343
 on management server, 342
 outage, 336
 policy, 327-328
 schedule, 335-336
Template Administrator, 338-339
template assignment, 341
template format, 337
template groups, 339-340
trap, 334-335
 viewing policies, 343
tests for primary communications, 315-316
Alarm categories (NNM), 55
Alarmdef OVPA command, 396
Alarmgen OVPA process, 378
alarms (NNM), 237
 custom alarm categories, 165-168, 172-174
OVPA configuration, 380-385
SIP Network tab, 235, 238

Alarms Browser, 25-26
 accessing events, 168-169
 All Alarms Browser, 55-56
 Dynamic Views, 69-70
 event correlation, 127
Alarms module, 242
 SIP Network tab, 235
Aldeman, Leonard, 516
All Alarms Browser, 55-56
allnodes file, 488, 500
Altiris Connection for HP OpenView SPI, 365
Analyzer component (OVPM), 399
APIs (application program interfaces), 510
Application Desktop, 291
 Application Groups, 292-293
Application Registration Files (ARFs), 44, 111
 code blocks, 112
 creating, 112-116
 directory placement, 112
 environment variables, 114-115
 executable symbols, 101, 123
 limitations
 application access, 123-124
 application execution, 121-123
 menu items, 121
 MIB applications, 109
 ovw application registration files, 123
 sample
 Database Information, 117
 Show Zmans Xtra Cool Object
 Info, 118-119
 showzmansxcoi script, 119-120
Application Response Measurement (ARM), 400
Application Server SPI, Sun ONE, 365
archive log files, 435
archive log mode, 434
Archiver (arch) background process, 437
ARFs (Application Registration Files), 44, 111
 code blocks, 112
 creating, 112-116
 directory placement, 112
 environment variables, 114-115
 executable symbols, 101, 123

Index

- limitations
 application access, 123-124
 application execution, 121-123
 menu items, 121
MIB applications, 109
ovw application registration files, 123
sample
 Database Information, 117
 Show Zmans Xtra Cool Object
 Info, 118-119
 showzmansxcoi script, 119-120
- Ariba SPI, 365
- ARM (Application Response Measurement), 400
- ARP (Address Resolution Protocol),
 caches, 41-42
- arp -a command, 41
- AS (Authentication Service), 516
- Association for Advanced Computing
 Systems, 621
- ATG Dynamo SPI, 365
- Attribute Value Assertions (AVAs), 193
- audits, 425
- authentication
 DCE, 517
 Kerberos, 516
 PAM, 519
 SSH, 520-521
- Authentication Service (AS), 516
- automatic actions, 534-536
 UNIX systems, 163
 Windows systems, 163-164
- AutoRaid (HP), 38
- AVAs (Attribute Value Assertions), 193
- AXIS SOAP Engine SPI, 365
-
- B**
- background graphics, maps and submaps, 95-96
 automatic layout, 97-99
 memory considerations, 96
 persistence levels, 97
- background processes, databases, 436-437
- backup servers, 482, 501-502
- backup/recovery
 cold, 434
 hot, 434
 network and systems management system, 33
 servers (OVO), 412
 opc_backup and opc_restore
 commands, 414-417
 ovbackup.ovpl and ovrestore.
 ovpl commands, 418
 procedures, 412-414
- BBC Communications Broker (ovbbccb)
 processes, 543
- BBC Configuration Adaptor (opcbcdist)
 processes, 543
- BBC Location Broker (llbserver) agent
 process, 312
- bdf program, 412
 operating system tool, 403
- BEA Tuxedo SPI, 364
- BEA WebLogic Application Server SPI, 364, 562
- Bluestone Total-e-Business SPI, 365
- BMP files, background graphics, 95
- book resources, 617
- bookmarks, SIP Network tab, 235, 238
- Broadvision SPI, 364
-
- C**
- CERT (Computer Emergency
 Response Team), 620
 Incident Note, 510
- Certificate Server (ovcs) processes, 543, 545
- Certification Magazine, 617
- certification resources, 617
- Certification Server Adaptor (opccsad)
 processes, 543
- Changes, SIP Help Desk tab, 241
- Check Point FireWall-1 SPI, 85, 365
- Checkpoint (chkp) background process, 436
- checkuiwww unsupported tool, 431
- Cisco PIX Firewall SPI, 365

- CiscoWorks and NNM, 6
 Class Specification Files
 CLASS, 395
 LABEL, 395
 Close Submap icon, 44
 CODA, 369
 Coke machine, SNMP, 3-4
 cold backups, 434
 collection mode, data collection, 150-151
 collection stations (CS), 29-30
 DIDM, 207-208
 CS configuration, 209-211
 hierarchy, 208
 overlapping versus non-overlapping
 domains, 212-215
 troubleshooting, 215-216
 license requirements, 208
 topology filters, 200-201, 209
 COM (Component Object Model), 560
 Comments property, 49
 community names (SNMP)
 agent configuration, 87-89
 management configuration, 86-87
 Component Object Model (COM), 560
 Computer Emergency Response
 Team (CERT), 620
 Incident Note, 510
 Computer Security services, 620
 computerSystemUsers HP-UX MIB
 variable, 61-62
 Configuration and Deploy Component (ovconfd)
 processes, 543-545
 Configuration Guide, 264
 Contact MIB variable, 56
 Control agent (opcctla) agent process, 312
 Control Daemon (ovcd) processes, 368, 543, 545
 control files, 434-435
 Control Manager (opcctlm) processes, 543
 controlled nodes, 282
 conv utility, 570
 corrective actions (OVO), 534-536
 create_location command, 228
 create_organization command, 228
 cron program, operating system tool, 403
 crontab -l program, operating system tool, 403
 CS (collection stations), 29-30
 DIDM, 207-208
 CS configuration, 209-211
 hierarchy, 208
 overlapping versus non-overlapping
 domains, 212-215
 troubleshooting, 215-216
 license requirements, 208
 topology filters, 200-201, 209
 CV (Customer Views), 9-10
 adding to SIP, 250
 commands, 588
 Customers, 220-221
 Devices, 222-224
 evaluation software, 11-12
 Internet Links, 225
 Key Resources, 220-221
 Sites, 225
 types, 219-220
- D**
 data collection (NNM), 25
 events
 customizing existing events, 171-172
 rear events, 160-162
 threshold events, 155-160
 expressions, 154
 objects
 defining, 148-152, 172-174
 displaying data, 152-153
 predefined collections, 169-170
 data dictionaries, 434
 caches, 436
 Data Encryption Standard (DES), 515
 Kerberos authentication, 516
 Data Feed Process (dsilog), 395
 Data Network Devices SPI, 364
 Data Source Integration. *See* DSİ
 Data Warehouse
 collection data, 152
 performance data reporting, 401
 data warehousing, 31-32, 434

Index

- database buffer cache, 436
- Database Information sample ARF, 117
- Database Smart-Plug In. *See* DB SPI
- Database writer (dbwr) background process, 436
- Database, Oracle, SPI, 366
- databases (OfO)
 - components
 - logical, 434-435
 - memory, 435-436
 - physical, 435
 - database terminology, 434
 - directories, 438
 - environment variables, 437
 - OFA (Optimal Flexible Architecture)
 - standard, 438
 - processes
 - background, 436-437
 - dedicated server, 436
 - user, 436
 - reports, 442-479
 - SQL queries, 440
 - SQL statements, 441
 - startup/shutdown, 439
 - automatic, 439
 - manual, 439-440
 - shutdown options, 440
 - terminology, 434
 - tools and resources, 479
- DB SPI (Database Smart-Plug In), 395
 - performance tools, 402
 - Training Course, 366
- DCE (Distributed Computer Environment), 517
 - managed node resources, 618
 - DCE/NCS-based agents, 309, 315
 - configuration files, 325-326
 - RPC Communication without Endpoint Mapper White Paper, 510
- DCED OVPA process, 377
- DCOM (Distributed Component Object Model), 560
 - dd_associations_to_org command, 228
 - decryption/encryption
 - HTTP and S-HTTP, 518
 - private key, 515
- public key
 - RSA , 516
 - SSH, 520-521
- dedicated server processes, databases, 436
- DES (Data Encryption Standard), 515
 - Kerberos authentication, 516
- Developer and Partner Solution programs, 618
- device health, SIP Network tab, 235-237
- Devices CV (Customer views), 10, 219-224
- df program, operating system tool, 403
- DHCP (Dynamic Host Configuration Protocol)
 - DHCP host, 28
 - filters, 204-206
- DIDM (Distributed Internet Discovery and Monitoring), 27, 30, 207-208
 - configuration
 - CS, 209-211
 - MS, 211-212
 - hierarchy, 208
 - hostname resolution, 608
 - overlapping versus non-overlapping domains, 212-215
 - troubleshooting, 215-216
- Diffie-Hellman encryption, 516
- directories
 - OfO databases, 438
 - structure, management server, 302-303
- Directory Server SPI, Sun ONE, 365
- disabled nodes, 282
- Discount technical books, 617
- discovery. *See* network discovery
- disk requirements, network and systems
 - management systems
 - I/O, 37-39
 - space, 37-39
- Dispatcher background process, 437
- Display Manager (opcdispdm) processes, 543
- Distributed Component Object Model (DCOM), 560
- Distributed Computer Environment (DCE), 517
 - managed node resources, 618
 - DCE/NCS-based agents, 309, 315
 - configuration files, 325-326

- RPC Communication without Endpoint
 - Mapper White Paper, 510
- Distributed Internet Discovery and Monitoring (DIDM), 27, 30, 207-208
 - configuration
 - CS, 209-211
 - MS, 211-212
 - hierarchy, 208
 - hostname resolution, 608
 - overlapping versus non-overlapping domains, 212-215
 - troubleshooting, 215-216
- Distribution Manager (opcdistm) processes, 543
- DMTF (Distributed Management Task Force), 560
- DNS (Domain Naming Service)
 - /etc/resolv.conf file, 608-609
 - configuration, 592-594
 - forward lookups, 609-610
 - NFS, 612-613
 - nsquery versus nslookup commands, 611
 - official hostnames, 591
 - OpenView, 608
 - r-commands, 613
 - reverse lookups, 611
 - sendmail daemon, 612
 - traceroute command, 613-614
- documentation, (OVO) 306, 529
 - applications and operator configuration, 532-533
 - implementation tasks, 267
 - network and systems management
 - systems, 619-621
 - network layout, 529
 - node groups, 530-532
 - nodes, 529-530
 - operators, 533-534
 - resources, 619
 - SPIs, 533
- Documentum e-content server SPI, 365
- Domain Naming Service (DNS)
 - /etc/resolv.conf file, 608-609
 - configuration, 592-594
 - forward lookups, 609-610
- NFS, 612-613
 - nsquery versus nslookup commands, 611
 - official hostnames, 591
- OpenView, 608
 - r-commands, 613
 - reverse lookups, 611
 - sendmail daemon, 612
 - traceroute command, 613-614
- domainname(1M) command, 600
- domains, MoM (manager of manager), 483
- DSI (Data Source Integration)
 - technology, 376, 390
 - commands and terms, 395
 - example, 390-391
 - log file, 379-380
 - logging daemon process, 378
 - vmstat commands, 391-394
- dsilog command, 395
- Dynamic Host Configuration Protocol (DHCP) filters
 - DHCP host, 28
 - filters, 204-206
- Dynamic Views, 64-65
 - alarm categories, 69-70
 - default views, 65-68
 - Device Details, 70
 - menu options, 69
 - NNM operator access, 6
 - Source Details, 70-71
- E**
 - e-Sentinel, 365
 - ECS (Event Correlation Services), 34, 127
 - ECS Annotate Server Agent (opcecaas)
 - processes, 545
 - ecsmgr utility, 429
 - EIT (Enterprise Integration Technologies), 518
 - Embedded Performance Component (coda)—
 - OVOA-EPC, 368
 - encryption/decryption
 - HTTP and S-HTTP, 518
 - private key, 515
 - public key

Index

RSA (Rivest-Shamir-Aldeman), 516
SSH (Secure Shell), 520-521
Enhanced Administration (EAF) for HP
 OpenView Operations, 620
enterprise growth management, 16
 lacking
 in adequate training, 18-19
 in hardware/software resources, 17
 in human resources, 17-18
 solutions, 265
Enterprise Integration Technologies (EIT), 518
environment variables, 437
 network discovery, 74-75
error files, 305
 log file, 540
error messages
 log files, 540
 Oracle databases, 542-543
 OVO, 541
Error Messages Reference Guide, 541
escalation manager, 484
escalation templates, 487, 502-503
/etc/hosts naming service, 597, 603
 configuration, 592-594
/etc/netmasks file, 604-605
/etc/nsswitch.conf file, 596-598, 603
/etc/resolv.conf file, 608-609
Event Correlation Agent (opceca) processes, 545
Event Correlation Configuration sample, 125-129
Event Correlation Services (ECS), 34, 127
events, 26, 254
 correlation, 34
 implementation tasks, 267
executable symbols, 101-104, 109, 123
 MIB applications, 109
execution scripts, startup/shutdown, 409
explodable symbols, 101
exportfs -av command, 177-178
eXtensible Markup Language. *See XML*
external nodes, 282
Extract OVPA process, 378

F

failover/failback process, 484, 501-502
failover filters, 206-207
 sync configurations, 485
fault tolerance, 34-36
Field Registration Files (FRFs), 111
 access limitation, 144
 creating, 142-144
 description, 141
file systems checks
 capacity, 411-412
 system disk, 411
filters
 DHCP, 204-206
 discovery, 198-200
 failovers, 206-207
 important nodes, 203-204
 maps and submaps, 94, 182-183, 194-196
 applying, 196-198
 AVAs, 193
 default filters file, 183-192
 filterable attributes, 183, 192
 filters file syntax, 192
 valid operators, 192-193
 persistence, 201-203
 topology, 200-201, 209
find command, 512
findroute command, 613-614
firewalls
 HTTPS-based agents, 521
 proxy filters, 521-522
 management domains, 32
 network discovery, 89
forums:HP, 618
forward lookups, 609-610
Forward Manager (opcforwm) processes, 543
FQDNs (Fully Qualified Domain Name),
 515, 591
hostname resolution, NIS configuration,
 599-601
hostnames, 592

official hostnames, 596-597
 FRFs (Field Registration Files), 111
 access limitations, 144
 creating, 142-144
 description, 141
 FTP® Software, 178
 Full SNMP Data Access, 125-126
 Fully Qualified Domain Name (FQDN), 515, 591
 hostname resolution, NIS configuration,
 599-601
 hostnames, 592
 official hostnames, 596-597

G

General attributes, 49-50, 52
 General location, Sites CV, 225, 227-228
 Generic Security Service (GSS)-APIs, 517
 gethostname() command, 600
 GIF files, background graphics, 95
 GlancePlus diagnostic tool
 ARM, 400
 Glance Application Group, 398
 I/O, 37-39
 space, 37-39
 versus OVPM, 399-400
 Golden Metrics, 369
 Graphical User Interfaces (GUIs)
 Motif, 30-31
 NNM, 6
 graphics, submap backgrounds, 95-96
 automatic layout, 97-99
 memory considerations, 96
 persistence levels, 97
 GSS (Generic Security Service)-APIs, 517
 GUIs (Graphical User Interfaces)
 Motif, 30-31
 NNM, 6

H

hard disk requirements, network and systems
 management systems
 I/O, 37-39
 space, 37-39
 hardware, management server, 270-271
 HERMES SoftLab Siebel eBusiness SPI, 365
 Hewlett Packard. *See HP*
 hex_number file, 488, 500
 Hierarchical Submap Builder (HSB) application,
 220, 231-232
 history files, 424
 Home Submap icon, 44, 92
 hostname command, 592, 599
 1M command, 600
 hostnames
 definition, 591
 naming service configuration, 592-594
 official hostnames, 591-593, 596
 resolution
 DNS, 608-614
 DNS and NFS, 612-613
 /etc/hosts file, 597, 603
 /etc/nsswitch.conf file, 596-598, 603
 NIS and NFS, 604-606
 NIS and OVO, 607-608
 NIS configuration, 599-603
 NIS hosts map, 601-602
 NIS r-commands, 606
 route determination, 598-599
 Windows NT, 614-615
 with SNMP, 594-595
 without SNMP, 594-595
 setting, 592
 hot backups, 434
 HP (Hewlett-Packard)
 AutoRaid, 38
 Certified Professional Program, 617
 Documentation, 617
 HP platform
 installation, OVO agents, 319-320
 managed nodes, directory structure, 304

Index

- managed nodes, error, log, and temporary files, 305
OpenView service level implementation, 264-265
OVO, 263
OpenView Integrated Solutions Catalog, 7
OpenView storage area manager SPI, 365
resources, 618
Software Depot, 620
technical books, 617
third-party software and device vendors, 12
HP-UX (Hewlett-Packard-Unix)
host IDS SPI, 365
HP-UX platform
OVOA files, 375
user group, 621
managed node resources, 618
HSB (Hierarchical Submap Builder) application, 220, 231-232
HTTP (Hypertext Transfer Protocol)
encryption, 518
proxy agents, 510
httpd command, 80
HTTPS Communication Broker processes, 368, 545
HTTPS Configuration Adapter processes, 314
HTTPS-based agents, 309-310, 315, 510-511
configuration files, 325-326
firewalls, 521
proxy filters, 521-522
Hummingbird® Maestro, NFS software, 178
Hypertext Transfer Protocol (HTTP)
encryption, 518
proxy agents, 510
- I**
IBM
DB2, 617
managed node resources, 618
WebSphere SPI, 364, 562
Icon Editor application, 138
Identity Serve SPI, Sun ONE, 366
- ieee3023MacTransmitted MIB variable events
rearm, 160-162
threshold, 155-160
ieee8023MacTransmitted MIB variable, 148-152
displaying data, 152-153
If%util predefined MIB collection, 169-170
ifInOctets MIB variable, 56-59
ifOutOctets MIB variable, 56-59
iisadmin service (Windows), 251
image files, background graphics, 95
immediate gateway, 598
Import Policies tool, 574-576
important nodes filters, 203-204
importpolicies utility, 570
Incidents, SIP Help Desk tab, 241
indexes, 434
Information Technology Lab (NIST), 620
Information Techology Infrastructure Library, 619
INFORMIX, 617
Informix SPI, 364, 562
Inktomi Traffic Server SPI, 365
Installation Guide for the Management Server, 411
Instant Support Enterprise Edition (ISEE)
client, 554
inst_usr.sh utility, 429
Integration for Oracle Enterprise Manager SPI, 366
inter-process communications (IPCs), 518
interface traffic (ifInOctets and ifOutOctets)
MIB variable, 4
Intergraph® DiskAccess, NFS software, 178
Internet level submaps (NNM), 42-43
Internet Links CV (Customer views), 10, 219-220, 225
interoperability, definition, 567
Intershop Enfinity SPI, 365
IP Map attributes, 49, 52-53
IPCs (inter-process communications), 518
ipcs program, operating system tool, 403
IPlanet Platform SPI, 365
IPX nodes, 28
isConnector attribute, 220-224

ISEE (Instant Support Enterprise Edition)
 client, 554
 isHttpSupported attribute, 53
 isHub attribute, 53
 isIP attribute, 50-51
 isKeyDevice attribute, 220-221
 isostat program, operating system tool, 402
 isRouter attribute, 50-53, 220-224
 ISS RealSecure SPI, 365
 isServer attribute, 223
 isSNMPSupported attribute, 50, 53
 ITO (IT/Operations). *See* OVO (OpenView Operations)
 itochecker tool, 431
 itochecker utility, 546-548
 unsupported tool, 431
 itosend unsupported tool, 431

J

Java
 interface, 293, 295
 problem solving, 299-300
 versus Motif interface, 293-294
 Java Application Launcher, 562
 Java Operator Console, 265
 Java Runtime Environment (JRE), 562
 Java UI Manager (opcuiwww), 276
 resources, 618
 JBOD (Just A Bunch of Disks), 38
 JPEG files, background graphics, 95

K

KDC (Key Distribution Center), 516
 Kerberos authentication, 516
 PAM, 519
 kernel parameter requirements
 management server installation, 271
 network and systems management system, 39
 key distribution, Kerberos authentication, 516
 Key Distribution Center (KDC), 516
 Key Resources CV (Customer views),
 10, 219-221

L

lb_admin unsupported tool, 432
 LDAP, resources, 618
 level-2 discovery, 28
 Library cache, 436
 link files, startup/shutdown, 410
 LINUX platform
 managed node resources, 618
 OVA files, 375
 System Administration, 621
 Listener background process, 437
 loadhosts command, 42, 81-82
 Location MIB variable, 56
 log files
 logfile encapsulators, 252
 logfile templates, 328-331
 managed nodes, 305
 redo , 435
 troubleshooting problems, 540
 Log writer (lgwr) background process, 436
 logappl OVPA log file, 379
 logdev OVPA log file, 380
 LOGFILE data source files, 379-380
 Logfile Encapsulator (opcle) processes, 368 545
 logglob OVPA log file, 379
 logical components, databases, 434-435
 Logical Volume Manager (LVM), 411
 logindx, logproc and logtran OVPA log files, 380
 lookups
 forward, 609-610
 reverse, 611
 lsof unsupported tool, 431
 LVM (Logical Volume Manager), 411

M

MAC addresses, 41-42, 53
 managed nodes, 26-29, 254-255
 configuration files, 305
 directory structure, 304
 error, log, and temporary files, 305
 implementation tasks, 267
 installation log file, 540
 platform resources, Node Platforms, 618

Index

- system resource files, 305-306
- templates, 342-343, 488
- Management Information Base (MIB and MIB-II). *See* MIB and MIB-II
 - applications
 - built-in, 105
 - creating, 105-108
 - executable symbols, 109
 - commands, 4
 - data collection
 - defining MIB expressions, 154
 - defining MIB objects, 148-152, 172-174
 - displaying data, 152-153
 - predefined collections, 169-170
 - resources, 618
 - variables, 4-5, 25, 41, 56-57
 - descriptions, 58
 - graphing, 58-59
 - loading into NNM, 59-62
- management server, 26, 253
 - configuration, 297
 - files, 304
 - directory structure, 302-303
 - documentation, 306
 - installation, 269-270
 - hardware and software prerequisites, 270-271
 - OfO, 272-274
 - OVO, 272-274
 - prerequisite patches, 272
 - log files
 - install error, 540
 - installation, 540
 - Message Browser, colored lines, 299
 - Message Group Bank, 298
 - messages
 - duplicates, 297-298
 - initial steps, 297
 - processes and associated queue files, 301-302
 - processes, 313-314
 - processes, supporting, 314-315
 - status checks, 275-276
 - system resource files, 305-306
- tasks, 313
 - command-line, 299
- templates, 342
- web page links, 306-308
- X-Window controls, 298
- management stations. *See* MS
- Manager of Manager. *See* MoM
- managing networks. *See* network
 - monitoring/management, maps (NNM), 42-43. *See also* submaps
 - filters, 94
 - applying, 196-198
 - AVAs (Attribute Value Assertions), 193
 - default filters file, 183-192
 - defining, 182-183
 - filterable attributes, 183, 192
 - filters file syntax, 192
 - ovfiltercheck utility, 194-196
 - valid operators, 192-193
 - memory optimization, 175
 - navigation, 48
 - non-SNMP devices, 48-49
 - persistence levels, 179-180
 - remote consoles, 176
 - user default map, 91-92
 - MC/ServiceGuard, 37-38
 - MeasureWare Agent. *See* OVPA
 - measureware extractions, 385-389
 - memory
 - database components, 435-436
 - disk, memory, and swap minimums, management server installation, 270-271
 - maps and submaps
 - background graphics, 96
 - optimization, 175
 - remote consoles, 176
 - requirements, network and systems management systems, 37, 39
 - menu bar (NNM), 44
 - Message Agent (opcmsga) processes, 312, 368, 545
 - message allowed nodes, 282
 - message board, SIP Network tab, 234-235, 238

- Message Browser, 26, 279, 281
 colored lines, 299
 SPIs, 363
- Message Correlation (OVO), 34
- message forwarding, 483
 competence centers, 482
 configuration variables, 503-504
 escalation manager, 484
 escalation templates, 502-503
 MoM (manager of manager), 500
 attributes, 501
 configuration, 500-501
 switch controls, 485
 templates, 336, 491-494
 to primary managers, 496-497
 with time criteria, 494-495
 without time criteria, 495
- Message Group Bank, 279, 288-289
 Motif interface, 298
- Message Interceptor (opcmsgi) processes, 312, 368, 545
- message management templates
 control with message correlation, 351
 message suppression, 348-350
- Message Manager (opcmsgm) processes, 543
- Message Receiver (opcmsgrd) processes, 543
 bulk transfers (opccmm), 276
- message regrouping templates, 336-337
- Message Source Template Group, 376-377
- Message Source Templates, 279
 logfile, 328-331
 message forwarding, 336
 message outage, 336
 message regrouping, 336-337
 message, 333-334
 monitor, 331-333
 policy, 327-328
 schedule, 335-336
 server backup/recovery procedures, 413
 template assignment, 341
 template format, 337
 template groups, 339-340
 trap, 334-335
- message stream interface (MSI), 326-327
- message templates, 333-334
- metrics, 397
 Golden Metrics, 369
- MIB and MIB-II (Management Information Base), 4
- applications
 built-in, 105
 creating, 105-108
 executable symbols, 109
- commands, 4
- data collection
 defining MIB expressions, 154
 defining MIB objects, 148-152, 172-174
 displaying data, 152-153
 predefined collections, 169-170
- resources, 618
- RMON, 401
- variables, 4-5, 25, 41, 56-57
 descriptions, 58
 graphing, 58-59
 loading into NNM, 59-62
- Microsoft
 Management Console, 560
 OVOW management platform, 562
 security patches, 620
- SPI
 Active Directory, 364, 562
 Enterprise Servers, 562
 Exchange 2000 Server, 562
 Navision Axapta SPI, 365
 .NET SPI, 364
 SQL Server 2000, 562
 SQL Server, 617
- Midaemon OVPA process, 378
- MMC (Microsoft Management Console), 560
- MoM (manager of manager), 481-482
 24/7 operations, 482
 backup servers, 482, 501-502
 commands and utilities, 486
 directories and files, 485-486
 domains, 483
 escalation manager, 484

Index

escalation templates, 502-503
 failover/failback, 484, 501-502
 hostname resolution, 608
 message forwarding, 483, 500
 attributes, 501
 competence centers, 482
 configuration, 500-501
 configuration variables, 503-504
 switch controls, 485
 original manager, 483
 primary manager, 483
 responsible manager, 483
 sync configurations, 485
 templates, 487
 activation, 487
 distribution, 488-489
 managed nodes, 488
 samples, 498-500
 syntax, 489-497
 Monitor Agent (opcmona) processes
 312, 368, 545
 communication with OVOA , 373
 Monitor component (OVPM), 399
 monitored nodes, 282
 monitor templates, 331-333
 communication between OVOA and Monitor
 Agent, 373
 external programs, 345
 installation, 371-373
 Monitoring (NNM), 25
 Motif interface, 30-3, 293-294
 Message Group Bank, 298
 problem solving, 299-300
 versus Java interface, 293-294
 X-Window controls, 298
 mount -av command, 177
 MPE Console, 252
 managed node resources, 618
 MPE vt3k software, 618
 MS (management stations)
 adding NNM MSs to SIP, 249
 DIDM, 207-208
 hierarchy, 208

MS configuration, 211-212
 overlapping versus non-overlapping
 domains, 212-215
 license requirements, 208
 memory optimization, 175
 polling frequency, 180-181
 topology filters, 200-201, 209
 MS. *See Microsoft*
 msgforw command/file, 336, 500
 MSI (message stream interface), 326-327
 multiple management servers. *See MoM*
 mySAP.com SPI, 364, 562

N

naming services
 configuration, 592-594
 hostname resolution
 /etc/hosts file, 597, 603
 /etc/nsswitch.conf file, 596-598, 603
 DNS, 608-614
 NIS and NFS, 604-606
 NIS and OVO, 607-608
 NIS configuration, 599-603
 NIS hosts map, 601-602
 NIS r-commands, 606
 route determination, 598-599
 Windows NT, 614-615
 with SNMP, 594-595
 without SNMP, 594-595
 hostnames
 definition, 591
 setting, 592
 National Center for Supercomputing Applications
 (NCSA), 518
 National Institute of Standards and Technology
 (NIST), 620
 navigation icons
 maps, 48
 non-SNMP devices, 48-49
 submaps, 44-47
 NCSA (National Center for Supercomputing
 Applications), 518

- net send command, 164
- netmon process
 - network discovery, 75
 - polling statistics, 85-86
 - polling frequency, 180-181
 - netmon.lrf file, 80-81
 - netstat –in command, 518
- Network Administration Resources, 621
- network and systems management systems
 - backup/recovery requirements, 33
 - configuration and change management
 - procedures, 36-37
 - documentation, 619, 621
 - domains, 27-28
 - collection stations, 29-30
 - data warehousing, 31-32
 - DHCP hosts, 28
 - DIDM, 30
 - distributed consoles, 30
 - firewalls, 32
 - IPX nodes, 28
 - level-2 discovery, 28
 - managed nodes (OVO), 28-29
 - Motif GUI, 31
 - OpenView Web Interface, 31
 - enterprise growth, 16
 - lack of adequate training, 18-19
 - lack of hardware/software resources, 17
 - lack of human resources, 17-18
 - event correlation requirements, 34
 - hardware requirements
 - disk I/O, 37-39
 - disk space, 37-39
 - kernel parameters, 39
 - memory, 37, 39
 - single database vendor, 39
 - high availability and fault tolerance, 34-36
 - lack of cooperation among groups, 21-22
 - OSI Model layers 8 and 9, 21
 - out-of-band network management, 32-33
 - OVO planning phase
 - applications, 527-528
 - architecture, 526
 - systems, 526-527
 - problem detection, 24
 - resources, 619
 - strategies, 19-20
 - software requirements, 24-25
 - NNM, 25-26
 - NNM, functionality overlaps with OVO, 27
 - third-party products, 27
 - network device health, 237
 - Network Device Health module, 242
 - SIP Network tab, 234-237
 - network discovery
 - background processes, 78-80
 - environment variables, 74-75
 - excluding devices, 76
 - filters, 198-200
 - firewalls, 89
 - loadhosts command, 81-82
 - netmon process, 75
 - polling statistics, 85-86
 - netmon.lrf file, 80-81
 - network re-discovery, 77-78
 - NNM GUI, 82-85
 - OVO planning phase, 524
 - SNMP connectivity verification, 76
 - Network File System (NFS)
 - DNS, 612-613
 - NIS, 604
 - automounted directories, 605-606
 - /etc/netmasks file, 604-605
 - network level submaps (NNM), 42-43
 - Network Node Manager. *See NNM*
 - Network Operations Center (NOC) location, Sites
 - CV, 225-228
 - Network Presenter, 63-64
 - NNM operator access, 6
 - Network Presenter Registration Files, 111
 - creating, 131-133
 - sample, Zmans cool cgi-boo apps, 133-134
 - Network Products and Technical Resources, 619
 - Network Service Management, 619
 - Network Technology Trends, 619
 - Network Time Protocol, 619

Index

- NFS (Network File System)
 - DNS, 612-613
 - NIS, 604
 - /etc/netmasks file, 604-605
 - automounted directories, 605-606
 - remote consoles on combined Windows/UNIX platforms, 178
- nice program, operating system tool, 402
- NIS
 - configuration, 592-594
 - hostname resolution
 - CDE calendar manager service
 - daemon, 600
 - configuration, 601-603
 - domainname() command, 599-600
 - hosts map, 601-602
 - sendmail daemon, 601
- NFS, 604
 - automounted directories, 605-606
 - /etc/netmasks file, 604-605
- OVO (OpenView Operations), 607-608
 - r-commands, 606
- NNM (Network Node Manager)
 - access by administrators and operators, 6
 - alarm browser, 25-26
 - accessing events, 168-169
 - Alarm categories, 55
 - All Alarms Browser, 55-56
 - custom, 165-168, 172-174
 - automatic actions
 - UNIX systems, 163
 - Windows systems, 163-164
 - boot time automatic startup, 278
 - built-in performance tools, 401
 - commands, 585-588
 - soliciting SNMP information, 5
 - community names
 - SNMP agent configuration, 87-89
 - SNMP management configuration, 86-87
 - CVs, 9-10
 - commands, 588
 - Customers, 220-221
 - Devices, 222-224
- Internet Links, 225
- Key Resources, 220-221
- Sites, 225
 - types, 219-220
- Data Collection, 25
 - customizing existing events, 171-172
 - defining rearm events, 160-162
 - defining threshold events, 155-160
 - predefined collections, 169-170
- DIDM, 207-208
 - CS configuration, 209-211
 - hierarchy, 208
 - MS configuration, 211-212
 - overlapping versus non-overlapping domains, 212-215
 - troubleshooting, 215-216
- discovery, 41-42
 - filters, 198-200
 - maps and submaps, 42-43
 - menu bar, 44
 - planning phase, 524
- Dynamic Views, 64-71
 - evaluation software, 11-12
 - event correlation, 126-129
 - filters
 - DHCP, 204-206
 - failovers, 206-207
 - important nodes, 203-204
 - persistence, 201-203
 - topology, 200-201, 209
 - functionality overlaps with OVO, 27
- hostname resolution
 - with SNMP, 594-595
 - without SNMP, 594-595
- management domains, 27, 30
 - backup/recovery requirements, 33
 - collection stations, 29-30
 - data warehousing, 31-32
 - disk and I/O disk space, 38-39
 - distributed consoles, 30
 - ECS (Event Correlation Services), 34
 - high availability and fault tolerance, 34-36
 - Motif GUI, 31

- nodes and networks, 28
- OpenView Web Interface, 31
- management stations
 - memory optimization, 175
 - polling frequency, 180-181
- management strategies, 19-20
- maps and submaps
 - background graphics, 95-99
 - default filters file, 183-192
 - executable symbols, 101-104, 109
 - filter definition, 182-183
 - filterable attributes, 183, 192
 - filters, 94, 194-196
 - filters file syntax, 192
 - filters, applying, 196-198
 - filters, AVAs, 193
 - filters, valid operators, 192-193
 - hiding objects, 93-95
 - home submap, 92
 - HSB, 231-232
 - navigation, 48
 - navigation, non-SNMP devices, 48-49
 - partitioning the Internet submap, 99-101
 - persistence levels, 179-180
 - submap overlays, 93
 - synchronizing maps, 92-93
 - user default map, 91-92
 - window size and placement, 93
- Monitoring, 25
- monitoring status of managed nodes, 6
- network discovery
 - background processes, 78-80
 - environment variables, 74-75
 - excluding devices, 76
 - firewalls, 89
 - loadhosts command, 81-82
 - netmon process, 75
 - netmon process, polling statistics, 85-86
 - netmon.lrf file, 80-81
 - network re-discovery, 77-78
 - NNM GUI, 82-85
 - SNMP connectivity verification, 76
- Network Presenter, 63-64
- Object Properties, 49-53
- OpenView Launcher, 62-63
- OVOW management platform, 561
 - server-to-server alive checks, 567
- problem detection, 24
- remote consoles
 - combined Windows/UNIX platforms, 178-179
 - UNIX platform, 176-177
 - Windows platform, 176-178
- SIP, 10-11
 - commands, 588
- SNMP traps, OVPA messages, 389
- SNMP-based tool, 3-4, 41
- software included in OpenView installation, 265-266
- status check services, 274-275
- status propagation rules, 54-55
- symbol status colors, 53-54
- third-party applications, 6-7
- Threshold, 25
- toolbar navigation icons, 44-47
- training, 19
- NNM (Network Node Module) topology, 236
- NOC (Network Operations Center) location, Sites
 - CV, 225-228
 - NOC Operator role, 246
- Node Bank, 279-282
- Node Group Bank, 279, 285
- Node Hierarchy Bank, 279, 287-288
- Node Layout Group, 286
- node level submaps (NNM), 42-43
- nodes
 - adding, 283-285
 - node groups, 285
 - Node Hierarchy Bank, 287-288
 - Node Layout Group, 286
 - types, 282-283
- Nokia WAP Server SPI, 365
- non-archive log mode, 434
- Notes SPI, 365

Index

Notification Schedule Configuration Interface
templates, 346-348

Novell managed node resources, 618

NPRFs (Network Presenter Registration Files),
111
creating, 131-133
sample, Zmans cool cgi-boo apps, 133
nsquery versus nslookup commands, 611

O

Object Identifiers (OIDs), 25

Object Properties (NNM), 49-53

ODBC (Open Database Connectivity), 31

oerr command, 542

OFA (Optimal Flexible Architecture)
standard, 438

official hostnames, 591-593, 596

OfO (Oracle for OpenView)

boot time automatic startup, 278

databases

background processes, 436-437

dedicated server processes, 436

directories, 438

DP for full term, 433

environment variables, 437

logical components, 434-435

memory components, 435-436

OFA (Optimal Flexible Architecture)

standard, 438

physical components, 435

reports, 442-479

SQL queries, 440-441

startup/shutdown, 439-440

terminology, 434

tools and resources, 479

user processes, 436

installation, 272-274

software included in OpenView

installation, 265

OIDs (Object Identifiers), 25

OPC (Operations Center). *See* OVO (OpenView
Operations)

opc command, 254-255, 552

opc.checkfile unsupported tool, 431

opcactivate command, 319

opcactm OVO process, 301

opcagt

kill command, 552

start command, 552

opcbcldist command, 508, 301

opccfgdwn command, 570

opccfgtest unsupported tool, 431

opccfgupld command, 423, 502

MoM (manager of manager), 486

opcchgaddr unsupported tool, 431

opccmm OVO process, 301

opccsad OVO process, 301

opctlm OVO process, 301

opcdbck unsupported tool, 431

opcdfchk unsupported tool, 432

opedispm OVO process, 301

opcdistm OVO process, 301

opcecsact utility, 429

opcerr utility, 429 541

opcforwm OVO process, 301

opcgetcorrevt utility, 429

opchistdwn command, 335, 424

opchistupl command, 424

opcmgrdist command, 422, 502

MoM (manager of manager), 486

opcmomchk command, 486

opcmmon command, 331, 404

opcmmsg command, 311, 333-334, 404

opcmmsgm OVO process, 301

opcmngrb OVO process, 301

opcmngrd command, 301, 508

opcnls utility, 429

openode command, 285, 325, 429, 529-532

opcchk unsupported tool, 432

opcragt command, 325, 343, 484

MoM (manager of manager), 486

-status -all, 292

template distribution, 489

troubleshooting processes, 544

opcrpccp unsupported tool, 432

- opcsrvst unsupported tool, 432
- opcsv command, 508-509
 - start command, 507, 544
 - stop, 507, 544
 - MoM (manager of manager), 486
 - troubleshooting processes, 544
- opcsvcm OVO process, 302
- opcsvctemplchk unsupported tool, 431
- opcsystst unsupported tool, 432
- opctempate command, 344, 373, 590
- opctempill utility, 570
- opctrann OVO process, 302
- opctrapi command, 334-335
- opctss OVO process, 302
- opcttnsm OVO process, 302
- opcuiadm OVO process, 302
- opcuiop OVO process, 302
- opcuiopadm OVO process, 302
- opcuiwww OVO process, 302
- opc commands
 - _adm login, 255-257
 - _adm password, 255-257
 - _backup and opc_restore, 414-417
 - _ip_addr, MoM, 486
 - _ip_addr utility, 488
 - _odc unsupported tool, 431
 - _op default operator login, 255
 - _op password, 255
 - _reset_ports unsupported tool, 431
 - _time_diff utility, 429
- open agents, 508
 - RPC and RPC-based processes, 508-510
 - open agents non-RPC agents, 510
- Open Database Connectivity (ODBC), 31
- Open Software Foundation (OSF), 517
- OpenView
 - installation
 - agents, 274
 - FAQs, 268-269
 - implementation tasks, 266-268
 - management server, 269-274
 - software products included, 265
 - operating system performance tools, 402
 - bdf, 403
 - cron, 403
 - crontab -l, 403
 - df, 403
 - example, 404-405
 - ipcs, 403
 - isostat, 402
 - nice, 402
 - ps, 402
 - ruptime, 403
 - SAM, 403
 - sar, 402
 - swapinfo, 403
 - time and timex, 403
 - top, 402
 - uptime, 403
 - vmstat, 402
 - product demonstrations, 620
 - product downloads, 620
 - service level implementation, 264-265
- OpenView Developers (Software) Toolkit, 327
- OpenView Embedded Performance Component (OVOA_EPC). *See* OVOA
- OpenView Internet Services (OVIS), 24, 233, 239
- OpenView Launcher, 62-63
- OpenView Navigator Concepts, 264
- OpenView Operations. *See* OVO
- OpenView Operations Concepts Guide, MoM
 - templates, 498
- OpenView Operations UNIX. *See* OVOU (OVO UNIX)
- OpenView Operations Windows. *See* OVOW (OVO Windows)
- OpenView Performance (OVP), 10-12
- OpenView Performance Agent (OVPA), 24
- OpenView Performance Insight (OVPI), 24, 233
- OpenView Service Desk (OVSD), 10, 233, 241
- OpenView Service Navigator (OVSN), 240
 - SPIs, 528
- OpenView Service Reporter (OVSR), 233, 242
 - audits, 514
- OpenView user group, 621
- OpenView Web Interface, 31

Index

- OpenView web site, 619
operating system error log file, 540
Operations agent (OVO), 10-12, 251
 actions, 26, 254
 administrator
 login, 257
 tasks, 257-258
 agents, 26, 254
 basics, 26
 commands, 588-590
 events, 26, 254
 correlation, 34
 functionality overlaps with NNM, 27
 managed nodes, 26-29, 254-255
 management domains, 27
 backup/recovery requirements, 33
 collection stations, 29-30
 DIDM, 30
 disk and I/O disk space, 38-39
 high availability and fault tolerance, 34-36
 Message Correleation, 34
 Motif GUI, 31
 nodes and networks, 28
 management server, 26, 253
 management strategies, 20
 message browser, 26, 252-257
 message interface, 253
 operator, 255-257
 login, 255-256
 templates, 26, 254
 administrator, 258
 UNIX training, 19
Operator UI (opcuiop), 276
operators (OVO), 524
 changes, 536-537
 configuration, 532-533
 new operators, 295-297
 documentation, 533-534
 implementation tasks, 267
 Java interface, 293-295
 problem solving, 299-300
 map filters, 192-193
AVAs, 193
Motif interface, 293-294
 problem solving, 299-300
NNM access, 6
reports, 425-426
selection rules, 122-123
User Profile Bank, 289-291
`/opt/ignite/bin/print_manifest` command, 270
`/opt/OV/bin/OpC/opcsv` command, 275
`/opt/OV/bin/OpC/ovconfig` command, 305
`/opt/OV/bin/OpC/ovconfpar` command, 305
`/opt/OV/bin/OpC/utils/opc_ocd` database utility
 program, 442-479
`/opt/OV/bin/opcragt` command, 277
`/opt/OV/bin/ovstatus-c` command, 274
optimization. *See* performance tools
Oracle database alert log file, 540
Oracle database error messages, 542-543
Oracle Database SPI, 366
Oracle home page, 617
Oracle SPI, 364, 562
Oracle Technology network, 617
original manager, 483
OS-SPI (Smart Plug-In) profile, 290-291
OSF (Open Software Foundation), 517
OSI Model, layers 8 and 9, 21
OSSPI for UNIX (Free) SPI, 364
out-of-band network management, 32-33
outage templates (OVO), 336, 487
ovactiond command, 80, 164
ovalarmsrv command, 80
`ovbackup.ovpl` and `ovrestore.ovpl` commands, 418
`ovbbccb` OVO process, 302
`ovbbccb` OVPA process, 377
`ovc` command, 368
 troubleshooting processes
 `-kill`, 545
 `-start`, 545
 `-status`, 545
 `-stop`, 545
`ovcd` OVO process, 302
`ovconfd` OVO process, 302

ovcustomer utility, 10, 225, 228
abbreviated commands, 231
batch mode, 228-230
command line, 228-229
customer data
 adding, 228-229
 deleting, 230
 listing, 230
CV command, 588
 help print, 588
Service Information Portal, 10-11
ovdeploy command, 299
ovfiltercheck utility
 DHCP, 205
 failovers, 207
 filters, discovery, 199
 maps, 194-195
 persistence, 202-203
 topology, 201
ovfiltertest utility
 DHCP, 205
 failovers, 207
 filters, discovery, 199
 important nodes, 203
 maps, 195-196
 persistence, 202
 topology, 201
OVIS (OpenView Internet Services), 24, 233, 239
 data displayed by OVPM, 399
ovmapdump command, 79
OVO (OpenView Operations), 10-12, 233, 240-
 241, 251
actions, 26, 254
administrators, 511-512
 Actions and Window pull-down menus,
 281-282
 login, 257
 login session, 278-279
 Message Group Bank, 288-289
 node groups, 285
 Node Hierarchy Bank, 287-288
 Node Layout Group, 286
 nodes, 282-285
reports, 427
reports, samples, 428
responsibilities, 408
tasks, 257-258
 windows and menus, 279-281
agents, 26, 254
boot time automatic startup, 278
configuration files, 325-326
DCE/NCS-based, 309
HTTPS-based, 309-310, 315
installation, 274, 316-325
installation with SSH, 521
MSI, 326-327
processes, 311-312
RPC-based processes, 312
server configuration files, 326
status checks, 276-277
tasks, 310-311
tests for primary communications, 315-316
Application Desktop, 291
 Application Groups, 292-293
audit areas, 512-515
audits, 425
basics, 26
changes
 administrators, 536
 operators, 536-537
 template administrators, 536
commands, 588-590
corrective actions, 534-536
data displayed by OVP, 399
DNS, 608
documentation, 529
 applications and operator configuration,
 532-533
 network layout, 529
node groups, 530-532
nodes, 529-530
operators, 533-534
SPIs, 533
downloading configuration files, 418-422
 file distribution, 422
downloading history files, 424

Index

- events, 26, 254
 - correlation, 34
- external reports, 427
- file and data integrity, 512
- file systems, 411
 - capacity checks, 411-412
 - system disk checks, 411
- functionality overlaps with NNM, 27
- HP platform, 263
- HTTPS-based agents, 510-511
 - firewalls, 521-522
- installation, 272-274
 - implementation tasks, 266-268
 - software included with OpenView, 265
- interface to OVPA, 389-390
- managed nodes, 26-29, 254-255
 - configuration files, 305
 - directory structure, 304
 - error, log, and temporary files, 305
 - system resource files, 305-306
- management domains, 27, 30
 - backup/recovery requirements, 33
 - collection stations, 29-30
 - DIDM, 30
 - disk and I/O disk space, 38-39
 - high availability and fault tolerance, 34-36
 - Message Correleation, 34
 - Motif GUI, 31
 - nodes and networks, 28
- management server, 26, 253
 - command-line tasks, 299
 - configuration, 297
 - configuration files, 304
 - directory structure, 302-303
 - documentation, 306
 - duplicate messages, 297-298
 - Message Browser, colored lines, 299
 - Message Group Bank, 298
 - messages, 297
 - processes and associated queue files, 301-302
 - status checks, 275-276
 - X-Window controls, 298
- management strategies, 20
- message browser, 26, 252-257
- message interface, 253
- MoM, 481-482
 - backup servers, 482
 - commands and utilities, 486
 - directories and files, 485-486
 - domains, 483
 - escalation manager, 484
 - failover/failback, 484
 - message forwarding, 483
 - message forwarding, competence centers, 482
 - message forwarding, switch controls, 485
 - original manager, 483
 - primary manager, 483
 - responsible manager, 483
 - sync configurations, 485
 - 24/7 operations, 482
- NIS, 607-608
- open agents, 508
 - non-RPC agents, 510
 - RPC processes, 508-510
 - RPC-based functions, 508
- operators, 255-257, 512
 - configuring new operators, 295-296
 - Java interface, 293-295
 - Java interface, problem solving, 299-300
 - login, 255-256
 - Motif interface, 293-294
 - Motif interface, problem solving, 299-300
 - reports, 425-426
 - testing new operators, 296-297
- OVPA components, 400-401
- PAM, 519
- passwords, 511-512
- planning phase
 - administrator responsibilities, 524-528
 - applications, 527-528
 - checklist, 525-526
 - network architecture, 526
 - NNM discovery, 524
 - operator responsibilities, 524

systems, 526-527
template administrator responsibilities, 524
server backups, 412
 opc_backup and opc_restore commands,
 414-417
 ovbackup.ovpl and ovrestore.ovpl
 commands, 418
 procedures, 412-414
startup/shutdown
 configuration variable files, 409
 execution scripts, 409
 link files, 410
 sequencer script, 410-411
templates, 26, 254
 activation, 487
 administrator, 258
 distribution, 488-489
 managed nodes, 488
 syntax, 489-497
 types, 487
troubleshooting
 error messages, 541
 functional checks, 548-550
 itochecker utility, 546-548
 processes, 543-545, 552
 processes, categories, 552-553
UNIX training, 19
unsupported tools, 431-432
uploading configuration files, 423-424
User Profile Bank, 289-291
users, 511
utilities, 429-431
 web page links, 306-308
OVO UNIX. *See* OVOU
OVO Windows. *See* OVOW
OVOA (OpenView Operations Agent)
 commands, 374-375
 communication between OVOA and Monitor
 Agent, 373
 files, 375
 installation, 368
 interfacing with other programs, 374
 log files, 375
monitor template installation, 371-373
overview, 367-368
performance metrics available, 369
versus OVPA (OpenView Performance Agent),
 369-370
OVOA Metrics Help Text®, 369
ovoareqhdlr OVO process, 302
ovoareqsdr command, 508
ovoareqsdr OVO process, 302
ovobjprint command, 79, 114, 121
 output, 121
ovoinstall script, 272
ovosetup command, 272
ovosetup installation program, 274
OVOU (OpenView Operations for UNIX), 567
 features, 559
 interoperability commands
 Import Policies, 574-576
 ovpoutil, 570-574
 message forwarding, 568-569
 rules, 569
 OVOW to OVOU policy distribution, 570
 server-to-server alive checks, 567
 SNMP implementation, 568
 templates, OVOU to OVOW exchange, 570
 OVOU and OVOW comparison, 576-578
OVOW (OpenView Operations for Windows)
 adding
 nodes, 580
 services, 583-584
 architecture, 559-560
 automatic commands, 583-584
 DCOM, 560
 features, 559
 installing, 562-563
 interoperability commands
 Import Policies, 574-576
 ovpoutil, 570, 572-574
 managed nodes, 561
 management console, 561, 564-565
 management server, 560
 message forwarding, 568-569
 message processing, 565

Index

- MMC, 560
- node discovery, 580
- OVOU and OVOW comparison, 576-578
- OVOW to OVOU policy distribution, 570
- policies, 581-582
- product demonstration, 564
- product directory structure, 563
- product documentation, 563
- products included, 561-562
- server-to-server alive checks, 567
- service discovery, 579-580
- SNMP implementation, 568
- SPIs included, 562
- templates
 - OVOU and OVOW comparison, 576-578
 - OVOU to OVOW exchange, 570
- tools, 582-583
- tutorial, 564
- WEBM, 560
- WMI, 560
- OVP (OpenView Performance), 10, 12
- OVPA (OpenView Performance Agent), 24
 - alarms configuration, 380-385
 - application group components, 400-401
 - commands and files, 395-396
 - configuration, 379
 - alarms, 380-385
 - LOGFILE data source files, 379-380
 - DSI, 390
 - commands and terms, 395
 - example, 390-391
 - vmstat commands, 391-394
 - example directory, 397
 - installation, 376
 - interfaces
 - to Database Smart-Plug In, 395
 - to OVO, 389-390
 - measureware extractions, 385-389
 - Message Source Template Group, 376-377
 - metrics available, 397
 - OVOW management platform, 562
 - processes, 312, 377-378
 - startup, 379
- version 4.x, 396-397
- versus OVOA, 369-370
- ovpa command, 396
- OVPI (OpenView Performance Insight), 24, 233
- OVPM (OpenView Performance Manager)
 - components, 399
 - interfacing with other programs, 399
 - interfacing with OVOA, 374
 - OVOW management platform, 562
 - versus GlancePlus, 399-400
- ovputil command, 570, 572-574
- ovpolicy command, 343-344
- OVSD (OpenView Service Desk), 10, 233, 241
- OVServer environment variable, 115
- ovsessionmgr command, 80
- OVSN (OpenView Service Navigator), 240
 - DP abbrev. to full, 264
 - SPIs, 528
- OVSR (OpenView Service Reporter), 233, 242
 - audits, 514
 - data displayed by OVPM (OpenView Performance Manager), 399
 - external report programs, 427
 - interfacing with OVOA, 374
- ovstart command, 77-79
 - NNM status checks, 275
- ovstart ovoacomm opc command, 552
- ovstatus command, 77-78
 - troubleshooting processes, 544
- ovstop command, 78
 - NNM status checks, 275
- ovstop opc command, 502, 552
- ovtopcmd command, 79
- ovtopodump command, 114, 118-120
- ovtrapd command, 80
- ovw interface, 42
- OVwActionID environment variable, 115
- OVwAppName environment variable, 115
- ovwdbs command, 79
- OvwFieldDir environment variable, 144
- OVwMenu Item environment variable, 115
- OVwNumSelections environment variable, 115
- ovwperm NNM command, 587

OVwRegDir environment variable, 123-124
 OVwSelections environment variable, 114-115
 OVwSessionID environment variable, 115
 OvwSymbolDir environment variable, 144

P

PAM (Pluggable Authentication Module)
 authentication, 519
 Pan and Zoom icon, 44-46
 panner/viewport, 46-47
 parameter file, 435
 Parent Submap icon, 44
 Parm OVPA command, 396
 passwords, administrator, 278
 PCX files, background graphics, 95
 Peering Point location, Sites CV, 225-228
 PeopleSoft SPI, 364
 PerfIbd OVPA process, 377
 perfIbd.rc file, 379
 Performance Agent. *See* OVPA
 Performance Manager. *See* OVPM
 performance tools
 Database SPI, 402
 GlancePlus
 ARM, 400
 Glance Application Group, 398
 Transaction Tracking, 400
 NNM built-in tools, 401
 OpenView operating system tools, 402
 bdf, 403
 cron, 403
 crontab -l, 403
 df, 403
 example, 404-405
 ipcs, 403
 isostat, 402
 nice, 402
 ps, 402
 ruptime, 403
 SAM (system administration tool), 403
 sar, 402
 swapinfo, 403

time and timex, 403
 top, 402
 uptime, 403
 vmstat, 402
 OpenView Operations Agent. *See* OVOA
 OpenView Performance Manager. *See* OVPA
 OpenView Performance Manager. *See* OVPM
 unsupported tools, 431-432
 utilities, 429-431
 web page links, 308
 PerfView/MeasureWare. *See* OVP
 PERL, OVOW management platform, 562
 persistent maps and submaps
 filters, 201-203
 on-demand levels, 179-180
 persistence levels, submap background
 graphics, 97
 PGA (Program Global Area), 435
 physical components, databases, 435
 PKC (Public-Key Cryptography) standard, 516
 pkginfo command, 270
 Planner component, (OVPM), 399
 Pluggable Authentication Module (PAM)
 authentication, 519
 pmd command, 80
 Point of Presence (POP) location, Sites CV,
 225-228
 pointer records (PTRs), 593
 policies
 implementation tasks, 267
 OVOW and OVOU interoperability commands
 Import Policies, 574-576
 ovpmutil, 570-574
 policy editor, 581-582
 policy templates, 327-328
 actions, 345
 messages
 control with message correlation, 351
 suppression, 348-350
 monitor external program, 345
 Notification Schedule Configuration Interface,
 346-348
 on managed nodes, 342-343

Index

- policies
enabling/disabling, 344
installing/removing, 344
viewing, 343
Template Administrator, 338-339
template assignment, 341
template groups to node groups, 352-355
template format, 337
template groups, 339-340
Trouble Ticket Notification Service, 345-346
polling frequency, data collection, 180-181
intervals, 150-151
polling statistics, netmon process, 85-86
POP (Point of Presence) location,
Sites CV, 225-228
Portal Intranet SPI, 365
Portal Server SPI, Sun ONE, 366
Prentice Hall technical books, 617
primary manager, 483
failover/failback process, 484, 501-502
primary managers, message forwarding, 496-497
print_associated commands
_interface 230
_node, 230
_organization, 230
print_organization command, 230
private key encryption/decryption, 515
Problem Diagnosis, OVOW management, 561
Problems, SIP Help Desk tab, 241
Process monitor (pmon) background process, 436
Profile Bank, 279
operator's configuration, 289-291
proxy agents, 510-511
proxy filters, 521-522
prtconf command, 270
ps -ea|grep opc command, 552
ps program, operating system tool, 402
PTRs (pointer records), 593
Public-Key Cryptography (PKC) standard, 516
public-key encryption/decryption
RSA ((Rivest-Shamir-Aldeman), 516
SSH (Secure Shell), 520-521
- Q-R**
queue files for processes, 301-302
Quick Navigator icon, 44
- r-commands (DNS), 613
rclog (UNIX) command, 251
RCMD (Remote Command Service), 164
rcmd Windows Resource Kit command, 164
rearm events (NNM), 160-162
Recoverer (reco) background process, 437
recovery, servers (OVO), 412
opc_backup and opc_restore
commands, 414-417
ovbackup.ovpl and ovrestore.ovpl
commands, 418
procedures, 412-414
redo logs, 434
buffer, 436
files, 435
regverify NNM command, 587
Remedy Action Request System SPI, 364
Remote Command Service (RCMD), 164
remote consoles (NNM)
combined Windows/UNIX platforms, 178-179
UNIX platform, 176-177
Windows platform, 176-178
remote Ovw integration, 265
remote procedure calls (RPCs)
agent processes, 312
agents (OVO), 309, 315
configuration files, 325-326
DCE, 517
non-RPC agents, 510
open agents, 508
resources, 620
remsh utility, 163
Reporter, OVOW management platform, 561
reports
samples, 428
administrators, 427
external reports, 427
operators, 425-426
Rep_server OVPA process, 377

- Request Handler (ovoareqhdlr) processes, 543
Request Sender (ovoareqsdr) processes, 543
Resonate Central Dispatch SPI, 365
resources
 books, 617
 certification, 617
 databases, 617
 documentation, 619
 HP information, 618
 Java, 618
 LDAP, 618
 managed node platforms, 618
 MIB and MIB-II, 618
 network and systems management
 systems, 619
 OpenView installation, 270
 OpenView web site, 619
 RPCs, 620
 security, 620
 SHS, 619
 SNMP, 620
 software, 620
 training, 621
 troubleshooting, 621
 Administrator Guide, 540
 Error Messages Reference Guide, 541
 OpenView web site, 540, 546, 553
 UNIX platform, 621
 user groups, 621
 web sites, links, 306-308
 white papers, 621
respmgrs file, 485
responsible manager, 483
reverse lookups, 611
Rivest, Ronald, 516
Rivest-Shamir-Aldeman (RSA) encryption, 516
rm /var/opt/OV/share/tmp/OpC/mgmt_sv/*
 command, 552
rm /var/opt/OV/tmp/OpC/* command, 552
RMON (Remote Monitoring), 401
rollback segment, 436
Root Bank, 279-280
root level submaps (NNM), 42-43
Root Submap icon, 44
Routers device group, 222-224
RPCD OVPA process, 377
rpcinfo -t or -u commands, 510
RPCs (remote procedure calls)
 agent processes, 312
 agents (OVO), 309, 315
 configuration files, 325-326
 DCE, 517
 non-RPC agents, 510
 open agents, 508
 resources, 620
rpcss OVPA process, 377
RSA (Rivest-Shamir-Aldeman) encryption, 516
ruptime program, operating system tool, 403
- S**
- SAM (system administration tool), 403
sar program, operating system tool, 402
schedule templates, 335-336, 414
scopeux OVPA file, 379
Scopeux OVPA process, 378
sdlcomp command, 395
Seagate Crystal Reports®, 427
secondary manager, failover/failback process,
 484, 501-502
Secure Shell (SSH), 512, 520-521
 installation of OVO agents, 322-323
Secure Socket Layer (SSL), 518-519
 encryption, 518
 proxy agents, 510
security
 administrators, 511-512
 audit areas, 512-515
 authentication
 PAM, 519
 SSH, 520-521
 DCE, 517
 DES, 515
 Kerberos authentication, 516
 files and data, 512
 GSS-APIs, 517

Index

- HTTP, 518
- HTTPS-based agents, 510-511
 - firewalls, 521-522
- implementation tasks, 267
- open agents, 508
 - non-RPC agents, 510
 - RPC processes, 508-510
 - RPC-based functions, 508
- operators, 512
- passwords, 511-512
- proactive steps, 519
- resources, 620
- RSA, 516
- S-HTTP (Secure-Hypertext Transfer Protocol), 518
- SOAP, 519
- SSL, 518-519
- Sudo program, 520
- users, 511
- Security Certificate Server MS process, 314
- seed files, network discovery
 - background processes, 78-80
 - environment variables, 74-75
 - excluding devices, 76
 - netmon process, 75
 - netmon.lrf file, 80-81
 - network re-discovery, 77-78
 - SNMP connectivity verification, 76
- segment level submaps (NNM), 42-43
- Selection Name property, 49, 51
- selection rules, 121
 - operators, 122-123
- Self Healing Services (SHS), 553-555
 - resources, 619
- sendmail daemon, 601
- sequencer script, startup/shutdown, 410-411
- Servers device group, 222-224
- Service Browser, SIP Service tab, 240
- Service Calls, SIP Help Desk tab, 241
- Service Cards, SIP Service tab, 240
- Service Editor, 583
- Service Engine (opcsvcm) processes, 543
- Service Graphs, SIP Service tab, 240
- Service Health, SIP Service tab, 240
- Service Information Portal. *See* SIP
- service level agreements (SLAs), 481
- Service Management Forum, 619
- service provider solutions, 265
- service templates (OVO), 487
- set_field command, 228
- set_location command, 228
- SGA (Shared Global Area), 434-435
- SGI managed node resources, 618
- Shamir, Adi, 516
- Shared Global Area (SGA), 434
- shared Pool, 435
- short hostnames, 592
- Show Zmans Xtra Cool Object Info
 - sample ARF, 118-119
- showzmansxcoi script sample ARF, 119-120
- SHS (Self Healing Services), 553-555
 - resources, 619
- SIDs (System Identifiers), 434
- SIEMENS, managed node resources, 618
- Simple Network Management Protocol. *See* SNMP
- Simple Object Access Protocol (SOAP)
 - proxy agents, 510
 - XML, 519
- SIP (Service Information Portal), 10-11
 - commands, 588
 - evaluation software, 11-12
 - Generic Net demo
 - alarms, 237-238
 - bookmarks, 238
 - Help Desk tab, 241
 - Internet tab, 239
 - message board, 238
 - network device health, 236-237
 - Network tab sections, 234-235
 - Operations tab, 240-241
 - Reports tab, 242
 - Service tab, 240
 - topology, 236
 - integrating with NNM
 - adding NNM MSs to SIP, 249

- CV organizations, 250
- module configuration, 242-243
- role configuration, 244-248
- user configuration, 243-245
- user role packages, 248
- Sites CV (Customer views), 10, 219-220, 225
- SLAs (service level agreements), 481
- Smart Plug-Ins (SPIs), 26, 252
 - available from HP, 364
 - documentation, 366 533
 - available from HP partners, 365
 - available from SPI Gallery web site, 365-366
 - components
 - application groups bank, 360-362
 - directories/files on managed node, 363-364
 - directories/files on management server, 363
 - message browser, 363
 - message groups bank, 358-359
 - message source templates, 363
 - node groups bank, 359-360
 - Database SPI Training Course, 366
 - features, 357
 - installing, 358
 - mission-critical applications, 527-528
 - OVOW management platform, 562
 - white papers, 366
- SNMP (Simple Network Management Protocol), 41
 - commands soliciting SNMP information by NNM, 5
 - community names
 - agent configuration, 87-89
 - management configuration, 86-87
 - data collection
 - defining MIB expressions, 154
 - defining MIB objects, 148-152, 172-174
 - displaying data, 152-153
 - traps, 157-158
 - hostname resolution
 - with SNMP, 594-595
 - without SNMP, 594-595
 - MIB and MIB-II information, 5
 - commands, 4
- OVOW and OVOU implementation, 568
- resources, 620
- SNMP Coke machine, 3-4
- SNMP traps, 5
- traps, 25
 - OVPA messages, 389
 - templates, 334-335
 - verifying connectivity, 76
- SNMP Research@ EMANATE agent, 88
- SNMP Trap Interceptor (opctrapi) processes, 545
- snmpbulk utility 4, 58
- snmpCol.conf command, 401
- snmpColDump utility, 153, 401
- snmpCollect command, 401
- snmpgete utility, 4-5, 25, 42, 58
- snmprely command, 5
- snmpset command, 4, 25
- snmptrap command, 4
- snmpwalk utility, 4, 76, 155, 58
- SOAP (Simple Object Access Protocol)
 - proxy agents, 510
 - XML, 519
- sockets. *See* SSL
- Software Distributor, 30
- Solaris platform
 - managed nodes
 - error, log, and temporary files, 305
 - directory structure, 304
 - OVA files, 375
- SPI Gallery web site, 365-366
- SPIs (Smart Plug-Ins), 26, 252
 - availability
 - from HP, 364
 - from HP documentation, 366
 - from HP partners, 365
 - from SPI Gallery web site, 365-366
 - components
 - application groups bank, 360-362
 - directories/files on managed node, 363-364
 - directories/files on management server, 363
 - message browser, 363
 - message groups bank, 358-359
 - message source templates, 363

Index

- node groups bank, 359-360
- Database SPI Training Course, 366
- documentation, 533
- features, 357
- installing, 358
- interfacing with OVOA, 374
- mission-critical applications, 527-528
- OS-SPI profile, 290-291
- OVOW management platform, 562
- software included in OpenView
 - installation, 265
- white papers, 366
- SQL (structured query language) queries, 440
 - SQL statements, 441
- SQL Server (Microsoft), 617
- sqlplus command, 441
- SRFs (Symbol Registration Files), 111
 - access limitations, 144
 - creating, 138-141
 - description, 137-138
- SSH (Secure Shell), 512, 520-521
 - installation of OVO agents, 322-323
- SSL (Secure Socket Layer), 518-519
 - encryption, 518
 - proxy agents, 510
- stacktrace unsupported tool, 432
- stacktrace_agt unsupported tool, 432
- Starbase files, background graphics, 95
- startup/shutdown, databases, 439
 - automatic, 439
 - manual, 439-440
 - shutdown options, 440
- Storage Area Manager SPI, 364
- Student Applications sample, 129, 131
- submaps
- submaps (NNM), 42-43. *See also* maps
 - background graphics, 95-96
 - automatic layout, 97-99
 - memory considerations, 96
 - persistence levels, 97
 - executable symbols, 101-104, 109
 - filters, 94, 194-196
 - applying, 196-198
- AVAs (Attribute Value Assertions), 193
- default filters file, 183-192
- defining, 182-183
- filterable attributes, 183, 192
- filters file syntax, 192
- valid operators, 192-193
- hiding objects, 93-95
- hierarchy, 99
- home submap, 92
- HSB (Hierarchical Submap Builder), 231-232
- memory optimization, 175
- partitioning the Internet submap, 99-101
- persistence levels, 179-180
- remote consoles, 176
- submap overlays, 93
- synchronizing maps, 92-93
- toolbar navigation icons, 44-47
 - window size and placement, 93
- submBld process, 220
- Sudo program, 520
- SUN managed node resources, 618
- Sun ONE SPIs
 - Application Server, 365
 - Directory Server, 365
 - Identity Server, 366
 - Portal Server, 366
 - Web Services - SOAP engine, 366
- Surati, Rajeev, SNMP Coke machine, 4
- swapinfo program, operating system tool, 403
- switch controls, 485
- Switches device group, 222-224
- SYBASE, 617
- Sybase SPI, 364, 562
- Symbol Registration Files (SRFs), 111
 - access limitations, 144
 - creating, 138-141
 - description, 137-138
- synchronizing maps, 92-93
- syntax, templates, 489-497
- syslog (UNIX) command, 251
- System Administration Universal Translator, 621
- System Administrators Guild, 621
- system description (sysDescr) MIB variable, 4

- System Identifiers (SIDs), 434
System monitor (smmon) background process, 436
system object id (sysObjectID) MIB variable, 4
system resource files, managed nodes, 305-306
- T**
- tables, 434
tablespace, 434
TCP (Transmission Control Protocol), 319
TCP Socket Server (opctss), 276
Template Administrator, 338-339
templates, 26, 254
 actions, 345
 activation, 487
 distribution, 488-489
 escalation, 502-503
 managed nodes, 488
 logfile, 328-331
 Message Source Template Group
 OVPA, 376-377
 messages, 333-334
 control with message correlation, 351
 message forwarding, 336
 message regrouping, 336-337
 suppression, 348-350
 monitors
 communication between OVOA and Monitor Agent, 373
 installation, 371-373
 monitor external program, 345
 templates, 331-333
Notification Schedule Configuration Interface, 346-348
outage, 336
OVOU and OVOW
 comparison, 577-578
 exchanges, 570
policies, 327-328
 enabling/disabling, 344
 installing/removing, 344
 viewing, 343
samples, 498-500
- Schedule, 414
schedule templates, 335-336
syntax, 489-497
Template Administrator, 338-339
template assignment, 341
 template groups to node groups, 352-355
template format, 337
template groups, 339-340
trap 334-335
Trouble Ticket Notification Service, 345-346
 types, 487
TGS (Ticket Granting Service), 516
third-party applications and NNM, 6-7
threshold events (NNM)
 defining, 155-160
Threshold (NNM), 25
TIBCO SPI, 366
Ticket Granting Service (TGS), 516
TIFF files, background graphics, 95
time and timex programs, 403
time templates (OVO), 487-491
tmpl_respmgr file, 486
top program, operating system tool, 402
TopoFilter filter, 200-201
topology, 236
 filters, 200-201, 209
 SIP Network tab, 235
 Topology module, 243
trace files, 435
traceroute command, 613-614
training, 621
transactions, 434
transient submaps, 179
Transmission Control Protocol (TCP), 319
Trap Interceptor (opctrapi) processes, 312, 368
traps (SNMP), 5, 25, 157-158
 interceptors, 252
 OVPA messages, 389
 templates, 334-335
Tripwire for Servers SPI, 365
Trouble Ticket Notification Service templates, 345-346
trouble ticketing systems and NNM, 6

Index

- troubleshooting
 - checklist, 539-540
 - collection stations, DIDM, 215-216
 - error messages
 - log files, 540
 - Oracle databases, 542-543
 - itochecker utility, 546-548
 - log files, 540
 - opcragt command, 544
 - OpenView processes, 543-545, 552
 - categories, 552-553
 - OpenView web site resources, 540, 546, 553
 - ovc commands, 545
 - OVO
 - error messages, 541
 - functional checks, 548-550
 - itochecker utility, 546-548
 - processes, 543-545, 552-553
 - ovstatus command, 544
 - problem solving, Motif and Java interfaces, 299-300
 - resources, 621
 - Administrator Guide, 540
 - Error Messages Reference Guide, 541
 - OpenView web site, 540, 546, 553
 - SHS, 553-555
 - web page links, 308
 - with OVPA, 396
 - Tru64 UNIX managed node resources, 618
 - TT & Notify Manager (opcttnsm) processes, 543
 - TT (Transaction Tracking), 400
 - UDP (User Datagram Protocol), 319


- U-V**
 - uname command, 592
 - UNIX GURU Universe, 621
 - UNIX platform
 - automatic actions, 163
 - Import Policies, 574-576
 - OVOU, 567
 - OVOU to OVOW exchange, 570
 - OVOU and OVOW comparison, 576-578

- W**
 - web launcher customization
 - code blocks, 124-126
 - creating, 124
 - Web Launcher Registration Files (WLRFs), 111
 - code blocks, 124
 - creating, 124

- sample
 Event Correlation Configuration, 125-129
 Full SNMP Data Access, 125-126
 Student Applications, 129, 131
- Web Service UDDI Server SPI, 366
- Web Services - SOAP engine SPI, Sun ONE, 366
- web sites, resources, 13
- Web-Based Enterprise Management (WEBM), 560
- WEBM (Web-Based Enterprise Management), 560
- WebMethods SPI, 364
- Windows Management Instrumentation (WMI), 560
- Windows OS Smart Plug-In (SPI), 579
- Windows platform
 automatic actions, 163-164
 managed node resources, 618
 OVO agents
 manual installation, 320-321
 semi-automatic installation, 317-318
 OVO Windows. *See* OVOW
 Import Policies, 574-576
 ovpmutil, 570-574
 message forwarding, 568-569
 rules, 569
 OVOW to OVOU policy distribution, 570
 server-to-server alive checks, 567
 SNMP implementation, 568
 templates
 templates, OVOU and OVOW comparison, 576-578
 remote consoles, 176, 178
 combined Windows/UNIX platforms, 178-179
 Windows NT hostname resolution, 614-615
- Windows SPI, 364
- win_logpath_set unsupported tool, 431
- WLRFs (Web Launcher Registration Files), 111
 code blocks, 124
 creating, 124
 sample
 Event Correlation Configuration, 125-129
- Full SNMP Data Access, 125-126
- Student Applications, 129, 131
- WMI (Windows Management Instrumentation), 560
- Work Orders, SIP Help Desk tab, 241
- work_repmgrs file, 486
- World Wide Web Consortium, 620
- WRQ® NFS, 178

X-Z

- X-Window controls, 298
- XBM files, background graphics, 95
- XML (eXtensible Markup Language)
 SIP configuration, 11
 SOAP, 519
- xnmappmon utility, 114, 118-120
- xnmgraph command, 401
- xnmtopoconf command, 206
- XPM files, background graphics, 95
- XWD files, background graphics, 95
- Zmans cool cgi-boo apps sample, 133-134



Register Your Book

at www.awprofessional.com/register

You may be eligible to receive:


- Advance notice of forthcoming editions of the book
- Related book recommendations
- Chapter excerpts and supplements of forthcoming titles
- Information about special contests and promotions throughout the year
- Notices and reminders about author appearances, tradeshows, and online chats with special guests




Contact us


If you are interested in writing a book or reviewing manuscripts prior to publication, please write to us at:

Editorial Department
Addison-Wesley Professional
75 Arlington Street, Suite 300
Boston, MA 02116 USA
Email: AWPro@aw.com



Visit us on the Web: <http://www.awprofessional.com>





informIT


www.informit.com

YOUR GUIDE TO IT REFERENCE



Articles

Keep your edge with thousands of free articles, in-depth features, interviews, and IT reference recommendations – all written by experts you know and trust.






Online Books


Answers in an instant from **InformIT Online Book's** 600+ fully searchable on line books. For a limited time, you can get your first 14 days **free**.



Catalog

Review online sample chapters, author biographies and customer rankings and choose exactly the right book from a selection of over 5,000 titles.





Wouldn't it be great

if the world's leading technical publishers joined forces to deliver their best tech books in a common digital reference platform?

They have. Introducing
InformIT Online Books
powered by Safari.



■ Specific answers to specific questions.

InformIT Online Books' powerful search engine gives you relevance-ranked results in a matter of seconds.

■ Immediate results.

With InformIT Online Books, you can select the book you want and view the chapter or section you need immediately.

■ Cut, paste and annotate.

Paste code to save time and eliminate typographical errors. Make notes on the material you find useful and choose whether or not to share them with your work group.

■ Customized for your enterprise.

Customize a library for you, your department or your entire organization. You only pay for what you need.

Get your first 14 days FREE!

For a limited time, InformIT Online Books is offering its members a 10 book subscription risk-free for 14 days. Visit <http://www.informit.com/online-books> for details.

informIT
Online Books

informit.com/onlinebooks

